

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.500	41.09	-18.65	74.0	-32.91	Peak	317.00	150	Horizontal	Pass
1**	1113.500	33.09	-18.65	54.0	-20.91	AV	317.00	150	Horizontal	Pass
2	1683.600	45.45	-17.93	74.0	-28.55	Peak	242.00	150	Horizontal	Pass
2**	1683.600	34.86	-17.93	54.0	-19.14	AV	242.00	150	Horizontal	Pass
3	4027.600	47.46	-6.28	74.0	-26.54	Peak	350.00	150	Horizontal	Pass
3**	4027.600	37.69	-6.28	54.0	-16.31	AV	350.00	150	Horizontal	Pass
4	5173.800	95.86	-3.98	--	--	Peak	224.00	150	Horizontal	N/A
4**	5173.800	88.41	-3.98	--	--	AV	224.00	150	Horizontal	N/A
5	7474.950	47.89	-4.65	74.0	-26.11	Peak	361.00	150	Horizontal	Pass
5**	7474.950	38.88	-4.65	54.0	-15.12	AV	361.00	150	Horizontal	Pass
6	12165.224	51.22	-0.91	74.0	-22.78	Peak	274.00	150	Horizontal	Pass
6**	12165.224	42.02	-0.91	54.0	-11.98	AV	274.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1119.900	40.80	-18.55	74.0	-33.20	Peak	189.00	150	Vertical	Pass
1**	1119.900	31.16	-18.55	54.0	-22.84	AV	189.00	150	Vertical	Pass
2	1599.100	40.71	-17.93	74.0	-33.29	Peak	237.00	150	Vertical	Pass
2**	1599.100	30.30	-17.93	54.0	-23.70	AV	237.00	150	Vertical	Pass
3	4058.600	47.25	-5.55	74.0	-26.75	Peak	114.00	150	Vertical	Pass
3**	4058.600	37.22	-5.55	54.0	-16.78	AV	114.00	150	Vertical	Pass
4	5180.800	86.91	-3.94	--	--	Peak	321.00	150	Vertical	N/A
4**	5180.800	78.11	-3.94	--	--	AV	321.00	150	Vertical	N/A
5	7481.850	47.73	-4.49	74.0	-26.27	Peak	49.00	150	Vertical	Pass
5**	7481.850	38.97	-4.49	54.0	-15.03	AV	49.00	150	Vertical	Pass
6	12331.400	50.68	-0.72	74.0	-23.32	Peak	361.00	150	Vertical	Pass
6**	12331.400	42.86	-0.72	54.0	-11.14	AV	361.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1112.700	40.87	-18.67	74.0	-33.13	Peak	328.00	150	Horizontal	Pass
1**	1112.700	31.14	-18.67	54.0	-22.86	AV	328.00	150	Horizontal	Pass
2	1678.200	45.80	-17.91	74.0	-28.20	Peak	244.00	150	Horizontal	Pass
2**	1678.200	34.51	-17.91	54.0	-19.49	AV	244.00	150	Horizontal	Pass
3	4859.400	50.17	-3.67	74.0	-23.83	Peak	202.00	150	Horizontal	Pass
3**	4859.400	41.18	-3.67	54.0	-12.82	AV	202.00	150	Horizontal	Pass
4	5237.600	96.20	-4.32	--	--	Peak	292.00	150	Horizontal	N/A
4**	5237.600	87.75	-4.32	--	--	AV	292.00	150	Horizontal	N/A
5	8089.625	49.02	-3.57	74.0	-24.98	Peak	269.00	150	Horizontal	Pass
5**	8089.625	39.45	-3.57	54.0	-14.55	AV	269.00	150	Horizontal	Pass
6	12293.737	50.85	0.05	74.0	-23.15	Peak	107.00	150	Horizontal	Pass
6**	12293.737	41.19	0.05	54.0	-12.81	AV	107.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1111.800	41.43	-18.70	74.0	-32.57	Peak	193.00	150	Vertical	Pass
1**	1111.800	31.99	-18.70	54.0	-22.01	AV	193.00	150	Vertical	Pass
2	1598.000	41.84	-17.92	74.0	-32.16	Peak	230.00	150	Vertical	Pass
2**	1598.000	28.90	-17.92	54.0	-25.10	AV	230.00	150	Vertical	Pass
3	4877.000	51.26	-4.03	74.0	-22.74	Peak	195.00	150	Vertical	Pass
3**	4877.000	41.04	-4.03	54.0	-12.96	AV	195.00	150	Vertical	Pass
4	5241.200	87.94	-4.20	--	--	Peak	76.00	150	Vertical	N/A
4**	5241.200	79.45	-4.20	--	--	AV	76.00	150	Vertical	N/A
5	7454.538	48.33	-4.45	74.0	-25.67	Peak	360.00	150	Vertical	Pass
5**	7454.538	38.67	-4.45	54.0	-15.33	AV	360.00	150	Vertical	Pass
6	12349.513	50.73	-1.23	74.0	-23.27	Peak	180.00	150	Vertical	Pass
6**	12349.513	41.22	-1.23	54.0	-12.78	AV	180.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.700	41.05	-18.65	74.0	-32.95	Peak	327.00	150	Horizontal	Pass
1**	1113.700	31.19	-18.65	54.0	-22.81	AV	327.00	150	Horizontal	Pass
2	1678.500	45.38	-17.91	74.0	-28.62	Peak	235.00	150	Horizontal	Pass
2**	1678.500	35.95	-17.91	54.0	-18.05	AV	235.00	150	Horizontal	Pass
3	4828.000	50.11	-4.14	74.0	-23.89	Peak	184.00	150	Horizontal	Pass
3**	4828.000	41.48	-4.14	54.0	-12.52	AV	184.00	150	Horizontal	Pass
4	5185.800	101.21	-3.94	--	--	Peak	219.00	150	Horizontal	N/A
4**	5185.800	92.52	-3.94	--	--	AV	219.00	150	Horizontal	N/A
5	7348.163	48.51	-5.14	74.0	-25.49	Peak	130.00	150	Horizontal	Pass
5**	7348.163	39.87	-5.14	54.0	-14.13	AV	130.00	150	Horizontal	Pass
6	12223.013	51.31	-0.28	74.0	-22.69	Peak	75.00	150	Horizontal	Pass
6**	12223.013	41.23	-0.28	54.0	-12.77	AV	75.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.100	41.65	-18.57	74.0	-32.35	Peak	185.00	150	Vertical	Pass
1**	1115.100	31.70	-18.57	54.0	-22.30	AV	185.00	150	Vertical	Pass
2	1678.300	40.99	-17.91	74.0	-33.01	Peak	124.00	150	Vertical	Pass
2**	1678.300	30.79	-17.91	54.0	-23.21	AV	124.00	150	Vertical	Pass
3	4834.600	51.13	-4.12	74.0	-22.87	Peak	206.00	150	Vertical	Pass
3**	4834.600	41.56	-4.12	54.0	-12.44	AV	206.00	150	Vertical	Pass
4	5172.000	91.22	-4.00	--	--	Peak	206.00	150	Vertical	N/A
4**	5172.000	83.67	-4.00	--	--	AV	206.00	150	Vertical	N/A
5	8059.725	49.06	-3.32	74.0	-24.94	Peak	21.00	150	Vertical	Pass
5**	8059.725	39.45	-3.32	54.0	-14.55	AV	21.00	150	Vertical	Pass
6	12212.662	51.29	-0.45	74.0	-22.71	Peak	226.00	150	Vertical	Pass
6**	12212.662	40.90	-0.45	54.0	-13.10	AV	226.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.200	40.83	-18.66	74.0	-33.17	Peak	225.00	150	Horizontal	Pass
1**	1113.200	31.78	-18.66	54.0	-22.22	AV	225.00	150	Horizontal	Pass
2	1685.700	45.74	-17.86	74.0	-28.26	Peak	244.00	150	Horizontal	Pass
2**	1685.700	33.90	-17.86	54.0	-20.10	AV	244.00	150	Horizontal	Pass
3	4126.400	48.03	-5.95	74.0	-25.97	Peak	-1.00	150	Horizontal	Pass
3**	4126.400	38.91	-5.95	54.0	-15.09	AV	-1.00	150	Horizontal	Pass
4	5227.400	100.61	-4.06	--	--	Peak	303.00	150	Horizontal	N/A
4**	5227.400	92.03	-4.06	--	--	AV	303.00	150	Horizontal	N/A
5	7334.362	48.72	-4.92	74.0	-25.28	Peak	192.00	150	Horizontal	Pass
5**	7334.362	39.86	-4.92	54.0	-14.14	AV	192.00	150	Horizontal	Pass
6	11651.463	50.73	-0.36	74.0	-23.27	Peak	300.00	150	Horizontal	Pass
6**	11651.463	41.55	-0.36	54.0	-12.45	AV	300.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.200	40.74	-18.57	74.0	-33.26	Peak	198.00	150	Vertical	Pass
1**	1115.200	32.88	-18.57	54.0	-21.12	AV	198.00	150	Vertical	Pass
2	1680.300	41.55	-17.85	74.0	-32.45	Peak	138.00	150	Vertical	Pass
2**	1680.300	32.41	-17.85	54.0	-21.59	AV	138.00	150	Vertical	Pass
3	4873.200	50.40	-3.98	74.0	-23.60	Peak	362.00	150	Vertical	Pass
3**	4873.200	40.86	-3.98	54.0	-13.14	AV	362.00	150	Vertical	Pass
4	5221.200	90.84	-4.09	--	--	Peak	56.00	150	Vertical	N/A
4**	5221.200	82.84	-4.09	--	--	AV	56.00	150	Vertical	N/A
5	7435.275	48.01	-4.35	74.0	-25.99	Peak	361.00	150	Vertical	Pass
5**	7435.275	39.15	-4.35	54.0	-14.85	AV	361.00	150	Vertical	Pass
6	12177.299	50.50	-0.97	74.0	-23.50	Peak	303.00	150	Vertical	Pass
6**	12177.299	41.35	-0.97	54.0	-12.65	AV	303.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1111.600	40.75	-18.70	74.0	-33.25	Peak	321.00	150	Horizontal	Pass
1**	1111.600	31.78	-18.70	54.0	-22.22	AV	321.00	150	Horizontal	Pass
2	1678.400	46.50	-17.91	74.0	-27.50	Peak	255.00	150	Horizontal	Pass
2**	1678.400	38.01	-17.91	54.0	-15.99	AV	255.00	150	Horizontal	Pass
3	4875.400	50.05	-4.04	74.0	-23.95	Peak	-1.00	150	Horizontal	Pass
3**	4875.400	40.54	-4.04	54.0	-13.46	AV	-1.00	150	Horizontal	Pass
4	5238.800	101.20	-4.27	--	--	Peak	287.00	150	Horizontal	N/A
4**	5238.800	92.23	-4.27	--	--	AV	287.00	150	Horizontal	N/A
5	7412.562	49.05	-4.16	74.0	-24.95	Peak	346.00	150	Horizontal	Pass
5**	7412.562	39.05	-4.16	54.0	-14.95	AV	346.00	150	Horizontal	Pass
6	12361.588	50.54	-1.52	74.0	-23.46	Peak	360.00	150	Horizontal	Pass
6**	12361.588	41.84	-1.52	54.0	-12.16	AV	360.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1110.800	40.47	-18.68	74.0	-33.53	Peak	186.00	150	Vertical	Pass
1**	1110.800	30.53	-18.68	54.0	-23.47	AV	186.00	150	Vertical	Pass
2	1681.600	42.95	-17.85	74.0	-31.05	Peak	135.00	150	Vertical	Pass
2**	1681.600	33.31	-17.85	54.0	-20.69	AV	135.00	150	Vertical	Pass
3	4237.800	47.69	-5.71	74.0	-26.31	Peak	16.00	150	Vertical	Pass
3**	4237.800	38.40	-5.71	54.0	-15.60	AV	16.00	150	Vertical	Pass
4	5248.000	92.14	-4.26	--	--	Peak	93.00	150	Vertical	N/A
4**	5248.000	83.95	-4.26	--	--	AV	93.00	150	Vertical	N/A
5	7565.800	48.24	-4.53	74.0	-25.76	Peak	26.00	150	Vertical	Pass
5**	7565.800	38.44	-4.53	54.0	-15.56	AV	26.00	150	Vertical	Pass
6	12246.587	51.14	-0.17	74.0	-22.86	Peak	61.00	150	Vertical	Pass
6**	12246.587	42.41	-0.17	54.0	-11.59	AV	61.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.100	40.41	-18.61	74.0	-33.59	Peak	244.00	150	Horizontal	Pass
1**	1121.100	29.99	-18.61	54.0	-24.01	AV	244.00	150	Horizontal	Pass
2	1685.000	46.00	-17.87	74.0	-28.00	Peak	244.00	150	Horizontal	Pass
2**	1685.000	34.93	-17.87	54.0	-19.07	AV	244.00	150	Horizontal	Pass
3	4092.200	47.70	-5.64	74.0	-26.30	Peak	39.00	150	Horizontal	Pass
3**	4092.200	38.72	-5.64	54.0	-15.28	AV	39.00	150	Horizontal	Pass
4	5182.000	95.67	-3.92	--	--	Peak	226.00	150	Horizontal	N/A
4**	5182.000	88.80	-3.92	--	--	AV	226.00	150	Horizontal	N/A
5	7429.237	49.13	-4.27	74.0	-24.87	Peak	361.00	150	Horizontal	Pass
5**	7429.237	39.38	-4.27	54.0	-14.62	AV	361.00	150	Horizontal	Pass
6	11624.150	50.78	-0.20	74.0	-23.22	Peak	131.00	150	Horizontal	Pass
6**	11624.150	41.24	-0.20	54.0	-12.76	AV	131.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.100	41.72	-18.53	74.0	-32.28	Peak	184.00	150	Vertical	Pass
1**	1116.100	31.85	-18.53	54.0	-22.15	AV	184.00	150	Vertical	Pass
2	1596.800	42.04	-17.86	74.0	-31.96	Peak	228.00	150	Vertical	Pass
2**	1596.800	31.97	-17.86	54.0	-22.03	AV	228.00	150	Vertical	Pass
3	4865.600	50.19	-3.69	74.0	-23.81	Peak	330.00	150	Vertical	Pass
3**	4865.600	40.46	-3.69	54.0	-13.54	AV	330.00	150	Vertical	Pass
4	5199.600	87.06	-4.02	--	--	Peak	305.00	150	Vertical	N/A
4**	5199.600	78.61	-4.02	--	--	AV	305.00	150	Vertical	N/A
5	7334.075	48.52	-4.88	74.0	-25.48	Peak	42.00	150	Vertical	Pass
5**	7334.075	39.37	-4.88	54.0	-14.63	AV	42.00	150	Vertical	Pass
6	12267.862	50.55	0.06	74.0	-23.45	Peak	180.00	150	Vertical	Pass
6**	12267.862	42.39	0.06	54.0	-11.61	AV	180.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1112.000	40.45	-18.69	74.0	-33.55	Peak	315.00	150	Horizontal	Pass
1**	1112.000	32.50	-18.69	54.0	-21.50	AV	315.00	150	Horizontal	Pass
2	1674.100	45.89	-17.86	74.0	-28.11	Peak	240.00	150	Horizontal	Pass
2**	1674.100	33.51	-17.86	54.0	-20.49	AV	240.00	150	Horizontal	Pass
3	4852.400	50.12	-3.68	74.0	-23.88	Peak	330.00	150	Horizontal	Pass
3**	4852.400	40.60	-3.68	54.0	-13.40	AV	330.00	150	Horizontal	Pass
4	5241.000	95.87	-4.19	--	--	Peak	305.00	150	Horizontal	N/A
4**	5241.000	88.23	-4.19	--	--	AV	305.00	150	Horizontal	N/A
5	7527.563	48.58	-4.28	74.0	-25.42	Peak	311.00	150	Horizontal	Pass
5**	7527.563	39.12	-4.28	54.0	-14.88	AV	311.00	150	Horizontal	Pass
6	12317.025	50.88	-0.33	74.0	-23.12	Peak	348.00	150	Horizontal	Pass
6**	12317.025	40.82	-0.33	54.0	-13.18	AV	348.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.300	40.48	-18.62	74.0	-33.52	Peak	196.00	150	Vertical	Pass
1**	1114.300	32.76	-18.62	54.0	-21.24	AV	196.00	150	Vertical	Pass
2	1684.400	41.15	-17.90	74.0	-32.85	Peak	146.00	150	Vertical	Pass
2**	1684.400	31.23	-17.90	54.0	-22.77	AV	146.00	150	Vertical	Pass
3	4803.600	50.42	-3.71	74.0	-23.58	Peak	44.00	150	Vertical	Pass
3**	4803.600	39.83	-3.71	54.0	-14.17	AV	44.00	150	Vertical	Pass
4	5239.200	86.58	-4.24	--	--	Peak	94.00	150	Vertical	N/A
4**	5239.200	78.53	-4.24	--	--	AV	94.00	150	Vertical	N/A
5	7430.962	48.54	-4.39	74.0	-25.46	Peak	127.00	150	Vertical	Pass
5**	7430.962	38.99	-4.39	54.0	-15.01	AV	127.00	150	Vertical	Pass
6	12234.512	51.19	-0.31	74.0	-22.81	Peak	241.00	150	Vertical	Pass
6**	12234.512	41.35	-0.31	54.0	-12.65	AV	241.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1112.300	40.86	-18.68	74.0	-33.14	Peak	314.00	150	Horizontal	Pass
1**	1112.300	30.65	-18.68	54.0	-23.35	AV	314.00	150	Horizontal	Pass
2	1681.700	45.16	-17.86	74.0	-28.84	Peak	237.00	150	Horizontal	Pass
2**	1681.700	34.80	-17.86	54.0	-19.20	AV	237.00	150	Horizontal	Pass
3	4257.400	48.34	-5.52	74.0	-25.66	Peak	277.00	150	Horizontal	Pass
3**	4257.400	38.78	-5.52	54.0	-15.22	AV	277.00	150	Horizontal	Pass
4	5190.000	93.86	-3.89	--	--	Peak	225.00	150	Horizontal	N/A
4**	5190.000	85.54	-3.89	--	--	AV	225.00	150	Horizontal	N/A
5	7431.825	48.18	-4.40	74.0	-25.82	Peak	0.00	150	Horizontal	Pass
5**	7431.825	38.68	-4.40	54.0	-15.32	AV	0.00	150	Horizontal	Pass
6	12186.213	50.73	-0.91	74.0	-23.27	Peak	6.00	150	Horizontal	Pass
6**	12186.213	41.88	-0.91	54.0	-12.12	AV	6.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1112.800	41.13	-18.67	74.0	-32.87	Peak	179.00	150	Vertical	Pass
1**	1112.800	31.10	-18.67	54.0	-22.90	AV	179.00	150	Vertical	Pass
2	1597.700	42.03	-17.90	74.0	-31.97	Peak	235.00	150	Vertical	Pass
2**	1597.700	35.35	-17.90	54.0	-18.65	AV	235.00	150	Vertical	Pass
3	4086.400	48.04	-5.27	74.0	-25.96	Peak	-1.00	150	Vertical	Pass
3**	4086.400	38.44	-5.27	54.0	-15.56	AV	-1.00	150	Vertical	Pass
4	5220.400	83.65	-4.11	--	42.65	Peak	41.00	150	Vertical	N/A
4**	5220.400	75.74	-4.11	--	75.74	AV	41.00	150	Vertical	N/A
5	7420.325	48.49	-4.00	74.0	-25.51	Peak	150.00	150	Vertical	Pass
5**	7420.325	39.68	-4.00	54.0	-14.32	AV	150.00	150	Vertical	Pass
6	12254.925	51.32	-0.03	74.0	-22.68	Peak	34.00	150	Vertical	Pass
6**	12254.925	41.72	-0.03	54.0	-12.28	AV	34.00	150	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.200	40.55	-18.62	74.0	-33.45	Peak	241.00	150	Horizontal	Pass
1**	1121.200	30.95	-18.62	54.0	-23.05	AV	241.00	150	Horizontal	Pass
2	1681.400	45.51	-17.84	74.0	-28.49	Peak	256.00	150	Horizontal	Pass
2**	1681.400	37.13	-17.84	54.0	-16.87	AV	256.00	150	Horizontal	Pass
3	4089.200	47.34	-5.46	74.0	-26.66	Peak	169.00	150	Horizontal	Pass
3**	4089.200	37.56	-5.46	54.0	-16.44	AV	169.00	150	Horizontal	Pass
4	5179.400	101.88	-3.94	--	--	Peak	218.00	150	Horizontal	N/A
4**	5179.400	92.81	-3.94	--	--	AV	218.00	150	Horizontal	N/A
5	7430.675	49.02	-4.37	74.0	-24.98	Peak	292.00	150	Horizontal	Pass
5**	7430.675	39.75	-4.37	54.0	-14.25	AV	292.00	150	Horizontal	Pass
6	12351.526	51.68	-1.28	74.0	-22.32	Peak	82.00	150	Horizontal	Pass
6**	12351.526	41.08	-1.28	54.0	-12.92	AV	82.00	150	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.000	40.97	-18.58	74.0	-33.03	Peak	320.00	150	Vertical	Pass
1**	1115.000	31.45	-18.58	54.0	-22.55	AV	320.00	150	Vertical	Pass
2	1597.400	44.19	-17.89	74.0	-29.81	Peak	233.00	150	Vertical	Pass
2**	1597.400	31.77	-17.89	54.0	-22.23	AV	233.00	150	Vertical	Pass
3	4229.000	47.78	-5.73	74.0	-26.22	Peak	92.00	150	Vertical	Pass
3**	4229.000	38.30	-5.73	54.0	-15.70	AV	92.00	150	Vertical	Pass
4	5172.400	91.66	-4.02	--	--	Peak	75.00	150	Vertical	N/A
4**	5172.400	83.39	-4.02	--	--	AV	75.00	150	Vertical	N/A
5	8093.075	49.40	-3.49	74.0	-24.60	Peak	361.00	150	Vertical	Pass
5**	8093.075	40.69	-3.49	54.0	-13.31	AV	361.00	150	Vertical	Pass
6	12227.900	50.99	-0.29	74.0	-23.01	Peak	263.00	150	Vertical	Pass
6**	12227.900	41.98	-0.29	54.0	-12.02	AV	263.00	150	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.500	40.83	-18.61	74.0	-33.17	Peak	333.00	150	Horizontal	Pass
1**	1114.500	32.88	-18.61	54.0	-21.12	AV	333.00	150	Horizontal	Pass
2	1677.600	45.41	-17.93	74.0	-28.59	Peak	254.00	150	Horizontal	Pass
2**	1677.600	34.66	-17.93	54.0	-19.34	AV	254.00	150	Horizontal	Pass
3	4848.200	50.34	-3.75	74.0	-23.66	Peak	239.00	150	Horizontal	Pass
3**	4848.200	41.50	-3.75	54.0	-12.50	AV	239.00	150	Horizontal	Pass
4	5223.400	101.66	-4.18	--	--	Peak	288.00	150	Horizontal	Pass
4**	5223.400	92.02	-4.18	--	--	AV	288.00	150	Horizontal	N/A
5	7531.013	48.44	-4.24	74.0	-25.56	Peak	361.00	150	Horizontal	Pass
5**	7531.013	39.46	-4.24	54.0	-14.54	AV	361.00	150	Horizontal	Pass
6	11679.350	50.73	-0.95	74.0	-23.27	Peak	242.00	150	Horizontal	Pass
6**	11679.350	41.17	-0.95	54.0	-12.83	AV	242.00	150	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.700	40.64	-18.65	74.0	-33.36	Peak	175.00	150	Vertical	Pass
1**	1113.700	32.86	-18.65	54.0	-21.14	AV	175.00	150	Vertical	Pass
2	1596.800	41.60	-17.86	74.0	-32.40	Peak	231.00	150	Vertical	Pass
2**	1596.800	35.25	-17.86	54.0	-18.75	AV	231.00	150	Vertical	Pass
3	4338.000	48.18	-5.62	74.0	-25.82	Peak	24.00	150	Vertical	Pass
3**	4338.000	38.97	-5.62	54.0	-15.03	AV	24.00	150	Vertical	Pass
4	5212.400	91.30	-3.89	--	--	Peak	311.00	150	Vertical	N/A
4**	5212.400	82.56	-3.89	--	--	AV	311.00	150	Vertical	N/A
5	7449.650	49.19	-4.40	74.0	-24.81	Peak	101.00	150	Vertical	Pass
5**	7449.650	38.99	-4.40	54.0	-15.01	AV	101.00	150	Vertical	Pass
6	12367.625	50.89	-1.53	74.0	-23.11	Peak	122.00	150	Vertical	Pass
6**	12367.625	40.53	-1.53	54.0	-13.47	AV	122.00	150	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1111.800	40.12	-18.70	74.0	-33.88	Peak	332.00	150	Horizontal	Pass
1**	1111.800	29.51	-18.70	54.0	-24.49	AV	332.00	150	Horizontal	Pass
2	1687.500	45.71	-17.89	74.0	-28.29	Peak	242.00	150	Horizontal	Pass
2**	1687.500	33.21	-17.89	54.0	-20.79	AV	242.00	150	Horizontal	Pass
3	4175.000	48.01	-5.41	74.0	-25.99	Peak	-1.00	150	Horizontal	Pass
3**	4175.000	38.32	-5.41	54.0	-15.68	AV	-1.00	150	Horizontal	Pass
4	5248.200	101.79	-4.27	--	--	Peak	307.00	150	Horizontal	N/A
4**	5248.200	93.69	-4.27	--	--	AV	307.00	150	Horizontal	N/A
5	7482.138	49.00	-4.47	74.0	-25.00	Peak	173.00	150	Horizontal	Pass
5**	7482.138	39.52	-4.47	54.0	-14.48	AV	173.00	150	Horizontal	Pass
6	12275.625	51.03	0.08	74.0	-22.97	Peak	83.00	150	Horizontal	Pass
6**	12275.625	41.59	0.08	54.0	-12.41	AV	83.00	150	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.500	40.48	-18.55	74.0	-33.52	Peak	186.00	150	Vertical	Pass
1**	1115.500	31.78	-18.55	54.0	-22.22	AV	186.00	150	Vertical	Pass
2	1597.400	41.72	-17.89	74.0	-32.28	Peak	231.00	150	Vertical	Pass
2**	1597.400	32.85	-17.89	54.0	-21.15	AV	231.00	150	Vertical	Pass
3	4892.600	50.18	-4.27	74.0	-23.82	Peak	362.00	150	Vertical	Pass
3**	4892.600	41.22	-4.27	54.0	-12.78	AV	362.00	150	Vertical	Pass
4	5238.600	92.48	-4.29	--	--	Peak	292.00	150	Vertical	N/A
4**	5238.600	84.25	-4.29	--	--	AV	292.00	150	Vertical	N/A
5	8056.850	49.59	-3.12	74.0	-24.41	Peak	345.00	150	Vertical	Pass
5**	8056.850	40.02	-3.12	54.0	-13.98	AV	345.00	150	Vertical	Pass
6	11601.724	50.35	-0.15	74.0	-23.65	Peak	0.00	150	Vertical	Pass
6**	11601.724	40.57	-0.15	54.0	-13.43	AV	0.00	150	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1112.800	40.01	-18.67	74.0	-33.99	Peak	331.00	150	Horizontal	Pass
1**	1112.800	32.12	-18.67	54.0	-21.88	AV	331.00	150	Horizontal	Pass
2	1686.300	46.21	-17.87	74.0	-27.79	Peak	248.00	150	Horizontal	Pass
2**	1686.300	30.63	-17.87	54.0	-23.37	AV	248.00	150	Horizontal	Pass
3	4086.600	48.35	-5.28	74.0	-25.65	Peak	-1.00	150	Horizontal	Pass
3**	4086.600	37.93	-5.28	54.0	-16.07	AV	-1.00	150	Horizontal	Pass
4	5172.600	96.83	-4.02	--	--	Peak	233.00	150	Horizontal	N/A
4**	5172.600	87.51	-4.02	--	--	AV	233.00	150	Horizontal	N/A
5	7632.787	49.31	-5.30	74.0	-24.69	Peak	295.00	150	Horizontal	Pass
5**	7632.787	39.18	-5.30	54.0	-14.82	AV	295.00	150	Horizontal	Pass
6	12327.950	50.61	-0.62	74.0	-23.39	Peak	62.00	150	Horizontal	Pass
6**	12327.950	42.40	-0.62	54.0	-11.60	AV	62.00	150	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.900	40.76	-18.53	74.0	-33.24	Peak	320.00	150	Vertical	Pass
1**	1115.900	31.85	-18.53	54.0	-22.15	AV	320.00	150	Vertical	Pass
2	1597.400	40.94	-17.89	74.0	-33.06	Peak	229.00	150	Vertical	Pass
2**	1597.400	31.76	-17.89	54.0	-22.24	AV	229.00	150	Vertical	Pass
3	4830.800	50.35	-4.14	74.0	-23.65	Peak	125.00	150	Vertical	Pass
3**	4830.800	40.30	-4.14	54.0	-13.70	AV	125.00	150	Vertical	Pass
4	5198.800	87.67	-4.00	--	--	Peak	293.00	150	Vertical	N/A
4**	5198.800	79.39	-4.00	--	--	AV	293.00	150	Vertical	N/A
5	7526.125	48.61	-4.33	74.0	-25.39	Peak	192.00	150	Vertical	Pass
5**	7526.125	39.19	-4.33	54.0	-14.81	AV	192.00	150	Vertical	Pass
6	12222.437	50.77	-0.28	74.0	-23.23	Peak	192.00	150	Vertical	Pass
6**	12222.437	41.21	-0.28	54.0	-12.79	AV	192.00	150	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1112.100	39.88	-18.69	74.0	-34.12	Peak	332.00	150	Horizontal	Pass
1**	1112.100	29.15	-18.69	54.0	-24.85	AV	332.00	150	Horizontal	Pass
2	1680.700	45.71	-17.84	74.0	-28.29	Peak	251.00	150	Horizontal	Pass
2**	1680.700	36.80	-17.84	54.0	-17.20	AV	251.00	150	Horizontal	Pass
3	4223.400	47.66	-5.88	74.0	-26.34	Peak	153.00	150	Horizontal	Pass
3**	4223.400	38.77	-5.88	54.0	-15.23	AV	153.00	150	Horizontal	Pass
4	5216.800	96.35	-3.99	--	--	Peak	320.00	150	Horizontal	N/A
4**	5216.800	86.77	-3.99	--	--	AV	320.00	150	Horizontal	N/A
5	7524.400	48.49	-4.39	74.0	-25.51	Peak	330.00	150	Horizontal	Pass
5**	7524.400	39.46	-4.39	54.0	-14.54	AV	330.00	150	Horizontal	Pass
6	12246.587	51.34	-0.17	74.0	-22.66	Peak	105.00	150	Horizontal	Pass
6**	12246.587	42.38	-0.17	54.0	-11.62	AV	105.00	150	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1117.900	41.04	-18.53	74.0	-32.96	Peak	319.00	150	Vertical	Pass
1**	1117.900	30.83	-18.53	54.0	-23.17	AV	319.00	150	Vertical	Pass
2	1684.900	42.70	-17.88	74.0	-31.30	Peak	139.00	150	Vertical	Pass
2**	1684.900	30.22	-17.88	54.0	-23.78	AV	139.00	150	Vertical	Pass
3	4860.600	50.31	-3.67	74.0	-23.69	Peak	82.00	150	Vertical	Pass
3**	4860.600	40.93	-3.67	54.0	-13.07	AV	82.00	150	Vertical	Pass
4	5234.800	87.98	-4.23	--	--	Peak	82.00	150	Vertical	N/A
4**	5234.800	78.72	-4.23	--	--	AV	82.00	150	Vertical	N/A
5	7429.237	48.08	-4.27	74.0	-25.92	Peak	309.00	150	Vertical	Pass
5**	7429.237	38.94	-4.27	54.0	-15.06	AV	309.00	150	Vertical	Pass
6	12247.162	50.56	-0.16	74.0	-23.44	Peak	0.00	150	Vertical	Pass
6**	12247.162	41.80	-0.16	54.0	-12.20	AV	0.00	150	Vertical	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1112.800	41.23	-18.67	74.0	-32.77	Peak	321.00	150	Horizontal	Pass
1**	1112.800	31.27	-18.67	54.0	-22.73	AV	321.00	150	Horizontal	Pass
2	1682.600	45.20	-17.91	74.0	-28.80	Peak	245.00	150	Horizontal	Pass
2**	1682.600	36.51	-17.91	54.0	-17.49	AV	245.00	150	Horizontal	Pass
3	4846.400	50.25	-3.83	74.0	-23.75	Peak	274.00	150	Horizontal	Pass
3**	4846.400	41.01	-3.83	54.0	-12.99	AV	274.00	150	Horizontal	Pass
4	5234.800	94.34	-4.23	--	--	Peak	308.00	150	Horizontal	N/A
4**	5234.800	85.46	-4.23	--	--	AV	308.00	150	Horizontal	N/A
5	8084.163	48.89	-3.45	74.0	-25.11	Peak	284.00	150	Horizontal	Pass
5**	8084.163	40.61	-3.45	54.0	-13.39	AV	284.00	150	Horizontal	Pass
6	12257.225	51.20	0.00	74.0	-22.80	Peak	230.00	150	Horizontal	Pass
6**	12257.225	41.96	0.00	54.0	-12.04	AV	230.00	150	Horizontal	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.900	40.98	-18.64	74.0	-33.02	Peak	184.00	150	Vertical	Pass
1**	1113.900	32.62	-18.64	54.0	-21.38	AV	184.00	150	Vertical	Pass
2	1592.600	42.13	-17.96	74.0	-31.87	Peak	224.00	150	Vertical	Pass
2**	1592.600	29.38	-17.96	54.0	-24.62	AV	224.00	150	Vertical	Pass
3	4868.600	50.27	-3.83	74.0	-23.73	Peak	195.00	150	Vertical	Pass
3**	4868.600	40.99	-3.83	54.0	-13.01	AV	195.00	150	Vertical	Pass
4	5220.800	84.76	-4.10	--	--	Peak	45.00	150	Vertical	N/A
4**	5220.800	75.49	-4.10	--	--	AV	45.00	150	Vertical	N/A
5	7449.650	48.66	-4.40	74.0	-25.34	Peak	239.00	150	Vertical	Pass
5**	7449.650	38.99	-4.40	54.0	-15.01	AV	239.00	150	Vertical	Pass
6	12353.537	50.35	-1.34	74.0	-23.65	Peak	0.00	150	Vertical	Pass
6**	12353.537	41.83	-1.34	54.0	-12.17	AV	0.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.400	40.61	-18.56	74.0	-33.39	Peak	331.00	150	Horizontal	Pass
1**	1115.400	32.87	-18.56	54.0	-21.13	AV	331.00	150	Horizontal	Pass
2	1683.000	45.54	-17.93	74.0	-28.46	Peak	255.00	150	Horizontal	Pass
2**	1683.000	36.31	-17.93	54.0	-17.69	AV	255.00	150	Horizontal	Pass
3	4287.600	48.37	-5.23	74.0	-25.63	Peak	360.00	150	Horizontal	Pass
3**	4287.600	38.07	-5.23	54.0	-15.93	AV	360.00	150	Horizontal	Pass
4	5751.400	102.16	-3.68	--	--	Peak	238.00	150	Horizontal	N/A
4**	5751.400	94.21	-3.68	--	--	AV	238.00	150	Horizontal	N/A
5	7420.612	48.55	-3.99	74.0	-25.45	Peak	361.00	150	Horizontal	Pass
5**	7420.612	39.27	-3.99	54.0	-14.73	AV	361.00	150	Horizontal	Pass
6	12267.862	52.00	0.06	74.0	-22.00	Peak	361.00	150	Horizontal	Pass
6**	12267.862	41.58	0.06	54.0	-12.42	AV	361.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.100	41.44	-18.57	74.0	-32.56	Peak	182.00	150	Vertical	Pass
1**	1115.100	33.90	-18.57	54.0	-20.10	AV	182.00	150	Vertical	Pass
2	1683.300	41.54	-17.94	74.0	-32.46	Peak	284.00	150	Vertical	Pass
2**	1683.300	33.04	-17.94	54.0	-20.96	AV	284.00	150	Vertical	Pass
3	5047.200	51.42	-3.74	74.0	-22.58	Peak	136.00	150	Vertical	Pass
3**	5047.200	40.77	-3.74	54.0	-13.23	AV	136.00	150	Vertical	Pass
4	5748.800	94.19	-3.79	--	--	Peak	88.00	150	Vertical	N/A
4**	5748.800	86.64	-3.79	--	--	AV	88.00	150	Vertical	N/A
5	7434.125	49.10	-4.38	74.0	-24.90	Peak	71.00	150	Vertical	Pass
5**	7434.125	40.09	-4.38	54.0	-13.91	AV	71.00	150	Vertical	Pass
6	12252.338	51.31	-0.06	74.0	-22.69	Peak	71.00	150	Vertical	Pass
6**	12252.338	40.98	-0.06	54.0	-13.02	AV	71.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1118.500	40.44	-18.53	74.0	-33.56	Peak	330.00	150	Horizontal	Pass
1**	1118.500	32.10	-18.53	54.0	-21.90	AV	330.00	150	Horizontal	Pass
2	1688.000	45.62	-17.89	74.0	-28.38	Peak	250.00	150	Horizontal	Pass
2**	1688.000	29.54	-17.89	54.0	-24.46	AV	250.00	150	Horizontal	Pass
3	4824.400	50.20	-4.06	74.0	-23.80	Peak	193.00	150	Horizontal	Pass
3**	4824.400	41.19	-4.06	54.0	-12.81	AV	193.00	150	Horizontal	Pass
4	5784.000	102.38	-3.03	--	--	Peak	228.00	150	Horizontal	N/A
4**	5784.000	95.97	-3.03	--	--	AV	228.00	150	Horizontal	N/A
5	7560.912	48.77	-4.50	74.0	-25.23	Peak	93.00	150	Horizontal	Pass
5**	7560.912	38.66	-4.50	54.0	-15.34	AV	93.00	150	Horizontal	Pass
6	12348.075	50.81	-1.19	74.0	-23.19	Peak	345.00	150	Horizontal	Pass
6**	12348.075	41.04	-1.19	54.0	-12.96	AV	345.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.000	41.89	-18.63	74.0	-32.11	Peak	183.00	150	Vertical	Pass
1**	1114.000	34.48	-18.63	54.0	-19.52	AV	183.00	150	Vertical	Pass
2	1596.100	41.86	-17.83	74.0	-32.14	Peak	332.00	150	Vertical	Pass
2**	1596.100	28.95	-17.83	54.0	-25.05	AV	332.00	150	Vertical	Pass
3	4829.000	49.93	-4.12	74.0	-24.07	Peak	82.00	150	Vertical	Pass
3**	4829.000	42.45	-4.12	54.0	-11.55	AV	82.00	150	Vertical	Pass
4	5790.200	94.12	-3.18	--	--	Peak	119.00	150	Vertical	N/A
4**	5790.200	85.76	-3.18	--	--	AV	119.00	150	Vertical	N/A
5	7445.050	49.78	-4.45	74.0	-24.22	Peak	348.00	150	Vertical	Pass
5**	7445.050	38.93	-4.45	54.0	-15.07	AV	348.00	150	Vertical	Pass
6	12336.862	51.17	-0.88	74.0	-22.83	Peak	244.00	150	Vertical	Pass
6**	12336.862	41.61	-0.88	54.0	-12.39	AV	244.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1118.900	40.40	-18.54	74.0	-33.60	Peak	330.00	150	Horizontal	Pass
1**	1118.900	31.77	-18.54	54.0	-22.23	AV	330.00	150	Horizontal	Pass
2	1677.900	45.37	-17.92	74.0	-28.63	Peak	257.00	150	Horizontal	Pass
2**	1677.900	37.40	-17.92	54.0	-16.60	AV	257.00	150	Horizontal	Pass
3	4843.800	50.11	-3.91	74.0	-23.89	Peak	228.00	150	Horizontal	Pass
3**	4843.800	41.25	-3.91	54.0	-12.75	AV	228.00	150	Horizontal	Pass
4	5831.800	102.82	-3.09	--	--	Peak	241.00	150	Horizontal	N/A
4**	5831.800	94.79	-3.09	--	--	AV	241.00	150	Horizontal	N/A
5	7432.975	48.14	-4.40	74.0	-25.86	Peak	38.00	150	Horizontal	Pass
5**	7432.975	39.63	-4.40	54.0	-14.37	AV	38.00	150	Horizontal	Pass
6	11591.088	50.61	-0.07	74.0	-23.39	Peak	327.00	150	Horizontal	Pass
6**	11591.088	41.04	-0.07	54.0	-12.96	AV	327.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1112.600	40.84	-18.68	74.0	-33.16	Peak	183.00	150	Vertical	Pass
1**	1112.600	32.63	-18.68	54.0	-21.37	AV	183.00	150	Vertical	Pass
2	1682.100	40.78	-17.88	74.0	-33.22	Peak	126.00	150	Vertical	Pass
2**	1682.100	32.23	-17.88	54.0	-21.77	AV	126.00	150	Vertical	Pass
3	4858.600	50.10	-3.64	74.0	-23.90	Peak	0.00	150	Vertical	Pass
3**	4858.600	41.51	-3.64	54.0	-12.49	AV	0.00	150	Vertical	Pass
4	5817.800	94.60	-2.89	--	--	Peak	120.00	150	Vertical	N/A
4**	5817.800	86.85	-2.89	--	--	AV	120.00	150	Vertical	N/A
5	7442.462	48.23	-4.29	74.0	-25.77	Peak	15.00	150	Vertical	Pass
5**	7442.462	40.06	-4.29	54.0	-13.94	AV	15.00	150	Vertical	Pass
6	12177.875	50.98	-0.97	74.0	-23.02	Peak	225.00	150	Vertical	Pass
6**	12177.875	40.95	-0.97	54.0	-13.05	AV	225.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.100	40.23	-18.53	74.0	-33.77	Peak	327.00	150	Horizontal	Pass
1**	1116.100	34.16	-18.53	54.0	-19.84	AV	327.00	150	Horizontal	Pass
2	1682.500	46.49	-17.90	74.0	-27.51	Peak	253.00	150	Horizontal	Pass
2**	1682.500	36.07	-17.90	54.0	-17.93	AV	253.00	150	Horizontal	Pass
3	4838.600	50.31	-3.95	74.0	-23.69	Peak	180.00	150	Horizontal	Pass
3**	4838.600	41.19	-3.95	54.0	-12.81	AV	180.00	150	Horizontal	Pass
4	5752.800	100.93	-3.65	--	--	Peak	242.00	150	Horizontal	N/A
4**	5752.800	92.59	-3.65	--	--	AV	242.00	150	Horizontal	N/A
5	7473.225	49.20	-4.63	74.0	-24.80	Peak	259.00	150	Horizontal	Pass
5**	7473.225	39.83	-4.63	54.0	-14.17	AV	259.00	150	Horizontal	Pass
6	11661.237	50.50	-0.50	74.0	-23.50	Peak	208.00	150	Horizontal	Pass
6**	11661.237	40.44	-0.50	54.0	-13.56	AV	208.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.000	41.15	-18.63	74.0	-32.85	Peak	172.00	150	Vertical	Pass
1**	1114.000	34.34	-18.63	54.0	-19.66	AV	172.00	150	Vertical	Pass
2	1598.700	41.04	-17.93	74.0	-32.96	Peak	239.00	150	Vertical	Pass
2**	1598.700	32.22	-17.93	54.0	-21.78	AV	239.00	150	Vertical	Pass
3	4872.800	50.16	-3.96	74.0	-23.84	Peak	34.00	150	Vertical	Pass
3**	4872.800	40.12	-3.96	54.0	-13.88	AV	34.00	150	Vertical	Pass
4	5751.000	91.31	-3.67	--	--	Peak	85.00	150	Vertical	N/A
4**	5751.000	83.46	-3.67	--	--	AV	85.00	150	Vertical	N/A
5	7417.163	48.45	-4.09	74.0	-25.55	Peak	260.00	150	Vertical	Pass
5**	7417.163	38.82	-4.09	54.0	-15.18	AV	260.00	150	Vertical	Pass
6	12329.099	51.33	-0.65	74.0	-22.67	Peak	77.00	150	Vertical	Pass
6**	12329.099	42.61	-0.65	54.0	-11.39	AV	77.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1123.600	40.47	-18.62	74.0	-33.53	Peak	324.00	150	Horizontal	Pass
1**	1123.600	31.27	-18.62	54.0	-22.73	AV	324.00	150	Horizontal	Pass
2	1680.300	45.90	-17.85	74.0	-28.10	Peak	255.00	150	Horizontal	Pass
2**	1680.300	36.17	-17.85	54.0	-17.83	AV	255.00	150	Horizontal	Pass
3	4124.400	48.04	-5.84	74.0	-25.96	Peak	69.00	150	Horizontal	Pass
3**	4124.400	37.34	-5.84	54.0	-16.66	AV	69.00	150	Horizontal	Pass
4	5788.000	101.10	-3.10	--	--	Peak	239.00	150	Horizontal	N/A
4**	5788.000	93.78	-3.10	--	--	AV	239.00	150	Horizontal	N/A
5	7533.313	48.29	-4.21	74.0	-25.71	Peak	0.00	150	Horizontal	Pass
5**	7533.313	39.41	-4.21	54.0	-14.59	AV	0.00	150	Horizontal	Pass
6	12179.025	50.32	-0.98	74.0	-23.68	Peak	10.00	150	Horizontal	Pass
6**	12179.025	40.83	-0.98	54.0	-13.17	AV	10.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1112.900	40.53	-18.67	74.0	-33.47	Peak	194.00	150	Vertical	Pass
1**	1112.900	32.71	-18.67	54.0	-21.29	AV	194.00	150	Vertical	Pass
2	1595.700	41.76	-17.85	74.0	-32.24	Peak	237.00	150	Vertical	Pass
2**	1595.700	31.22	-17.85	54.0	-22.78	AV	237.00	150	Vertical	Pass
3	4306.400	48.80	-5.10	74.0	-25.20	Peak	47.00	150	Vertical	Pass
3**	4306.400	39.36	-5.10	54.0	-14.64	AV	47.00	150	Vertical	Pass
4	5780.200	93.13	-3.27	--	--	Peak	87.00	150	Vertical	N/A
4**	5780.200	86.61	-3.27	--	--	AV	87.00	150	Vertical	N/A
5	7529.000	48.20	-4.25	74.0	-25.80	Peak	1.00	150	Vertical	Pass
5**	7529.000	39.90	-4.25	54.0	-14.10	AV	1.00	150	Vertical	Pass
6	12257.800	50.84	0.01	74.0	-23.16	Peak	148.00	150	Vertical	Pass
6**	12257.800	42.62	0.01	54.0	-11.38	AV	148.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.200	40.57	-18.66	74.0	-33.43	Peak	328.00	150	Horizontal	Pass
1**	1113.200	33.47	-18.66	54.0	-20.53	AV	328.00	150	Horizontal	Pass
2	1679.800	46.25	-17.87	74.0	-27.75	Peak	252.00	150	Horizontal	Pass
2**	1679.800	36.05	-17.87	54.0	-17.95	AV	252.00	150	Horizontal	Pass
3	4847.800	49.99	-3.77	74.0	-24.01	Peak	160.00	150	Horizontal	Pass
3**	4847.800	41.08	-3.77	54.0	-12.92	AV	160.00	150	Horizontal	Pass
4	5830.800	101.33	-3.07	--	--	Peak	236.00	150	Horizontal	N/A
4**	5830.800	92.88	-3.07	--	--	AV	236.00	150	Horizontal	N/A
5	7531.875	49.07	-4.22	74.0	-24.93	Peak	0.00	150	Horizontal	Pass
5**	7531.875	39.68	-4.22	54.0	-14.32	AV	0.00	150	Horizontal	Pass
6	12252.049	50.92	-0.06	74.0	-23.08	Peak	44.00	150	Horizontal	Pass
6**	12252.049	41.77	-0.06	54.0	-12.23	AV	44.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.900	41.16	-18.53	74.0	-32.84	Peak	186.00	150	Vertical	Pass
1**	1116.900	31.74	-18.53	54.0	-22.26	AV	186.00	150	Vertical	Pass
2	1594.900	41.56	-17.89	74.0	-32.44	Peak	240.00	150	Vertical	Pass
2**	1594.900	29.97	-17.89	54.0	-24.03	AV	240.00	150	Vertical	Pass
3	4250.800	48.72	-5.55	74.0	-25.28	Peak	303.00	150	Vertical	Pass
3**	4250.800	39.42	-5.55	54.0	-14.58	AV	303.00	150	Vertical	Pass
4	5822.800	93.56	-2.86	--	--	Peak	83.00	150	Vertical	N/A
4**	5822.800	86.40	-2.86	--	--	AV	83.00	150	Vertical	N/A
5	7509.450	48.82	-4.19	74.0	-25.18	Peak	181.00	150	Vertical	Pass
5**	7509.450	38.63	-4.19	54.0	-15.37	AV	181.00	150	Vertical	Pass
6	12356.412	50.52	-1.42	74.0	-23.48	Peak	58.00	150	Vertical	Pass
6**	12356.412	40.58	-1.42	54.0	-13.42	AV	58.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1122.200	42.32	-18.68	74.0	-31.68	Peak	347.00	150	Horizontal	Pass
1**	1122.200	33.83	-18.68	54.0	-20.17	AV	347.00	150	Horizontal	Pass
2	1675.600	44.31	-17.87	74.0	-29.69	Peak	264.00	150	Horizontal	Pass
2**	1675.600	35.79	-17.87	54.0	-18.21	AV	264.00	150	Horizontal	Pass
3	4068.600	48.16	-5.52	74.0	-25.84	Peak	278.00	150	Horizontal	Pass
3**	4068.600	38.46	-5.52	54.0	-15.54	AV	278.00	150	Horizontal	Pass
4	5751.200	96.58	-3.67	--	--	Peak	217.00	150	Horizontal	N/A
4**	5751.200	88.34	-3.67	--	--	AV	217.00	150	Horizontal	N/A
5	7358.800	48.63	-4.85	74.0	-25.37	Peak	172.00	150	Horizontal	Pass
5**	7358.800	40.08	-4.85	54.0	-13.92	AV	172.00	150	Horizontal	Pass
6	12331.975	50.88	-0.73	74.0	-23.12	Peak	13.00	150	Horizontal	Pass
6**	12331.975	42.23	-0.73	54.0	-11.77	AV	13.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.100	41.20	-18.55	74.0	-32.80	Peak	208.00	150	Vertical	Pass
1**	1120.100	32.18	-18.55	54.0	-21.82	AV	208.00	150	Vertical	Pass
2	1598.000	41.78	-17.92	74.0	-32.22	Peak	132.00	150	Vertical	Pass
2**	1598.000	28.49	-17.92	54.0	-25.51	AV	132.00	150	Vertical	Pass
3	4075.600	47.65	-5.35	74.0	-26.35	Peak	112.00	150	Vertical	Pass
3**	4075.600	38.18	-5.35	54.0	-15.82	AV	112.00	150	Vertical	Pass
4	5748.400	88.93	-3.83	--	--	Peak	164.00	150	Vertical	N/A
4**	5748.400	80.16	-3.83	--	--	AV	164.00	150	Vertical	N/A
5	7555.163	48.93	-4.44	74.0	-25.07	Peak	120.00	150	Vertical	Pass
5**	7555.163	38.46	-4.44	54.0	-15.54	AV	120.00	150	Vertical	Pass
6	12265.850	50.43	0.05	74.0	-23.57	Peak	15.00	150	Vertical	Pass
6**	12265.850	41.68	0.05	54.0	-12.32	AV	15.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.600	42.00	-18.53	74.0	-32.00	Peak	339.00	150	Horizontal	Pass
1**	1116.600	31.77	-18.53	54.0	-22.23	AV	339.00	150	Horizontal	Pass
2	1679.500	45.59	-17.88	74.0	-28.41	Peak	263.00	150	Horizontal	Pass
2**	1679.500	35.22	-17.88	54.0	-18.78	AV	263.00	150	Horizontal	Pass
3	4085.600	47.36	-5.21	74.0	-26.64	Peak	361.00	150	Horizontal	Pass
3**	4085.600	37.97	-5.21	54.0	-16.03	AV	361.00	150	Horizontal	Pass
4	5809.800	96.95	-2.97	--	--	Peak	221.00	150	Horizontal	N/A
4**	5809.800	88.28	-2.97	--	--	AV	221.00	150	Horizontal	N/A
5	7424.637	48.66	-4.07	74.0	-25.34	Peak	204.00	150	Horizontal	Pass
5**	7424.637	39.31	-4.07	54.0	-14.69	AV	204.00	150	Horizontal	Pass
6	12357.850	50.96	-1.45	74.0	-23.04	Peak	238.00	150	Horizontal	Pass
6**	12357.850	41.89	-1.45	54.0	-12.11	AV	238.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1119.000	41.37	-18.54	74.0	-32.63	Peak	197.00	150	Vertical	Pass
1**	1119.000	31.45	-18.54	54.0	-22.55	AV	197.00	150	Vertical	Pass
2	1595.200	41.85	-17.87	74.0	-32.15	Peak	242.00	150	Vertical	Pass
2**	1595.200	30.55	-17.87	54.0	-23.45	AV	242.00	150	Vertical	Pass
3	4046.400	47.83	-5.64	74.0	-26.17	Peak	29.00	150	Vertical	Pass
3**	4046.400	37.59	-5.64	54.0	-16.41	AV	29.00	150	Vertical	Pass
4	5809.600	89.95	-2.99	--	--	Peak	78.00	150	Vertical	N/A
4**	5809.600	82.56	-2.99	--	--	AV	78.00	150	Vertical	N/A
5	7422.913	48.52	-4.09	74.0	-25.48	Peak	360.00	150	Vertical	Pass
5**	7422.913	39.69	-4.09	54.0	-14.31	AV	360.00	150	Vertical	Pass
6	12314.150	51.00	-0.27	74.0	-23.00	Peak	305.00	150	Vertical	Pass
6**	12314.150	41.98	-0.27	54.0	-12.02	AV	305.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.600	42.38	-18.58	74.0	-31.62	Peak	340.00	150	Horizontal	Pass
1**	1120.600	34.33	-18.58	54.0	-19.67	AV	340.00	150	Horizontal	Pass
2	1686.800	45.78	-17.88	74.0	-28.22	Peak	257.00	150	Horizontal	Pass
2**	1686.800	35.28	-17.88	54.0	-18.72	AV	257.00	150	Horizontal	Pass
3	4089.200	47.73	-5.46	74.0	-26.27	Peak	92.00	150	Horizontal	Pass
3**	4089.200	37.77	-5.46	54.0	-16.23	AV	92.00	150	Horizontal	Pass
4	5749.400	101.24	-3.74	--	--	Peak	217.00	150	Horizontal	N/A
4**	5749.400	93.86	-3.74	--	--	AV	217.00	150	Horizontal	N/A
5	7462.300	48.18	-4.63	74.0	-25.82	Peak	327.00	150	Horizontal	Pass
5**	7462.300	38.14	-4.63	54.0	-15.86	AV	327.00	150	Horizontal	Pass
6	11588.787	49.99	-0.06	74.0	-24.01	Peak	223.00	150	Horizontal	Pass
6**	11588.787	41.60	-0.06	54.0	-12.40	AV	223.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.900	41.80	-18.60	74.0	-32.20	Peak	212.00	150	Vertical	Pass
1**	1120.900	32.35	-18.60	54.0	-21.65	AV	212.00	150	Vertical	Pass
2	1593.700	41.71	-17.94	74.0	-32.29	Peak	254.00	150	Vertical	Pass
2**	1593.700	28.65	-17.94	54.0	-25.35	AV	254.00	150	Vertical	Pass
3	4086.000	48.21	-5.24	74.0	-25.79	Peak	193.00	150	Vertical	Pass
3**	4086.000	38.67	-5.24	54.0	-15.33	AV	193.00	150	Vertical	Pass
4	5748.400	92.83	-3.83	--	--	Peak	169.00	150	Vertical	N/A
4**	5748.400	85.38	-3.83	--	--	AV	169.00	150	Vertical	N/A
5	7422.050	48.28	-4.06	74.0	-25.72	Peak	342.00	150	Vertical	Pass
5**	7422.050	40.03	-4.06	54.0	-13.97	AV	342.00	150	Vertical	Pass
6	11143.451	51.15	-1.71	74.0	-22.85	Peak	66.00	150	Vertical	Pass
6**	11143.451	40.29	-1.71	54.0	-13.71	AV	66.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1123.100	42.20	-18.64	74.0	-31.80	Peak	340.00	150	Horizontal	Pass
1**	1123.100	32.39	-18.64	54.0	-21.61	AV	340.00	150	Horizontal	Pass
2	1683.000	44.30	-17.93	74.0	-29.70	Peak	264.00	150	Horizontal	Pass
2**	1683.000	34.95	-17.93	54.0	-19.05	AV	264.00	150	Horizontal	Pass
3	4097.000	47.65	-6.03	74.0	-26.35	Peak	158.00	150	Horizontal	Pass
3**	4097.000	38.40	-6.03	54.0	-15.60	AV	158.00	150	Horizontal	Pass
4	5782.800	101.04	-3.14	--	--	Peak	225.00	150	Horizontal	N/A
4**	5782.800	92.96	-3.14	--	--	AV	225.00	150	Horizontal	N/A
5	7525.263	49.03	-4.38	74.0	-24.97	Peak	178.00	150	Horizontal	Pass
5**	7525.263	39.27	-4.38	54.0	-14.73	AV	178.00	150	Horizontal	Pass
6	11607.763	51.22	-0.15	74.0	-22.78	Peak	195.00	150	Horizontal	Pass
6**	11607.763	41.28	-0.15	54.0	-12.72	AV	195.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1112.700	41.61	-18.67	74.0	-32.39	Peak	172.00	150	Vertical	Pass
1**	1112.700	30.42	-18.67	54.0	-23.58	AV	172.00	150	Vertical	Pass
2	1596.900	43.51	-17.86	74.0	-30.49	Peak	250.00	150	Vertical	Pass
2**	1596.900	31.16	-17.86	54.0	-22.84	AV	250.00	150	Vertical	Pass
3	4085.000	47.88	-5.16	74.0	-26.12	Peak	40.00	150	Vertical	Pass
3**	4085.000	38.80	-5.16	54.0	-15.20	AV	40.00	150	Vertical	Pass
4	5780.600	93.81	-3.25	--	--	Peak	77.00	150	Vertical	N/A
4**	5780.600	85.49	-3.25	--	--	AV	77.00	150	Vertical	N/A
5	7435.562	48.58	-4.35	74.0	-25.42	Peak	14.00	150	Vertical	Pass
5**	7435.562	39.86	-4.35	54.0	-14.14	AV	14.00	150	Vertical	Pass
6	12238.250	51.04	-0.32	74.0	-22.96	Peak	138.00	150	Vertical	Pass
6**	12238.250	42.06	-0.32	54.0	-11.94	AV	138.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.700	43.70	-18.65	74.0	-30.30	Peak	345.00	150	Horizontal	Pass
1**	1121.700	33.90	-18.65	54.0	-20.10	AV	345.00	150	Horizontal	Pass
2	1682.400	44.97	-17.90	74.0	-29.03	Peak	260.00	150	Horizontal	Pass
2**	1682.400	35.53	-17.90	54.0	-18.47	AV	260.00	150	Horizontal	Pass
3	4174.800	48.60	-5.42	74.0	-25.40	Peak	194.00	150	Horizontal	Pass
3**	4174.800	38.38	-5.42	54.0	-15.62	AV	194.00	150	Horizontal	Pass
4	5832.800	101.97	-3.10	--	--	Peak	220.00	150	Horizontal	N/A
4**	5832.800	93.86	-3.10	--	--	AV	220.00	150	Horizontal	N/A
5	7556.313	48.74	-4.46	74.0	-25.26	Peak	282.00	150	Horizontal	Pass
5**	7556.313	39.08	-4.46	54.0	-14.92	AV	282.00	150	Horizontal	Pass
6	12243.425	50.36	-0.24	74.0	-23.64	Peak	138.00	150	Horizontal	Pass
6**	12243.425	42.72	-0.24	54.0	-11.28	AV	138.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.000	42.17	-18.60	74.0	-31.83	Peak	200.00	150	Vertical	Pass
1**	1121.000	35.22	-18.60	54.0	-18.78	AV	200.00	150	Vertical	Pass
2	1596.900	42.51	-17.86	74.0	-31.49	Peak	236.00	150	Vertical	Pass
2**	1596.900	29.38	-17.86	54.0	-24.62	AV	236.00	150	Vertical	Pass
3	4274.000	48.37	-5.07	74.0	-25.63	Peak	361.00	150	Vertical	Pass
3**	4274.000	39.63	-5.07	54.0	-14.37	AV	361.00	150	Vertical	Pass
4	5832.200	93.81	-3.10	--	--	Peak	108.00	150	Vertical	N/A
4**	5832.200	85.62	-3.10	--	--	AV	108.00	150	Vertical	N/A
5	7426.075	48.50	-4.07	74.0	-25.50	Peak	302.00	150	Vertical	Pass
5**	7426.075	39.45	-4.07	54.0	-14.55	AV	302.00	150	Vertical	Pass
6	12328.526	50.98	-0.63	74.0	-23.02	Peak	360.00	150	Vertical	Pass
6**	12328.526	41.49	-0.63	54.0	-12.51	AV	360.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.600	43.02	-18.55	74.0	-30.98	Peak	345.00	150	Horizontal	Pass
1**	1115.600	36.66	-18.55	54.0	-17.34	AV	345.00	150	Horizontal	Pass
2	1680.000	44.92	-17.86	74.0	-29.08	Peak	260.00	150	Horizontal	Pass
2**	1680.000	35.46	-17.86	54.0	-18.54	AV	260.00	150	Horizontal	Pass
3	4077.600	47.34	-5.22	74.0	-26.66	Peak	361.00	150	Horizontal	Pass
3**	4077.600	38.39	-5.22	54.0	-15.61	AV	361.00	150	Horizontal	Pass
4	5763.600	95.67	-3.42	--	--	Peak	218.00	150	Horizontal	N/A
4**	5763.600	88.39	-3.42	--	--	AV	218.00	150	Horizontal	N/A
5	7427.800	48.72	-4.15	74.0	-25.28	Peak	0.00	150	Horizontal	Pass
5**	7427.800	39.89	-4.15	54.0	-14.11	AV	0.00	150	Horizontal	Pass
6	12274.763	50.39	0.08	74.0	-23.61	Peak	195.00	150	Horizontal	Pass
6**	12274.763	41.96	0.08	54.0	-12.04	AV	195.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.600	42.42	-18.65	74.0	-31.58	Peak	210.00	150	Vertical	Pass
1**	1113.600	34.88	-18.65	54.0	-19.12	AV	210.00	150	Vertical	Pass
2	1595.900	42.28	-17.84	74.0	-31.72	Peak	240.00	150	Vertical	Pass
2**	1595.900	31.71	-17.84	54.0	-22.29	AV	240.00	150	Vertical	Pass
3	4177.600	47.71	-5.60	74.0	-26.29	Peak	77.00	150	Vertical	Pass
3**	4177.600	38.74	-5.60	54.0	-15.26	AV	77.00	150	Vertical	Pass
4	5765.000	89.54	-3.38	--	--	Peak	77.00	150	Vertical	N/A
4**	5765.000	81.77	-3.38	--	--	AV	77.00	150	Vertical	N/A
5	7422.338	48.52	-4.07	74.0	-25.48	Peak	230.00	150	Vertical	Pass
5**	7422.338	39.81	-4.07	54.0	-14.19	AV	230.00	150	Vertical	Pass
6	12268.724	50.52	0.06	74.0	-23.48	Peak	175.00	150	Vertical	Pass
6**	12268.724	41.64	0.06	54.0	-12.36	AV	175.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.300	43.28	-18.56	74.0	-30.72	Peak	351.00	150	Horizontal	Pass
1**	1120.300	35.66	-18.56	54.0	-18.34	AV	351.00	150	Horizontal	Pass
2	1688.600	45.44	-17.89	74.0	-28.56	Peak	264.00	150	Horizontal	Pass
2**	1688.600	30.57	-17.89	54.0	-23.43	AV	264.00	150	Horizontal	Pass
3	4087.000	47.60	-5.31	74.0	-26.40	Peak	64.00	150	Horizontal	Pass
3**	4087.000	38.30	-5.31	54.0	-15.70	AV	64.00	150	Horizontal	Pass
4	5799.000	96.63	-3.17	--	--	Peak	228.00	150	Horizontal	N/A
4**	5799.000	88.47	-3.17	--	--	AV	228.00	150	Horizontal	N/A
5	7537.337	48.49	-4.45	74.0	-25.51	Peak	237.00	150	Horizontal	Pass
5**	7537.337	39.99	-4.45	54.0	-14.01	AV	237.00	150	Horizontal	Pass
6	11657.787	50.51	-0.44	74.0	-23.49	Peak	330.00	150	Horizontal	Pass
6**	11657.787	40.93	-0.44	54.0	-13.07	AV	330.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.900	42.45	-18.53	74.0	-31.55	Peak	202.00	150	Vertical	Pass
1**	1115.900	35.78	-18.53	54.0	-18.22	AV	202.00	150	Vertical	Pass
2	1598.000	41.53	-17.92	74.0	-32.47	Peak	335.00	150	Vertical	Pass
2**	1598.000	30.34	-17.92	54.0	-23.66	AV	335.00	150	Vertical	Pass
3	4091.000	47.87	-5.57	74.0	-26.13	Peak	0.00	150	Vertical	Pass
3**	4091.000	38.72	-5.57	54.0	-131.37	AV	0.00	150	Vertical	Pass
4	5807.600	89.12	-3.14	--	--	Peak	77.00	150	Vertical	N/A
4**	5807.600	82.03	-3.14	--	--	AV	77.00	150	Vertical	N/A
5	7426.362	48.79	-4.07	74.0	-25.21	Peak	15.00	150	Vertical	Pass
5**	7426.362	40.74	-4.07	54.0	-13.26	AV	15.00	150	Vertical	Pass
6	12098.237	50.53	-1.06	74.0	-23.47	Peak	162.00	150	Vertical	Pass
6**	12098.237	41.22	-1.06	54.0	-12.78	AV	162.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.500	43.37	-18.65	74.0	-30.63	Peak	351.00	150	Horizontal	Pass
1**	1113.500	34.21	-18.65	54.0	-19.79	AV	351.00	150	Horizontal	Pass
2	1683.100	45.07	-17.94	74.0	-28.93	Peak	277.00	150	Horizontal	Pass
2**	1683.100	33.29	-17.94	54.0	-20.71	AV	277.00	150	Horizontal	Pass
3	4273.200	48.21	-5.08	74.0	-25.79	Peak	276.00	150	Horizontal	Pass
3**	4273.200	38.73	-5.08	54.0	-15.27	AV	276.00	150	Horizontal	Pass
4	5753.600	94.26	-3.54	--	--	Peak	217.00	150	Horizontal	N/A
4**	5753.600	86.72	-3.54	--	--	AV	217.00	150	Horizontal	N/A
5	7477.825	48.68	-4.60	74.0	-25.32	Peak	148.00	150	Horizontal	Pass
5**	7477.825	39.19	-4.60	54.0	-14.81	AV	148.00	150	Horizontal	Pass
6	12252.338	50.77	-0.06	74.0	-23.23	Peak	290.00	150	Horizontal	Pass
6**	12252.338	41.84	-0.06	54.0	-12.16	AV	290.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.100	43.86	-18.63	74.0	-30.14	Peak	212.00	150	Vertical	Pass
1**	1114.100	33.87	-18.63	54.0	-20.13	AV	212.00	150	Vertical	Pass
2	1599.000	42.18	-17.93	74.0	-31.82	Peak	340.00	150	Vertical	Pass
2**	1599.000	31.02	-17.93	54.0	-22.98	AV	340.00	150	Vertical	Pass
3	4014.400	47.23	-6.61	74.0	-26.77	Peak	23.00	150	Vertical	Pass
3**	4014.400	37.49	-6.61	54.0	-16.51	AV	23.00	150	Vertical	Pass
4	5799.400	86.95	-3.16	--	--	Peak	76.00	150	Vertical	N/A
4**	5799.400	79.16	-3.16	--	--	AV	76.00	150	Vertical	N/A
5	7399.625	48.68	-4.17	74.0	-25.32	Peak	89.00	150	Vertical	Pass
5**	7399.625	38.29	-4.17	54.0	-15.71	AV	89.00	150	Vertical	Pass
6	12241.988	50.57	-0.28	74.0	-23.43	Peak	276.00	150	Vertical	Pass
6**	12241.988	40.96	-0.28	54.0	-13.04	AV	276.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1117.600	43.10	-18.53	74.0	-30.90	Peak	350.00	150	Horizontal	Pass
1**	1117.600	34.20	-18.53	54.0	-19.80	AV	350.00	150	Horizontal	Pass
2	1683.700	45.25	-17.93	74.0	-28.75	Peak	270.00	150	Horizontal	Pass
2**	1683.700	36.41	-17.93	54.0	-17.59	AV	270.00	150	Horizontal	Pass
3	3959.800	47.23	-6.80	74.0	-26.77	Peak	0.00	150	Horizontal	Pass
3**	3959.800	36.64	-6.80	54.0	-17.36	AV	0.00	150	Horizontal	Pass
4	5750.000	103.12	-3.69	--	--	Peak	225.00	150	Horizontal	N/A
4**	5750.000	92.27	-3.69	--	--	AV	225.00	150	Horizontal	N/A
5	7529.288	48.81	-4.25	74.0	-25.19	Peak	238.00	150	Horizontal	Pass
5**	7529.288	39.53	-4.25	54.0	-14.47	AV	238.00	150	Horizontal	Pass
6	11584.187	50.87	-0.02	74.0	-23.13	Peak	15.00	150	Horizontal	Pass
6**	11584.187	41.15	-0.02	54.0	-12.85	AV	15.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.600	43.96	-18.58	74.0	-30.04	Peak	209.00	150	Vertical	Pass
1**	1120.600	32.99	-18.58	54.0	-21.01	AV	209.00	150	Vertical	Pass
2	1681.100	41.29	-17.82	74.0	-32.71	Peak	287.00	150	Vertical	Pass
2**	1681.100	32.63	-17.82	54.0	-21.37	AV	287.00	150	Vertical	Pass
3	4025.400	47.65	-6.31	74.0	-26.35	Peak	233.00	150	Vertical	Pass
3**	4025.400	37.20	-6.31	54.0	-16.80	AV	233.00	150	Vertical	Pass
4	5746.400	93.41	-4.02	--	--	Peak	22.00	150	Vertical	N/A
4**	5746.400	84.01	-4.02	--	--	AV	22.00	150	Vertical	N/A
5	7422.913	48.36	-4.09	74.0	-25.64	Peak	179.00	150	Vertical	Pass
5**	7422.913	39.81	-4.09	54.0	-14.19	AV	179.00	150	Vertical	Pass
6	12101.975	51.01	-0.99	74.0	-22.99	Peak	51.00	150	Vertical	Pass
6**	12101.975	41.56	-0.99	54.0	-12.44	AV	51.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.700	43.29	-18.53	74.0	-30.71	Peak	336.00	150	Horizontal	Pass
1**	1116.700	33.47	-18.53	54.0	-20.53	AV	336.00	150	Horizontal	Pass
2	1680.500	45.46	-17.84	74.0	-28.54	Peak	271.00	150	Horizontal	Pass
2**	1680.500	37.00	-17.84	54.0	-17.00	AV	271.00	150	Horizontal	Pass
3	3848.600	46.77	-6.46	74.0	-27.23	Peak	254.00	150	Horizontal	Pass
3**	3848.600	38.54	-6.46	54.0	-15.46	AV	254.00	150	Horizontal	Pass
4	5781.000	101.82	-3.24	--	--	Peak	222.00	150	Horizontal	N/A
4**	5781.000	93.02	-3.24	--	--	AV	222.00	150	Horizontal	N/A
5	7426.650	48.31	-4.07	74.0	-25.69	Peak	322.00	150	Horizontal	Pass
5**	7426.650	39.86	-4.07	54.0	-14.14	AV	322.00	150	Horizontal	Pass
6	12271.025	50.78	0.07	74.0	-23.22	Peak	340.00	150	Horizontal	Pass
6**	12271.025	41.55	0.07	54.0	-12.45	AV	340.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.900	43.36	-18.53	74.0	-30.64	Peak	208.00	150	Vertical	Pass
1**	1115.900	35.11	-18.53	54.0	-18.89	AV	208.00	150	Vertical	Pass
2	1673.300	42.01	-17.90	74.0	-31.99	Peak	358.00	150	Vertical	Pass
2**	1673.300	32.96	-17.90	54.0	-21.04	AV	358.00	150	Vertical	Pass
3	4044.400	47.44	-5.66	74.0	-26.56	Peak	41.00	150	Vertical	Pass
3**	4044.400	37.76	-5.66	54.0	-16.24	AV	41.00	150	Vertical	Pass
4	5778.400	95.91	-3.29	--	--	Peak	72.00	150	Vertical	N/A
4**	5778.400	84.76	-3.29	--	--	AV	72.00	150	Vertical	N/A
5	7533.025	49.69	-4.20	74.0	-24.31	Peak	108.00	150	Vertical	Pass
5**	7533.025	38.99	-4.20	54.0	-15.01	AV	108.00	150	Vertical	Pass
6	12097.087	50.75	-1.07	74.0	-23.25	Peak	347.00	150	Vertical	Pass
6**	12097.087	41.47	-1.07	54.0	-12.53	AV	347.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.700	43.71	-18.65	74.0	-30.29	Peak	347.00	150	Horizontal	Pass
1**	1113.700	34.82	-18.65	54.0	-19.18	AV	347.00	150	Horizontal	Pass
2	1680.500	46.33	-17.84	74.0	-27.67	Peak	275.00	150	Horizontal	Pass
2**	1680.500	35.37	-17.84	54.0	-18.63	AV	275.00	150	Horizontal	Pass
3	4108.000	47.79	-5.95	74.0	-26.21	Peak	166.00	150	Horizontal	Pass
3**	4108.000	37.49	-5.95	54.0	-16.51	AV	166.00	150	Horizontal	Pass
4	5830.800	103.12	-3.07	--	--	Peak	217.00	150	Horizontal	N/A
4**	5830.800	94.30	-3.07	--	--	AV	217.00	150	Horizontal	N/A
5	7474.662	48.60	-4.64	74.0	-25.40	Peak	276.00	150	Horizontal	Pass
5**	7474.662	39.09	-4.64	54.0	-14.91	AV	276.00	150	Horizontal	Pass
6	11602.013	50.36	-0.15	74.0	-23.64	Peak	52.00	150	Horizontal	Pass
6**	11602.013	41.10	-0.15	54.0	-12.90	AV	52.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.700	43.71	-18.65	74.0	-30.29	Peak	347.00	150	Horizontal	Pass
1**	1113.700	34.82	-18.65	54.0	-19.18	AV	347.00	150	Horizontal	Pass
2	1680.500	46.33	-17.84	74.0	-27.67	Peak	275.00	150	Horizontal	Pass
2**	1680.500	35.37	-17.84	54.0	-18.63	AV	275.00	150	Horizontal	Pass
3	4108.000	47.79	-5.95	74.0	-26.21	Peak	166.00	150	Horizontal	Pass
3**	4108.000	37.49	-5.95	54.0	-16.51	AV	166.00	150	Horizontal	Pass
4	5830.800	103.12	-3.07	--	--	Peak	217.00	150	Horizontal	N/A
4**	5830.800	94.30	-3.07	--	--	AV	217.00	150	Horizontal	N/A
5	7474.662	48.60	-4.64	74.0	-25.40	Peak	276.00	150	Horizontal	Pass
5**	7474.662	39.09	-4.64	54.0	-14.91	AV	276.00	150	Horizontal	Pass
6	11602.013	50.36	-0.15	74.0	-23.64	Peak	52.00	150	Horizontal	Pass
6**	11602.013	41.10	-0.15	54.0	-12.90	AV	52.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.000	43.44	-18.53	74.0	-30.56	Peak	352.00	150	Horizontal	Pass
1**	1116.000	35.11	-18.53	54.0	-18.89	AV	352.00	150	Horizontal	Pass
2	1682.700	45.17	-17.91	74.0	-28.83	Peak	259.00	150	Horizontal	Pass
2**	1682.700	33.45	-17.91	54.0	-20.55	AV	259.00	150	Horizontal	Pass
3	4169.800	47.62	-5.41	74.0	-26.38	Peak	259.00	150	Horizontal	Pass
3**	4169.800	38.11	-5.41	54.0	-15.89	AV	259.00	150	Horizontal	Pass
4	5749.600	96.22	-3.73	--	--	Peak	223.00	150	Horizontal	N/A
4**	5749.600	88.48	-3.73	--	--	AV	223.00	150	Horizontal	N/A
5	7419.750	48.88	-4.04	74.0	-25.12	Peak	303.00	150	Horizontal	Pass
5**	7419.750	39.45	-4.04	54.0	-14.55	AV	303.00	150	Horizontal	Pass
6	11668.712	50.53	-0.68	74.0	-23.47	Peak	244.00	150	Horizontal	Pass
6**	11668.712	41.15	-0.68	54.0	-12.85	AV	244.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1111.800	43.22	-18.70	74.0	-30.78	Peak	216.00	150	Vertical	Pass
1**	1111.800	34.19	-18.70	54.0	-19.81	AV	216.00	150	Vertical	Pass
2	1676.000	43.26	-17.90	74.0	-30.74	Peak	290.00	150	Vertical	Pass
2**	1676.000	33.67	-17.90	54.0	-20.33	AV	290.00	150	Vertical	Pass
3	4091.000	47.23	-5.57	74.0	-26.77	Peak	0.00	150	Vertical	Pass
3**	4091.000	38.05	-5.57	54.0	-15.95	AV	0.00	150	Vertical	Pass
4	5763.000	90.49	-3.44	--	--	Peak	73.00	150	Vertical	N/A
4**	5763.000	80.55	-3.44	--	--	AV	73.00	150	Vertical	N/A
5	7439.587	48.49	-4.38	74.0	-25.51	Peak	360.00	150	Vertical	Pass
5**	7439.587	39.68	-4.38	54.0	-14.32	AV	360.00	150	Vertical	Pass
6	11587.637	50.61	-0.05	74.0	-23.39	Peak	130.00	150	Vertical	Pass
6**	11587.637	41.82	-0.05	54.0	-12.18	AV	130.00	150	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.100	43.61	-18.53	74.0	-30.39	Peak	339.00	150	Horizontal	Pass
1**	1116.100	34.70	-18.53	54.0	-19.30	AV	339.00	150	Horizontal	Pass
2	1683.200	45.32	-17.94	74.0	-28.68	Peak	282.00	150	Horizontal	Pass
2**	1683.200	36.94	-17.94	54.0	-17.06	AV	282.00	150	Horizontal	Pass
3	4254.800	48.07	-5.54	74.0	-25.93	Peak	273.00	150	Horizontal	Pass
3**	4254.800	39.35	-5.54	54.0	-14.65	AV	273.00	150	Horizontal	Pass
4	5792.600	96.45	-3.10	--	--	Peak	218.00	150	Horizontal	N/A
4**	5792.600	88.25	-3.10	--	--	AV	218.00	150	Horizontal	N/A
5	7434.413	49.57	-4.37	74.0	-24.43	Peak	113.00	150	Horizontal	Pass
5**	7434.413	39.20	-4.37	54.0	-14.80	AV	113.00	150	Horizontal	Pass
6	12251.187	50.44	-0.08	74.0	-23.56	Peak	258.00	150	Horizontal	Pass
6**	12251.187	41.80	-0.08	54.0	-12.20	AV	258.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1111.700	43.25	-18.70	74.0	-30.75	Peak	218.00	150	Vertical	Pass
1**	1111.700	32.64	-18.70	54.0	-21.36	AV	218.00	150	Vertical	Pass
2	1598.700	44.15	-17.93	74.0	-29.85	Peak	243.00	150	Vertical	Pass
2**	1598.700	32.49	-17.93	54.0	-21.51	AV	243.00	150	Vertical	Pass
3	4160.800	47.47	-5.68	74.0	-26.53	Peak	0.00	150	Vertical	Pass
3**	4160.800	37.70	-5.68	54.0	-16.30	AV	0.00	150	Vertical	Pass
4	5781.800	89.98	-3.21	--	--	Peak	68.00	150	Vertical	N/A
4**	5781.800	81.39	-3.21	--	--	AV	68.00	150	Vertical	N/A
5	7434.125	48.16	-4.38	74.0	-25.84	Peak	265.00	150	Vertical	Pass
5**	7434.125	39.20	-4.38	54.0	-14.80	AV	265.00	150	Vertical	Pass
6	12101.401	51.15	-1.00	74.0	-22.85	Peak	360.00	150	Vertical	Pass
6**	12101.401	40.86	-1.00	54.0	-13.14	AV	360.00	150	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1112.300	43.33	-18.68	74.0	-30.67	Peak	339.00	150	Horizontal	Pass
1**	1112.300	34.58	-18.68	54.0	-19.42	AV	339.00	150	Horizontal	Pass
2	1685.700	46.12	-17.86	74.0	-27.88	Peak	260.00	150	Horizontal	Pass
2**	1685.700	32.33	-17.86	54.0	-21.67	AV	260.00	150	Horizontal	Pass
3	4044.600	48.07	-5.66	74.0	-25.93	Peak	227.00	150	Horizontal	Pass
3**	4044.600	37.79	-5.66	54.0	-16.21	AV	227.00	150	Horizontal	Pass
4	5788.200	96.19	-3.10	--	--	Peak	227.00	150	Horizontal	N/A
4**	5788.200	86.18	-3.10	--	--	AV	227.00	150	Horizontal	N/A
5	7447.638	49.10	-4.53	74.0	-24.90	Peak	330.00	150	Horizontal	Pass
5**	7447.638	38.79	-4.53	54.0	-15.21	AV	330.00	150	Horizontal	Pass
6	12242.562	50.87	-0.26	74.0	-23.13	Peak	144.00	150	Horizontal	Pass
6**	12242.562	41.82	-0.26	54.0	-12.18	AV	144.00	150	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1111.900	44.25	-18.69	74.0	-29.75	Peak	195.00	150	Vertical	Pass
1**	1111.900	33.20	-18.69	54.0	-20.80	AV	195.00	150	Vertical	Pass
2	1671.000	42.00	-17.83	74.0	-32.00	Peak	311.00	150	Vertical	Pass
2**	1671.000	31.92	-17.83	54.0	-22.08	AV	311.00	150	Vertical	Pass
3	4132.000	47.76	-6.06	74.0	-26.24	Peak	305.00	150	Vertical	Pass
3**	4132.000	37.94	-6.06	54.0	-16.06	AV	305.00	150	Vertical	Pass
4	5776.600	88.21	-3.21	--	--	Peak	85.00	150	Vertical	N/A
4**	5776.600	78.52	-3.21	--	--	AV	85.00	150	Vertical	N/A
5	7325.162	48.59	-4.91	74.0	-25.41	Peak	325.00	150	Vertical	Pass
5**	7325.162	38.90	-4.91	54.0	-15.10	AV	325.00	150	Vertical	Pass
6	12104.275	50.42	-0.95	74.0	-23.58	Peak	346.00	150	Vertical	Pass
6**	12104.275	41.20	-0.95	54.0	-12.80	AV	346.00	150	Vertical	Pass

MIMO

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.000	41.32	-18.63	74.0	-32.68	Peak	333.00	150	Horizontal	Pass
1**	1114.000	31.62	-18.63	54.0	-22.38	AV	333.00	150	Horizontal	Pass
2	1676.000	45.84	-17.90	74.0	-28.16	Peak	255.00	150	Horizontal	Pass
2**	1676.000	38.27	-17.90	54.0	-15.73	AV	255.00	150	Horizontal	Pass
3	4844.600	50.19	-3.88	74.0	-23.81	Peak	9.00	150	Horizontal	Pass
3**	4844.600	41.39	-3.88	54.0	-12.61	AV	9.00	150	Horizontal	Pass
4	5174.400	108.49	-3.96	--	--	Peak	211.00	150	Horizontal	N/A
4**	5174.400	101.09	-3.96	--	--	AV	211.00	150	Horizontal	N/A
5	7432.400	48.27	-4.40	74.0	-25.73	Peak	243.00	150	Horizontal	Pass
5**	7432.400	40.89	-4.40	54.0	-13.11	AV	243.00	150	Horizontal	Pass
6	12342.325	51.25	-1.03	74.0	-22.75	Peak	98.00	150	Horizontal	Pass
6**	12342.325	41.61	-1.03	54.0	-12.39	AV	98.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1117.700	41.09	-18.53	74.0	-32.91	Peak	181.00	150	Vertical	Pass
1**	1117.700	32.54	-18.53	54.0	-21.46	AV	181.00	150	Vertical	Pass
2	1597.300	41.89	-17.88	74.0	-32.11	Peak	225.00	150	Vertical	Pass
2**	1597.300	30.84	-17.88	54.0	-23.16	AV	225.00	150	Vertical	Pass
3	4077.600	47.27	-5.22	74.0	-26.73	Peak	292.00	150	Vertical	Pass
3**	4077.600	38.17	-5.22	54.0	-15.83	AV	292.00	150	Vertical	Pass
4	5185.400	99.73	-3.92	--	--	Peak	57.00	150	Vertical	N/A
4**	5185.400	91.94	-3.92	--	--	AV	57.00	150	Vertical	N/A
5	7533.313	48.63	-4.21	74.0	-25.37	Peak	130.00	150	Vertical	Pass
5**	7533.313	39.64	-4.21	54.0	-14.36	AV	130.00	150	Vertical	Pass
6	12101.112	50.64	-1.01	74.0	-23.36	Peak	44.00	150	Vertical	Pass
6**	12101.112	41.21	-1.01	54.0	-12.79	AV	44.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.400	40.26	-18.61	74.0	-33.74	Peak	323.00	150	Horizontal	Pass
1**	1114.400	31.81	-18.61	54.0	-22.19	AV	323.00	150	Horizontal	Pass
2	1670.100	45.53	-17.80	74.0	-28.47	Peak	260.00	150	Horizontal	Pass
2**	1670.100	36.79	-17.80	54.0	-17.21	AV	260.00	150	Horizontal	Pass
3	4076.200	47.19	-5.30	74.0	-26.81	Peak	219.00	150	Horizontal	Pass
3**	4076.200	37.44	-5.30	54.0	-16.56	AV	219.00	150	Horizontal	Pass
4	5226.200	107.95	-4.06	--	--	Peak	219.00	150	Horizontal	N/A
4**	5226.200	100.17	-4.06	--	--	AV	219.00	150	Horizontal	N/A
5	7421.188	49.30	-4.01	74.0	-24.70	Peak	125.00	150	Horizontal	Pass
5**	7421.188	39.17	-4.01	54.0	-14.83	AV	125.00	150	Horizontal	Pass
6	12167.812	51.72	-0.92	74.0	-22.28	Peak	262.00	150	Horizontal	Pass
6**	12167.812	41.84	-0.92	54.0	-12.16	AV	262.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1118.500	40.99	-18.53	74.0	-33.01	Peak	191.00	150	Vertical	Pass
1**	1118.500	32.73	-18.53	54.0	-21.27	AV	191.00	150	Vertical	Pass
2	1595.000	42.04	-17.88	74.0	-31.96	Peak	234.00	150	Vertical	Pass
2**	1595.000	30.24	-17.88	54.0	-23.76	AV	234.00	150	Vertical	Pass
3	4255.400	48.31	-5.53	74.0	-25.69	Peak	272.00	150	Vertical	Pass
3**	4255.400	38.12	-5.53	54.0	-15.88	AV	272.00	150	Vertical	Pass
4	5225.800	97.43	-4.06	--	--	Peak	108.00	150	Vertical	N/A
4**	5225.800	91.51	-4.06	--	--	AV	108.00	150	Vertical	N/A
5	7434.413	48.84	-4.37	74.0	-25.16	Peak	263.00	150	Vertical	Pass
5**	7434.413	39.58	-4.37	54.0	-14.42	AV	263.00	150	Vertical	Pass
6	12237.674	51.52	-0.32	74.0	-22.48	Peak	0.00	150	Vertical	Pass
6**	12237.674	41.93	-0.32	54.0	-12.07	AV	0.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.400	39.96	-18.53	74.0	-34.04	Peak	333.00	150	Horizontal	Pass
1**	1116.400	31.51	-18.53	54.0	-22.49	AV	333.00	150	Horizontal	Pass
2	1683.500	45.68	-17.93	74.0	-28.32	Peak	259.00	150	Horizontal	Pass
2**	1683.500	37.12	-17.93	54.0	-16.88	AV	259.00	150	Horizontal	Pass
3	4637.400	49.72	-4.76	74.0	-24.28	Peak	156.00	150	Horizontal	Pass
3**	4637.400	39.22	-4.76	54.0	-14.78	AV	156.00	150	Horizontal	Pass
4	5242.000	108.49	-4.24	--	--	Peak	212.00	150	Horizontal	N/A
4**	5242.000	101.16	-4.24	--	--	AV	212.00	150	Horizontal	N/A
5	7427.225	49.14	-4.10	74.0	-24.86	Peak	0.00	150	Horizontal	Pass
5**	7427.225	39.80	-4.10	54.0	-14.20	AV	0.00	150	Horizontal	Pass
6	12241.125	50.65	-0.30	74.0	-23.35	Peak	360.00	150	Horizontal	Pass
6**	12241.125	42.73	-0.30	54.0	-11.27	AV	360.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.100	40.75	-18.63	74.0	-33.25	Peak	186.00	150	Vertical	Pass
1**	1114.100	33.30	-18.63	54.0	-20.70	AV	186.00	150	Vertical	Pass
2	1678.700	40.59	-17.90	74.0	-33.41	Peak	121.00	150	Vertical	Pass
2**	1678.700	30.12	-17.90	54.0	-23.88	AV	121.00	150	Vertical	Pass
3	4871.600	50.21	-3.91	74.0	-23.79	Peak	130.00	150	Vertical	Pass
3**	4871.600	40.71	-3.91	54.0	-13.29	AV	130.00	150	Vertical	Pass
4	5245.200	98.31	-4.21	--	--	Peak	68.00	150	Vertical	N/A
4**	5245.200	90.55	-4.21	--	--	AV	68.00	150	Vertical	N/A
5	7613.525	48.08	-5.05	74.0	-25.92	Peak	257.00	150	Vertical	Pass
5**	7613.525	39.28	-5.05	54.0	-14.72	AV	257.00	150	Vertical	Pass
6	12268.724	50.59	0.06	74.0	-23.41	Peak	144.00	150	Vertical	Pass
6**	12268.724	42.14	0.06	54.0	-11.86	AV	144.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.200	39.56	-18.53	74.0	-34.44	Peak	325.00	150	Horizontal	Pass
1**	1116.200	32.18	-18.53	54.0	-21.82	AV	325.00	150	Horizontal	Pass
2	1679.800	45.32	-17.87	74.0	-28.68	Peak	254.00	150	Horizontal	Pass
2**	1679.800	37.86	-17.87	54.0	-16.14	AV	254.00	150	Horizontal	Pass
3	4299.600	48.32	-5.34	74.0	-25.68	Peak	-1.00	150	Horizontal	Pass
3**	4299.600	38.54	-5.34	54.0	-15.46	AV	-1.00	150	Horizontal	Pass
4	5184.400	106.27	-3.91	--	--	Peak	222.00	150	Horizontal	N/A
4**	5184.400	98.40	-3.91	--	--	AV	222.00	150	Horizontal	N/A
5	7522.962	47.90	-4.30	74.0	-26.10	Peak	226.00	150	Horizontal	Pass
5**	7522.962	39.36	-4.30	54.0	-14.64	AV	226.00	150	Horizontal	Pass
6	12218.125	51.03	-0.32	74.0	-22.97	Peak	208.00	150	Horizontal	Pass
6**	12218.125	41.48	-0.32	54.0	-12.52	AV	208.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.200	39.56	-18.53	74.0	-34.44	Peak	325.00	150	Horizontal	Pass
1**	1116.200	32.18	-18.53	54.0	-21.82	AV	325.00	150	Horizontal	Pass
2	1679.800	45.32	-17.87	74.0	-28.68	Peak	254.00	150	Horizontal	Pass
2**	1679.800	37.86	-17.87	54.0	-16.14	AV	254.00	150	Horizontal	Pass
3	4299.600	48.32	-5.34	74.0	-25.68	Peak	-1.00	150	Horizontal	Pass
3**	4299.600	38.54	-5.34	54.0	-15.46	AV	-1.00	150	Horizontal	Pass
4	5184.400	106.27	-3.91	--	--	Peak	222.00	150	Horizontal	N/A
4**	5184.400	98.40	-3.91	--	--	AV	222.00	150	Horizontal	N/A
5	7522.962	47.90	-4.30	74.0	-26.10	Peak	226.00	150	Horizontal	Pass
5**	7522.962	39.36	-4.30	54.0	-14.64	AV	226.00	150	Horizontal	Pass
6	12218.125	51.03	-0.32	74.0	-22.97	Peak	208.00	150	Horizontal	Pass
6**	12218.125	41.48	-0.32	54.0	-12.52	AV	208.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.400	41.08	-18.57	74.0	-32.92	Peak	234.00	150	Horizontal	Pass
1**	1120.400	31.44	-18.57	54.0	-22.56	AV	234.00	150	Horizontal	Pass
2	1683.500	45.56	-17.93	74.0	-28.44	Peak	246.00	150	Horizontal	Pass
2**	1683.500	34.86	-17.93	54.0	-19.14	AV	246.00	150	Horizontal	Pass
3	4076.400	46.88	-5.29	74.0	-27.12	Peak	257.00	150	Horizontal	Pass
3**	4076.400	38.05	-5.29	54.0	-15.95	AV	257.00	150	Horizontal	Pass
4	5226.800	106.49	-4.06	--	--	Peak	206.00	150	Horizontal	N/A
4**	5226.800	98.88	-4.06	--	--	AV	206.00	150	Horizontal	N/A
5	7438.437	48.78	-4.36	74.0	-25.22	Peak	50.00	150	Horizontal	Pass
5**	7438.437	39.49	-4.36	54.0	-14.51	AV	50.00	150	Horizontal	Pass
6	11677.050	50.72	-0.89	74.0	-23.28	Peak	277.00	150	Horizontal	Pass
6**	11677.050	41.08	-0.89	54.0	-12.92	AV	277.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.000	41.74	-18.63	74.0	-32.26	Peak	185.00	150	Vertical	Pass
1**	1114.000	32.74	-18.63	54.0	-21.26	AV	185.00	150	Vertical	Pass
2	1678.600	41.82	-17.90	74.0	-32.18	Peak	275.00	150	Vertical	Pass
2**	1678.600	31.71	-17.90	54.0	-22.29	AV	275.00	150	Vertical	Pass
3	4091.400	47.81	-5.59	74.0	-26.19	Peak	151.00	150	Vertical	Pass
3**	4091.400	38.47	-5.59	54.0	-15.53	AV	151.00	150	Vertical	Pass
4	5226.200	96.48	-4.06	--	--	Peak	99.00	150	Vertical	N/A
4**	5226.200	88.32	-4.06	--	--	AV	99.00	150	Vertical	N/A
5	7494.500	48.56	-4.36	74.0	-25.44	Peak	293.00	150	Vertical	Pass
5**	7494.500	38.75	-4.36	54.0	-15.25	AV	293.00	150	Vertical	Pass
6	12223.300	51.40	-0.28	74.0	-22.60	Peak	346.00	150	Vertical	Pass
6**	12223.300	42.88	-0.28	54.0	-11.12	AV	346.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1117.600	39.60	-18.53	74.0	-34.40	Peak	321.00	150	Horizontal	Pass
1**	1117.600	31.08	-18.53	54.0	-22.92	AV	321.00	150	Horizontal	Pass
2	1679.800	45.59	-17.87	74.0	-28.41	Peak	245.00	150	Horizontal	Pass
2**	1679.800	35.59	-17.87	54.0	-18.41	AV	245.00	150	Horizontal	Pass
3	4170.400	47.45	-5.43	74.0	-26.55	Peak	175.00	150	Horizontal	Pass
3**	4170.400	38.12	-5.43	54.0	-15.88	AV	175.00	150	Horizontal	Pass
4	5244.600	107.85	-4.20	--	--	Peak	209.00	150	Horizontal	N/A
4**	5244.600	98.70	-4.20	--	--	AV	209.00	150	Horizontal	N/A
5	7489.612	48.44	-4.40	74.0	-25.56	Peak	324.00	150	Horizontal	Pass
5**	7489.612	38.00	-4.40	54.0	-16.00	AV	324.00	150	Horizontal	Pass
6	12240.263	50.39	-0.32	74.0	-23.61	Peak	248.00	150	Horizontal	Pass
6**	12240.263	41.43	-0.32	54.0	-12.57	AV	248.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.600	41.67	-18.64	74.0	-32.33	Peak	187.00	150	Vertical	Pass
1**	1121.600	32.05	-18.64	54.0	-21.95	AV	187.00	150	Vertical	Pass
2	1599.000	41.87	-17.93	74.0	-32.13	Peak	229.00	150	Vertical	Pass
2**	1599.000	31.33	-17.93	54.0	-22.67	AV	229.00	150	Vertical	Pass
3	4853.600	49.98	-3.69	74.0	-24.02	Peak	19.00	150	Vertical	Pass
3**	4853.600	40.53	-3.69	54.0	-13.47	AV	19.00	150	Vertical	Pass
4	5243.000	97.81	-4.25	--	--	Peak	57.00	150	Vertical	N/A
4**	5243.000	89.29	-4.25	--	--	AV	57.00	150	Vertical	N/A
5	7435.850	48.48	-4.35	74.0	-25.52	Peak	201.00	150	Vertical	Pass
5**	7435.850	39.61	-4.35	54.0	-14.39	AV	201.00	150	Vertical	Pass
6	12322.775	50.84	-0.47	74.0	-23.16	Peak	309.00	150	Vertical	Pass
6**	12322.775	41.59	-0.47	54.0	-12.41	AV	309.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.400	40.05	-18.57	74.0	-33.95	Peak	320.00	150	Horizontal	Pass
1**	1120.400	32.22	-18.57	54.0	-21.78	AV	320.00	150	Horizontal	Pass
2	1681.100	45.55	-17.82	74.0	-28.45	Peak	255.00	150	Horizontal	Pass
2**	1681.100	34.87	-17.82	54.0	-19.13	AV	255.00	150	Horizontal	Pass
3	4876.800	50.12	-4.03	74.0	-23.88	Peak	-1.00	150	Horizontal	Pass
3**	4876.800	41.51	-4.03	54.0	-12.49	AV	-1.00	150	Horizontal	Pass
4	5176.600	101.93	-4.01	--	--	Peak	217.00	150	Horizontal	N/A
4**	5176.600	92.97	-4.01	--	--	AV	217.00	150	Horizontal	N/A
5	7442.462	48.27	-4.29	74.0	-25.73	Peak	361.00	150	Horizontal	Pass
5**	7442.462	39.53	-4.29	54.0	-14.47	AV	361.00	150	Horizontal	Pass
6	12176.437	50.96	-0.96	74.0	-23.04	Peak	299.00	150	Horizontal	Pass
6**	12176.437	40.94	-0.96	54.0	-13.06	AV	299.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1124.500	41.73	-18.59	74.0	-32.27	Peak	177.00	150	Vertical	Pass
1**	1124.500	30.48	-18.59	54.0	-23.52	AV	177.00	150	Vertical	Pass
2	1595.200	39.96	-17.87	74.0	-34.04	Peak	144.00	150	Vertical	Pass
2**	1595.200	29.58	-17.87	54.0	-24.42	AV	144.00	150	Vertical	Pass
3	4079.800	47.49	-5.16	74.0	-26.51	Peak	8.00	150	Vertical	Pass
3**	4079.800	38.07	-5.16	54.0	-15.93	AV	8.00	150	Vertical	Pass
4	5196.600	92.66	-3.95	--	--	Peak	151.00	150	Vertical	N/A
4**	5196.600	84.86	-3.95	--	--	AV	151.00	150	Vertical	N/A
5	7424.925	48.61	-4.07	74.0	-25.39	Peak	321.00	150	Vertical	Pass
5**	7424.925	39.07	-4.07	54.0	-14.93	AV	321.00	150	Vertical	Pass
6	12237.674	50.70	-0.32	74.0	-23.30	Peak	321.00	150	Vertical	Pass
6**	12237.674	41.27	-0.32	54.0	-12.73	AV	321.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.900	40.20	-18.53	74.0	-33.80	Peak	310.00	150	Horizontal	Pass
1**	1115.900	30.25	-18.53	54.0	-23.75	AV	310.00	150	Horizontal	Pass
2	1679.200	45.97	-17.89	74.0	-28.03	Peak	237.00	150	Horizontal	Pass
2**	1679.200	36.34	-17.89	54.0	-17.66	AV	237.00	150	Horizontal	Pass
3	4319.600	48.56	-4.94	74.0	-25.44	Peak	45.00	150	Horizontal	Pass
3**	4319.600	38.97	-4.94	54.0	-15.03	AV	45.00	150	Horizontal	Pass
4	5240.600	100.94	-4.16	--	--	Peak	241.00	150	Horizontal	N/A
4**	5240.600	93.41	-4.16	--	--	AV	241.00	150	Horizontal	N/A
5	7446.488	48.60	-4.51	74.0	-25.40	Peak	126.00	150	Horizontal	Pass
5**	7446.488	38.66	-4.51	54.0	-15.34	AV	126.00	150	Horizontal	Pass
6	12264.700	50.92	0.05	74.0	-23.08	Peak	70.00	150	Horizontal	Pass
6**	12264.700	42.24	0.05	54.0	-11.76	AV	70.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1119.700	41.44	-18.55	74.0	-32.56	Peak	186.00	150	Vertical	Pass
1**	1119.700	33.16	-18.55	54.0	-20.84	AV	186.00	150	Vertical	Pass
2	1593.900	41.11	-17.94	74.0	-32.89	Peak	25.00	150	Vertical	Pass
2**	1593.900	31.58	-17.94	54.0	-22.42	AV	25.00	150	Vertical	Pass
3	4086.000	47.71	-5.24	74.0	-26.29	Peak	130.00	150	Vertical	Pass
3**	4086.000	38.32	-5.24	54.0	-15.68	AV	130.00	150	Vertical	Pass
4	5243.400	91.69	-4.24	--	--	Peak	130.00	150	Vertical	N/A
4**	5243.400	83.84	-4.24	--	--	AV	130.00	150	Vertical	N/A
5	7533.025	49.11	-4.20	74.0	-24.89	Peak	100.00	150	Vertical	Pass
5**	7533.025	40.45	-4.20	54.0	-13.55	AV	100.00	150	Vertical	Pass
6	12265.562	50.67	0.05	74.0	-23.33	Peak	27.00	150	Vertical	Pass
6**	12265.562	41.47	0.05	54.0	-12.53	AV	27.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.400	39.92	-18.63	74.0	-34.08	Peak	326.00	150	Horizontal	Pass
1**	1121.400	30.15	-18.63	54.0	-23.85	AV	326.00	150	Horizontal	Pass
2	1675.000	45.61	-17.84	74.0	-28.39	Peak	253.00	150	Horizontal	Pass
2**	1675.000	34.26	-17.84	54.0	-19.74	AV	253.00	150	Horizontal	Pass
3	4193.200	47.65	-5.89	74.0	-26.35	Peak	187.00	150	Horizontal	Pass
3**	4193.200	37.89	-5.89	54.0	-16.11	AV	187.00	150	Horizontal	Pass
4	5176.000	106.53	-4.00	--	--	Peak	223.00	150	Horizontal	N/A
4**	5176.000	98.89	-4.00	--	--	AV	223.00	150	Horizontal	N/A
5	8231.938	48.73	-4.15	74.0	-25.27	Peak	115.00	150	Horizontal	Pass
5**	8231.938	38.74	-4.15	54.0	-15.26	AV	115.00	150	Horizontal	Pass
6	12352.675	50.81	-1.31	74.0	-23.19	Peak	360.00	150	Horizontal	Pass
6**	12352.675	41.05	-1.31	54.0	-12.95	AV	360.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1124.100	41.04	-18.60	74.0	-32.96	Peak	189.00	150	Vertical	Pass
1**	1124.100	31.66	-18.60	54.0	-22.34	AV	189.00	150	Vertical	Pass
2	1595.100	41.82	-17.88	74.0	-32.18	Peak	229.00	150	Vertical	Pass
2**	1595.100	33.14	-17.88	54.0	-20.86	AV	229.00	150	Vertical	Pass
3	4038.800	47.73	-5.77	74.0	-26.27	Peak	344.00	150	Vertical	Pass
3**	4038.800	37.66	-5.77	54.0	-16.34	AV	344.00	150	Vertical	Pass
4	5188.200	95.73	-3.97	--	--	Peak	148.00	150	Vertical	N/A
4**	5188.200	88.16	-3.97	--	--	AV	148.00	150	Vertical	N/A
5	7421.475	49.51	-4.03	74.0	-24.49	Peak	348.00	150	Vertical	Pass
5**	7421.475	39.99	-4.03	54.0	-14.01	AV	348.00	150	Vertical	Pass
6	12276.200	50.71	0.08	74.0	-23.29	Peak	168.00	150	Vertical	Pass
6**	12276.200	41.24	0.08	54.0	-12.76	AV	168.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.200	40.59	-18.66	74.0	-33.41	Peak	325.00	150	Horizontal	Pass
1**	1113.200	31.29	-18.66	54.0	-22.71	AV	325.00	150	Horizontal	Pass
2	1679.600	45.89	-17.87	74.0	-28.11	Peak	238.00	150	Horizontal	Pass
2**	1679.600	35.99	-17.87	54.0	-18.01	AV	238.00	150	Horizontal	Pass
3	4250.600	48.10	-5.55	74.0	-25.90	Peak	362.00	150	Horizontal	Pass
3**	4250.600	38.42	-5.55	54.0	-15.58	AV	362.00	150	Horizontal	Pass
4	5223.800	105.57	-4.16	--	--	Peak	206.00	150	Horizontal	N/A
4**	5223.800	97.85	-4.16	--	--	AV	206.00	150	Horizontal	N/A
5	7434.413	48.27	-4.37	74.0	-25.73	Peak	45.00	150	Horizontal	Pass
5**	7434.413	39.43	-4.37	54.0	-14.57	AV	45.00	150	Horizontal	Pass
6	11683.951	50.88	-0.92	74.0	-23.12	Peak	221.00	150	Horizontal	Pass
6**	11683.951	41.38	-0.92	54.0	-12.62	AV	221.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.400	40.70	-18.61	74.0	-33.30	Peak	178.00	150	Vertical	Pass
1**	1114.400	32.85	-18.61	54.0	-21.15	AV	178.00	150	Vertical	Pass
2	1593.200	41.00	-17.95	74.0	-33.00	Peak	21.00	150	Vertical	Pass
2**	1593.200	28.54	-17.95	54.0	-25.46	AV	21.00	150	Vertical	Pass
3	4168.400	48.20	-5.52	74.0	-25.80	Peak	235.00	150	Vertical	Pass
3**	4168.400	38.12	-5.52	54.0	-15.88	AV	235.00	150	Vertical	Pass
4	5216.600	95.98	-3.97	--	--	Peak	113.00	150	Vertical	N/A
4**	5216.600	87.13	-3.97	--	--	AV	113.00	150	Vertical	N/A
5	7531.875	48.83	-4.22	74.0	-25.17	Peak	361.00	150	Vertical	Pass
5**	7531.875	39.12	-4.22	54.0	-14.88	AV	361.00	150	Vertical	Pass
6	12236.237	51.80	-0.31	74.0	-22.20	Peak	194.00	150	Vertical	Pass
6**	12236.237	41.62	-0.31	54.0	-12.38	AV	194.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.400	40.45	-18.61	74.0	-33.55	Peak	323.00	150	Horizontal	Pass
1**	1114.400	31.16	-18.61	54.0	-22.84	AV	323.00	150	Horizontal	Pass
2	1682.400	45.99	-17.90	74.0	-28.01	Peak	241.00	150	Horizontal	Pass
2**	1682.400	35.42	-17.90	54.0	-18.58	AV	241.00	150	Horizontal	Pass
3	4841.200	49.52	-3.95	74.0	-24.48	Peak	155.00	150	Horizontal	Pass
3**	4841.200	41.55	-3.95	54.0	-12.45	AV	155.00	150	Horizontal	Pass
4	5234.200	106.69	-4.20	--	--	Peak	221.00	150	Horizontal	N/A
4**	5234.200	98.91	-4.20	--	--	AV	221.00	150	Horizontal	N/A
5	7354.487	48.27	-5.06	74.0	-25.73	Peak	1.00	150	Horizontal	Pass
5**	7354.487	39.54	-5.06	54.0	-14.46	AV	1.00	150	Horizontal	Pass
6	12333.412	51.04	-0.78	74.0	-22.96	Peak	127.00	150	Horizontal	Pass
6**	12333.412	41.73	-0.78	54.0	-12.27	AV	127.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.000	41.16	-18.63	74.0	-32.84	Peak	181.00	150	Vertical	Pass
1**	1114.000	33.14	-18.63	54.0	-20.86	AV	181.00	150	Vertical	Pass
2	1592.800	42.83	-17.96	74.0	-31.17	Peak	227.00	150	Vertical	Pass
2**	1592.800	31.07	-17.96	54.0	-22.93	AV	227.00	150	Vertical	Pass
3	4203.000	47.83	-6.19	74.0	-26.17	Peak	162.00	150	Vertical	Pass
3**	4203.000	38.36	-6.19	54.0	-15.64	AV	162.00	150	Vertical	Pass
4	5244.200	96.09	-4.22	--	--	Peak	58.00	150	Vertical	N/A
4**	5244.200	87.80	-4.22	--	--	AV	58.00	150	Vertical	N/A
5	7447.925	47.90	-4.54	74.0	-26.10	Peak	0.00	150	Vertical	Pass
5**	7447.925	39.25	-4.54	54.0	-14.75	AV	0.00	150	Vertical	Pass
6	11679.925	51.41	-0.96	74.0	-22.59	Peak	82.00	150	Vertical	Pass
6**	11679.925	41.49	-0.96	54.0	-12.51	AV	82.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.000	40.42	-18.58	74.0	-33.58	Peak	322.00	150	Horizontal	Pass
1**	1115.000	33.32	-18.58	54.0	-20.68	AV	322.00	150	Horizontal	Pass
2	1683.200	45.56	-17.94	74.0	-28.44	Peak	258.00	150	Horizontal	Pass
2**	1683.200	35.03	-17.94	54.0	-18.97	AV	258.00	150	Horizontal	Pass
3	4257.200	48.23	-5.52	74.0	-25.77	Peak	44.00	150	Horizontal	Pass
3**	4257.200	38.29	-5.52	54.0	-15.71	AV	44.00	150	Horizontal	Pass
4	5183.200	102.37	-3.90	--	--	Peak	212.00	150	Horizontal	N/A
4**	5183.200	92.44	-3.90	--	--	AV	212.00	150	Horizontal	N/A
5	8086.750	49.60	-3.59	74.0	-24.40	Peak	21.00	150	Horizontal	Pass
5**	8086.750	39.40	-3.59	54.0	-14.60	AV	21.00	150	Horizontal	Pass
6	11602.588	50.58	-0.15	74.0	-23.42	Peak	0.00	150	Horizontal	Pass
6**	11602.588	41.00	-0.15	54.0	-13.00	AV	0.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.200	41.46	-18.53	74.0	-32.54	Peak	187.00	150	Vertical	Pass
1**	1116.200	32.17	-18.53	54.0	-21.83	AV	187.00	150	Vertical	Pass
2	1598.400	42.16	-17.93	74.0	-31.84	Peak	233.00	150	Vertical	Pass
2**	1598.400	31.04	-17.93	54.0	-22.96	AV	233.00	150	Vertical	Pass
3	4815.400	49.99	-3.99	74.0	-24.01	Peak	9.00	150	Vertical	Pass
3**	4815.400	40.80	-3.99	54.0	-13.20	AV	9.00	150	Vertical	Pass
4	5198.000	91.56	-3.98	--	--	Peak	105.00	150	Vertical	N/A
4**	5198.000	83.44	-3.98	--	--	AV	105.00	150	Vertical	N/A
5	7589.663	48.59	-4.77	74.0	-25.41	Peak	259.00	150	Vertical	Pass
5**	7589.663	40.56	-4.77	54.0	-13.44	AV	259.00	150	Vertical	Pass
6	11587.925	50.89	-0.05	74.0	-23.11	Peak	259.00	150	Vertical	Pass
6**	11587.925	41.12	-0.05	54.0	-12.88	AV	259.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.900	39.98	-18.64	74.0	-34.02	Peak	322.00	150	Horizontal	Pass
1**	1113.900	31.91	-18.64	54.0	-22.09	AV	322.00	150	Horizontal	Pass
2	1681.900	45.49	-17.87	74.0	-28.51	Peak	254.00	150	Horizontal	Pass
2**	1681.900	37.71	-17.87	54.0	-16.29	AV	254.00	150	Horizontal	Pass
3	4869.200	50.54	-3.84	74.0	-23.46	Peak	362.00	150	Horizontal	Pass
3**	4869.200	40.65	-3.84	54.0	-13.35	AV	362.00	150	Horizontal	Pass
4	5243.000	101.69	-4.25	--	--	Peak	227.00	150	Horizontal	N/A
4**	5243.000	93.04	-4.25	--	--	AV	227.00	150	Horizontal	N/A
5	7425.212	48.89	-4.07	74.0	-25.11	Peak	361.00	150	Horizontal	Pass
5**	7425.212	39.35	-4.07	54.0	-14.65	AV	361.00	150	Horizontal	Pass
6	12387.174	50.76	-1.64	74.0	-23.24	Peak	361.00	150	Horizontal	Pass
6**	12387.174	41.32	-1.64	54.0	-12.68	AV	361.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.900	41.09	-18.53	74.0	-32.91	Peak	179.00	150	Vertical	Pass
1**	1115.900	33.28	-18.53	54.0	-20.72	AV	179.00	150	Vertical	Pass
2	1595.700	42.07	-17.85	74.0	-31.93	Peak	243.00	150	Vertical	Pass
2**	1595.700	31.17	-17.85	54.0	-22.83	AV	243.00	150	Vertical	Pass
3	4043.200	47.63	-5.66	74.0	-26.37	Peak	161.00	150	Vertical	Pass
3**	4043.200	38.31	-5.66	54.0	-15.69	AV	161.00	150	Vertical	Pass
4	5223.000	90.84	-4.17	--	--	Peak	93.00	150	Vertical	N/A
4**	5223.000	82.04	-4.17	--	--	AV	93.00	150	Vertical	N/A
5	7449.362	48.32	-4.42	74.0	-25.68	Peak	263.00	150	Vertical	Pass
5**	7449.362	39.88	-4.42	54.0	-14.12	AV	263.00	150	Vertical	Pass
6	12326.513	50.93	-0.58	74.0	-23.07	Peak	74.00	150	Vertical	Pass
6**	12326.513	41.39	-0.58	54.0	-12.61	AV	74.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.900	40.34	-18.66	74.0	-33.66	Peak	243.00	150	Horizontal	Pass
1**	1121.900	30.96	-18.66	54.0	-23.04	AV	243.00	150	Horizontal	Pass
2	1684.500	45.73	-17.89	74.0	-28.27	Peak	254.00	150	Horizontal	Pass
2**	1684.500	35.32	-17.89	54.0	-18.68	AV	254.00	150	Horizontal	Pass
3	4091.400	47.62	-5.59	74.0	-26.38	Peak	278.00	150	Horizontal	Pass
3**	4091.400	38.23	-5.59	54.0	-15.77	AV	278.00	150	Horizontal	Pass
4	5192.000	99.00	-3.85	--	--	Peak	229.00	150	Horizontal	N/A
4**	5192.000	90.68	-3.85	--	--	AV	229.00	150	Horizontal	N/A
5	7427.513	48.97	-4.12	74.0	-25.03	Peak	262.00	150	Horizontal	Pass
5**	7427.513	39.15	-4.12	54.0	-14.85	AV	262.00	150	Horizontal	Pass
6	12341.175	51.34	-1.00	74.0	-22.66	Peak	157.00	150	Horizontal	Pass
6**	12341.175	41.69	-1.00	54.0	-12.31	AV	157.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.900	41.40	-18.58	74.0	-32.60	Peak	185.00	150	Vertical	Pass
1**	1114.900	32.97	-18.58	54.0	-21.03	AV	185.00	150	Vertical	Pass
2	1595.100	41.79	-17.88	74.0	-32.21	Peak	230.00	150	Vertical	Pass
2**	1595.100	30.44	-17.88	54.0	-23.56	AV	230.00	150	Vertical	Pass
3	4321.200	49.58	-5.02	74.0	-24.42	Peak	362.00	150	Vertical	Pass
3**	4321.200	38.88	-5.02	54.0	-15.12	AV	362.00	150	Vertical	Pass
4	5192.800	89.03	-3.89	--	--	Peak	148.00	150	Vertical	N/A
4**	5192.800	80.68	-3.89	--	--	AV	148.00	150	Vertical	N/A
5	8093.938	48.68	-3.42	74.0	-25.32	Peak	259.00	150	Vertical	Pass
5**	8093.938	39.58	-3.42	54.0	-14.42	AV	259.00	150	Vertical	Pass
6	12107.437	50.78	-0.89	74.0	-23.22	Peak	0.00	150	Vertical	Pass
6**	12107.437	40.62	-0.89	54.0	-13.38	AV	0.00	150	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.900	40.65	-18.53	74.0	-33.35	Peak	320.00	150	Horizontal	Pass
1**	1115.900	30.57	-18.53	54.0	-23.43	AV	320.00	150	Horizontal	Pass
2	1680.900	46.26	-17.83	74.0	-27.74	Peak	247.00	150	Horizontal	Pass
2**	1680.900	37.69	-17.83	54.0	-16.31	AV	247.00	150	Horizontal	Pass
3	4081.800	48.29	-5.07	74.0	-25.71	Peak	362.00	150	Horizontal	Pass
3**	4081.800	38.06	-5.07	54.0	-15.94	AV	362.00	150	Horizontal	Pass
4	5173.600	105.72	-3.98	--	--	Peak	210.00	150	Horizontal	N/A
4**	5173.600	98.35	-3.98	--	--	AV	210.00	150	Horizontal	N/A
5	8073.525	48.69	-3.43	74.0	-25.31	Peak	150.00	150	Horizontal	Pass
5**	8073.525	39.33	-3.43	54.0	-14.67	AV	150.00	150	Horizontal	Pass
6	12239.400	51.51	-0.32	74.0	-22.49	Peak	61.00	150	Horizontal	Pass
6**	12239.400	41.91	-0.32	54.0	-12.09	AV	61.00	150	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1112.900	41.69	-18.67	74.0	-32.31	Peak	190.00	150	Vertical	Pass
1**	1112.900	32.95	-18.67	54.0	-21.05	AV	190.00	150	Vertical	Pass
2	1596.200	41.45	-17.83	74.0	-32.55	Peak	226.00	150	Vertical	Pass
2**	1596.200	29.72	-17.83	54.0	-24.28	AV	226.00	150	Vertical	Pass
3	4852.800	50.90	-3.68	74.0	-23.10	Peak	114.00	150	Vertical	Pass
3**	4852.800	40.98	-3.68	54.0	-13.02	AV	114.00	150	Vertical	Pass
4	5183.200	96.65	-3.90	--	--	Peak	150.00	150	Vertical	N/A
4**	5183.200	88.64	-3.90	--	--	AV	150.00	150	Vertical	N/A
5	7420.900	48.82	-4.00	74.0	-25.18	Peak	332.00	150	Vertical	Pass
5**	7420.900	39.49	-4.00	54.0	-14.51	AV	332.00	150	Vertical	Pass
6	11588.500	50.15	-0.05	74.0	-23.85	Peak	208.00	150	Vertical	Pass
6**	11588.500	41.51	-0.05	54.0	-12.49	AV	208.00	150	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1110.400	39.99	-18.67	74.0	-34.01	Peak	327.00	150	Horizontal	Pass
1**	1110.400	29.60	-18.67	54.0	-24.40	AV	327.00	150	Horizontal	Pass
2	1680.500	45.72	-17.84	74.0	-28.28	Peak	250.00	150	Horizontal	Pass
2**	1680.500	36.16	-17.84	54.0	-17.84	AV	250.00	150	Horizontal	Pass
3	4072.600	47.40	-5.54	74.0	-26.60	Peak	217.00	150	Horizontal	Pass
3**	4072.600	37.82	-5.54	54.0	-16.18	AV	217.00	150	Horizontal	Pass
4	5224.000	105.72	-4.15	--	--	Peak	217.00	150	Horizontal	N/A
4**	5224.000	97.65	-4.15	--	--	AV	217.00	150	Horizontal	N/A
5	7434.413	48.15	-4.37	74.0	-25.85	Peak	360.00	150	Horizontal	Pass
5**	7434.413	38.98	-4.37	54.0	-15.02	AV	360.00	150	Horizontal	Pass
6	12320.474	50.93	-0.40	74.0	-23.07	Peak	242.00	150	Horizontal	Pass
6**	12320.474	41.39	-0.40	54.0	-12.61	AV	242.00	150	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.500	40.82	-18.55	74.0	-33.18	Peak	182.00	150	Vertical	Pass
1**	1115.500	29.84	-18.55	54.0	-24.16	AV	182.00	150	Vertical	Pass
2	1595.500	43.56	-17.86	74.0	-30.44	Peak	232.00	150	Vertical	Pass
2**	1595.500	33.46	-17.86	54.0	-20.54	AV	232.00	150	Vertical	Pass
3	4876.400	50.39	-4.03	74.0	-23.61	Peak	302.00	150	Vertical	Pass
3**	4876.400	40.83	-4.03	54.0	-13.17	AV	302.00	150	Vertical	Pass
4	5212.600	96.38	-3.90	--	--	Peak	98.00	150	Vertical	N/A
4**	5212.600	86.67	-3.90	--	--	AV	98.00	150	Vertical	N/A
5	7442.462	49.00	-4.29	74.0	-25.00	Peak	360.00	150	Vertical	Pass
5**	7442.462	39.26	-4.29	54.0	-14.74	AV	360.00	150	Vertical	Pass
6	12334.276	51.41	-0.80	74.0	-22.59	Peak	34.00	150	Vertical	Pass
6**	12334.276	41.76	-0.80	54.0	-12.24	AV	34.00	150	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.100	40.17	-18.57	74.0	-33.83	Peak	325.00	150	Horizontal	Pass
1**	1115.100	30.51	-18.57	54.0	-23.49	AV	325.00	150	Horizontal	Pass
2	1679.100	45.54	-17.89	74.0	-28.46	Peak	255.00	150	Horizontal	Pass
2**	1679.100	37.82	-17.89	54.0	-16.18	AV	255.00	150	Horizontal	Pass
3	4825.000	50.07	-4.09	74.0	-23.93	Peak	16.00	150	Horizontal	Pass
3**	4825.000	40.30	-4.09	54.0	-13.70	AV	16.00	150	Horizontal	Pass
4	5236.000	107.29	-4.31	--	--	Peak	207.00	150	Horizontal	N/A
4**	5236.000	98.54	-4.31	--	--	AV	207.00	150	Horizontal	N/A
5	7469.200	48.02	-4.62	74.0	-25.98	Peak	289.00	150	Horizontal	Pass
5**	7469.200	38.89	-4.62	54.0	-15.11	AV	289.00	150	Horizontal	Pass
6	12273.037	50.51	0.07	74.0	-23.49	Peak	361.00	150	Horizontal	Pass
6**	12273.037	41.35	0.07	54.0	-12.65	AV	361.00	150	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1124.400	40.58	-18.58	74.0	-33.42	Peak	310.00	150	Vertical	Pass
1**	1124.400	29.74	-18.58	54.0	-24.26	AV	310.00	150	Vertical	Pass
2	1596.300	41.28	-17.83	74.0	-32.72	Peak	223.00	150	Vertical	Pass
2**	1596.300	30.99	-17.83	54.0	-23.01	AV	223.00	150	Vertical	Pass
3	4838.200	50.65	-3.97	74.0	-23.35	Peak	171.00	150	Vertical	Pass
3**	4838.200	41.06	-3.97	54.0	-12.94	AV	171.00	150	Vertical	Pass
4	5247.800	94.52	-4.26	--	--	Peak	103.00	150	Vertical	N/A
4**	5247.800	86.41	-4.26	--	--	AV	103.00	150	Vertical	N/A
5	7453.962	48.30	-4.46	74.0	-25.70	Peak	234.00	150	Vertical	Pass
5**	7453.962	38.83	-4.46	54.0	-15.17	AV	234.00	150	Vertical	Pass
6	11617.537	50.97	-0.16	74.0	-23.03	Peak	346.00	150	Vertical	Pass
6**	11617.537	41.73	-0.16	54.0	-12.27	AV	346.00	150	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.300	40.33	-18.56	74.0	-33.67	Peak	321.00	150	Horizontal	Pass
1**	1115.300	33.33	-18.56	54.0	-20.67	AV	321.00	150	Horizontal	Pass
2	1673.700	45.52	-17.88	74.0	-28.48	Peak	259.00	150	Horizontal	Pass
2**	1673.700	34.39	-17.88	54.0	-19.61	AV	259.00	150	Horizontal	Pass
3	4855.800	49.76	-3.63	74.0	-24.24	Peak	25.00	150	Horizontal	Pass
3**	4855.800	40.79	-3.63	54.0	-13.21	AV	25.00	150	Horizontal	Pass
4	5197.000	103.19	-3.96	--	--	Peak	213.00	150	Horizontal	N/A
4**	5197.000	93.84	-3.96	--	--	AV	213.00	150	Horizontal	N/A
5	7531.013	48.55	-4.24	74.0	-25.45	Peak	340.00	150	Horizontal	Pass
5**	7531.013	39.51	-4.24	54.0	-14.49	AV	340.00	150	Horizontal	Pass
6	10975.549	50.61	-1.85	74.0	-23.39	Peak	340.00	150	Horizontal	Pass
6**	10975.549	40.02	-1.85	54.0	-13.98	AV	340.00	150	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1118.700	40.62	-18.53	74.0	-33.38	Peak	179.00	150	Vertical	Pass
1**	1118.700	32.13	-18.53	54.0	-21.87	AV	179.00	150	Vertical	Pass
2	1593.400	43.11	-17.95	74.0	-30.89	Peak	242.00	150	Vertical	Pass
2**	1593.400	36.49	-17.95	54.0	-17.51	AV	242.00	150	Vertical	Pass
3	4167.200	47.87	-5.64	74.0	-26.13	Peak	125.00	150	Vertical	Pass
3**	4167.200	37.82	-5.64	54.0	-16.18	AV	125.00	150	Vertical	Pass
4	5187.400	90.14	-4.01	--	--	Peak	58.00	150	Vertical	N/A
4**	5187.400	82.33	-4.01	--	--	AV	58.00	150	Vertical	N/A
5	7449.650	48.73	-4.40	74.0	-25.27	Peak	265.00	150	Vertical	Pass
5**	7449.650	39.25	-4.40	54.0	-14.75	AV	265.00	150	Vertical	Pass
6	12180.175	50.74	-0.98	74.0	-23.26	Peak	247.00	150	Vertical	Pass
6**	12180.175	41.21	-0.98	54.0	-12.79	AV	247.00	150	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1118.400	40.87	-18.53	74.0	-33.13	Peak	320.00	150	Horizontal	Pass
1**	1118.400	30.70	-18.53	54.0	-23.30	AV	320.00	150	Horizontal	Pass
2	1685.500	45.82	-17.86	74.0	-28.18	Peak	257.00	150	Horizontal	Pass
2**	1685.500	35.53	-17.86	54.0	-18.47	AV	257.00	150	Horizontal	Pass
3	4864.000	50.91	-3.61	74.0	-23.09	Peak	327.00	150	Horizontal	Pass
3**	4864.000	42.98	-3.61	54.0	-11.02	AV	327.00	150	Horizontal	Pass
4	5227.400	102.10	-4.06	--	--	Peak	220.00	150	Horizontal	N/A
4**	5227.400	92.07	-4.06	--	--	AV	220.00	150	Horizontal	N/A
5	7497.950	49.06	-4.37	74.0	-24.94	Peak	168.00	150	Horizontal	Pass
5**	7497.950	39.96	-4.37	54.0	-14.04	AV	168.00	150	Horizontal	Pass
6	12321.625	50.52	-0.43	74.0	-23.48	Peak	72.00	150	Horizontal	Pass
6**	12321.625	40.90	-0.43	54.0	-13.10	AV	72.00	150	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.900	41.75	-18.58	74.0	-32.25	Peak	179.00	150	Vertical	Pass
1**	1114.900	33.41	-18.58	54.0	-20.59	AV	179.00	150	Vertical	Pass
2	1595.300	42.53	-17.87	74.0	-31.47	Peak	236.00	150	Vertical	Pass
2**	1595.300	29.91	-17.87	54.0	-24.09	AV	236.00	150	Vertical	Pass
3	4841.600	50.47	-3.94	74.0	-23.53	Peak	42.00	150	Vertical	Pass
3**	4841.600	41.69	-3.94	54.0	-12.31	AV	42.00	150	Vertical	Pass
4	5215.800	90.77	-3.91	--	--	Peak	98.00	150	Vertical	N/A
4**	5215.800	80.52	-3.91	--	--	AV	98.00	150	Vertical	N/A
5	7474.950	48.44	-4.65	74.0	-25.56	Peak	47.00	150	Vertical	Pass
5**	7474.950	38.55	-4.65	54.0	-15.45	AV	47.00	150	Vertical	Pass
6	11682.800	50.58	-0.93	74.0	-23.42	Peak	0.00	150	Vertical	Pass
6**	11682.800	41.16	-0.93	54.0	-12.84	AV	0.00	150	Vertical	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.200	39.90	-18.56	74.0	-34.10	Peak	329.00	150	Horizontal	Pass
1**	1120.200	32.12	-18.56	54.0	-21.88	AV	329.00	150	Horizontal	Pass
2	1687.700	46.13	-17.89	74.0	-27.87	Peak	254.00	150	Horizontal	Pass
2**	1687.700	36.27	-17.89	54.0	-17.73	AV	254.00	150	Horizontal	Pass
3	4080.800	48.66	-5.12	74.0	-25.34	Peak	253.00	150	Horizontal	Pass
3**	4080.800	38.55	-5.12	54.0	-15.45	AV	253.00	150	Horizontal	Pass
4	5198.200	99.62	-3.98	--	--	Peak	214.00	150	Horizontal	N/A
4**	5198.200	91.07	-3.98	--	--	AV	214.00	150	Horizontal	N/A
5	7525.263	48.47	-4.38	74.0	-25.53	Peak	85.00	150	Horizontal	Pass
5**	7525.263	38.69	-4.38	54.0	-15.31	AV	85.00	150	Horizontal	Pass
6	12274.475	51.31	0.08	74.0	-22.69	Peak	67.00	150	Horizontal	Pass
6**	12274.475	41.67	0.08	54.0	-12.33	AV	67.00	150	Horizontal	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.600	41.88	-18.58	74.0	-32.12	Peak	172.00	150	Vertical	Pass
1**	1120.600	32.67	-18.58	54.0	-21.33	AV	172.00	150	Vertical	Pass
2	1672.000	41.20	-17.90	74.0	-32.80	Peak	268.00	150	Vertical	Pass
2**	1672.000	31.43	-17.90	54.0	-22.57	AV	268.00	150	Vertical	Pass
3	3982.400	47.46	-6.47	74.0	-26.54	Peak	119.00	150	Vertical	Pass
3**	3982.400	37.36	-6.47	54.0	-16.64	AV	119.00	150	Vertical	Pass
4	5201.000	89.07	-3.99	--	--	Peak	64.00	150	Vertical	N/A
4**	5201.000	79.17	-3.99	--	--	AV	64.00	150	Vertical	N/A
5	7432.112	48.32	-4.40	74.0	-25.68	Peak	246.00	150	Vertical	Pass
5**	7432.112	39.46	-4.40	54.0	-14.54	AV	246.00	150	Vertical	Pass
6	11618.688	50.47	-0.16	74.0	-23.53	Peak	80.00	150	Vertical	Pass
6**	11618.688	41.22	-0.16	54.0	-12.78	AV	80.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.600	42.94	-18.60	74.0	-31.06	Peak	337.00	150	Horizontal	Pass
1**	1114.600	34.35	-18.60	54.0	-19.65	AV	337.00	150	Horizontal	Pass
2	1678.600	44.36	-17.90	74.0	-29.64	Peak	247.00	150	Horizontal	Pass
2**	1678.600	34.69	-17.90	54.0	-19.31	AV	247.00	150	Horizontal	Pass
3	4033.000	47.66	-5.89	74.0	-26.34	Peak	101.00	150	Horizontal	Pass
3**	4033.000	38.23	-5.89	54.0	-15.77	AV	101.00	150	Horizontal	Pass
4	5749.200	107.17	-3.76	--	--	Peak	229.00	150	Horizontal	N/A
4**	5749.200	100.41	-3.76	--	--	AV	229.00	150	Horizontal	N/A
5	7314.812	48.42	-5.00	74.0	-25.58	Peak	0.00	150	Horizontal	Pass
5**	7314.812	39.85	-5.00	54.0	-14.15	AV	0.00	150	Horizontal	Pass
6	12244.000	51.26	-0.23	74.0	-22.74	Peak	359.00	150	Horizontal	Pass
6**	12244.000	41.28	-0.23	54.0	-12.72	AV	359.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1118.400	42.52	-18.53	74.0	-31.47	Peak	185.00	150	Vertical	Pass
1**	1121.500	31.61	-18.64	54.0	-22.39	AV	335.00	150	Horizontal	Pass
2	1683.500	44.69	-17.93	74.0	-29.31	Peak	239.00	150	Horizontal	Pass
2**	1683.500	31.54	-17.93	54.0	-22.46	AV	239.00	150	Horizontal	Pass
3	4079.000	47.30	-5.17	74.0	-26.70	Peak	112.00	150	Horizontal	Pass
3**	4079.000	38.08	-5.17	54.0	-15.92	AV	112.00	150	Horizontal	Pass
4	5783.600	107.68	-3.07	--	--	Peak	204.00	150	Horizontal	N/A
4**	5783.600	100.75	-3.07	--	--	AV	204.00	150	Horizontal	N/A
5	7412.562	48.68	-4.16	74.0	-25.32	Peak	139.00	150	Horizontal	Pass
5**	7412.562	40.06	-4.16	54.0	-13.94	AV	139.00	150	Horizontal	Pass
6	12267.000	51.19	0.06	74.0	-22.81	Peak	164.00	150	Horizontal	Pass
6**	12267.000	41.66	0.06	54.0	-12.34	AV	164.00	150	Horizontal	Pass
1**	1118.400	33.75	-18.53	54.0	-20.25	AV	185.00	150	Vertical	Pass
2	2824.300	43.35	-11.77	74.0	-30.65	Peak	360.00	150	Vertical	Pass
2**	2824.300	32.93	-11.77	54.0	-21.07	AV	360.00	150	Vertical	Pass
3	4082.000	47.39	-5.06	74.0	-26.61	Peak	56.00	150	Vertical	Pass
3**	4082.000	38.59	-5.06	54.0	-15.41	AV	56.00	150	Vertical	Pass
4	5750.000	98.65	-3.69	--	--	Peak	98.00	150	Vertical	N/A
4**	5750.000	90.22	-3.69	--	--	AV	98.00	150	Vertical	N/A
5	7435.850	48.18	-4.35	74.0	-25.82	Peak	77.00	150	Vertical	Pass
5**	7435.850	40.77	-4.35	54.0	-13.23	AV	77.00	150	Vertical	Pass
6	12264.700	50.88	0.05	74.0	-23.12	Peak	166.00	150	Vertical	Pass
6**	12264.700	42.85	0.05	54.0	-11.15	AV	166.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.500	42.03	-18.64	74.0	-31.97	Peak	335.00	150	Horizontal	Pass
1**	1121.500	31.61	-18.64	54.0	-22.39	AV	335.00	150	Horizontal	Pass
2	1683.500	44.69	-17.93	74.0	-29.31	Peak	239.00	150	Horizontal	Pass
2**	1683.500	31.54	-17.93	54.0	-22.46	AV	239.00	150	Horizontal	Pass
3	4079.000	47.30	-5.17	74.0	-26.70	Peak	112.00	150	Horizontal	Pass
3**	4079.000	38.08	-5.17	54.0	-15.92	AV	112.00	150	Horizontal	Pass
4	5783.600	107.68	-3.07	--	--	Peak	204.00	150	Horizontal	N/A
4**	5783.600	100.75	-3.07	--	--	AV	204.00	150	Horizontal	N/A
5	7412.562	48.68	-4.16	74.0	-25.32	Peak	139.00	150	Horizontal	Pass
5**	7412.562	40.06	-4.16	54.0	-13.94	AV	139.00	150	Horizontal	Pass
6	12267.000	51.19	0.06	74.0	-22.81	Peak	164.00	150	Horizontal	Pass
6**	12267.000	41.66	0.06	54.0	-12.34	AV	164.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.200	42.09	-18.66	74.0	-31.91	Peak	176.00	150	Vertical	Pass
1**	1113.200	35.09	-18.66	54.0	-18.91	AV	176.00	150	Vertical	Pass
2	1597.600	42.31	-17.90	74.0	-31.69	Peak	331.00	150	Vertical	Pass
2**	1597.600	30.72	-17.90	54.0	-23.28	AV	331.00	150	Vertical	Pass
3	4059.200	47.94	-5.54	74.0	-26.06	Peak	337.00	150	Vertical	Pass
3**	4059.200	37.99	-5.54	54.0	-16.01	AV	337.00	150	Vertical	Pass
4	5780.400	97.97	-3.26	--	--	Peak	84.00	150	Vertical	N/A
4**	5780.400	90.01	-3.26	--	--	AV	84.00	150	Vertical	N/A
5	7426.937	48.55	-4.07	74.0	-25.45	Peak	222.00	150	Vertical	Pass
5**	7426.937	39.84	-4.07	54.0	-14.16	AV	222.00	150	Vertical	Pass
6	12331.688	52.17	-0.73	74.0	-21.83	Peak	23.00	150	Vertical	Pass
6**	12331.688	42.02	-0.73	54.0	-11.98	AV	23.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.900	42.10	-18.58	74.0	-31.90	Peak	330.00	150	Horizontal	Pass
1**	1114.900	32.32	-18.58	54.0	-21.68	AV	330.00	150	Horizontal	Pass
2	1684.800	44.57	-17.88	74.0	-29.43	Peak	235.00	150	Horizontal	Pass
2**	1684.800	33.25	-17.88	54.0	-20.75	AV	235.00	150	Horizontal	Pass
3	4268.600	48.56	-5.21	74.0	-25.44	Peak	296.00	150	Horizontal	Pass
3**	4268.600	39.07	-5.21	54.0	-14.93	AV	296.00	150	Horizontal	Pass
4	5819.400	108.07	-2.80	--	--	Peak	247.00	150	Horizontal	N/A
4**	5819.400	99.59	-2.80	--	--	AV	247.00	150	Horizontal	N/A
5	7506.288	49.10	-4.37	74.0	-24.90	Peak	188.00	150	Horizontal	Pass
5**	7506.288	38.74	-4.37	54.0	-15.26	AV	188.00	150	Horizontal	Pass
6	12247.737	51.05	-0.14	74.0	-22.95	Peak	164.00	150	Horizontal	Pass
6**	12247.737	42.21	-0.14	54.0	-11.79	AV	164.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1112.900	41.13	-18.67	74.0	-32.87	Peak	162.00	150	Vertical	Pass
1**	1112.900	31.39	-18.67	54.0	-22.61	AV	162.00	150	Vertical	Pass
2	1598.200	41.61	-17.93	74.0	-32.39	Peak	228.00	150	Vertical	Pass
2**	1598.200	33.06	-17.93	54.0	-20.94	AV	228.00	150	Vertical	Pass
3	4068.400	47.36	-5.51	74.0	-26.64	Peak	18.00	150	Vertical	Pass
3**	4068.400	37.68	-5.51	54.0	-16.32	AV	18.00	150	Vertical	Pass
4	5826.600	98.21	-2.89	--	--	Peak	111.00	150	Vertical	N/A
4**	5826.600	90.71	-2.89	--	--	AV	111.00	150	Vertical	N/A
5	7423.487	48.25	-4.08	74.0	-25.75	Peak	239.00	150	Vertical	Pass
5**	7423.487	39.36	-4.08	54.0	-14.64	AV	239.00	150	Vertical	Pass
6	12230.487	50.80	-0.30	74.0	-23.20	Peak	12.00	150	Vertical	Pass
6**	12230.487	41.75	-0.30	54.0	-12.25	AV	12.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.300	42.41	-18.62	74.0	-31.59	Peak	333.00	150	Horizontal	Pass
1**	1121.300	33.44	-18.62	54.0	-20.56	AV	333.00	150	Horizontal	Pass
2	1684.200	43.92	-17.91	74.0	-30.08	Peak	249.00	150	Horizontal	Pass
2**	1684.200	33.10	-17.91	54.0	-20.90	AV	249.00	150	Horizontal	Pass
3	4094.400	48.21	-5.79	74.0	-25.79	Peak	6.00	150	Horizontal	Pass
3**	4094.400	38.29	-5.79	54.0	-15.71	AV	6.00	150	Horizontal	Pass
4	5748.400	106.14	-3.83	--	--	Peak	212.00	150	Horizontal	N/A
4**	5748.400	99.64	-3.83	--	--	AV	212.00	150	Horizontal	N/A
5	7522.962	48.34	-4.30	74.0	-25.66	Peak	102.00	150	Horizontal	Pass
5**	7522.962	39.18	-4.30	54.0	-14.82	AV	102.00	150	Horizontal	Pass
6	12339.738	50.98	-0.96	74.0	-23.02	Peak	294.00	150	Horizontal	Pass
6**	12339.738	42.25	-0.96	54.0	-11.75	AV	294.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1112.700	41.42	-18.67	74.0	-32.58	Peak	159.00	150	Vertical	Pass
1**	1112.700	33.25	-18.67	54.0	-20.75	AV	159.00	150	Vertical	Pass
2	2791.700	43.32	-11.10	74.0	-30.68	Peak	44.00	150	Vertical	Pass
2**	2791.700	33.26	-11.10	54.0	-20.74	AV	44.00	150	Vertical	Pass
3	4059.000	47.30	-5.54	74.0	-26.70	Peak	247.00	150	Vertical	Pass
3**	4059.000	37.85	-5.54	54.0	-16.15	AV	247.00	150	Vertical	Pass
4	5746.600	97.25	-4.00	--	--	Peak	101.00	150	Vertical	N/A
4**	5746.600	90.26	-4.00	--	--	AV	101.00	150	Vertical	N/A
5	7442.175	47.83	-4.27	74.0	-26.17	Peak	255.00	150	Vertical	Pass
5**	7442.175	39.35	-4.27	54.0	-14.65	AV	255.00	150	Vertical	Pass
6	12248.025	51.35	-0.14	74.0	-22.65	Peak	47.00	150	Vertical	Pass
6**	12248.025	41.84	-0.14	54.0	-12.16	AV	47.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.200	42.39	-18.57	74.0	-31.61	Peak	334.00	150	Horizontal	Pass
1**	1115.200	34.11	-18.57	54.0	-19.89	AV	334.00	150	Horizontal	Pass
2	1684.500	44.98	-17.89	74.0	-29.02	Peak	248.00	150	Horizontal	Pass
2**	1684.500	31.95	-17.89	54.0	-22.05	AV	248.00	150	Horizontal	Pass
3	4031.400	47.57	-6.06	74.0	-26.43	Peak	32.00	150	Horizontal	Pass
3**	4031.400	37.96	-6.06	54.0	-16.04	AV	32.00	150	Horizontal	Pass
4	5780.000	106.09	-3.27	--	--	Peak	220.00	150	Horizontal	N/A
4**	5780.000	98.77	-3.27	--	--	AV	220.00	150	Horizontal	N/A
5	7496.225	48.54	-4.33	74.0	-25.46	Peak	274.00	150	Horizontal	Pass
5**	7496.225	39.34	-4.33	54.0	-14.66	AV	274.00	150	Horizontal	Pass
6	12243.713	50.67	-0.24	74.0	-23.33	Peak	25.00	150	Horizontal	Pass
6**	12243.713	42.06	-0.24	54.0	-11.94	AV	25.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.300	41.56	-18.66	74.0	-32.44	Peak	195.00	150	Vertical	Pass
1**	1113.300	35.51	-18.66	54.0	-18.49	AV	195.00	150	Vertical	Pass
2	2865.600	44.01	-11.36	74.0	-29.99	Peak	44.00	150	Vertical	Pass
2**	2865.600	33.61	-11.36	54.0	-20.39	AV	44.00	150	Vertical	Pass
3	4010.400	47.68	-6.54	74.0	-26.32	Peak	318.00	150	Vertical	Pass
3**	4010.400	37.20	-6.54	54.0	-16.80	AV	318.00	150	Vertical	Pass
4	5783.400	97.13	-3.09	--	--	Peak	106.00	150	Vertical	N/A
4**	5783.400	89.35	-3.09	--	--	AV	106.00	150	Vertical	N/A
5	7436.137	49.00	-4.35	74.0	-25.00	Peak	14.00	150	Vertical	Pass
5**	7436.137	38.91	-4.35	54.0	-15.09	AV	14.00	150	Vertical	Pass
6	12331.400	50.73	-0.72	74.0	-23.27	Peak	270.00	150	Vertical	Pass
6**	12331.400	42.00	-0.72	54.0	-12.00	AV	270.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1117.500	42.34	-18.53	74.0	-31.66	Peak	331.00	150	Horizontal	Pass
1**	1117.500	33.44	-18.53	54.0	-20.56	AV	331.00	150	Horizontal	Pass
2	1681.500	44.79	-17.85	74.0	-29.21	Peak	250.00	150	Horizontal	Pass
2**	1681.500	34.93	-17.85	54.0	-19.07	AV	250.00	150	Horizontal	Pass
3	4049.200	46.64	-5.53	74.0	-27.36	Peak	276.00	150	Horizontal	Pass
3**	4049.200	38.09	-5.53	54.0	-15.91	AV	276.00	150	Horizontal	Pass
4	5828.800	105.64	-2.95	--	--	Peak	211.00	150	Horizontal	N/A
4**	5828.800	97.96	-2.95	--	--	AV	211.00	150	Horizontal	N/A
5	7434.413	47.92	-4.37	74.0	-26.08	Peak	48.00	150	Horizontal	Pass
5**	7434.413	39.18	-4.37	54.0	-14.82	AV	48.00	150	Horizontal	Pass
6	12271.025	51.79	0.07	74.0	-22.21	Peak	48.00	150	Horizontal	Pass
6**	12271.025	42.10	0.07	54.0	-11.90	AV	48.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.200	41.47	-18.62	74.0	-32.53	Peak	192.00	150	Vertical	Pass
1**	1114.200	33.38	-18.62	54.0	-20.62	AV	192.00	150	Vertical	Pass
2	2796.800	43.26	-11.42	74.0	-30.74	Peak	192.00	150	Vertical	Pass
2**	2796.800	33.14	-11.42	54.0	-20.86	AV	192.00	150	Vertical	Pass
3	4227.200	48.32	-5.70	74.0	-25.68	Peak	360.00	150	Vertical	Pass
3**	4227.200	39.55	-5.70	54.0	-14.45	AV	360.00	150	Vertical	Pass
4	5828.000	96.96	-2.92	--	--	Peak	107.00	150	Vertical	N/A
4**	5828.000	88.91	-2.92	--	--	AV	107.00	150	Vertical	N/A
5	7685.112	48.48	-4.29	74.0	-25.52	Peak	205.00	150	Vertical	Pass
5**	7685.112	38.08	-4.29	54.0	-15.92	AV	205.00	150	Vertical	Pass
6	12223.588	50.79	-0.28	74.0	-23.21	Peak	293.00	150	Vertical	Pass
6**	12223.588	41.56	-0.28	54.0	-12.44	AV	293.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.300	42.14	-18.62	74.0	-31.86	Peak	331.00	150	Horizontal	Pass
1**	1114.300	33.12	-18.62	54.0	-20.88	AV	331.00	150	Horizontal	Pass
2	1685.200	45.37	-17.86	74.0	-28.63	Peak	243.00	150	Horizontal	Pass
2**	1685.200	33.03	-17.86	54.0	-20.97	AV	243.00	150	Horizontal	Pass
3	4134.200	47.47	-6.10	74.0	-26.53	Peak	-1.00	150	Horizontal	Pass
3**	4134.200	36.83	-6.10	54.0	-17.17	AV	-1.00	150	Horizontal	Pass
4	5750.400	102.29	-3.66	--	--	Peak	212.00	150	Horizontal	N/A
4**	5750.400	92.70	-3.66	--	--	AV	212.00	150	Horizontal	N/A
5	7418.313	48.55	-4.13	74.0	-25.45	Peak	285.00	150	Horizontal	Pass
5**	7418.313	39.46	-4.13	54.0	-14.54	AV	285.00	150	Horizontal	Pass
6	12235.088	50.90	-0.31	74.0	-23.10	Peak	185.00	150	Horizontal	Pass
6**	12235.088	41.58	-0.31	54.0	-12.42	AV	185.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.800	41.20	-18.53	74.0	-32.80	Peak	163.00	150	Vertical	Pass
1**	1115.800	31.70	-18.53	54.0	-22.30	AV	163.00	150	Vertical	Pass
2	1595.900	41.33	-17.84	74.0	-32.67	Peak	328.00	150	Vertical	Pass
2**	1595.900	30.76	-17.84	54.0	-23.24	AV	328.00	150	Vertical	Pass
3	4066.000	47.52	-5.59	74.0	-26.48	Peak	347.00	150	Vertical	Pass
3**	4066.000	38.10	-5.59	54.0	-15.90	AV	347.00	150	Vertical	Pass
4	5748.400	92.23	-3.83	--	--	Peak	102.00	150	Vertical	N/A
4**	5748.400	84.37	-3.83	--	--	AV	102.00	150	Vertical	N/A
5	7434.700	49.03	-4.37	74.0	-24.97	Peak	87.00	150	Vertical	Pass
5**	7434.700	39.48	-4.37	54.0	-14.52	AV	87.00	150	Vertical	Pass
6	12359.287	50.36	-1.49	74.0	-23.64	Peak	235.00	150	Vertical	Pass
6**	12359.287	40.77	-1.49	54.0	-13.23	AV	235.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.500	41.68	-18.64	74.0	-32.32	Peak	325.00	150	Horizontal	Pass
1**	1121.500	32.21	-18.64	54.0	-21.79	AV	325.00	150	Horizontal	Pass
2	1683.900	44.61	-17.92	74.0	-29.39	Peak	244.00	150	Horizontal	Pass
2**	1683.900	34.50	-17.92	54.0	-19.50	AV	244.00	150	Horizontal	Pass
3	4155.000	47.65	-5.73	74.0	-26.35	Peak	87.00	150	Horizontal	Pass
3**	4155.000	38.40	-5.73	54.0	-15.60	AV	87.00	150	Horizontal	Pass
4	5782.000	100.78	-3.20	--	--	Peak	217.00	150	Horizontal	N/A
4**	5782.000	93.56	-3.20	--	--	AV	217.00	150	Horizontal	N/A
5	7458.275	48.90	-4.53	74.0	-25.10	Peak	159.00	150	Horizontal	Pass
5**	7458.275	38.58	-4.53	54.0	-15.42	AV	159.00	150	Horizontal	Pass
6	12358.425	50.39	-1.47	74.0	-23.61	Peak	0.00	150	Horizontal	Pass
6**	12358.425	40.98	-1.47	54.0	-13.02	AV	0.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.300	42.04	-18.56	74.0	-31.96	Peak	159.00	150	Vertical	Pass
1**	1115.300	32.41	-18.56	54.0	-21.59	AV	159.00	150	Vertical	Pass
2	1595.500	42.81	-17.86	74.0	-31.19	Peak	233.00	150	Vertical	Pass
2**	1595.500	30.97	-17.86	54.0	-23.03	AV	233.00	150	Vertical	Pass
3	3983.800	46.73	-6.37	74.0	-27.27	Peak	119.00	150	Vertical	Pass
3**	3983.800	36.39	-6.37	54.0	-17.61	AV	119.00	150	Vertical	Pass
4	5783.200	92.53	-3.11	--	--	Peak	105.00	150	Vertical	N/A
4**	5783.200	85.11	-3.11	--	--	AV	105.00	150	Vertical	N/A
5	7328.612	48.03	-4.95	74.0	-25.97	Peak	304.00	150	Vertical	Pass
5**	7328.612	39.41	-4.95	54.0	-14.59	AV	304.00	150	Vertical	Pass
6	12236.237	50.99	-0.31	74.0	-23.01	Peak	202.00	150	Vertical	Pass
6**	12236.237	41.05	-0.31	54.0	-12.95	AV	202.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.100	42.39	-18.66	74.0	-31.61	Peak	331.00	150	Horizontal	Pass
1**	1113.100	34.15	-18.66	54.0	-19.85	AV	331.00	150	Horizontal	Pass
2	1686.300	45.73	-17.87	74.0	-28.27	Peak	238.00	150	Horizontal	Pass
2**	1686.300	31.51	-17.87	54.0	-22.49	AV	238.00	150	Horizontal	Pass
3	4085.800	47.23	-5.22	74.0	-26.77	Peak	210.00	150	Horizontal	Pass
3**	4085.800	38.36	-5.22	54.0	-15.64	AV	210.00	150	Horizontal	Pass
4	5752.000	106.57	-3.68	--	--	Peak	223.00	150	Horizontal	N/A
4**	5752.000	98.46	-3.68	--	--	AV	223.00	150	Horizontal	N/A
5	7526.125	48.67	-4.33	74.0	-25.33	Peak	44.00	150	Horizontal	Pass
5**	7526.125	39.90	-4.33	54.0	-14.10	AV	44.00	150	Horizontal	Pass
6	12222.151	51.23	-0.28	74.0	-22.77	Peak	6.00	150	Horizontal	Pass
6**	12222.151	41.10	-0.28	54.0	-12.90	AV	6.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.500	41.48	-18.57	74.0	-32.52	Peak	196.00	150	Vertical	Pass
1**	1120.500	31.59	-18.57	54.0	-22.41	AV	196.00	150	Vertical	Pass
2	2778.400	43.47	-11.43	74.0	-30.53	Peak	352.00	150	Vertical	Pass
2**	2778.400	33.28	-11.43	54.0	-20.72	AV	352.00	150	Vertical	Pass
3	3908.400	46.66	-7.32	74.0	-27.34	Peak	352.00	150	Vertical	Pass
3**	3908.400	36.75	-7.32	54.0	-17.25	AV	352.00	150	Vertical	Pass
4	5749.000	96.32	-3.78	--	--	Peak	103.00	150	Vertical	N/A
4**	5749.000	88.99	-3.78	--	--	AV	103.00	150	Vertical	N/A
5	7419.175	48.82	-4.08	74.0	-25.18	Peak	305.00	150	Vertical	Pass
5**	7419.175	39.40	-4.08	54.0	-14.60	AV	305.00	150	Vertical	Pass
6	12306.099	50.87	-0.10	74.0	-23.13	Peak	264.00	150	Vertical	Pass
6**	12306.099	41.18	-0.10	54.0	-12.82	AV	264.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1118.500	41.57	-18.53	74.0	-32.43	Peak	319.00	150	Horizontal	Pass
1**	1118.500	35.15	-18.53	54.0	-18.85	AV	319.00	150	Horizontal	Pass
2	1676.400	44.54	-17.92	74.0	-29.46	Peak	255.00	150	Horizontal	Pass
2**	1676.400	36.78	-17.92	54.0	-17.22	AV	255.00	150	Horizontal	Pass
3	3975.200	47.18	-6.66	74.0	-26.82	Peak	256.00	150	Horizontal	Pass
3**	3975.200	37.53	-6.66	54.0	-16.47	AV	256.00	150	Horizontal	Pass
4	5781.800	105.97	-3.21	--	--	Peak	210.00	150	Horizontal	N/A
4**	5781.800	98.46	-3.21	--	--	AV	210.00	150	Horizontal	N/A
5	7333.500	48.29	-4.80	74.0	-25.71	Peak	138.00	150	Horizontal	Pass
5**	7333.500	40.29	-4.80	54.0	-13.71	AV	138.00	150	Horizontal	Pass
6	12300.349	50.83	0.02	74.0	-23.17	Peak	37.00	150	Horizontal	Pass
6**	12300.349	41.04	0.02	54.0	-12.96	AV	37.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1118.500	41.57	-18.53	74.0	-32.43	Peak	319.00	150	Horizontal	Pass
1**	1118.500	35.15	-18.53	54.0	-18.85	AV	319.00	150	Horizontal	Pass
2	1676.400	44.54	-17.92	74.0	-29.46	Peak	255.00	150	Horizontal	Pass
2**	1676.400	36.78	-17.92	54.0	-17.22	AV	255.00	150	Horizontal	Pass
3	3975.200	47.18	-6.66	74.0	-26.82	Peak	256.00	150	Horizontal	Pass
3**	3975.200	37.53	-6.66	54.0	-16.47	AV	256.00	150	Horizontal	Pass
4	5781.800	105.97	-3.21	--	--	Peak	210.00	150	Horizontal	N/A
4**	5781.800	98.46	-3.21	--	--	AV	210.00	150	Horizontal	N/A
5	7333.500	48.29	-4.80	74.0	-25.71	Peak	138.00	150	Horizontal	Pass
5**	7333.500	40.29	-4.80	54.0	-13.71	AV	138.00	150	Horizontal	Pass
6	12300.349	50.83	0.02	74.0	-23.17	Peak	37.00	150	Horizontal	Pass
6**	12300.349	41.04	0.02	54.0	-12.96	AV	37.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.500	42.56	-18.53	74.0	-31.44	Peak	331.00	150	Horizontal	Pass
1**	1116.500	32.67	-18.53	54.0	-21.33	AV	331.00	150	Horizontal	Pass
2	1685.400	43.84	-17.86	74.0	-30.16	Peak	238.00	150	Horizontal	Pass
2**	1685.400	31.55	-17.86	54.0	-22.45	AV	238.00	150	Horizontal	Pass
3	4258.600	48.24	-5.54	74.0	-25.76	Peak	189.00	150	Horizontal	Pass
3**	4258.600	38.99	-5.54	54.0	-15.01	AV	189.00	150	Horizontal	Pass
4	5818.000	105.57	-2.88	--	--	Peak	220.00	150	Horizontal	N/A
4**	5818.000	97.94	-2.88	--	--	AV	220.00	150	Horizontal	N/A
5	7443.612	48.70	-4.37	74.0	-25.30	Peak	344.00	150	Horizontal	Pass
5**	7443.612	39.46	-4.37	54.0	-14.54	AV	344.00	150	Horizontal	Pass
6	12265.275	51.67	0.05	74.0	-22.33	Peak	151.00	150	Horizontal	Pass
6**	12265.275	41.78	0.05	54.0	-12.22	AV	151.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.100	41.63	-18.57	74.0	-32.37	Peak	194.00	150	Vertical	Pass
1**	1115.100	33.67	-18.57	54.0	-20.33	AV	194.00	150	Vertical	Pass
2	1596.700	41.73	-17.85	74.0	-32.27	Peak	306.00	150	Vertical	Pass
2**	1596.700	30.98	-17.85	54.0	-23.02	AV	306.00	150	Vertical	Pass
3	4228.800	48.09	-5.72	74.0	-25.91	Peak	203.00	150	Vertical	Pass
3**	4228.800	38.54	-5.72	54.0	-15.46	AV	203.00	150	Vertical	Pass
4	5829.200	96.87	-2.97	--	--	Peak	97.00	150	Vertical	N/A
4**	5829.200	89.22	-2.97	--	--	AV	97.00	150	Vertical	N/A
5	7427.513	49.50	-4.12	74.0	-24.50	Peak	0.00	150	Vertical	Pass
5**	7427.513	39.36	-4.12	54.0	-14.64	AV	0.00	150	Vertical	Pass
6	12352.963	51.07	-1.32	74.0	-22.93	Peak	186.00	150	Vertical	Pass
6**	12352.963	41.34	-1.32	54.0	-12.66	AV	186.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1121.100	41.91	-18.61	74.0	-32.09	Peak	324.00	150	Horizontal	Pass
1**	1121.100	32.84	-18.61	54.0	-21.16	AV	324.00	150	Horizontal	Pass
2	1679.500	44.60	-17.88	74.0	-29.40	Peak	238.00	150	Horizontal	Pass
2**	1679.500	35.79	-17.88	54.0	-18.21	AV	238.00	150	Horizontal	Pass
3	4171.800	48.11	-5.45	74.0	-25.89	Peak	-1.00	150	Horizontal	Pass
3**	4171.800	38.41	-5.45	54.0	-15.59	AV	-1.00	150	Horizontal	Pass
4	5743.600	101.01	-4.00	--	--	Peak	207.00	150	Horizontal	N/A
4**	5743.600	92.58	-4.00	--	--	AV	207.00	150	Horizontal	N/A
5	7435.562	48.34	-4.35	74.0	-25.66	Peak	324.00	150	Horizontal	Pass
5**	7435.562	39.37	-4.35	54.0	-14.63	AV	324.00	150	Horizontal	Pass
6	12249.750	51.59	-0.10	74.0	-22.41	Peak	226.00	150	Horizontal	Pass
6**	12249.750	41.79	-0.10	54.0	-12.21	AV	226.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.000	40.37	-18.67	74.0	-33.63	Peak	164.00	150	Vertical	Pass
1**	1113.000	33.07	-18.67	54.0	-20.93	AV	164.00	150	Vertical	Pass
2	2784.300	42.47	-11.28	74.0	-31.53	Peak	185.00	150	Vertical	Pass
2**	2784.300	33.94	-11.28	54.0	-20.06	AV	185.00	150	Vertical	Pass
3	4038.800	47.56	-5.77	74.0	-26.44	Peak	9.00	150	Vertical	Pass
3**	4038.800	37.93	-5.77	54.0	-16.07	AV	9.00	150	Vertical	Pass
4	5747.000	92.73	-3.96	--	--	Peak	104.00	150	Vertical	N/A
4**	5747.000	84.24	-3.96	--	--	AV	104.00	150	Vertical	N/A
5	7439.300	48.56	-4.37	74.0	-25.44	Peak	172.00	150	Vertical	Pass
5**	7439.300	40.13	-4.37	54.0	-13.87	AV	172.00	150	Vertical	Pass
6	12333.125	50.55	-0.77	74.0	-23.45	Peak	54.00	150	Vertical	Pass
6**	12333.125	41.44	-0.77	54.0	-12.56	AV	54.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1123.400	41.94	-18.63	74.0	-32.06	Peak	323.00	150	Horizontal	Pass
1**	1123.400	32.72	-18.63	54.0	-21.28	AV	323.00	150	Horizontal	Pass
2	1679.700	44.92	-17.87	74.0	-29.08	Peak	249.00	150	Horizontal	Pass
2**	1679.700	34.84	-17.87	54.0	-19.16	AV	249.00	150	Horizontal	Pass
3	4026.400	46.88	-6.32	74.0	-27.12	Peak	108.00	150	Horizontal	Pass
3**	4026.400	37.65	-6.32	54.0	-16.35	AV	108.00	150	Horizontal	Pass
4	5787.800	100.89	-3.09	--	--	Peak	203.00	150	Horizontal	N/A
4**	5787.800	92.39	-3.09	--	--	AV	203.00	150	Horizontal	N/A
5	7382.950	48.20	-4.56	74.0	-25.80	Peak	312.00	150	Horizontal	Pass
5**	7382.950	38.90	-4.56	54.0	-15.10	AV	312.00	150	Horizontal	Pass
6	12243.425	50.34	-0.24	74.0	-23.66	Peak	124.00	150	Horizontal	Pass
6**	12243.425	41.55	-0.24	54.0	-12.45	AV	124.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.000	41.20	-18.67	74.0	-32.80	Peak	182.00	150	Vertical	Pass
1**	1113.000	31.43	-18.67	54.0	-22.57	AV	182.00	150	Vertical	Pass
2	2796.700	42.99	-11.42	74.0	-31.01	Peak	-2.00	150	Vertical	Pass
2**	2796.700	34.57	-11.42	54.0	-19.43	AV	-2.00	150	Vertical	Pass
3	4218.200	47.83	-6.06	74.0	-26.17	Peak	211.00	150	Vertical	Pass
3**	4218.200	38.62	-6.06	54.0	-15.38	AV	211.00	150	Vertical	Pass
4	5782.000	92.23	-3.20	--	--	Peak	120.00	150	Vertical	N/A
4**	5782.000	83.84	-3.20	--	--	AV	120.00	150	Vertical	N/A
5	7435.275	48.37	-4.35	74.0	-25.63	Peak	163.00	150	Vertical	Pass
5**	7435.275	39.50	-4.35	54.0	-14.50	AV	163.00	150	Vertical	Pass
6	11673.026	50.35	-0.79	74.0	-23.65	Peak	304.00	150	Vertical	Pass
6**	11673.026	42.40	-0.79	54.0	-11.60	AV	304.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.000	41.20	-18.67	74.0	-32.80	Peak	182.00	150	Vertical	Pass
1**	1113.000	31.43	-18.67	54.0	-22.57	AV	182.00	150	Vertical	Pass
2	2796.700	42.99	-11.42	74.0	-31.01	Peak	-2.00	150	Vertical	Pass
2**	2796.700	34.57	-11.42	54.0	-19.43	AV	-2.00	150	Vertical	Pass
3	4218.200	47.83	-6.06	74.0	-26.17	Peak	211.00	150	Vertical	Pass
3**	4218.200	38.62	-6.06	54.0	-15.38	AV	211.00	150	Vertical	Pass
4	5782.000	92.23	-3.20	--	--	Peak	120.00	150	Vertical	N/A
4**	5782.000	83.84	-3.20	--	--	AV	120.00	150	Vertical	N/A
5	7435.275	48.37	-4.35	74.0	-25.63	Peak	163.00	150	Vertical	Pass
5**	7435.275	39.50	-4.35	54.0	-14.50	AV	163.00	150	Vertical	Pass
6	11673.026	50.35	-0.79	74.0	-23.65	Peak	304.00	150	Vertical	Pass
6**	11673.026	42.40	-0.79	54.0	-11.60	AV	304.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.100	40.67	-18.55	74.0	-33.33	Peak	178.00	150	Vertical	Pass
1**	1120.100	34.78	-18.55	54.0	-19.22	AV	178.00	150	Vertical	Pass
2	1593.500	41.73	-17.94	74.0	-32.27	Peak	231.00	150	Vertical	Pass
2**	1593.500	32.03	-17.94	54.0	-21.97	AV	231.00	150	Vertical	Pass
3	3994.800	47.29	-6.33	74.0	-26.71	Peak	55.00	150	Vertical	Pass
3**	3994.800	37.26	-6.33	54.0	-16.74	AV	55.00	150	Vertical	Pass
4	5798.400	88.95	-3.18	--	--	Peak	91.00	150	Vertical	N/A
4**	5798.400	80.58	-3.18	--	--	AV	91.00	150	Vertical	N/A
5	7436.712	48.49	-4.34	74.0	-25.51	Peak	319.00	150	Vertical	Pass
5**	7436.712	39.66	-4.34	54.0	-14.34	AV	319.00	150	Vertical	Pass
6	12277.349	50.94	0.08	74.0	-23.06	Peak	0.00	150	Vertical	Pass
6**	12277.349	41.89	0.08	54.0	-12.11	AV	0.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1117.700	42.18	-18.53	74.0	-31.82	Peak	336.00	150	Horizontal	Pass
1**	1117.700	33.22	-18.53	54.0	-20.78	AV	336.00	150	Horizontal	Pass
2	1681.900	44.95	-17.87	74.0	-29.05	Peak	231.00	150	Horizontal	Pass
2**	1681.900	33.58	-17.87	54.0	-20.42	AV	231.00	150	Horizontal	Pass
3	4048.000	47.71	-5.60	74.0	-26.29	Peak	360.00	150	Horizontal	Pass
3**	4048.000	38.25	-5.60	54.0	-15.75	AV	360.00	150	Horizontal	Pass
4	5751.400	105.62	-3.68	--	--	Peak	206.00	150	Horizontal	N/A
4**	5751.400	97.00	-3.68	--	--	AV	206.00	150	Horizontal	N/A
5	7498.812	48.34	-4.40	74.0	-25.66	Peak	111.00	150	Horizontal	Pass
5**	7498.812	39.09	-4.40	54.0	-14.91	AV	111.00	150	Horizontal	Pass
6	12167.238	51.01	-0.92	74.0	-22.99	Peak	111.00	150	Horizontal	Pass
6**	11616.963	41.59	-0.16	54.0	-12.41	AV	220.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1122.500	41.41	-18.67	74.0	-32.59	Peak	178.00	150	Vertical	Pass
1**	1122.500	31.49	-18.67	54.0	-22.51	AV	178.00	150	Vertical	Pass
2	1593.500	41.70	-17.94	74.0	-32.30	Peak	125.00	150	Vertical	Pass
2**	1593.500	34.39	-17.94	54.0	-19.61	AV	125.00	150	Vertical	Pass
3	4182.800	48.04	-5.84	74.0	-25.96	Peak	314.00	150	Vertical	Pass
3**	4182.800	38.23	-5.84	54.0	-15.77	AV	314.00	150	Vertical	Pass
4	5750.800	95.42	-3.67	--	--	Peak	116.00	150	Vertical	N/A
4**	5750.800	86.41	-3.67	--	--	AV	116.00	150	Vertical	N/A
5	7424.062	49.17	-4.08	74.0	-24.83	Peak	0.00	150	Vertical	Pass
5**	7424.062	39.42	-4.08	54.0	-14.58	AV	0.00	150	Vertical	Pass
6	12236.812	50.55	-0.32	74.0	-23.45	Peak	324.00	150	Vertical	Pass
6**	12236.812	41.24	-0.32	54.0	-12.76	AV	324.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.100	42.12	-18.66	74.0	-31.88	Peak	337.00	150	Horizontal	Pass
1**	1113.100	33.79	-18.66	54.0	-20.21	AV	337.00	150	Horizontal	Pass
2	1678.100	44.27	-17.92	74.0	-29.73	Peak	254.00	150	Horizontal	Pass
2**	1678.100	33.06	-17.92	54.0	-20.94	AV	254.00	150	Horizontal	Pass
3	4092.600	47.55	-5.66	74.0	-26.45	Peak	85.00	150	Horizontal	Pass
3**	4092.600	38.44	-5.66	54.0	-15.56	AV	85.00	150	Horizontal	Pass
4	5778.400	104.47	-3.29	--	--	Peak	226.00	150	Horizontal	N/A
4**	5778.400	95.17	-3.29	--	--	AV	226.00	150	Horizontal	N/A
5	7556.600	48.81	-4.47	74.0	-25.19	Peak	264.00	150	Horizontal	Pass
5**	7556.600	38.76	-4.47	54.0	-15.24	AV	264.00	150	Horizontal	Pass
6	12263.838	51.36	0.05	74.0	-22.64	Peak	360.00	150	Horizontal	Pass
6**	12263.838	42.56	0.05	54.0	-11.44	AV	360.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.800	41.20	-18.64	74.0	-32.80	Peak	172.00	150	Vertical	Pass
1**	1113.800	35.27	-18.64	54.0	-18.73	AV	172.00	150	Vertical	Pass
2	1598.500	43.22	-17.93	74.0	-30.78	Peak	226.00	150	Vertical	Pass
2**	1598.500	29.38	-17.93	54.0	-24.62	AV	226.00	150	Vertical	Pass
3	4072.800	47.35	-5.54	74.0	-26.65	Peak	160.00	150	Vertical	Pass
3**	4072.800	37.66	-5.54	54.0	-16.34	AV	160.00	150	Vertical	Pass
4	5781.600	95.61	-3.22	--	--	Peak	119.00	150	Vertical	N/A
4**	5781.600	87.52	-3.22	--	--	AV	119.00	150	Vertical	N/A
5	7329.475	48.33	-4.95	74.0	-25.67	Peak	292.00	150	Vertical	Pass
5**	7329.475	38.69	-4.95	54.0	-15.31	AV	292.00	150	Vertical	Pass
6	12222.151	50.91	-0.28	74.0	-23.09	Peak	292.00	150	Vertical	Pass
6**	12222.151	41.36	-0.28	54.0	-12.64	AV	292.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.700	41.31	-18.53	74.0	-32.69	Peak	324.00	150	Horizontal	Pass
1**	1116.700	31.58	-18.53	54.0	-22.42	AV	324.00	150	Horizontal	Pass
2	1685.200	44.43	-17.86	74.0	-29.57	Peak	260.00	150	Horizontal	Pass
2**	1685.200	33.80	-17.86	54.0	-20.20	AV	260.00	150	Horizontal	Pass
3	4108.000	47.81	-5.95	74.0	-26.19	Peak	84.00	150	Horizontal	Pass
3**	4108.000	37.94	-5.95	54.0	-16.06	AV	84.00	150	Horizontal	Pass
4	5827.200	105.68	-2.90	--	--	Peak	267.00	150	Horizontal	N/A
4**	5827.200	97.04	-2.90	--	--	AV	267.00	150	Horizontal	N/A
5	7525.550	48.55	-4.36	74.0	-25.45	Peak	91.00	150	Horizontal	Pass
5**	7525.550	39.05	-4.36	54.0	-14.95	AV	91.00	150	Horizontal	Pass
6	12220.713	50.52	-0.27	74.0	-23.48	Peak	288.00	150	Horizontal	Pass
6**	12220.713	41.44	-0.27	54.0	-12.56	AV	288.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.100	41.36	-18.57	74.0	-32.64	Peak	159.00	150	Vertical	Pass
1**	1115.100	32.96	-18.57	54.0	-21.04	AV	159.00	150	Vertical	Pass
2	2764.400	43.60	-11.54	74.0	-30.40	Peak	336.00	150	Vertical	Pass
2**	2764.400	33.44	-11.54	54.0	-20.56	AV	336.00	150	Vertical	Pass
3	4113.800	47.52	-5.63	74.0	-26.48	Peak	360.00	150	Vertical	Pass
3**	4113.800	37.32	-5.63	54.0	-16.68	AV	360.00	150	Vertical	Pass
4	5830.400	94.70	-3.05	--	--	Peak	133.00	150	Vertical	N/A
4**	5830.400	87.63	-3.05	--	--	AV	133.00	150	Vertical	N/A
5	7323.150	48.77	-4.96	74.0	-25.23	Peak	138.00	150	Vertical	Pass
5**	7323.150	39.46	-4.96	54.0	-14.54	AV	138.00	150	Vertical	Pass
6	12214.963	50.88	-0.39	74.0	-23.12	Peak	14.00	150	Vertical	Pass
6**	12214.963	41.29	-0.39	54.0	-12.71	AV	14.00	150	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.300	41.16	-18.66	74.0	-32.84	Peak	334.00	150	Horizontal	Pass
1**	1113.300	33.33	-18.66	54.0	-20.67	AV	334.00	150	Horizontal	Pass
2	1685.200	44.51	-17.86	74.0	-29.49	Peak	236.00	150	Horizontal	Pass
2**	1685.200	33.97	-17.86	54.0	-20.03	AV	236.00	150	Horizontal	Pass
3	4046.600	47.03	-5.64	74.0	-26.97	Peak	326.00	150	Horizontal	Pass
3**	4046.600	37.60	-5.64	54.0	-16.40	AV	326.00	150	Horizontal	Pass
4	5750.200	100.28	-3.68	--	--	Peak	207.00	150	Horizontal	N/A
4**	5750.200	91.64	-3.68	--	--	AV	207.00	150	Horizontal	N/A
5	7415.437	48.65	-4.09	74.0	-25.35	Peak	285.00	150	Horizontal	Pass
5**	7415.437	39.19	-4.09	54.0	-14.81	AV	285.00	150	Horizontal	Pass
6	12270.451	50.73	0.06	74.0	-23.27	Peak	337.00	150	Horizontal	Pass
6**	12270.451	41.88	0.06	54.0	-12.12	AV	337.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1122.500	41.91	-18.67	74.0	-32.09	Peak	182.00	150	Vertical	Pass
1**	1122.500	31.33	-18.67	54.0	-22.67	AV	182.00	150	Vertical	Pass
2	1597.200	42.00	-17.88	74.0	-32.00	Peak	212.00	150	Vertical	Pass
2**	1597.200	29.04	-17.88	54.0	-24.96	AV	212.00	150	Vertical	Pass
3	4092.200	47.57	-5.64	74.0	-26.43	Peak	67.00	150	Vertical	Pass
3**	4092.200	38.42	-5.64	54.0	-15.58	AV	67.00	150	Vertical	Pass
4	5760.400	90.72	-3.46	--	--	Peak	118.00	150	Vertical	N/A
4**	5760.400	85.14	-3.46	--	--	AV	118.00	150	Vertical	N/A
5	7436.137	48.28	-4.35	74.0	-25.72	Peak	237.00	150	Vertical	Pass
5**	7436.137	39.57	-4.35	54.0	-14.43	AV	237.00	150	Vertical	Pass
6	12240.838	51.66	-0.30	74.0	-22.34	Peak	0.00	150	Vertical	Pass
6**	12240.838	42.04	-0.30	54.0	-11.96	AV	0.00	150	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1123.800	42.05	-18.61	74.0	-31.95	Peak	333.00	150	Horizontal	Pass
1**	1123.800	31.64	-18.61	54.0	-22.36	AV	333.00	150	Horizontal	Pass
2	1686.000	45.33	-17.86	74.0	-28.67	Peak	241.00	150	Horizontal	Pass
2**	1686.000	34.74	-17.86	54.0	-19.26	AV	241.00	150	Horizontal	Pass
3	4090.800	47.81	-5.56	74.0	-26.19	Peak	184.00	150	Horizontal	Pass
3**	4090.800	37.94	-5.56	54.0	-16.06	AV	184.00	150	Horizontal	Pass
4	5804.200	100.11	-3.13	--	--	Peak	231.00	150	Horizontal	N/A
4**	5804.200	91.93	-3.13	--	--	AV	231.00	150	Horizontal	N/A
5	7451.663	49.36	-4.43	74.0	-24.64	Peak	163.00	150	Horizontal	Pass
5**	7451.663	39.20	-4.43	54.0	-14.80	AV	163.00	150	Horizontal	Pass
6	12164.650	50.71	-0.91	74.0	-23.29	Peak	213.00	150	Horizontal	Pass
6**	12164.650	41.77	-0.91	54.0	-12.23	AV	213.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1119.500	41.38	-18.54	74.0	-32.62	Peak	142.00	150	Vertical	Pass
1**	1119.500	31.67	-18.54	54.0	-22.33	AV	142.00	150	Vertical	Pass
2	1595.400	41.67	-17.86	74.0	-32.33	Peak	237.00	150	Vertical	Pass
2**	1595.400	30.54	-17.86	54.0	-23.46	AV	237.00	150	Vertical	Pass
3	4043.000	47.25	-5.67	74.0	-26.75	Peak	240.00	150	Vertical	Pass
3**	4043.000	37.88	-5.67	54.0	-16.12	AV	240.00	150	Vertical	Pass
4	5790.600	90.55	-3.20	--	--	Peak	117.00	150	Vertical	N/A
4**	5790.600	81.79	-3.20	--	--	AV	117.00	150	Vertical	N/A
5	7359.663	48.42	-4.88	74.0	-25.58	Peak	302.00	150	Vertical	Pass
5**	7359.663	40.24	-4.88	54.0	-13.76	AV	302.00	150	Vertical	Pass
6	12385.738	51.23	-1.62	74.0	-22.77	Peak	72.00	150	Vertical	Pass
6**	12385.738	40.79	-1.62	54.0	-13.21	AV	72.00	150	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.600	41.42	-18.60	74.0	-32.58	Peak	331.00	150	Horizontal	Pass
1**	1114.600	32.77	-18.60	54.0	-21.23	AV	331.00	150	Horizontal	Pass
2	1683.900	43.73	-17.92	74.0	-30.27	Peak	234.00	150	Horizontal	Pass
2**	1683.900	32.06	-17.92	54.0	-21.94	AV	234.00	150	Horizontal	Pass
3	4173.200	47.73	-5.47	74.0	-26.27	Peak	118.00	150	Horizontal	Pass
3**	4173.200	38.47	-5.47	54.0	-15.53	AV	118.00	150	Horizontal	Pass
4	5797.800	97.62	-3.19	--	--	Peak	246.00	150	Horizontal	N/A
4**	5797.800	88.32	-3.19	--	--	AV	246.00	150	Horizontal	N/A
5	7431.538	48.68	-4.40	74.0	-25.32	Peak	224.00	150	Horizontal	Pass
5**	7431.538	39.07	-4.40	54.0	-14.93	AV	224.00	150	Horizontal	Pass
6	12217.263	50.54	-0.34	74.0	-23.46	Peak	280.00	150	Horizontal	Pass
6**	12217.263	41.72	-0.34	54.0	-12.28	AV	280.00	150	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1122.600	41.45	-18.67	74.0	-32.55	Peak	182.00	150	Vertical	Pass
1**	1122.600	30.13	-18.67	54.0	-23.87	AV	182.00	150	Vertical	Pass
2	1684.100	41.30	-17.91	74.0	-32.70	Peak	320.00	150	Vertical	Pass
2**	1684.100	31.02	-17.91	54.0	-22.98	AV	320.00	150	Vertical	Pass
3	4153.600	47.63	-5.79	74.0	-26.37	Peak	44.00	150	Vertical	Pass
3**	4153.600	38.40	-5.79	54.0	-15.60	AV	44.00	150	Vertical	Pass
4	5768.600	88.82	-3.33	--	--	Peak	95.00	150	Vertical	N/A
4**	5768.600	80.23	-3.33	--	--	AV	95.00	150	Vertical	N/A
5	7548.550	48.38	-4.31	74.0	-25.62	Peak	12.00	150	Vertical	Pass
5**	7548.550	37.89	-4.31	54.0	-16.11	AV	12.00	150	Vertical	Pass
6	12244.575	51.88	-0.22	74.0	-22.12	Peak	0.00	150	Vertical	Pass
6**	12244.575	41.61	-0.22	54.0	-12.39	AV	0.00	150	Vertical	Pass

A.6.2 Band Edge (Restricted-band)


Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(VHT20)(SU)	Low	Pass
High		Pass	
802.11ax(VHT40)(SU)	Low	Pass	
	High	Pass	
802.11ax(VHT80)(SU)	Middle	Pass	
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(VHT20)(SU)	Low	Pass
High		Pass	
802.11ax(VHT40)(SU)	Low	Pass	
	High	Pass	
802.11ax(VHT80)(SU)	Middle	Pass	

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.


Test Plots

Main Antenna


U-NII-1 11a CH36 Peak




U-NII-1 11a CH48 Peak




U-NII-1 11a CH36 Peak




U-NII-1 11n20 CH38 Peak




U-NII-1 11n20 CH46 Peak



U-NII-1 11n40 CH38 Peak




U-NII-1 11n40 CH46 Peak




U-NII-1 11ac20 CH36 Peak




U-NII-1 11ac20 CH48 Peak



U-NII-1 11ac40 CH38 Peak




U-NII-1 11ac40 CH46 Peak




U-NII-1 11ac80 CH42 Peak




U-NII-1 11ac80 CH42 Peak




U-NII-1 11ax20 (SU) CH36 Peak




U-NII-1 11ax20 (SU) CH48 Peak




U-NII-1 11ax40 (SU) CH38 Peak




U-NII-1 11ax40 (SU) CH46 Peak




U-NII-1 11ax80 (SU) CH42 Peak




U-NII-1 11ax80 (SU) CH42 Peak




U-NII-1 11ax80 (SU) CH42 AV




U-NII-3 11a CH149 Peak




U-NII-3 11a CH165 Peak




U-NII-3 11n20 CH149 Peak



U-NII-3 11n20 CH165 Peak




U-NII-3 11n40 CH151 Peak




U-NII-3 11n40 CH159 Peak




U-NII-3 11ac20 CH149 Peak




U-NII-3 11ac20 CH165 Peak




U-NII-3 11ac40 CH151 Peak



U-NII-3 11ac40 CH159 Peak



U-NII-3 11ac80 CH155 Peak




U-NII-3 11ac80 CH155 Peak




U-NII-3 11ax20 (SU) CH149 Peak




U-NII-3 11ax20 (SU) CH165 Peak




U-NII-3 11ax40 (SU) CH151 Peak



U-NII-3 11ax40 (SU) CH159 Peak



U-NII-3 11ax80 (SU) CH155 Peak




U-NII-3 11ax80 (SU) CH155 Peak




Aux. Antenna

U-NII-1 11a CH36 Peak




U-NII-1 11a CH48 Peak




U-NII-1 11a CH36 AV



U-NII-1 11n20 CH36 Peak




U-NII-1 11n20 CH48 Peak




U-NII-1 11n40 CH38 Peak




U-NII-1 11n40 CH46 Peak




U-NII-1 11ac20 CH36 Peak




U-NII-1 11ac20 CH48 Peak




U-NII-1 11ac40 CH38 Peak




U-NII-1 11ac40 CH46 Peak




U-NII-1 11ac80 CH42 Peak




U-NII-1 11ac80 CH42 Peak



U-NII-1 11ax20 (SU) CH36 Peak




U-NII-1 11ax20 (SU) CH48 Peak




U-NII-1 11ax40 (SU) CH38 Peak




U-NII-1 11ax40 (SU) CH46 Peak




U-NII-1 11x80 (SU) CH42 Peak




U-NII-1 11x80 (SU) CH42 Peak



U-NII-3 11a CH149 Peak




U-NII-3 11a CH165 Peak




U-NII-3 11n20 CH149 Peak




U-NII-3 11n20 CH165 Peak




U-NII-3 11n40 CH151 Peak




U-NII-3 11n40 CH159 Peak




U-NII-3 11ac20 CH149 Peak



U-NII-3 11ac20 CH165 Peak



U-NII-3 11ac40 CH151 Peak




U-NII-3 11ac40 CH159 Peak




U-NII-3 11ac80 CH155 Peak



U-NII-3 11ac80 CH155 Peak




U-NII-3 11ax20 (SU) CH149 Peak



U-NII-3 11ax20 (SU) CH165 Peak



U-NII-3 11ax40 (SU) CH151 Peak





U-NII-3 11ax40 (SU) CH159 Peak



U-NII-3 11ax80 (SU) CH155 Peak



U-NII-3 11ax80 (SU) CH155 Peak



MIMO

U-NII-1 11a CH36 Peak


U-NII-1 11a CH48 Peak




U-NII-1 11a CH48 AV



U-NII-1 11n20 CH36 Peak




U-NII-1 11n20 CH48 Peak




U-NII-1 11n20 CH48 AV



U-NII-1 11n40 CH38 Peak



U-NII-1 11n40 CH46 Peak



U-NII-1 11n40 CH38 AV




U-NII-1 11n40 CH38 AV




U-NII-1 11n40 CH46 AV



U-NII-1 11ac20 CH36 Peak




U-NII-1 11ac20 CH48 Peak




U-NII-1 11ac20 CH48 Peak



U-NII-1 11ac40 CH38 Peak



U-NII-1 11ac40 CH46 Peak



U-NII-1 11ac40 CH38 AV




U-NII-1 11ac40 CH38 AV




U-NII-1 11ac40 CH46 AV



U-NII-1 11ac80 CH42 Peak



U-NII-1 11ac80 CH42 Peak



U-NII-1 11ac80 CH42 AV




U-NII-1 11ac80 CH42 AV




U-NII-1 11ac80 CH42 AV



U-NII-1 11ax20 (SU) CH36 Peak




U-NII-1 11ax20 (SU) CH48 Peak




U-NII-1 11ax20 (SU) CH48 AV



U-NII-1 11ax40 (SU) CH38 Peak



U-NII-1 11ax40 (SU) CH46 Peak




U-NII-1 11ax40 (SU) CH38 AV




U-NII-1 11ax40 (SU) CH38 AV




U-NII-1 11ax80 (SU) CH42 Peak



U-NII-1 11ax80 (SU) CH42 Peak




U-NII-1 11ax80 (SU) CH42 AV




U-NII-1 11ax80 (SU) CH42 AV




U-NII-3 11a CH149 Peak




U-NII-3 11a CH165 Peak



U-NII-3 11n20 CH149 Peak



U-NII-3 11n20 CH165 Peak




U-NII-3 11n40 CH151 Peak




U-NII-3 11n40 CH159 Peak



U-NII-3 11ac20 CH149 Peak




U-NII-3 11ac20 CH165 Peak




U-NII-3 11ac40 CH151 Peak




U-NII-3 11ac40 CH159 Peak




U-NII-3 11ac80 CH155 Peak



U-NII-3 11ac80 CH155 Peak



U-NII-3 11ax20 (SU) CH149 Peak




U-NII-3 11ax20 (SU) CH165 Peak




U-NII-3 11ax40 (SU) CH151 Peak



U-NII-3 11ax40 (SU) CH159 Peak



U-NII-3 11ax80 (SU) CH155 Peak



U-NII-3 11ax80 (SU) CH155 Peak



ANNEX B TEST SETUP PHOTOS

Please refer the document "BL-SZ2140812-AR.PDF".

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document "BL-SZ2140812-AW.PDF".

ANNEX D EUT INTERNAL PHOTOS

Please refer the document "BL-SZ2140812-AI.PDF".

--END OF REPORT--