


802.11ax-40 MHz(SU) CHANNEL 10, CARRIER LEVEL

802.11ax-40 MHz(SU) CHANNEL 10, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 11, CARRIER LEVEL

802.11ax-40 MHz(SU) CHANNEL 11, BAND EDGE



MIMO-Aux. Antenna


802.11g CHANNEL 1, CARRIER LEVEL




802.11g CHANNEL 1, BAND EDGE



802.11g CHANNEL 11, CARRIER LEVEL



802.11g CHANNEL 11, BAND EDGE




802.11g CHANNEL 12, CARRIER LEVEL



802.11g CHANNEL 12, BAND EDGE



802.11g CHANNEL 13, CARRIER LEVEL



802.11g CHANNEL 13, BAND EDGE



802.11n-20 MHz CHANNEL 1, CARRIER LEVEL




802.11n-20 MHz CHANNEL 1, BAND EDGE




802.11n-20 MHz CHANNEL 11, CARRIER LEVEL



802.11n-20 MHz CHANNEL 11, BAND EDGE




802.11n-20 MHz CHANNEL 12, CARRIER LEVEL



802.11n-20 MHz CHANNEL 12, BAND EDGE




802.11n-20 MHz CHANNEL 13, CARRIER LEVEL



802.11n-20 MHz CHANNEL 13, BAND EDGE




802.11n-40 MHz CHANNEL 3, CARRIER LEVEL




802.11n-40 MHz CHANNEL 3, BAND EDGE



802.11n-40 MHz CHANNEL 9, CARRIER LEVEL




802.11n-40 MHz CHANNEL 9, BAND EDGE




802.11n-40 MHz CHANNEL 10, CARRIER LEVEL



802.11n-40 MHz CHANNEL 10, BAND EDGE




802.11n-40 MHz CHANNEL 11, CARRIER LEVEL



802.11n-40 MHz CHANNEL 11, BAND EDGE



802.11ax-20 MHz(SU) CHANNEL 1, CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 1, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 11, CARRIER LEVEL



802.11ax-20 MHz(SU) CHANNEL 11, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 12, CARRIER LEVEL



802.11ax-20 MHz(SU) CHANNEL 12, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 13, CARRIER LEVEL



802.11ax-20 MHz(SU) CHANNEL 13, BAND EDGE



802.11ax-40 MHz(SU) CHANNEL 3, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 3, BAND EDGE



802.11ax-40 MHz(SU) CHANNEL 9, CARRIER LEVEL



802.11ax-40 MHz(SU) CHANNEL 9, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 10, CARRIER LEVEL

802.11ax-40 MHz(SU) CHANNEL 10, BAND EDGE



802.11ax-40 MHz(SU) CHANNEL 11, CARRIER LEVEL

802.11ax-40 MHz(SU) CHANNEL 11, BAND EDGE




A.5 Conducted Emissions

Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.


Test Data and Plots

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.150	51.19	10.09	66.00	14.81	Peak	L	Pass
1**	0.150	29.36	10.09	56.00	26.64	AV	L	Pass
2	0.182	48.96	10.07	64.39	15.43	Peak	L	Pass
2**	0.182	28.16	10.07	54.39	26.23	AV	L	Pass
3	0.390	40.69	10.80	58.06	17.37	Peak	L	Pass
3**	0.390	31.51	10.80	48.06	16.55	AV	L	Pass
4	1.598	35.69	9.96	56.00	20.31	Peak	L	Pass
4**	1.598	23.68	9.96	46.00	22.32	AV	L	Pass
5	4.552	36.63	10.47	56.00	19.37	Peak	L	Pass
5**	4.552	24.62	10.47	46.00	21.38	AV	L	Pass
6	15.064	39.06	10.35	60.00	20.94	Peak	L	Pass
6**	15.064	28.27	10.35	50.00	21.73	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.154	52.76	10.09	65.78	13.02	Peak	N	Pass
1**	0.154	31.09	10.09	55.78	24.69	AV	N	Pass
2	0.252	43.74	10.01	61.69	17.95	Peak	N	Pass
2**	0.252	28.33	10.01	51.69	23.36	AV	N	Pass
3	0.396	39.22	10.78	57.94	18.72	Peak	N	Pass
3**	0.396	29.75	10.78	47.94	18.19	AV	N	Pass
4	1.350	36.34	10.11	56.00	19.66	Peak	N	Pass
4**	1.350	23.76	10.11	46.00	22.24	AV	N	Pass
5	5.038	36.47	10.38	60.00	23.53	Peak	N	Pass
5**	5.038	25.78	10.38	50.00	24.22	AV	N	Pass
6	14.748	39.59	10.14	60.00	20.41	Peak	N	Pass
6**	14.748	28.61	10.14	50.00	21.39	AV	N	Pass

A.6 Radiated Emission

Note¹: The symbol of "--" in the table which means not application.


Note²: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.


Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	56.668	15.03	-26.99	30.0	14.97	Peak	81.00	100	Horizontal	Pass
2	180.312	17.18	-29.87	33.5	16.32	Peak	214.00	200	Horizontal	Pass
3	237.286	17.61	-26.62	36.0	18.39	Peak	356.00	200	Horizontal	Pass
4	287.956	19.27	-25.19	36.0	16.73	Peak	301.00	200	Horizontal	Pass
5	471.725	24.88	-21.18	36.0	11.12	Peak	127.00	200	Horizontal	Pass
6	516.576	24.20	-19.77	36.0	11.80	Peak	118.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	43.334	18.34	-26.26	30.0	11.66	Peak	0.00	200	Vertical	Pass
2	101.035	20.56	-28.00	33.5	12.94	Peak	115.00	100	Vertical	Pass
3	146.613	21.68	-31.49	33.5	11.82	Peak	28.00	100	Vertical	Pass
4	182.009	17.04	-29.62	33.5	16.46	Peak	47.00	200	Vertical	Pass
5	270.015	19.83	-26.04	36.0	16.17	Peak	226.00	100	Vertical	Pass
6	459.360	25.03	-21.51	36.0	10.97	Peak	106.00	100	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

Main Antenna

1 GHz to 18 GHz, ANT H 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.300	42.46	-16.52	74.0	31.54	Peak	360.00	400	Horizontal	Pass
1**	1546.300	32.40	-16.52	54.0	21.60	AV	360.00	400	Horizontal	Pass
2	2410.200	109.19	-10.05	74.0	-35.19	Peak	315.00	150	Horizontal	N/A
2**	2410.200	104.51	-10.05	54.0	-50.51	AV	315.00	150	Horizontal	N/A
3	4905.250	50.29	-2.52	74.0	23.71	Peak	307.00	150	Horizontal	Pass
3**	4905.250	40.60	-2.52	54.0	13.40	AV	307.00	150	Horizontal	Pass
4	7895.500	53.70	2.18	74.0	20.30	Peak	31.00	400	Horizontal	Pass
4**	7895.500	43.89	2.18	54.0	10.11	AV	31.00	400	Horizontal	Pass
5	11075.387	51.76	-1.47	74.0	22.24	Peak	287.00	300	Horizontal	Pass
5**	11075.387	42.31	-1.47	54.0	11.69	AV	287.00	300	Horizontal	Pass
6	16445.213	52.51	0.46	74.0	21.49	Peak	154.00	200	Horizontal	Pass
6**	16445.213	43.64	0.46	54.0	10.36	AV	154.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.400	49.54	-16.71	74.0	24.46	Peak	178.00	150	Vertical	Pass
1**	1675.400	39.44	-16.71	54.0	14.56	AV	178.00	150	Vertical	Pass
2	2410.200	109.50	-10.05	74.0	-35.50	Peak	119.00	100	Vertical	N/A
2**	2410.200	104.97	-10.05	54.0	-50.97	AV	119.00	100	Vertical	N/A
3	4705.000	50.23	-2.71	74.0	23.77	Peak	87.00	150	Vertical	Pass
3**	4705.000	41.19	-2.71	54.0	12.81	AV	87.00	150	Vertical	Pass
4	7039.750	53.84	0.03	74.0	20.16	Peak	226.00	300	Vertical	Pass
4**	7039.750	42.82	0.03	54.0	11.18	AV	226.00	300	Vertical	Pass
5	11143.788	51.82	-0.96	74.0	22.18	Peak	360.00	400	Vertical	Pass
5**	11143.788	42.69	-0.96	54.0	11.31	AV	360.00	400	Vertical	Pass
6	16692.225	53.22	0.91	74.0	20.78	Peak	9.00	300	Vertical	Pass
6**	16692.225	43.60	0.91	54.0	10.40	AV	9.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.200	42.38	-16.45	74.0	31.62	Peak	78.00	100	Horizontal	Pass
1**	1544.200	32.84	-16.45	54.0	21.16	AV	78.00	100	Horizontal	Pass
2	2436.600	110.54	-9.10	74.0	-36.54	Peak	313.00	200	Horizontal	N/A
2**	2436.600	105.66	-9.10	54.0	-51.66	AV	313.00	200	Horizontal	N/A
3	4812.250	49.96	-2.34	74.0	24.04	Peak	263.00	100	Horizontal	Pass
3**	4812.250	40.62	-2.34	54.0	13.38	AV	263.00	100	Horizontal	Pass
4	7925.250	54.05	2.18	74.0	19.95	Peak	116.00	200	Horizontal	Pass
4**	7925.250	44.50	2.18	54.0	9.50	AV	116.00	200	Horizontal	Pass
5	11136.425	52.15	-0.96	74.0	21.85	Peak	118.00	100	Horizontal	Pass
5**	11136.425	42.56	-0.96	54.0	11.44	AV	118.00	100	Horizontal	Pass
6	16331.813	52.99	0.33	74.0	21.01	Peak	100.00	200	Horizontal	Pass
6**	16331.813	43.10	0.33	54.0	10.90	AV	100.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.000	50.02	-16.65	74.0	23.98	Peak	171.00	150	Vertical	Pass
1**	1677.000	41.45	-16.65	54.0	12.55	AV	171.00	150	Vertical	Pass
2	2437.100	109.53	-9.17	74.0	-35.53	Peak	129.00	200	Vertical	N/A
2**	2437.100	103.97	-9.17	54.0	-49.97	AV	129.00	200	Vertical	N/A
3	4759.250	50.21	-2.70	74.0	23.79	Peak	153.00	150	Vertical	Pass
3**	4759.250	41.34	-2.70	54.0	12.66	AV	153.00	150	Vertical	Pass
4	7928.750	53.81	2.44	74.0	20.19	Peak	50.00	400	Vertical	Pass
4**	7928.750	44.36	2.44	54.0	9.64	AV	50.00	400	Vertical	Pass
5	11154.713	51.95	-1.03	74.0	22.05	Peak	260.00	200	Vertical	Pass
5**	11154.713	41.83	-1.03	54.0	12.17	AV	260.00	200	Vertical	Pass
6	16349.138	53.37	0.82	74.0	20.63	Peak	292.00	100	Vertical	Pass
6**	16349.138	44.66	0.82	54.0	9.34	AV	292.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.400	42.43	-16.48	74.0	31.57	Peak	160.00	300	Horizontal	Pass
1**	1533.400	33.36	-16.48	54.0	20.64	AV	160.00	300	Horizontal	Pass
2	2462.000	109.96	-9.74	74.0	-35.96	Peak	312.00	200	Horizontal	N/A
2**	2462.000	104.25	-9.74	54.0	-50.25	AV	312.00	200	Horizontal	N/A
3	4773.750	50.07	-2.51	74.0	23.93	Peak	97.00	100	Horizontal	Pass
3**	4773.750	41.16	-2.51	54.0	12.84	AV	97.00	100	Horizontal	Pass
4	7908.750	54.24	2.02	74.0	19.76	Peak	160.00	200	Horizontal	Pass
4**	7908.750	44.08	2.02	54.0	9.92	AV	160.00	200	Horizontal	Pass
5	10574.026	51.71	-1.81	74.0	22.29	Peak	34.00	100	Horizontal	Pass
5**	10574.026	43.08	-1.81	54.0	10.92	AV	34.00	100	Horizontal	Pass
6	15750.375	53.16	0.36	74.0	20.84	Peak	226.00	400	Horizontal	Pass
6**	15750.375	44.76	0.36	54.0	9.24	AV	226.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1287.800	42.17	-16.52	74.0	31.83	Peak	332.00	150	Vertical	Pass
1**	1287.800	32.66	-16.52	54.0	21.34	AV	332.00	150	Vertical	Pass
2	2462.100	108.84	-9.74	74.0	-34.84	Peak	69.00	100	Vertical	N/A
2**	2462.100	104.07	-9.74	54.0	-50.07	AV	69.00	100	Vertical	N/A
3	4768.250	50.48	-2.38	74.0	23.52	Peak	123.00	200	Vertical	Pass
3**	4768.250	40.60	-2.38	54.0	13.40	AV	123.00	200	Vertical	Pass
4	7924.750	54.35	2.18	74.0	19.65	Peak	260.00	400	Vertical	Pass
4**	7924.750	45.19	2.18	54.0	8.81	AV	260.00	400	Vertical	Pass
5	11201.500	51.55	-1.84	74.0	22.45	Peak	22.00	300	Vertical	Pass
5**	11201.500	41.70	-1.84	54.0	12.30	AV	22.00	300	Vertical	Pass
6	16996.988	52.84	0.45	74.0	21.16	Peak	90.00	400	Vertical	Pass
6**	16996.988	41.94	0.45	54.0	12.06	AV	90.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.700	42.39	-16.78	74.0	31.61	Peak	58.00	300	Horizontal	Pass
1**	1491.700	32.55	-16.78	54.0	21.45	AV	58.00	300	Horizontal	Pass
2	2465.800	107.47	-9.86	74.0	-33.47	Peak	253.00	100	Horizontal	N/A
2**	2465.800	104.58	-9.86	54.0	-50.58	AV	253.00	100	Horizontal	N/A
3	4782.500	50.28	-2.64	74.0	23.72	Peak	343.00	100	Horizontal	Pass
3**	4782.500	40.64	-2.64	54.0	13.36	AV	343.00	100	Horizontal	Pass
4	7838.000	54.06	3.49	74.0	19.94	Peak	12.00	100	Horizontal	Pass
4**	7838.000	44.80	3.49	54.0	9.20	AV	12.00	100	Horizontal	Pass
5	10841.687	51.87	-2.02	74.0	22.13	Peak	360.00	400	Horizontal	Pass
5**	10841.687	42.34	-2.02	54.0	11.66	AV	360.00	400	Horizontal	Pass
6	16329.187	52.50	0.25	74.0	21.50	Peak	316.00	300	Horizontal	Pass
6**	16329.187	43.28	0.25	54.0	10.72	AV	316.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.700	50.39	-16.50	74.0	23.61	Peak	188.00	150	Vertical	Pass
1**	1669.700	40.12	-16.50	54.0	13.88	AV	188.00	150	Vertical	Pass
2	2466.500	106.79	-9.93	74.0	-32.79	Peak	61.00	150	Vertical	N/A
2**	2466.500	102.67	-9.93	54.0	-48.67	AV	61.00	150	Vertical	N/A
3	4767.750	50.61	-2.41	74.0	23.39	Peak	226.00	100	Vertical	Pass
3**	4767.750	40.98	-2.41	54.0	13.02	AV	226.00	100	Vertical	Pass
4	7823.750	55.31	3.07	74.0	18.69	Peak	31.00	100	Vertical	Pass
4**	7823.750	45.15	3.07	54.0	8.85	AV	31.00	100	Vertical	Pass
5	11128.350	51.42	-0.97	74.0	22.58	Peak	204.00	100	Vertical	Pass
5**	11128.350	42.71	-0.97	54.0	11.29	AV	204.00	100	Vertical	Pass
6	16345.201	52.38	0.71	74.0	21.62	Peak	9.00	300	Vertical	Pass
6**	16345.201	43.16	0.71	54.0	10.84	AV	9.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.700	42.34	-16.27	74.0	31.66	Peak	12.00	200	Horizontal	Pass
1**	1479.700	32.55	-16.27	54.0	21.45	AV	12.00	200	Horizontal	Pass
2	2473.200	105.32	-10.56	74.0	-31.32	Peak	251.00	100	Horizontal	N/A
2**	2473.200	102.45	-10.56	54.0	-48.45	AV	251.00	100	Horizontal	N/A
3	4791.750	50.24	-2.87	74.0	23.76	Peak	360.00	100	Horizontal	Pass
3**	4791.750	41.54	-2.87	54.0	12.46	AV	360.00	100	Horizontal	Pass
4	7915.750	54.03	1.94	74.0	19.97	Peak	58.00	300	Horizontal	Pass
4**	7915.750	45.19	1.94	54.0	8.81	AV	58.00	300	Horizontal	Pass
5	11068.026	51.24	-1.60	74.0	22.76	Peak	325.00	200	Horizontal	Pass
5**	11068.026	41.82	-1.60	54.0	12.18	AV	325.00	200	Horizontal	Pass
6	16347.300	52.63	0.77	74.0	21.37	Peak	291.00	100	Horizontal	Pass
6**	16347.300	43.86	0.77	54.0	10.14	AV	291.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1296.900	42.60	-16.58	74.0	31.40	Peak	123.00	100	Vertical	Pass
1**	1296.900	33.44	-16.58	54.0	20.56	AV	123.00	100	Vertical	Pass
2	2471.500	103.97	-10.36	74.0	-29.97	Peak	281.00	200	Vertical	N/A
2**	2471.500	99.90	-10.36	54.0	-45.90	AV	281.00	200	Vertical	N/A
3	4995.500	50.21	-2.16	74.0	23.79	Peak	358.00	200	Vertical	Pass
3**	4995.500	41.29	-2.16	54.0	12.71	AV	358.00	200	Vertical	Pass
4	7836.000	53.56	3.55	74.0	20.44	Peak	65.00	300	Vertical	Pass
4**	7836.000	45.12	3.55	54.0	8.88	AV	65.00	300	Vertical	Pass
5	10703.700	51.69	-2.38	74.0	22.31	Peak	151.00	300	Vertical	Pass
5**	10703.700	42.13	-2.38	54.0	11.87	AV	151.00	300	Vertical	Pass
6	16328.138	52.39	0.22	74.0	21.61	Peak	282.00	100	Vertical	Pass
6**	16328.138	43.69	0.22	54.0	10.31	AV	282.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1346.400	42.48	-16.58	74.0	31.52	Peak	115.00	300	Horizontal	Pass
1**	1346.400	32.37	-16.58	54.0	21.63	AV	115.00	300	Horizontal	Pass
2	2409.900	111.16	-10.08	74.0	-37.16	Peak	246.00	200	Horizontal	N/A
2**	2409.900	103.67	-10.08	54.0	-49.67	AV	246.00	200	Horizontal	N/A
3	4900.750	50.02	-2.47	74.0	23.98	Peak	101.00	150	Horizontal	Pass
3**	4900.750	39.95	-2.47	54.0	14.05	AV	101.00	150	Horizontal	Pass
4	7920.500	53.97	1.74	74.0	20.03	Peak	0.00	100	Horizontal	Pass
4**	7920.500	44.54	1.74	54.0	9.46	AV	0.00	100	Horizontal	Pass
5	11108.400	51.53	-1.00	74.0	22.47	Peak	360.00	100	Horizontal	Pass
5**	11108.400	41.56	-1.00	54.0	12.44	AV	360.00	100	Horizontal	Pass
6	16346.512	52.71	0.75	74.0	21.29	Peak	360.00	200	Horizontal	Pass
6**	16346.512	43.08	0.75	54.0	10.92	AV	360.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1399.400	42.51	-16.73	74.0	31.49	Peak	360.00	150	Vertical	Pass
1**	1399.400	32.74	-16.73	54.0	21.26	AV	360.00	150	Vertical	Pass
2	2408.600	111.66	-10.07	74.0	-37.66	Peak	74.00	200	Vertical	N/A
2**	2408.600	104.06	-10.07	54.0	-50.06	AV	74.00	200	Vertical	N/A
3	4672.500	50.32	-3.08	74.0	23.68	Peak	107.00	100	Vertical	Pass
3**	4672.500	40.04	-3.08	54.0	13.96	AV	107.00	100	Vertical	Pass
4	7909.000	54.55	2.00	74.0	19.45	Peak	343.00	300	Vertical	Pass
4**	7909.000	44.69	2.00	54.0	9.31	AV	343.00	300	Vertical	Pass
5	10838.362	51.66	-2.10	74.0	22.34	Peak	122.00	400	Vertical	Pass
5**	10838.362	42.53	-2.10	54.0	11.47	AV	122.00	400	Vertical	Pass
6	15733.313	52.35	0.14	74.0	21.65	Peak	8.00	400	Vertical	Pass
6**	15733.313	42.98	0.14	54.0	11.02	AV	8.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.800	42.46	-16.53	74.0	31.54	Peak	13.00	100	Horizontal	Pass
1**	1531.800	32.60	-16.53	54.0	21.40	AV	13.00	100	Horizontal	Pass
2	2434.400	112.31	-9.01	74.0	-38.31	Peak	261.00	100	Horizontal	N/A
2**	2434.400	104.63	-9.01	54.0	-50.63	AV	261.00	100	Horizontal	N/A
3	4738.250	50.23	-2.89	74.0	23.77	Peak	116.00	200	Horizontal	Pass
3**	4738.250	40.67	-2.89	54.0	13.33	AV	116.00	200	Horizontal	Pass
4	7831.750	53.99	3.28	74.0	20.01	Peak	97.00	300	Horizontal	Pass
4**	7831.750	44.97	3.28	54.0	9.03	AV	97.00	300	Horizontal	Pass
5	11124.550	51.62	-0.98	74.0	22.38	Peak	351.00	200	Horizontal	Pass
5**	11124.550	42.38	-0.98	54.0	11.62	AV	351.00	200	Horizontal	Pass
6	15742.238	52.39	0.27	74.0	21.61	Peak	184.00	100	Horizontal	Pass
6**	15742.238	42.61	0.27	54.0	11.39	AV	184.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1404.200	41.72	-16.62	74.0	32.28	Peak	103.00	150	Vertical	Pass
1**	1404.200	32.29	-16.62	54.0	21.71	AV	103.00	150	Vertical	Pass
2	2433.600	111.79	-9.09	74.0	-37.79	Peak	132.00	150	Vertical	N/A
2**	2433.600	103.76	-9.09	54.0	-49.76	AV	132.00	150	Vertical	N/A
3	4770.750	50.64	-2.54	74.0	23.36	Peak	307.00	200	Vertical	Pass
3**	4770.750	40.70	-2.54	54.0	13.30	AV	307.00	200	Vertical	Pass
4	7827.250	53.66	3.02	74.0	20.34	Peak	208.00	100	Vertical	Pass
4**	7827.250	44.20	3.02	54.0	9.80	AV	208.00	100	Vertical	Pass
5	11187.724	51.55	-1.59	74.0	22.45	Peak	139.00	100	Vertical	Pass
5**	11187.724	42.27	-1.59	54.0	11.73	AV	139.00	100	Vertical	Pass
6	16792.238	52.64	0.88	74.0	21.36	Peak	172.00	400	Vertical	Pass
6**	16792.238	42.70	0.88	54.0	11.30	AV	172.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.800	43.26	-16.52	74.0	30.74	Peak	56.00	200	Horizontal	Pass
1**	1542.800	33.35	-16.52	54.0	20.65	AV	56.00	200	Horizontal	Pass
2	2463.300	111.42	-9.75	74.0	-37.42	Peak	312.00	200	Horizontal	N/A
2**	2463.300	104.13	-9.75	54.0	-50.13	AV	312.00	200	Horizontal	N/A
3	4649.500	49.99	-2.69	74.0	24.01	Peak	231.00	100	Horizontal	Pass
3**	4649.500	40.30	-2.69	54.0	13.70	AV	231.00	100	Horizontal	Pass
4	7763.250	53.82	1.67	74.0	20.18	Peak	4.00	200	Horizontal	Pass
4**	7763.250	45.31	1.67	54.0	8.69	AV	4.00	200	Horizontal	Pass
5	10941.438	51.83	-2.64	74.0	22.17	Peak	45.00	300	Horizontal	Pass
5**	10941.438	41.15	-2.64	54.0	12.85	AV	45.00	300	Horizontal	Pass
6	15732.000	52.69	0.13	74.0	21.31	Peak	224.00	100	Horizontal	Pass
6**	15732.000	42.24	0.13	54.0	11.76	AV	224.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.800	49.95	-16.66	74.0	24.05	Peak	185.00	150	Vertical	Pass
1**	1676.800	37.83	-16.66	54.0	16.17	AV	185.00	150	Vertical	Pass
2	2465.100	110.22	-9.80	74.0	-36.22	Peak	114.00	150	Vertical	N/A
2**	2465.100	103.18	-9.80	54.0	-49.18	AV	114.00	150	Vertical	N/A
3	4781.250	50.11	-2.65	74.0	23.89	Peak	33.00	150	Vertical	Pass
3**	4781.250	40.70	-2.65	54.0	13.30	AV	33.00	150	Vertical	Pass
4	7534.000	53.81	2.27	74.0	20.19	Peak	263.00	100	Vertical	Pass
4**	7534.000	44.76	2.27	54.0	9.24	AV	263.00	100	Vertical	Pass
5	11071.825	51.64	-1.53	74.0	22.36	Peak	221.00	200	Vertical	Pass
5**	11071.825	41.82	-1.53	54.0	12.18	AV	221.00	200	Vertical	Pass
6	16507.688	52.52	0.30	74.0	21.48	Peak	265.00	100	Vertical	Pass
6**	16507.688	42.62	0.30	54.0	11.38	AV	265.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.900	43.15	-16.46	74.0	30.85	Peak	334.00	200	Horizontal	Pass
1**	1533.900	33.38	-16.46	54.0	20.62	AV	334.00	200	Horizontal	Pass
2	2463.100	108.40	-9.74	74.0	-34.40	Peak	312.00	100	Horizontal	N/A
2**	2463.100	101.92	-9.74	54.0	-47.92	AV	312.00	100	Horizontal	N/A
3	4717.500	50.08	-2.74	74.0	23.92	Peak	179.00	200	Horizontal	Pass
3**	4717.500	41.03	-2.74	54.0	12.97	AV	179.00	200	Horizontal	Pass
4	7768.250	53.56	1.71	74.0	20.44	Peak	179.00	100	Horizontal	Pass
4**	7768.250	43.89	1.71	54.0	10.11	AV	179.00	100	Horizontal	Pass
5	11163.263	51.22	-1.17	74.0	22.78	Peak	292.00	400	Horizontal	Pass
5**	11163.263	41.85	-1.17	54.0	12.15	AV	292.00	400	Horizontal	Pass
6	16835.551	52.72	0.89	74.0	21.28	Peak	111.00	200	Horizontal	Pass
6**	16835.551	41.62	0.89	54.0	12.38	AV	111.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.000	49.77	-16.52	74.0	24.23	Peak	174.00	150	Vertical	Pass
1**	1671.000	41.62	-16.52	54.0	12.38	AV	174.00	150	Vertical	Pass
2	2464.800	106.66	-9.79	74.0	-32.66	Peak	73.00	100	Vertical	N/A
2**	2464.800	98.84	-9.79	54.0	-44.84	AV	73.00	100	Vertical	N/A
3	4878.500	50.50	-2.35	74.0	23.50	Peak	99.00	150	Vertical	Pass
3**	4878.500	40.85	-2.35	54.0	13.15	AV	99.00	150	Vertical	Pass
4	7925.250	54.14	2.18	74.0	19.86	Peak	91.00	200	Vertical	Pass
4**	7925.250	44.89	2.18	54.0	9.11	AV	91.00	200	Vertical	Pass
5	11102.937	51.58	-1.01	74.0	22.42	Peak	153.00	300	Vertical	Pass
5**	11102.937	41.28	-1.01	54.0	12.72	AV	153.00	300	Vertical	Pass
6	16344.150	52.17	0.68	74.0	21.83	Peak	9.00	100	Vertical	Pass
6**	16344.150	43.70	0.68	54.0	10.30	AV	9.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.000	42.96	-16.53	74.0	31.04	Peak	15.00	300	Horizontal	Pass
1**	1532.000	33.07	-16.53	54.0	20.93	AV	15.00	300	Horizontal	Pass
2	2469.300	103.99	-10.17	74.0	-29.99	Peak	251.00	100	Horizontal	N/A
2**	2469.300	95.33	-10.17	54.0	-41.33	AV	251.00	100	Horizontal	N/A
3	4747.500	50.05	-2.76	74.0	23.95	Peak	307.00	150	Horizontal	Pass
3**	4747.500	40.70	-2.76	54.0	13.30	AV	307.00	150	Horizontal	Pass
4	7825.250	53.79	3.08	74.0	20.21	Peak	4.00	100	Horizontal	Pass
4**	7825.250	44.93	3.08	54.0	9.07	AV	4.00	100	Horizontal	Pass
5	10706.312	51.93	-2.34	74.0	22.07	Peak	99.00	100	Horizontal	Pass
5**	10706.312	41.88	-2.34	54.0	12.12	AV	99.00	100	Horizontal	Pass
6	16351.237	52.55	0.82	74.0	21.45	Peak	72.00	400	Horizontal	Pass
6**	16351.237	43.57	0.82	54.0	10.43	AV	72.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1291.900	43.17	-16.56	74.0	30.83	Peak	132.00	400	Vertical	Pass
1**	1291.900	32.58	-16.56	54.0	21.42	AV	132.00	400	Vertical	Pass
2	2466.300	101.94	-9.91	74.0	-27.94	Peak	146.00	200	Vertical	N/A
2**	2466.300	94.29	-9.91	54.0	-40.29	AV	146.00	200	Vertical	N/A
3	4708.250	50.33	-2.74	74.0	23.67	Peak	14.00	150	Vertical	Pass
3**	4708.250	40.88	-2.74	54.0	13.12	AV	14.00	150	Vertical	Pass
4	7924.250	53.66	2.17	74.0	20.34	Peak	65.00	400	Vertical	Pass
4**	7924.250	45.02	2.17	54.0	8.98	AV	65.00	400	Vertical	Pass
5	11068.500	52.06	-1.60	74.0	21.94	Peak	149.00	200	Vertical	Pass
5**	11068.500	42.63	-1.60	54.0	11.37	AV	149.00	200	Vertical	Pass
6	16642.350	52.86	0.94	74.0	21.14	Peak	46.00	100	Vertical	Pass
6**	16642.350	42.84	0.94	54.0	11.16	AV	46.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.000	42.71	-16.69	74.0	31.29	Peak	199.00	100	Horizontal	Pass
1**	1593.000	32.76	-16.69	54.0	21.24	AV	199.00	100	Horizontal	Pass
2	2407.600	110.64	-10.06	74.0	-36.64	Peak	255.00	200	Horizontal	N/A
2**	2407.600	102.48	-10.06	54.0	-48.48	AV	255.00	200	Horizontal	N/A
3	4765.250	49.75	-2.56	74.0	24.25	Peak	360.00	200	Horizontal	Pass
3**	4765.250	40.99	-2.56	54.0	13.01	AV	360.00	200	Horizontal	Pass
4	7902.250	53.73	2.30	74.0	20.27	Peak	90.00	400	Horizontal	Pass
4**	7902.250	44.54	2.30	54.0	9.46	AV	90.00	400	Horizontal	Pass
5	10817.225	51.83	-2.61	74.0	22.17	Peak	248.00	400	Horizontal	Pass
5**	10817.225	42.28	-2.61	54.0	11.72	AV	248.00	400	Horizontal	Pass
6	16350.188	52.73	0.84	74.0	21.27	Peak	236.00	150	Horizontal	Pass
6**	16350.188	43.77	0.84	54.0	10.23	AV	236.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.500	51.21	-16.71	74.0	22.79	Peak	191.00	150	Vertical	Pass
1**	1675.500	40.42	-16.71	54.0	13.58	AV	191.00	150	Vertical	Pass
2	2413.500	110.98	-10.04	74.0	-36.98	Peak	96.00	150	Vertical	N/A
2**	2413.500	103.68	-10.04	54.0	-49.68	AV	96.00	150	Vertical	N/A
3	4798.500	50.27	-2.92	74.0	23.73	Peak	356.00	200	Vertical	Pass
3**	4798.500	40.22	-2.92	54.0	13.78	AV	356.00	200	Vertical	Pass
4	7836.500	54.26	3.59	74.0	19.74	Peak	270.00	300	Vertical	Pass
4**	7836.500	45.26	3.59	54.0	8.74	AV	270.00	300	Vertical	Pass
5	10840.025	51.82	-2.06	74.0	22.18	Peak	104.00	100	Vertical	Pass
5**	10840.025	41.07	-2.06	54.0	12.93	AV	104.00	100	Vertical	Pass
6	16334.963	52.91	0.42	74.0	21.09	Peak	187.00	100	Vertical	Pass
6**	16334.963	42.97	0.42	54.0	11.03	AV	187.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.000	43.62	-16.72	74.0	30.38	Peak	230.00	100	Horizontal	Pass
1**	1595.000	36.21	-16.72	54.0	17.79	AV	230.00	100	Horizontal	Pass
2	2439.400	111.55	-9.40	74.0	-37.55	Peak	249.00	150	Horizontal	N/A
2**	2439.400	103.29	-9.40	54.0	-49.29	AV	249.00	150	Horizontal	N/A
3	4765.000	49.82	-2.57	74.0	24.18	Peak	320.00	150	Horizontal	Pass
3**	4765.000	40.61	-2.57	54.0	13.39	AV	320.00	150	Horizontal	Pass
4	7906.000	54.00	2.27	74.0	20.00	Peak	181.00	100	Horizontal	Pass
4**	7906.000	45.29	2.27	54.0	8.71	AV	181.00	100	Horizontal	Pass
5	11128.588	52.15	-0.97	74.0	21.85	Peak	334.00	100	Horizontal	Pass
5**	11128.588	42.23	-0.97	54.0	11.77	AV	334.00	100	Horizontal	Pass
6	16336.275	52.63	0.46	74.0	21.37	Peak	78.00	400	Horizontal	Pass
6**	16336.275	44.42	0.46	54.0	9.58	AV	78.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.700	49.58	-16.66	74.0	24.42	Peak	193.00	150	Vertical	Pass
1**	1676.700	39.62	-16.66	54.0	14.38	AV	193.00	150	Vertical	Pass
2	2433.900	110.87	-9.06	74.0	-36.87	Peak	122.00	150	Vertical	N/A
2**	2433.900	103.52	-9.06	54.0	-49.52	AV	122.00	150	Vertical	N/A
3	4768.000	50.27	-2.39	74.0	23.73	Peak	360.00	100	Vertical	Pass
3**	4768.000	41.12	-2.39	54.0	12.88	AV	360.00	100	Vertical	Pass
4	7920.250	54.08	1.67	74.0	19.92	Peak	170.00	200	Vertical	Pass
4**	7920.250	44.63	1.67	54.0	9.37	AV	170.00	200	Vertical	Pass
5	10705.838	51.45	-2.34	74.0	22.55	Peak	211.00	300	Vertical	Pass
5**	10705.838	42.50	-2.34	54.0	11.50	AV	211.00	300	Vertical	Pass
6	16337.588	52.93	0.49	74.0	21.07	Peak	58.00	100	Vertical	Pass
6**	16337.588	43.55	0.49	54.0	10.45	AV	58.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	42.74	-16.84	74.0	31.26	Peak	201.00	400	Horizontal	Pass
1**	1599.600	32.36	-16.84	54.0	21.64	AV	201.00	400	Horizontal	Pass
2	2464.000	111.85	-9.77	74.0	-37.85	Peak	311.00	100	Horizontal	N/A
2**	2464.000	103.53	-9.77	54.0	-49.53	AV	311.00	100	Horizontal	N/A
3	4704.250	50.48	-2.70	74.0	23.52	Peak	116.00	100	Horizontal	Pass
3**	4704.250	40.64	-2.70	54.0	13.36	AV	116.00	100	Horizontal	Pass
4	7820.250	54.27	3.01	74.0	19.73	Peak	287.00	400	Horizontal	Pass
4**	7820.250	44.65	3.01	54.0	9.35	AV	287.00	400	Horizontal	Pass
5	11050.213	51.38	-1.94	74.0	22.62	Peak	60.00	400	Horizontal	Pass
5**	11050.213	42.11	-1.94	54.0	11.89	AV	60.00	400	Horizontal	Pass
6	15757.725	52.84	0.16	74.0	21.16	Peak	285.00	100	Horizontal	Pass
6**	15757.725	43.46	0.16	54.0	10.54	AV	285.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.800	50.22	-16.59	74.0	23.78	Peak	191.00	150	Vertical	Pass
1**	1677.800	42.39	-16.59	54.0	11.61	AV	191.00	150	Vertical	Pass
2	2460.100	109.95	-9.74	74.0	-35.95	Peak	88.00	150	Vertical	N/A
2**	2460.100	102.30	-9.74	54.0	-48.30	AV	88.00	150	Vertical	N/A
3	4764.250	50.40	-2.60	74.0	23.60	Peak	124.00	100	Vertical	Pass
3**	4764.250	42.01	-2.60	54.0	11.99	AV	124.00	100	Vertical	Pass
4	7761.000	53.79	1.68	74.0	20.21	Peak	263.00	400	Vertical	Pass
4**	7761.000	44.13	1.68	54.0	9.87	AV	263.00	400	Vertical	Pass
5	10720.800	51.59	-2.11	74.0	22.41	Peak	206.00	400	Vertical	Pass
5**	10720.800	42.30	-2.11	54.0	11.70	AV	206.00	400	Vertical	Pass
6	16344.674	51.73	0.69	74.0	22.27	Peak	324.00	400	Vertical	Pass
6**	16344.674	42.39	0.69	54.0	11.61	AV	324.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	43.35	-16.85	74.0	30.65	Peak	233.00	400	Horizontal	Pass
1**	1599.900	34.20	-16.85	54.0	19.80	AV	233.00	400	Horizontal	Pass
2	2463.200	108.08	-9.75	74.0	-34.08	Peak	313.00	200	Horizontal	N/A
2**	2463.200	100.75	-9.75	54.0	-46.75	AV	313.00	200	Horizontal	N/A
3	4751.000	50.14	-2.71	74.0	23.86	Peak	132.00	150	Horizontal	Pass
3**	4751.000	40.93	-2.71	54.0	13.07	AV	132.00	150	Horizontal	Pass
4	7825.750	54.09	3.02	74.0	19.91	Peak	107.00	200	Horizontal	Pass
4**	7825.750	44.35	3.02	54.0	9.65	AV	107.00	200	Horizontal	Pass
5	11378.912	51.98	-1.74	74.0	22.02	Peak	360.00	300	Horizontal	Pass
5**	11378.912	41.69	-1.74	54.0	12.31	AV	360.00	300	Horizontal	Pass
6	16335.487	52.44	0.43	74.0	21.56	Peak	339.00	100	Horizontal	Pass
6**	16335.487	43.91	0.43	54.0	10.09	AV	339.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.700	50.83	-16.60	74.0	23.17	Peak	189.00	150	Vertical	Pass
1**	1677.700	41.98	-16.60	54.0	12.02	AV	189.00	150	Vertical	Pass
2	2463.200	105.73	-9.75	74.0	-31.73	Peak	154.00	150	Vertical	N/A
2**	2463.200	98.72	-9.75	54.0	-44.72	AV	154.00	150	Vertical	N/A
3	4788.250	50.61	-2.69	74.0	23.39	Peak	41.00	150	Vertical	Pass
3**	4788.250	40.67	-2.69	54.0	13.33	AV	41.00	150	Vertical	Pass
4	7906.500	53.76	2.22	74.0	20.24	Peak	126.00	400	Vertical	Pass
4**	7906.500	44.18	2.22	54.0	9.82	AV	126.00	400	Vertical	Pass
5	11174.187	51.44	-1.36	74.0	22.56	Peak	153.00	400	Vertical	Pass
5**	11174.187	43.21	-1.36	54.0	10.79	AV	153.00	400	Vertical	Pass
6	16313.962	53.10	-0.18	74.0	20.90	Peak	266.00	200	Vertical	Pass
6**	16313.962	42.53	-0.18	54.0	11.47	AV	266.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.800	43.99	-16.70	74.0	30.01	Peak	193.00	200	Horizontal	Pass
1**	1594.800	35.17	-16.70	54.0	18.83	AV	193.00	200	Horizontal	Pass
2	2464.300	104.44	-9.77	74.0	-30.44	Peak	254.00	100	Horizontal	N/A
2**	2464.300	96.48	-9.77	54.0	-42.48	AV	254.00	100	Horizontal	N/A
3	4773.000	50.27	-2.49	74.0	23.73	Peak	305.00	150	Horizontal	Pass
3**	4773.000	41.28	-2.49	54.0	12.72	AV	305.00	150	Horizontal	Pass
4	7837.750	53.98	3.53	74.0	20.02	Peak	143.00	200	Horizontal	Pass
4**	7837.750	45.06	3.53	54.0	8.94	AV	143.00	200	Horizontal	Pass
5	11067.550	51.27	-1.61	74.0	22.73	Peak	223.00	400	Horizontal	Pass
5**	11067.550	42.78	-1.61	54.0	11.22	AV	223.00	400	Horizontal	Pass
6	16329.450	52.07	0.26	74.0	21.93	Peak	56.00	200	Horizontal	Pass
6**	16329.450	43.46	0.26	54.0	10.54	AV	56.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.500	49.91	-16.61	74.0	24.09	Peak	201.00	150	Vertical	Pass
1**	1677.500	40.63	-16.61	54.0	13.37	AV	201.00	150	Vertical	Pass
2	2477.300	101.47	-10.53	74.0	-27.47	Peak	74.00	150	Vertical	N/A
2**	2477.300	93.40	-10.53	54.0	-39.40	AV	74.00	150	Vertical	N/A
3	4929.250	50.25	-2.62	74.0	23.75	Peak	85.00	200	Vertical	Pass
3**	4929.250	40.47	-2.62	54.0	13.53	AV	85.00	200	Vertical	Pass
4	7924.500	53.89	2.17	74.0	20.11	Peak	222.00	200	Vertical	Pass
4**	7924.500	44.84	2.17	54.0	9.16	AV	222.00	200	Vertical	Pass
5	10720.800	51.89	-2.11	74.0	22.11	Peak	297.00	200	Vertical	Pass
5**	10720.800	42.10	-2.11	54.0	11.90	AV	297.00	200	Vertical	Pass
6	16346.250	52.58	0.74	74.0	21.42	Peak	360.00	300	Vertical	Pass
6**	16346.250	42.62	0.74	54.0	11.38	AV	360.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.800	42.50	-16.60	74.0	31.50	Peak	190.00	200	Horizontal	Pass
1**	1593.800	35.37	-16.60	54.0	18.63	AV	190.00	200	Horizontal	Pass
2	2434.000	107.05	-9.05	74.0	-33.05	Peak	256.00	200	Horizontal	N/A
2**	2434.000	99.06	-9.05	54.0	-45.06	AV	256.00	200	Horizontal	N/A
3	4937.500	50.40	-2.66	74.0	23.60	Peak	30.00	150	Horizontal	Pass
3**	4937.500	41.31	-2.66	54.0	12.69	AV	30.00	150	Horizontal	Pass
4	7946.250	54.52	1.61	74.0	19.48	Peak	322.00	300	Horizontal	Pass
4**	7946.250	45.02	1.61	54.0	8.98	AV	322.00	300	Horizontal	Pass
5	9113.638	51.24	-2.70	74.0	22.76	Peak	70.00	200	Horizontal	Pass
5**	9113.638	42.12	-2.70	54.0	11.88	AV	70.00	200	Horizontal	Pass
6	16458.599	52.38	0.50	74.0	21.62	Peak	54.00	100	Horizontal	Pass
6**	16458.599	43.44	0.50	54.0	10.56	AV	54.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.800	49.83	-16.57	74.0	24.17	Peak	193.00	150	Vertical	Pass
1**	1671.800	40.68	-16.57	54.0	13.32	AV	193.00	150	Vertical	Pass
2	2433.600	105.89	-9.09	74.0	-31.89	Peak	132.00	200	Vertical	N/A
2**	2433.600	97.94	-9.09	54.0	-43.94	AV	132.00	200	Vertical	N/A
3	4926.250	50.43	-2.78	74.0	23.57	Peak	237.00	150	Vertical	Pass
3**	4926.250	40.31	-2.78	54.0	13.69	AV	237.00	150	Vertical	Pass
4	7926.000	54.11	2.20	74.0	19.89	Peak	32.00	300	Vertical	Pass
4**	7926.000	45.01	2.20	54.0	8.99	AV	32.00	300	Vertical	Pass
5	11146.875	51.25	-0.95	74.0	22.75	Peak	84.00	200	Vertical	Pass
5**	11146.875	42.34	-0.95	54.0	11.66	AV	84.00	200	Vertical	Pass
6	16337.063	52.47	0.48	74.0	21.53	Peak	338.00	100	Vertical	Pass
6**	16337.063	43.83	0.48	54.0	10.17	AV	338.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.100	43.32	-16.62	74.0	30.68	Peak	240.00	100	Horizontal	Pass
1**	1594.100	32.97	-16.62	54.0	21.03	AV	240.00	100	Horizontal	Pass
2	2431.300	106.72	-9.07	74.0	-32.72	Peak	256.00	200	Horizontal	N/A
2**	2431.300	98.82	-9.07	54.0	-44.82	AV	256.00	200	Horizontal	N/A
3	4814.500	50.53	-2.16	74.0	23.47	Peak	17.00	200	Horizontal	Pass
3**	4814.500	41.21	-2.16	54.0	12.79	AV	17.00	200	Horizontal	Pass
4	6767.500	54.21	0.77	74.0	19.79	Peak	71.00	100	Horizontal	Pass
4**	6767.500	43.94	0.77	54.0	10.06	AV	71.00	100	Horizontal	Pass
5	11162.313	51.34	-1.16	74.0	22.66	Peak	360.00	200	Horizontal	Pass
5**	11162.313	42.46	-1.16	54.0	11.54	AV	360.00	200	Horizontal	Pass
6	15740.401	51.96	0.24	74.0	22.04	Peak	339.00	200	Horizontal	Pass
6**	15740.401	42.07	0.24	54.0	11.93	AV	339.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1684.800	50.61	-16.76	74.0	23.39	Peak	196.00	150	Vertical	Pass
1**	1684.800	37.46	-16.76	54.0	16.54	AV	196.00	150	Vertical	Pass
2	2433.500	105.67	-9.10	74.0	-31.67	Peak	130.00	100	Vertical	N/A
2**	2433.500	97.65	-9.10	54.0	-43.65	AV	130.00	100	Vertical	N/A
3	4740.000	50.08	-2.99	74.0	23.92	Peak	189.00	200	Vertical	Pass
3**	4740.000	40.56	-2.99	54.0	13.44	AV	189.00	200	Vertical	Pass
4	7788.500	54.05	1.62	74.0	19.95	Peak	0.00	200	Vertical	Pass
4**	7788.500	45.17	1.62	54.0	8.83	AV	0.00	200	Vertical	Pass
5	11128.588	51.25	-0.97	74.0	22.75	Peak	72.00	300	Vertical	Pass
5**	11128.588	43.09	-0.97	54.0	10.91	AV	72.00	300	Vertical	Pass
6	15758.250	51.61	0.15	74.0	22.39	Peak	339.00	100	Vertical	Pass
6**	15758.250	42.47	0.15	54.0	11.53	AV	339.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.800	43.68	-16.60	74.0	30.32	Peak	223.00	300	Horizontal	Pass
1**	1593.800	33.04	-16.60	54.0	20.96	AV	223.00	300	Horizontal	Pass
2	2459.900	106.82	-9.74	74.0	-32.82	Peak	255.00	150	Horizontal	N/A
2**	2459.900	98.68	-9.74	54.0	-44.68	AV	255.00	150	Horizontal	N/A
3	4715.750	50.22	-2.89	74.0	23.78	Peak	124.00	100	Horizontal	Pass
3**	4715.750	40.54	-2.89	54.0	13.46	AV	124.00	100	Horizontal	Pass
4	7843.750	53.89	2.93	74.0	20.11	Peak	187.00	100	Horizontal	Pass
4**	7843.750	45.60	2.93	54.0	8.40	AV	187.00	100	Horizontal	Pass
5	10726.737	51.59	-2.01	74.0	22.41	Peak	307.00	300	Horizontal	Pass
5**	10726.737	42.18	-2.01	54.0	11.82	AV	307.00	300	Horizontal	Pass
6	16338.375	52.69	0.52	74.0	21.31	Peak	360.00	200	Horizontal	Pass
6**	16338.375	43.85	0.52	54.0	10.15	AV	360.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.800	50.40	-16.63	74.0	23.60	Peak	188.00	150	Vertical	Pass
1**	1672.800	40.72	-16.63	54.0	13.28	AV	188.00	150	Vertical	Pass
2	2457.800	105.20	-9.72	74.0	-31.20	Peak	149.00	100	Vertical	N/A
2**	2457.800	97.51	-9.72	54.0	-43.51	AV	149.00	100	Vertical	N/A
3	4733.500	49.78	-2.97	74.0	24.22	Peak	207.00	150	Vertical	Pass
3**	4733.500	40.44	-2.97	54.0	13.56	AV	207.00	150	Vertical	Pass
4	7820.250	53.70	3.01	74.0	20.30	Peak	268.00	400	Vertical	Pass
4**	7820.250	44.36	3.01	54.0	9.64	AV	268.00	400	Vertical	Pass
5	11132.387	51.61	-0.97	74.0	22.39	Peak	208.00	400	Vertical	Pass
5**	11132.387	41.81	-0.97	54.0	12.19	AV	208.00	400	Vertical	Pass
6	16325.250	52.58	0.14	74.0	21.42	Peak	360.00	100	Vertical	Pass
6**	16325.250	43.89	0.14	54.0	10.11	AV	360.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 10

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.400	43.64	-16.76	74.0	30.36	Peak	166.00	200	Horizontal	Pass
1**	1595.400	34.43	-16.76	54.0	19.57	AV	166.00	200	Horizontal	Pass
2	2464.200	102.11	-9.77	74.0	-28.11	Peak	250.00	200	Horizontal	N/A
2**	2464.200	94.70	-9.77	54.0	-40.70	AV	250.00	200	Horizontal	N/A
3	4708.750	49.65	-2.73	74.0	24.35	Peak	55.00	150	Horizontal	Pass
3**	4708.750	40.96	-2.73	54.0	13.04	AV	55.00	150	Horizontal	Pass
4	7833.250	53.87	3.40	74.0	20.13	Peak	170.00	100	Horizontal	Pass
4**	7833.250	44.68	3.40	54.0	9.32	AV	170.00	100	Horizontal	Pass
5	10587.800	51.31	-1.60	74.0	22.69	Peak	111.00	200	Horizontal	Pass
5**	10587.800	42.42	-1.60	54.0	11.58	AV	111.00	200	Horizontal	Pass
6	16341.787	51.97	0.61	74.0	22.03	Peak	360.00	100	Horizontal	Pass
6**	16341.787	43.76	0.61	54.0	10.24	AV	360.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 10

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.400	50.42	-16.62	74.0	23.58	Peak	184.00	150	Vertical	Pass
1**	1677.400	39.67	-16.62	54.0	14.33	AV	184.00	150	Vertical	Pass
2	2453.200	99.99	-9.99	74.0	-25.99	Peak	144.00	200	Vertical	N/A
2**	2453.200	92.13	-9.99	54.0	-38.13	AV	144.00	200	Vertical	N/A
3	4728.500	50.24	-3.00	74.0	23.76	Peak	312.00	200	Vertical	Pass
3**	4728.500	41.94	-3.00	54.0	12.06	AV	312.00	200	Vertical	Pass
4	7917.250	53.98	1.72	74.0	20.02	Peak	0.00	300	Vertical	Pass
4**	7917.250	44.91	1.72	54.0	9.09	AV	0.00	300	Vertical	Pass
5	11106.500	51.27	-1.00	74.0	22.73	Peak	302.00	100	Vertical	Pass
5**	11106.500	41.71	-1.00	54.0	12.29	AV	302.00	100	Vertical	Pass
6	16340.737	52.81	0.58	74.0	21.19	Peak	289.00	300	Vertical	Pass
6**	16340.737	43.36	0.58	54.0	10.64	AV	289.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.700	43.04	-16.72	74.0	30.96	Peak	159.00	300	Horizontal	Pass
1**	1592.700	32.97	-16.72	54.0	21.03	AV	159.00	300	Horizontal	Pass
2	2457.400	101.30	-9.72	74.0	-27.30	Peak	254.00	200	Horizontal	N/A
2**	2457.400	93.34	-9.72	54.0	-39.34	AV	254.00	200	Horizontal	N/A
3	4737.000	50.22	-3.07	74.0	23.78	Peak	178.00	200	Horizontal	Pass
3**	4737.000	40.56	-3.07	54.0	13.44	AV	178.00	200	Horizontal	Pass
4	7923.250	53.63	2.15	74.0	20.37	Peak	10.00	200	Horizontal	Pass
4**	7923.250	45.40	2.15	54.0	8.60	AV	10.00	200	Horizontal	Pass
5	10719.138	51.46	-2.13	74.0	22.54	Peak	194.00	200	Horizontal	Pass
5**	10719.138	41.79	-2.13	54.0	12.21	AV	194.00	200	Horizontal	Pass
6	16353.599	52.81	0.77	74.0	21.19	Peak	197.00	300	Horizontal	Pass
6**	16353.599	43.06	0.77	54.0	10.94	AV	197.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1679.000	50.87	-16.54	74.0	23.13	Peak	191.00	150	Vertical	Pass
1**	1679.000	40.16	-16.54	54.0	13.84	AV	191.00	150	Vertical	Pass
2	2451.900	99.37	-9.92	74.0	-25.37	Peak	144.00	150	Vertical	N/A
2**	2451.900	91.81	-9.92	54.0	-37.81	AV	144.00	150	Vertical	N/A
3	4804.750	50.33	-2.70	74.0	23.67	Peak	70.00	200	Vertical	Pass
3**	4804.750	40.77	-2.70	54.0	13.23	AV	70.00	200	Vertical	Pass
4	7906.250	54.08	2.25	74.0	19.92	Peak	160.00	400	Vertical	Pass
4**	7906.250	44.25	2.25	54.0	9.75	AV	160.00	400	Vertical	Pass
5	10719.375	51.58	-2.13	74.0	22.42	Peak	109.00	200	Vertical	Pass
5**	10719.375	42.04	-2.13	54.0	11.96	AV	109.00	200	Vertical	Pass
6	16337.588	52.99	0.49	74.0	21.01	Peak	205.00	300	Vertical	Pass
6**	16337.588	43.22	0.49	54.0	10.78	AV	205.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.200	43.16	-16.67	74.0	30.84	Peak	84.00	400	Horizontal	Pass
1**	1593.200	32.99	-16.67	54.0	21.01	AV	84.00	400	Horizontal	Pass
2	2408.700	111.40	-10.07	74.0	-37.40	Peak	307.00	200	Horizontal	N/A
2**	2408.700	103.08	-10.07	54.0	-49.08	AV	307.00	200	Horizontal	N/A
3	4759.250	51.02	-2.70	74.0	22.98	Peak	47.00	150	Horizontal	Pass
3**	4759.250	41.53	-2.70	54.0	12.47	AV	47.00	150	Horizontal	Pass
4	7838.500	53.99	3.42	74.0	20.01	Peak	10.00	200	Horizontal	Pass
4**	7838.500	45.00	3.42	54.0	9.00	AV	10.00	200	Horizontal	Pass
5	11179.650	51.65	-1.45	74.0	22.35	Peak	236.00	300	Horizontal	Pass
5**	11179.650	42.18	-1.45	54.0	11.82	AV	236.00	300	Horizontal	Pass
6	16335.750	53.40	0.44	74.0	20.60	Peak	64.00	200	Horizontal	Pass
6**	16335.750	43.51	0.44	54.0	10.49	AV	64.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1682.000	49.89	-16.72	74.0	24.11	Peak	196.00	150	Vertical	Pass
1**	1682.000	39.55	-16.72	54.0	14.45	AV	196.00	150	Vertical	Pass
2	2410.600	112.03	-10.02	74.0	-38.03	Peak	106.00	200	Vertical	N/A
2**	2410.600	104.03	-10.02	54.0	-50.03	AV	106.00	200	Vertical	N/A
3	4760.750	50.05	-2.66	74.0	23.95	Peak	171.00	200	Vertical	Pass
3**	4760.750	40.75	-2.66	54.0	13.25	AV	171.00	200	Vertical	Pass
4	7523.500	53.57	2.24	74.0	20.43	Peak	125.00	400	Vertical	Pass
4**	7523.500	44.74	2.24	54.0	9.26	AV	125.00	400	Vertical	Pass
5	11126.450	51.35	-0.98	74.0	22.65	Peak	9.00	100	Vertical	Pass
5**	11126.450	43.04	-0.98	54.0	10.96	AV	9.00	100	Vertical	Pass
6	16321.313	52.30	0.03	74.0	21.70	Peak	327.00	300	Vertical	Pass
6**	16321.313	43.12	0.03	54.0	10.88	AV	327.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1680.100	45.44	-16.61	74.0	28.56	Peak	106.00	150	Horizontal	Pass
1**	1680.100	34.94	-16.61	54.0	19.06	AV	106.00	150	Horizontal	Pass
2	2433.600	111.90	-9.09	74.0	-37.90	Peak	247.00	100	Horizontal	N/A
2**	2433.600	103.95	-9.09	54.0	-49.95	AV	247.00	100	Horizontal	N/A
3	4755.250	50.40	-2.81	74.0	23.60	Peak	339.00	100	Horizontal	Pass
3**	4755.250	41.57	-2.81	54.0	12.43	AV	339.00	100	Horizontal	Pass
4	7813.000	53.89	2.16	74.0	20.11	Peak	3.00	400	Horizontal	Pass
4**	7813.000	45.17	2.16	54.0	8.83	AV	3.00	400	Horizontal	Pass
5	10804.875	51.60	-2.91	74.0	22.40	Peak	313.00	300	Horizontal	Pass
5**	10804.875	41.75	-2.91	54.0	12.25	AV	313.00	300	Horizontal	Pass
6	16354.125	52.90	0.76	74.0	21.10	Peak	188.00	200	Horizontal	Pass
6**	16354.125	43.83	0.76	54.0	10.17	AV	188.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1680.100	50.61	-16.61	74.0	23.39	Peak	198.00	150	Vertical	Pass
1**	1680.100	40.03	-16.61	54.0	13.97	AV	198.00	150	Vertical	Pass
2	2435.200	111.64	-8.92	74.0	-37.64	Peak	132.00	100	Vertical	N/A
2**	2435.200	103.69	-8.92	54.0	-49.69	AV	132.00	100	Vertical	N/A
3	4695.000	50.52	-2.85	74.0	23.48	Peak	188.00	200	Vertical	Pass
3**	4695.000	41.41	-2.85	54.0	12.59	AV	188.00	200	Vertical	Pass
4	7105.500	53.88	0.26	74.0	20.12	Peak	146.00	300	Vertical	Pass
4**	7105.500	44.97	0.26	54.0	9.03	AV	146.00	300	Vertical	Pass
5	11363.951	51.61	-1.80	74.0	22.39	Peak	121.00	200	Vertical	Pass
5**	11363.951	41.77	-1.80	54.0	12.23	AV	121.00	200	Vertical	Pass
6	16357.537	52.57	0.68	74.0	21.43	Peak	261.00	400	Vertical	Pass
6**	16357.537	43.80	0.68	54.0	10.20	AV	261.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.000	43.69	-16.72	74.0	30.31	Peak	234.00	300	Horizontal	Pass
1**	1595.000	34.03	-16.72	54.0	19.97	AV	234.00	300	Horizontal	Pass
2	2463.300	113.06	-9.75	74.0	-39.06	Peak	252.00	150	Horizontal	N/A
2**	2463.300	103.43	-9.75	54.0	-49.43	AV	252.00	150	Horizontal	N/A
3	4957.500	49.94	-2.50	74.0	24.06	Peak	202.00	100	Horizontal	Pass
3**	4957.500	41.52	-2.50	54.0	12.48	AV	202.00	100	Horizontal	Pass
4	6768.250	53.71	0.82	74.0	20.29	Peak	73.00	100	Horizontal	Pass
4**	6768.250	44.39	0.82	54.0	9.61	AV	73.00	100	Horizontal	Pass
5	10732.438	51.61	-1.92	74.0	22.39	Peak	0.00	200	Horizontal	Pass
5**	10732.438	42.17	-1.92	54.0	11.83	AV	0.00	200	Horizontal	Pass
6	16333.650	53.00	0.38	74.0	21.00	Peak	265.00	400	Horizontal	Pass
6**	16333.650	43.53	0.38	54.0	10.47	AV	265.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.200	49.67	-16.53	74.0	24.33	Peak	191.00	150	Vertical	Pass
1**	1671.200	39.54	-16.53	54.0	14.46	AV	191.00	150	Vertical	Pass
2	2457.500	110.81	-9.72	74.0	-36.81	Peak	79.00	200	Vertical	N/A
2**	2457.500	102.13	-9.72	54.0	-48.13	AV	79.00	200	Vertical	N/A
3	4745.000	49.97	-2.87	74.0	24.03	Peak	304.00	100	Vertical	Pass
3**	4745.000	40.67	-2.87	54.0	13.33	AV	304.00	100	Vertical	Pass
4	7922.250	53.84	2.14	74.0	20.16	Peak	75.00	400	Vertical	Pass
4**	7922.250	45.33	2.14	54.0	8.67	AV	75.00	400	Vertical	Pass
5	10719.375	51.61	-2.13	74.0	22.39	Peak	201.00	400	Vertical	Pass
5**	10719.375	42.44	-2.13	54.0	11.56	AV	201.00	400	Vertical	Pass
6	16793.813	52.07	0.94	74.0	21.93	Peak	353.00	100	Vertical	Pass
6**	16793.813	42.15	0.94	54.0	11.85	AV	353.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.400	43.23	-16.24	74.0	30.77	Peak	98.00	300	Horizontal	Pass
1**	1479.400	33.74	-16.24	54.0	20.26	AV	98.00	300	Horizontal	Pass
2	2463.000	110.06	-9.74	74.0	-36.06	Peak	306.00	200	Horizontal	N/A
2**	2463.000	101.39	-9.74	54.0	-47.39	AV	306.00	200	Horizontal	N/A
3	4768.500	50.34	-2.36	74.0	23.66	Peak	0.00	200	Horizontal	Pass
3**	4768.500	40.85	-2.36	54.0	13.15	AV	0.00	200	Horizontal	Pass
4	7748.750	53.96	1.51	74.0	20.04	Peak	0.00	300	Horizontal	Pass
4**	7748.750	44.62	1.51	54.0	9.38	AV	0.00	300	Horizontal	Pass
5	10729.588	51.90	-1.97	74.0	22.10	Peak	172.00	400	Horizontal	Pass
5**	10729.588	42.42	-1.97	54.0	11.58	AV	172.00	400	Horizontal	Pass
6	16328.401	52.49	0.23	74.0	21.51	Peak	322.00	300	Horizontal	Pass
6**	16328.401	43.97	0.23	54.0	10.03	AV	322.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.100	50.23	-16.69	74.0	23.77	Peak	193.00	150	Vertical	Pass
1**	1676.100	41.27	-16.69	54.0	12.73	AV	193.00	150	Vertical	Pass
2	2463.700	107.99	-9.76	74.0	-33.99	Peak	151.00	100	Vertical	N/A
2**	2463.700	99.04	-9.76	54.0	-45.04	AV	151.00	100	Vertical	N/A
3	4775.500	49.99	-2.53	74.0	24.01	Peak	36.00	100	Vertical	Pass
3**	4775.500	40.91	-2.53	54.0	13.09	AV	36.00	100	Vertical	Pass
4	7826.750	53.94	2.97	74.0	20.06	Peak	36.00	300	Vertical	Pass
4**	7826.750	44.45	2.97	54.0	9.55	AV	36.00	300	Vertical	Pass
5	11199.126	52.12	-1.78	74.0	21.88	Peak	7.00	300	Vertical	Pass
5**	11199.126	41.38	-1.78	54.0	12.62	AV	7.00	300	Vertical	Pass
6	16530.525	52.91	0.15	74.0	21.09	Peak	297.00	100	Vertical	Pass
6**	16530.525	43.60	0.15	54.0	10.40	AV	297.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.600	43.93	-16.80	74.0	30.07	Peak	225.00	300	Horizontal	Pass
1**	1597.600	34.49	-16.80	54.0	19.51	AV	225.00	300	Horizontal	Pass
2	2466.600	104.97	-9.94	74.0	-30.97	Peak	259.00	200	Horizontal	N/A
2**	2466.600	95.88	-9.94	54.0	-41.88	AV	259.00	200	Horizontal	N/A
3	4693.500	51.00	-2.97	74.0	23.00	Peak	205.00	200	Horizontal	Pass
3**	4693.500	42.27	-2.97	54.0	11.73	AV	205.00	200	Horizontal	Pass
4	7767.250	53.86	1.73	74.0	20.14	Peak	98.00	300	Horizontal	Pass
4**	7767.250	45.06	1.73	54.0	8.94	AV	98.00	300	Horizontal	Pass
5	11146.401	51.84	-0.95	74.0	22.16	Peak	119.00	300	Horizontal	Pass
5**	11146.401	42.41	-0.95	54.0	11.59	AV	119.00	300	Horizontal	Pass
6	16329.450	53.55	0.26	74.0	20.45	Peak	314.00	200	Horizontal	Pass
6**	16329.450	43.86	0.26	54.0	10.14	AV	314.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.900	50.04	-16.70	74.0	23.96	Peak	186.00	150	Vertical	Pass
1**	1673.900	40.85	-16.70	54.0	13.15	AV	186.00	150	Vertical	Pass
2	2475.300	102.78	-10.69	74.0	-28.78	Peak	112.00	200	Vertical	N/A
2**	2475.300	93.11	-10.69	54.0	-39.11	AV	112.00	200	Vertical	N/A
3	4947.000	50.13	-2.21	74.0	23.87	Peak	295.00	150	Vertical	Pass
3**	4947.000	41.14	-2.21	54.0	12.86	AV	295.00	150	Vertical	Pass
4	7838.000	54.76	3.49	74.0	19.24	Peak	236.00	300	Vertical	Pass
4**	7838.000	45.71	3.49	54.0	8.29	AV	236.00	300	Vertical	Pass
5	10710.112	52.08	-2.28	74.0	21.92	Peak	337.00	300	Vertical	Pass
5**	10710.112	42.19	-2.28	54.0	11.81	AV	337.00	300	Vertical	Pass
6	16339.951	52.79	0.56	74.0	21.21	Peak	222.00	300	Vertical	Pass
6**	16339.951	43.12	0.56	54.0	10.88	AV	222.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.600	43.58	-16.81	74.0	30.42	Peak	240.00	300	Horizontal	Pass
1**	1596.600	34.05	-16.81	54.0	19.95	AV	240.00	300	Horizontal	Pass
2	2431.300	107.95	-9.07	74.0	-33.95	Peak	250.00	200	Horizontal	N/A
2**	2431.300	100.01	-9.07	54.0	-46.01	AV	250.00	200	Horizontal	N/A
3	4931.500	50.23	-2.53	74.0	23.77	Peak	360.00	150	Horizontal	Pass
3**	4931.500	40.06	-2.53	54.0	13.94	AV	360.00	150	Horizontal	Pass
4	7547.500	54.32	1.52	74.0	19.68	Peak	331.00	200	Horizontal	Pass
4**	7547.500	43.80	1.52	54.0	10.20	AV	331.00	200	Horizontal	Pass
5	11130.488	52.30	-0.97	74.0	21.70	Peak	360.00	400	Horizontal	Pass
5**	11130.488	42.48	-0.97	54.0	11.52	AV	360.00	400	Horizontal	Pass
6	16335.750	53.10	0.44	74.0	20.90	Peak	60.00	400	Horizontal	Pass
6**	16335.750	43.87	0.44	54.0	10.13	AV	60.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1682.200	50.03	-16.73	74.0	23.97	Peak	188.00	150	Vertical	Pass
1**	1682.200	41.74	-16.73	54.0	12.26	AV	188.00	150	Vertical	Pass
2	2431.300	107.64	-9.07	74.0	-33.64	Peak	169.00	100	Vertical	N/A
2**	2431.300	97.70	-9.07	54.0	-43.70	AV	169.00	100	Vertical	N/A
3	4830.250	50.46	-1.84	74.0	23.54	Peak	312.00	200	Vertical	Pass
3**	4830.250	40.68	-1.84	54.0	13.32	AV	312.00	200	Vertical	Pass
4	7915.000	53.91	1.92	74.0	20.09	Peak	289.00	400	Vertical	Pass
4**	7915.000	44.81	1.92	54.0	9.19	AV	289.00	400	Vertical	Pass
5	11136.663	51.68	-0.96	74.0	22.32	Peak	19.00	300	Vertical	Pass
5**	11136.663	43.20	-0.96	54.0	10.80	AV	19.00	300	Vertical	Pass
6	16334.701	53.36	0.41	74.0	20.64	Peak	314.00	200	Vertical	Pass
6**	16334.701	43.14	0.41	54.0	10.86	AV	314.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.100	44.05	-16.83	74.0	29.95	Peak	226.00	200	Horizontal	Pass
1**	1599.100	34.01	-16.83	54.0	19.99	AV	226.00	200	Horizontal	Pass
2	2430.500	108.15	-9.18	74.0	-34.15	Peak	245.00	200	Horizontal	N/A
2**	2430.500	98.27	-9.18	54.0	-44.27	AV	245.00	200	Horizontal	N/A
3	4723.250	49.83	-2.89	74.0	24.17	Peak	232.00	100	Horizontal	Pass
3**	4723.250	40.92	-2.89	54.0	13.08	AV	232.00	100	Horizontal	Pass
4	7780.000	53.89	1.73	74.0	20.11	Peak	312.00	100	Horizontal	Pass
4**	7780.000	45.75	1.73	54.0	8.25	AV	312.00	100	Horizontal	Pass
5	10598.725	52.26	-1.44	74.0	21.74	Peak	21.00	200	Horizontal	Pass
5**	10598.725	42.40	-1.44	54.0	11.60	AV	21.00	200	Horizontal	Pass
6	16339.687	52.05	0.55	74.0	21.95	Peak	302.00	100	Horizontal	Pass
6**	16339.687	43.94	0.55	54.0	10.06	AV	302.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1681.700	49.65	-16.70	74.0	24.35	Peak	191.00	150	Vertical	Pass
1**	1681.700	41.62	-16.70	54.0	12.38	AV	191.00	150	Vertical	Pass
2	2424.900	107.17	-9.86	74.0	-33.17	Peak	113.00	100	Vertical	N/A
2**	2424.900	96.63	-9.86	54.0	-42.63	AV	113.00	100	Vertical	N/A
3	4799.250	50.28	-2.88	74.0	23.72	Peak	0.00	200	Vertical	Pass
3**	4799.250	41.87	-2.88	54.0	12.13	AV	0.00	200	Vertical	Pass
4	7879.750	54.50	2.90	74.0	19.50	Peak	0.00	100	Vertical	Pass
4**	7879.750	44.29	2.90	54.0	9.71	AV	0.00	100	Vertical	Pass
5	10827.675	51.60	-2.36	74.0	22.40	Peak	21.00	200	Vertical	Pass
5**	10827.675	41.54	-2.36	54.0	12.46	AV	21.00	200	Vertical	Pass
6	16354.650	52.70	0.75	74.0	21.30	Peak	121.00	100	Vertical	Pass
6**	16354.650	43.07	0.75	54.0	10.93	AV	121.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.200	43.27	-16.82	74.0	30.73	Peak	203.00	400	Horizontal	Pass
1**	1596.200	35.59	-16.82	54.0	18.41	AV	203.00	400	Horizontal	Pass
2	2462.200	109.25	-9.74	74.0	-35.25	Peak	301.00	100	Horizontal	N/A
2**	2462.200	99.31	-9.74	54.0	-45.31	AV	301.00	100	Horizontal	N/A
3	4787.000	50.39	-2.57	74.0	23.61	Peak	204.00	150	Horizontal	Pass
3**	4787.000	42.75	-2.57	54.0	11.25	AV	204.00	150	Horizontal	Pass
4	7744.000	53.98	1.18	74.0	20.02	Peak	0.00	200	Horizontal	Pass
4**	7744.000	43.94	1.18	54.0	10.06	AV	0.00	200	Horizontal	Pass
5	11118.137	51.49	-0.99	74.0	22.51	Peak	123.00	200	Horizontal	Pass
5**	11118.137	41.99	-0.99	54.0	12.01	AV	123.00	200	Horizontal	Pass
6	16330.500	53.30	0.29	74.0	20.70	Peak	360.00	300	Horizontal	Pass
6**	16330.500	44.03	0.29	54.0	9.97	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.300	49.70	-16.71	74.0	24.30	Peak	192.00	150	Vertical	Pass
1**	1675.300	40.53	-16.71	54.0	13.47	AV	192.00	150	Vertical	Pass
2	2460.200	106.46	-9.74	74.0	-32.46	Peak	96.00	100	Vertical	N/A
2**	2460.200	96.96	-9.74	54.0	-42.96	AV	96.00	100	Vertical	N/A
3	4722.250	50.28	-2.82	74.0	23.72	Peak	289.00	200	Vertical	Pass
3**	4722.250	41.50	-2.82	54.0	12.50	AV	289.00	200	Vertical	Pass
4	7818.500	54.08	2.87	74.0	19.92	Peak	111.00	300	Vertical	Pass
4**	7818.500	45.23	2.87	54.0	8.77	AV	111.00	300	Vertical	Pass
5	11396.963	51.41	-1.67	74.0	22.59	Peak	134.00	400	Vertical	Pass
5**	11396.963	42.17	-1.67	54.0	11.83	AV	134.00	400	Vertical	Pass
6	16708.500	51.90	0.62	74.0	22.10	Peak	316.00	400	Vertical	Pass
6**	16708.500	42.03	0.62	54.0	11.97	AV	316.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.500	43.99	-16.81	74.0	30.01	Peak	232.00	300	Horizontal	Pass
1**	1596.500	35.08	-16.81	54.0	18.92	AV	232.00	300	Horizontal	Pass
2	2460.900	103.98	-9.73	74.0	-29.98	Peak	259.00	150	Horizontal	N/A
2**	2460.900	94.61	-9.73	54.0	-40.61	AV	259.00	150	Horizontal	N/A
3	4972.750	49.83	-2.55	74.0	24.17	Peak	233.00	200	Horizontal	Pass
3**	4972.750	41.12	-2.55	54.0	12.88	AV	233.00	200	Horizontal	Pass
4	7908.500	54.49	2.04	74.0	19.51	Peak	212.00	100	Horizontal	Pass
4**	7908.500	44.55	2.04	54.0	9.45	AV	212.00	100	Horizontal	Pass
5	11066.599	51.60	-1.63	74.0	22.40	Peak	11.00	200	Horizontal	Pass
5**	11066.599	43.45	-1.63	54.0	10.55	AV	11.00	200	Horizontal	Pass
6	16326.300	52.96	0.17	74.0	21.04	Peak	348.00	200	Horizontal	Pass
6**	16326.300	44.02	0.17	54.0	9.98	AV	348.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1409.300	42.39	-16.50	74.0	31.61	Peak	351.00	200	Vertical	Pass
1**	1409.300	32.77	-16.50	54.0	21.23	AV	351.00	200	Vertical	Pass
2	2454.200	102.04	-10.09	74.0	-28.04	Peak	103.00	200	Vertical	N/A
2**	2454.200	92.74	-10.09	54.0	-38.74	AV	103.00	200	Vertical	N/A
3	4720.500	50.07	-2.82	74.0	23.93	Peak	107.00	200	Vertical	Pass
3**	4720.500	41.73	-2.82	54.0	12.27	AV	107.00	200	Vertical	Pass
4	7936.250	53.76	2.14	74.0	20.24	Peak	227.00	400	Vertical	Pass
4**	7936.250	44.09	2.14	54.0	9.91	AV	227.00	400	Vertical	Pass
5	10698.237	51.18	-2.46	74.0	22.82	Peak	0.00	200	Vertical	Pass
5**	10698.237	41.55	-2.46	54.0	12.45	AV	0.00	200	Vertical	Pass
6	16324.463	52.17	0.12	74.0	21.83	Peak	270.00	400	Vertical	Pass
6**	16324.463	43.65	0.12	54.0	10.35	AV	270.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1402.300	42.84	-16.72	74.0	31.16	Peak	201.00	200	Horizontal	Pass
1**	1402.300	32.79	-16.72	54.0	21.21	AV	201.00	200	Horizontal	Pass
2	2457.400	102.38	-9.72	74.0	-28.38	Peak	310.00	100	Horizontal	N/A
2**	2457.400	92.66	-9.72	54.0	-38.66	AV	310.00	100	Horizontal	N/A
3	4876.000	50.20	-2.30	74.0	23.80	Peak	353.00	100	Horizontal	Pass
3**	4876.000	39.92	-2.30	54.0	14.08	AV	353.00	100	Horizontal	Pass
4	7916.250	53.96	1.86	74.0	20.04	Peak	32.00	200	Horizontal	Pass
4**	7916.250	44.30	1.86	54.0	9.70	AV	32.00	200	Horizontal	Pass
5	11183.925	51.75	-1.52	74.0	22.25	Peak	99.00	400	Horizontal	Pass
5**	11183.925	41.82	-1.52	54.0	12.18	AV	99.00	400	Horizontal	Pass
6	16337.588	52.88	0.49	74.0	21.12	Peak	185.00	400	Horizontal	Pass
6**	16337.588	43.34	0.49	54.0	10.66	AV	185.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.300	49.89	-16.60	74.0	24.11	Peak	189.00	150	Vertical	Pass
1**	1672.300	40.41	-16.60	54.0	13.59	AV	189.00	150	Vertical	Pass
2	2460.200	100.37	-9.74	74.0	-26.37	Peak	116.00	100	Vertical	N/A
2**	2460.200	90.95	-9.74	54.0	-36.95	AV	116.00	100	Vertical	N/A
3	4802.500	50.19	-2.87	74.0	23.81	Peak	94.00	100	Vertical	Pass
3**	4802.500	41.41	-2.87	54.0	12.59	AV	94.00	100	Vertical	Pass
4	7764.750	54.14	1.69	74.0	19.86	Peak	94.00	200	Vertical	Pass
4**	7764.750	44.98	1.69	54.0	9.02	AV	94.00	200	Vertical	Pass
5	11073.963	51.54	-1.49	74.0	22.46	Peak	290.00	300	Vertical	Pass
5**	11073.963	41.97	-1.49	54.0	12.03	AV	290.00	300	Vertical	Pass
6	16333.125	52.10	0.37	74.0	21.90	Peak	360.00	300	Vertical	Pass
6**	16333.125	43.17	0.37	54.0	10.83	AV	360.00	300	Vertical	Pass

Aux. Antenna**1 GHz to 18 GHz, ANT H 802.11b Channel 1**

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1388.700	43.00	-16.50	74.0	31.00	Peak	108.00	300	Horizontal	Pass
1**	1388.700	33.50	-16.50	54.0	20.50	AV	108.00	300	Horizontal	Pass
2	2413.200	107.88	-10.02	74.0	-33.88	Peak	328.00	150	Horizontal	N/A
2**	2413.200	105.06	-10.02	54.0	-51.06	AV	328.00	150	Horizontal	N/A
3	4763.000	50.06	-2.65	74.0	23.94	Peak	48.00	150	Horizontal	Pass
3**	4763.000	41.40	-2.65	54.0	12.60	AV	48.00	150	Horizontal	Pass
4	7518.250	53.72	1.97	74.0	20.28	Peak	64.00	100	Horizontal	Pass
4**	7518.250	43.50	1.97	54.0	10.50	AV	64.00	100	Horizontal	Pass
5	11174.187	51.55	-1.36	74.0	22.45	Peak	139.00	200	Horizontal	Pass
5**	11174.187	42.34	-1.36	54.0	11.66	AV	139.00	200	Horizontal	Pass
6	16349.400	52.65	0.83	74.0	21.35	Peak	180.00	300	Horizontal	Pass
6**	16349.400	43.33	0.83	54.0	10.67	AV	180.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.900	42.17	-16.45	74.0	31.83	Peak	0.00	200	Vertical	Pass
1**	1511.900	33.96	-16.45	54.0	20.04	AV	0.00	200	Vertical	Pass
2	2413.500	109.95	-10.04	74.0	-35.95	Peak	230.00	150	Vertical	N/A
2**	2413.500	105.90	-10.04	54.0	-51.90	AV	230.00	150	Vertical	N/A
3	4730.000	50.92	-3.01	74.0	23.08	Peak	348.00	200	Vertical	Pass
3**	4730.000	41.19	-3.01	54.0	12.81	AV	348.00	200	Vertical	Pass
4	7837.500	54.37	3.56	74.0	19.63	Peak	100.00	100	Vertical	Pass
4**	7837.500	45.40	3.56	54.0	8.60	AV	100.00	100	Vertical	Pass
5	10727.687	53.23	-2.00	74.0	20.77	Peak	92.00	200	Vertical	Pass
5**	10727.687	42.80	-2.00	54.0	11.20	AV	92.00	200	Vertical	Pass
6	16347.300	52.20	0.77	74.0	21.80	Peak	360.00	100	Vertical	Pass
6**	16347.300	44.22	0.77	54.0	9.78	AV	360.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.700	43.31	-16.80	74.0	30.69	Peak	242.00	200	Horizontal	Pass
1**	1597.700	34.06	-16.80	54.0	19.94	AV	242.00	200	Horizontal	Pass
2	2437.100	109.48	-9.17	74.0	-35.48	Peak	330.00	100	Horizontal	N/A
2**	2437.100	103.18	-9.17	54.0	-49.18	AV	330.00	100	Horizontal	N/A
3	4958.000	50.59	-2.53	74.0	23.41	Peak	246.00	150	Horizontal	Pass
3**	4958.000	40.62	-2.53	54.0	13.38	AV	246.00	150	Horizontal	Pass
4	7870.250	54.57	2.24	74.0	19.43	Peak	59.00	150	Horizontal	Pass
4**	7870.250	43.39	2.24	54.0	10.61	AV	59.00	150	Horizontal	Pass
5	9848.463	52.16	-1.94	74.0	21.84	Peak	240.00	300	Horizontal	Pass
5**	9848.463	42.22	-1.94	54.0	11.78	AV	240.00	300	Horizontal	Pass
6	15750.112	52.96	0.37	74.0	21.04	Peak	360.00	300	Horizontal	Pass
6**	15750.112	43.39	0.37	54.0	10.61	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1444.600	42.23	-16.51	74.0	31.77	Peak	287.00	200	Vertical	Pass
1**	1444.600	32.44	-16.51	54.0	21.56	AV	287.00	200	Vertical	Pass
2	2437.600	109.84	-9.24	74.0	-35.84	Peak	279.00	100	Vertical	N/A
2**	2437.600	106.02	-9.24	54.0	-52.02	AV	279.00	100	Vertical	N/A
3	4768.250	49.73	-2.38	74.0	24.27	Peak	360.00	150	Vertical	Pass
3**	4768.250	40.85	-2.38	54.0	13.15	AV	360.00	150	Vertical	Pass
4	7906.750	54.12	2.20	74.0	19.88	Peak	29.00	100	Vertical	Pass
4**	7906.750	44.81	2.20	54.0	9.19	AV	29.00	100	Vertical	Pass
5	10583.525	51.83	-1.67	74.0	22.17	Peak	189.00	300	Vertical	Pass
5**	10583.525	42.37	-1.67	54.0	11.63	AV	189.00	300	Vertical	Pass
6	15770.063	52.85	-0.18	74.0	21.15	Peak	127.00	100	Vertical	Pass
6**	15770.063	43.19	-0.18	54.0	10.81	AV	127.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.600	43.31	-16.78	74.0	30.69	Peak	142.00	100	Horizontal	Pass
1**	1595.600	32.62	-16.78	54.0	21.38	AV	142.00	100	Horizontal	Pass
2	2461.600	108.28	-9.74	74.0	-34.28	Peak	82.00	200	Horizontal	N/A
2**	2461.600	103.44	-9.74	54.0	-49.44	AV	82.00	200	Horizontal	N/A
3	4738.250	50.56	-2.89	74.0	23.44	Peak	21.00	200	Horizontal	Pass
3**	4738.250	40.82	-2.89	54.0	13.18	AV	21.00	200	Horizontal	Pass
4	7923.750	53.53	2.16	74.0	20.47	Peak	4.00	150	Horizontal	Pass
4**	7923.750	44.70	2.16	54.0	9.30	AV	4.00	150	Horizontal	Pass
5	11126.450	51.46	-0.98	74.0	22.54	Peak	299.00	100	Horizontal	Pass
5**	11126.450	42.61	-0.98	54.0	11.39	AV	299.00	100	Horizontal	Pass
6	16342.838	52.70	0.64	74.0	21.30	Peak	202.00	150	Horizontal	Pass
6**	16342.838	43.36	0.64	54.0	10.64	AV	202.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.400	43.00	-16.64	74.0	31.00	Peak	160.00	100	Vertical	Pass
1**	1593.400	33.33	-16.64	54.0	20.67	AV	160.00	100	Vertical	Pass
2	2460.700	108.59	-9.73	74.0	-34.59	Peak	240.00	100	Vertical	N/A
2**	2460.700	105.61	-9.73	54.0	-51.61	AV	240.00	100	Vertical	N/A
3	4765.000	50.15	-2.57	74.0	23.85	Peak	270.00	150	Vertical	Pass
3**	4765.000	40.72	-2.57	54.0	13.28	AV	270.00	150	Vertical	Pass
4	7938.750	54.18	2.28	74.0	19.82	Peak	210.00	300	Vertical	Pass
4**	7938.750	45.08	2.28	54.0	8.92	AV	210.00	300	Vertical	Pass
5	10834.562	51.79	-2.19	74.0	22.21	Peak	79.00	150	Vertical	Pass
5**	10834.562	41.94	-2.19	54.0	12.06	AV	79.00	150	Vertical	Pass
6	16348.613	53.20	0.81	74.0	20.80	Peak	205.00	200	Vertical	Pass
6**	16348.613	44.41	0.81	54.0	9.59	AV	205.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.200	43.37	-16.74	74.0	30.63	Peak	240.00	100	Horizontal	Pass
1**	1595.200	32.85	-16.74	54.0	21.15	AV	240.00	100	Horizontal	Pass
2	2465.800	104.95	-9.86	74.0	-30.95	Peak	81.00	150	Horizontal	N/A
2**	2465.800	102.06	-9.86	54.0	-48.06	AV	81.00	150	Horizontal	N/A
3	4658.750	50.32	-3.01	74.0	23.68	Peak	295.00	100	Horizontal	Pass
3**	4658.750	39.75	-3.01	54.0	14.25	AV	295.00	100	Horizontal	Pass
4	7857.500	53.76	2.14	74.0	20.24	Peak	70.00	200	Horizontal	Pass
4**	7857.500	44.12	2.14	54.0	9.88	AV	70.00	200	Horizontal	Pass
5	11130.250	51.45	-0.97	74.0	22.55	Peak	165.00	100	Horizontal	Pass
5**	11130.250	42.73	-0.97	54.0	11.27	AV	165.00	100	Horizontal	Pass
6	15748.013	52.63	0.35	74.0	21.37	Peak	17.00	300	Horizontal	Pass
6**	15748.013	43.24	0.35	54.0	10.76	AV	17.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1449.300	42.51	-16.47	74.0	31.49	Peak	36.00	200	Vertical	Pass
1**	1449.300	32.64	-16.47	54.0	21.36	AV	36.00	200	Vertical	Pass
2	2464.900	108.79	-9.79	74.0	-34.79	Peak	228.00	150	Vertical	N/A
2**	2464.900	104.62	-9.79	54.0	-50.62	AV	228.00	150	Vertical	N/A
3	4703.750	50.28	-2.69	74.0	23.72	Peak	356.00	200	Vertical	Pass
3**	4703.750	41.25	-2.69	54.0	12.75	AV	356.00	200	Vertical	Pass
4	7502.500	54.57	1.01	74.0	19.43	Peak	360.00	100	Vertical	Pass
4**	7502.500	43.75	1.01	54.0	10.25	AV	360.00	100	Vertical	Pass
5	11140.225	51.42	-0.96	74.0	22.58	Peak	69.00	150	Vertical	Pass
5**	11140.225	42.77	-0.96	54.0	11.23	AV	69.00	150	Vertical	Pass
6	16339.951	52.62	0.56	74.0	21.38	Peak	192.00	300	Vertical	Pass
6**	16339.951	43.49	0.56	54.0	10.51	AV	192.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.400	42.60	-16.81	74.0	31.40	Peak	230.00	300	Horizontal	Pass
1**	1596.400	32.71	-16.81	54.0	21.29	AV	230.00	300	Horizontal	Pass
2	2472.200	104.98	-10.44	74.0	-30.98	Peak	128.00	150	Horizontal	N/A
2**	2472.200	99.83	-10.44	54.0	-45.83	AV	128.00	150	Horizontal	N/A
3	4869.750	50.67	-2.65	74.0	23.33	Peak	287.00	200	Horizontal	Pass
3**	4869.750	39.91	-2.65	54.0	14.09	AV	287.00	200	Horizontal	Pass
4	7833.500	53.85	3.41	74.0	20.15	Peak	312.00	300	Horizontal	Pass
4**	7833.500	45.28	3.41	54.0	8.72	AV	312.00	300	Horizontal	Pass
5	11131.675	51.85	-0.97	74.0	22.15	Peak	187.00	200	Horizontal	Pass
5**	11131.675	42.77	-0.97	54.0	11.23	AV	187.00	200	Horizontal	Pass
6	16353.338	53.00	0.77	74.0	21.00	Peak	180.00	300	Horizontal	Pass
6**	16353.338	43.51	0.77	54.0	10.49	AV	180.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.100	43.13	-16.81	74.0	30.87	Peak	257.00	100	Vertical	Pass
1**	1597.100	32.69	-16.81	54.0	21.31	AV	257.00	100	Vertical	Pass
2	2473.200	106.94	-10.56	74.0	-32.94	Peak	265.00	150	Vertical	N/A
2**	2473.200	104.06	-10.56	54.0	-50.06	AV	265.00	150	Vertical	N/A
3	4928.750	50.10	-2.69	74.0	23.90	Peak	165.00	200	Vertical	Pass
3**	4928.750	41.68	-2.69	54.0	12.32	AV	165.00	200	Vertical	Pass
4	7810.750	53.65	2.02	74.0	20.35	Peak	304.00	300	Vertical	Pass
4**	7810.750	44.48	2.02	54.0	9.52	AV	304.00	300	Vertical	Pass
5	9860.100	51.45	-2.02	74.0	22.55	Peak	321.00	100	Vertical	Pass
5**	9860.100	41.76	-2.02	54.0	12.24	AV	321.00	100	Vertical	Pass
6	16330.500	52.54	0.29	74.0	21.46	Peak	145.00	300	Vertical	Pass
6**	16330.500	43.68	0.29	54.0	10.32	AV	145.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.400	42.87	-16.81	74.0	31.13	Peak	243.00	150	Horizontal	Pass
1**	1596.400	32.58	-16.81	54.0	21.42	AV	243.00	150	Horizontal	Pass
2	2413.600	111.29	-10.05	74.0	-37.29	Peak	331.00	200	Horizontal	N/A
2**	2413.600	103.56	-10.05	54.0	-49.56	AV	331.00	200	Horizontal	N/A
3	4888.250	50.99	-2.59	74.0	23.01	Peak	288.00	100	Horizontal	Pass
3**	4888.250	40.47	-2.59	54.0	13.53	AV	288.00	100	Horizontal	Pass
4	7910.250	53.94	1.91	74.0	20.06	Peak	356.00	100	Horizontal	Pass
4**	7910.250	44.05	1.91	54.0	9.95	AV	356.00	100	Horizontal	Pass
5	10935.262	51.86	-2.72	74.0	22.14	Peak	360.00	300	Horizontal	Pass
5**	10935.262	41.47	-2.72	54.0	12.53	AV	360.00	300	Horizontal	Pass
6	16771.762	52.36	0.15	74.0	21.64	Peak	0.00	150	Horizontal	Pass
6**	16771.762	42.91	0.15	54.0	11.09	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.800	42.97	-16.57	74.0	31.03	Peak	176.00	100	Vertical	Pass
1**	1537.800	33.00	-16.57	54.0	21.00	AV	176.00	100	Vertical	Pass
2	2408.200	112.32	-10.07	74.0	-38.32	Peak	277.00	150	Vertical	N/A
2**	2408.200	105.03	-10.07	54.0	-51.03	AV	277.00	150	Vertical	N/A
3	4750.750	50.12	-2.70	74.0	23.88	Peak	231.00	100	Vertical	Pass
3**	4750.750	41.34	-2.70	54.0	12.66	AV	231.00	100	Vertical	Pass
4	7835.500	54.06	3.51	74.0	19.94	Peak	360.00	200	Vertical	Pass
4**	7835.500	44.81	3.51	54.0	9.19	AV	360.00	200	Vertical	Pass
5	11177.750	52.21	-1.42	74.0	21.79	Peak	250.00	100	Vertical	Pass
5**	11177.750	42.46	-1.42	54.0	11.54	AV	250.00	100	Vertical	Pass
6	16328.138	52.47	0.22	74.0	21.53	Peak	353.00	200	Vertical	Pass
6**	16328.138	43.37	0.22	54.0	10.63	AV	353.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.600	42.79	-16.46	74.0	31.21	Peak	221.00	300	Horizontal	Pass
1**	1534.600	33.40	-16.46	54.0	20.60	AV	221.00	300	Horizontal	Pass
2	2439.700	110.97	-9.40	74.0	-36.97	Peak	329.00	150	Horizontal	N/A
2**	2439.700	103.93	-9.40	54.0	-49.93	AV	329.00	150	Horizontal	N/A
3	4766.750	50.39	-2.49	74.0	23.61	Peak	280.00	100	Horizontal	Pass
3**	4766.750	41.58	-2.49	54.0	12.42	AV	280.00	100	Horizontal	Pass
4	7836.750	53.57	3.61	74.0	20.43	Peak	287.00	200	Horizontal	Pass
4**	7836.750	44.62	3.61	54.0	9.38	AV	287.00	200	Horizontal	Pass
5	10708.924	51.82	-2.30	74.0	22.18	Peak	49.00	400	Horizontal	Pass
5**	10708.924	41.98	-2.30	54.0	12.02	AV	49.00	400	Horizontal	Pass
6	15736.200	53.71	0.18	74.0	20.29	Peak	304.00	150	Horizontal	Pass
6**	15736.200	43.25	0.18	54.0	10.75	AV	304.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.500	43.21	-16.66	74.0	30.79	Peak	254.00	100	Vertical	Pass
1**	1594.500	33.63	-16.66	54.0	20.37	AV	254.00	100	Vertical	Pass
2	2435.900	113.14	-8.99	74.0	-39.14	Peak	262.00	100	Vertical	N/A
2**	2435.900	105.85	-8.99	54.0	-51.85	AV	262.00	100	Vertical	N/A
3	4921.000	50.39	-2.72	74.0	23.61	Peak	158.00	150	Vertical	Pass
3**	4921.000	40.33	-2.72	54.0	13.67	AV	158.00	150	Vertical	Pass
4	7852.500	54.14	2.22	74.0	19.86	Peak	107.00	300	Vertical	Pass
4**	7852.500	44.67	2.22	54.0	9.33	AV	107.00	300	Vertical	Pass
5	11130.250	51.46	-0.97	74.0	22.54	Peak	339.00	300	Vertical	Pass
5**	11130.250	42.05	-0.97	54.0	11.95	AV	339.00	300	Vertical	Pass
6	16343.363	52.90	0.66	74.0	21.10	Peak	360.00	200	Vertical	Pass
6**	16343.363	44.02	0.66	54.0	9.98	AV	360.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.100	42.96	-16.79	74.0	31.04	Peak	274.00	200	Horizontal	Pass
1**	1523.100	32.68	-16.79	54.0	21.32	AV	274.00	200	Horizontal	Pass
2	2458.100	109.53	-9.73	74.0	-35.53	Peak	328.00	150	Horizontal	N/A
2**	2458.100	101.94	-9.73	54.0	-47.94	AV	328.00	150	Horizontal	N/A
3	5112.000	50.88	-1.73	74.0	23.12	Peak	82.00	150	Horizontal	Pass
3**	5112.000	41.14	-1.73	54.0	12.86	AV	82.00	150	Horizontal	Pass
4	7792.250	54.20	1.19	74.0	19.80	Peak	287.00	300	Horizontal	Pass
4**	7792.250	45.33	1.19	54.0	8.67	AV	287.00	300	Horizontal	Pass
5	10686.838	51.20	-2.59	74.0	22.80	Peak	246.00	200	Horizontal	Pass
5**	10686.838	41.55	-2.59	54.0	12.45	AV	246.00	200	Horizontal	Pass
6	15749.325	52.78	0.36	74.0	21.22	Peak	360.00	200	Horizontal	Pass
6**	15749.325	43.88	0.36	54.0	10.12	AV	360.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.800	42.08	-16.43	74.0	31.92	Peak	65.00	100	Vertical	Pass
1**	1473.800	32.95	-16.43	54.0	21.05	AV	65.00	100	Vertical	Pass
2	2460.100	111.85	-9.74	74.0	-37.85	Peak	238.00	200	Vertical	N/A
2**	2460.100	104.29	-9.74	54.0	-50.29	AV	238.00	200	Vertical	N/A
3	5117.250	51.08	-1.75	74.0	22.92	Peak	322.00	150	Vertical	Pass
3**	5117.250	41.12	-1.75	54.0	12.88	AV	322.00	150	Vertical	Pass
4	7546.750	54.25	1.60	74.0	19.75	Peak	126.00	100	Vertical	Pass
4**	7546.750	43.64	1.60	54.0	10.36	AV	126.00	100	Vertical	Pass
5	11154.950	51.98	-1.03	74.0	22.02	Peak	215.00	300	Vertical	Pass
5**	11154.950	42.54	-1.03	54.0	11.46	AV	215.00	300	Vertical	Pass
6	16499.025	52.87	0.35	74.0	21.13	Peak	241.00	300	Vertical	Pass
6**	16499.025	42.46	0.35	54.0	11.54	AV	241.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.900	45.74	-16.59	74.0	28.26	Peak	214.00	150	Horizontal	Pass
1**	1677.900	36.19	-16.59	54.0	17.81	AV	214.00	150	Horizontal	Pass
2	2464.200	104.36	-9.77	74.0	-30.36	Peak	131.00	100	Horizontal	N/A
2**	2464.200	97.26	-9.77	54.0	-43.26	AV	131.00	100	Horizontal	N/A
3	4796.250	50.31	-2.97	74.0	23.69	Peak	312.00	200	Horizontal	Pass
3**	4796.250	40.26	-2.97	54.0	13.74	AV	312.00	200	Horizontal	Pass
4	7914.750	54.18	1.90	74.0	19.82	Peak	36.00	100	Horizontal	Pass
4**	7914.750	44.58	1.90	54.0	9.42	AV	36.00	100	Horizontal	Pass
5	9864.138	51.10	-2.07	74.0	22.90	Peak	303.00	150	Horizontal	Pass
5**	9864.138	41.40	-2.07	54.0	12.60	AV	303.00	150	Horizontal	Pass
6	16349.400	53.26	0.83	74.0	20.74	Peak	360.00	400	Horizontal	Pass
6**	16349.400	43.75	0.83	54.0	10.25	AV	360.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	43.56	-16.85	74.0	30.44	Peak	251.00	400	Vertical	Pass
1**	1599.700	36.31	-16.85	54.0	17.69	AV	251.00	400	Vertical	Pass
2	2464.900	108.44	-9.79	74.0	-34.44	Peak	238.00	100	Vertical	N/A
2**	2464.900	100.68	-9.79	54.0	-46.68	AV	238.00	100	Vertical	N/A
3	4702.750	49.97	-2.68	74.0	24.03	Peak	217.00	150	Vertical	Pass
3**	4702.750	40.08	-2.68	54.0	13.92	AV	217.00	150	Vertical	Pass
4	7852.000	53.74	2.32	74.0	20.26	Peak	0.00	100	Vertical	Pass
4**	7852.000	43.95	2.32	54.0	10.05	AV	0.00	100	Vertical	Pass
5	11120.037	51.70	-0.98	74.0	22.30	Peak	251.00	400	Vertical	Pass
5**	11120.037	42.25	-0.98	54.0	11.75	AV	251.00	400	Vertical	Pass
6	16332.599	53.25	0.35	74.0	20.75	Peak	238.00	100	Vertical	Pass
6**	16332.599	43.56	0.35	54.0	10.44	AV	238.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1686.200	45.28	-16.75	74.0	28.72	Peak	236.00	150	Horizontal	Pass
1**	1686.200	34.80	-16.75	54.0	19.20	AV	236.00	150	Horizontal	Pass
2	2479.100	100.60	-10.53	74.0	-26.60	Peak	130.00	100	Horizontal	N/A
2**	2479.100	92.50	-10.53	54.0	-38.50	AV	130.00	100	Horizontal	N/A
3	4911.750	50.93	-2.73	74.0	23.07	Peak	158.00	200	Horizontal	Pass
3**	4911.750	40.31	-2.73	54.0	13.69	AV	158.00	200	Horizontal	Pass
4	7836.250	54.14	3.57	74.0	19.86	Peak	124.00	300	Horizontal	Pass
4**	7836.250	45.17	3.57	54.0	8.83	AV	124.00	300	Horizontal	Pass
5	10727.213	51.55	-2.01	74.0	22.45	Peak	342.00	300	Horizontal	Pass
5**	10727.213	41.65	-2.01	54.0	12.35	AV	342.00	300	Horizontal	Pass
6	16340.475	53.03	0.58	74.0	20.97	Peak	182.00	100	Horizontal	Pass
6**	16340.475	43.49	0.58	54.0	10.51	AV	182.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.900	43.17	-16.43	74.0	30.83	Peak	217.00	400	Vertical	Pass
1**	1473.900	34.74	-16.43	54.0	19.26	AV	217.00	400	Vertical	Pass
2	2466.200	104.26	-9.90	74.0	-30.26	Peak	241.00	100	Vertical	N/A
2**	2466.200	96.28	-9.90	54.0	-42.28	AV	241.00	100	Vertical	N/A
3	5133.000	51.32	-1.84	74.0	22.68	Peak	114.00	150	Vertical	Pass
3**	5133.000	41.62	-1.84	54.0	12.38	AV	114.00	150	Vertical	Pass
4	7923.750	54.00	2.16	74.0	20.00	Peak	27.00	400	Vertical	Pass
4**	7923.750	44.41	2.16	54.0	9.59	AV	27.00	400	Vertical	Pass
5	10583.525	51.05	-1.67	74.0	22.95	Peak	65.00	200	Vertical	Pass
5**	10583.525	41.74	-1.67	54.0	12.26	AV	65.00	200	Vertical	Pass
6	16336.275	52.61	0.46	74.0	21.39	Peak	360.00	300	Vertical	Pass
6**	16336.275	43.36	0.46	54.0	10.64	AV	360.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1413.500	42.40	-16.68	74.0	31.60	Peak	298.00	400	Horizontal	Pass
1**	1413.500	32.48	-16.68	54.0	21.52	AV	298.00	400	Horizontal	Pass
2	2414.800	109.16	-10.07	74.0	-35.16	Peak	326.00	100	Horizontal	N/A
2**	2414.800	101.78	-10.07	54.0	-47.78	AV	326.00	100	Horizontal	N/A
3	5153.500	51.06	-2.12	74.0	22.94	Peak	319.00	200	Horizontal	Pass
3**	5153.500	41.41	-2.12	54.0	12.59	AV	319.00	200	Horizontal	Pass
4	7821.000	53.97	2.87	74.0	20.03	Peak	358.00	400	Horizontal	Pass
4**	7821.000	44.78	2.87	54.0	9.22	AV	358.00	400	Horizontal	Pass
5	10818.650	51.97	-2.58	74.0	22.03	Peak	357.00	400	Horizontal	Pass
5**	10818.650	41.91	-2.58	54.0	12.09	AV	357.00	400	Horizontal	Pass
6	16326.825	53.68	0.19	74.0	20.32	Peak	360.00	100	Horizontal	Pass
6**	16326.825	44.08	0.19	54.0	9.92	AV	360.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1317.200	41.81	-16.54	74.0	32.19	Peak	114.00	200	Vertical	Pass
1**	1317.200	32.46	-16.54	54.0	21.54	AV	114.00	200	Vertical	Pass
2	2413.200	111.71	-10.02	74.0	-37.71	Peak	241.00	150	Vertical	N/A
2**	2413.200	103.86	-10.02	54.0	-49.86	AV	241.00	150	Vertical	N/A
3	5112.000	51.16	-1.73	74.0	22.84	Peak	360.00	200	Vertical	Pass
3**	5112.000	40.85	-1.73	54.0	13.15	AV	360.00	200	Vertical	Pass
4	7833.750	53.75	3.42	74.0	20.25	Peak	94.00	400	Vertical	Pass
4**	7833.750	44.61	3.42	54.0	9.39	AV	94.00	400	Vertical	Pass
5	11129.062	51.85	-0.97	74.0	22.15	Peak	282.00	300	Vertical	Pass
5**	11129.062	43.22	-0.97	54.0	10.78	AV	282.00	300	Vertical	Pass
6	16352.550	52.50	0.79	74.0	21.50	Peak	68.00	400	Vertical	Pass
6**	16352.550	44.31	0.79	54.0	9.69	AV	68.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1321.700	43.54	-16.60	74.0	30.46	Peak	120.00	200	Horizontal	Pass
1**	1321.700	32.13	-16.60	54.0	21.87	AV	120.00	200	Horizontal	Pass
2	2441.400	111.00	-9.39	74.0	-37.00	Peak	332.00	200	Horizontal	N/A
2**	2441.400	102.24	-9.39	54.0	-48.24	AV	332.00	200	Horizontal	N/A
3	4941.000	49.93	-2.53	74.0	24.07	Peak	81.00	150	Horizontal	Pass
3**	4941.000	41.06	-2.53	54.0	12.94	AV	81.00	150	Horizontal	Pass
4	7754.500	53.91	1.76	74.0	20.09	Peak	42.00	300	Horizontal	Pass
4**	7754.500	44.29	1.76	54.0	9.71	AV	42.00	300	Horizontal	Pass
5	11197.225	52.27	-1.75	74.0	21.73	Peak	1.00	400	Horizontal	Pass
5**	11197.225	43.13	-1.75	54.0	10.87	AV	1.00	400	Horizontal	Pass
6	16327.088	52.77	0.19	74.0	21.23	Peak	164.00	400	Horizontal	Pass
6**	16327.088	43.86	0.19	54.0	10.14	AV	164.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.000	42.20	-16.49	74.0	31.80	Peak	119.00	200	Vertical	Pass
1**	1542.000	32.66	-16.49	54.0	21.34	AV	119.00	200	Vertical	Pass
2	2435.600	112.01	-8.95	74.0	-38.01	Peak	251.00	100	Vertical	N/A
2**	2435.600	104.74	-8.95	54.0	-50.74	AV	251.00	100	Vertical	N/A
3	5137.500	50.80	-2.06	74.0	23.20	Peak	360.00	150	Vertical	Pass
3**	5137.500	42.03	-2.06	54.0	11.97	AV	360.00	150	Vertical	Pass
4	7866.000	54.14	2.19	74.0	19.86	Peak	135.00	100	Vertical	Pass
4**	7866.000	44.05	2.19	54.0	9.95	AV	135.00	100	Vertical	Pass
5	11131.912	51.45	-0.97	74.0	22.55	Peak	5.00	400	Vertical	Pass
5**	11131.912	42.90	-0.97	54.0	11.10	AV	5.00	400	Vertical	Pass
6	15756.151	52.69	0.21	74.0	21.31	Peak	335.00	300	Vertical	Pass
6**	15756.151	43.89	0.21	54.0	10.11	AV	335.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1309.900	42.29	-16.62	74.0	31.71	Peak	120.00	300	Horizontal	Pass
1**	1309.900	32.97	-16.62	54.0	21.03	AV	120.00	300	Horizontal	Pass
2	2458.400	108.97	-9.73	74.0	-34.97	Peak	327.00	100	Horizontal	N/A
2**	2458.400	101.32	-9.73	54.0	-47.32	AV	327.00	100	Horizontal	N/A
3	4769.000	50.35	-2.39	74.0	23.65	Peak	291.00	150	Horizontal	Pass
3**	4769.000	41.32	-2.39	54.0	12.68	AV	291.00	150	Horizontal	Pass
4	7922.250	54.18	2.14	74.0	19.82	Peak	360.00	100	Horizontal	Pass
4**	7922.250	44.69	2.14	54.0	9.31	AV	360.00	100	Horizontal	Pass
5	11149.487	51.28	-0.95	74.0	22.72	Peak	321.00	400	Horizontal	Pass
5**	11149.487	42.60	-0.95	54.0	11.40	AV	321.00	400	Horizontal	Pass
6	16308.712	52.54	-0.33	74.0	21.46	Peak	360.00	400	Horizontal	Pass
6**	16308.712	43.09	-0.33	54.0	10.91	AV	360.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.700	42.68	-16.51	74.0	31.32	Peak	71.00	100	Vertical	Pass
1**	1532.700	32.83	-16.51	54.0	21.17	AV	71.00	100	Vertical	Pass
2	2459.500	111.24	-9.74	74.0	-37.24	Peak	241.00	150	Vertical	N/A
2**	2459.500	103.95	-9.74	54.0	-49.95	AV	241.00	150	Vertical	N/A
3	5203.000	50.89	-2.24	74.0	23.11	Peak	345.00	200	Vertical	Pass
3**	5203.000	41.25	-2.24	54.0	12.75	AV	345.00	200	Vertical	Pass
4	7838.250	53.43	3.45	74.0	20.57	Peak	291.00	400	Vertical	Pass
4**	7838.250	44.49	3.45	54.0	9.51	AV	291.00	400	Vertical	Pass
5	10577.825	52.13	-1.75	74.0	21.87	Peak	262.00	150	Vertical	Pass
5**	10577.825	41.91	-1.75	54.0	12.09	AV	262.00	150	Vertical	Pass
6	16469.364	52.56	0.46	74.0	21.44	Peak	360.00	100	Vertical	Pass
6**	16469.364	42.46	0.46	54.0	11.54	AV	360.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1516.300	42.54	-16.66	74.0	31.46	Peak	306.00	300	Horizontal	Pass
1**	1516.300	32.33	-16.66	54.0	21.67	AV	306.00	300	Horizontal	Pass
2	2462.700	104.68	-9.74	74.0	-30.68	Peak	127.00	200	Horizontal	N/A
2**	2462.700	96.39	-9.74	54.0	-42.39	AV	127.00	200	Horizontal	N/A
3	4695.250	50.44	-2.84	74.0	23.56	Peak	239.00	100	Horizontal	Pass
3**	4695.250	40.60	-2.84	54.0	13.40	AV	239.00	100	Horizontal	Pass
4	7080.750	53.90	0.31	74.0	20.10	Peak	360.00	200	Horizontal	Pass
4**	7080.750	44.12	0.31	54.0	9.88	AV	360.00	200	Horizontal	Pass
5	10949.512	51.48	-2.53	74.0	22.52	Peak	246.00	400	Horizontal	Pass
5**	10949.512	41.66	-2.53	54.0	12.34	AV	246.00	400	Horizontal	Pass
6	16291.912	52.62	-0.65	74.0	21.38	Peak	353.00	300	Horizontal	Pass
6**	16291.912	42.64	-0.65	54.0	11.36	AV	353.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.600	43.32	-16.78	74.0	30.68	Peak	242.00	300	Vertical	Pass
1**	1595.600	34.37	-16.78	54.0	19.63	AV	242.00	300	Vertical	Pass
2	2464.600	108.38	-9.78	74.0	-34.38	Peak	242.00	100	Vertical	N/A
2**	2464.600	101.05	-9.78	54.0	-47.05	AV	242.00	100	Vertical	N/A
3	4766.750	50.51	-2.49	74.0	23.49	Peak	293.00	100	Vertical	Pass
3**	4766.750	40.86	-2.49	54.0	13.14	AV	293.00	100	Vertical	Pass
4	7201.250	54.28	0.69	74.0	19.72	Peak	226.00	300	Vertical	Pass
4**	7201.250	44.48	0.69	54.0	9.52	AV	226.00	300	Vertical	Pass
5	11193.187	51.65	-1.68	74.0	22.35	Peak	62.00	100	Vertical	Pass
5**	11193.187	42.01	-1.68	54.0	11.99	AV	62.00	100	Vertical	Pass
6	16814.812	52.73	1.05	74.0	21.27	Peak	335.00	400	Vertical	Pass
6**	16814.812	43.70	1.05	54.0	10.30	AV	335.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.500	42.15	-16.47	74.0	31.85	Peak	164.00	400	Horizontal	Pass
1**	1513.500	33.74	-16.47	54.0	20.26	AV	164.00	400	Horizontal	Pass
2	2464.600	99.89	-9.78	74.0	-25.89	Peak	78.00	100	Horizontal	N/A
2**	2464.600	92.60	-9.78	54.0	-38.60	AV	78.00	100	Horizontal	N/A
3	4760.500	50.19	-2.66	74.0	23.81	Peak	29.00	100	Horizontal	Pass
3**	4760.500	40.67	-2.66	54.0	13.33	AV	29.00	100	Horizontal	Pass
4	7836.750	54.21	3.61	74.0	19.79	Peak	360.00	300	Horizontal	Pass
4**	7836.750	45.07	3.61	54.0	8.93	AV	360.00	300	Horizontal	Pass
5	10736.000	52.42	-1.87	74.0	21.58	Peak	1.00	200	Horizontal	Pass
5**	10736.000	41.77	-1.87	54.0	12.23	AV	1.00	200	Horizontal	Pass
6	16319.737	52.94	-0.01	74.0	21.06	Peak	184.00	400	Horizontal	Pass
6**	16319.737	43.64	-0.01	54.0	10.36	AV	184.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.600	43.36	-16.78	74.0	30.64	Peak	254.00	400	Vertical	Pass
1**	1595.600	33.59	-16.78	54.0	20.41	AV	254.00	400	Vertical	Pass
2	2479.200	104.23	-10.53	74.0	-30.23	Peak	262.00	150	Vertical	N/A
2**	2479.200	96.19	-10.53	54.0	-42.19	AV	262.00	150	Vertical	N/A
3	4771.750	50.55	-2.51	74.0	23.45	Peak	360.00	200	Vertical	Pass
3**	4771.750	41.10	-2.51	54.0	12.90	AV	360.00	200	Vertical	Pass
4	7751.000	53.72	1.47	74.0	20.28	Peak	319.00	100	Vertical	Pass
4**	7751.000	43.98	1.47	54.0	10.02	AV	319.00	100	Vertical	Pass
5	10711.063	51.58	-2.26	74.0	22.42	Peak	1.00	200	Vertical	Pass
5**	10711.063	42.08	-2.26	54.0	11.92	AV	1.00	200	Vertical	Pass
6	15729.901	53.18	0.10	74.0	20.82	Peak	280.00	400	Vertical	Pass
6**	15729.901	42.18	0.10	54.0	11.82	AV	280.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.300	42.63	-16.55	74.0	31.37	Peak	210.00	400	Horizontal	Pass
1**	1537.300	33.21	-16.55	54.0	20.79	AV	210.00	400	Horizontal	Pass
2	2428.900	104.54	-9.47	74.0	-30.54	Peak	330.00	150	Horizontal	N/A
2**	2428.900	95.92	-9.47	54.0	-41.92	AV	330.00	150	Horizontal	N/A
3	4953.000	50.33	-2.27	74.0	23.67	Peak	187.00	150	Horizontal	Pass
3**	4953.000	40.72	-2.27	54.0	13.28	AV	187.00	150	Horizontal	Pass
4	7373.250	54.07	0.47	74.0	19.93	Peak	1.00	400	Horizontal	Pass
4**	7373.250	43.66	0.47	54.0	10.34	AV	1.00	400	Horizontal	Pass
5	9834.450	51.86	-2.43	74.0	22.14	Peak	169.00	100	Horizontal	Pass
5**	9834.450	41.58	-2.43	54.0	12.42	AV	169.00	100	Horizontal	Pass
6	16332.599	54.09	0.35	74.0	19.91	Peak	8.00	300	Horizontal	Pass
6**	16332.599	43.72	0.35	54.0	10.28	AV	8.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1428.600	42.19	-16.84	74.0	31.81	Peak	342.00	300	Vertical	Pass
1**	1428.600	31.99	-16.84	54.0	22.01	AV	342.00	300	Vertical	Pass
2	2433.100	108.07	-9.13	74.0	-34.07	Peak	235.00	200	Vertical	N/A
2**	2433.100	99.77	-9.13	54.0	-45.77	AV	235.00	200	Vertical	N/A
3	4770.500	50.37	-2.53	74.0	23.63	Peak	1.00	200	Vertical	Pass
3**	4770.500	40.45	-2.53	54.0	13.55	AV	1.00	200	Vertical	Pass
4	7771.250	54.17	1.66	74.0	19.83	Peak	96.00	200	Vertical	Pass
4**	7771.250	44.67	1.66	54.0	9.33	AV	96.00	200	Vertical	Pass
5	11189.862	51.14	-1.62	74.0	22.86	Peak	316.00	300	Vertical	Pass
5**	11189.862	41.76	-1.62	54.0	12.24	AV	316.00	300	Vertical	Pass
6	15744.075	52.42	0.29	74.0	21.58	Peak	254.00	400	Vertical	Pass
6**	15744.075	43.00	0.29	54.0	11.00	AV	254.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.200	44.13	-16.82	74.0	29.87	Peak	233.00	400	Horizontal	Pass
1**	1596.200	35.57	-16.82	54.0	18.43	AV	233.00	400	Horizontal	Pass
2	2444.700	104.73	-9.82	74.0	-30.73	Peak	318.00	200	Horizontal	N/A
2**	2444.700	96.53	-9.82	54.0	-42.53	AV	318.00	200	Horizontal	N/A
3	4790.750	50.88	-2.87	74.0	23.12	Peak	80.00	150	Horizontal	Pass
3**	4790.750	40.94	-2.87	54.0	13.06	AV	80.00	150	Horizontal	Pass
4	7795.250	54.45	1.12	74.0	19.55	Peak	277.00	300	Horizontal	Pass
4**	7795.250	44.41	1.12	54.0	9.59	AV	277.00	300	Horizontal	Pass
5	11126.213	51.55	-0.98	74.0	22.45	Peak	42.00	300	Horizontal	Pass
5**	11126.213	42.77	-0.98	54.0	11.23	AV	42.00	300	Horizontal	Pass
6	16315.800	53.23	-0.13	74.0	20.77	Peak	360.00	100	Horizontal	Pass
6**	16315.800	43.62	-0.13	54.0	10.38	AV	360.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1316.700	42.22	-16.53	74.0	31.78	Peak	331.00	300	Vertical	Pass
1**	1316.700	32.05	-16.53	54.0	21.95	AV	331.00	300	Vertical	Pass
2	2432.100	107.42	-9.10	74.0	-33.42	Peak	238.00	100	Vertical	N/A
2**	2432.100	99.39	-9.10	54.0	-45.39	AV	238.00	100	Vertical	N/A
3	4719.750	50.29	-2.84	74.0	23.71	Peak	1.00	100	Vertical	Pass
3**	4719.750	40.21	-2.84	54.0	13.79	AV	1.00	100	Vertical	Pass
4	7487.250	53.67	1.44	74.0	20.33	Peak	1.00	200	Vertical	Pass
4**	7487.250	44.81	1.44	54.0	9.19	AV	1.00	200	Vertical	Pass
5	10728.875	51.76	-1.98	74.0	22.24	Peak	96.00	300	Vertical	Pass
5**	10728.875	43.27	-1.98	54.0	10.73	AV	96.00	300	Vertical	Pass
6	15757.987	52.65	0.16	74.0	21.35	Peak	1.00	400	Vertical	Pass
6**	15757.987	42.69	0.16	54.0	11.31	AV	1.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.100	45.34	-16.72	74.0	28.66	Peak	254.00	150	Horizontal	Pass
1**	1675.100	34.84	-16.72	54.0	19.16	AV	254.00	150	Horizontal	Pass
2	2457.000	103.85	-9.71	74.0	-29.85	Peak	329.00	200	Horizontal	N/A
2**	2457.000	96.30	-9.71	54.0	-42.30	AV	329.00	200	Horizontal	N/A
3	5227.250	51.42	-2.09	74.0	22.58	Peak	334.00	150	Horizontal	Pass
3**	5227.250	41.63	-2.09	54.0	12.37	AV	334.00	150	Horizontal	Pass
4	7839.500	54.79	3.29	74.0	19.21	Peak	283.00	400	Horizontal	Pass
4**	7839.500	44.60	3.29	54.0	9.40	AV	283.00	400	Horizontal	Pass
5	11065.413	51.48	-1.65	74.0	22.52	Peak	223.00	200	Horizontal	Pass
5**	11065.413	42.66	-1.65	54.0	11.34	AV	223.00	200	Horizontal	Pass
6	16360.688	53.81	0.62	74.0	20.19	Peak	353.00	100	Horizontal	Pass
6**	16360.688	44.07	0.62	54.0	9.93	AV	353.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1466.900	42.18	-16.70	74.0	31.82	Peak	360.00	150	Horizontal	Pass
1**	1466.900	32.02	-16.70	54.0	21.98	AV	360.00	150	Horizontal	Pass
2	2457.200	107.71	-9.71	74.0	-33.71	Peak	240.00	100	Horizontal	N/A
2**	2457.200	99.41	-9.71	54.0	-45.41	AV	240.00	100	Horizontal	N/A
3	4790.000	49.96	-2.87	74.0	24.04	Peak	3.00	150	Horizontal	Pass
3**	4790.000	40.38	-2.87	54.0	13.62	AV	3.00	150	Horizontal	Pass
4	7766.250	53.89	1.73	74.0	20.11	Peak	1.00	400	Horizontal	Pass
4**	7766.250	44.60	1.73	54.0	9.40	AV	1.00	400	Horizontal	Pass
5	11053.776	51.53	-1.87	74.0	22.47	Peak	259.00	200	Horizontal	Pass
5**	11053.776	41.67	-1.87	54.0	12.33	AV	259.00	200	Horizontal	Pass
6	15751.687	53.06	0.33	74.0	20.94	Peak	26.00	400	Horizontal	Pass
6**	15751.687	43.32	0.33	54.0	10.68	AV	26.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.500	42.44	-16.48	74.0	31.56	Peak	237.00	150	Horizontal	Pass
1**	1543.500	32.73	-16.48	54.0	21.27	AV	237.00	150	Horizontal	Pass
2	2454.700	103.06	-10.07	74.0	-29.06	Peak	237.00	100	Horizontal	N/A
2**	2454.700	95.51	-10.07	54.0	-41.51	AV	237.00	100	Horizontal	N/A
3	4864.750	50.51	-2.91	74.0	23.49	Peak	287.00	100	Horizontal	Pass
3**	4864.750	40.21	-2.91	54.0	13.79	AV	287.00	100	Horizontal	Pass
4	7205.250	53.93	0.71	74.0	20.07	Peak	72.00	400	Horizontal	Pass
4**	7205.250	43.76	0.71	54.0	10.24	AV	72.00	400	Horizontal	Pass
5	11142.600	51.65	-0.96	74.0	22.35	Peak	93.00	200	Horizontal	Pass
5**	11142.600	41.49	-0.96	54.0	12.51	AV	93.00	200	Horizontal	Pass
6	16341.262	52.59	0.60	74.0	21.41	Peak	26.00	400	Horizontal	Pass
6**	16341.262	43.09	0.60	54.0	10.91	AV	26.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.300	44.99	-16.63	74.0	29.01	Peak	212.00	150	Vertical	Pass
1**	1677.300	35.15	-16.63	54.0	18.85	AV	212.00	150	Vertical	Pass
2	2448.700	99.76	-10.20	74.0	-25.76	Peak	329.00	200	Vertical	N/A
2**	2448.700	90.80	-10.20	54.0	-36.80	AV	329.00	200	Vertical	N/A
3	4787.500	50.60	-2.61	74.0	23.40	Peak	296.00	100	Vertical	Pass
3**	4787.500	40.71	-2.61	54.0	13.29	AV	296.00	100	Vertical	Pass
4	7762.000	53.98	1.66	74.0	20.02	Peak	175.00	100	Vertical	Pass
4**	7762.000	44.31	1.66	54.0	9.69	AV	175.00	100	Vertical	Pass
5	11054.250	51.39	-1.86	74.0	22.61	Peak	202.00	300	Vertical	Pass
5**	11054.250	42.00	-1.86	54.0	12.00	AV	202.00	300	Vertical	Pass
6	16297.950	52.98	-0.59	74.0	21.02	Peak	83.00	200	Vertical	Pass
6**	16297.950	43.39	-0.59	54.0	10.61	AV	83.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.400	44.24	-16.60	74.0	29.76	Peak	217.00	150	Horizontal	Pass
1**	1667.400	35.05	-16.60	54.0	18.95	AV	217.00	150	Horizontal	Pass
2	2451.700	98.68	-9.92	74.0	-24.68	Peak	323.00	200	Horizontal	N/A
2**	2451.700	90.74	-9.92	54.0	-36.74	AV	323.00	200	Horizontal	N/A
3	4753.250	50.57	-2.91	74.0	23.43	Peak	28.00	150	Horizontal	Pass
3**	4753.250	40.21	-2.91	54.0	13.79	AV	28.00	150	Horizontal	Pass
4	7905.250	54.01	2.35	74.0	19.99	Peak	303.00	300	Horizontal	Pass
4**	7905.250	44.23	2.35	54.0	9.77	AV	303.00	300	Horizontal	Pass
5	11139.750	52.03	-0.96	74.0	21.97	Peak	295.00	400	Horizontal	Pass
5**	11139.750	42.78	-0.96	54.0	11.22	AV	295.00	400	Horizontal	Pass
6	16356.750	52.79	0.70	74.0	21.21	Peak	3.00	300	Horizontal	Pass
6**	16356.750	45.58	0.70	54.0	8.42	AV	3.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.500	42.67	-16.87	74.0	31.33	Peak	225.00	100	Horizontal	Pass
1**	1564.500	32.56	-16.87	54.0	21.44	AV	225.00	100	Horizontal	Pass
2	2450.600	102.28	-9.94	74.0	-28.28	Peak	238.00	150	Horizontal	N/A
2**	2450.600	94.35	-9.94	54.0	-40.35	AV	238.00	150	Horizontal	N/A
3	5104.500	51.10	-1.77	74.0	22.90	Peak	1.00	200	Horizontal	Pass
3**	5104.500	41.33	-1.77	54.0	12.67	AV	1.00	200	Horizontal	Pass
4	7861.250	53.89	2.20	74.0	20.11	Peak	2.00	200	Horizontal	Pass
4**	7861.250	44.06	2.20	54.0	9.94	AV	2.00	200	Horizontal	Pass
5	10206.612	51.52	-2.09	74.0	22.48	Peak	298.00	100	Horizontal	Pass
5**	10206.612	42.01	-2.09	54.0	11.99	AV	298.00	100	Horizontal	Pass
6	16341.000	53.07	0.59	74.0	20.93	Peak	293.00	100	Horizontal	Pass
6**	16341.000	44.44	0.59	54.0	9.56	AV	293.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.700	44.20	-16.54	74.0	29.80	Peak	253.00	300	Horizontal	Pass
1**	1678.700	34.33	-16.54	54.0	19.67	AV	253.00	300	Horizontal	Pass
2	2410.800	110.23	-10.01	74.0	-36.23	Peak	331.00	150	Horizontal	N/A
2**	2410.800	101.27	-10.01	54.0	-47.27	AV	331.00	150	Horizontal	N/A
3	4771.000	51.59	-2.53	74.0	22.41	Peak	329.00	150	Horizontal	Pass
3**	4771.000	43.06	-2.53	54.0	10.94	AV	329.00	150	Horizontal	Pass
4	7893.500	53.96	2.25	74.0	20.04	Peak	199.00	400	Horizontal	Pass
4**	7893.500	43.88	2.25	54.0	10.12	AV	199.00	400	Horizontal	Pass
5	10830.050	51.63	-2.30	74.0	22.37	Peak	335.00	200	Horizontal	Pass
5**	10830.050	41.73	-2.30	54.0	12.27	AV	335.00	200	Horizontal	Pass
6	16497.188	52.52	0.36	74.0	21.48	Peak	1.00	400	Horizontal	Pass
6**	16497.188	42.55	0.36	54.0	11.45	AV	1.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1685.100	49.21	-16.76	74.0	24.79	Peak	178.00	100	Vertical	Pass
1**	1685.100	36.56	-16.76	54.0	17.44	AV	178.00	100	Vertical	Pass
2	2410.100	112.89	-10.06	74.0	-38.89	Peak	272.00	200	Vertical	N/A
2**	2410.100	103.73	-10.06	54.0	-49.73	AV	272.00	200	Vertical	N/A
3	5182.750	51.15	-1.14	74.0	22.85	Peak	44.00	150	Vertical	Pass
3**	5182.750	41.44	-1.14	54.0	12.56	AV	44.00	150	Vertical	Pass
4	7833.500	54.01	3.41	74.0	19.99	Peak	215.00	300	Vertical	Pass
4**	7833.500	44.53	3.41	54.0	9.47	AV	215.00	300	Vertical	Pass
5	11180.838	52.11	-1.47	74.0	21.89	Peak	360.00	200	Vertical	Pass
5**	11180.838	42.76	-1.47	54.0	11.24	AV	360.00	200	Vertical	Pass
6	16777.275	53.20	0.35	74.0	20.80	Peak	58.00	400	Vertical	Pass
6**	16777.275	44.01	0.35	54.0	9.99	AV	58.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1681.100	44.73	-16.67	74.0	29.27	Peak	238.00	200	Horizontal	Pass
1**	1681.100	34.78	-16.67	54.0	19.22	AV	238.00	200	Horizontal	Pass
2	2434.500	110.65	-9.00	74.0	-36.65	Peak	319.00	150	Horizontal	N/A
2**	2434.500	101.89	-9.00	54.0	-47.89	AV	319.00	150	Horizontal	N/A
3	5020.000	50.83	-2.32	74.0	23.17	Peak	28.00	200	Horizontal	Pass
3**	5020.000	40.38	-2.32	54.0	13.62	AV	28.00	200	Horizontal	Pass
4	7762.500	54.05	1.66	74.0	19.95	Peak	306.00	100	Horizontal	Pass
4**	7762.500	44.76	1.66	54.0	9.24	AV	306.00	100	Horizontal	Pass
5	10718.425	51.45	-2.15	74.0	22.55	Peak	200.00	300	Horizontal	Pass
5**	10718.425	42.40	-2.15	54.0	11.60	AV	200.00	300	Horizontal	Pass
6	16785.676	52.49	0.65	74.0	21.51	Peak	160.00	200	Horizontal	Pass
6**	16785.676	43.11	0.65	54.0	10.89	AV	160.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1685.200	49.43	-16.76	74.0	24.57	Peak	183.00	150	Vertical	Pass
1**	1685.200	36.51	-16.76	54.0	17.49	AV	183.00	150	Vertical	Pass
2	2438.400	112.63	-9.31	74.0	-38.63	Peak	244.00	200	Vertical	N/A
2**	2438.400	104.52	-9.31	54.0	-50.52	AV	244.00	200	Vertical	N/A
3	4785.250	50.87	-2.49	74.0	23.13	Peak	253.00	200	Vertical	Pass
3**	4785.250	40.91	-2.49	54.0	13.09	AV	253.00	200	Vertical	Pass
4	7808.500	54.18	1.82	74.0	19.82	Peak	211.00	300	Vertical	Pass
4**	7808.500	43.79	1.82	54.0	10.21	AV	211.00	300	Vertical	Pass
5	11188.675	51.79	-1.60	74.0	22.21	Peak	122.00	300	Vertical	Pass
5**	11188.675	42.94	-1.60	54.0	11.06	AV	122.00	300	Vertical	Pass
6	16334.701	52.69	0.41	74.0	21.31	Peak	245.00	300	Vertical	Pass
6**	16334.701	44.60	0.41	54.0	9.40	AV	245.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.600	44.65	-16.74	74.0	29.35	Peak	210.00	150	Horizontal	Pass
1**	1674.600	35.00	-16.74	54.0	19.00	AV	210.00	150	Horizontal	Pass
2	2458.100	110.02	-9.73	74.0	-36.02	Peak	332.00	100	Horizontal	N/A
2**	2458.100	101.62	-9.73	54.0	-47.62	AV	332.00	100	Horizontal	N/A
3	4713.250	50.35	-2.83	74.0	23.65	Peak	65.00	150	Horizontal	Pass
3**	4713.250	40.72	-2.83	54.0	13.28	AV	65.00	150	Horizontal	Pass
4	7454.500	53.51	1.48	74.0	20.49	Peak	40.00	300	Horizontal	Pass
4**	7454.500	43.62	1.48	54.0	10.38	AV	40.00	300	Horizontal	Pass
5	11180.599	51.77	-1.47	74.0	22.23	Peak	280.00	300	Horizontal	Pass
5**	11180.599	43.08	-1.47	54.0	10.92	AV	280.00	300	Horizontal	Pass
6	16271.963	52.14	-0.84	74.0	21.86	Peak	275.00	100	Horizontal	Pass
6**	16271.963	42.50	-0.84	54.0	11.50	AV	275.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.300	48.73	-16.71	74.0	25.27	Peak	188.00	150	Vertical	Pass
1**	1675.300	39.21	-16.71	54.0	14.79	AV	188.00	150	Vertical	Pass
2	2458.000	112.61	-9.73	74.0	-38.61	Peak	268.00	100	Vertical	N/A
2**	2458.000	103.64	-9.73	54.0	-49.64	AV	268.00	100	Vertical	N/A
3	4709.500	50.19	-2.71	74.0	23.81	Peak	355.00	150	Vertical	Pass
3**	4709.500	41.42	-2.71	54.0	12.58	AV	355.00	150	Vertical	Pass
4	7867.250	54.23	2.20	74.0	19.77	Peak	328.00	300	Vertical	Pass
4**	7867.250	44.25	2.20	54.0	9.75	AV	328.00	300	Vertical	Pass
5	10707.025	52.19	-2.33	74.0	21.81	Peak	153.00	200	Vertical	Pass
5**	10707.025	41.97	-2.33	54.0	12.03	AV	153.00	200	Vertical	Pass
6	16322.362	53.01	0.06	74.0	20.99	Peak	99.00	300	Vertical	Pass
6**	16322.362	44.21	0.06	54.0	9.79	AV	99.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.200	44.23	-16.67	74.0	29.77	Peak	239.00	300	Horizontal	Pass
1**	1593.200	36.15	-16.67	54.0	17.85	AV	239.00	300	Horizontal	Pass
2	2464.600	105.95	-9.78	74.0	-31.95	Peak	123.00	100	Horizontal	N/A
2**	2464.600	97.69	-9.78	54.0	-43.69	AV	123.00	100	Horizontal	N/A
3	4767.250	50.15	-2.45	74.0	23.85	Peak	284.00	100	Horizontal	Pass
3**	4767.250	41.17	-2.45	54.0	12.83	AV	284.00	100	Horizontal	Pass
4	7788.500	54.63	1.62	74.0	19.37	Peak	309.00	400	Horizontal	Pass
4**	7788.500	44.45	1.62	54.0	9.55	AV	309.00	400	Horizontal	Pass
5	11401.950	51.97	-1.68	74.0	22.03	Peak	183.00	400	Horizontal	Pass
5**	11401.950	42.15	-1.68	54.0	11.85	AV	183.00	400	Horizontal	Pass
6	16807.199	52.56	1.10	74.0	21.44	Peak	235.00	300	Horizontal	Pass
6**	16807.199	42.74	1.10	54.0	11.26	AV	235.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1388.500	43.02	-16.49	74.0	30.98	Peak	106.00	150	Vertical	Pass
1**	1388.500	33.29	-16.49	54.0	20.71	AV	106.00	150	Vertical	Pass
2	2463.200	109.37	-9.75	74.0	-35.37	Peak	242.00	200	Vertical	N/A
2**	2463.200	101.31	-9.75	54.0	-47.31	AV	242.00	200	Vertical	N/A
3	4709.500	50.32	-2.71	74.0	23.68	Peak	345.00	100	Vertical	Pass
3**	4709.500	41.60	-2.71	54.0	12.40	AV	345.00	100	Vertical	Pass
4	7488.500	53.80	1.45	74.0	20.20	Peak	179.00	400	Vertical	Pass
4**	7488.500	44.96	1.45	54.0	9.04	AV	179.00	400	Vertical	Pass
5	11191.763	51.53	-1.66	74.0	22.47	Peak	34.00	300	Vertical	Pass
5**	11191.763	42.07	-1.66	54.0	11.93	AV	34.00	300	Vertical	Pass
6	16356.225	52.61	0.71	74.0	21.39	Peak	172.00	100	Vertical	Pass
6**	16356.225	43.30	0.71	54.0	10.70	AV	172.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.500	44.58	-16.55	74.0	29.42	Peak	154.00	150	Horizontal	Pass
1**	1671.500	35.99	-16.55	54.0	18.01	AV	154.00	150	Horizontal	Pass
2	2464.700	101.95	-9.79	74.0	-27.95	Peak	125.00	200	Horizontal	N/A
2**	2464.700	92.23	-9.79	54.0	-38.23	AV	125.00	200	Horizontal	N/A
3	4772.000	49.99	-2.51	74.0	24.01	Peak	65.00	100	Horizontal	Pass
3**	4772.000	40.93	-2.51	54.0	13.07	AV	65.00	100	Horizontal	Pass
4	7831.000	53.67	3.21	74.0	20.33	Peak	194.00	300	Horizontal	Pass
4**	7831.000	44.95	3.21	54.0	9.05	AV	194.00	300	Horizontal	Pass
5	10971.837	51.47	-2.10	74.0	22.53	Peak	292.00	300	Horizontal	Pass
5**	10971.837	42.11	-2.10	54.0	11.89	AV	292.00	300	Horizontal	Pass
6	16452.824	52.69	0.52	74.0	21.31	Peak	99.00	200	Horizontal	Pass
6**	16452.824	42.91	0.52	54.0	11.09	AV	99.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.000	43.81	-16.80	74.0	30.19	Peak	247.00	150	Vertical	Pass
1**	1598.000	33.32	-16.80	54.0	20.68	AV	247.00	150	Vertical	Pass
2	2467.300	107.44	-10.02	74.0	-33.44	Peak	242.00	100	Vertical	N/A
2**	2467.300	95.12	-10.02	54.0	-41.12	AV	242.00	100	Vertical	N/A
3	4935.250	50.16	-2.67	74.0	23.84	Peak	222.00	150	Vertical	Pass
3**	4935.250	41.55	-2.67	54.0	12.45	AV	222.00	150	Vertical	Pass
4	7903.000	54.13	2.36	74.0	19.87	Peak	189.00	100	Vertical	Pass
4**	7903.000	44.52	2.36	54.0	9.48	AV	189.00	100	Vertical	Pass
5	11126.688	51.60	-0.98	74.0	22.40	Peak	129.00	200	Vertical	Pass
5**	11126.688	42.37	-0.98	54.0	11.63	AV	129.00	200	Vertical	Pass
6	16441.012	52.29	0.39	74.0	21.71	Peak	97.00	200	Vertical	Pass
6**	16441.012	43.40	0.39	54.0	10.60	AV	97.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.800	43.08	-16.70	74.0	30.92	Peak	142.00	200	Horizontal	Pass
1**	1594.800	32.87	-16.70	54.0	21.13	AV	142.00	200	Horizontal	Pass
2	2412.700	106.72	-9.98	74.0	-32.72	Peak	327.00	100	Horizontal	N/A
2**	2412.700	95.87	-9.98	54.0	-41.87	AV	327.00	100	Horizontal	N/A
3	4725.500	50.11	-2.95	74.0	23.89	Peak	92.00	100	Horizontal	Pass
3**	4725.500	40.00	-2.95	54.0	14.00	AV	92.00	100	Horizontal	Pass
4	7496.250	54.12	1.23	74.0	19.88	Peak	109.00	300	Horizontal	Pass
4**	7496.250	44.36	1.23	54.0	9.64	AV	109.00	300	Horizontal	Pass
5	11160.412	52.08	-1.12	74.0	21.92	Peak	290.00	200	Horizontal	Pass
5**	11160.412	42.83	-1.12	54.0	11.17	AV	290.00	200	Horizontal	Pass
6	16685.400	52.71	0.94	74.0	21.29	Peak	299.00	300	Horizontal	Pass
6**	16685.400	42.60	0.94	54.0	11.40	AV	299.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.600	42.41	-16.46	74.0	31.59	Peak	171.00	100	Vertical	Pass
1**	1534.600	33.86	-16.46	54.0	20.14	AV	171.00	100	Vertical	Pass
2	2424.200	109.84	-9.91	74.0	-35.84	Peak	234.00	100	Vertical	N/A
2**	2424.200	99.83	-9.91	54.0	-45.83	AV	234.00	100	Vertical	N/A
3	5078.250	50.30	-1.85	74.0	23.70	Peak	310.00	150	Vertical	Pass
3**	5078.250	41.12	-1.85	54.0	12.88	AV	310.00	150	Vertical	Pass
4	7925.250	53.50	2.18	74.0	20.50	Peak	172.00	300	Vertical	Pass
4**	7925.250	44.93	2.18	54.0	9.07	AV	172.00	300	Vertical	Pass
5	11126.213	52.16	-0.98	74.0	21.84	Peak	0.00	300	Vertical	Pass
5**	11126.213	42.08	-0.98	54.0	11.92	AV	0.00	300	Vertical	Pass
6	16331.813	52.29	0.33	74.0	21.71	Peak	222.00	400	Vertical	Pass
6**	16331.813	44.33	0.33	54.0	9.67	AV	222.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.000	43.94	-16.72	74.0	30.06	Peak	145.00	400	Horizontal	Pass
1**	1595.000	33.84	-16.72	54.0	20.16	AV	145.00	400	Horizontal	Pass
2	2434.600	107.97	-8.98	74.0	-33.97	Peak	327.00	100	Horizontal	N/A
2**	2434.600	96.43	-8.98	54.0	-42.43	AV	327.00	100	Horizontal	N/A
3	4738.250	50.24	-2.89	74.0	23.76	Peak	360.00	150	Horizontal	Pass
3**	4738.250	40.73	-2.89	54.0	13.27	AV	360.00	150	Horizontal	Pass
4	7911.750	54.27	1.82	74.0	19.73	Peak	360.00	200	Horizontal	Pass
4**	7911.750	44.69	1.82	54.0	9.31	AV	360.00	200	Horizontal	Pass
5	10574.262	52.22	-1.81	74.0	21.78	Peak	353.00	300	Horizontal	Pass
5**	10574.262	41.05	-1.81	54.0	12.95	AV	353.00	300	Horizontal	Pass
6	16332.338	52.76	0.34	74.0	21.24	Peak	269.00	100	Horizontal	Pass
6**	16332.338	44.96	0.34	54.0	9.04	AV	269.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.700	42.42	-16.86	74.0	31.58	Peak	164.00	400	Vertical	Pass
1**	1561.700	32.50	-16.86	54.0	21.50	AV	164.00	400	Vertical	Pass
2	2441.500	109.01	-9.39	74.0	-35.01	Peak	240.00	200	Vertical	N/A
2**	2441.500	99.57	-9.39	54.0	-45.57	AV	240.00	200	Vertical	N/A
3	4785.250	50.49	-2.49	74.0	23.51	Peak	318.00	100	Vertical	Pass
3**	4785.250	41.16	-2.49	54.0	12.84	AV	318.00	100	Vertical	Pass
4	7533.000	53.95	2.23	74.0	20.05	Peak	240.00	100	Vertical	Pass
4**	7533.000	44.24	2.23	54.0	9.76	AV	240.00	100	Vertical	Pass
5	10821.026	51.20	-2.52	74.0	22.80	Peak	270.00	400	Vertical	Pass
5**	10821.026	42.13	-2.52	54.0	11.87	AV	270.00	400	Vertical	Pass
6	16759.687	52.68	-0.27	74.0	21.32	Peak	269.00	300	Vertical	Pass
6**	16759.687	42.19	-0.27	54.0	11.81	AV	269.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.500	42.82	-16.81	74.0	31.18	Peak	237.00	100	Horizontal	Pass
1**	1598.500	33.34	-16.81	54.0	20.66	AV	237.00	100	Horizontal	Pass
2	2453.600	106.02	-10.03	74.0	-32.02	Peak	325.00	100	Horizontal	N/A
2**	2453.600	96.48	-10.03	54.0	-42.48	AV	325.00	100	Horizontal	N/A
3	4701.750	51.16	-2.70	74.0	22.84	Peak	89.00	150	Horizontal	Pass
3**	4701.750	41.25	-2.70	54.0	12.75	AV	89.00	150	Horizontal	Pass
4	7922.750	53.70	2.15	74.0	20.30	Peak	29.00	300	Horizontal	Pass
4**	7922.750	45.60	2.15	54.0	8.40	AV	29.00	300	Horizontal	Pass
5	11215.988	51.49	-2.22	74.0	22.51	Peak	243.00	100	Horizontal	Pass
5**	11215.988	41.95	-2.22	54.0	12.05	AV	243.00	100	Horizontal	Pass
6	16505.850	53.49	0.31	74.0	20.51	Peak	21.00	200	Horizontal	Pass
6**	16505.850	42.99	0.31	54.0	11.01	AV	21.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1428.400	42.53	-16.84	74.0	31.47	Peak	360.00	100	Vertical	Pass
1**	1428.400	32.42	-16.84	54.0	21.58	AV	360.00	100	Vertical	Pass
2	2448.500	108.68	-10.23	74.0	-34.68	Peak	247.00	200	Vertical	N/A
2**	2448.500	99.67	-10.23	54.0	-45.67	AV	247.00	200	Vertical	N/A
3	4697.500	50.27	-2.80	74.0	23.73	Peak	262.00	150	Vertical	Pass
3**	4697.500	41.33	-2.80	54.0	12.67	AV	262.00	150	Vertical	Pass
4	7504.750	54.52	0.99	74.0	19.48	Peak	262.00	400	Vertical	Pass
4**	7504.750	43.38	0.99	54.0	10.62	AV	262.00	400	Vertical	Pass
5	11193.187	51.57	-1.68	74.0	22.43	Peak	3.00	400	Vertical	Pass
5**	11193.187	42.54	-1.68	54.0	11.46	AV	3.00	400	Vertical	Pass
6	16353.863	53.38	0.76	74.0	20.62	Peak	57.00	300	Vertical	Pass
6**	16353.863	43.65	0.76	54.0	10.35	AV	57.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.500	42.34	-16.81	74.0	31.66	Peak	215.00	300	Horizontal	Pass
1**	1598.500	32.33	-16.81	54.0	21.67	AV	215.00	300	Horizontal	Pass
2	2451.100	100.80	-9.93	74.0	-26.80	Peak	128.00	100	Horizontal	N/A
2**	2451.100	92.15	-9.93	54.0	-38.15	AV	128.00	100	Horizontal	N/A
3	4731.750	50.19	-2.91	74.0	23.81	Peak	321.00	150	Horizontal	Pass
3**	4731.750	40.95	-2.91	54.0	13.05	AV	321.00	150	Horizontal	Pass
4	7770.000	53.79	1.68	74.0	20.21	Peak	321.00	200	Horizontal	Pass
4**	7770.000	44.05	1.68	54.0	9.95	AV	321.00	200	Horizontal	Pass
5	11063.987	51.20	-1.68	74.0	22.80	Peak	360.00	200	Horizontal	Pass
5**	11063.987	41.88	-1.68	54.0	12.12	AV	360.00	200	Horizontal	Pass
6	16300.575	52.75	-0.56	74.0	21.25	Peak	33.00	400	Horizontal	Pass
6**	16300.575	43.31	-0.56	54.0	10.69	AV	33.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.700	42.72	-16.53	74.0	31.28	Peak	171.00	300	Vertical	Pass
1**	1531.700	33.56	-16.53	54.0	20.44	AV	171.00	300	Vertical	Pass
2	2458.300	105.62	-9.73	74.0	-31.62	Peak	239.00	200	Vertical	N/A
2**	2458.300	94.98	-9.73	54.0	-40.98	AV	239.00	200	Vertical	N/A
3	4775.500	49.68	-2.53	74.0	24.32	Peak	56.00	150	Vertical	Pass
3**	4775.500	41.61	-2.53	54.0	12.39	AV	56.00	150	Vertical	Pass
4	7927.250	53.85	2.30	74.0	20.15	Peak	153.00	100	Vertical	Pass
4**	7927.250	45.20	2.30	54.0	8.80	AV	153.00	100	Vertical	Pass
5	11181.550	51.47	-1.48	74.0	22.53	Peak	41.00	400	Vertical	Pass
5**	11181.550	42.79	-1.48	54.0	11.21	AV	41.00	400	Vertical	Pass
6	15755.362	52.41	0.23	74.0	21.59	Peak	107.00	100	Vertical	Pass
6**	15755.362	42.83	0.23	54.0	11.17	AV	107.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.500	43.44	-16.77	74.0	30.56	Peak	235.00	300	Horizontal	Pass
1**	1595.500	35.75	-16.77	54.0	18.25	AV	235.00	300	Horizontal	Pass
2	2445.100	100.06	-9.85	74.0	-26.06	Peak	325.00	200	Horizontal	N/A
2**	2445.100	90.59	-9.85	54.0	-36.59	AV	325.00	200	Horizontal	N/A
3	4975.750	50.06	-2.60	74.0	23.94	Peak	236.00	100	Horizontal	Pass
3**	4975.750	40.20	-2.60	54.0	13.80	AV	236.00	100	Horizontal	Pass
4	7833.750	54.82	3.42	74.0	19.18	Peak	316.00	200	Horizontal	Pass
4**	7833.750	44.90	3.42	54.0	9.10	AV	316.00	200	Horizontal	Pass
5	11125.975	51.60	-0.98	74.0	22.40	Peak	304.00	100	Horizontal	Pass
5**	11125.975	42.86	-0.98	54.0	11.14	AV	304.00	100	Horizontal	Pass
6	16333.388	52.69	0.37	74.0	21.31	Peak	133.00	100	Horizontal	Pass
6**	16333.388	43.71	0.37	54.0	10.29	AV	133.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	43.64	-16.84	74.0	30.36	Peak	261.00	200	Vertical	Pass
1**	1599.600	32.54	-16.84	54.0	21.46	AV	261.00	200	Vertical	Pass
2	2453.500	102.89	-10.02	74.0	-28.89	Peak	206.00	100	Vertical	N/A
2**	2453.500	93.98	-10.02	54.0	-39.98	AV	206.00	100	Vertical	N/A
3	4722.750	50.95	-2.85	74.0	23.05	Peak	0.00	100	Vertical	Pass
3**	4722.750	40.73	-2.85	54.0	13.27	AV	0.00	100	Vertical	Pass
4	7831.750	54.29	3.28	74.0	19.71	Peak	56.00	300	Vertical	Pass
4**	7831.750	45.41	3.28	54.0	8.59	AV	56.00	300	Vertical	Pass
5	11067.787	51.64	-1.61	74.0	22.36	Peak	171.00	300	Vertical	Pass
5**	11067.787	42.77	-1.61	54.0	11.23	AV	171.00	300	Vertical	Pass
6	16347.825	53.07	0.78	74.0	20.93	Peak	133.00	100	Vertical	Pass
6**	16347.825	43.64	0.78	54.0	10.36	AV	133.00	100	Vertical	Pass

MIMO**1 GHz to 18 GHz, ANT H 802.11g Channel 1**

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.400	42.59	-16.47	74.0	31.41	Peak	290.00	100	Horizontal	Pass
1**	1482.400	32.65	-16.47	54.0	21.35	AV	290.00	100	Horizontal	Pass
2	2413.100	111.27	-10.01	74.0	-37.27	Peak	249.00	200	Horizontal	N/A
2**	2413.100	103.77	-10.01	54.0	-49.77	AV	249.00	200	Horizontal	N/A
3	4699.500	50.46	-2.77	74.0	23.54	Peak	168.00	100	Horizontal	Pass
3**	4699.500	41.05	-2.77	54.0	12.95	AV	168.00	100	Horizontal	Pass
4	7509.000	54.15	1.62	74.0	19.85	Peak	0.00	300	Horizontal	Pass
4**	7509.000	44.28	1.62	54.0	9.72	AV	0.00	300	Horizontal	Pass
5	10574.737	51.52	-1.80	74.0	22.48	Peak	46.00	100	Horizontal	Pass
5**	10574.737	41.47	-1.80	54.0	12.53	AV	46.00	100	Horizontal	Pass
6	16336.012	52.84	0.45	74.0	21.16	Peak	8.00	300	Horizontal	Pass
6**	16336.012	43.47	0.45	54.0	10.53	AV	8.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.400	50.42	-16.56	74.0	23.58	Peak	188.00	150	Vertical	Pass
1**	1678.400	39.96	-16.56	54.0	14.04	AV	188.00	150	Vertical	Pass
2	2413.700	112.55	-10.06	74.0	-38.55	Peak	251.00	150	Vertical	N/A
2**	2413.700	105.40	-10.06	54.0	-51.40	AV	251.00	150	Vertical	N/A
3	4882.750	50.67	-2.32	74.0	23.33	Peak	109.00	100	Vertical	Pass
3**	4882.750	40.23	-2.32	54.0	13.77	AV	109.00	100	Vertical	Pass
4	7925.250	54.27	2.18	74.0	19.73	Peak	37.00	400	Vertical	Pass
4**	7925.250	45.55	2.18	54.0	8.45	AV	37.00	400	Vertical	Pass
5	11125.975	51.83	-0.98	74.0	22.17	Peak	304.00	100	Vertical	Pass
5**	11125.975	42.43	-0.98	54.0	11.57	AV	304.00	100	Vertical	Pass
6	16804.312	52.80	1.12	74.0	21.20	Peak	97.00	100	Vertical	Pass
6**	16804.312	43.31	1.12	54.0	10.69	AV	97.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.100	44.82	-16.83	74.0	29.18	Peak	222.00	400	Horizontal	Pass
1**	1599.100	35.58	-16.83	54.0	18.42	AV	222.00	400	Horizontal	Pass
2	2435.200	111.24	-8.92	74.0	-37.24	Peak	257.00	150	Horizontal	N/A
2**	2435.200	104.24	-8.92	54.0	-50.24	AV	257.00	150	Horizontal	N/A
3	4793.000	50.63	-2.92	74.0	23.37	Peak	202.00	100	Horizontal	Pass
3**	4793.000	41.14	-2.92	54.0	12.86	AV	202.00	100	Horizontal	Pass
4	7812.750	54.05	2.16	74.0	19.95	Peak	156.00	100	Horizontal	Pass
4**	7812.750	45.38	2.16	54.0	8.62	AV	156.00	100	Horizontal	Pass
5	10839.075	51.53	-2.09	74.0	22.47	Peak	360.00	200	Horizontal	Pass
5**	10839.075	41.96	-2.09	54.0	12.04	AV	360.00	200	Horizontal	Pass
6	16319.737	53.10	-0.01	74.0	20.90	Peak	149.00	400	Horizontal	Pass
6**	16319.737	44.02	-0.01	54.0	9.98	AV	149.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.800	49.77	-16.57	74.0	24.23	Peak	195.00	150	Vertical	Pass
1**	1667.800	38.18	-16.57	54.0	15.82	AV	195.00	150	Vertical	Pass
2	2433.100	112.60	-9.13	74.0	-38.60	Peak	266.00	100	Vertical	N/A
2**	2433.100	105.87	-9.13	54.0	-51.87	AV	266.00	100	Vertical	N/A
3	4711.750	49.75	-2.70	74.0	24.25	Peak	346.00	200	Vertical	Pass
3**	4711.750	41.65	-2.70	54.0	12.35	AV	346.00	200	Vertical	Pass
4	7925.750	54.27	2.19	74.0	19.73	Peak	92.00	200	Vertical	Pass
4**	7925.750	45.19	2.19	54.0	8.81	AV	92.00	200	Vertical	Pass
5	10810.575	51.25	-2.77	74.0	22.75	Peak	99.00	100	Vertical	Pass
5**	10810.575	41.86	-2.77	54.0	12.14	AV	99.00	100	Vertical	Pass
6	16311.075	52.46	-0.26	74.0	21.54	Peak	63.00	400	Vertical	Pass
6**	16311.075	43.47	-0.26	54.0	10.53	AV	63.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.900	43.96	-16.80	74.0	30.04	Peak	206.00	400	Horizontal	Pass
1**	1597.900	34.74	-16.80	54.0	19.26	AV	206.00	400	Horizontal	Pass
2	2460.000	110.64	-9.74	74.0	-36.64	Peak	306.00	100	Horizontal	N/A
2**	2460.000	102.99	-9.74	54.0	-48.99	AV	306.00	100	Horizontal	N/A
3	4788.750	50.17	-2.75	74.0	23.83	Peak	360.00	100	Horizontal	Pass
3**	4788.750	40.72	-2.75	54.0	13.28	AV	360.00	100	Horizontal	Pass
4	7812.500	54.01	2.15	74.0	19.99	Peak	159.00	300	Horizontal	Pass
4**	7812.500	45.21	2.15	54.0	8.79	AV	159.00	300	Horizontal	Pass
5	11140.225	51.47	-0.96	74.0	22.53	Peak	179.00	300	Horizontal	Pass
5**	11140.225	42.83	-0.96	54.0	11.17	AV	179.00	300	Horizontal	Pass
6	16354.912	52.88	0.74	74.0	21.12	Peak	224.00	100	Horizontal	Pass
6**	16354.912	43.33	0.74	54.0	10.67	AV	224.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1342.000	42.35	-16.67	74.0	31.65	Peak	311.00	100	Vertical	Pass
1**	1342.000	31.98	-16.67	54.0	22.02	AV	311.00	100	Vertical	Pass
2	2459.100	111.71	-9.74	74.0	-37.71	Peak	296.00	100	Vertical	N/A
2**	2459.100	104.95	-9.74	54.0	-50.95	AV	296.00	100	Vertical	N/A
3	4710.250	50.70	-2.69	74.0	23.30	Peak	222.00	200	Vertical	Pass
3**	4710.250	41.10	-2.69	54.0	12.90	AV	222.00	200	Vertical	Pass
4	7826.750	53.68	2.97	74.0	20.32	Peak	322.00	300	Vertical	Pass
4**	7826.750	44.75	2.97	54.0	9.25	AV	322.00	300	Vertical	Pass
5	11130.488	52.06	-0.97	74.0	21.94	Peak	257.00	100	Vertical	Pass
5**	11130.488	42.48	-0.97	54.0	11.52	AV	257.00	100	Vertical	Pass
6	17010.114	52.58	0.22	74.0	21.42	Peak	143.00	400	Vertical	Pass
6**	17010.114	42.06	0.22	54.0	11.94	AV	143.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.600	44.27	-16.62	74.0	29.73	Peak	201.00	100	Horizontal	Pass
1**	1593.600	33.02	-16.62	54.0	20.98	AV	201.00	100	Horizontal	Pass
2	2464.500	106.41	-9.78	74.0	-32.41	Peak	257.00	100	Horizontal	N/A
2**	2464.500	98.84	-9.78	54.0	-44.84	AV	257.00	100	Horizontal	N/A
3	4936.750	50.26	-2.70	74.0	23.74	Peak	22.00	100	Horizontal	Pass
3**	4936.750	39.90	-2.70	54.0	14.10	AV	22.00	100	Horizontal	Pass
4	7805.750	54.02	1.42	74.0	19.98	Peak	253.00	200	Horizontal	Pass
4**	7805.750	43.75	1.42	54.0	10.25	AV	253.00	200	Horizontal	Pass
5	10699.187	51.78	-2.45	74.0	22.22	Peak	146.00	200	Horizontal	Pass
5**	10699.187	41.93	-2.45	54.0	12.07	AV	146.00	200	Horizontal	Pass
6	16320.525	53.17	0.01	74.0	20.83	Peak	146.00	100	Horizontal	Pass
6**	16320.525	43.42	0.01	54.0	10.58	AV	146.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.700	43.23	-16.43	74.0	30.77	Peak	328.00	400	Vertical	Pass
1**	1471.700	32.64	-16.43	54.0	21.36	AV	328.00	400	Vertical	Pass
2	2464.600	107.18	-9.78	74.0	-33.18	Peak	276.00	200	Vertical	N/A
2**	2464.600	100.32	-9.78	54.0	-46.32	AV	276.00	200	Vertical	N/A
3	4769.750	50.09	-2.46	74.0	23.91	Peak	283.00	150	Vertical	Pass
3**	4769.750	41.41	-2.46	54.0	12.59	AV	283.00	150	Vertical	Pass
4	7924.000	54.54	2.16	74.0	19.46	Peak	273.00	100	Vertical	Pass
4**	7924.000	44.41	2.16	54.0	9.59	AV	273.00	100	Vertical	Pass
5	11196.512	51.45	-1.74	74.0	22.55	Peak	39.00	400	Vertical	Pass
5**	11196.512	41.80	-1.74	54.0	12.20	AV	39.00	400	Vertical	Pass
6	16342.838	52.39	0.64	74.0	21.61	Peak	7.00	200	Vertical	Pass
6**	16342.838	44.36	0.64	54.0	9.64	AV	7.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1675.600	46.46	-16.70	74.0	27.54	Peak	118.00	150	Horizontal	Pass
1**	1675.600	34.17	-16.70	54.0	19.83	AV	118.00	150	Horizontal	Pass
2	2478.300	102.18	-10.50	74.0	-28.18	Peak	256.00	150	Horizontal	N/A
2**	2478.300	94.04	-10.50	54.0	-40.04	AV	256.00	150	Horizontal	N/A
3	4951.750	50.23	-2.29	74.0	23.77	Peak	69.00	200	Horizontal	Pass
3**	4951.750	41.45	-2.29	54.0	12.55	AV	69.00	200	Horizontal	Pass
4	7831.500	54.34	3.26	74.0	19.66	Peak	88.00	300	Horizontal	Pass
4**	7831.500	44.43	3.26	54.0	9.57	AV	88.00	300	Horizontal	Pass
5	10710.112	51.31	-2.28	74.0	22.69	Peak	28.00	300	Horizontal	Pass
5**	10710.112	42.61	-2.28	54.0	11.39	AV	28.00	300	Horizontal	Pass
6	16355.700	52.85	0.72	74.0	21.15	Peak	73.00	300	Horizontal	Pass
6**	16355.700	42.76	0.72	54.0	11.24	AV	73.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1684.200	50.63	-16.77	74.0	23.37	Peak	184.00	200	Vertical	Pass
1**	1684.200	41.99	-16.77	54.0	12.01	AV	184.00	200	Vertical	Pass
2	2478.000	103.61	-10.48	74.0	-29.61	Peak	267.00	150	Vertical	N/A
2**	2478.000	96.76	-10.48	54.0	-42.76	AV	267.00	150	Vertical	N/A
3	4830.250	49.97	-1.84	74.0	24.03	Peak	131.00	150	Vertical	Pass
3**	4830.250	41.05	-1.84	54.0	12.95	AV	131.00	150	Vertical	Pass
4	7819.750	54.62	3.03	74.0	19.38	Peak	200.00	100	Vertical	Pass
4**	7819.750	44.78	3.03	54.0	9.22	AV	200.00	100	Vertical	Pass
5	11122.413	51.79	-0.98	74.0	22.21	Peak	224.00	200	Vertical	Pass
5**	11122.413	42.89	-0.98	54.0	11.11	AV	224.00	200	Vertical	Pass
6	16310.287	52.69	-0.28	74.0	21.31	Peak	260.00	400	Vertical	Pass
6**	16310.287	44.23	-0.28	54.0	9.77	AV	260.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.200	42.71	-16.80	74.0	31.29	Peak	135.00	300	Horizontal	Pass
1**	1597.200	33.24	-16.80	54.0	20.76	AV	135.00	300	Horizontal	Pass
2	2409.400	110.45	-10.08	74.0	-36.45	Peak	247.00	200	Horizontal	N/A
2**	2409.400	103.21	-10.08	54.0	-49.21	AV	247.00	200	Horizontal	N/A
3	4709.250	50.43	-2.72	74.0	23.57	Peak	100.00	200	Horizontal	Pass
3**	4709.250	41.06	-2.72	54.0	12.94	AV	100.00	200	Horizontal	Pass
4	7764.500	54.00	1.69	74.0	20.00	Peak	153.00	200	Horizontal	Pass
4**	7764.500	44.47	1.69	54.0	9.53	AV	153.00	200	Horizontal	Pass
5	11129.775	51.31	-0.97	74.0	22.69	Peak	58.00	300	Horizontal	Pass
5**	11129.775	42.89	-0.97	54.0	11.11	AV	58.00	300	Horizontal	Pass
6	16329.713	52.18	0.27	74.0	21.82	Peak	326.00	400	Horizontal	Pass
6**	16329.713	43.41	0.27	54.0	10.59	AV	326.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1680.200	50.18	-16.62	74.0	23.82	Peak	186.00	150	Vertical	Pass
1**	1680.200	39.06	-16.62	54.0	14.94	AV	186.00	150	Vertical	Pass
2	2416.700	111.02	-10.01	74.0	-37.02	Peak	299.00	100	Vertical	N/A
2**	2416.700	102.89	-10.01	54.0	-48.89	AV	299.00	100	Vertical	N/A
3	4999.250	50.07	-2.20	74.0	23.93	Peak	80.00	100	Vertical	Pass
3**	4999.250	41.38	-2.20	54.0	12.62	AV	80.00	100	Vertical	Pass
4	7836.750	54.36	3.61	74.0	19.64	Peak	36.00	300	Vertical	Pass
4**	7836.750	45.18	3.61	54.0	8.82	AV	36.00	300	Vertical	Pass
5	10974.451	51.21	-2.05	74.0	22.79	Peak	309.00	400	Vertical	Pass
5**	10974.451	41.90	-2.05	54.0	12.10	AV	309.00	400	Vertical	Pass
6	16324.987	52.78	0.14	74.0	21.22	Peak	300.00	300	Vertical	Pass
6**	16324.987	43.58	0.14	54.0	10.42	AV	300.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1318.000	43.07	-16.57	74.0	30.93	Peak	30.00	100	Horizontal	Pass
1**	1318.000	32.83	-16.57	54.0	21.17	AV	30.00	100	Horizontal	Pass
2	2435.300	110.72	-8.91	74.0	-36.72	Peak	310.00	150	Horizontal	N/A
2**	2435.300	103.41	-8.91	54.0	-49.41	AV	310.00	150	Horizontal	N/A
3	4732.500	51.18	-2.87	74.0	22.82	Peak	321.00	150	Horizontal	Pass
3**	4732.500	40.61	-2.87	54.0	13.39	AV	321.00	150	Horizontal	Pass
4	7761.000	55.16	1.68	74.0	18.84	Peak	3.00	300	Horizontal	Pass
4**	7761.000	44.96	1.68	54.0	9.04	AV	3.00	300	Horizontal	Pass
5	11125.737	51.57	-0.98	74.0	22.43	Peak	257.00	100	Horizontal	Pass
5**	11125.737	42.39	-0.98	54.0	11.61	AV	257.00	100	Horizontal	Pass
6	16344.937	52.61	0.70	74.0	21.39	Peak	222.00	100	Horizontal	Pass
6**	16344.937	43.83	0.70	54.0	10.17	AV	222.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1387.400	42.45	-16.45	74.0	31.55	Peak	172.00	200	Vertical	Pass
1**	1387.400	32.32	-16.45	54.0	21.68	AV	172.00	200	Vertical	Pass
2	2432.700	112.22	-9.12	74.0	-38.22	Peak	268.00	200	Vertical	N/A
2**	2432.700	105.36	-9.12	54.0	-51.36	AV	268.00	200	Vertical	N/A
3	4964.750	50.22	-2.75	74.0	23.78	Peak	217.00	150	Vertical	Pass
3**	4964.750	41.32	-2.75	54.0	12.68	AV	217.00	150	Vertical	Pass
4	7750.250	54.45	1.49	74.0	19.55	Peak	209.00	400	Vertical	Pass
4**	7750.250	45.17	1.49	54.0	8.83	AV	209.00	400	Vertical	Pass
5	11140.463	52.33	-0.96	74.0	21.67	Peak	360.00	400	Vertical	Pass
5**	11140.463	41.63	-0.96	54.0	12.37	AV	360.00	400	Vertical	Pass
6	16352.812	52.43	0.79	74.0	21.57	Peak	187.00	300	Vertical	Pass
6**	16352.812	43.36	0.79	54.0	10.64	AV	187.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1391.000	42.25	-16.64	74.0	31.75	Peak	161.00	200	Horizontal	Pass
1**	1391.000	32.83	-16.64	54.0	21.17	AV	161.00	200	Horizontal	Pass
2	2458.300	109.80	-9.73	74.0	-35.80	Peak	315.00	150	Horizontal	N/A
2**	2458.300	102.40	-9.73	54.0	-48.40	AV	315.00	150	Horizontal	N/A
3	4924.500	50.40	-2.71	74.0	23.60	Peak	348.00	200	Horizontal	Pass
3**	4924.500	40.14	-2.71	54.0	13.86	AV	348.00	200	Horizontal	Pass
4	7922.000	54.23	2.14	74.0	19.77	Peak	360.00	400	Horizontal	Pass
4**	7922.000	44.69	2.14	54.0	9.31	AV	360.00	400	Horizontal	Pass
5	11125.975	51.62	-0.98	74.0	22.38	Peak	218.00	200	Horizontal	Pass
5**	11125.975	42.74	-0.98	54.0	11.26	AV	218.00	200	Horizontal	Pass
6	16700.887	52.58	0.85	74.0	21.42	Peak	297.00	100	Horizontal	Pass
6**	16700.887	42.51	0.85	54.0	11.49	AV	297.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1679.200	50.31	-16.55	74.0	23.69	Peak	190.00	150	Vertical	Pass
1**	1679.200	41.88	-16.55	54.0	12.12	AV	190.00	150	Vertical	Pass
2	2463.900	110.65	-9.76	74.0	-36.65	Peak	262.00	150	Vertical	N/A
2**	2463.900	103.31	-9.76	54.0	-49.31	AV	262.00	150	Vertical	N/A
3	4975.250	50.55	-2.63	74.0	23.45	Peak	243.00	150	Vertical	Pass
3**	4975.250	40.39	-2.63	54.0	13.61	AV	243.00	150	Vertical	Pass
4	7844.000	54.24	2.90	74.0	19.76	Peak	63.00	200	Vertical	Pass
4**	7844.000	44.52	2.90	54.0	9.48	AV	63.00	200	Vertical	Pass
5	11126.688	51.62	-0.98	74.0	22.38	Peak	223.00	100	Vertical	Pass
5**	11126.688	42.82	-0.98	54.0	11.18	AV	223.00	100	Vertical	Pass
6	16323.675	52.69	0.10	74.0	21.31	Peak	143.00	100	Vertical	Pass
6**	16323.675	44.26	0.10	54.0	9.74	AV	143.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.200	42.96	-16.83	74.0	31.04	Peak	163.00	200	Horizontal	Pass
1**	1599.200	34.10	-16.83	54.0	19.90	AV	163.00	200	Horizontal	Pass
2	2464.100	105.91	-9.77	74.0	-31.91	Peak	254.00	100	Horizontal	N/A
2**	2464.100	97.91	-9.77	54.0	-43.91	AV	254.00	100	Horizontal	N/A
3	4740.500	50.15	-3.06	74.0	23.85	Peak	270.00	150	Horizontal	Pass
3**	4740.500	40.31	-3.06	54.0	13.69	AV	270.00	150	Horizontal	Pass
4	7922.500	54.43	2.15	74.0	19.57	Peak	149.00	200	Horizontal	Pass
4**	7922.500	44.97	2.15	54.0	9.03	AV	149.00	200	Horizontal	Pass
5	11133.100	51.77	-0.97	74.0	22.23	Peak	208.00	300	Horizontal	Pass
5**	11133.100	42.64	-0.97	54.0	11.36	AV	208.00	300	Horizontal	Pass
6	16622.136	52.51	0.50	74.0	21.49	Peak	188.00	200	Horizontal	Pass
6**	16622.136	42.36	0.50	54.0	11.64	AV	188.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.500	49.95	-16.61	74.0	24.05	Peak	195.00	150	Vertical	Pass
1**	1677.500	41.80	-16.61	54.0	12.20	AV	195.00	150	Vertical	Pass
2	2463.300	105.78	-9.75	74.0	-31.78	Peak	293.00	200	Vertical	N/A
2**	2463.300	98.54	-9.75	54.0	-44.54	AV	293.00	200	Vertical	N/A
3	4757.250	50.45	-2.78	74.0	23.55	Peak	309.00	200	Vertical	Pass
3**	4757.250	41.19	-2.78	54.0	12.81	AV	309.00	200	Vertical	Pass
4	7825.000	54.24	3.11	74.0	19.76	Peak	74.00	400	Vertical	Pass
4**	7825.000	45.34	3.11	54.0	8.66	AV	74.00	400	Vertical	Pass
5	11381.287	51.67	-1.73	74.0	22.33	Peak	327.00	300	Vertical	Pass
5**	11381.287	42.59	-1.73	54.0	11.41	AV	327.00	300	Vertical	Pass
6	16361.475	52.11	0.60	74.0	21.89	Peak	311.00	300	Vertical	Pass
6**	16361.475	41.87	0.60	54.0	12.13	AV	311.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.100	44.31	-16.81	74.0	29.69	Peak	139.00	300	Horizontal	Pass
1**	1597.100	35.91	-16.81	54.0	18.09	AV	139.00	300	Horizontal	Pass
2	2465.600	101.43	-9.84	74.0	-27.43	Peak	251.00	200	Horizontal	N/A
2**	2465.600	94.28	-9.84	54.0	-40.28	AV	251.00	200	Horizontal	N/A
3	4935.000	50.43	-2.66	74.0	23.57	Peak	37.00	200	Horizontal	Pass
3**	4935.000	40.51	-2.66	54.0	13.49	AV	37.00	200	Horizontal	Pass
4	7834.500	53.84	3.45	74.0	20.16	Peak	327.00	400	Horizontal	Pass
4**	7834.500	44.79	3.45	54.0	9.21	AV	327.00	400	Horizontal	Pass
5	10588.276	52.59	-1.60	74.0	21.41	Peak	272.00	200	Horizontal	Pass
5**	10588.276	41.89	-1.60	54.0	12.11	AV	272.00	200	Horizontal	Pass
6	16342.313	52.72	0.63	74.0	21.28	Peak	237.00	400	Horizontal	Pass
6**	16342.313	43.57	0.63	54.0	10.43	AV	237.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.900	50.14	-16.58	74.0	23.86	Peak	183.00	150	Vertical	Pass
1**	1671.900	39.64	-16.58	54.0	14.36	AV	183.00	150	Vertical	Pass
2	2478.600	101.34	-10.51	74.0	-27.34	Peak	286.00	150	Vertical	N/A
2**	2478.600	93.58	-10.51	54.0	-39.58	AV	286.00	150	Vertical	N/A
3	4705.000	50.22	-2.71	74.0	23.78	Peak	151.00	150	Vertical	Pass
3**	4705.000	40.98	-2.71	54.0	13.02	AV	151.00	150	Vertical	Pass
4	7098.000	54.45	-0.06	74.0	19.55	Peak	282.00	300	Vertical	Pass
4**	7098.000	43.31	-0.06	54.0	10.69	AV	282.00	300	Vertical	Pass
5	11136.187	51.70	-0.96	74.0	22.30	Peak	48.00	300	Vertical	Pass
5**	11136.187	42.48	-0.96	54.0	11.52	AV	48.00	300	Vertical	Pass
6	16350.975	53.14	0.83	74.0	20.86	Peak	285.00	300	Vertical	Pass
6**	16350.975	43.44	0.83	54.0	10.56	AV	285.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.700	44.07	-16.80	74.0	29.93	Peak	135.00	200	Horizontal	Pass
1**	1597.700	34.50	-16.80	54.0	19.50	AV	135.00	200	Horizontal	Pass
2	2432.900	105.40	-9.13	74.0	-31.40	Peak	312.00	100	Horizontal	N/A
2**	2432.900	97.44	-9.13	54.0	-43.44	AV	312.00	100	Horizontal	N/A
3	4902.000	50.27	-2.47	74.0	23.73	Peak	142.00	150	Horizontal	Pass
3**	4902.000	41.41	-2.47	54.0	12.59	AV	142.00	150	Horizontal	Pass
4	7834.500	54.54	3.45	74.0	19.46	Peak	360.00	400	Horizontal	Pass
4**	7834.500	45.00	3.45	54.0	9.00	AV	360.00	400	Horizontal	Pass
5	10865.675	51.64	-2.25	74.0	22.36	Peak	121.00	400	Horizontal	Pass
5**	10865.675	41.84	-2.25	54.0	12.16	AV	121.00	400	Horizontal	Pass
6	16328.401	52.58	0.23	74.0	21.42	Peak	205.00	300	Horizontal	Pass
6**	16328.401	43.68	0.23	54.0	10.32	AV	205.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.700	50.36	-16.57	74.0	23.64	Peak	188.00	150	Vertical	Pass
1**	1671.700	39.95	-16.57	54.0	14.05	AV	188.00	150	Vertical	Pass
2	2432.600	106.77	-9.12	74.0	-32.77	Peak	278.00	200	Vertical	N/A
2**	2432.600	98.82	-9.12	54.0	-44.82	AV	278.00	200	Vertical	N/A
3	4746.000	50.36	-2.82	74.0	23.64	Peak	91.00	200	Vertical	Pass
3**	4746.000	40.55	-2.82	54.0	13.45	AV	91.00	200	Vertical	Pass
4	7926.500	54.00	2.23	74.0	20.00	Peak	144.00	300	Vertical	Pass
4**	7926.500	45.26	2.23	54.0	8.74	AV	144.00	300	Vertical	Pass
5	11120.987	52.13	-0.98	74.0	21.87	Peak	286.00	200	Vertical	Pass
5**	11120.987	42.21	-0.98	54.0	11.79	AV	286.00	200	Vertical	Pass
6	16504.012	52.69	0.32	74.0	21.31	Peak	270.00	100	Vertical	Pass
6**	16504.012	42.41	0.32	54.0	11.59	AV	270.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.000	43.20	-16.82	74.0	30.80	Peak	168.00	200	Horizontal	Pass
1**	1596.000	34.10	-16.82	54.0	19.90	AV	168.00	200	Horizontal	Pass
2	2444.700	104.66	-9.82	74.0	-30.66	Peak	307.00	100	Horizontal	N/A
2**	2444.700	96.53	-9.82	54.0	-42.53	AV	307.00	100	Horizontal	N/A
3	4819.750	50.22	-1.81	74.0	23.78	Peak	334.00	100	Horizontal	Pass
3**	4819.750	40.56	-1.81	54.0	13.44	AV	334.00	100	Horizontal	Pass
4	7373.250	53.42	0.47	74.0	20.58	Peak	202.00	200	Horizontal	Pass
4**	7373.250	44.30	0.47	54.0	9.70	AV	202.00	200	Horizontal	Pass
5	10840.263	51.53	-2.06	74.0	22.47	Peak	111.00	200	Horizontal	Pass
5**	10840.263	41.35	-2.06	54.0	12.65	AV	111.00	200	Horizontal	Pass
6	16333.650	52.44	0.38	74.0	21.56	Peak	80.00	400	Horizontal	Pass
6**	16333.650	44.01	0.38	54.0	9.99	AV	80.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.000	49.95	-16.71	74.0	24.05	Peak	188.00	150	Vertical	Pass
1**	1674.000	40.28	-16.71	54.0	13.72	AV	188.00	150	Vertical	Pass
2	2432.700	106.07	-9.12	74.0	-32.07	Peak	271.00	200	Vertical	N/A
2**	2432.700	98.84	-9.12	54.0	-44.84	AV	271.00	200	Vertical	N/A
3	4956.500	50.18	-2.45	74.0	23.82	Peak	161.00	150	Vertical	Pass
3**	4956.500	40.94	-2.45	54.0	13.06	AV	161.00	150	Vertical	Pass
4	7932.750	54.40	2.21	74.0	19.60	Peak	182.00	200	Vertical	Pass
4**	7932.750	44.28	2.21	54.0	9.72	AV	182.00	200	Vertical	Pass
5	10203.763	51.79	-2.03	74.0	22.21	Peak	262.00	400	Vertical	Pass
5**	10203.763	42.11	-2.03	54.0	11.89	AV	262.00	400	Vertical	Pass
6	16336.538	52.68	0.46	74.0	21.32	Peak	212.00	400	Vertical	Pass
6**	16336.538	43.61	0.46	54.0	10.39	AV	212.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.700	46.35	-16.60	74.0	27.65	Peak	302.00	200	Horizontal	Pass
1**	1677.700	37.28	-16.60	54.0	16.72	AV	302.00	200	Horizontal	Pass
2	2456.000	103.68	-9.82	74.0	-29.68	Peak	302.00	150	Horizontal	N/A
2**	2456.000	96.07	-9.82	54.0	-42.07	AV	302.00	150	Horizontal	N/A
3	4776.000	50.18	-2.52	74.0	23.82	Peak	81.00	150	Horizontal	Pass
3**	4776.000	40.67	-2.52	54.0	13.33	AV	81.00	150	Horizontal	Pass
4	7471.750	53.54	1.89	74.0	20.46	Peak	142.00	400	Horizontal	Pass
4**	7471.750	44.20	1.89	54.0	9.80	AV	142.00	400	Horizontal	Pass
5	11162.550	51.44	-1.16	74.0	22.56	Peak	360.00	300	Horizontal	Pass
5**	11162.550	42.06	-1.16	54.0	11.94	AV	360.00	300	Horizontal	Pass
6	16455.450	53.19	0.51	74.0	20.81	Peak	304.00	400	Horizontal	Pass
6**	16455.450	42.82	0.51	54.0	11.18	AV	304.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.700	48.41	-16.66	74.0	25.59	Peak	199.00	150	Vertical	Pass
1**	1666.700	38.63	-16.66	54.0	15.37	AV	199.00	150	Vertical	Pass
2	2453.600	106.57	-10.03	74.0	-32.57	Peak	233.00	200	Vertical	N/A
2**	2453.600	98.93	-10.03	54.0	-44.93	AV	233.00	200	Vertical	N/A
3	5245.750	50.66	-1.90	74.0	23.34	Peak	63.00	150	Vertical	Pass
3**	5245.750	41.70	-1.90	54.0	12.30	AV	63.00	150	Vertical	Pass
4	7842.000	53.67	3.06	74.0	20.33	Peak	10.00	400	Vertical	Pass
4**	7842.000	44.58	3.06	54.0	9.42	AV	10.00	400	Vertical	Pass
5	11182.500	52.28	-1.50	74.0	21.72	Peak	130.00	400	Vertical	Pass
5**	11182.500	42.74	-1.50	54.0	11.26	AV	130.00	400	Vertical	Pass
6	16352.812	53.20	0.79	74.0	20.80	Peak	217.00	300	Vertical	Pass
6**	16352.812	42.82	0.79	54.0	11.18	AV	217.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1678.200	46.55	-16.57	74.0	27.45	Peak	300.00	300	Horizontal	Pass
1**	1678.200	37.91	-16.57	54.0	16.09	AV	300.00	300	Horizontal	Pass
2	2464.300	99.52	-9.77	74.0	-25.52	Peak	247.00	100	Horizontal	N/A
2**	2464.300	91.43	-9.77	54.0	-37.43	AV	247.00	100	Horizontal	N/A
3	4785.250	50.42	-2.49	74.0	23.58	Peak	79.00	200	Horizontal	Pass
3**	4785.250	40.73	-2.49	54.0	13.27	AV	79.00	200	Horizontal	Pass
4	6752.500	54.05	0.14	74.0	19.95	Peak	10.00	400	Horizontal	Pass
4**	6752.500	43.72	0.14	54.0	10.28	AV	10.00	400	Horizontal	Pass
5	11145.925	51.24	-0.95	74.0	22.76	Peak	270.00	400	Horizontal	Pass
5**	11145.925	42.20	-0.95	54.0	11.80	AV	270.00	400	Horizontal	Pass
6	16333.388	52.97	0.37	74.0	21.03	Peak	192.00	300	Horizontal	Pass
6**	16333.388	43.32	0.37	54.0	10.68	AV	192.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.200	49.15	-16.62	74.0	24.85	Peak	180.00	200	Vertical	Pass
1**	1667.200	41.85	-16.62	54.0	12.15	AV	180.00	200	Vertical	Pass
2	2450.200	102.57	-9.95	74.0	-28.57	Peak	203.00	100	Vertical	N/A
2**	2450.200	95.88	-9.95	54.0	-41.88	AV	203.00	100	Vertical	N/A
3	4763.500	50.82	-2.63	74.0	23.18	Peak	348.00	150	Vertical	Pass
3**	4763.500	40.99	-2.63	54.0	13.01	AV	348.00	150	Vertical	Pass
4	7754.000	54.49	1.80	74.0	19.51	Peak	105.00	300	Vertical	Pass
4**	7754.000	45.00	1.80	54.0	9.00	AV	105.00	300	Vertical	Pass
5	11165.400	51.86	-1.21	74.0	22.14	Peak	152.00	400	Vertical	Pass
5**	11165.400	41.89	-1.21	54.0	12.11	AV	152.00	400	Vertical	Pass
6	16269.075	52.40	-0.87	74.0	21.60	Peak	127.00	200	Vertical	Pass
6**	16269.075	43.23	-0.87	54.0	10.77	AV	127.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1431.100	42.61	-16.73	74.0	31.39	Peak	52.00	100	Horizontal	Pass
1**	1431.100	32.18	-16.73	54.0	21.82	AV	52.00	100	Horizontal	Pass
2	2464.900	98.25	-9.79	74.0	-24.25	Peak	252.00	100	Horizontal	N/A
2**	2464.900	90.14	-9.79	54.0	-36.14	AV	252.00	100	Horizontal	N/A
3	4696.500	50.37	-2.78	74.0	23.63	Peak	25.00	200	Horizontal	Pass
3**	4696.500	41.05	-2.78	54.0	12.95	AV	25.00	200	Horizontal	Pass
4	7816.500	54.57	2.37	74.0	19.43	Peak	78.00	300	Horizontal	Pass
4**	7816.500	44.51	2.37	54.0	9.49	AV	78.00	300	Horizontal	Pass
5	11163.500	52.03	-1.18	74.0	21.97	Peak	262.00	300	Horizontal	Pass
5**	11163.500	42.30	-1.18	54.0	11.70	AV	262.00	300	Horizontal	Pass
6	16350.975	52.83	0.83	74.0	21.17	Peak	339.00	400	Horizontal	Pass
6**	16350.975	43.34	0.83	54.0	10.66	AV	339.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.200	49.39	-16.48	74.0	24.61	Peak	202.00	150	Vertical	Pass
1**	1670.200	40.75	-16.48	54.0	13.25	AV	202.00	150	Vertical	Pass
2	2457.600	100.77	-9.72	74.0	-26.77	Peak	239.00	200	Vertical	N/A
2**	2457.600	92.90	-9.72	54.0	-38.90	AV	239.00	200	Vertical	N/A
3	4750.750	50.74	-2.70	74.0	23.26	Peak	190.00	100	Vertical	Pass
3**	4750.750	41.90	-2.70	54.0	12.10	AV	190.00	100	Vertical	Pass
4	6769.000	54.68	0.65	74.0	19.32	Peak	329.00	200	Vertical	Pass
4**	6769.000	44.44	0.65	54.0	9.56	AV	329.00	200	Vertical	Pass
5	10679.238	51.62	-2.67	74.0	22.38	Peak	104.00	300	Vertical	Pass
5**	10679.238	41.17	-2.67	54.0	12.83	AV	104.00	300	Vertical	Pass
6	16321.575	52.24	0.04	74.0	21.76	Peak	113.00	200	Vertical	Pass
6**	16321.575	44.79	0.04	54.0	9.21	AV	113.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1390.800	42.90	-16.62	74.0	31.10	Peak	110.00	200	Horizontal	Pass
1**	1390.800	32.20	-16.62	54.0	21.80	AV	110.00	200	Horizontal	Pass
2	2408.800	110.54	-10.07	74.0	-36.54	Peak	307.00	200	Horizontal	N/A
2**	2408.800	100.80	-10.07	54.0	-46.80	AV	307.00	200	Horizontal	N/A
3	4756.250	50.92	-2.77	74.0	23.08	Peak	288.00	150	Horizontal	Pass
3**	4756.250	42.69	-2.77	54.0	11.31	AV	288.00	150	Horizontal	Pass
4	7904.000	53.86	2.36	74.0	20.14	Peak	360.00	200	Horizontal	Pass
4**	7904.000	44.21	2.36	54.0	9.79	AV	360.00	200	Horizontal	Pass
5	11383.425	51.41	-1.72	74.0	22.59	Peak	356.00	100	Horizontal	Pass
5**	11383.425	42.15	-1.72	54.0	11.85	AV	356.00	100	Horizontal	Pass
6	15748.275	52.75	0.35	74.0	21.25	Peak	360.00	300	Horizontal	Pass
6**	15748.275	43.01	0.35	54.0	10.99	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.900	48.93	-16.65	74.0	25.07	Peak	176.00	150	Vertical	Pass
1**	1666.900	38.57	-16.65	54.0	15.43	AV	176.00	150	Vertical	Pass
2	2410.200	111.59	-10.05	74.0	-37.59	Peak	203.00	200	Vertical	N/A
2**	2410.200	103.86	-10.05	54.0	-49.86	AV	203.00	200	Vertical	N/A
3	4954.500	50.09	-2.34	74.0	23.91	Peak	20.00	150	Vertical	Pass
3**	4954.500	41.28	-2.34	54.0	12.72	AV	20.00	150	Vertical	Pass
4	7838.000	54.07	3.49	74.0	19.93	Peak	339.00	200	Vertical	Pass
4**	7838.000	45.40	3.49	54.0	8.60	AV	339.00	200	Vertical	Pass
5	10713.201	51.24	-2.23	74.0	22.76	Peak	309.00	200	Vertical	Pass
5**	10713.201	41.84	-2.23	54.0	12.16	AV	309.00	200	Vertical	Pass
6	16808.511	52.67	1.09	74.0	21.33	Peak	156.00	200	Vertical	Pass
6**	16808.511	42.51	1.09	54.0	11.49	AV	156.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1413.300	42.64	-16.68	74.0	31.36	Peak	197.00	400	Horizontal	Pass
1**	1413.300	32.76	-16.68	54.0	21.24	AV	197.00	400	Horizontal	Pass
2	2435.000	110.23	-8.94	74.0	-36.23	Peak	256.00	150	Horizontal	N/A
2**	2435.000	102.16	-8.94	54.0	-48.16	AV	256.00	150	Horizontal	N/A
3	4757.500	50.13	-2.79	74.0	23.87	Peak	348.00	200	Horizontal	Pass
3**	4757.500	40.44	-2.79	54.0	13.56	AV	348.00	200	Horizontal	Pass
4	7966.750	54.29	2.06	74.0	19.71	Peak	200.00	200	Horizontal	Pass
4**	7966.750	44.54	2.06	54.0	9.46	AV	200.00	200	Horizontal	Pass
5	9842.525	51.30	-2.15	74.0	22.70	Peak	297.00	300	Horizontal	Pass
5**	9842.525	41.44	-2.15	54.0	12.56	AV	297.00	300	Horizontal	Pass
6	16329.975	53.04	0.28	74.0	20.96	Peak	251.00	200	Horizontal	Pass
6**	16329.975	43.82	0.28	54.0	10.18	AV	251.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1324.400	42.17	-16.82	74.0	31.83	Peak	83.00	200	Vertical	Pass
1**	1324.400	32.19	-16.82	54.0	21.81	AV	83.00	200	Vertical	Pass
2	2434.300	112.32	-9.02	74.0	-38.32	Peak	251.00	200	Vertical	N/A
2**	2434.300	104.49	-9.02	54.0	-50.49	AV	251.00	200	Vertical	N/A
3	4905.500	50.13	-2.52	74.0	23.87	Peak	322.00	100	Vertical	Pass
3**	4905.500	40.50	-2.52	54.0	13.50	AV	322.00	100	Vertical	Pass
4	7918.250	53.89	1.63	74.0	20.11	Peak	176.00	300	Vertical	Pass
4**	7918.250	44.89	1.63	54.0	9.11	AV	176.00	300	Vertical	Pass
5	10566.901	51.50	-1.92	74.0	22.50	Peak	274.00	200	Vertical	Pass
5**	10566.901	41.37	-1.92	54.0	12.63	AV	274.00	200	Vertical	Pass
6	16307.401	52.57	-0.36	74.0	21.43	Peak	0.00	400	Vertical	Pass
6**	16307.401	42.97	-0.36	54.0	11.03	AV	0.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.100	42.72	-16.50	74.0	31.28	Peak	349.00	200	Horizontal	Pass
1**	1542.100	32.96	-16.50	54.0	21.04	AV	349.00	200	Horizontal	Pass
2	2458.100	110.47	-9.73	74.0	-36.47	Peak	307.00	100	Horizontal	N/A
2**	2458.100	102.44	-9.73	54.0	-48.44	AV	307.00	100	Horizontal	N/A
3	4783.750	50.33	-2.60	74.0	23.67	Peak	209.00	150	Horizontal	Pass
3**	4783.750	41.06	-2.60	54.0	12.94	AV	209.00	150	Horizontal	Pass
4	7537.750	54.50	2.13	74.0	19.50	Peak	35.00	200	Horizontal	Pass
4**	7537.750	45.49	2.13	54.0	8.51	AV	35.00	200	Horizontal	Pass
5	11128.112	51.33	-0.97	74.0	22.67	Peak	128.00	400	Horizontal	Pass
5**	11128.112	42.85	-0.97	54.0	11.15	AV	128.00	400	Horizontal	Pass
6	16342.575	53.08	0.63	74.0	20.92	Peak	0.00	100	Horizontal	Pass
6**	16342.575	43.29	0.63	54.0	10.71	AV	0.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.200	42.24	-16.79	74.0	31.76	Peak	261.00	300	Vertical	Pass
1**	1507.200	33.52	-16.79	54.0	20.48	AV	261.00	300	Vertical	Pass
2	2462.700	112.15	-9.74	74.0	-38.15	Peak	0.00	150	Vertical	N/A
2**	2462.700	103.22	-9.74	54.0	-49.22	AV	0.00	150	Vertical	N/A
3	4951.750	50.43	-2.29	74.0	23.57	Peak	190.00	200	Vertical	Pass
3**	4951.750	41.35	-2.29	54.0	12.65	AV	190.00	200	Vertical	Pass
4	7496.750	54.35	1.22	74.0	19.65	Peak	156.00	100	Vertical	Pass
4**	7496.750	43.94	1.22	54.0	10.06	AV	156.00	100	Vertical	Pass
5	11080.849	51.32	-1.37	74.0	22.68	Peak	237.00	300	Vertical	Pass
5**	11080.849	41.76	-1.37	54.0	12.24	AV	237.00	300	Vertical	Pass
6	16346.250	52.83	0.74	74.0	21.17	Peak	103.00	100	Vertical	Pass
6**	16346.250	43.95	0.74	54.0	10.05	AV	103.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1679.500	47.26	-16.57	74.0	26.74	Peak	176.00	200	Horizontal	Pass
1**	1679.500	38.02	-16.57	54.0	15.98	AV	176.00	200	Horizontal	Pass
2	2465.800	105.78	-9.86	74.0	-31.78	Peak	301.00	150	Horizontal	N/A
2**	2465.800	98.20	-9.86	54.0	-44.20	AV	301.00	150	Horizontal	N/A
3	4721.500	50.01	-2.79	74.0	23.99	Peak	66.00	100	Horizontal	Pass
3**	4721.500	40.68	-2.79	54.0	13.32	AV	66.00	100	Horizontal	Pass
4	7713.750	54.05	1.73	74.0	19.95	Peak	0.00	300	Horizontal	Pass
4**	7713.750	44.70	1.73	54.0	9.30	AV	0.00	300	Horizontal	Pass
5	10096.412	51.73	-2.29	74.0	22.27	Peak	219.00	200	Horizontal	Pass
5**	10096.412	42.47	-2.29	54.0	11.53	AV	219.00	200	Horizontal	Pass
6	16337.325	53.46	0.49	74.0	20.54	Peak	41.00	300	Horizontal	Pass
6**	16337.325	44.13	0.49	54.0	9.87	AV	41.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.200	43.83	-16.47	74.0	30.17	Peak	213.00	400	Vertical	Pass
1**	1541.200	33.61	-16.47	54.0	20.39	AV	213.00	400	Vertical	Pass
2	2465.100	108.14	-9.80	74.0	-34.14	Peak	205.00	150	Vertical	N/A
2**	2465.100	101.41	-9.80	54.0	-47.41	AV	205.00	150	Vertical	N/A
3	4764.000	50.29	-2.61	74.0	23.71	Peak	98.00	200	Vertical	Pass
3**	4764.000	41.10	-2.61	54.0	12.90	AV	98.00	200	Vertical	Pass
4	7783.750	53.83	1.67	74.0	20.17	Peak	227.00	100	Vertical	Pass
4**	7783.750	43.66	1.67	54.0	10.34	AV	227.00	100	Vertical	Pass
5	11129.062	51.95	-0.97	74.0	22.05	Peak	260.00	300	Vertical	Pass
5**	11129.062	42.75	-0.97	54.0	11.25	AV	260.00	300	Vertical	Pass
6	16339.162	52.78	0.54	74.0	21.22	Peak	0.00	200	Vertical	Pass
6**	16339.162	43.94	0.54	54.0	10.06	AV	0.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.500	46.30	-16.50	74.0	27.70	Peak	310.00	100	Horizontal	Pass
1**	1669.500	38.00	-16.50	54.0	16.00	AV	310.00	100	Horizontal	Pass
2	2465.300	103.14	-9.80	74.0	-29.14	Peak	250.00	150	Horizontal	N/A
2**	2465.300	93.17	-9.80	54.0	-39.17	AV	250.00	150	Horizontal	N/A
3	4834.000	50.16	-2.07	74.0	23.84	Peak	222.00	200	Horizontal	Pass
3**	4834.000	40.47	-2.07	54.0	13.53	AV	222.00	200	Horizontal	Pass
4	7833.500	53.99	3.41	74.0	20.01	Peak	231.00	100	Horizontal	Pass
4**	7833.500	45.01	3.41	54.0	8.99	AV	231.00	100	Horizontal	Pass
5	11318.587	51.93	-2.32	74.0	22.07	Peak	92.00	300	Horizontal	Pass
5**	11318.587	41.29	-2.32	54.0	12.71	AV	92.00	300	Horizontal	Pass
6	16689.599	52.65	0.92	74.0	21.35	Peak	360.00	100	Horizontal	Pass
6**	16689.599	42.31	0.92	54.0	11.69	AV	360.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.800	49.51	-16.52	74.0	24.49	Peak	176.00	150	Vertical	Pass
1**	1668.800	40.75	-16.52	54.0	13.25	AV	176.00	150	Vertical	Pass
2	2479.100	104.46	-10.53	74.0	-30.46	Peak	232.00	100	Vertical	N/A
2**	2479.100	94.67	-10.53	54.0	-40.67	AV	232.00	100	Vertical	N/A
3	4766.750	50.68	-2.49	74.0	23.32	Peak	243.00	100	Vertical	Pass
3**	4766.750	41.05	-2.49	54.0	12.95	AV	243.00	100	Vertical	Pass
4	7832.250	53.73	3.33	74.0	20.27	Peak	131.00	400	Vertical	Pass
4**	7832.250	44.58	3.33	54.0	9.42	AV	131.00	400	Vertical	Pass
5	11116.237	51.73	-0.99	74.0	22.27	Peak	297.00	200	Vertical	Pass
5**	11116.237	41.87	-0.99	54.0	12.13	AV	297.00	200	Vertical	Pass
6	16358.062	52.68	0.67	74.0	21.32	Peak	0.00	300	Vertical	Pass
6**	16358.062	43.76	0.67	54.0	10.24	AV	0.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.000	42.44	-16.46	74.0	31.56	Peak	249.00	300	Horizontal	Pass
1**	1534.000	32.95	-16.46	54.0	21.05	AV	249.00	300	Horizontal	Pass
2	2424.600	105.27	-9.90	74.0	-31.27	Peak	306.00	200	Horizontal	N/A
2**	2424.600	95.59	-9.90	54.0	-41.59	AV	306.00	200	Horizontal	N/A
3	4765.750	50.31	-2.54	74.0	23.69	Peak	360.00	200	Horizontal	Pass
3**	4765.750	40.72	-2.54	54.0	13.28	AV	360.00	200	Horizontal	Pass
4	7130.750	53.85	1.58	74.0	20.15	Peak	141.00	300	Horizontal	Pass
4**	7130.750	44.10	1.58	54.0	9.90	AV	141.00	300	Horizontal	Pass
5	10804.400	51.91	-2.92	74.0	22.09	Peak	153.00	400	Horizontal	Pass
5**	10804.400	41.61	-2.92	54.0	12.39	AV	153.00	400	Horizontal	Pass
6	16328.662	53.08	0.24	74.0	20.92	Peak	205.00	300	Horizontal	Pass
6**	16328.662	44.21	0.24	54.0	9.79	AV	205.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.900	49.16	-16.73	74.0	24.84	Peak	167.00	150	Vertical	Pass
1**	1674.900	39.17	-16.73	54.0	14.83	AV	167.00	150	Vertical	Pass
2	2423.500	107.37	-9.94	74.0	-33.37	Peak	242.00	200	Vertical	N/A
2**	2423.500	98.61	-9.94	54.0	-44.61	AV	242.00	200	Vertical	N/A
3	4785.500	50.77	-2.47	74.0	23.23	Peak	104.00	150	Vertical	Pass
3**	4785.500	41.20	-2.47	54.0	12.80	AV	104.00	150	Vertical	Pass
4	7830.250	54.24	3.17	74.0	19.76	Peak	165.00	400	Vertical	Pass
4**	7830.250	44.71	3.17	54.0	9.29	AV	165.00	400	Vertical	Pass
5	11135.475	51.88	-0.97	74.0	22.12	Peak	57.00	100	Vertical	Pass
5**	11135.475	42.57	-0.97	54.0	11.43	AV	57.00	100	Vertical	Pass
6	15740.925	52.49	0.25	74.0	21.51	Peak	227.00	100	Vertical	Pass
6**	15740.925	42.75	0.25	54.0	11.25	AV	227.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1684.300	45.92	-16.77	74.0	28.08	Peak	174.00	100	Horizontal	Pass
1**	1684.300	36.43	-16.77	54.0	17.57	AV	174.00	100	Horizontal	Pass
2	2445.100	106.55	-9.85	74.0	-32.55	Peak	311.00	150	Horizontal	N/A
2**	2445.100	95.92	-9.85	54.0	-41.92	AV	311.00	150	Horizontal	N/A
3	4697.750	50.40	-2.80	74.0	23.60	Peak	312.00	200	Horizontal	Pass
3**	4697.750	41.11	-2.80	54.0	12.89	AV	312.00	200	Horizontal	Pass
4	7516.000	54.32	2.05	74.0	19.68	Peak	251.00	200	Horizontal	Pass
4**	7516.000	44.78	2.05	54.0	9.22	AV	251.00	200	Horizontal	Pass
5	10206.375	51.82	-2.08	74.0	22.18	Peak	275.00	300	Horizontal	Pass
5**	10206.375	41.49	-2.08	54.0	12.51	AV	275.00	300	Horizontal	Pass
6	16449.676	52.58	0.52	74.0	21.42	Peak	327.00	300	Horizontal	Pass
6**	16449.676	42.57	0.52	54.0	11.43	AV	327.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.900	49.23	-16.70	74.0	24.77	Peak	200.00	150	Vertical	Pass
1**	1673.900	40.40	-16.70	54.0	13.60	AV	200.00	150	Vertical	Pass
2	2432.100	107.82	-9.10	74.0	-33.82	Peak	242.00	150	Vertical	N/A
2**	2432.100	98.34	-9.10	54.0	-44.34	AV	242.00	150	Vertical	N/A
3	4723.250	50.95	-2.89	74.0	23.05	Peak	120.00	200	Vertical	Pass
3**	4723.250	40.84	-2.89	54.0	13.16	AV	120.00	200	Vertical	Pass
4	7927.500	54.43	2.33	74.0	19.57	Peak	278.00	400	Vertical	Pass
4**	7927.500	44.90	2.33	54.0	9.10	AV	278.00	400	Vertical	Pass
5	10093.799	51.42	-2.33	74.0	22.58	Peak	252.00	400	Vertical	Pass
5**	10093.799	41.10	-2.33	54.0	12.90	AV	252.00	400	Vertical	Pass
6	16324.463	52.89	0.12	74.0	21.11	Peak	327.00	300	Vertical	Pass
6**	16324.463	43.45	0.12	54.0	10.55	AV	327.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.600	47.00	-16.50	74.0	27.00	Peak	302.00	150	Horizontal	Pass
1**	1670.600	36.44	-16.50	54.0	17.56	AV	302.00	150	Horizontal	Pass
2	2461.600	105.07	-9.74	74.0	-31.07	Peak	310.00	100	Horizontal	N/A
2**	2461.600	96.29	-9.74	54.0	-42.29	AV	310.00	100	Horizontal	N/A
3	5183.000	51.15	-1.15	74.0	22.85	Peak	285.00	150	Horizontal	Pass
3**	5183.000	42.91	-1.15	54.0	11.09	AV	285.00	150	Horizontal	Pass
4	7844.250	53.64	2.88	74.0	20.36	Peak	321.00	300	Horizontal	Pass
4**	7844.250	44.49	2.88	54.0	9.51	AV	321.00	300	Horizontal	Pass
5	11189.387	51.44	-1.62	74.0	22.56	Peak	225.00	200	Horizontal	Pass
5**	11189.387	42.11	-1.62	54.0	11.89	AV	225.00	200	Horizontal	Pass
6	16620.037	52.27	0.45	74.0	21.73	Peak	0.00	100	Horizontal	Pass
6**	16620.037	42.67	0.45	54.0	11.33	AV	0.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.000	46.29	-16.49	74.0	27.71	Peak	217.00	200	Vertical	Pass
1**	1542.000	33.70	-16.49	54.0	20.30	AV	217.00	200	Vertical	Pass
2	2461.900	108.60	-9.74	74.0	-34.60	Peak	225.00	100	Vertical	N/A
2**	2461.900	98.40	-9.74	54.0	-44.40	AV	225.00	100	Vertical	N/A
3	4708.250	50.54	-2.74	74.0	23.46	Peak	193.00	200	Vertical	Pass
3**	4708.250	40.69	-2.74	54.0	13.31	AV	193.00	200	Vertical	Pass
4	7932.000	54.22	2.30	74.0	19.78	Peak	229.00	100	Vertical	Pass
4**	7932.000	44.07	2.30	54.0	9.93	AV	229.00	100	Vertical	Pass
5	10807.725	53.48	-2.84	74.0	20.52	Peak	291.00	300	Vertical	Pass
5**	10807.725	41.95	-2.84	54.0	12.05	AV	291.00	300	Vertical	Pass
6	16344.412	53.01	0.69	74.0	20.99	Peak	339.00	100	Vertical	Pass
6**	16344.412	43.86	0.69	54.0	10.14	AV	339.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 10

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.100	47.13	-16.65	74.0	26.87	Peak	305.00	150	Horizontal	Pass
1**	1673.100	36.40	-16.65	54.0	17.60	AV	305.00	150	Horizontal	Pass
2	2461.500	101.23	-9.74	74.0	-27.23	Peak	244.00	100	Horizontal	N/A
2**	2461.500	91.75	-9.74	54.0	-37.75	AV	244.00	100	Horizontal	N/A
3	5130.250	51.21	-1.45	74.0	22.79	Peak	285.00	150	Horizontal	Pass
3**	5130.250	41.47	-1.45	54.0	12.53	AV	285.00	150	Horizontal	Pass
4	7773.500	54.84	1.80	74.0	19.16	Peak	354.00	200	Horizontal	Pass
4**	7773.500	44.28	1.80	54.0	9.72	AV	354.00	200	Horizontal	Pass
5	10708.688	52.16	-2.30	74.0	21.84	Peak	213.00	100	Horizontal	Pass
5**	10708.688	42.23	-2.30	54.0	11.77	AV	213.00	100	Horizontal	Pass
6	16321.050	52.96	0.02	74.0	21.04	Peak	117.00	200	Horizontal	Pass
6**	16321.050	43.45	0.02	54.0	10.55	AV	117.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 10

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.200	50.52	-16.53	74.0	23.48	Peak	195.00	150	Vertical	Pass
1**	1671.200	41.78	-16.53	54.0	12.22	AV	195.00	150	Vertical	Pass
2	2453.300	102.85	-10.00	74.0	-28.85	Peak	203.00	100	Vertical	N/A
2**	2453.300	94.34	-10.00	54.0	-40.34	AV	203.00	100	Vertical	N/A
3	4769.250	50.24	-2.41	74.0	23.76	Peak	348.00	150	Vertical	Pass
3**	4769.250	41.36	-2.41	54.0	12.64	AV	348.00	150	Vertical	Pass
4	7862.000	53.92	2.19	74.0	20.08	Peak	236.00	100	Vertical	Pass
4**	7862.000	44.27	2.19	54.0	9.73	AV	236.00	100	Vertical	Pass
5	10978.962	51.79	-1.97	74.0	22.21	Peak	213.00	300	Vertical	Pass
5**	10978.962	42.10	-1.97	54.0	11.90	AV	213.00	300	Vertical	Pass
6	16454.925	52.52	0.51	74.0	21.48	Peak	339.00	200	Vertical	Pass
6**	16454.925	43.11	0.51	54.0	10.89	AV	339.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.100	46.37	-16.59	74.0	27.63	Peak	307.00	100	Horizontal	Pass
1**	1672.100	36.49	-16.59	54.0	17.51	AV	307.00	100	Horizontal	Pass
2	2463.100	99.54	-9.74	74.0	-25.54	Peak	254.00	150	Horizontal	N/A
2**	2463.100	89.74	-9.74	54.0	-35.74	AV	254.00	150	Horizontal	N/A
3	5182.000	51.42	-1.13	74.0	22.58	Peak	188.00	100	Horizontal	Pass
3**	5182.000	41.79	-1.13	54.0	12.21	AV	188.00	100	Horizontal	Pass
4	7763.250	53.86	1.67	74.0	20.14	Peak	355.00	200	Horizontal	Pass
4**	7763.250	44.67	1.67	54.0	9.33	AV	355.00	200	Horizontal	Pass
5	10584.001	51.37	-1.66	74.0	22.63	Peak	142.00	400	Horizontal	Pass
5**	10584.001	41.79	-1.66	54.0	12.21	AV	142.00	400	Horizontal	Pass
6	16310.813	52.72	-0.27	74.0	21.28	Peak	215.00	300	Horizontal	Pass
6**	16310.813	43.03	-0.27	54.0	10.97	AV	215.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1669.400	50.37	-16.50	74.0	23.63	Peak	169.00	150	Vertical	Pass
1**	1669.400	41.79	-16.50	54.0	12.21	AV	169.00	150	Vertical	Pass
2	2463.400	102.24	-9.75	74.0	-28.24	Peak	234.00	100	Vertical	N/A
2**	2463.400	91.94	-9.75	54.0	-37.94	AV	234.00	100	Vertical	N/A
3	5171.250	50.86	-1.50	74.0	23.14	Peak	127.00	150	Vertical	Pass
3**	5171.250	40.96	-1.50	54.0	13.04	AV	127.00	150	Vertical	Pass
4	7837.250	54.11	3.60	74.0	19.89	Peak	294.00	300	Vertical	Pass
4**	7837.250	44.84	3.60	54.0	9.16	AV	294.00	300	Vertical	Pass
5	11077.287	52.57	-1.43	74.0	21.43	Peak	130.00	400	Vertical	Pass
5**	11077.287	41.52	-1.43	54.0	12.48	AV	130.00	400	Vertical	Pass
6	15752.212	53.04	0.31	74.0	20.96	Peak	153.00	400	Vertical	Pass
6**	15752.212	43.40	0.31	54.0	10.60	AV	153.00	400	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note ³: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


Main Antenna

802.11b Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2385.850	58.03	2.06	74.0	15.97	Peak	234.00	200	Horizontal	Pass
1**	2385.850	48.14	2.06	54.0	5.86	AV	234.00	200	Horizontal	Pass
2	2389.950	57.06	1.86	74.0	16.94	Peak	360.00	200	Horizontal	Pass
2**	2389.950	46.39	1.86	54.0	7.61	AV	360.00	200	Horizontal	Pass

802.11b Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.26	1.77	74.0	16.74	Peak	295.00	150	Horizontal	Pass
1**	2483.500	46.50	1.77	54.0	7.50	AV	295.00	150	Horizontal	Pass
2	2493.460	58.24	1.70	74.0	15.76	Peak	295.00	200	Horizontal	Pass
2**	2493.460	46.62	1.70	54.0	7.38	AV	295.00	200	Horizontal	Pass
3	2484.070	56.23	1.77	74.0	17.77	Peak	108.00	200	Horizontal	Pass
3**	2484.070	46.93	1.77	54.0	7.07	AV	108.00	200	Horizontal	Pass

802.11b Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	57.20	1.77	74.0	16.80	Peak	327.00	150	Horizontal	Pass
1**	2483.515	47.47	1.77	54.0	6.53	AV	327.00	150	Horizontal	Pass
2	2492.800	57.93	1.73	74.0	16.07	Peak	4.00	100	Horizontal	Pass
2**	2492.800	46.56	1.73	54.0	7.44	AV	4.00	100	Horizontal	Pass
3	2484.865	56.12	1.75	74.0	17.88	Peak	147.00	150	Horizontal	Pass
3**	2484.865	47.78	1.75	54.0	6.22	AV	147.00	150	Horizontal	Pass

802.11b Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	61.48	1.77	74.0	12.52	Peak	83.00	150	Horizontal	Pass
1**	2483.530	46.73	1.77	54.0	7.27	AV	83.00	150	Horizontal	Pass
2	2483.935	61.83	1.77	74.0	12.17	Peak	135.00	150	Horizontal	Pass
2**	2483.935	46.41	1.77	54.0	7.59	AV	135.00	150	Horizontal	Pass

802.11g Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.100	62.53	1.92	74.0	11.47	Peak	76.00	200	Horizontal	Pass
1**	2389.100	49.75	1.92	54.0	4.25	AV	76.00	200	Horizontal	Pass
2	2389.950	61.06	1.86	74.0	12.94	Peak	157.00	100	Horizontal	Pass
2**	2389.950	50.15	1.86	54.0	3.85	AV	157.00	100	Horizontal	Pass
3	2389.600	59.42	1.88	74.0	14.58	Peak	160.00	150	Horizontal	Pass
3**	2389.600	50.77	1.88	54.0	3.23	AV	160.00	150	Horizontal	Pass

802.11g Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.20	1.77	74.0	10.80	Peak	137.00	200	Horizontal	Pass
1**	2483.500	50.48	1.77	54.0	3.52	AV	137.00	200	Horizontal	Pass
2	2483.755	65.20	1.77	74.0	8.80	Peak	133.00	150	Horizontal	Pass
2**	2483.755	50.17	1.77	54.0	3.83	AV	133.00	150	Horizontal	Pass
3	2484.145	60.43	1.77	74.0	13.57	Peak	81.00	100	Horizontal	Pass
3**	2484.145	50.79	1.77	54.0	3.21	AV	81.00	100	Horizontal	Pass

802.11g Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	61.76	1.77	74.0	12.24	Peak	81.00	200	Horizontal	Pass
1**	2483.545	49.58	1.77	54.0	4.42	AV	81.00	200	Horizontal	Pass
2	2483.725	61.15	1.77	74.0	12.85	Peak	78.00	200	Horizontal	Pass
2**	2483.725	49.52	1.77	54.0	4.48	AV	78.00	200	Horizontal	Pass
3	2483.695	59.68	1.77	74.0	14.32	Peak	140.00	150	Horizontal	Pass
3**	2483.695	50.26	1.77	54.0	3.74	AV	140.00	150	Horizontal	Pass

802.11g Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	66.80	1.77	74.0	7.20	Peak	121.00	150	Horizontal	Pass
1**	2483.500	49.63	1.77	54.0	4.37	AV	121.00	150	Horizontal	Pass
2	2483.710	65.19	1.77	74.0	8.81	Peak	137.00	200	Horizontal	Pass
2**	2483.710	49.03	1.77	54.0	4.97	AV	137.00	200	Horizontal	Pass

802.11n20 Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.650	64.45	1.88	74.0	9.55	Peak	159.00	100	Horizontal	Pass
1**	2389.650	51.74	1.88	54.0	2.26	AV	159.00	100	Horizontal	Pass
2	2389.950	63.03	1.86	74.0	10.97	Peak	166.00	150	Horizontal	Pass
2**	2389.950	51.77	1.86	54.0	2.23	AV	166.00	150	Horizontal	Pass
3	2389.700	59.71	1.88	74.0	14.29	Peak	80.00	150	Horizontal	Pass
3**	2389.700	52.42	1.88	54.0	1.58	AV	80.00	150	Horizontal	Pass

802.11n20 Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	67.05	1.77	74.0	6.95	Peak	133.00	100	Horizontal	Pass
1**	2483.545	51.97	1.77	54.0	2.03	AV	133.00	100	Horizontal	Pass
2	2484.265	65.89	1.77	74.0	8.11	Peak	82.00	200	Horizontal	Pass
2**	2484.265	50.63	1.77	54.0	3.37	AV	82.00	200	Horizontal	Pass
3	2483.590	62.22	1.77	74.0	11.78	Peak	335.00	150	Horizontal	Pass
3**	2483.590	52.42	1.77	54.0	1.58	AV	335.00	150	Horizontal	Pass

802.11n20 Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	60.32	1.77	74.0	13.68	Peak	129.00	200	Horizontal	Pass
1**	2483.575	50.02	1.77	54.0	3.98	AV	129.00	200	Horizontal	Pass
2	2483.725	61.13	1.77	74.0	12.87	Peak	134.00	150	Horizontal	Pass
2**	2483.725	49.51	1.77	54.0	4.49	AV	134.00	150	Horizontal	Pass
3	2483.815	57.94	1.77	74.0	16.06	Peak	338.00	100	Horizontal	Pass
3**	2483.815	49.76	1.77	54.0	4.24	AV	338.00	100	Horizontal	Pass

802.11n20 Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	66.17	1.77	74.0	7.83	Peak	71.00	150	Horizontal	Pass
1**	2483.590	50.04	1.77	54.0	3.96	AV	71.00	150	Horizontal	Pass
2	2483.725	65.42	1.77	74.0	8.58	Peak	81.00	150	Horizontal	Pass
2**	2483.725	48.98	1.77	54.0	5.02	AV	81.00	150	Horizontal	Pass

802.11n40 Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.100	67.16	1.97	74.0	6.84	Peak	158.00	200	Horizontal	Pass
1**	2388.100	50.85	1.97	54.0	3.15	AV	158.00	200	Horizontal	Pass
2	2389.950	61.66	1.86	74.0	12.34	Peak	158.00	200	Horizontal	Pass
2**	2389.950	51.61	1.86	54.0	2.39	AV	158.00	200	Horizontal	Pass
3	2389.000	61.65	1.92	74.0	12.35	Peak	158.00	100	Horizontal	Pass
3**	2389.000	52.28	1.92	54.0	1.72	AV	158.00	100	Horizontal	Pass

802.11n40 Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.16	1.77	74.0	10.84	Peak	129.00	100	Horizontal	Pass
1**	2483.500	49.29	1.77	54.0	4.71	AV	129.00	100	Horizontal	Pass
2	2484.805	63.37	1.75	74.0	10.63	Peak	136.00	100	Horizontal	Pass
2**	2484.805	49.13	1.75	54.0	4.87	AV	136.00	100	Horizontal	Pass
3	2484.445	59.73	1.76	74.0	14.27	Peak	339.00	150	Horizontal	Pass
3**	2484.445	51.51	1.76	54.0	2.49	AV	339.00	150	Horizontal	Pass

802.11n40 Channel 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	60.56	1.77	74.0	13.44	Peak	134.00	150	Horizontal	Pass
1**	2483.530	49.68	1.77	54.0	4.32	AV	134.00	150	Horizontal	Pass
2	2483.980	60.44	1.77	74.0	13.56	Peak	134.00	200	Horizontal	Pass
2**	2483.980	48.83	1.77	54.0	5.17	AV	134.00	200	Horizontal	Pass

802.11n40 Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	60.40	1.77	74.0	13.60	Peak	123.00	150	Horizontal	Pass
1**	2483.590	49.64	1.77	54.0	4.36	AV	123.00	150	Horizontal	Pass
2	2484.070	61.09	1.77	74.0	12.91	Peak	125.00	100	Horizontal	Pass
2**	2484.070	47.99	1.77	54.0	6.01	AV	125.00	100	Horizontal	Pass

802.11ax20(SU) Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.600	64.89	1.88	74.0	9.11	Peak	159.00	200	Horizontal	Pass
1**	2389.600	52.69	1.88	54.0	1.31	AV	159.00	200	Horizontal	Pass
2	2389.950	63.19	1.86	74.0	10.81	Peak	162.00	150	Horizontal	Pass
2**	2389.950	52.60	1.86	54.0	1.40	AV	162.00	150	Horizontal	Pass
3	2389.800	63.27	1.87	74.0	10.73	Peak	72.00	150	Horizontal	Pass
3**	2389.800	52.91	1.87	54.0	1.09	AV	72.00	150	Horizontal	Pass

802.11ax20(SU) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	64.25	1.77	74.0	9.75	Peak	73.00	200	Horizontal	Pass
1**	2483.590	51.88	1.77	54.0	2.12	AV	73.00	200	Horizontal	Pass
2	2483.755	66.06	1.77	74.0	7.94	Peak	81.00	100	Horizontal	Pass
2**	2483.755	52.15	1.77	54.0	1.85	AV	81.00	100	Horizontal	Pass
3	2483.845	60.83	1.77	74.0	13.17	Peak	79.00	150	Horizontal	Pass
3**	2483.845	52.59	1.77	54.0	1.41	AV	79.00	150	Horizontal	Pass

802.11ax20(SU) Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	61.13	1.77	74.0	12.87	Peak	135.00	100	Horizontal	Pass
1**	2483.515	50.97	1.77	54.0	3.03	AV	135.00	100	Horizontal	Pass
2	2483.980	61.36	1.77	74.0	12.64	Peak	135.00	150	Horizontal	Pass
2**	2483.980	49.91	1.77	54.0	4.09	AV	135.00	150	Horizontal	Pass
3	2483.695	59.15	1.77	74.0	14.85	Peak	126.00	100	Horizontal	Pass
3**	2483.695	50.95	1.77	54.0	3.05	AV	126.00	100	Horizontal	Pass

802.11ax20(SU) Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	66.34	1.77	74.0	7.66	Peak	72.00	100	Horizontal	Pass
1**	2483.515	51.59	1.77	54.0	2.41	AV	72.00	100	Horizontal	Pass
2	2483.770	64.57	1.77	74.0	9.43	Peak	139.00	200	Horizontal	Pass
2**	2483.770	48.85	1.77	54.0	5.15	AV	139.00	200	Horizontal	Pass
3	2483.545	61.97	1.77	74.0	12.03	Peak	134.00	150	Horizontal	Pass
3**	2483.545	51.75	1.77	54.0	2.25	AV	134.00	150	Horizontal	Pass

802.11ax40(SU) Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.300	65.04	1.96	74.0	8.96	Peak	154.00	100	Horizontal	Pass
1**	2388.300	51.38	1.96	54.0	2.62	AV	154.00	100	Horizontal	Pass
2	2389.950	61.87	1.86	74.0	12.13	Peak	81.00	200	Horizontal	Pass
2**	2389.950	52.21	1.86	54.0	1.79	AV	81.00	200	Horizontal	Pass
3	2387.800	60.36	1.99	74.0	13.64	Peak	166.00	150	Horizontal	Pass
3**	2387.800	52.65	1.99	54.0	1.35	AV	166.00	150	Horizontal	Pass

802.11ax40(SU) Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	62.95	1.77	74.0	11.05	Peak	128.00	200	Horizontal	Pass
1**	2483.545	50.55	1.77	54.0	3.45	AV	128.00	200	Horizontal	Pass
2	2483.635	63.56	1.77	74.0	10.44	Peak	130.00	150	Horizontal	Pass
2**	2483.635	50.33	1.77	54.0	3.67	AV	130.00	150	Horizontal	Pass
3	2483.605	60.46	1.77	74.0	13.54	Peak	74.00	150	Horizontal	Pass
3**	2483.605	51.16	1.77	54.0	2.84	AV	74.00	150	Horizontal	Pass

802.11ax40(SU) Channel 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	62.49	1.77	74.0	11.51	Peak	137.00	150	Horizontal	Pass
1**	2483.530	50.58	1.77	54.0	3.42	AV	137.00	150	Horizontal	Pass
2	2483.935	63.55	1.77	74.0	10.45	Peak	135.00	100	Horizontal	Pass
2**	2483.935	50.04	1.77	54.0	3.96	AV	135.00	100	Horizontal	Pass
3	2483.605	59.05	1.77	74.0	14.95	Peak	72.00	200	Horizontal	Pass
3**	2483.605	51.03	1.77	54.0	2.97	AV	72.00	200	Horizontal	Pass

802.11ax40(SU) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	62.01	1.77	74.0	11.99	Peak	137.00	100	Horizontal	Pass
1**	2483.515	49.51	1.77	54.0	4.49	AV	137.00	100	Horizontal	Pass
2	2483.725	60.93	1.77	74.0	13.07	Peak	336.00	100	Horizontal	Pass
2**	2483.725	49.01	1.77	54.0	4.99	AV	336.00	100	Horizontal	Pass
3	2483.575	60.33	1.77	74.0	13.67	Peak	132.00	150	Horizontal	Pass
3**	2483.575	50.19	1.77	54.0	3.81	AV	132.00	150	Horizontal	Pass

802.11ax20(RU26) Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.000	64.42	1.92	74.0	9.58	Peak	339.00	100	Horizontal	Pass
1**	2389.000	49.77	1.92	54.0	4.23	AV	339.00	100	Horizontal	Pass
2	2389.950	61.87	1.86	74.0	12.13	Peak	335.00	100	Horizontal	Pass
2**	2389.950	50.06	1.86	54.0	3.94	AV	335.00	100	Horizontal	Pass
3	2389.050	62.73	1.92	74.0	11.27	Peak	154.00	150	Horizontal	Pass
3**	2389.050	50.63	1.92	54.0	3.37	AV	154.00	150	Horizontal	Pass

802.11ax20(RU26) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	62.97	1.77	74.0	11.03	Peak	134.00	100	Horizontal	Pass
1**	2483.545	51.23	1.77	54.0	2.77	AV	134.00	100	Horizontal	Pass
2	2486.155	64.44	1.70	74.0	9.56	Peak	132.00	150	Horizontal	Pass
2**	2486.155	50.85	1.70	54.0	3.15	AV	132.00	150	Horizontal	Pass
3	2483.590	62.10	1.77	74.0	11.90	Peak	130.00	150	Horizontal	Pass
3**	2483.590	52.13	1.77	54.0	1.87	AV	130.00	150	Horizontal	Pass

802.11ax20(RU26) Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	61.15	1.77	74.0	12.85	Peak	134.00	200	Horizontal	Pass
1**	2483.515	47.22	1.77	54.0	6.78	AV	134.00	200	Horizontal	Pass
2	2483.950	61.50	1.77	74.0	12.50	Peak	137.00	100	Horizontal	Pass
2**	2483.950	47.46	1.77	54.0	6.54	AV	137.00	100	Horizontal	Pass

802.11ax20(RU26) Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	70.94	1.77	74.0	3.06	Peak	134.00	200	Horizontal	Pass
1**	2483.530	52.42	1.77	54.0	1.58	AV	134.00	200	Horizontal	Pass
2	2484.055	70.36	1.77	74.0	3.64	Peak	134.00	200	Horizontal	Pass
2**	2484.055	50.20	1.77	54.0	3.80	AV	134.00	200	Horizontal	Pass
3	2483.530	70.94	1.77	74.0	3.06	Peak	134.00	150	Horizontal	Pass
3**	2483.530	52.42	1.77	54.0	1.58	AV	134.00	150	Horizontal	Pass

802.11ax40(RU26) Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.600	59.03	1.88	74.0	14.97	Peak	71.00	100	Horizontal	Pass
1**	2389.600	46.63	1.88	54.0	7.37	AV	71.00	100	Horizontal	Pass
2	2389.950	56.33	1.86	74.0	17.67	Peak	206.00	100	Horizontal	Pass
2**	2389.950	46.59	1.86	54.0	7.41	AV	206.00	100	Horizontal	Pass

802.11ax40(RU26) Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	58.76	1.77	74.0	15.24	Peak	74.00	100	Horizontal	Pass
1**	2483.590	47.35	1.77	54.0	6.65	AV	74.00	100	Horizontal	Pass
2	2484.145	62.15	1.77	74.0	11.85	Peak	130.00	200	Horizontal	Pass
2**	2484.145	48.38	1.77	54.0	5.62	AV	130.00	200	Horizontal	Pass

802.11ax40(RU26) Channel 10



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	71.66	1.77	74.0	2.34	Peak	132.00	100	Horizontal	Pass
1**	2483.515	51.05	1.77	54.0	2.95	AV	132.00	100	Horizontal	Pass
2	2483.950	70.77	1.77	74.0	3.23	Peak	132.00	150	Horizontal	Pass
2**	2483.950	50.25	1.77	54.0	3.75	AV	132.00	150	Horizontal	Pass
3	2483.530	70.11	1.77	74.0	3.89	Peak	130.00	150	Horizontal	Pass
3**	2483.530	51.09	1.77	54.0	2.91	AV	130.00	150	Horizontal	Pass


802.11ax40(RU26) Channel 11



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	69.39	1.77	74.0	4.61	Peak	133.00	100	Horizontal	Pass
1**	2483.515	51.69	1.77	54.0	2.31	AV	133.00	100	Horizontal	Pass
2	2483.695	68.93	1.77	74.0	5.07	Peak	133.00	150	Horizontal	Pass
2**	2483.695	50.29	1.77	54.0	3.71	AV	133.00	150	Horizontal	Pass
3	2483.575	68.44	1.77	74.0	5.56	Peak	132.00	150	Horizontal	Pass
3**	2483.575	51.98	1.77	54.0	2.02	AV	132.00	150	Horizontal	Pass


Aux. Antenna

802.11b Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2375.800	58.76	1.77	74.0	15.24	Peak	162.00	150	Vertical	Pass
1**	2375.800	48.31	1.77	54.0	5.69	AV	162.00	150	Vertical	Pass
2	2389.950	56.90	1.86	74.0	17.10	Peak	289.00	100	Vertical	Pass
2**	2389.950	46.90	1.86	54.0	7.10	AV	289.00	100	Vertical	Pass
3	2374.400	56.92	1.59	74.0	17.08	Peak	93.00	150	Vertical	Pass
3**	2374.400	49.47	1.59	54.0	4.53	AV	93.00	150	Vertical	Pass

802.11b Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	57.41	1.77	74.0	16.59	Peak	81.00	200	Vertical	Pass
1**	2483.530	46.34	1.77	54.0	7.66	AV	81.00	200	Vertical	Pass
2	2494.255	57.90	1.65	74.0	16.10	Peak	253.00	150	Vertical	Pass
2**	2494.255	46.48	1.65	54.0	7.52	AV	253.00	150	Vertical	Pass
3	2486.545	56.90	1.69	74.0	17.10	Peak	57.00	100	Vertical	Pass
3**	2486.545	47.05	1.69	54.0	6.95	AV	57.00	100	Vertical	Pass

802.11b Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	57.78	1.77	74.0	16.22	Peak	144.00	100	Vertical	Pass
1**	2483.560	48.11	1.77	54.0	5.89	AV	144.00	100	Vertical	Pass
2	2484.430	58.38	1.76	74.0	15.62	Peak	203.00	150	Vertical	Pass
2**	2484.430	48.12	1.76	54.0	5.88	AV	203.00	150	Vertical	Pass
3	2484.040	57.66	1.77	74.0	16.34	Peak	147.00	200	Vertical	Pass
3**	2484.040	49.57	1.77	54.0	4.43	AV	147.00	200	Vertical	Pass

802.11b Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	66.77	1.77	74.0	7.23	Peak	149.00	100	Vertical	Pass
1**	2483.590	47.67	1.77	54.0	6.33	AV	149.00	100	Vertical	Pass
2	2483.995	64.61	1.77	74.0	9.39	Peak	151.00	200	Vertical	Pass
2**	2483.995	46.55	1.77	54.0	7.45	AV	151.00	200	Vertical	Pass
3	2485.345	56.66	1.73	74.0	17.34	Peak	360.00	150	Vertical	Pass
3**	2485.345	49.50	1.73	54.0	4.50	AV	360.00	150	Vertical	Pass

802.11g Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.650	65.03	1.88	74.0	8.97	Peak	145.00	150	Vertical	Pass
1**	2389.650	50.72	1.88	54.0	3.28	AV	145.00	150	Vertical	Pass
2	2389.950	62.14	1.86	74.0	11.86	Peak	143.00	150	Vertical	Pass
2**	2389.950	51.40	1.86	54.0	2.60	AV	143.00	150	Vertical	Pass
3	2389.400	62.80	1.90	74.0	11.20	Peak	133.00	100	Vertical	Pass
3**	2389.400	51.36	1.90	54.0	2.64	AV	133.00	100	Vertical	Pass

802.11g Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	66.71	1.77	74.0	7.29	Peak	152.00	100	Vertical	Pass
1**	2483.590	51.26	1.77	54.0	2.74	AV	152.00	100	Vertical	Pass
2	2483.995	65.59	1.77	74.0	8.41	Peak	145.00	150	Vertical	Pass
2**	2483.995	50.35	1.77	54.0	3.65	AV	145.00	150	Vertical	Pass
3	2483.605	61.97	1.77	74.0	12.03	Peak	157.00	200	Vertical	Pass
3**	2483.605	52.50	1.77	54.0	1.50	AV	157.00	200	Vertical	Pass

802.11g Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.84	1.77	74.0	13.16	Peak	155.00	100	Vertical	Pass
1**	2483.500	50.08	1.77	54.0	3.92	AV	155.00	100	Vertical	Pass
2	2483.845	60.68	1.77	74.0	13.32	Peak	152.00	100	Vertical	Pass
2**	2483.845	49.36	1.77	54.0	4.64	AV	152.00	100	Vertical	Pass
3	2483.770	58.80	1.77	74.0	15.20	Peak	175.00	150	Vertical	Pass
3**	2483.770	50.29	1.77	54.0	3.71	AV	175.00	150	Vertical	Pass

802.11g Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	69.34	1.77	74.0	4.66	Peak	146.00	150	Vertical	Pass
1**	2483.545	51.36	1.77	54.0	2.64	AV	146.00	150	Vertical	Pass
2	2483.755	67.75	1.77	74.0	6.25	Peak	149.00	200	Vertical	Pass
2**	2483.755	49.74	1.77	54.0	4.26	AV	149.00	200	Vertical	Pass
3	2484.220	60.96	1.77	74.0	13.04	Peak	125.00	100	Vertical	Pass
3**	2484.220	48.62	1.77	54.0	5.38	AV	125.00	100	Vertical	Pass

802.11n20 Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.700	66.89	1.88	74.0	7.11	Peak	131.00	100	Vertical	Pass
1**	2389.700	52.46	1.88	54.0	1.54	AV	131.00	100	Vertical	Pass
2	2389.950	65.55	1.86	74.0	8.45	Peak	145.00	100	Vertical	Pass
2**	2389.950	52.56	1.86	54.0	1.46	AV	145.00	100	Vertical	Pass
3	2389.400	63.42	1.90	74.0	10.58	Peak	181.00	150	Vertical	Pass
3**	2389.400	52.82	1.90	54.0	1.18	AV	181.00	150	Vertical	Pass

802.11n20 Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	62.93	1.77	74.0	11.07	Peak	169.00	200	Vertical	Pass
1**	2483.590	51.18	1.77	54.0	2.82	AV	169.00	200	Vertical	Pass
2	2483.785	64.68	1.77	74.0	9.32	Peak	151.00	100	Vertical	Pass
2**	2483.785	50.42	1.77	54.0	3.58	AV	151.00	100	Vertical	Pass
3	2483.800	61.21	1.77	74.0	12.79	Peak	300.00	1500	Vertical	Pass
3**	2483.800	51.85	1.77	54.0	2.15	AV	300.00	1500	Vertical	Pass

802.11n20 Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	61.57	1.77	74.0	12.43	Peak	155.00	100	Vertical	Pass
1**	2483.515	50.75	1.77	54.0	3.25	AV	155.00	100	Vertical	Pass
2	2483.800	60.53	1.77	74.0	13.47	Peak	150.00	200	Vertical	Pass
2**	2483.800	49.77	1.77	54.0	4.23	AV	150.00	200	Vertical	Pass
3	2483.620	60.14	1.77	74.0	13.86	Peak	133.00	150	Vertical	Pass
3**	2483.620	50.72	1.77	54.0	3.28	AV	133.00	150	Vertical	Pass

802.11n20 Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	68.36	1.77	74.0	5.64	Peak	137.00	100	Vertical	Pass
1**	2483.530	51.87	1.77	54.0	2.13	AV	137.00	100	Vertical	Pass
2	2483.740	67.59	1.77	74.0	6.41	Peak	149.00	150	Vertical	Pass
2**	2483.740	50.20	1.77	54.0	3.80	AV	149.00	150	Vertical	Pass
3	2483.860	64.02	1.77	74.0	9.98	Peak	69.00	200	Vertical	Pass
3**	2483.860	49.41	1.77	54.0	4.59	AV	69.00	200	Vertical	Pass

802.11n40 Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2381.400	65.06	1.97	74.0	8.94	Peak	118.00	200	Vertical	Pass
1**	2381.400	51.53	1.97	54.0	2.47	AV	118.00	200	Vertical	Pass
2	2389.950	63.64	1.86	74.0	10.36	Peak	161.00	150	Vertical	Pass
2**	2389.950	52.42	1.86	54.0	1.58	AV	161.00	150	Vertical	Pass
3	2385.750	61.70	2.06	74.0	12.30	Peak	144.00	200	Vertical	Pass
3**	2385.750	52.85	2.06	54.0	1.15	AV	144.00	200	Vertical	Pass

802.11n40 Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.96	1.77	74.0	12.04	Peak	152.00	100	Vertical	Pass
1**	2483.500	50.89	1.77	54.0	3.11	AV	152.00	100	Vertical	Pass
2	2484.655	64.09	1.75	74.0	9.91	Peak	148.00	100	Vertical	Pass
2**	2484.655	50.29	1.75	54.0	3.71	AV	148.00	100	Vertical	Pass
3	2484.385	60.80	1.76	74.0	13.20	Peak	126.00	150	Vertical	Pass
3**	2484.385	52.88	1.76	54.0	1.12	AV	126.00	150	Vertical	Pass

802.11n40 Channel 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.54	1.77	74.0	13.46	Peak	176.00	100	Vertical	Pass
1**	2483.500	50.04	1.77	54.0	3.96	AV	176.00	100	Vertical	Pass
2	2483.725	61.03	1.77	74.0	12.97	Peak	158.00	150	Vertical	Pass
2**	2483.725	49.48	1.77	54.0	4.52	AV	158.00	150	Vertical	Pass
3	2483.755	59.81	1.77	74.0	14.19	Peak	151.00	200	Vertical	Pass
3**	2483.755	50.08	1.77	54.0	3.92	AV	151.00	200	Vertical	Pass

802.11n40 Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.52	1.77	74.0	10.48	Peak	148.00	100	Vertical	Pass
1**	2483.500	49.95	1.77	54.0	4.05	AV	148.00	100	Vertical	Pass
2	2483.740	62.57	1.77	74.0	11.43	Peak	58.00	150	Vertical	Pass
2**	2483.740	48.88	1.77	54.0	5.12	AV	58.00	150	Vertical	Pass
3	2483.515	61.66	1.77	74.0	12.34	Peak	38.00	150	Vertical	Pass
3**	2483.515	50.49	1.77	54.0	3.51	AV	38.00	150	Vertical	Pass

802.11ax20(SU) Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.300	67.26	2.06	74.0	6.74	Peak	145.00	100	Vertical	Pass
1**	2386.300	49.86	2.06	54.0	4.14	AV	145.00	100	Vertical	Pass
2	2389.950	63.82	1.86	74.0	10.18	Peak	179.00	100	Vertical	Pass
2**	2389.950	52.56	1.86	54.0	1.44	AV	179.00	100	Vertical	Pass
3	2388.550	64.38	1.95	74.0	9.62	Peak	116.00	150	Vertical	Pass
3**	2388.550	52.91	1.95	54.0	1.09	AV	116.00	150	Vertical	Pass

802.11ax20(SU) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	63.84	1.77	74.0	10.16	Peak	107.00	150	Vertical	Pass
1**	2483.515	51.67	1.77	54.0	2.33	AV	107.00	150	Vertical	Pass
2	2486.200	65.54	1.70	74.0	8.46	Peak	280.00	100	Vertical	Pass
2**	2486.200	49.50	1.70	54.0	4.50	AV	280.00	100	Vertical	Pass
3	2483.500	62.20	1.77	74.0	11.80	Peak	102.00	100	Vertical	Pass
3**	2483.500	52.63	1.77	54.0	1.37	AV	102.00	100	Vertical	Pass

802.11ax20(SU) Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.85	1.77	74.0	12.15	Peak	283.00	150	Vertical	Pass
1**	2483.500	50.37	1.77	54.0	3.63	AV	283.00	150	Vertical	Pass
2	2483.710	60.99	1.77	74.0	13.01	Peak	132.00	200	Vertical	Pass
2**	2483.710	49.64	1.77	54.0	4.36	AV	132.00	200	Vertical	Pass
3	2483.560	61.81	1.77	74.0	12.19	Peak	280.00	150	Vertical	Pass
3**	2483.560	50.39	1.77	54.0	3.61	AV	280.00	150	Vertical	Pass

802.11ax20(SU) Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	67.34	1.77	74.0	6.66	Peak	277.00	150	Vertical	Pass
1**	2483.575	51.15	1.77	54.0	2.85	AV	277.00	150	Vertical	Pass
2	2483.725	66.42	1.77	74.0	7.58	Peak	55.00	150	Vertical	Pass
2**	2483.725	49.59	1.77	54.0	4.41	AV	55.00	150	Vertical	Pass
3	2483.620	66.18	1.77	74.0	7.82	Peak	158.00	150	Vertical	Pass
3**	2483.620	50.83	1.77	54.0	3.17	AV	158.00	150	Vertical	Pass

802.11ax40(SU) Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2384.400	67.24	2.07	74.0	6.76	Peak	128.00	150	Vertical	Pass
1**	2384.400	51.94	2.07	54.0	2.06	AV	128.00	150	Vertical	Pass
2	2389.950	63.53	1.86	74.0	10.47	Peak	156.00	100	Vertical	Pass
2**	2389.950	52.53	1.86	54.0	1.47	AV	156.00	100	Vertical	Pass
3	2385.400	63.32	2.07	74.0	10.68	Peak	144.00	150	Vertical	Pass
3**	2385.400	52.74	2.07	54.0	1.26	AV	144.00	150	Vertical	Pass

802.11ax40(SU) Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	64.05	1.77	74.0	9.95	Peak	116.00	150	Vertical	Pass
1**	2483.545	50.52	1.77	54.0	3.48	AV	116.00	150	Vertical	Pass
2	2484.445	65.04	1.76	74.0	8.96	Peak	155.00	100	Vertical	Pass
2**	2484.445	51.15	1.76	54.0	2.85	AV	155.00	100	Vertical	Pass
3	2483.680	60.54	1.77	74.0	13.46	Peak	65.00	150	Vertical	Pass
3**	2483.680	51.56	1.77	54.0	2.44	AV	65.00	150	Vertical	Pass

802.11ax40(SU) Channel 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.37	1.77	74.0	12.63	Peak	76.00	100	Vertical	Pass
1**	2483.500	49.51	1.77	54.0	4.49	AV	76.00	100	Vertical	Pass
2	2483.740	60.65	1.77	74.0	13.35	Peak	151.00	100	Vertical	Pass
2**	2483.740	49.27	1.77	54.0	4.73	AV	151.00	100	Vertical	Pass

802.11ax40(SU) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.08	1.77	74.0	9.92	Peak	58.00	150	Vertical	Pass
1**	2483.500	50.17	1.77	54.0	3.83	AV	58.00	150	Vertical	Pass
2	2483.710	62.91	1.77	74.0	11.09	Peak	58.00	150	Vertical	Pass
2**	2483.710	48.92	1.77	54.0	5.08	AV	58.00	150	Vertical	Pass

802.11ax20(RU26) Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.850	66.40	1.93	74.0	7.60	Peak	112.00	100	Vertical	Pass
1**	2388.850	51.40	1.93	54.0	2.60	AV	112.00	100	Vertical	Pass
2	2389.950	63.66	1.86	74.0	10.34	Peak	117.00	100	Vertical	Pass
2**	2389.950	50.97	1.86	54.0	3.03	AV	117.00	100	Vertical	Pass
3	2389.100	65.54	1.92	74.0	8.46	Peak	135.00	150	Vertical	Pass
3**	2389.100	51.81	1.92	54.0	2.19	AV	135.00	150	Vertical	Pass

802.11ax20(RU26) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	65.63	1.77	74.0	8.37	Peak	152.00	200	Vertical	Pass
1**	2483.530	52.00	1.77	54.0	2.00	AV	152.00	200	Vertical	Pass
2	2484.295	66.07	1.77	74.0	7.93	Peak	152.00	150	Vertical	Pass
2**	2484.295	50.78	1.77	54.0	3.22	AV	152.00	150	Vertical	Pass
3	2483.545	64.88	1.77	74.0	9.12	Peak	286.00	150	Vertical	Pass
3**	2483.545	53.00	1.77	54.0	1.00	AV	286.00	150	Vertical	Pass

802.11ax20(RU26) Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	60.74	1.77	74.0	13.26	Peak	118.00	100	Vertical	Pass
1**	2483.515	47.49	1.77	54.0	6.51	AV	118.00	100	Vertical	Pass
2	2483.980	60.12	1.77	74.0	13.88	Peak	157.00	200	Vertical	Pass
2**	2483.980	47.24	1.77	54.0	6.76	AV	157.00	200	Vertical	Pass

802.11ax20(RU26) Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	72.93	1.77	74.0	1.07	Peak	149.00	200	Vertical	Pass
1**	2483.515	52.67	1.77	54.0	1.33	AV	149.00	200	Vertical	Pass
2	2483.710	72.14	1.77	74.0	1.86	Peak	152.00	150	Vertical	Pass
2**	2483.710	51.88	1.77	54.0	2.12	AV	152.00	150	Vertical	Pass
3	2483.740	70.65	1.77	74.0	3.35	Peak	134.00	150	Vertical	Pass
3**	2483.740	52.95	1.77	54.0	1.05	AV	134.00	150	Vertical	Pass

802.11ax40(RU26) Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.150	63.41	1.97	74.0	10.59	Peak	60.00	100	Vertical	Pass
1**	2388.150	47.86	1.97	54.0	6.14	AV	60.00	100	Vertical	Pass
2	2389.950	57.33	1.86	74.0	16.67	Peak	150.00	150	Vertical	Pass
2**	2389.950	47.67	1.86	54.0	6.33	AV	150.00	150	Vertical	Pass

802.11ax40(RU26) Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	60.94	1.77	74.0	13.06	Peak	145.00	200	Vertical	Pass
1**	2483.575	48.32	1.77	54.0	5.68	AV	145.00	200	Vertical	Pass
2	2484.145	62.36	1.77	74.0	11.64	Peak	151.00	100	Vertical	Pass
2**	2484.145	48.81	1.77	54.0	5.19	AV	151.00	100	Vertical	Pass

802.11ax40(RU26) Channel 10



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	70.53	1.77	74.0	3.47	Peak	152.00	200	Vertical	Pass
1**	2483.545	49.56	1.77	54.0	4.44	AV	152.00	200	Vertical	Pass
2	2483.755	70.54	1.77	74.0	3.46	Peak	142.00	100	Vertical	Pass
2**	2483.755	48.85	1.77	54.0	5.15	AV	142.00	100	Vertical	Pass
3	2483.770	69.42	1.77	74.0	4.58	Peak	140.00	150	Vertical	Pass
3**	2483.770	50.27	1.77	54.0	3.73	AV	140.00	150	Vertical	Pass


802.11ax40(RU26) Channel 11



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	69.18	1.77	74.0	4.82	Peak	152.00	200	Vertical	Pass
1**	2483.515	52.40	1.77	54.0	1.60	AV	152.00	200	Vertical	Pass
2	2483.860	68.73	1.77	74.0	5.27	Peak	152.00	150	Vertical	Pass
2**	2483.860	49.79	1.77	54.0	4.21	AV	152.00	150	Vertical	Pass
3	2483.515	69.18	1.77	74.0	4.82	Peak	152.00	150	Vertical	Pass
3**	2483.515	52.40	1.77	54.0	1.60	AV	152.00	150	Vertical	Pass


MIMO

802.11g Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	65.34	1.87	74.0	8.66	Peak	201.00	200	Vertical	Pass
1**	2389.800	52.35	1.87	54.0	1.65	AV	201.00	200	Vertical	Pass
2	2389.950	62.39	1.86	74.0	11.61	Peak	247.00	150	Vertical	Pass
2**	2389.950	52.46	1.86	54.0	1.54	AV	247.00	150	Vertical	Pass
3	2389.450	64.20	1.89	74.0	9.80	Peak	181.00	100	Vertical	Pass
3**	2389.450	52.69	1.89	54.0	1.31	AV	181.00	100	Vertical	Pass

802.11g Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	68.95	1.77	74.0	5.05	Peak	271.00	100	Vertical	Pass
1**	2483.515	52.79	1.77	54.0	1.21	AV	271.00	100	Vertical	Pass
2	2483.740	68.01	1.77	74.0	5.99	Peak	221.00	150	Vertical	Pass
2**	2483.740	52.39	1.77	54.0	1.61	AV	221.00	150	Vertical	Pass
3	2484.130	64.99	1.77	74.0	9.01	Peak	220.00	200	Vertical	Pass
3**	2484.130	52.62	1.77	54.0	1.38	AV	220.00	200	Vertical	Pass

802.11g Channel 12




No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	60.63	1.77	74.0	13.37	Peak	200.00	200	Vertical	Pass
1**	2483.575	50.66	1.77	54.0	3.34	AV	200.00	200	Vertical	Pass
2	2483.725	61.22	1.77	74.0	12.78	Peak	237.00	100	Vertical	Pass
2**	2483.725	50.20	1.77	54.0	3.80	AV	237.00	100	Vertical	Pass
3	2484.025	59.14	1.77	74.0	14.86	Peak	239.00	150	Vertical	Pass
3**	2484.025	49.45	1.77	54.0	4.55	AV	239.00	150	Vertical	Pass

802.11g Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	67.77	1.77	74.0	6.23	Peak	171.00	100	Vertical	Pass
1**	2483.500	50.31	1.77	54.0	3.69	AV	171.00	100	Vertical	Pass
2	2483.710	65.69	1.77	74.0	8.31	Peak	210.00	100	Vertical	Pass
2**	2483.710	49.08	1.77	54.0	4.92	AV	210.00	100	Vertical	Pass

802.11n20 Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.900	67.05	1.93	74.0	6.95	Peak	237.00	200	Vertical	Pass
1**	2388.900	51.69	1.93	54.0	2.31	AV	237.00	200	Vertical	Pass
2	2389.950	63.48	1.86	74.0	10.52	Peak	286.00	100	Vertical	Pass
2**	2389.950	52.89	1.86	54.0	1.11	AV	286.00	100	Vertical	Pass
3	2389.050	63.98	1.92	74.0	10.02	Peak	281.00	150	Vertical	Pass
3**	2389.050	52.92	1.92	54.0	1.08	AV	281.00	150	Vertical	Pass

802.11n20 Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	63.18	1.77	74.0	10.82	Peak	282.00	200	Vertical	Pass
1**	2483.575	51.32	1.77	54.0	2.68	AV	282.00	200	Vertical	Pass
2	2484.085	64.59	1.77	74.0	9.41	Peak	235.00	100	Vertical	Pass
2**	2484.085	51.13	1.77	54.0	2.87	AV	235.00	100	Vertical	Pass
3	2484.265	63.61	1.77	74.0	10.39	Peak	235.00	150	Vertical	Pass
3**	2484.265	51.62	1.77	54.0	2.38	AV	235.00	150	Vertical	Pass

802.11n20 Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	61.00	1.77	74.0	13.00	Peak	212.00	150	Vertical	Pass
1**	2483.515	50.50	1.77	54.0	3.50	AV	212.00	150	Vertical	Pass
2	2483.920	61.28	1.77	74.0	12.72	Peak	234.00	200	Vertical	Pass
2**	2483.920	49.43	1.77	54.0	4.57	AV	234.00	200	Vertical	Pass

802.11n20 Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	67.83	1.77	74.0	6.17	Peak	288.00	100	Vertical	Pass
1**	2483.530	50.36	1.77	54.0	3.64	AV	288.00	100	Vertical	Pass
2	2483.770	64.37	1.77	74.0	9.63	Peak	281.00	200	Vertical	Pass
2**	2483.770	48.69	1.77	54.0	5.31	AV	281.00	200	Vertical	Pass

802.11n40 Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.050	63.22	2.06	74.0	10.78	Peak	242.00	150	Vertical	Pass
1**	2386.050	50.59	2.06	54.0	3.41	AV	242.00	150	Vertical	Pass
2	2389.950	60.78	1.86	74.0	13.22	Peak	244.00	150	Vertical	Pass
2**	2389.950	51.23	1.86	54.0	2.77	AV	244.00	150	Vertical	Pass
3	2385.500	61.11	2.06	74.0	12.89	Peak	219.00	100	Vertical	Pass
3**	2385.500	51.66	2.06	54.0	2.34	AV	219.00	100	Vertical	Pass

802.11n40 Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	60.36	1.77	74.0	13.64	Peak	239.00	150	Vertical	Pass
1**	2483.575	50.23	1.77	54.0	3.77	AV	239.00	150	Vertical	Pass
2	2484.340	62.13	1.76	74.0	11.87	Peak	234.00	150	Vertical	Pass
2**	2484.340	50.45	1.76	54.0	3.55	AV	234.00	150	Vertical	Pass
3	2484.160	59.19	1.77	74.0	14.81	Peak	227.00	200	Vertical	Pass
3**	2484.160	52.52	1.77	54.0	1.48	AV	227.00	200	Vertical	Pass

802.11n40 Channel 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	60.64	1.77	74.0	13.36	Peak	210.00	200	Vertical	Pass
1**	2483.545	49.62	1.77	54.0	4.38	AV	210.00	200	Vertical	Pass
2	2483.785	60.51	1.77	74.0	13.49	Peak	239.00	200	Vertical	Pass
2**	2483.785	48.90	1.77	54.0	5.10	AV	239.00	200	Vertical	Pass

802.11n40 Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	65.16	1.77	74.0	8.84	Peak	152.00	150	Vertical	Pass
1**	2483.590	50.64	1.77	54.0	3.36	AV	152.00	150	Vertical	Pass
2	2483.800	63.13	1.77	74.0	10.87	Peak	275.00	200	Vertical	Pass
2**	2483.800	49.61	1.77	54.0	4.39	AV	275.00	200	Vertical	Pass
3	2484.160	57.80	1.77	74.0	16.20	Peak	360.00	150	Vertical	Pass
3**	2484.160	49.52	1.77	54.0	4.48	AV	360.00	150	Vertical	Pass

802.11ax20(SU) Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.750	65.50	1.87	74.0	8.50	Peak	250.00	200	Vertical	Pass
1**	2389.750	51.98	1.87	54.0	2.02	AV	250.00	200	Vertical	Pass
2	2389.950	62.51	1.86	74.0	11.49	Peak	264.00	200	Vertical	Pass
2**	2389.950	52.01	1.86	54.0	1.99	AV	264.00	200	Vertical	Pass
3	2388.600	61.07	1.95	74.0	12.93	Peak	245.00	150	Vertical	Pass
3**	2388.600	52.10	1.95	54.0	1.90	AV	245.00	150	Vertical	Pass

802.11ax20(SU) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	62.40	1.77	74.0	11.60	Peak	227.00	100	Vertical	Pass
1**	2483.590	52.06	1.77	54.0	1.94	AV	227.00	100	Vertical	Pass
2	2484.820	64.14	1.75	74.0	9.86	Peak	232.00	150	Vertical	Pass
2**	2484.820	50.95	1.75	54.0	3.05	AV	232.00	150	Vertical	Pass
3	2484.175	61.54	1.77	74.0	12.46	Peak	225.00	200	Vertical	Pass
3**	2484.175	51.89	1.77	54.0	2.11	AV	225.00	200	Vertical	Pass

802.11ax20(SU) Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.35	1.77	74.0	11.65	Peak	247.00	100	Vertical	Pass
1**	2483.500	51.00	1.77	54.0	3.00	AV	247.00	100	Vertical	Pass
2	2483.800	61.75	1.77	74.0	12.25	Peak	266.00	100	Vertical	Pass
2**	2483.800	50.22	1.77	54.0	3.78	AV	266.00	100	Vertical	Pass
3	2483.845	59.48	1.77	74.0	14.52	Peak	349.00	150	Vertical	Pass
3**	2483.845	50.52	1.77	54.0	3.48	AV	349.00	150	Vertical	Pass

802.11ax20(SU) Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	67.85	1.77	74.0	6.15	Peak	277.00	150	Vertical	Pass
1**	2483.560	51.41	1.77	54.0	2.59	AV	277.00	150	Vertical	Pass
2	2483.785	64.82	1.77	74.0	9.18	Peak	284.00	150	Vertical	Pass
2**	2483.785	49.11	1.77	54.0	4.89	AV	284.00	150	Vertical	Pass

802.11ax40(SU) Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2378.800	64.25	1.86	74.0	9.75	Peak	248.00	100	Vertical	Pass
1**	2378.800	48.96	1.86	54.0	5.04	AV	248.00	100	Vertical	Pass
2	2389.950	61.02	1.86	74.0	12.98	Peak	248.00	200	Vertical	Pass
2**	2389.950	50.24	1.86	54.0	3.76	AV	248.00	200	Vertical	Pass
3	2387.100	60.93	2.02	74.0	13.07	Peak	243.00	150	Vertical	Pass
3**	2387.100	50.66	2.02	54.0	3.34	AV	243.00	150	Vertical	Pass

802.11ax40(SU) Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	61.17	1.77	74.0	12.83	Peak	242.00	200	Vertical	Pass
1**	2483.545	50.24	1.77	54.0	3.76	AV	242.00	200	Vertical	Pass
2	2489.725	63.37	1.65	74.0	10.63	Peak	228.00	200	Vertical	Pass
2**	2489.725	49.05	1.65	54.0	4.95	AV	228.00	200	Vertical	Pass
3	2484.745	61.97	1.75	74.0	12.03	Peak	269.00	150	Vertical	Pass
3**	2484.745	51.80	1.75	54.0	2.20	AV	269.00	150	Vertical	Pass

802.11ax40(SU) Channel 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	60.49	1.77	74.0	13.51	Peak	233.00	200	Vertical	Pass
1**	2483.530	49.30	1.77	54.0	4.70	AV	233.00	200	Vertical	Pass
2	2484.010	61.00	1.77	74.0	13.00	Peak	233.00	150	Vertical	Pass
2**	2484.010	48.65	1.77	54.0	5.35	AV	233.00	150	Vertical	Pass

802.11ax40(SU) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	65.51	1.77	74.0	8.49	Peak	233.00	100	Vertical	Pass
1**	2483.515	50.81	1.77	54.0	3.19	AV	233.00	100	Vertical	Pass
2	2487.085	61.77	1.67	74.0	12.23	Peak	228.00	100	Vertical	Pass
2**	2487.085	48.61	1.67	54.0	5.39	AV	228.00	100	Vertical	Pass

802.11ax20(RU26) Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.650	62.93	1.88	74.0	11.07	Peak	291.00	200	Vertical	Pass
1**	2389.650	50.86	1.88	54.0	3.14	AV	291.00	200	Vertical	Pass
2	2389.950	64.56	1.86	74.0	9.44	Peak	271.00	100	Vertical	Pass
2**	2389.950	52.43	1.86	54.0	1.57	AV	271.00	100	Vertical	Pass
3	2389.950	64.56	1.86	74.0	9.44	Peak	271.00	150	Vertical	Pass
3**	2389.950	52.43	1.86	54.0	1.57	AV	271.00	150	Vertical	Pass

802.11ax20(RU26) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	62.94	1.77	74.0	11.06	Peak	283.00	200	Vertical	Pass
1**	2483.515	50.73	1.77	54.0	3.27	AV	283.00	200	Vertical	Pass
2	2485.915	62.24	1.71	74.0	11.76	Peak	275.00	150	Vertical	Pass
2**	2485.915	48.79	1.71	54.0	5.21	AV	275.00	150	Vertical	Pass
3	2483.560	60.10	1.77	74.0	13.90	Peak	242.00	150	Vertical	Pass
3**	2483.560	52.01	1.77	54.0	1.99	AV	242.00	150	Vertical	Pass

802.11ax20(RU26) Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	71.57	1.77	74.0	2.43	Peak	253.00	100	Vertical	Pass
1**	2483.590	50.88	1.77	54.0	3.12	AV	253.00	100	Vertical	Pass
2	2483.755	70.76	1.77	74.0	3.24	Peak	258.00	100	Vertical	Pass
2**	2483.755	50.36	1.77	54.0	3.64	AV	258.00	100	Vertical	Pass
3	2483.680	69.70	1.77	74.0	4.30	Peak	297.00	150	Vertical	Pass
3**	2483.680	51.53	1.77	54.0	2.47	AV	297.00	150	Vertical	Pass

802.11ax20(RU26) Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	69.91	1.77	74.0	4.09	Peak	271.00	100	Vertical	Pass
1**	2483.545	51.85	1.77	54.0	2.15	AV	271.00	100	Vertical	Pass
2	2483.800	65.90	1.77	74.0	8.10	Peak	255.00	100	Vertical	Pass
2**	2483.800	49.31	1.77	54.0	4.69	AV	255.00	100	Vertical	Pass
3	2483.560	67.38	1.77	74.0	6.62	Peak	244.00	150	Vertical	Pass
3**	2483.560	52.62	1.77	54.0	1.38	AV	244.00	150	Vertical	Pass

802.11ax40(RU26) Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2382.400	62.58	2.01	74.0	11.42	Peak	111.00	100	Vertical	Pass
1**	2382.400	47.31	2.01	54.0	6.69	AV	111.00	100	Vertical	Pass
2	2389.950	61.93	1.86	74.0	12.07	Peak	120.00	200	Vertical	Pass
2**	2389.950	47.80	1.86	54.0	6.20	AV	120.00	200	Vertical	Pass

802.11ax40(RU26) Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	72.08	1.77	74.0	1.92	Peak	147.00	150	Vertical	Pass
1**	2483.530	50.07	1.77	54.0	3.93	AV	147.00	150	Vertical	Pass
2	2483.830	72.27	1.77	74.0	1.73	Peak	154.00	200	Vertical	Pass
2**	2483.830	50.68	1.77	54.0	3.32	AV	154.00	200	Vertical	Pass
3	2483.725	72.02	1.77	74.0	1.98	Peak	151.00	150	Vertical	Pass
3**	2483.725	51.27	1.77	54.0	2.73	AV	151.00	150	Vertical	Pass

802.11ax40(RU26) Channel 10



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	66.71	1.77	74.0	7.29	Peak	57.00	150	Vertical	Pass
1**	2483.575	47.73	1.77	54.0	6.27	AV	57.00	150	Vertical	Pass
2	2483.890	66.23	1.77	74.0	7.77	Peak	283.00	200	Vertical	Pass
2**	2483.890	46.94	1.77	54.0	7.06	AV	283.00	200	Vertical	Pass

802.11ax40(RU26) Channel 11



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	69.08	1.77	74.0	4.92	Peak	154.00	200	Vertical	Pass
1**	2483.515	50.11	1.77	54.0	3.89	AV	154.00	200	Vertical	Pass
2	2483.800	68.39	1.77	74.0	5.61	Peak	61.00	200	Vertical	Pass
2**	2483.800	49.18	1.77	54.0	4.82	AV	61.00	200	Vertical	Pass

A.8 Power Spectral Density (PSD)

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

Main Antenna

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-11.98	8
CH6	-12.15	8
CH11	-12.21	8
CH12	-14.20	8
CH13	-15.89	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-15.88	8
CH6	-14.12	8
CH11	-14.90	8
CH12	-18.87	8
CH13	-23.67	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-15.72	8
CH6	-14.85	8
CH11	-15.01	8
CH12	-19.34	8
CH13	-24.00	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-22.05	8
CH6	-21.11	8
CH9	-22.63	8
CH10	-26.44	8
CH11	-27.53	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-18.15	8
CH6	-16.05	8
CH11	-16.19	8
CH12	-20.68	8
CH13	-25.36	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-23.45	8
CH6	-22.64	8
CH9	-23.34	8
CH10	-27.57	8
CH11	-29.37	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-11.52	8
CH6	-11.80	8
CH11	-11.89	8
CH12	-18.81	8
CH13	-18.65	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-13.98	8
CH6	-14.31	8
CH9	-14.00	8
CH10	-19.26	8
CH11	-19.05	8

Aux. Antenna

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-12.51	8
CH6	-12.61	8
CH11	-12.58	8
CH12	-13.32	8
CH13	-16.05	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-16.58	8
CH6	-15.04	8
CH11	-16.24	8
CH12	-20.13	8
CH13	-23.73	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-16.68	8
CH6	-15.05	8
CH11	-16.77	8
CH12	-19.60	8
CH13	-24.42	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-22.04	8
CH6	-21.56	8
CH9	-22.59	8
CH10	-26.71	8
CH11	-27.98	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-18.97	8
CH6	-16.37	8
CH11	-18.40	8
CH12	-21.44	8
CH13	-25.86	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-23.82	8
CH6	-22.73	8
CH9	-22.84	8
CH10	-27.77	8
CH11	-29.67	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-12.03	8
CH6	-11.53	8
CH11	-12.09	8
CH12	-18.82	8
CH13	-18.25	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-14.38	8
CH6	-13.92	8
CH9	-13.38	8
CH10	-19.34	8
CH11	-18.76	8

MIMO-Main Antenna

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-18.25	8
CH6	-17.38	8
CH11	-17.12	8
CH12	-22.25	8
CH13	-26.50	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-18.29	8
CH6	-17.57	8
CH11	-18.54	8
CH12	-22.35	8
CH13	-27.12	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-23.93	8
CH6	-23.98	8
CH9	-24.31	8
CH10	-29.10	8
CH11	-30.40	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-21.41	8
CH6	-18.61	8
CH11	-20.18	8
CH12	-23.59	8
CH13	-28.48	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-25.32	8
CH6	-25.41	8
CH9	-25.29	8
CH10	-30.47	8
CH11	-31.77	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-14.62	8
CH6	-14.92	8
CH11	-14.43	8
CH12	-21.92	8
CH13	-21.28	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-17.38	8
CH6	-17.11	8
CH9	-17.12	8
CH10	-22.05	8
CH11	-21.75	8

MIMO-Aux. Antenna

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-18.56	8
CH6	-18.18	8
CH11	-18.20	8
CH12	-23.32	8
CH13	-27.34	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-18.70	8
CH6	-18.28	8
CH11	-18.84	8
CH12	-23.01	8
CH13	-27.54	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-24.62	8
CH6	-24.84	8
CH9	-24.69	8
CH10	-29.30	8
CH11	-30.75	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-21.36	8
CH6	-19.19	8
CH11	-20.68	8
CH12	-25.21	8
CH13	-29.22	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-26.20	8
CH6	-26.13	8
CH9	-26.00	8
CH10	-30.73	8
CH11	-32.52	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-14.67	8
CH6	-14.47	8
CH11	-14.63	8
CH12	-21.55	8
CH13	-21.34	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-17.41	8
CH6	-17.59	8
CH9	-17.30	8
CH10	-22.32	8
CH11	-22.17	8

MIMO

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-15.39	8
CH6	-14.75	8
CH11	-14.62	8
CH12	-19.74	8
CH13	-23.89	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-15.48	8
CH6	-14.90	8
CH11	-15.68	8
CH12	-19.66	8
CH13	-24.31	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-21.25	8
CH6	-21.38	8
CH9	-21.49	8
CH10	-26.19	8
CH11	-27.56	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-18.37	8
CH6	-15.88	8
CH11	-17.42	8
CH12	-21.31	8
CH13	-25.82	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-22.73	8
CH6	-22.74	8
CH9	-22.62	8
CH10	-27.59	8
CH11	-29.12	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-11.64	8
CH6	-11.68	8
CH11	-11.52	8
CH12	-18.72	8
CH13	-18.30	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-14.39	8
CH6	-14.33	8
CH9	-14.20	8
CH10	-19.17	8
CH11	-18.94	8

Test Plots

Main Antenna

802.11b CHANNEL 1



802.11b CHANNEL 6



802.11b CHANNEL 11




802.11b CHANNEL 12



802.11b CHANNEL 13




802.11g CHANNEL 1




802.11g CHANNEL 6




802.11g CHANNEL 11




802.11g CHANNEL 12



802.11g CHANNEL 13




802.11n-20 MHz CHANNEL 1



802.11n-20 MHz CHANNEL 6




802.11n-20 MHz CHANNEL 11



802.11n-20 MHz CHANNEL 12




802.11n-20 MHz CHANNEL 13



802.11n-40 MHz CHANNEL 3



802.11n-40 MHz CHANNEL 6




802.11n-40 MHz CHANNEL 9



802.11n-40 MHz CHANNEL 10



802.11n-40 MHz CHANNEL 11



802.11ax-20 MHz(SU) CHANNEL 1



802.11ax-20 MHz(SU) CHANNEL 6



802.11ax-20 MHz(SU) CHANNEL 11




802.11ax-20 MHz(SU) CHANNEL 12



802.11ax-20 MHz(SU) CHANNEL 13



802.11ax-40 MHz(SU) CHANNEL 3



802.11ax-40 MHz(SU) CHANNEL 6



802.11ax-40 MHz(SU) CHANNEL 9




802.11ax-40 MHz(SU) CHANNEL 10




802.11ax-40 MHz(SU) CHANNEL 11




802.11ax-20 MHz(RU26) CHANNEL 1




802.11ax-20 MHz(RU26) CHANNEL 6




802.11ax-20 MHz(RU26) CHANNEL 11




802.11ax-20 MHz(RU26) CHANNEL 12




802.11ax-20 MHz(RU26) CHANNEL 13




802.11ax-40 MHz(RU26) CHANNEL 3




802.11ax-40 MHz(RU26) CHANNEL 6




802.11ax-40 MHz(RU26) CHANNEL 9



802.11ax-40 MHz(RU26) CHANNEL 10



802.11ax-40 MHz(RU26) CHANNEL 11



Aux. Antenna

802.11b CHANNEL 1



802.11b CHANNEL 6



802.11b CHANNEL 11



802.11b CHANNEL 12



802.11b CHANNEL 13



802.11g CHANNEL 1



802.11g CHANNEL 6



802.11g CHANNEL 11




802.11g CHANNEL 12




802.11g CHANNEL 13




802.11n-20 MHz CHANNEL 1



802.11n-20 MHz CHANNEL 6




802.11n-20 MHz CHANNEL 11



802.11n-20 MHz CHANNEL 12



802.11n-20 MHz CHANNEL 13




802.11n-40 MHz CHANNEL 3



802.11n-40 MHz CHANNEL 6




802.11n-40 MHz CHANNEL 9



802.11n-40 MHz CHANNEL 10



802.11n-40 MHz CHANNEL 11



802.11ax-20 MHz(SU) CHANNEL 1



802.11ax-20 MHz(SU) CHANNEL 6




802.11ax-20 MHz(SU) CHANNEL 11



802.11ax-20 MHz(SU) CHANNEL 12



802.11ax-20 MHz(SU) CHANNEL 13



802.11ax-40 MHz(SU) CHANNEL 3



802.11ax-40 MHz(SU) CHANNEL 6



802.11ax-40 MHz(SU) CHANNEL 9




802.11ax-40 MHz(SU) CHANNEL 10




802.11ax-40 MHz(SU) CHANNEL 11




802.11ax-20 MHz(RU26) CHANNEL 1




802.11ax-20 MHz(RU26) CHANNEL 6




802.11ax-20 MHz(RU26) CHANNEL 11




802.11ax-20 MHz(RU26) CHANNEL 12




802.11ax-20 MHz(RU26) CHANNEL 13




802.11ax-40 MHz(RU26) CHANNEL 3




802.11ax-40 MHz(RU26) CHANNEL 6




802.11ax-40 MHz(RU26) CHANNEL 9



802.11ax-40 MHz(RU26) CHANNEL 10



802.11ax-40 MHz(RU26) CHANNEL 11




MIMO-Main Antenna


802.11g CHANNEL 1



802.11g CHANNEL 6




802.11g CHANNEL 11




802.11g CHANNEL 12



802.11g CHANNEL 13



802.11n-20 MHz CHANNEL 1



802.11n-20 MHz CHANNEL 6




802.11n-20 MHz CHANNEL 11



802.11n-20 MHz CHANNEL 12



802.11n-20 MHz CHANNEL 13



802.11n-40 MHz CHANNEL 3




802.11n-40 MHz CHANNEL 6




802.11n-40 MHz CHANNEL 9



802.11n-40 MHz CHANNEL 10



802.11n-40 MHz CHANNEL 11



802.11ax-20 MHz(SU) CHANNEL 1



802.11ax-20 MHz(SU) CHANNEL 6



802.11ax-20 MHz(SU) CHANNEL 11



802.11ax-20 MHz(SU) CHANNEL 12



802.11ax-20 MHz(SU) CHANNEL 13



802.11ax-40 MHz(SU) CHANNEL 3




802.11ax-40 MHz(SU) CHANNEL 6




802.11ax-40 MHz(SU) CHANNEL 9




802.11ax-40 MHz(SU) CHANNEL 10




802.11ax-40 MHz(SU) CHANNEL 11




802.11ax-20 MHz(RU26) CHANNEL 1




802.11ax-20 MHz(RU26) CHANNEL 6




802.11ax-20 MHz(RU26) CHANNEL 11




802.11ax-20 MHz(RU26) CHANNEL 12




802.11ax-20 MHz(RU26) CHANNEL 13




802.11ax-40 MHz(RU26) CHANNEL 3




802.11ax-40 MHz(RU26) CHANNEL 6




802.11ax-40 MHz(RU26) CHANNEL 9



802.11ax-40 MHz(RU26) CHANNEL 10



802.11ax-40 MHz(RU26) CHANNEL 11



MIMO-Aux. Antenna


802.11g CHANNEL 1




802.11g CHANNEL 6




802.11g CHANNEL 11



802.11g CHANNEL 12



802.11g CHANNEL 13




802.11n-20 MHz CHANNEL 1



802.11n-20 MHz CHANNEL 6



802.11n-20 MHz CHANNEL 11



802.11n-20 MHz CHANNEL 12




802.11n-20 MHz CHANNEL 13



802.11n-40 MHz CHANNEL 3




802.11n-40 MHz CHANNEL 6




802.11n-40 MHz CHANNEL 9



802.11n-40 MHz CHANNEL 10



802.11n-40 MHz CHANNEL 11



802.11ax-20 MHz(SU) CHANNEL 1



802.11ax-20 MHz(SU) CHANNEL 6




802.11ax-20 MHz(SU) CHANNEL 11



802.11ax-20 MHz(SU) CHANNEL 12



802.11ax-20 MHz(SU) CHANNEL 13



802.11ax-40 MHz(SU) CHANNEL 3



802.11ax-40 MHz(SU) CHANNEL 6



802.11ax-40 MHz(SU) CHANNEL 9




802.11ax-40 MHz(SU) CHANNEL 10




802.11ax-40 MHz(SU) CHANNEL 11




802.11ax-20 MHz(RU26) CHANNEL 1




802.11ax-20 MHz(RU26) CHANNEL 6




802.11ax-20 MHz(RU26) CHANNEL 11




802.11ax-20 MHz(RU26) CHANNEL 12




802.11ax-20 MHz(RU26) CHANNEL 13




802.11ax-40 MHz(RU26) CHANNEL 3




802.11ax-40 MHz(RU26) CHANNEL 6




802.11ax-40 MHz(RU26) CHANNEL 9



802.11ax-40 MHz(RU26) CHANNEL 10



802.11ax-40 MHz(RU26) CHANNEL 11



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2330960-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2330960-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2330960-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--