



11ax40 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.24	6784.76	-53.67	-64.42	-13.67	Pass
-60	-40	0.4	-60	6785	-54.32	-65.06	-14.32	Pass
-40	-21	0.4	-	6823.7106 45	-23.56	-34.31	-3.44	Pass
-21	-20	0.4	-21	6824	-23.67	-34.41	-3.67	Pass
20	21	0.4	21	6866	-23.55	-34.3	3.55	Pass
21	40	0.4	21.169415	6866.1694 15	-23.6	-34.34	3.52	Pass
40	60	0.4	59.52	6904.52	-55.35	-66.1	15.64	Pass
60	120	0.4	60.48	6905.48	-54.22	-64.97	14.22	Pass

11ax80 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-225.12	6399.88	-51.18	-58.61	-11.18	Pass
-120	-80	0.8	-120	6505	-55.45	-62.87	-15.45	Pass
-80	-41	0.8	-41.37931	6583.62069	-24.95	-32.38	-4.87	Pass
-41	-40	0.8	-41	6584	-24.95	-32.37	-4.95	Pass
40	41	0.8	41	6666	-25.34	-32.76	5.34	Pass
41	80	0.8	41	6666	-25.34	-32.76	5.34	Pass
80	120	0.8	120	6745	-56.97	-64.39	16.97	Pass
120	240	0.8	122.16	6747.16	-56.24	-63.67	16.24	Pass

11ax80 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-126.24	6578.76	-55.17	-62.95	-15.17	Pass
-120	-80	0.8	-119.52	6585.48	-55.14	-62.92	-15.28	Pass
-80	-41	0.8	-41.37931	6663.62069	-24.92	-32.7	-4.84	Pass
-41	-40	0.8	-41	6664	-24.87	-32.65	-4.87	Pass
40	41	0.8	41	6746	-25.02	-32.8	5.02	Pass
41	80	0.8	41	6746	-25.02	-32.8	5.02	Pass
80	120	0.8	120	6825	-55.9	-63.68	15.9	Pass
120	240	0.8	120	6825	-55.9	-63.68	15.9	Pass

11ax80 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.24	6664.76	-55.75	-63.13	-15.75	Pass
-120	-80	0.8	-119.28	6665.72	-55.19	-62.57	-15.4	Pass
-80	-41	0.8	-41.37931	6743.62069	-24.76	-32.14	-4.69	Pass
-41	-40	0.8	-41	6744	-25.03	-32.41	-5.03	Pass
40	41	0.8	41	6826	-25.13	-32.51	5.13	Pass
41	80	0.8	41	6826	-25.13	-32.51	5.13	Pass
80	120	0.8	120	6905	-56.11	-63.49	16.11	Pass
120	240	0.8	124.32	6909.32	-55.58	-62.96	15.58	Pass

11ax160 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-492.9	-246.45	1.6	-265.1802	6399.8198	-47.63	-52.82	-7.63	Pass
-246.45	-164.3	1.6	-246.45	6418.55	-52.1	-57.29	-12.1	Pass
-164.3	-83.15	1.6	-83.15	6581.85	-28.66	-33.85	-8.66	Pass
-83.15	-82.15	1.6	-83.15	6581.85	-28.66	-33.85	-8.66	Pass
82.15	83.15	1.6	83.15	6748.15	-29.93	-35.12	9.93	Pass
83.15	164.3	1.6	83.15	6748.15	-29.93	-35.12	9.93	Pass
164.3	246.45	1.6	245.4642	6910.4642	-53.33	-58.52	13.47	Pass
246.45	492.9	1.6	252.3648	6917.3648	-53.66	-58.85	13.66	Pass

11ax160 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-492.6	-246.3	1.6	-425.1138	6399.8862	-49.57	-54.85	-9.57	Pass
-246.3	-164.2	1.6	-246.3	6578.7	-50.01	-55.29	-10.01	Pass
-164.2	-83.1	1.6	-83.1	6741.9	-28.48	-33.76	-8.48	Pass
-83.1	-82.1	1.6	-83.1	6741.9	-28.48	-33.76	-8.48	Pass
82.1	83.1	1.6	83.1	6908.1	-30.22	-35.5	10.22	Pass
83.1	164.2	1.6	83.1	6908.1	-30.22	-35.5	10.22	Pass
164.2	246.3	1.6	245.3148	7070.3148	-50.64	-55.93	10.79	Pass
246.3	492.6	1.6	247.7778	7072.7778	-50.91	-56.19	10.91	Pass

11ax20 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.36	6844.64	-53.66	-65.82	-13.66	Pass
-30	-20	0.2	-29.88	6845.12	-54.03	-66.2	-14.18	Pass
-20	-11	0.2	-11.1	6863.9	-23.45	-35.61	-3.36	Pass
-11	-10	0.2	-11	6864	-23.06	-35.23	-3.06	Pass
10	11	0.2	11	6886	-23.22	-35.38	3.22	Pass
11	20	0.2	11.34	6886.34	-23.75	-35.91	3.45	Pass
20	30	0.2	29.4	6904.4	-53.57	-65.73	14.29	Pass
30	60	0.2	30.84	6905.84	-53.7	-65.86	13.7	Pass

11ax20 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-38.46	6976.54	-54.33	-66.28	-14.33	Pass
-30	-20	0.2	-29.82	6985.18	-55.17	-67.13	-15.39	Pass
-20	-11	0.2	-11.16	7003.84	-23.44	-35.4	-3.3	Pass
-11	-10	0.2	-11	7004	-23.28	-35.23	-3.28	Pass
10	11	0.2	11	7026	-23.32	-35.28	3.32	Pass
11	20	0.2	11.1	7026.1	-23.57	-35.53	3.48	Pass
20	30	0.2	28.68	7043.68	-53.1	-65.06	14.68	Pass
30	60	0.2	30.96	7045.96	-54.01	-65.97	14.01	Pass

11ax20 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-75.3	-37.65	0.2	-49.3215	7045.6785	-54.08	-66.35	-14.08	Pass
-37.65	-25.1	0.2	-37.1229	7057.8771	-54.17	-66.44	-14.68	Pass
-25.1	-13.55	0.2	-13.7046	7081.2954	-31.25	-43.52	-11.15	Pass
-13.55	-12.55	0.2	-13.55	7081.45	-31.57	-43.84	-11.57	Pass
12.55	13.55	0.2	13.55	7108.55	-32.66	-44.93	12.66	Pass
13.55	25.1	0.2	13.7046	7108.7046	-32.22	-44.49	12.11	Pass
25.1	37.65	0.2	37.3488	7132.3488	-54.39	-66.66	14.68	Pass
37.65	75.3	0.2	37.8759	7132.8759	-53.67	-65.95	13.67	Pass

11ax20 (SU), U-NII-8, High Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-35.94	7079.06	-51.68	-67.89	-11.68	Pass
-30	-20	0.2	-30	7085	-51.75	-67.97	-11.75	Pass
-20	-11	0.2	-11.22	7103.78	-23.73	-39.94	-3.53	Pass
-11	-10	0.2	-11	7104	-23.45	-39.67	-3.45	Pass
10	11	0.2	11	7126	-23.49	-39.71	3.49	Pass
11	20	0.2	11	7126	-23.63	-39.84	3.63	Pass
20	30	0.2	29.64	7144.64	-51.57	-67.78	12	Pass
30	60	0.2	37.98	7152.98	-51.21	-67.42	11.21	Pass

11ax40 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-78	6807	-54.35	-63.02	-14.35	Pass
-60	-40	0.4	-59.88	6825.12	-54.77	-63.44	-14.84	Pass
-40	-21	0.4	-21	6864	-23.23	-31.9	-3.23	Pass
-21	-20	0.4	-21	6864	-23.23	-31.9	-3.23	Pass
20	21	0.4	21	6906	-23.68	-32.35	3.68	Pass
21	40	0.4	21.169415	6906.169415	-23.73	-32.4	3.66	Pass
40	60	0.4	59.88	6944.88	-55.21	-63.88	15.28	Pass
60	120	0.4	63	6948	-54.74	-63.41	14.74	Pass

11ax40 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-90.36	6914.64	-54.94	-63.52	-14.94	Pass
-60	-40	0.4	-60	6945	-55.12	-63.7	-15.12	Pass
-40	-21	0.4	-21	6984	-23.65	-32.23	-3.65	Pass
-21	-20	0.4	-21	6984	-23.65	-32.23	-3.65	Pass
20	21	0.4	21	7026	-23.35	-31.92	3.35	Pass
21	40	0.4	21	7026	-23.35	-31.92	3.35	Pass
40	60	0.4	59.88	7064.88	-54.55	-63.12	14.62	Pass
60	120	0.4	66.48	7071.48	-54.39	-62.97	14.39	Pass

11ax40 (SU), U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.56	7023.44	-55.09	-63.44	-15.09	Pass
-60	-40	0.4	-58.92	7026.08	-55.15	-63.49	-15.8	Pass
-40	-21	0.4	-21	7064	-23.65	-31.99	-3.65	Pass
-21	-20	0.4	-21	7064	-23.65	-31.99	-3.65	Pass
20	21	0.4	21	7106	-23.82	-32.17	3.82	Pass
21	40	0.4	21	7106	-23.82	-32.17	3.82	Pass
40	60	0.4	60	7145	-55.33	-63.68	15.33	Pass
60	120	0.4	60.24	7145.24	-54.68	-63.02	14.68	Pass

11ax80 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-128.16	6736.84	-55.44	-61.03	-15.44	Pass
-120	-80	0.8	-120	6745	-55.95	-61.55	-15.95	Pass
-80	-41	0.8	-41.13943	6823.86057	-25.1	-30.69	-5.07	Pass
-41	-40	0.8	-41	6824	-25.17	-30.77	-5.17	Pass
40	41	0.8	41	6906	-25.52	-31.11	5.52	Pass
41	80	0.8	41	6906	-25.52	-31.11	5.52	Pass
80	120	0.8	118.56	6983.56	-55.92	-61.51	16.35	Pass
120	240	0.8	126	6991	-55.9	-61.5	15.9	Pass

11ax80 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-129.36	6815.64	-55.66	-61.34	-15.66	Pass
-120	-80	0.8	-120	6825	-55.76	-61.44	-15.76	Pass
-80	-41	0.8	-41.13943	6903.86057	-24.75	-30.43	-4.72	Pass
-41	-40	0.8	-41	6904	-24.78	-30.46	-4.78	Pass
40	41	0.8	41	6986	-25.19	-30.87	5.19	Pass
41	80	0.8	41	6986	-25.19	-30.87	5.19	Pass
80	120	0.8	119.76	7064.76	-55.81	-61.49	15.88	Pass
120	240	0.8	122.16	7067.16	-55.04	-60.71	15.04	Pass

11ax80 (SU), U-NII-8, High Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.12	6901.88	-55.66	-61.55	-15.66	Pass
-120	-80	0.8	-119.28	6905.72	-56.06	-61.94	-16.27	Pass
-80	-41	0.8	-41.13943	6983.86057	-24.83	-30.72	-4.8	Pass
-41	-40	0.8	-41	6984	-24.95	-30.83	-4.95	Pass
40	41	0.8	41	7066	-25.29	-31.18	5.29	Pass
41	80	0.8	41	7066	-25.29	-31.18	5.29	Pass
80	120	0.8	119.76	7144.76	-55.14	-61.02	15.21	Pass
120	240	0.8	123.6	7148.6	-55.34	-61.23	15.34	Pass


11ax160 (SU), U-NII-8, Middle Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-492.9	-246.45	1.6	-248.4216	6736.5784	-51.05	-53.99	-11.05	Pass
-246.45	-164.3	1.6	-245.4642	6739.5358	-51.06	-54	-11.21	Pass
-164.3	-83.15	1.6	-83.15	6901.85	-29.23	-32.16	-9.23	Pass
-83.15	-82.15	1.6	-83.15	6901.85	-29.23	-32.16	-9.23	Pass
82.15	83.15	1.6	83.15	7068.15	-28.74	-31.68	8.74	Pass
83.15	164.3	1.6	156.91019 5	7141.9101 95	-32.51	-35.45	5.24	Pass
164.3	246.45	1.6	169.0647	7154.0647	-36.63	-39.57	7.94	Pass
246.45	492.9	1.6	252.8577	7237.8577	-50.89	-53.83	10.89	Pass


Aux. Antenna

11ax20 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-75.6	-37.8	0.2	-48.0816	5906.9184	-52.81	-64.75	-12.81	Pass
-37.8	-25.2	0.2	-37.7244	5917.2756	-53.02	-64.97	-13.1	Pass
-25.2	-13.6	0.2	-13.6	5941.4	-32.26	-44.21	-12.26	Pass
-13.6	-12.6	0.2	-13.6	5941.4	-32.28	-44.23	-12.28	Pass
12.6	13.6	0.2	13.6	5968.6	-31.83	-43.78	11.83	Pass
13.6	25.2	0.2	13.6	5968.6	-32.15	-44.1	12.15	Pass
25.2	37.8	0.2	37.4976	5992.4976	-52.5	-64.44	12.78	Pass
37.8	75.6	0.2	38.178	5993.178	-52.38	-64.33	12.38	Pass

11ax20 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-76.5	-38.25	0.2	-47.6595	6127.3405	-53.48	-65.15	-13.48	Pass
-38.25	-25.5	0.2	-38.25	6136.75	-53.7	-65.37	-13.7	Pass
-25.5	-13.75	0.2	-13.75	6161.25	-31.84	-43.51	-11.84	Pass
-13.75	-12.75	0.2	-13.75	6161.25	-31.75	-43.42	-11.75	Pass
12.75	13.75	0.2	13.75	6188.75	-32.77	-44.44	12.77	Pass
13.75	25.5	0.2	13.75	6188.75	-32.86	-44.53	12.86	Pass
25.5	38.25	0.2	38.0205	6213.0205	-53.73	-65.4	13.95	Pass
38.25	76.5	0.2	39.5505	6214.5505	-53.76	-65.43	13.76	Pass

11ax20 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-75.9	-37.95	0.2	-40.8342	6374.1658	-54.45	-66.12	-14.45	Pass
-37.95	-25.3	0.2	-37.8741	6377.1259	-54.72	-66.4	-14.79	Pass
-25.3	-13.65	0.2	-13.662	6401.338	-31.66	-43.33	-11.65	Pass
-13.65	-12.65	0.2	-13.65	6401.35	-31.72	-43.4	-11.72	Pass
12.65	13.65	0.2	13.65	6428.65	-32.64	-44.31	12.64	Pass
13.65	25.3	0.2	13.7379	6428.7379	-32.11	-43.79	12.05	Pass
25.3	37.95	0.2	37.7223	6452.7223	-54.63	-66.31	14.85	Pass
37.95	75.9	0.2	39.2403	6454.2403	-54.05	-65.73	14.05	Pass

11ax40 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-63.48	5901.52	-53.64	-62.18	-13.64	Pass
-60	-40	0.4	-59.76	5905.24	-53.37	-61.9	-13.52	Pass
-40	-21	0.4	-	5943.7106 45	-23.48	-32.01	-3.36	Pass
-21	-20	0.4	-21	5944	-23.44	-31.97	-3.44	Pass
20	21	0.4	21	5986	-23.7	-32.24	3.7	Pass
21	40	0.4	21.169415	5986.1694 15	-23.56	-32.1	3.49	Pass
40	60	0.4	60	6025	-53.66	-62.19	13.66	Pass
60	120	0.4	61.92	6026.92	-53.27	-61.81	13.27	Pass

11ax40 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.6	6104.4	-53.8	-62.16	-13.8	Pass
-60	-40	0.4	-60	6105	-55.19	-63.54	-15.19	Pass
-40	-21	0.4	-21	6144	-23.02	-31.38	-3.02	Pass
-21	-20	0.4	-21	6144	-23.02	-31.38	-3.02	Pass
20	21	0.4	21	6186	-23.74	-32.09	3.74	Pass
21	40	0.4	21	6186	-23.74	-32.09	3.74	Pass
40	60	0.4	58.68	6223.68	-54.47	-62.83	15.26	Pass
60	120	0.4	60.72	6225.72	-54.53	-62.89	14.53	Pass

11ax40 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-71.04	6333.96	-55.05	-63.33	-15.05	Pass
-60	-40	0.4	-59.76	6345.24	-55.22	-63.49	-15.36	Pass
-40	-21	0.4	-	6383.9505 21.049475	-23.07	-31.35	-3.05	Pass
-21	-20	0.4	-21	6384	-23.15	-31.43	-3.15	Pass
20	21	0.4	21	6426	-23.6	-31.88	3.6	Pass
21	40	0.4	21	6426	-23.6	-31.88	3.6	Pass
40	60	0.4	60	6465	-54.48	-62.76	14.48	Pass
60	120	0.4	63.24	6468.24	-54.3	-62.58	14.3	Pass

11ax80 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-126.24	5858.76	-55.33	-60.45	-15.33	Pass
-120	-80	0.8	-119.52	5865.48	-55.51	-60.63	-15.65	Pass
-80	-41	0.8	-41	5944	-24.75	-29.88	-4.75	Pass
-41	-40	0.8	-41	5944	-24.75	-29.88	-4.75	Pass
40	41	0.8	41	6026	-25.41	-30.53	5.41	Pass
41	80	0.8	41	6026	-25.41	-30.53	5.41	Pass
80	120	0.8	118.8	6103.8	-55.83	-60.96	16.19	Pass
120	240	0.8	121.2	6106.2	-56.04	-61.16	16.04	Pass

11ax80 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.92	6023.08	-54.89	-60.06	-14.89	Pass
-120	-80	0.8	-119.76	6025.24	-55.1	-60.27	-15.17	Pass
-80	-41	0.8	-41	6104	-24.38	-29.55	-4.38	Pass
-41	-40	0.8	-41	6104	-24.38	-29.55	-4.38	Pass
40	41	0.8	41	6186	-25.5	-30.67	5.5	Pass
41	80	0.8	41.13943	6186.13943	-25.33	-30.51	5.3	Pass
80	120	0.8	119.04	6264.04	-56.44	-61.61	16.73	Pass
120	240	0.8	122.16	6267.16	-56.07	-61.25	16.07	Pass

11ax80 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.48	6264.52	-55.58	-60.71	-15.58	Pass
-120	-80	0.8	-119.76	6265.24	-56.01	-61.14	-16.08	Pass
-80	-41	0.8	-41	6344	-24.89	-30.03	-4.89	Pass
-41	-40	0.8	-41	6344	-24.89	-30.03	-4.89	Pass
40	41	0.8	41	6426	-25.32	-30.46	5.32	Pass
41	80	0.8	41	6426	-25.32	-30.46	5.32	Pass
80	120	0.8	120	6505	-56.72	-61.86	16.72	Pass
120	240	0.8	126.24	6511.24	-56.52	-61.66	16.52	Pass

11ax160 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-493.5	-246.75	1.6	-253.1655	5771.8345	-52.38	-55.18	-12.38	Pass
-246.75	-164.5	1.6	-241.3215	5783.6785	-51.51	-54.3	-12.3	Pass
-164.5	-83.25	1.6	-83.25	5941.75	-27.92	-30.72	-7.92	Pass
-83.25	-82.25	1.6	-83.25	5941.75	-27.92	-30.72	-7.92	Pass
82.25	83.25	1.6	83.25	6108.25	-31	-33.8	11	Pass
83.25	164.5	1.6	83.25	6108.25	-31	-33.8	11	Pass
164.5	246.75	1.6	180.1275	6205.1275	-44.91	-47.7	14.63	Pass
246.75	493.5	1.6	252.1785	6277.1785	-54.88	-57.67	14.88	Pass

11ax160 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-493.2	-246.6	1.6	-247.0932	5937.9068	-51.67	-54.63	-11.67	Pass
-246.6	-164.4	1.6	-243.1476	5941.8524	-51.33	-54.3	-11.84	Pass
-164.4	-83.2	1.6	-83.2	6101.8	-27.71	-30.67	-7.71	Pass
-83.2	-82.2	1.6	-83.2	6101.8	-27.71	-30.67	-7.71	Pass
82.2	83.2	1.6	83.2	6268.2	-30.04	-33	10.04	Pass
83.2	164.4	1.6	83.2	6268.2	-30.04	-33	10.04	Pass
164.4	246.6	1.6	245.6136	6430.6136	-54.37	-57.33	14.52	Pass
246.6	493.2	1.6	248.0796	6433.0796	-54.26	-57.23	14.26	Pass

11ax160 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-493.2	-246.6	1.6	-248.5728	6096.4272	-49.95	-52.57	-9.95	Pass
-246.6	-164.4	1.6	-243.1476	6101.8524	-49.36	-51.98	-9.87	Pass
-164.4	-83.2	1.6	-83.2	6261.8	-27.61	-30.23	-7.61	Pass
-83.2	-82.2	1.6	-83.2	6261.8	-27.61	-30.23	-7.61	Pass
82.2	83.2	1.6	83.2	6428.2	-29.44	-32.06	9.44	Pass
83.2	164.4	1.6	83.2	6428.2	-29.44	-32.06	9.44	Pass
164.4	246.6	1.6	175.086	6520.086	-41.62	-44.24	12.06	Pass
246.6	493.2	1.6	252.0252	6597.0252	-53.12	-55.74	13.12	Pass

11ax20 (SU), U-NII-6, Low Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-75.9	-37.95	0.2	-39.3162	6395.6838	-53.49	-68.11	-13.49	Pass
-37.95	-25.3	0.2	-35.0658	6399.9342	-48.9	-63.52	-11.63	Pass
-25.3	-13.65	0.2	-13.662	6421.338	-31.46	-46.08	-11.45	Pass
-13.65	-12.65	0.2	-13.65	6421.35	-31.66	-46.28	-11.66	Pass
12.65	13.65	0.2	13.65	6448.65	-32.37	-46.99	12.37	Pass
13.65	25.3	0.2	13.65	6448.65	-32.27	-46.89	12.27	Pass
25.3	37.95	0.2	37.5705	6472.5705	-53.43	-68.05	13.79	Pass
37.95	75.9	0.2	39.5439	6474.5439	-53.26	-67.88	13.26	Pass

11ax20 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-75.3	-37.65	0.2	-74.9988	6400.0012	-49.73	-64.26	-9.73	Pass
-37.65	-25.1	0.2	-36.897	6438.103	-53.6	-68.13	-14.32	Pass
-25.1	-13.55	0.2	-13.6293	6461.3707	-31.12	-45.65	-11.07	Pass
-13.55	-12.55	0.2	-13.55	6461.45	-31.61	-46.14	-11.61	Pass
12.55	13.55	0.2	13.55	6488.55	-31.49	-46.02	11.49	Pass
13.55	25.1	0.2	13.55	6488.55	-31.94	-46.47	11.94	Pass
25.1	37.65	0.2	37.65	6512.65	-53.79	-68.32	13.79	Pass
37.65	75.3	0.2	38.9301	6513.9301	-53.67	-68.2	13.67	Pass

11ax20 (SU), U-NII-6, High Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-76.5	-38.25	0.2	-40.4685	6474.5315	-53.77	-68.15	-13.77	Pass
-38.25	-25.5	0.2	-38.097	6476.903	-54.41	-68.79	-14.56	Pass
-25.5	-13.75	0.2	-13.77	6501.23	-32.38	-46.75	-12.36	Pass
-13.75	-12.75	0.2	-13.75	6501.25	-31.9	-46.27	-11.9	Pass
12.75	13.75	0.2	13.75	6528.75	-32.71	-47.08	12.71	Pass
13.75	25.5	0.2	13.75	6528.75	-33.29	-47.67	13.29	Pass
25.5	38.25	0.2	37.8675	6552.8675	-54.1	-68.48	14.46	Pass
38.25	76.5	0.2	42.534	6557.534	-54.27	-68.64	14.27	Pass

11ax40 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.68	6383.32	-55.01	-65.39	-15.01	Pass
-60	-40	0.4	-59.52	6385.48	-54.96	-65.34	-15.25	Pass
-40	-21	0.4	-21	6424	-23.59	-33.97	-3.59	Pass
-21	-20	0.4	-21	6424	-23.59	-33.97	-3.59	Pass
20	21	0.4	21	6466	-23.71	-34.09	3.71	Pass
21	40	0.4	21.169415	6466.169415	-23.68	-34.06	3.61	Pass
40	60	0.4	59.52	6504.52	-54.86	-65.24	15.15	Pass
60	120	0.4	80.76	6525.76	-55.05	-65.43	15.05	Pass

11ax40 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-85.08	6399.92	-52.15	-63.18	-12.15	Pass
-60	-40	0.4	-60	6425	-54.9	-65.93	-14.9	Pass
-40	-21	0.4	-21	6464	-23.24	-34.27	-3.24	Pass
-21	-20	0.4	-21	6464	-23.24	-34.27	-3.24	Pass
20	21	0.4	21	6506	-23.31	-34.35	3.31	Pass
21	40	0.4	21	6506	-23.31	-34.35	3.31	Pass
40	60	0.4	59.76	6544.76	-55.38	-66.42	15.53	Pass
60	120	0.4	82.44	6567.44	-55.23	-66.26	15.23	Pass

11ax40 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-136.8	-68.4	0.4	-125.0352	6399.9648	-51.77	-63.08	-11.77	Pass
-68.4	-45.6	0.4	-68.1264	6456.8736	-54.37	-65.68	-14.51	Pass
-45.6	-23.8	0.4	-23.8	6501.2	-29.25	-40.56	-9.25	Pass
-23.8	-22.8	0.4	-23.8	6501.2	-29.25	-40.56	-9.25	Pass
22.8	23.8	0.4	23.8	6548.8	-29.93	-41.24	9.93	Pass
23.8	45.6	0.4	23.8	6548.8	-29.93	-41.24	9.93	Pass
45.6	68.4	0.4	68.2632	6593.2632	-55.96	-67.27	16.03	Pass
68.4	136.8	0.4	83.8584	6608.8584	-55.1	-66.42	15.1	Pass

11ax80 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-122.16	6342.84	-56.55	-64.2	-16.55	Pass
-120	-80	0.8	-119.52	6345.48	-56.63	-64.28	-16.77	Pass
-80	-41	0.8	-41	6424	-25.15	-32.8	-5.15	Pass
-41	-40	0.8	-41	6424	-25.15	-32.8	-5.15	Pass
40	41	0.8	41	6506	-25.5	-33.15	5.5	Pass
41	80	0.8	41.37931	6506.37931	-25.55	-33.2	5.47	Pass
80	120	0.8	119.52	6584.52	-56.59	-64.24	16.74	Pass
120	240	0.8	128.64	6593.64	-56.28	-63.93	16.28	Pass

11ax80 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-145.2	6399.8	-54.45	-62.52	-14.45	Pass
-120	-80	0.8	-119.76	6425.24	-55.97	-64.04	-16.05	Pass
-80	-41	0.8	-41	6504	-25.07	-33.13	-5.07	Pass
-41	-40	0.8	-41	6504	-25.07	-33.13	-5.07	Pass
40	41	0.8	41	6586	-25.33	-33.39	5.33	Pass
41	80	0.8	41.13943	6586.13943	-25.3	-33.36	5.27	Pass
80	120	0.8	117.84	6662.84	-56.77	-64.83	17.42	Pass
120	240	0.8	123.84	6668.84	-57.08	-65.15	17.08	Pass

11ax160 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-492.6	-246.3	1.6	-247.7778	6257.2222	-52.18	-57.99	-12.18	Pass
-246.3	-164.2	1.6	-246.3	6258.7	-52.25	-58.07	-12.25	Pass
-164.2	-83.1	1.6	-83.1	6421.9	-28.94	-34.75	-8.94	Pass
-83.1	-82.1	1.6	-83.1	6421.9	-28.94	-34.75	-8.94	Pass
82.1	83.1	1.6	83.1	6588.1	-30.65	-36.47	10.65	Pass
83.1	164.2	1.6	83.1	6588.1	-30.65	-36.47	10.65	Pass
164.2	246.3	1.6	171.9174	6676.9174	-43.45	-49.27	14.32	Pass
246.3	492.6	1.6	247.7778	6752.7778	-54.28	-60.09	14.28	Pass

11ax20 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-75.3	-37.65	0.2	-39.5325	6495.4675	-53.54	-66.79	-13.54	Pass
-37.65	-25.1	0.2	-37.4994	6497.5006	-53.53	-66.79	-13.68	Pass
-25.1	-13.55	0.2	-13.6293	6521.3707	-30.83	-44.08	-10.77	Pass
-13.55	-12.55	0.2	-13.55	6521.45	-31.06	-44.32	-11.06	Pass
12.55	13.55	0.2	13.55	6548.55	-31.75	-45	11.75	Pass
13.55	25.1	0.2	13.6293	6548.6293	-31.59	-44.84	11.53	Pass
25.1	37.65	0.2	37.65	6572.65	-54.06	-67.31	14.06	Pass
37.65	75.3	0.2	39.909	6574.909	-53.89	-67.15	13.89	Pass

11x20 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-76.5	-38.25	0.2	-56.5335	6658.4665	-54.27	-67.32	-14.27	Pass
-38.25	-25.5	0.2	-38.0205	6676.9795	-54.13	-67.18	-14.35	Pass
-25.5	-13.75	0.2	-13.77	6701.23	-31.87	-44.92	-11.85	Pass
-13.75	-12.75	0.2	-13.75	6701.25	-32.28	-45.33	-12.28	Pass
12.75	13.75	0.2	13.75	6728.75	-33.72	-46.78	13.72	Pass
13.75	25.5	0.2	13.75	6728.75	-32.9	-45.95	12.9	Pass
25.5	38.25	0.2	37.944	6752.944	-54.95	-68.01	15.24	Pass
38.25	76.5	0.2	45.288	6760.288	-54.44	-67.5	14.44	Pass

11ax20 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-74.7	-37.35	0.2	-38.844	6816.156	-53.95	-67.35	-13.95	Pass
-37.35	-24.9	0.2	-37.35	6817.65	-54.45	-67.85	-14.45	Pass
-24.9	-13.45	0.2	-13.45	6841.55	-30.81	-44.21	-10.81	Pass
-13.45	-12.45	0.2	-13.45	6841.55	-31.18	-44.58	-11.18	Pass
12.45	13.45	0.2	13.45	6868.45	-31.4	-44.8	11.4	Pass
13.45	24.9	0.2	13.45	6868.45	-31.76	-45.16	11.76	Pass
24.9	37.35	0.2	37.2006	6892.2006	-54.83	-68.23	14.97	Pass
37.35	74.7	0.2	41.2344	6896.2344	-54.39	-67.79	14.39	Pass

11ax40 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-67.8	6497.2	-54.29	-63.74	-14.29	Pass
-60	-40	0.4	-58.56	6506.44	-53.86	-63.32	-14.72	Pass
-40	-21	0.4	-	6543.830585	-23.43	-32.88	-3.35	Pass
-21	-20	0.4	-21	6544	-23.56	-33.02	-3.56	Pass
20	21	0.4	21	6586	-24.11	-33.57	4.11	Pass
21	40	0.4	21	6586	-24.11	-33.57	4.11	Pass
40	60	0.4	59.76	6624.76	-55.65	-65.1	15.79	Pass
60	120	0.4	61.32	6626.32	-55.2	-64.66	15.2	Pass

11ax40 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.52	6782.48	-54.29	-64.36	-14.29	Pass
-60	-40	0.4	-59.52	6785.48	-54.54	-64.61	-14.83	Pass
-40	-21	0.4	-21	6824	-23.06	-33.13	-3.06	Pass
-21	-20	0.4	-21	6824	-23.06	-33.13	-3.06	Pass
20	21	0.4	21	6866	-23.29	-33.35	3.29	Pass
21	40	0.4	21	6866	-23.29	-33.35	3.29	Pass
40	60	0.4	60	6905	-54.71	-64.77	14.71	Pass
60	120	0.4	62.04	6907.04	-54.53	-64.6	14.53	Pass

11ax80 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-225.12	6399.88	-53.67	-60.58	-13.67	Pass
-120	-80	0.8	-120	6505	-55.05	-61.96	-15.05	Pass
-80	-41	0.8	-41	6584	-24.33	-31.25	-4.33	Pass
-41	-40	0.8	-41	6584	-24.33	-31.25	-4.33	Pass
40	41	0.8	41	6666	-25.36	-32.27	5.36	Pass
41	80	0.8	41	6666	-25.36	-32.27	5.36	Pass
80	120	0.8	120	6745	-56.98	-63.89	16.98	Pass
120	240	0.8	121.92	6746.92	-56.28	-63.19	16.28	Pass

11ax80 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.24	6584.76	-55.2	-62.05	-15.2	Pass
-120	-80	0.8	-120	6585	-55.25	-62.11	-15.25	Pass
-80	-41	0.8	-41	6664	-24.33	-31.19	-4.33	Pass
-41	-40	0.8	-41	6664	-24.33	-31.19	-4.33	Pass
40	41	0.8	41	6746	-25.54	-32.4	5.54	Pass
41	80	0.8	41	6746	-25.54	-32.4	5.54	Pass
80	120	0.8	119.76	6824.76	-56.85	-63.7	16.92	Pass
120	240	0.8	131.76	6836.76	-56.54	-63.4	16.54	Pass

11ax80 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-137.52	6647.48	-55.43	-62.37	-15.43	Pass
-120	-80	0.8	-117.12	6667.88	-55.02	-61.97	-15.89	Pass
-80	-41	0.8	-41	6744	-24.59	-31.54	-4.59	Pass
-41	-40	0.8	-41	6744	-24.59	-31.54	-4.59	Pass
40	41	0.8	41	6826	-25.45	-32.4	5.45	Pass
41	80	0.8	41.37931	6826.37931	-25.44	-32.39	5.36	Pass
80	120	0.8	119.76	6904.76	-56.4	-63.35	16.47	Pass
120	240	0.8	120.72	6905.72	-55.62	-62.57	15.62	Pass

11ax160 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-492.3	-246.15	1.6	-265.3497	6399.6503	-50.43	-54.7	-10.43	Pass
-246.15	-164.1	1.6	-245.6577	6419.3423	-52	-56.27	-12.07	Pass
-164.1	-83.05	1.6	-83.05	6581.95	-28.05	-32.32	-8.05	Pass
-83.05	-82.05	1.6	-83.05	6581.95	-28.05	-32.32	-8.05	Pass
82.05	83.05	1.6	83.05	6748.05	-30.53	-34.8	10.53	Pass
83.05	164.1	1.6	83.05	6748.05	-30.53	-34.8	10.53	Pass
164.1	246.15	1.6	246.15	6911.15	-53.48	-57.75	13.48	Pass
246.15	492.3	1.6	249.1038	6914.1038	-53.25	-57.52	13.25	Pass

11ax160 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-492.9	-246.45	1.6	-247.9287	6577.0713	-49.28	-53.99	-9.28	Pass
-246.45	-164.3	1.6	-246.45	6578.55	-49.46	-54.17	-9.46	Pass
-164.3	-83.15	1.6	-83.15	6741.85	-27.85	-32.56	-7.85	Pass
-83.15	-82.15	1.6	-83.15	6741.85	-27.85	-32.56	-7.85	Pass
82.15	83.15	1.6	83.15	6908.15	-30.16	-34.87	10.16	Pass
83.15	164.3	1.6	162.32938 5	6987.3293 85	-37.09	-41.8	9.29	Pass
164.3	246.45	1.6	245.4642	7070.4642	-50.35	-55.06	10.5	Pass
246.45	492.9	1.6	249.4074	7074.4074	-50.28	-54.99	10.28	Pass

11ax20 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.32	6843.68	-54.08	-65.64	-14.08	Pass
-30	-20	0.2	-29.94	6845.06	-54.55	-66.11	-14.62	Pass
-20	-11	0.2	-11.28	6863.72	-23.55	-35.11	-3.3	Pass
-11	-10	0.2	-11	6864	-23.1	-34.65	-3.1	Pass
10	11	0.2	11	6886	-23.96	-35.52	3.96	Pass
11	20	0.2	11.04	6886.04	-23.44	-35	3.4	Pass
20	30	0.2	29.82	6904.82	-54.51	-66.07	14.73	Pass
30	60	0.2	30.42	6905.42	-53.91	-65.47	13.91	Pass

11ax20 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-76.5	-38.25	0.2	-44.5995	6970.4005	-54.59	-66.05	-14.59	Pass
-38.25	-25.5	0.2	-37.8675	6977.1325	-54.84	-66.31	-15.2	Pass
-25.5	-13.75	0.2	-13.75	7001.25	-32.8	-44.27	-12.8	Pass
-13.75	-12.75	0.2	-13.75	7001.25	-32.07	-43.53	-12.07	Pass
12.75	13.75	0.2	13.75	7028.75	-32.41	-43.87	12.41	Pass
13.75	25.5	0.2	13.75	7028.75	-32.28	-43.75	12.28	Pass
25.5	38.25	0.2	38.097	7053.097	-54.92	-66.38	15.06	Pass
38.25	76.5	0.2	40.851	7055.851	-54.17	-65.64	14.17	Pass

11ax20 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.8	7063.2	-54.11	-65.62	-14.11	Pass
-30	-20	0.2	-29.94	7065.06	-54.06	-65.57	-14.13	Pass
-20	-11	0.2	-11.16	7083.84	-23.18	-34.69	-3.04	Pass
-11	-10	0.2	-11	7084	-23.17	-34.68	-3.17	Pass
10	11	0.2	11	7106	-23.38	-34.89	3.38	Pass
11	20	0.2	11.1	7106.1	-23.49	-35	3.4	Pass
20	30	0.2	29.7	7124.7	-53.66	-65.17	14.02	Pass
30	60	0.2	33.48	7128.48	-54.03	-65.54	14.03	Pass

11ax20 (SU), U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-76.2	-38.1	0.2	-39.624	7075.376	-51.84	-67.56	-11.84	Pass
-38.1	-25.4	0.2	-37.9476	7077.0524	-52.64	-68.36	-12.78	Pass
-25.4	-13.7	0.2	-13.7	7101.3	-32.05	-47.78	-12.05	Pass
-13.7	-12.7	0.2	-13.7	7101.3	-32.39	-48.11	-12.39	Pass
12.7	13.7	0.2	13.7	7128.7	-33.13	-48.85	13.13	Pass
13.7	25.4	0.2	13.7	7128.7	-32.65	-48.37	12.65	Pass
25.4	38.1	0.2	37.9476	7152.9476	-52.46	-68.18	12.6	Pass
38.1	76.2	0.2	42.9006	7157.9006	-51.63	-67.35	11.63	Pass

11ax40 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-145.2	-72.6	0.4	-73.0356	6811.9644	-54.41	-63.17	-14.41	Pass
-72.6	-48.4	0.4	-72.0192	6812.9808	-54.49	-63.25	-14.78	Pass
-48.4	-25.2	0.4	-25.2	6859.8	-33.12	-41.87	-13.12	Pass
-25.2	-24.2	0.4	-25.2	6859.8	-33.12	-41.87	-13.12	Pass
24.2	25.2	0.4	25.2	6910.2	-34.11	-42.87	14.11	Pass
25.2	48.4	0.4	25.2	6910.2	-34.11	-42.87	14.11	Pass
48.4	72.6	0.4	71.5836	6956.5836	-54.5	-63.26	15.01	Pass
72.6	145.2	0.4	92.4924	6977.4924	-54.43	-63.19	14.43	Pass

11ax40 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.64	6942.36	-54.91	-63	-14.91	Pass
-60	-40	0.4	-59.16	6945.84	-55.49	-63.57	-15.99	Pass
-40	-21	0.4	-	6983.8305 21.169415 85	-23.67	-31.75	-3.59	Pass
-21	-20	0.4	-21	6984	-23.69	-31.78	-3.69	Pass
20	21	0.4	21	7026	-23.8	-31.89	3.8	Pass
21	40	0.4	21	7026	-23.8	-31.89	3.8	Pass
40	60	0.4	60	7065	-54.88	-62.97	14.88	Pass
60	120	0.4	63.48	7068.48	-54.24	-62.32	14.24	Pass

11ax40 (SU), U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-64.44	7020.56	-55.13	-63.28	-15.13	Pass
-60	-40	0.4	-59.88	7025.12	-55.13	-63.28	-15.2	Pass
-40	-21	0.4	-	7063.830585	-23.65	-31.8	-3.58	Pass
-21	-20	0.4	-21	7064	-23.79	-31.94	-3.79	Pass
20	21	0.4	21	7106	-23.65	-31.79	3.65	Pass
21	40	0.4	21.169415	7106.169415	-23.45	-31.6	3.38	Pass
40	60	0.4	59.64	7144.64	-54.85	-63	15.07	Pass
60	120	0.4	63.48	7148.48	-54.63	-62.77	14.63	Pass

11ax80 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-131.52	6733.48	-55.31	-60.78	-15.31	Pass
-120	-80	0.8	-118.56	6746.44	-55.01	-60.48	-15.44	Pass
-80	-41	0.8	-41	6824	-24.14	-29.62	-4.14	Pass
-41	-40	0.8	-41	6824	-24.14	-29.62	-4.14	Pass
40	41	0.8	41	6906	-25.9	-31.37	5.9	Pass
41	80	0.8	41	6906	-25.9	-31.37	5.9	Pass
80	120	0.8	120	6985	-55.84	-61.31	15.84	Pass
120	240	0.8	120.96	6985.96	-55.38	-60.85	15.38	Pass

11ax80 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.36	6821.64	-55.75	-61.18	-15.75	Pass
-120	-80	0.8	-118.56	6826.44	-55.87	-61.3	-16.3	Pass
-80	-41	0.8	-41	6904	-24.97	-30.4	-4.97	Pass
-41	-40	0.8	-41	6904	-24.97	-30.4	-4.97	Pass
40	41	0.8	41	6986	-25.55	-30.98	5.55	Pass
41	80	0.8	41	6986	-25.55	-30.98	5.55	Pass
80	120	0.8	118.56	7063.56	-55.09	-60.52	15.52	Pass
120	240	0.8	126.72	7071.72	-55.21	-60.63	15.21	Pass

11ax80 (SU), U-NII-8, High Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.6	6901.4	-56.33	-61.58	-16.33	Pass
-120	-80	0.8	-119.76	6905.24	-56.15	-61.41	-16.22	Pass
-80	-41	0.8	-41	6984	-25.34	-30.59	-5.34	Pass
-41	-40	0.8	-41	6984	-25.34	-30.59	-5.34	Pass
40	41	0.8	41	7066	-25.5	-30.76	5.5	Pass
41	80	0.8	41.61919	7066.61919	-25.51	-30.77	5.39	Pass
80	120	0.8	119.04	7144.04	-55.4	-60.65	15.68	Pass
120	240	0.8	123.12	7148.12	-55.27	-60.53	15.27	Pass


11ax160 (SU), U-NII-8, Middle Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-492.3	-246.15	1.6	-249.1038	6735.8962	-51.33	-53.61	-11.33	Pass
-246.15	-164.1	1.6	-245.6577	6739.3423	-51.1	-53.37	-11.17	Pass
-164.1	-83.05	1.6	-83.05	6901.95	-28.93	-31.2	-8.93	Pass
-83.05	-82.05	1.6	-83.05	6901.95	-28.93	-31.2	-8.93	Pass
82.05	83.05	1.6	83.05	7068.05	-28.77	-31.05	8.77	Pass
83.05	164.1	1.6	156.22713 6	7141.2271 36	-30.94	-33.22	3.72	Pass
164.1	246.15	1.6	179.1972	7164.1972	-36.43	-38.71	6.23	Pass
246.15	492.3	1.6	250.5807	7235.5807	-51.01	-53.28	11.01	Pass


MIMO-Main Antenna

11ax20 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-75.6	-37.8	0.2	-68.1912	5886.8088	-50.82	-64.56	-10.82	Pass
-37.8	-25.2	0.2	-37.422	5917.578	-51.54	-65.28	-11.9	Pass
-25.2	-13.6	0.2	-13.6836	5941.3164	-32.07	-45.82	-12.02	Pass
-13.6	-12.6	0.2	-13.6	5941.4	-31.72	-45.47	-11.72	Pass
12.6	13.6	0.2	13.6	5968.6	-32.03	-45.77	12.03	Pass
13.6	25.2	0.2	13.6	5968.6	-31.95	-45.7	11.95	Pass
25.2	37.8	0.2	37.5732	5992.5732	-50.66	-64.4	10.87	Pass
37.8	75.6	0.2	42.6384	5997.6384	-50.38	-64.13	10.38	Pass

11ax20 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-75.3	-37.65	0.2	-53.0865	6121.9135	-50.53	-64.41	-10.53	Pass
-37.65	-25.1	0.2	-37.4994	6137.5006	-50.6	-64.48	-10.74	Pass
-25.1	-13.55	0.2	-13.55	6161.45	-31.18	-45.06	-11.18	Pass
-13.55	-12.55	0.2	-13.55	6161.45	-31.43	-45.31	-11.43	Pass
12.55	13.55	0.2	13.55	6188.55	-32.26	-46.15	12.26	Pass
13.55	25.1	0.2	13.55	6188.55	-32.77	-46.66	12.77	Pass
25.1	37.65	0.2	37.1982	6212.1982	-51.16	-65.04	11.59	Pass
37.65	75.3	0.2	39.9843	6214.9843	-50.95	-64.83	10.95	Pass

11ax20 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-77.1	-38.55	0.2	-41.634	6373.366	-51.39	-65.44	-11.39	Pass
-38.55	-25.7	0.2	-37.7019	6377.2981	-51.05	-65.1	-11.84	Pass
-25.7	-13.85	0.2	-13.85	6401.15	-33.26	-47.31	-13.26	Pass
-13.85	-12.85	0.2	-13.85	6401.15	-33.27	-47.32	-13.27	Pass
12.85	13.85	0.2	13.85	6428.85	-33.37	-47.42	13.37	Pass
13.85	25.7	0.2	13.878	6428.878	-33.26	-47.31	13.24	Pass
25.7	38.55	0.2	38.0874	6453.0874	-51.63	-65.68	12.06	Pass
38.55	77.1	0.2	42.7134	6457.7134	-51.56	-65.61	11.56	Pass

11ax40 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-136.2	-68.1	0.4	-79.8132	5885.1868	-50.97	-62.05	-10.97	Pass
-68.1	-45.4	0.4	-67.8276	5897.1724	-51.36	-62.44	-11.51	Pass
-45.4	-23.7	0.4	-23.7	5941.3	-29.24	-40.31	-9.24	Pass
-23.7	-22.7	0.4	-23.7	5941.3	-29.24	-40.31	-9.24	Pass
22.7	23.7	0.4	23.7	5988.7	-29.68	-40.76	9.68	Pass
23.7	45.4	0.4	23.891154	5988.891154	-29.71	-40.79	9.64	Pass
45.4	68.1	0.4	67.419	6032.419	-51.14	-62.22	11.5	Pass
68.1	136.2	0.4	87.0318	6052.0318	-50.68	-61.76	10.68	Pass

11ax40 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-137.4	-68.7	0.4	-83.5392	6081.4608	-51.63	-62.08	-11.63	Pass
-68.7	-45.8	0.4	-68.4252	6096.5748	-51.84	-62.29	-11.98	Pass
-45.8	-23.9	0.4	-	6141.035682	-29.26	-39.71	-9.24	Pass
-23.9	-22.9	0.4	-23.9	6141.1	-29.36	-39.81	-9.36	Pass
22.9	23.9	0.4	23.9	6188.9	-30	-40.45	10	Pass
23.9	45.8	0.4	23.9	6188.9	-30	-40.45	10	Pass
45.8	68.7	0.4	68.4252	6233.4252	-52.65	-63.1	12.8	Pass
68.7	137.4	0.4	75.1578	6240.1578	-51.88	-62.33	11.88	Pass

11ax40 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-137.7	-68.85	0.4	-113.4648	6291.5352	-51.94	-62.73	-11.94	Pass
-68.85	-45.9	0.4	-68.85	6336.15	-52.65	-63.44	-12.65	Pass
-45.9	-23.95	0.4	-23.95	6381.05	-29.88	-40.67	-9.88	Pass
-23.95	-22.95	0.4	-23.95	6381.05	-29.88	-40.67	-9.88	Pass
22.95	23.95	0.4	23.95	6428.95	-30.37	-41.16	10.37	Pass
23.95	45.9	0.4	23.95	6428.95	-30.37	-41.16	10.37	Pass
45.9	68.85	0.4	67.8861	6472.8861	-52.4	-63.19	12.9	Pass
68.85	137.7	0.4	79.4529	6484.4529	-52.1	-62.89	12.1	Pass

11ax80 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-249.6	-124.8	0.8	-143.2704	5841.7296	-52.46	-60.11	-12.46	Pass
-124.8	-83.2	0.8	-124.8	5860.2	-53.2	-60.85	-13.2	Pass
-83.2	-42.6	0.8	-42.6	5942.4	-27.01	-34.66	-7.01	Pass
-42.6	-41.6	0.8	-42.6	5942.4	-27.01	-34.66	-7.01	Pass
41.6	42.6	0.8	42.6	6027.6	-27.06	-34.71	7.06	Pass
42.6	83.2	0.8	42.6	6027.6	-27.06	-34.71	7.06	Pass
83.2	124.8	0.8	124.8	6109.8	-53.49	-61.15	13.49	Pass
124.8	249.6	0.8	137.7792	6122.7792	-53.09	-60.74	13.09	Pass

11ax80 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-252.3	-126.15	0.8	-128.4207	6016.5793	-52.04	-59.61	-12.04	Pass
-126.15	-84.1	0.8	-125.8977	6019.1023	-52.73	-60.3	-12.8	Pass
-84.1	-43.05	0.8	-43.5	6101.5	-27.27	-34.84	-7.19	Pass
-43.05	-42.05	0.8	-43.05	6101.95	-27.47	-35.04	-7.47	Pass
42.05	43.05	0.8	43.05	6188.05	-27.99	-35.56	7.99	Pass
43.05	84.1	0.8	43.05	6188.05	-27.99	-35.56	7.99	Pass
84.1	126.15	0.8	125.8977	6270.8977	-53.98	-61.55	14.05	Pass
126.15	252.3	0.8	153.3984	6298.3984	-52.98	-60.55	12.98	Pass

11ax80 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-251.7	-125.85	0.8	-160.0812	6224.9188	-53.42	-60.74	-13.42	Pass
-125.85	-83.9	0.8	-125.0949	6259.9051	-53.99	-61.3	-14.21	Pass
-83.9	-42.95	0.8	-42.95	6342.05	-27.18	-34.5	-7.18	Pass
-42.95	-41.95	0.8	-42.95	6342.05	-27.18	-34.5	-7.18	Pass
41.95	42.95	0.8	42.95	6427.95	-27.63	-34.94	7.63	Pass
42.95	83.9	0.8	43.144978	6428.144978	-27.63	-34.94	7.59	Pass
83.9	125.85	0.8	122.8296	6507.8296	-54.4	-61.72	15.27	Pass
125.85	251.7	0.8	126.3534	6511.3534	-54.68	-61.99	14.68	Pass

11ax160 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-493.5	-246.75	1.6	-246.75	5778.25	-52.27	-56.79	-12.27	Pass
-246.75	-164.5	1.6	-246.75	5778.25	-52.27	-56.79	-12.27	Pass
-164.5	-83.25	1.6	-83.25	5941.75	-29.42	-33.94	-9.42	Pass
-83.25	-82.25	1.6	-83.25	5941.75	-29.42	-33.94	-9.42	Pass
82.25	83.25	1.6	83.25	6108.25	-31.57	-36.08	11.57	Pass
83.25	164.5	1.6	83.25	6108.25	-31.57	-36.08	11.57	Pass
164.5	246.75	1.6	246.2565	6271.2565	-52.45	-56.97	12.52	Pass
246.75	493.5	1.6	374.5665	6399.5665	-49.28	-53.8	9.28	Pass

11ax160 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-492.3	-246.15	1.6	-255.0114	5929.9886	-51.22	-55.78	-11.22	Pass
-246.15	-164.1	1.6	-245.1654	5939.8346	-51.52	-56.08	-11.66	Pass
-164.1	-83.05	1.6	-83.05	6101.95	-28.2	-32.77	-8.2	Pass
-83.05	-82.05	1.6	-83.05	6101.95	-28.2	-32.77	-8.2	Pass
82.05	83.05	1.6	83.05	6268.05	-30.35	-34.92	10.35	Pass
83.05	164.1	1.6	83.05	6268.05	-30.35	-34.92	10.35	Pass
164.1	246.15	1.6	214.6428	6399.6428	-46.92	-51.48	11.53	Pass
246.15	492.3	1.6	256.9806	6441.9806	-52.33	-56.89	12.33	Pass

11ax160 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-493.8	-246.9	1.6	-256.2822	6088.7178	-50.42	-55.2	-10.42	Pass
-246.9	-164.6	1.6	-246.9	6098.1	-50.77	-55.56	-10.77	Pass
-164.6	-83.3	1.6	-83.3	6261.7	-28.72	-33.51	-8.72	Pass
-83.3	-82.3	1.6	-83.3	6261.7	-28.72	-33.51	-8.72	Pass
82.3	83.3	1.6	83.3	6428.3	-30.1	-34.88	10.1	Pass
83.3	164.6	1.6	83.3	6428.3	-30.1	-34.88	10.1	Pass
164.6	246.9	1.6	246.4062	6591.4062	-52.35	-57.14	12.42	Pass
246.9	493.8	1.6	256.776	6601.776	-52.04	-56.83	12.04	Pass

11ax20 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-74.4	-37.2	0.2	-44.3424	6390.6576	-51.39	-67.61	-11.39	Pass
-37.2	-24.8	0.2	-35.0424	6399.9576	-41.33	-57.55	-3.42	Pass
-24.8	-13.4	0.2	-13.4	6421.6	-30.81	-47.02	-10.81	Pass
-13.4	-12.4	0.2	-13.4	6421.6	-30.44	-46.65	-10.44	Pass
12.4	13.4	0.2	13.4	6448.4	-31.46	-47.68	11.46	Pass
13.4	24.8	0.2	13.8384	6448.8384	-31.54	-47.75	11.23	Pass
24.8	37.2	0.2	36.9024	6471.9024	-51.65	-67.86	11.93	Pass
37.2	74.4	0.2	37.8696	6472.8696	-51.44	-67.65	11.44	Pass

11ax20 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-76.5	-38.25	0.2	-75.0465	6399.9535	-41.89	-61.35	-1.89	Pass
-38.25	-25.5	0.2	-38.097	6436.903	-51.45	-69.05	-11.59	Pass
-25.5	-13.75	0.2	-13.75	6461.25	-33.51	-49.51	-13.51	Pass
-13.75	-12.75	0.2	-13.75	6461.25	-32.66	-50.88	-12.66	Pass
12.75	13.75	0.2	13.75	6488.75	-32.46	-50.49	12.46	Pass
13.75	25.5	0.2	13.77	6488.77	-32.28	-49.84	12.27	Pass
25.5	38.25	0.2	38.25	6513.25	-51.47	-68.74	11.47	Pass
38.25	76.5	0.2	38.403	6513.403	-51.41	-68.63	11.41	Pass

11ax20 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-76.8	-38.4	0.2	-60.1344	6454.8656	-51.12	-67.59	-11.12	Pass
-38.4	-25.6	0.2	-37.7088	6477.2912	-51.34	-67.81	-11.98	Pass
-25.6	-13.8	0.2	-13.8	6501.2	-32.98	-49.45	-12.98	Pass
-13.8	-12.8	0.2	-13.8	6501.2	-32.31	-48.78	-12.31	Pass
12.8	13.8	0.2	13.8	6528.8	-33	-49.47	13	Pass
13.8	25.6	0.2	13.824	6528.824	-32.7	-49.17	12.68	Pass
25.6	38.4	0.2	38.4	6553.4	-51.49	-67.96	11.49	Pass
38.4	76.8	0.2	59.9808	6574.9808	-51.39	-67.86	11.39	Pass

11ax40 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-138	-69	0.4	-74.52	6370.48	-52.35	-65.35	-12.35	Pass
-69	-46	0.4	-68.172	6376.828	-52.36	-65.35	-12.79	Pass
-46	-24	0.4	-24	6421	-29.7	-42.69	-9.7	Pass
-24	-23	0.4	-24	6421	-29.7	-42.69	-9.7	Pass
23	24	0.4	24	6469	-30.54	-43.54	10.54	Pass
24	46	0.4	24.206897	6469.206897	-30.48	-43.47	10.4	Pass
46	69	0.4	68.448	6513.448	-51.92	-64.91	12.21	Pass
69	138	0.4	74.658	6519.658	-52.38	-65.37	12.38	Pass

11ax40 (SU), U-NII-6, Middle Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-137.7	-68.85	0.4	-85.0986	6399.9014	-46.14	-59.9	-6.14	Pass
-68.85	-45.9	0.4	-68.85	6416.15	-52.51	-66.28	-12.51	Pass
-45.9	-23.95	0.4	-23.95	6461.05	-30.16	-43.93	-10.16	Pass
-23.95	-22.95	0.4	-23.95	6461.05	-30.16	-43.93	-10.16	Pass
22.95	23.95	0.4	23.95	6508.95	-30.18	-43.95	10.18	Pass
23.95	45.9	0.4	23.95	6508.95	-30.18	-43.95	10.18	Pass
45.9	68.85	0.4	68.7123	6553.7123	-53.19	-66.96	13.26	Pass
68.85	137.7	0.4	76.2858	6561.2858	-52.5	-66.27	12.5	Pass

11ax40 (SU), U-NII-6, High Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-137.7	-68.85	0.4	-125.0316	6399.9684	-44.36	-57.34	-4.36	Pass
-68.85	-45.9	0.4	-68.1615	6456.8385	-52.55	-65.53	-12.91	Pass
-45.9	-23.95	0.4	-23.95	6501.05	-29.66	-42.64	-9.66	Pass
-23.95	-22.95	0.4	-23.95	6501.05	-29.66	-42.64	-9.66	Pass
22.95	23.95	0.4	23.95	6548.95	-30.33	-43.31	10.33	Pass
23.95	45.9	0.4	23.95	6548.95	-30.33	-43.31	10.33	Pass
45.9	68.85	0.4	68.7123	6593.7123	-53.43	-66.42	13.51	Pass
68.85	137.7	0.4	72.5679	6597.5679	-52.64	-65.62	12.64	Pass