



U-NII-2A 11ax20 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5102.875 | 58.38 | 4.25 | 74.0 | 15.62 | Peak | 73.00 | 150 | Vertical | Pass |
| 1** | 5102.875 | 47.34 | 4.25 | 54.0 | 6.66 | AV | 73.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 56.24 | 4.06 | 74.0 | 17.76 | Peak | 0.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 47.03 | 4.06 | 54.0 | 6.97 | AV | 0.00 | 200 | Vertical | Pass |

U-NII-2A 11ax20 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 59.90 | 5.11 | 74.0 | 14.10 | Peak | 222.00 | 100 | Vertical | Pass |
| 1** | 5350.000 | 48.89 | 5.11 | 54.0 | 5.11 | AV | 222.00 | 100 | Vertical | Pass |
| 2 | 5356.600 | 61.31 | 4.58 | 74.0 | 12.69 | Peak | 360.00 | 150 | Vertical | Pass |
| 2** | 5356.600 | 48.09 | 4.58 | 54.0 | 5.91 | AV | 360.00 | 150 | Vertical | Pass |

U-NII-2A 11ax40 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5125.625 | 58.56 | 4.52 | 74.0 | 15.44 | Peak | 0.00 | 200 | Vertical | Pass |
| 1** | 5125.625 | 47.50 | 4.52 | 54.0 | 6.50 | AV | 0.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 57.54 | 4.06 | 74.0 | 16.46 | Peak | 211.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 47.03 | 4.06 | 54.0 | 6.97 | AV | 211.00 | 100 | Vertical | Pass |

U-NII-2A 11ax40 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 62.10 | 5.10 | 74.0 | 11.90 | Peak | 103.00 | 200 | Vertical | Pass |
| 1** | 5350.055 | 52.17 | 5.10 | 54.0 | 1.83 | AV | 103.00 | 200 | Vertical | Pass |
| 2 | 5350.715 | 64.41 | 5.02 | 74.0 | 9.59 | Peak | 210.00 | 100 | Vertical | Pass |
| 2** | 5350.715 | 51.99 | 5.02 | 54.0 | 2.01 | AV | 210.00 | 100 | Vertical | Pass |
| 3 | 5350.825 | 63.21 | 5.01 | 74.0 | 10.79 | Peak | 166.00 | 150 | Vertical | Pass |
| 3** | 5350.825 | 52.42 | 5.01 | 54.0 | 1.58 | AV | 166.00 | 150 | Vertical | Pass |

U-NII-2A 11ax80 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5129.200 | 58.76 | 4.50 | 74.0 | 15.24 | Peak | 349.00 | 100 | Vertical | Pass |
| 1** | 5129.200 | 47.89 | 4.50 | 54.0 | 6.11 | AV | 349.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 56.89 | 4.06 | 74.0 | 17.11 | Peak | 26.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 47.55 | 4.06 | 54.0 | 6.45 | AV | 26.00 | 200 | Vertical | Pass |

U-NII-2A 11ax80 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 61.02 | 5.11 | 74.0 | 12.98 | Peak | 3.00 | 150 | Vertical | Pass |
| 1** | 5350.000 | 51.47 | 5.11 | 54.0 | 2.53 | AV | 3.00 | 150 | Vertical | Pass |
| 2 | 5352.530 | 62.24 | 4.91 | 74.0 | 11.76 | Peak | 0.00 | 150 | Vertical | Pass |
| 2** | 5352.530 | 51.32 | 4.91 | 54.0 | 2.68 | AV | 0.00 | 150 | Vertical | Pass |
| 3 | 5350.770 | 60.82 | 5.01 | 74.0 | 13.18 | Peak | 0.00 | 150 | Vertical | Pass |
| 3** | 5350.770 | 51.86 | 5.01 | 54.0 | 2.14 | AV | 0.00 | 150 | Vertical | Pass |

U-NII-2A 11ax20 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5129.525 | 58.50 | 4.50 | 74.0 | 15.50 | Peak | 240.00 | 100 | Vertical | Pass |
| 1** | 5129.525 | 47.83 | 4.50 | 54.0 | 6.17 | AV | 240.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 56.75 | 4.06 | 74.0 | 17.25 | Peak | 96.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 46.93 | 4.06 | 54.0 | 7.07 | AV | 96.00 | 100 | Vertical | Pass |

U-NII-2A 11ax20 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 62.40 | 5.10 | 74.0 | 11.60 | Peak | 107.00 | 200 | Vertical | Pass |
| 1** | 5350.055 | 48.49 | 5.10 | 54.0 | 5.51 | AV | 107.00 | 200 | Vertical | Pass |
| 2 | 5350.220 | 63.77 | 5.08 | 74.0 | 10.23 | Peak | 112.00 | 100 | Vertical | Pass |
| 2** | 5350.220 | 48.57 | 5.08 | 54.0 | 5.43 | AV | 112.00 | 100 | Vertical | Pass |

U-NII-2A 11ax40 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5128.225 | 58.48 | 4.51 | 74.0 | 15.52 | Peak | 0.00 | 200 | Vertical | Pass |
| 1** | 5128.225 | 47.42 | 4.51 | 54.0 | 6.58 | AV | 0.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 56.73 | 4.06 | 74.0 | 17.27 | Peak | 300.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 47.03 | 4.06 | 54.0 | 6.97 | AV | 300.00 | 100 | Vertical | Pass |

U-NII-2A 11ax40 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 60.48 | 5.11 | 74.0 | 13.52 | Peak | 99.00 | 100 | Vertical | Pass |
| 1** | 5350.000 | 48.37 | 5.11 | 54.0 | 5.63 | AV | 99.00 | 100 | Vertical | Pass |
| 2 | 5350.385 | 61.61 | 5.06 | 74.0 | 12.39 | Peak | 182.00 | 150 | Vertical | Pass |
| 2** | 5350.385 | 48.51 | 5.06 | 54.0 | 5.49 | AV | 182.00 | 150 | Vertical | Pass |

U-NII-2A 11ax80 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5125.950 | 58.84 | 4.52 | 74.0 | 15.16 | Peak | 176.00 | 200 | Vertical | Pass |
| 1** | 5125.950 | 47.28 | 4.52 | 54.0 | 6.72 | AV | 176.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 56.30 | 4.06 | 74.0 | 17.70 | Peak | 159.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 47.19 | 4.06 | 54.0 | 6.81 | AV | 159.00 | 100 | Vertical | Pass |

U-NII-2A 11ax80 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 57.61 | 5.10 | 74.0 | 16.39 | Peak | 47.00 | 200 | Vertical | Pass |
| 1** | 5350.055 | 48.28 | 5.10 | 54.0 | 5.72 | AV | 47.00 | 200 | Vertical | Pass |
| 2 | 5398.455 | 59.38 | 4.71 | 74.0 | 14.62 | Peak | 171.00 | 200 | Vertical | Pass |
| 2** | 5398.455 | 48.07 | 4.71 | 54.0 | 5.93 | AV | 171.00 | 200 | Vertical | Pass |

U-NII-2C 11a Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5394.160 | 59.91 | 4.58 | 74.0 | 14.09 | Peak | 354.00 | 100 | Vertical | Pass |
| 1** | 5394.160 | 47.78 | 4.58 | 54.0 | 6.22 | AV | 354.00 | 100 | Vertical | Pass |
| 2 | 5459.980 | 56.81 | 4.04 | 74.0 | 17.19 | Peak | 0.00 | 200 | Vertical | Pass |
| 2** | 5459.980 | 46.94 | 4.04 | 54.0 | 7.06 | AV | 0.00 | 200 | Vertical | Pass |
| 3 | 5469.100 | 61.07 | 4.01 | 68.2 | 7.13 | Peak | 360.00 | 100 | Vertical | Pass |
| 3** | 5469.100 | 47.26 | 4.01 | -- | -- | AV | 360.00 | 100 | Vertical | N/A |
| 4 | 5469.940 | 57.51 | 4.06 | 68.2 | 10.69 | Peak | 360.00 | 100 | Vertical | Pass |
| 4** | 5469.940 | 47.67 | 4.06 | -- | -- | AV | 360.00 | 100 | Vertical | N/A |

U-NII-2C 11a High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.000 | 61.01 | 3.93 | 68.2 | 7.19 | Peak | 0.00 | 150 | Vertical | Pass |
| 2 | 5727.688 | 63.19 | 3.69 | 68.2 | 5.01 | Peak | 344.00 | 100 | Vertical | Pass |

U-NII-2C 11n20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5359.360 | 59.47 | 4.72 | 74.0 | 14.53 | Peak | 166.00 | 200 | Vertical | Pass |
| 1** | 5359.360 | 47.76 | 4.72 | 54.0 | 6.24 | AV | 166.00 | 200 | Vertical | Pass |
| 2 | 5459.980 | 56.58 | 4.04 | 74.0 | 17.42 | Peak | 291.00 | 150 | Vertical | Pass |
| 2** | 5459.980 | 47.11 | 4.04 | 54.0 | 6.89 | AV | 291.00 | 150 | Vertical | Pass |
| 3 | 5469.160 | 59.05 | 4.01 | 68.2 | 9.15 | Peak | 327.00 | 150 | Vertical | Pass |
| 3** | 5469.160 | 47.41 | 4.01 | -- | -- | AV | 327.00 | 150 | Vertical | N/A |
| 4 | 5469.940 | 56.66 | 4.06 | 68.2 | 11.54 | Peak | 291.00 | 100 | Vertical | Pass |
| 4** | 5469.940 | 47.40 | 4.06 | -- | -- | AV | 291.00 | 100 | Vertical | N/A |

U-NII-2C 11n20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.000 | 60.41 | 3.93 | 68.2 | 7.79 | Peak | 360.00 | 150 | Vertical | Pass |
| 2 | 5727.250 | 63.63 | 3.75 | 68.2 | 4.57 | Peak | 360.00 | 200 | Vertical | Pass |

U-NII-2C 11n40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5458.840 | 60.77 | 4.15 | 74.0 | 13.23 | Peak | 355.00 | 100 | Vertical | Pass |
| 1** | 5458.840 | 48.49 | 4.15 | 54.0 | 5.51 | AV | 355.00 | 100 | Vertical | Pass |
| 2 | 5459.980 | 59.31 | 4.04 | 74.0 | 14.69 | Peak | 18.00 | 200 | Vertical | Pass |
| 2** | 5459.980 | 48.41 | 4.04 | 54.0 | 5.59 | AV | 18.00 | 200 | Vertical | Pass |
| 3 | 5469.640 | 61.83 | 4.03 | 68.2 | 6.37 | Peak | 209.00 | 100 | Vertical | Pass |
| 3** | 5469.640 | 49.77 | 4.03 | -- | -- | AV | 209.00 | 100 | Vertical | N/A |
| 4 | 5469.940 | 58.99 | 4.06 | 68.2 | 9.21 | Peak | 8.00 | 100 | Vertical | Pass |
| 4** | 5469.940 | 50.27 | 4.06 | -- | -- | AV | 8.00 | 100 | Vertical | N/A |

U-NII-2C 11n40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.063 | 59.15 | 3.92 | 68.2 | 9.05 | Peak | 203.00 | 150 | Vertical | Pass |
| 2 | 5730.625 | 60.79 | 3.68 | 68.2 | 7.41 | Peak | 210.00 | 200 | Vertical | Pass |

U-NII-2C 11ac20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5380.180 | 59.41 | 4.67 | 74.0 | 14.59 | Peak | 79.00 | 100 | Vertical | Pass |
| 1** | 5380.180 | 47.92 | 4.67 | 54.0 | 6.08 | AV | 79.00 | 100 | Vertical | Pass |
| 2 | 5459.980 | 56.32 | 4.04 | 74.0 | 17.68 | Peak | 183.00 | 150 | Vertical | Pass |
| 2** | 5459.980 | 47.16 | 4.04 | 54.0 | 6.84 | AV | 183.00 | 150 | Vertical | Pass |
| 3 | 5468.620 | 60.31 | 3.99 | 68.2 | 7.89 | Peak | 212.00 | 100 | Vertical | Pass |
| 3** | 5468.620 | 47.83 | 3.99 | -- | -- | AV | 212.00 | 100 | Vertical | N/A |
| 4 | 5469.940 | 57.50 | 4.06 | 68.2 | 10.70 | Peak | 220.00 | 150 | Vertical | Pass |
| 4** | 5469.940 | 48.35 | 4.06 | -- | -- | AV | 220.00 | 150 | Vertical | N/A |

U-NII-2C 11ac20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.000 | 58.63 | 3.93 | 68.2 | 9.57 | Peak | 360.00 | 200 | Vertical | Pass |
| 2 | 5728.813 | 63.49 | 3.55 | 68.2 | 4.71 | Peak | 213.00 | 200 | Vertical | Pass |

U-NII-2C 11ac40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5458.840 | 60.71 | 4.15 | 74.0 | 13.29 | Peak | 8.00 | 150 | Vertical | Pass |
| 1** | 5458.840 | 48.39 | 4.15 | 54.0 | 5.61 | AV | 8.00 | 150 | Vertical | Pass |
| 2 | 5459.980 | 56.88 | 4.04 | 74.0 | 17.12 | Peak | 0.00 | 150 | Vertical | Pass |
| 2** | 5459.980 | 47.56 | 4.04 | 54.0 | 6.44 | AV | 0.00 | 150 | Vertical | Pass |
| 3 | 5469.580 | 61.14 | 4.03 | 68.2 | 7.06 | Peak | 8.00 | 150 | Vertical | Pass |
| 3** | 5469.580 | 50.56 | 4.03 | -- | -- | AV | 8.00 | 150 | Vertical | N/A |
| 4 | 5469.940 | 59.83 | 4.06 | 68.2 | 8.37 | Peak | 0.00 | 150 | Vertical | Pass |
| 4** | 5469.940 | 50.07 | 4.06 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |

U-NII-2C 11ac40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.063 | 59.58 | 3.92 | 68.2 | 8.62 | Peak | 222.00 | 200 | Vertical | Pass |
| 2 | 5728.062 | 60.39 | 3.64 | 68.2 | 7.81 | Peak | 213.00 | 150 | Vertical | Pass |

U-NII-2C 11ac80 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5459.860 | 62.46 | 4.05 | 74.0 | 11.54 | Peak | 210.00 | 100 | Vertical | Pass |
| 1** | 5459.860 | 51.52 | 4.05 | 54.0 | 2.48 | AV | 210.00 | 100 | Vertical | Pass |
| 2 | 5459.980 | 60.66 | 4.04 | 74.0 | 13.34 | Peak | 204.00 | 200 | Vertical | Pass |
| 2** | 5459.980 | 52.44 | 4.04 | 54.0 | 1.56 | AV | 204.00 | 200 | Vertical | Pass |
| 3 | 5469.280 | 65.28 | 4.02 | 68.2 | 2.92 | Peak | 210.00 | 100 | Vertical | Pass |
| 3** | 5469.280 | 53.12 | 4.02 | -- | -- | AV | 210.00 | 100 | Vertical | N/A |
| 4 | 5469.940 | 62.96 | 4.06 | 68.2 | 5.24 | Peak | 206.00 | 100 | Vertical | Pass |
| 4** | 5469.940 | 53.94 | 4.06 | -- | -- | AV | 206.00 | 100 | Vertical | N/A |
| 5 | 5455.660 | 59.99 | 4.23 | 74.0 | 14.01 | Peak | 210.00 | 150 | Vertical | Pass |
| 5** | 5455.660 | 52.51 | 4.23 | 54.0 | 1.49 | AV | 210.00 | 150 | Vertical | Pass |

U-NII-2C 11ac80 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.063 | 58.91 | 3.92 | 68.2 | 9.29 | Peak | 111.00 | 150 | Vertical | Pass |
| 2 | 5737.937 | 60.30 | 3.71 | 68.2 | 7.90 | Peak | 220.00 | 200 | Vertical | Pass |

U-NII-2C 11ac160 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5396.980 | 59.88 | 4.75 | 74.0 | 14.12 | Peak | 169.00 | 200 | Vertical | Pass |
| 1** | 5396.980 | 47.87 | 4.75 | 54.0 | 6.13 | AV | 169.00 | 200 | Vertical | Pass |
| 2 | 5459.980 | 56.63 | 4.04 | 74.0 | 17.37 | Peak | 186.00 | 150 | Vertical | Pass |
| 2** | 5459.980 | 46.77 | 4.04 | 54.0 | 7.23 | AV | 186.00 | 150 | Vertical | Pass |
| 3 | 5469.460 | 57.81 | 4.03 | 68.2 | 10.39 | Peak | 228.00 | 100 | Vertical | Pass |
| 3** | 5469.460 | 46.89 | 4.03 | -- | -- | AV | 228.00 | 100 | Vertical | N/A |
| 4 | 5469.940 | 56.85 | 4.06 | 68.2 | 11.35 | Peak | 52.00 | 150 | Vertical | Pass |
| 4** | 5469.940 | 47.21 | 4.06 | -- | -- | AV | 52.00 | 150 | Vertical | N/A |

U-NII-2C 11ac160 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.063 | 58.13 | 3.92 | 68.2 | 10.07 | Peak | 81.00 | 100 | Vertical | Pass |
| 2 | 5768.062 | 60.34 | 4.49 | 68.2 | 7.86 | Peak | 108.00 | 150 | Vertical | Pass |

U-NII-2C 11ax20 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5384.260 | 59.47 | 4.63 | 74.0 | 14.53 | Peak | 122.00 | 100 | Vertical | Pass |
| 1** | 5384.260 | 47.61 | 4.63 | 54.0 | 6.39 | AV | 122.00 | 100 | Vertical | Pass |
| 2 | 5459.980 | 57.42 | 4.04 | 74.0 | 16.58 | Peak | 20.00 | 100 | Vertical | Pass |
| 2** | 5459.980 | 47.29 | 4.04 | 54.0 | 6.71 | AV | 20.00 | 100 | Vertical | Pass |
| 3 | 5464.300 | 62.06 | 3.97 | 68.2 | 6.14 | Peak | 215.00 | 150 | Vertical | Pass |
| 3** | 5464.300 | 47.74 | 3.97 | -- | -- | AV | 215.00 | 150 | Vertical | N/A |
| 4 | 5469.940 | 58.26 | 4.06 | 68.2 | 9.94 | Peak | 209.00 | 200 | Vertical | Pass |
| 4** | 5469.940 | 48.83 | 4.06 | -- | -- | AV | 209.00 | 200 | Vertical | N/A |

U-NII-2C 11ax20 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.000 | 61.25 | 3.93 | 68.2 | 6.95 | Peak | 352.00 | 200 | Vertical | Pass |
| 2 | 5729.312 | 64.60 | 3.55 | 68.2 | 3.60 | Peak | 211.00 | 100 | Vertical | Pass |

U-NII-2C 11ax40 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5459.380 | 64.64 | 4.11 | 74.0 | 9.36 | Peak | 210.00 | 100 | Vertical | Pass |
| 1** | 5459.380 | 50.48 | 4.11 | 54.0 | 3.52 | AV | 210.00 | 100 | Vertical | Pass |
| 2 | 5459.980 | 61.07 | 4.04 | 74.0 | 12.93 | Peak | 210.00 | 150 | Vertical | Pass |
| 2** | 5459.980 | 50.71 | 4.04 | 54.0 | 3.29 | AV | 210.00 | 150 | Vertical | Pass |
| 3 | 5469.460 | 66.20 | 4.03 | 68.2 | 2.00 | Peak | 186.00 | 150 | Vertical | Pass |
| 3** | 5469.460 | 53.83 | 4.03 | -- | -- | AV | 186.00 | 150 | Vertical | N/A |
| 4 | 5469.940 | 66.58 | 4.06 | 68.2 | 1.62 | Peak | 210.00 | 200 | Vertical | Pass |
| 4** | 5469.940 | 53.83 | 4.06 | -- | -- | AV | 210.00 | 200 | Vertical | N/A |
| 5 | 5458.600 | 61.34 | 4.17 | 74.0 | 12.66 | Peak | 210.00 | 150 | Vertical | Pass |
| 5** | 5458.600 | 52.51 | 4.17 | 54.0 | 1.49 | AV | 210.00 | 150 | Vertical | Pass |

U-NII-2C 11ax40 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.000 | 61.21 | 3.93 | 68.2 | 6.99 | Peak | 224.00 | 100 | Vertical | Pass |
| 2 | 5728.375 | 61.44 | 3.60 | 68.2 | 6.76 | Peak | 210.00 | 100 | Vertical | Pass |

U-NII-2C 11ax80 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5445.460 | 61.21 | 3.96 | 74.0 | 12.79 | Peak | 215.00 | 200 | Vertical | Pass |
| 1** | 5445.460 | 48.10 | 3.96 | 54.0 | 5.90 | AV | 215.00 | 200 | Vertical | Pass |
| 2 | 5459.980 | 59.93 | 4.04 | 74.0 | 14.07 | Peak | 188.00 | 150 | Vertical | Pass |
| 2** | 5459.980 | 50.05 | 4.04 | 54.0 | 3.95 | AV | 188.00 | 150 | Vertical | Pass |
| 3 | 5469.820 | 61.64 | 4.04 | 68.2 | 6.56 | Peak | 186.00 | 200 | Vertical | Pass |
| 3** | 5469.820 | 50.60 | 4.04 | -- | -- | AV | 186.00 | 200 | Vertical | N/A |
| 4 | 5469.940 | 60.11 | 4.06 | 68.2 | 8.09 | Peak | 205.00 | 150 | Vertical | Pass |
| 4** | 5469.940 | 51.32 | 4.06 | -- | -- | AV | 205.00 | 150 | Vertical | N/A |

U-NII-2C 11ax80 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.000 | 59.78 | 3.93 | 68.2 | 8.42 | Peak | 115.00 | 200 | Vertical | Pass |
| 2 | 5729.375 | 59.92 | 3.55 | 68.2 | 8.28 | Peak | 217.00 | 200 | Vertical | Pass |

U-NII-2C 11ax160 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5443.540 | 59.62 | 4.08 | 74.0 | 14.38 | Peak | 213.00 | 150 | Vertical | Pass |
| 1** | 5443.540 | 47.33 | 4.08 | 54.0 | 6.67 | AV | 213.00 | 150 | Vertical | Pass |
| 2 | 5459.980 | 56.84 | 4.04 | 74.0 | 17.16 | Peak | 191.00 | 100 | Vertical | Pass |
| 2** | 5459.980 | 47.16 | 4.04 | 54.0 | 6.84 | AV | 191.00 | 100 | Vertical | Pass |
| 3 | 5467.660 | 58.46 | 3.95 | 68.2 | 9.74 | Peak | 297.00 | 150 | Vertical | Pass |
| 3** | 5467.660 | 47.26 | 3.95 | -- | -- | AV | 297.00 | 150 | Vertical | N/A |
| 4 | 5469.940 | 56.19 | 4.06 | 68.2 | 12.01 | Peak | 222.00 | 200 | Vertical | Pass |
| 4** | 5469.940 | 47.45 | 4.06 | -- | -- | AV | 222.00 | 200 | Vertical | N/A |

U-NII-2C 11ax160 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.000 | 58.65 | 3.93 | 68.2 | 9.55 | Peak | 72.00 | 150 | Vertical | Pass |
| 2 | 5739.188 | 60.94 | 3.74 | 68.2 | 7.26 | Peak | 99.00 | 200 | Vertical | Pass |

U-NII-2C 11ax20 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5388.040 | 59.56 | 4.47 | 74.0 | 14.44 | Peak | 127.00 | 150 | Vertical | Pass |
| 1** | 5388.040 | 47.68 | 4.47 | 54.0 | 6.32 | AV | 127.00 | 150 | Vertical | Pass |
| 2 | 5459.980 | 56.18 | 4.04 | 74.0 | 17.82 | Peak | 290.00 | 150 | Vertical | Pass |
| 2** | 5459.980 | 46.86 | 4.04 | 54.0 | 7.14 | AV | 290.00 | 150 | Vertical | Pass |
| 3 | 5464.600 | 57.74 | 3.94 | 68.2 | 10.46 | Peak | 0.00 | 200 | Vertical | Pass |
| 3** | 5464.600 | 46.65 | 3.94 | -- | -- | AV | 0.00 | 200 | Vertical | N/A |
| 4 | 5469.940 | 57.07 | 4.06 | 68.2 | 11.13 | Peak | 288.00 | 150 | Vertical | Pass |
| 4** | 5469.940 | 46.62 | 4.06 | -- | -- | AV | 288.00 | 150 | Vertical | N/A |

U-NII-2C 11ax20 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.000 | 57.36 | 3.93 | 68.2 | 10.84 | Peak | 101.00 | 150 | Vertical | Pass |
| 2 | 5730.000 | 62.59 | 3.62 | 68.2 | 5.61 | Peak | 207.00 | 200 | Vertical | Pass |

U-NII-2C 11ax40 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5352.640 | 59.48 | 4.90 | 74.0 | 14.52 | Peak | 169.00 | 100 | Vertical | Pass |
| 1** | 5352.640 | 47.96 | 4.90 | 54.0 | 6.04 | AV | 169.00 | 100 | Vertical | Pass |
| 2 | 5459.980 | 56.23 | 4.04 | 74.0 | 17.77 | Peak | 331.00 | 100 | Vertical | Pass |
| 2** | 5459.980 | 46.70 | 4.04 | 54.0 | 7.30 | AV | 331.00 | 100 | Vertical | Pass |
| 3 | 5463.760 | 58.18 | 4.01 | 68.2 | 10.02 | Peak | 66.00 | 150 | Vertical | Pass |
| 3** | 5463.760 | 46.52 | 4.01 | -- | -- | AV | 66.00 | 150 | Vertical | N/A |
| 4 | 5469.940 | 55.90 | 4.06 | 68.2 | 12.30 | Peak | 42.00 | 150 | Vertical | Pass |
| 4** | 5469.940 | 46.75 | 4.06 | -- | -- | AV | 42.00 | 150 | Vertical | N/A |

U-NII-2C 11ax40 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.063 | 57.07 | 3.92 | 68.2 | 11.13 | Peak | 0.00 | 100 | Vertical | Pass |
| 2 | 5764.000 | 59.87 | 4.23 | 68.2 | 8.33 | Peak | 212.00 | 150 | Vertical | Pass |

U-NII-2C 11ax80 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5404.300 | 59.35 | 4.61 | 74.0 | 14.65 | Peak | 309.00 | 150 | Vertical | Pass |
| 1** | 5404.300 | 47.64 | 4.61 | 54.0 | 6.36 | AV | 309.00 | 150 | Vertical | Pass |
| 2 | 5459.980 | 56.30 | 4.04 | 74.0 | 17.70 | Peak | 287.00 | 150 | Vertical | Pass |
| 2** | 5459.980 | 46.58 | 4.04 | 54.0 | 7.42 | AV | 287.00 | 150 | Vertical | Pass |
| 3 | 5463.520 | 57.70 | 4.03 | 68.2 | 10.50 | Peak | 147.00 | 150 | Vertical | Pass |
| 3** | 5463.520 | 46.60 | 4.03 | -- | -- | AV | 147.00 | 150 | Vertical | N/A |
| 4 | 5469.940 | 55.69 | 4.06 | 68.2 | 12.51 | Peak | 185.00 | 200 | Vertical | Pass |
| 4** | 5469.940 | 46.51 | 4.06 | -- | -- | AV | 185.00 | 200 | Vertical | N/A |

U-NII-2C 11ax80 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.000 | 56.79 | 3.93 | 68.2 | 11.41 | Peak | 6.00 | 100 | Vertical | Pass |
| 2 | 5848.813 | 60.17 | 5.44 | 68.2 | 8.03 | Peak | 134.00 | 150 | Vertical | Pass |

U-NII-2C 11ax160 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5353.360 | 59.61 | 4.82 | 74.0 | 14.39 | Peak | 33.00 | 200 | Horizontal | Pass |
| 1** | 5353.360 | 48.00 | 4.82 | 54.0 | 6.00 | AV | 33.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 56.26 | 4.04 | 74.0 | 17.74 | Peak | 221.00 | 200 | Horizontal | Pass |
| 2** | 5459.980 | 46.79 | 4.04 | 54.0 | 7.21 | AV | 221.00 | 200 | Horizontal | Pass |
| 3 | 5462.320 | 58.13 | 3.96 | 68.2 | 10.07 | Peak | 189.00 | 150 | Horizontal | Pass |
| 3** | 5462.320 | 46.66 | 3.96 | -- | -- | AV | 189.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 57.40 | 4.06 | 68.2 | 10.80 | Peak | 345.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 46.99 | 4.06 | -- | -- | AV | 345.00 | 200 | Horizontal | N/A |

U-NII-2C 11ax160 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 57.60 | 3.93 | 68.2 | 10.60 | Peak | 360.00 | 100 | Horizontal | Pass |
| 2 | 5790.188 | 59.17 | 4.38 | 68.2 | 9.03 | Peak | 144.00 | 100 | Horizontal | Pass |

U-NII-3 11a Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5601.250 | 56.67 | 1.22 | 68.2 | 11.53 | Peak | 312.00 | 100 | Horizontal | Pass |
| 2 | 5650.000 | 54.68 | -0.21 | 68.2 | 13.52 | Peak | 85.00 | 200 | Horizontal | Pass |

U-NII-3 11a High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.57 | 0.01 | 68.2 | 13.63 | Peak | 171.00 | 150 | Horizontal | Pass |
| 2 | 5994.750 | 56.44 | 0.56 | 68.2 | 11.76 | Peak | 0.00 | 200 | Horizontal | Pass |

U-NII-3 11n20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5627.708 | 56.18 | 0.62 | 68.2 | 12.02 | Peak | 52.00 | 150 | Horizontal | Pass |
| 2 | 5650.000 | 54.25 | -0.21 | 68.2 | 13.95 | Peak | 325.00 | 100 | Horizontal | Pass |

U-NII-3 11n20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.50 | 0.01 | 68.2 | 13.70 | Peak | 344.00 | 100 | Horizontal | Pass |
| 2 | 5997.500 | 56.15 | 0.46 | 68.2 | 12.05 | Peak | 308.00 | 100 | Horizontal | Pass |

U-NII-3 11n40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5610.000 | 56.83 | 1.13 | 68.2 | 11.37 | Peak | 7.00 | 150 | Horizontal | Pass |
| 2 | 5650.000 | 55.38 | -0.21 | 68.2 | 12.82 | Peak | 204.00 | 100 | Horizontal | Pass |

U-NII-3 11n40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.16 | 0.01 | 68.2 | 14.04 | Peak | 119.00 | 200 | Horizontal | Pass |
| 2 | 5987.750 | 56.46 | 0.68 | 68.2 | 11.74 | Peak | 0.00 | 200 | Horizontal | Pass |

U-NII-3 11ac20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5625.833 | 56.75 | 0.85 | 68.2 | 11.45 | Peak | 45.00 | 200 | Horizontal | Pass |
| 2 | 5650.000 | 54.16 | -0.21 | 68.2 | 14.04 | Peak | 19.00 | 100 | Horizontal | Pass |

U-NII-3 11ac20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.74 | 0.01 | 68.2 | 14.46 | Peak | 67.00 | 100 | Horizontal | Pass |
| 2 | 5998.750 | 56.64 | 0.46 | 68.2 | 11.56 | Peak | 360.00 | 150 | Horizontal | Pass |

U-NII-3 11ac40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5642.292 | 57.21 | 0.26 | 68.2 | 10.99 | Peak | 166.00 | 100 | Horizontal | Pass |
| 2 | 5650.000 | 54.55 | -0.21 | 68.2 | 13.65 | Peak | 29.00 | 150 | Horizontal | Pass |

U-NII-3 11ac40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.98 | 0.01 | 68.2 | 14.22 | Peak | 170.00 | 200 | Horizontal | Pass |
| 2 | 5993.250 | 56.46 | 0.93 | 68.2 | 11.74 | Peak | 128.00 | 150 | Horizontal | Pass |

U-NII-3 11ac80 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5645.416 | 60.72 | -0.02 | 68.2 | 7.48 | Peak | 162.00 | 200 | Horizontal | Pass |
| 2 | 5650.000 | 59.18 | -0.21 | 68.2 | 9.02 | Peak | 51.00 | 100 | Horizontal | Pass |

U-NII-3 11ac80 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 55.48 | 0.01 | 68.2 | 12.72 | Peak | 49.00 | 150 | Horizontal | Pass |
| 2 | 5975.000 | 57.21 | 0.55 | 68.2 | 10.99 | Peak | 19.00 | 200 | Horizontal | Pass |

U-NII-3 11ax20 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5616.459 | 56.87 | 1.05 | 68.2 | 11.33 | Peak | 222.00 | 100 | Horizontal | Pass |
| 2 | 5650.000 | 53.92 | -0.21 | 68.2 | 14.28 | Peak | 230.00 | 100 | Horizontal | Pass |

U-NII-3 11ax20 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.91 | 0.01 | 68.2 | 13.29 | Peak | 52.00 | 200 | Horizontal | Pass |
| 2 | 5986.500 | 56.34 | 0.59 | 68.2 | 11.86 | Peak | 143.00 | 200 | Horizontal | Pass |

U-NII-3 11ax40 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5643.334 | 56.71 | -0.21 | 68.2 | 11.49 | Peak | 67.00 | 150 | Horizontal | Pass |
| 2 | 5650.000 | 54.40 | -0.21 | 68.2 | 13.80 | Peak | 205.00 | 100 | Horizontal | Pass |

U-NII-3 11ax40 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.07 | 0.01 | 68.2 | 14.13 | Peak | 295.00 | 100 | Horizontal | Pass |
| 2 | 5979.250 | 56.10 | 0.42 | 68.2 | 12.10 | Peak | 337.00 | 200 | Horizontal | Pass |

U-NII-3 11ax80 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5625.833 | 60.60 | 0.85 | 68.2 | 7.60 | Peak | 68.00 | 150 | Horizontal | Pass |
| 2 | 5650.000 | 59.23 | -0.21 | 68.2 | 8.97 | Peak | 29.00 | 150 | Horizontal | Pass |

U-NII-3 11ax80 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 55.13 | 0.01 | 68.2 | 13.07 | Peak | 47.00 | 100 | Horizontal | Pass |
| 2 | 5928.250 | 56.47 | -0.24 | 68.2 | 11.73 | Peak | 181.00 | 150 | Horizontal | Pass |

U-NII-3 11ax20 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5634.500 | 59.73 | 4.94 | 68.2 | 8.47 | Peak | 35.00 | 200 | Horizontal | Pass |
| 2 | 5650.000 | 57.89 | 4.41 | 68.2 | 10.31 | Peak | 186.00 | 100 | Horizontal | Pass |

U-NII-3 11ax20 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 56.59 | 3.49 | 68.3 | 11.71 | Peak | 181.00 | 200 | Horizontal | Pass |
| 2 | 5954.700 | 58.81 | 3.59 | 68.2 | 9.39 | Peak | 305.00 | 150 | Horizontal | Pass |

U-NII-3 11ax40 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5601.563 | 59.86 | 5.21 | 68.2 | 8.34 | Peak | 98.00 | 100 | Horizontal | Pass |
| 2 | 5650.000 | 58.74 | 4.41 | 68.2 | 9.46 | Peak | 222.00 | 150 | Horizontal | Pass |
| 3 | 5664.312 | 76.99 | 4.61 | 78.8 | 1.81 | Peak | 225.00 | 150 | Horizontal | Pass |

U-NII-3 11ax40 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 55.92 | 3.49 | 68.3 | 12.38 | Peak | 96.00 | 100 | Horizontal | Pass |
| 2 | 5989.125 | 58.93 | 3.97 | 68.2 | 9.27 | Peak | 271.00 | 150 | Horizontal | Pass |

U-NII-3 11ax80 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5623.500 | 62.00 | 4.73 | 68.2 | 6.20 | Peak | 0.00 | 100 | Horizontal | Pass |
| 2 | 5650.000 | 56.98 | 4.41 | 68.2 | 11.22 | Peak | 191.00 | 200 | Horizontal | Pass |

U-NII-3 11ax80 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 57.72 | 3.49 | 68.3 | 10.58 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2 | 5966.475 | 66.26 | 3.96 | 68.2 | 1.94 | Peak | 141.00 | 200 | Horizontal | Pass |

U-NII-2C & U-NII-3 11a 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5392.000 | 57.21 | 1.76 | 74.0 | 16.79 | Peak | 261.00 | 100 | Horizontal | Pass |
| 1** | 5392.000 | 44.83 | 1.76 | 54.0 | 9.17 | AV | 261.00 | 100 | Horizontal | Pass |
| 2 | 5460.000 | 54.60 | 1.37 | 74.0 | 19.40 | Peak | 16.00 | 150 | Horizontal | Pass |
| 2** | 5460.000 | 44.36 | 1.37 | 54.0 | 9.64 | AV | 16.00 | 150 | Horizontal | Pass |
| 3 | 5468.600 | 55.75 | 1.43 | 68.2 | 12.45 | Peak | 223.00 | 100 | Horizontal | Pass |
| 3** | 5468.600 | 44.39 | 1.43 | -- | -- | AV | 223.00 | 100 | Horizontal | N/A |
| 4 | 5470.000 | 54.40 | 1.09 | 68.2 | 13.80 | Peak | 198.00 | 200 | Horizontal | Pass |
| 4** | 5470.000 | 44.16 | 1.09 | -- | -- | AV | 198.00 | 200 | Horizontal | N/A |
| 5 | 5390.000 | 55.40 | 2.31 | 74.0 | 18.60 | Peak | 133.00 | 150 | Horizontal | Pass |
| 5** | 5390.000 | 45.57 | 2.31 | 54.0 | 8.43 | AV | 133.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11a 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.07 | 0.01 | 68.2 | 14.13 | Peak | 103.00 | 200 | Horizontal | Pass |
| 2 | 5996.750 | 56.30 | 0.51 | 68.2 | 11.90 | Peak | 197.00 | 100 | Horizontal | Pass |

U-NII-2C & U-NII-3 11n20 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5380.600 | 56.91 | 1.95 | 74.0 | 17.09 | Peak | 48.00 | 150 | Horizontal | Pass |
| 1** | 5380.600 | 45.13 | 1.95 | 54.0 | 8.87 | AV | 48.00 | 150 | Horizontal | Pass |
| 2 | 5460.000 | 54.85 | 1.37 | 74.0 | 19.15 | Peak | 344.00 | 100 | Horizontal | Pass |
| 2** | 5460.000 | 44.26 | 1.37 | 54.0 | 9.74 | AV | 344.00 | 100 | Horizontal | Pass |
| 3 | 5461.400 | 55.76 | 1.56 | 68.2 | 12.44 | Peak | 105.00 | 200 | Horizontal | Pass |
| 3** | 5461.400 | 44.58 | 1.56 | -- | --- | AV | 105.00 | 200 | Horizontal | N/A |
| 4 | 5470.000 | 54.39 | 1.09 | 68.2 | 13.81 | Peak | 179.00 | 100 | Horizontal | Pass |
| 4** | 5470.000 | 44.21 | 1.09 | -- | -- | AV | 179.00 | 100 | Horizontal | N/A |
| 5 | 5390.000 | 55.54 | 2.31 | 74.0 | 18.46 | Peak | 173.00 | 150 | Horizontal | Pass |
| 5** | 5390.000 | 45.56 | 2.31 | 54.0 | 8.44 | AV | 173.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11n20 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.87 | 0.01 | 68.2 | 14.33 | Peak | 12.00 | 100 | Horizontal | Pass |
| 2 | 5992.750 | 56.15 | 0.65 | 68.2 | 12.05 | Peak | 3.00 | 100 | Horizontal | Pass |

U-NII-2C & U-NII-3 11n40 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5395.600 | 57.09 | 1.98 | 74.0 | 16.91 | Peak | 152.00 | 200 | Horizontal | Pass |
| 1** | 5395.600 | 45.17 | 1.98 | 54.0 | 8.83 | AV | 152.00 | 200 | Horizontal | Pass |
| 2 | 5460.000 | 55.20 | 1.37 | 74.0 | 18.80 | Peak | 359.00 | 150 | Horizontal | Pass |
| 2** | 5460.000 | 44.37 | 1.37 | 54.0 | 9.63 | AV | 359.00 | 150 | Horizontal | Pass |
| 3 | 5463.000 | 56.18 | 1.45 | 68.2 | 12.02 | Peak | 188.00 | 100 | Horizontal | Pass |
| 3** | 5463.000 | 44.94 | 1.45 | -- | -- | AV | 188.00 | 100 | Horizontal | N/A |
| 4 | 5470.000 | 54.51 | 1.09 | 68.2 | 13.69 | Peak | 137.00 | 200 | Horizontal | Pass |
| 4** | 5470.000 | 44.20 | 1.09 | -- | -- | AV | 137.00 | 200 | Horizontal | N/A |
| 5 | 5390.000 | 56.24 | 2.31 | 74.0 | 17.76 | Peak | 360.00 | 150 | Horizontal | Pass |
| 5** | 5390.000 | 45.42 | 2.31 | 54.0 | 8.58 | AV | 360.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11n40 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.26 | 0.01 | 68.2 | 14.94 | Peak | 228.00 | 150 | Horizontal | Pass |
| 2 | 5993.500 | 55.81 | 0.90 | 68.2 | 12.39 | Peak | 226.00 | 200 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ac20 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5389.800 | 57.71 | 2.21 | 74.0 | 16.29 | Peak | 293.00 | 150 | Horizontal | Pass |
| 1** | 5389.800 | 45.28 | 2.21 | 54.0 | 8.72 | AV | 293.00 | 150 | Horizontal | Pass |
| 2 | 5460.000 | 54.66 | 1.37 | 74.0 | 19.34 | Peak | 91.00 | 150 | Horizontal | Pass |
| 2** | 5460.000 | 44.37 | 1.37 | 54.0 | 9.63 | AV | 91.00 | 150 | Horizontal | Pass |
| 3 | 5464.600 | 56.40 | 1.55 | 68.2 | 11.80 | Peak | 134.00 | 150 | Horizontal | Pass |
| 3** | 5464.600 | 44.71 | 1.55 | -- | -- | AV | 134.00 | 150 | Horizontal | N/A |
| 4 | 5470.000 | 55.70 | 1.09 | 68.2 | 12.50 | Peak | 0.00 | 200 | Horizontal | Pass |
| 4** | 5470.000 | 44.14 | 1.09 | -- | -- | AV | 0.00 | 200 | Horizontal | N/A |
| 5 | 5390.000 | 56.20 | 2.31 | 74.0 | 17.80 | Peak | 21.00 | 150 | Horizontal | Pass |
| 5** | 5390.000 | 45.30 | 2.31 | 54.0 | 8.70 | AV | 21.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ac20 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.60 | 0.01 | 68.2 | 13.60 | Peak | 296.00 | 200 | Horizontal | Pass |
| 2 | 5994.250 | 56.30 | 0.57 | 68.2 | 11.90 | Peak | 52.00 | 200 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ac40 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5395.600 | 56.65 | 1.98 | 74.0 | 17.35 | Peak | 231.00 | 200 | Horizontal | Pass |
| 1** | 5395.600 | 45.20 | 1.98 | 54.0 | 8.80 | AV | 231.00 | 200 | Horizontal | Pass |
| 2 | 5460.000 | 54.78 | 1.37 | 74.0 | 19.22 | Peak | 28.00 | 150 | Horizontal | Pass |
| 2** | 5460.000 | 44.46 | 1.37 | 54.0 | 9.54 | AV | 28.00 | 150 | Horizontal | Pass |
| 3 | 5464.000 | 55.83 | 1.50 | 68.2 | 12.37 | Peak | 68.00 | 200 | Horizontal | Pass |
| 3** | 5464.000 | 44.53 | 1.50 | -- | -- | AV | 68.00 | 200 | Horizontal | N/A |
| 4 | 5470.000 | 54.37 | 1.09 | 68.2 | 13.83 | Peak | 288.00 | 200 | Horizontal | Pass |
| 4** | 5470.000 | 44.18 | 1.09 | -- | -- | AV | 288.00 | 200 | Horizontal | N/A |
| 5 | 5384.600 | 55.29 | 2.13 | 74.0 | 18.71 | Peak | 153.00 | 150 | Horizontal | Pass |
| 5** | 5384.600 | 45.44 | 2.13 | 54.0 | 8.56 | AV | 153.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ac40 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.15 | 0.01 | 68.2 | 14.05 | Peak | 110.00 | 100 | Horizontal | Pass |
| 2 | 5993.000 | 56.16 | 0.95 | 68.2 | 12.04 | Peak | 150.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ac80 138 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5391.800 | 56.96 | 1.93 | 74.0 | 17.04 | Peak | 53.00 | 100 | Horizontal | Pass |
| 1** | 5391.800 | 45.32 | 1.93 | 54.0 | 8.68 | AV | 53.00 | 100 | Horizontal | Pass |
| 2 | 5460.000 | 55.90 | 1.37 | 74.0 | 18.10 | Peak | 47.00 | 150 | Horizontal | Pass |
| 2** | 5460.000 | 45.26 | 1.37 | 54.0 | 8.74 | AV | 47.00 | 150 | Horizontal | Pass |
| 3 | 5464.200 | 56.58 | 1.45 | 68.2 | 11.62 | Peak | 47.00 | 200 | Horizontal | Pass |
| 3** | 5464.200 | 45.34 | 1.45 | -- | --- | AV | 47.00 | 200 | Horizontal | N/A |
| 4 | 5470.000 | 55.37 | 1.09 | 68.2 | 12.83 | Peak | 43.00 | 150 | Horizontal | Pass |
| 4** | 5470.000 | 45.10 | 1.09 | -- | --- | AV | 43.00 | 150 | Horizontal | N/A |
| 5 | 5387.600 | 55.55 | 2.11 | 74.0 | 18.45 | Peak | 6.00 | 150 | Horizontal | Pass |
| 5** | 5387.600 | 45.56 | 2.11 | 54.0 | 8.44 | AV | 6.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ac80 138 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.86 | 0.01 | 68.2 | 14.34 | Peak | 147.00 | 100 | Horizontal | Pass |
| 2 | 5988.000 | 56.14 | 0.68 | 68.2 | 12.06 | Peak | 23.00 | 200 | Horizontal | Pass |

U-NII-2C & U-NII-3 11x20 (SU) 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5389.000 | 56.67 | 2.14 | 74.0 | 17.33 | Peak | 148.00 | 150 | Horizontal | Pass |
| 1** | 5389.000 | 45.27 | 2.14 | 54.0 | 8.73 | AV | 148.00 | 150 | Horizontal | Pass |
| 2 | 5460.000 | 54.79 | 1.37 | 74.0 | 19.21 | Peak | 95.00 | 100 | Horizontal | Pass |
| 2** | 5460.000 | 44.41 | 1.37 | 54.0 | 9.59 | AV | 95.00 | 100 | Horizontal | Pass |
| 3 | 5463.200 | 56.57 | 1.42 | 68.2 | 11.63 | Peak | 292.00 | 100 | Horizontal | Pass |
| 3** | 5463.200 | 44.51 | 1.42 | -- | -- | AV | 292.00 | 100 | Horizontal | N/A |
| 4 | 5470.000 | 55.12 | 1.09 | 68.2 | 13.08 | Peak | 95.00 | 150 | Horizontal | Pass |
| 4** | 5470.000 | 44.11 | 1.09 | -- | -- | AV | 95.00 | 150 | Horizontal | N/A |
| 5 | 5390.000 | 56.06 | 2.31 | 74.0 | 17.94 | Peak | 190.00 | 150 | Horizontal | Pass |
| 5** | 5390.000 | 45.44 | 2.31 | 54.0 | 8.56 | AV | 190.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.21 | 0.01 | 68.2 | 14.99 | Peak | 201.00 | 100 | Horizontal | Pass |
| 2 | 5993.250 | 55.94 | 0.93 | 68.2 | 12.26 | Peak | 227.00 | 200 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5391.600 | 57.01 | 2.01 | 74.0 | 16.99 | Peak | 16.00 | 100 | Horizontal | Pass |
| 1** | 5391.600 | 45.21 | 2.01 | 54.0 | 8.79 | AV | 16.00 | 100 | Horizontal | Pass |
| 2 | 5460.000 | 55.49 | 1.37 | 74.0 | 18.51 | Peak | 293.00 | 100 | Horizontal | Pass |
| 2** | 5460.000 | 44.40 | 1.37 | 54.0 | 9.60 | AV | 293.00 | 100 | Horizontal | Pass |
| 3 | 5463.600 | 56.28 | 1.33 | 68.2 | 11.92 | Peak | 112.00 | 200 | Horizontal | Pass |
| 3** | 5463.600 | 44.31 | 1.33 | -- | -- | AV | 112.00 | 200 | Horizontal | N/A |
| 4 | 5470.000 | 54.72 | 1.09 | 68.2 | 13.48 | Peak | 149.00 | 150 | Horizontal | Pass |
| 4** | 5470.000 | 44.14 | 1.09 | -- | -- | AV | 149.00 | 150 | Horizontal | N/A |
| 5 | 5390.000 | 55.45 | 2.31 | 74.0 | 18.55 | Peak | 185.00 | 150 | Horizontal | Pass |
| 5** | 5390.000 | 45.47 | 2.31 | 54.0 | 8.53 | AV | 185.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.31 | 0.01 | 68.2 | 13.89 | Peak | 337.00 | 150 | Horizontal | Pass |
| 2 | 5998.250 | 56.48 | 0.42 | 68.2 | 11.72 | Peak | 301.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5390.600 | 57.40 | 1.94 | 74.0 | 16.60 | Peak | 52.00 | 150 | Horizontal | Pass |
| 1** | 5390.600 | 45.21 | 1.94 | 54.0 | 8.79 | AV | 52.00 | 150 | Horizontal | Pass |
| 2 | 5460.000 | 55.81 | 1.37 | 74.0 | 18.19 | Peak | 93.00 | 100 | Horizontal | Pass |
| 2** | 5460.000 | 44.87 | 1.37 | 54.0 | 9.13 | AV | 93.00 | 100 | Horizontal | Pass |
| 3 | 5465.000 | 56.20 | 1.49 | 68.2 | 12.00 | Peak | 86.00 | 200 | Horizontal | Pass |
| 3** | 5465.000 | 45.02 | 1.49 | -- | -- | AV | 86.00 | 200 | Horizontal | N/A |
| 4 | 5470.000 | 54.97 | 1.09 | 68.2 | 13.23 | Peak | 82.00 | 100 | Horizontal | Pass |
| 4** | 5470.000 | 44.74 | 1.09 | -- | -- | AV | 82.00 | 100 | Horizontal | N/A |
| 5 | 5390.000 | 55.76 | 2.31 | 74.0 | 18.24 | Peak | 122.00 | 150 | Horizontal | Pass |
| 5** | 5390.000 | 45.51 | 2.31 | 54.0 | 8.49 | AV | 122.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.15 | 0.01 | 68.2 | 14.05 | Peak | 98.00 | 100 | Horizontal | Pass |
| 2 | 5987.250 | 55.84 | 0.66 | 68.2 | 12.36 | Peak | 50.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5363.800 | 58.94 | 4.45 | 74.0 | 15.06 | Peak | 152.00 | 200 | Horizontal | Pass |
| 1** | 5363.800 | 47.62 | 4.45 | 54.0 | 6.38 | AV | 152.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 56.14 | 4.04 | 74.0 | 17.86 | Peak | 315.00 | 150 | Horizontal | Pass |
| 2** | 5459.980 | 46.55 | 4.04 | 54.0 | 7.45 | AV | 315.00 | 150 | Horizontal | Pass |
| 3 | 5467.600 | 57.69 | 3.95 | 68.2 | 10.51 | Peak | 299.00 | 200 | Horizontal | Pass |
| 3** | 5467.600 | 46.65 | 3.95 | -- | -- | AV | 299.00 | 200 | Horizontal | N/A |
| 4 | 5469.940 | 55.68 | 4.06 | 68.2 | 12.52 | Peak | 25.00 | 100 | Horizontal | Pass |
| 4** | 5469.940 | 46.50 | 4.06 | -- | -- | AV | 25.00 | 100 | Horizontal | N/A |

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 55.94 | 3.49 | 68.3 | 12.36 | Peak | 135.00 | 200 | Horizontal | Pass |
| 2 | 5933.775 | 59.08 | 4.27 | 68.2 | 9.12 | Peak | 49.00 | 200 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5374.600 | 59.44 | 4.54 | 74.0 | 14.56 | Peak | 189.00 | 200 | Horizontal | Pass |
| 1** | 5374.600 | 47.64 | 4.54 | 54.0 | 6.36 | AV | 189.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 56.55 | 4.04 | 74.0 | 17.45 | Peak | 0.00 | 100 | Horizontal | Pass |
| 2** | 5459.980 | 47.04 | 4.04 | 54.0 | 6.96 | AV | 0.00 | 100 | Horizontal | Pass |
| 3 | 5466.160 | 57.44 | 3.89 | 68.2 | 10.76 | Peak | 9.00 | 200 | Horizontal | Pass |
| 3** | 5466.160 | 46.34 | 3.89 | -- | -- | AV | 9.00 | 200 | Horizontal | N/A |
| 4 | 5469.940 | 55.88 | 4.06 | 68.2 | 12.32 | Peak | 126.00 | 100 | Horizontal | Pass |
| 4** | 5469.940 | 46.65 | 4.06 | -- | -- | AV | 126.00 | 100 | Horizontal | N/A |

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 55.95 | 3.49 | 68.3 | 12.35 | Peak | 339.00 | 200 | Horizontal | Pass |
| 2 | 5940.150 | 58.99 | 4.40 | 68.2 | 9.21 | Peak | 360.00 | 100 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5380.240 | 59.55 | 4.66 | 74.0 | 14.45 | Peak | 62.00 | 200 | Horizontal | Pass |
| 1** | 5380.240 | 47.76 | 4.66 | 54.0 | 6.24 | AV | 62.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 56.21 | 4.04 | 74.0 | 17.79 | Peak | 59.00 | 100 | Horizontal | Pass |
| 2** | 5459.980 | 46.72 | 4.04 | 54.0 | 7.28 | AV | 59.00 | 100 | Horizontal | Pass |
| 3 | 5468.800 | 57.65 | 4.00 | 68.2 | 10.55 | Peak | 0.00 | 100 | Horizontal | Pass |
| 3** | 5468.800 | 46.51 | 4.00 | -- | -- | AV | 0.00 | 100 | Horizontal | N/A |
| 4 | 5469.940 | 56.57 | 4.06 | 68.2 | 11.63 | Peak | 215.00 | 150 | Horizontal | Pass |
| 4** | 5469.940 | 46.50 | 4.06 | -- | -- | AV | 215.00 | 150 | Horizontal | N/A |

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 56.02 | 3.49 | 68.3 | 12.28 | Peak | 221.00 | 200 | Horizontal | Pass |
| 2 | 5933.475 | 58.56 | 4.28 | 68.2 | 9.64 | Peak | 26.00 | 100 | Horizontal | Pass |

U-NII-5 11ax20 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5849.350 | 59.28 | 5.40 | 88.2 | 28.92 | Peak | 135.00 | 200 | Vertical | Pass |
| 1** | 5849.350 | 48.62 | 5.40 | 68.2 | 19.58 | AV | 135.00 | 200 | Vertical | Pass |
| 2 | 5924.788 | 56.32 | 3.47 | 88.2 | 31.88 | Peak | 163.00 | 150 | Vertical | Pass |
| 2** | 5924.788 | 46.23 | 3.47 | 68.2 | 21.97 | AV | 163.00 | 150 | Vertical | Pass |

U-NII-5 11ax40 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5629.200 | 59.51 | 4.84 | 88.2 | 28.69 | Peak | 304.00 | 100 | Vertical | Pass |
| 1** | 5629.200 | 48.35 | 4.84 | 68.2 | 19.85 | AV | 304.00 | 100 | Vertical | Pass |
| 2 | 5924.788 | 55.59 | 3.47 | 88.2 | 32.61 | Peak | 45.00 | 100 | Vertical | Pass |
| 2** | 5924.788 | 46.52 | 3.47 | 68.2 | 21.68 | AV | 45.00 | 100 | Vertical | Pass |

U-NII-5 11ax80 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5705.700 | 59.26 | 3.92 | 88.2 | 28.94 | Peak | 0.00 | 150 | Vertical | Pass |
| 1** | 5705.700 | 47.17 | 3.92 | 68.2 | 21.03 | AV | 0.00 | 150 | Vertical | Pass |
| 2 | 5924.788 | 55.65 | 3.47 | 88.2 | 32.55 | Peak | 168.00 | 200 | Vertical | Pass |
| 2** | 5924.788 | 46.40 | 3.47 | 68.2 | 21.80 | AV | 168.00 | 200 | Vertical | Pass |

U-NII-5 11ax160 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5805.362 | 59.52 | 4.13 | 88.2 | 28.68 | Peak | 299.00 | 200 | Vertical | Pass |
| 1** | 5805.362 | 47.23 | 4.13 | 68.2 | 20.97 | AV | 299.00 | 200 | Vertical | Pass |
| 2 | 5924.788 | 55.72 | 3.47 | 88.2 | 32.48 | Peak | 359.00 | 150 | Vertical | Pass |
| 2** | 5924.788 | 46.46 | 3.47 | 68.2 | 21.74 | AV | 359.00 | 150 | Vertical | Pass |

U-NII-5 11ax20 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5853.175 | 59.88 | 5.21 | 88.2 | 28.32 | Peak | 176.00 | 150 | Vertical | Pass |
| 1** | 5853.175 | 48.06 | 5.21 | 68.2 | 20.14 | AV | 176.00 | 150 | Vertical | Pass |
| 2 | 5924.788 | 55.62 | 3.47 | 88.2 | 32.58 | Peak | 142.00 | 100 | Vertical | Pass |
| 2** | 5924.788 | 46.43 | 3.47 | 68.2 | 21.77 | AV | 142.00 | 100 | Vertical | Pass |

U-NII-5 11ax40 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5639.612 | 59.83 | 4.65 | 88.2 | 28.37 | Peak | 18.00 | 100 | Vertical | Pass |
| 1** | 5639.612 | 47.94 | 4.65 | 68.2 | 20.26 | AV | 18.00 | 100 | Vertical | Pass |
| 2 | 5924.788 | 56.51 | 3.47 | 88.2 | 31.69 | Peak | 74.00 | 200 | Vertical | Pass |
| 2** | 5924.788 | 46.42 | 3.47 | 68.2 | 21.78 | AV | 74.00 | 200 | Vertical | Pass |

U-NII-5 11ax80 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5664.050 | 59.45 | 4.60 | 88.2 | 28.75 | Peak | 16.00 | 100 | Vertical | Pass |
| 1** | 5664.050 | 48.27 | 4.60 | 68.2 | 19.93 | AV | 16.00 | 100 | Vertical | Pass |
| 2 | 5924.788 | 55.84 | 3.47 | 88.2 | 32.36 | Peak | 117.00 | 200 | Vertical | Pass |
| 2** | 5924.788 | 46.24 | 3.47 | 68.2 | 21.96 | AV | 117.00 | 200 | Vertical | Pass |

U-NII-5 11ax160 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5627.288 | 59.65 | 4.82 | 88.2 | 28.55 | Peak | 185.00 | 150 | Vertical | Pass |
| 1** | 5627.288 | 48.09 | 4.82 | 68.2 | 20.11 | AV | 185.00 | 150 | Vertical | Pass |
| 2 | 5924.788 | 56.30 | 3.47 | 88.2 | 31.90 | Peak | 102.00 | 150 | Vertical | Pass |
| 2** | 5924.788 | 46.28 | 3.47 | 68.2 | 21.92 | AV | 102.00 | 150 | Vertical | Pass |

U-NII-8 11ax20 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 7125.000 | 59.15 | 6.89 | 88.2 | 29.05 | Peak | 360.00 | 200 | Vertical | Pass |
| 1** | 7125.000 | 49.52 | 6.89 | 68.2 | 18.68 | AV | 360.00 | 200 | Vertical | Pass |
| 2 | 7199.688 | 63.54 | 10.21 | 88.2 | 24.66 | Peak | 360.00 | 200 | Vertical | Pass |
| 2** | 7199.688 | 52.09 | 10.21 | 68.2 | 16.11 | AV | 360.00 | 200 | Vertical | Pass |

U-NII-8 11ax20 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 7125.000 | 70.41 | 6.89 | 88.2 | 17.79 | Peak | 224.00 | 150 | Vertical | Pass |
| 1** | 7125.000 | 62.47 | 6.89 | 68.2 | 5.73 | AV | 224.00 | 150 | Vertical | Pass |
| 2 | 7125.125 | 69.25 | 6.91 | 88.2 | 18.95 | Peak | 334.00 | 150 | Vertical | Pass |
| 2** | 7125.125 | 60.37 | 6.91 | 68.2 | 7.83 | AV | 334.00 | 150 | Vertical | Pass |
| 3 | 7125.000 | 70.41 | 6.89 | 88.2 | 17.79 | Peak | 224.00 | 150 | Vertical | Pass |
| 3** | 7125.000 | 62.47 | 6.89 | 68.2 | 5.73 | AV | 224.00 | 150 | Vertical | Pass |

U-NII-8 11ax40 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 7125.063 | 61.22 | 6.90 | 88.2 | 26.98 | Peak | 20.00 | 100 | Vertical | Pass |
| 1** | 7125.063 | 49.67 | 6.90 | 68.2 | 18.53 | AV | 20.00 | 100 | Vertical | Pass |
| 2 | 7198.688 | 63.40 | 10.24 | 88.2 | 24.80 | Peak | 74.00 | 200 | Vertical | Pass |
| 2** | 7198.688 | 52.06 | 10.24 | 68.2 | 16.14 | AV | 74.00 | 200 | Vertical | Pass |

U-NII-8 11ax80 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 7125.063 | 59.30 | 6.90 | 88.2 | 28.90 | Peak | 330.00 | 100 | Vertical | Pass |
| 1** | 7125.063 | 49.80 | 6.90 | 68.2 | 18.40 | AV | 330.00 | 100 | Vertical | Pass |
| 2 | 7195.438 | 63.38 | 9.92 | 88.2 | 24.82 | Peak | 65.00 | 200 | Vertical | Pass |
| 2** | 7195.438 | 51.93 | 9.92 | 68.2 | 16.27 | AV | 65.00 | 200 | Vertical | Pass |

U-NII-8 11ax160 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 7125.000 | 60.25 | 6.89 | 88.2 | 27.95 | Peak | 360.00 | 150 | Vertical | Pass |
| 1** | 7125.000 | 49.62 | 6.89 | 68.2 | 18.58 | AV | 360.00 | 150 | Vertical | Pass |
| 2 | 7204.687 | 63.39 | 9.34 | 88.2 | 24.81 | Peak | 255.00 | 200 | Vertical | Pass |
| 2** | 7204.687 | 51.48 | 9.34 | 68.2 | 16.72 | AV | 255.00 | 200 | Vertical | Pass |

U-NII-8 11ax20 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 7125.063 | 58.99 | 6.90 | 88.2 | 29.21 | Peak | 30.00 | 100 | Vertical | Pass |
| 1** | 7125.063 | 49.44 | 6.90 | 68.2 | 18.76 | AV | 30.00 | 100 | Vertical | Pass |
| 2 | 7200.187 | 63.05 | 10.13 | 88.2 | 25.15 | Peak | 281.00 | 100 | Vertical | Pass |
| 2** | 7200.187 | 52.52 | 10.13 | 68.2 | 15.68 | AV | 281.00 | 100 | Vertical | Pass |

U-NII-8 11ax20 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 7125.000 | 73.83 | 6.89 | 88.2 | 14.37 | Peak | 332.00 | 150 | Vertical | Pass |
| 1** | 7125.000 | 66.86 | 6.89 | 68.2 | 1.34 | AV | 332.00 | 150 | Vertical | Pass |
| 2 | 7125.125 | 73.74 | 6.91 | 88.2 | 14.46 | Peak | 249.00 | 100 | Vertical | Pass |
| 2** | 7125.125 | 64.91 | 6.91 | 68.2 | 3.29 | AV | 249.00 | 100 | Vertical | Pass |
| 3 | 7125.000 | 73.83 | 6.89 | 88.2 | 14.37 | Peak | 332.00 | 150 | Vertical | Pass |
| 3** | 7125.000 | 66.86 | 6.89 | 68.2 | 1.34 | AV | 332.00 | 150 | Vertical | Pass |

U-NII-8 11ax40 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 7125.000 | 59.24 | 6.89 | 88.2 | 28.96 | Peak | 157.00 | 200 | Vertical | Pass |
| 1** | 7125.000 | 49.56 | 6.89 | 68.2 | 18.64 | AV | 157.00 | 200 | Vertical | Pass |
| 2 | 7198.437 | 63.27 | 10.24 | 88.2 | 24.93 | Peak | 293.00 | 100 | Vertical | Pass |
| 2** | 7198.437 | 52.18 | 10.24 | 68.2 | 16.02 | AV | 293.00 | 100 | Vertical | Pass |

U-NII-8 11ax80 (RU26) Low Channel



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 7125.063 | 58.95 | 6.90 | 88.2 | 29.25 | Peak | 31.00 | 150 | Vertical | Pass |
| 1** | 7125.063 | 49.45 | 6.90 | 68.2 | 18.75 | AV | 31.00 | 150 | Vertical | Pass |
| 2 | 7201.187 | 63.02 | 9.97 | 88.2 | 25.18 | Peak | 210.00 | 100 | Vertical | Pass |
| 2** | 7201.187 | 52.00 | 9.97 | 68.2 | 16.20 | AV | 210.00 | 100 | Vertical | Pass |


U-NII-8 11ax160 (RU26) Middle Channel



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 7125.063 | 60.02 | 6.90 | 88.2 | 28.18 | Peak | 9.00 | 100 | Vertical | Pass |
| 1** | 7125.063 | 49.43 | 6.90 | 68.2 | 18.77 | AV | 9.00 | 100 | Vertical | Pass |
| 2 | 7199.563 | 63.02 | 10.23 | 88.2 | 25.18 | Peak | 271.00 | 100 | Vertical | Pass |
| 2** | 7199.563 | 52.33 | 10.23 | 68.2 | 15.87 | AV | 271.00 | 100 | Vertical | Pass |


MIMO

U-NII-1 11a Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5145.450 | 60.48 | 4.00 | 74.0 | 13.52 | Peak | 122.00 | 200 | Vertical | Pass |
| 1** | 5145.450 | 47.66 | 4.00 | 54.0 | 6.34 | AV | 122.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 57.48 | 4.06 | 74.0 | 16.52 | Peak | 122.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 47.61 | 4.06 | 54.0 | 6.39 | AV | 122.00 | 100 | Vertical | Pass |

U-NII-1 11a High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 58.26 | 5.10 | 74.0 | 15.74 | Peak | 0.00 | 200 | Vertical | Pass |
| 1** | 5350.055 | 48.73 | 5.10 | 54.0 | 5.27 | AV | 0.00 | 200 | Vertical | Pass |
| 2 | 5351.595 | 59.51 | 4.96 | 74.0 | 14.49 | Peak | 60.00 | 150 | Vertical | Pass |
| 2** | 5351.595 | 48.30 | 4.96 | 54.0 | 5.70 | AV | 60.00 | 150 | Vertical | Pass |

U-NII-1 11n20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5147.075 | 60.64 | 4.12 | 74.0 | 13.36 | Peak | 84.00 | 100 | Vertical | Pass |
| 1** | 5147.075 | 47.52 | 4.12 | 54.0 | 6.48 | AV | 84.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 57.51 | 4.06 | 74.0 | 16.49 | Peak | 262.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 47.92 | 4.06 | 54.0 | 6.08 | AV | 262.00 | 100 | Vertical | Pass |

U-NII-1 11n20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 58.54 | 5.11 | 74.0 | 15.46 | Peak | 0.00 | 200 | Vertical | Pass |
| 1** | 5350.000 | 48.23 | 5.11 | 54.0 | 5.77 | AV | 0.00 | 200 | Vertical | Pass |
| 2 | 5383.330 | 59.51 | 4.67 | 74.0 | 14.49 | Peak | 330.00 | 150 | Vertical | Pass |
| 2** | 5383.330 | 47.73 | 4.67 | 54.0 | 6.27 | AV | 330.00 | 150 | Vertical | Pass |

U-NII-1 11n40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5149.675 | 59.89 | 4.06 | 74.0 | 14.11 | Peak | 125.00 | 100 | Vertical | Pass |
| 1** | 5149.675 | 48.79 | 4.06 | 54.0 | 5.21 | AV | 125.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 59.89 | 4.06 | 74.0 | 14.11 | Peak | 125.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 48.79 | 4.06 | 54.0 | 5.21 | AV | 125.00 | 100 | Vertical | Pass |

U-NII-1 11n40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 58.13 | 5.11 | 74.0 | 15.87 | Peak | 157.00 | 200 | Vertical | Pass |
| 1** | 5350.000 | 48.36 | 5.11 | 54.0 | 5.64 | AV | 157.00 | 200 | Vertical | Pass |
| 2 | 5361.110 | 59.56 | 4.57 | 74.0 | 14.44 | Peak | 318.00 | 200 | Vertical | Pass |
| 2** | 5361.110 | 48.06 | 4.57 | 54.0 | 5.94 | AV | 318.00 | 200 | Vertical | Pass |

U-NII-1 11ac20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5146.750 | 61.78 | 4.14 | 74.0 | 12.22 | Peak | 80.00 | 200 | Vertical | Pass |
| 1** | 5146.750 | 47.67 | 4.14 | 54.0 | 6.33 | AV | 80.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 58.39 | 4.06 | 74.0 | 15.61 | Peak | 85.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 47.60 | 4.06 | 54.0 | 6.40 | AV | 85.00 | 100 | Vertical | Pass |

U-NII-1 11ac20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 58.12 | 5.10 | 74.0 | 15.88 | Peak | 39.00 | 200 | Vertical | Pass |
| 1** | 5350.055 | 48.49 | 5.10 | 54.0 | 5.51 | AV | 39.00 | 200 | Vertical | Pass |
| 2 | 5357.205 | 59.60 | 4.58 | 74.0 | 14.40 | Peak | 205.00 | 100 | Vertical | Pass |
| 2** | 5357.205 | 48.10 | 4.58 | 54.0 | 5.90 | AV | 205.00 | 100 | Vertical | Pass |

U-NII-1 11ac40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5146.100 | 59.91 | 4.07 | 74.0 | 14.09 | Peak | 172.00 | 150 | Vertical | Pass |
| 1** | 5146.100 | 48.01 | 4.07 | 54.0 | 5.99 | AV | 172.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 59.33 | 4.06 | 74.0 | 14.67 | Peak | 179.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 48.77 | 4.06 | 54.0 | 5.23 | AV | 179.00 | 200 | Vertical | Pass |

U-NII-1 11ac40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 58.45 | 5.11 | 74.0 | 15.55 | Peak | 350.00 | 100 | Vertical | Pass |
| 1** | 5350.000 | 48.46 | 5.11 | 54.0 | 5.54 | AV | 350.00 | 100 | Vertical | Pass |
| 2 | 5352.035 | 59.87 | 4.94 | 74.0 | 14.13 | Peak | 14.00 | 100 | Vertical | Pass |
| 2** | 5352.035 | 48.33 | 4.94 | 54.0 | 5.67 | AV | 14.00 | 100 | Vertical | Pass |

U-NII-1 11ac80 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5126.275 | 64.41 | 4.52 | 74.0 | 9.59 | Peak | 102.00 | 100 | Vertical | Pass |
| 1** | 5126.275 | 49.26 | 4.52 | 54.0 | 4.74 | AV | 102.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 60.77 | 4.06 | 74.0 | 13.23 | Peak | 173.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 50.21 | 4.06 | 54.0 | 3.79 | AV | 173.00 | 200 | Vertical | Pass |
| 3 | 5147.400 | 59.47 | 4.11 | 74.0 | 14.53 | Peak | 98.00 | 150 | Vertical | Pass |
| 3** | 5147.400 | 50.63 | 4.11 | 54.0 | 3.37 | AV | 98.00 | 150 | Vertical | Pass |

U-NII-1 11ac80 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 58.21 | 5.10 | 74.0 | 15.79 | Peak | 227.00 | 100 | Vertical | Pass |
| 1** | 5350.055 | 48.28 | 5.10 | 54.0 | 5.72 | AV | 227.00 | 100 | Vertical | Pass |
| 2 | 5352.365 | 59.41 | 4.92 | 74.0 | 14.59 | Peak | 64.00 | 150 | Vertical | Pass |
| 2** | 5352.365 | 48.43 | 4.92 | 54.0 | 5.57 | AV | 64.00 | 150 | Vertical | Pass |

U-NII-1 11ac160 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5091.500 | 59.34 | 4.19 | 74.0 | 14.66 | Peak | 261.00 | 200 | Vertical | Pass |
| 1** | 5091.500 | 47.41 | 4.19 | 54.0 | 6.59 | AV | 261.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 57.12 | 4.06 | 74.0 | 16.88 | Peak | 5.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 47.64 | 4.06 | 54.0 | 6.36 | AV | 5.00 | 150 | Vertical | Pass |

U-NII-1 11ac160 Middle Channel



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 60.39 | 5.11 | 74.0 | 13.61 | Peak | 210.00 | 200 | Vertical | Pass |
| 1** | 5350.000 | 48.60 | 5.11 | 54.0 | 5.40 | AV | 210.00 | 200 | Vertical | Pass |
| 2 | 5404.120 | 59.88 | 4.61 | 74.0 | 14.12 | Peak | 161.00 | 100 | Vertical | Pass |
| 2** | 5404.120 | 47.96 | 4.61 | 54.0 | 6.04 | AV | 161.00 | 100 | Vertical | Pass |

U-NII-1 11ax20 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5145.450 | 61.09 | 4.00 | 74.0 | 12.91 | Peak | 79.00 | 100 | Vertical | Pass |
| 1** | 5145.450 | 47.38 | 4.00 | 54.0 | 6.62 | AV | 79.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 57.91 | 4.06 | 74.0 | 16.09 | Peak | 245.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 47.60 | 4.06 | 54.0 | 6.40 | AV | 245.00 | 200 | Vertical | Pass |

U-NII-1 11ax20 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 58.24 | 5.11 | 74.0 | 15.76 | Peak | 123.00 | 150 | Vertical | Pass |
| 1** | 5350.000 | 48.54 | 5.11 | 54.0 | 5.46 | AV | 123.00 | 150 | Vertical | Pass |
| 2 | 5363.255 | 59.79 | 4.46 | 74.0 | 14.21 | Peak | 139.00 | 150 | Vertical | Pass |
| 2** | 5363.255 | 47.74 | 4.46 | 54.0 | 6.26 | AV | 139.00 | 150 | Vertical | Pass |

U-NII-1 11ax40 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5149.025 | 58.94 | 4.03 | 74.0 | 15.06 | Peak | 200.00 | 200 | Vertical | Pass |
| 1** | 5149.025 | 48.76 | 4.03 | 54.0 | 5.24 | AV | 200.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 58.27 | 4.06 | 74.0 | 15.73 | Peak | 13.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 48.70 | 4.06 | 54.0 | 5.30 | AV | 13.00 | 100 | Vertical | Pass |
| 3 | 5149.350 | 58.31 | 4.04 | 74.0 | 15.69 | Peak | 0.00 | 150 | Vertical | Pass |
| 3** | 5149.350 | 49.21 | 4.04 | 54.0 | 4.79 | AV | 0.00 | 150 | Vertical | Pass |

U-NII-1 11ax40 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 58.53 | 5.11 | 74.0 | 15.47 | Peak | 6.00 | 150 | Vertical | Pass |
| 1** | 5350.000 | 48.22 | 5.11 | 54.0 | 5.78 | AV | 6.00 | 150 | Vertical | Pass |
| 2 | 5408.080 | 59.31 | 4.42 | 74.0 | 14.69 | Peak | 289.00 | 100 | Vertical | Pass |
| 2** | 5408.080 | 47.57 | 4.42 | 54.0 | 6.43 | AV | 289.00 | 100 | Vertical | Pass |

U-NII-1 11ax80 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5127.575 | 61.64 | 4.52 | 74.0 | 12.36 | Peak | 25.00 | 100 | Vertical | Pass |
| 1** | 5127.575 | 48.81 | 4.52 | 54.0 | 5.19 | AV | 25.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 58.54 | 4.06 | 74.0 | 15.46 | Peak | 20.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 49.96 | 4.06 | 54.0 | 4.04 | AV | 20.00 | 150 | Vertical | Pass |
| 3 | 5150.000 | 59.36 | 4.07 | 74.0 | 14.64 | Peak | 111.00 | 150 | Vertical | Pass |
| 3** | 5150.000 | 50.20 | 4.07 | 54.0 | 3.80 | AV | 111.00 | 150 | Vertical | Pass |

U-NII-1 11ax80 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 58.14 | 5.10 | 74.0 | 15.86 | Peak | 15.00 | 150 | Vertical | Pass |
| 1** | 5350.055 | 48.39 | 5.10 | 54.0 | 5.61 | AV | 15.00 | 150 | Vertical | Pass |
| 2 | 5385.035 | 59.63 | 4.60 | 74.0 | 14.37 | Peak | 227.00 | 200 | Vertical | Pass |
| 2** | 5385.035 | 47.90 | 4.60 | 54.0 | 6.10 | AV | 227.00 | 200 | Vertical | Pass |

U-NII-1 11ax160 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5069.725 | 59.56 | 4.31 | 74.0 | 14.44 | Peak | 360.00 | 200 | Vertical | Pass |
| 1** | 5069.725 | 47.26 | 4.31 | 54.0 | 6.74 | AV | 360.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 57.35 | 4.06 | 74.0 | 16.65 | Peak | 210.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 47.44 | 4.06 | 54.0 | 6.56 | AV | 210.00 | 200 | Vertical | Pass |

U-NII-1 11ax160 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 59.09 | 5.11 | 74.0 | 14.91 | Peak | 172.00 | 150 | Vertical | Pass |
| 1** | 5350.000 | 48.79 | 5.11 | 54.0 | 5.21 | AV | 172.00 | 150 | Vertical | Pass |
| 2 | 5397.080 | 59.63 | 4.75 | 74.0 | 14.37 | Peak | 198.00 | 150 | Vertical | Pass |
| 2** | 5397.080 | 48.14 | 4.75 | 54.0 | 5.86 | AV | 198.00 | 150 | Vertical | Pass |

U-NII-1 11ax20 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5136.025 | 59.52 | 3.99 | 74.0 | 14.48 | Peak | 98.00 | 200 | Vertical | Pass |
| 1** | 5136.025 | 47.28 | 3.99 | 54.0 | 6.72 | AV | 98.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 57.70 | 4.06 | 74.0 | 16.30 | Peak | 83.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 47.10 | 4.06 | 54.0 | 6.90 | AV | 83.00 | 200 | Vertical | Pass |

U-NII-1 11ax20 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 58.92 | 5.10 | 74.0 | 15.08 | Peak | 360.00 | 150 | Vertical | Pass |
| 1** | 5350.055 | 48.26 | 5.10 | 54.0 | 5.74 | AV | 360.00 | 150 | Vertical | Pass |
| 2 | 5435.635 | 59.46 | 4.37 | 74.0 | 14.54 | Peak | 318.00 | 150 | Vertical | Pass |
| 2** | 5435.635 | 46.86 | 4.37 | 54.0 | 7.14 | AV | 318.00 | 150 | Vertical | Pass |

U-NII-1 11ax40 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5075.900 | 59.02 | 4.15 | 74.0 | 14.98 | Peak | 257.00 | 150 | Vertical | Pass |
| 1** | 5075.900 | 47.06 | 4.15 | 54.0 | 6.94 | AV | 257.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 57.29 | 4.06 | 74.0 | 16.71 | Peak | 206.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 47.06 | 4.06 | 54.0 | 6.94 | AV | 206.00 | 100 | Vertical | Pass |

U-NII-1 11ax40 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 58.83 | 5.10 | 74.0 | 15.17 | Peak | 244.00 | 150 | Vertical | Pass |
| 1** | 5350.055 | 48.26 | 5.10 | 54.0 | 5.74 | AV | 244.00 | 150 | Vertical | Pass |
| 2 | 5397.630 | 60.25 | 4.76 | 74.0 | 13.75 | Peak | 0.00 | 200 | Vertical | Pass |
| 2** | 5397.630 | 47.81 | 4.76 | 54.0 | 6.19 | AV | 0.00 | 200 | Vertical | Pass |

U-NII-1 11ax80 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5136.350 | 59.17 | 3.98 | 74.0 | 14.83 | Peak | 230.00 | 150 | Vertical | Pass |
| 1** | 5136.350 | 47.92 | 3.98 | 54.0 | 6.08 | AV | 230.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 57.05 | 4.06 | 74.0 | 16.95 | Peak | 298.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 46.98 | 4.06 | 54.0 | 7.02 | AV | 298.00 | 100 | Vertical | Pass |

U-NII-1 11ax80 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 58.32 | 5.11 | 74.0 | 15.68 | Peak | 145.00 | 150 | Vertical | Pass |
| 1** | 5350.000 | 48.18 | 5.11 | 54.0 | 5.82 | AV | 145.00 | 150 | Vertical | Pass |
| 2 | 5379.040 | 59.53 | 4.83 | 74.0 | 14.47 | Peak | 48.00 | 150 | Vertical | Pass |
| 2** | 5379.040 | 47.73 | 4.83 | 54.0 | 6.27 | AV | 48.00 | 150 | Vertical | Pass |

U-NII-1 11ax160 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5125.950 | 58.85 | 4.52 | 74.0 | 15.15 | Peak | 193.00 | 150 | Vertical | Pass |
| 1** | 5125.950 | 47.65 | 4.52 | 54.0 | 6.35 | AV | 193.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 57.66 | 4.06 | 74.0 | 16.34 | Peak | 134.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 47.31 | 4.06 | 54.0 | 6.69 | AV | 134.00 | 200 | Vertical | Pass |

U-NII-1 11ax160 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 58.45 | 5.11 | 74.0 | 15.55 | Peak | 357.00 | 100 | Vertical | Pass |
| 1** | 5350.000 | 48.28 | 5.11 | 54.0 | 5.72 | AV | 357.00 | 100 | Vertical | Pass |
| 2 | 5395.870 | 59.62 | 4.72 | 74.0 | 14.38 | Peak | 360.00 | 200 | Vertical | Pass |
| 2** | 5395.870 | 47.87 | 4.72 | 54.0 | 6.13 | AV | 360.00 | 200 | Vertical | Pass |

U-NII-2A 11a Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5114.575 | 58.97 | 4.37 | 74.0 | 15.03 | Peak | 357.00 | 100 | Vertical | Pass |
| 1** | 5114.575 | 47.37 | 4.37 | 54.0 | 6.63 | AV | 357.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 57.01 | 4.06 | 74.0 | 16.99 | Peak | 116.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 47.42 | 4.06 | 54.0 | 6.58 | AV | 116.00 | 100 | Vertical | Pass |

U-NII-2A 11a High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 61.75 | 5.11 | 74.0 | 12.25 | Peak | 45.00 | 150 | Vertical | Pass |
| 1** | 5350.000 | 48.96 | 5.11 | 54.0 | 5.04 | AV | 45.00 | 150 | Vertical | Pass |
| 2 | 5350.550 | 62.93 | 5.04 | 74.0 | 11.07 | Peak | 360.00 | 150 | Vertical | Pass |
| 2** | 5350.550 | 48.98 | 5.04 | 54.0 | 5.02 | AV | 360.00 | 150 | Vertical | Pass |

U-NII-2A 11n20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5124.325 | 59.21 | 4.51 | 74.0 | 14.79 | Peak | 239.00 | 200 | Vertical | Pass |
| 1** | 5124.325 | 47.50 | 4.51 | 54.0 | 6.50 | AV | 239.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 56.29 | 4.06 | 74.0 | 17.71 | Peak | 360.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 47.36 | 4.06 | 54.0 | 6.64 | AV | 360.00 | 100 | Vertical | Pass |

U-NII-2A 11n20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 58.71 | 5.10 | 74.0 | 15.29 | Peak | 339.00 | 200 | Vertical | Pass |
| 1** | 5350.055 | 48.95 | 5.10 | 54.0 | 5.05 | AV | 339.00 | 200 | Vertical | Pass |
| 2 | 5350.330 | 62.67 | 5.07 | 74.0 | 11.33 | Peak | 360.00 | 200 | Vertical | Pass |
| 2** | 5350.330 | 48.89 | 5.07 | 54.0 | 5.11 | AV | 360.00 | 200 | Vertical | Pass |

U-NII-2A 11n40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5096.375 | 58.61 | 4.18 | 74.0 | 15.39 | Peak | 248.00 | 100 | Vertical | Pass |
| 1** | 5096.375 | 47.51 | 4.18 | 54.0 | 6.49 | AV | 248.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 56.76 | 4.06 | 74.0 | 17.24 | Peak | 33.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 47.36 | 4.06 | 54.0 | 6.64 | AV | 33.00 | 200 | Vertical | Pass |

U-NII-2A 11n40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 61.72 | 5.10 | 74.0 | 12.28 | Peak | 115.00 | 200 | Vertical | Pass |
| 1** | 5350.055 | 50.30 | 5.10 | 54.0 | 3.70 | AV | 115.00 | 200 | Vertical | Pass |
| 2 | 5352.860 | 64.56 | 4.89 | 74.0 | 9.44 | Peak | 98.00 | 150 | Vertical | Pass |
| 2** | 5352.860 | 50.22 | 4.89 | 54.0 | 3.78 | AV | 98.00 | 150 | Vertical | Pass |
| 3 | 5350.935 | 62.75 | 5.00 | 74.0 | 11.25 | Peak | 103.00 | 200 | Vertical | Pass |
| 3** | 5350.935 | 50.88 | 5.00 | 54.0 | 3.12 | AV | 103.00 | 150 | Vertical | Pass |

U-NII-2A 11ac20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5126.275 | 58.51 | 4.52 | 74.0 | 15.49 | Peak | 195.00 | 200 | Vertical | Pass |
| 1** | 5126.275 | 47.67 | 4.52 | 54.0 | 6.33 | AV | 195.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 57.64 | 4.06 | 74.0 | 16.36 | Peak | 132.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 47.28 | 4.06 | 54.0 | 6.72 | AV | 132.00 | 200 | Vertical | Pass |

U-NII-2A 11ac20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 61.25 | 5.10 | 74.0 | 12.75 | Peak | 38.00 | 150 | Vertical | Pass |
| 1** | 5350.055 | 48.98 | 5.10 | 54.0 | 5.02 | AV | 38.00 | 150 | Vertical | Pass |
| 2 | 5350.990 | 61.75 | 5.00 | 74.0 | 12.25 | Peak | 0.00 | 200 | Vertical | Pass |
| 2** | 5350.990 | 48.84 | 5.00 | 54.0 | 5.16 | AV | 0.00 | 200 | Vertical | Pass |

U-NII-2A 11ac40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5137.000 | 58.58 | 3.93 | 74.0 | 15.42 | Peak | 251.00 | 200 | Vertical | Pass |
| 1** | 5137.000 | 47.20 | 3.93 | 54.0 | 6.80 | AV | 251.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 57.14 | 4.06 | 74.0 | 16.86 | Peak | 336.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 47.25 | 4.06 | 54.0 | 6.75 | AV | 336.00 | 100 | Vertical | Pass |

U-NII-2A 11ac40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 60.20 | 5.11 | 74.0 | 13.80 | Peak | 89.00 | 150 | Vertical | Pass |
| 1** | 5350.000 | 51.28 | 5.11 | 54.0 | 2.72 | AV | 89.00 | 150 | Vertical | Pass |
| 2 | 5350.220 | 64.02 | 5.08 | 74.0 | 9.98 | Peak | 360.00 | 200 | Vertical | Pass |
| 2** | 5350.220 | 51.29 | 5.08 | 54.0 | 2.71 | AV | 360.00 | 200 | Vertical | Pass |
| 3 | 5350.220 | 64.02 | 5.08 | 74.0 | 9.98 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 5350.220 | 51.29 | 5.08 | 54.0 | 2.71 | AV | 360.00 | 150 | Vertical | Pass |

U-NII-2A 11ac80 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5096.700 | 59.04 | 4.19 | 74.0 | 14.96 | Peak | 86.00 | 100 | Vertical | Pass |
| 1** | 5096.700 | 47.23 | 4.19 | 54.0 | 6.77 | AV | 86.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 56.71 | 4.06 | 74.0 | 17.29 | Peak | 93.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 47.60 | 4.06 | 54.0 | 6.40 | AV | 93.00 | 150 | Vertical | Pass |

U-NII-2A 11ac80 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 60.85 | 5.11 | 74.0 | 13.15 | Peak | 93.00 | 100 | Vertical | Pass |
| 1** | 5350.000 | 51.11 | 5.11 | 54.0 | 2.89 | AV | 93.00 | 100 | Vertical | Pass |
| 2 | 5357.315 | 62.96 | 4.59 | 74.0 | 11.04 | Peak | 102.00 | 100 | Vertical | Pass |
| 2** | 5357.315 | 50.31 | 4.59 | 54.0 | 3.69 | AV | 102.00 | 100 | Vertical | Pass |
| 3 | 5352.805 | 60.43 | 4.89 | 74.0 | 13.57 | Peak | 102.00 | 150 | Vertical | Pass |
| 3** | 5352.805 | 52.00 | 4.89 | 54.0 | 2.00 | AV | 102.00 | 150 | Vertical | Pass |

U-NII-2A 11ax20 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5128.875 | 58.34 | 4.50 | 74.0 | 15.66 | Peak | 101.00 | 100 | Vertical | Pass |
| 1** | 5128.875 | 47.90 | 4.50 | 54.0 | 6.10 | AV | 101.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 56.99 | 4.06 | 74.0 | 17.01 | Peak | 0.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 47.41 | 4.06 | 54.0 | 6.59 | AV | 0.00 | 200 | Vertical | Pass |

U-NII-2A 11ax20 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 62.48 | 5.10 | 74.0 | 11.52 | Peak | 360.00 | 100 | Vertical | Pass |
| 1** | 5350.055 | 49.01 | 5.10 | 54.0 | 4.99 | AV | 360.00 | 100 | Vertical | Pass |
| 2 | 5350.330 | 62.65 | 5.07 | 74.0 | 11.35 | Peak | 274.00 | 100 | Vertical | Pass |
| 2** | 5350.330 | 48.78 | 5.07 | 54.0 | 5.22 | AV | 274.00 | 100 | Vertical | Pass |

U-NII-2A 11ax40 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5089.225 | 58.93 | 4.01 | 74.0 | 15.07 | Peak | 303.00 | 100 | Vertical | Pass |
| 1** | 5089.225 | 47.01 | 4.01 | 54.0 | 6.99 | AV | 303.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 56.74 | 4.06 | 74.0 | 17.26 | Peak | 76.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 47.46 | 4.06 | 54.0 | 6.54 | AV | 76.00 | 100 | Vertical | Pass |

U-NII-2A 11ax40 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 62.17 | 5.11 | 74.0 | 11.83 | Peak | 210.00 | 200 | Vertical | Pass |
| 1** | 5350.000 | 51.16 | 5.11 | 54.0 | 2.84 | AV | 210.00 | 200 | Vertical | Pass |
| 2 | 5353.080 | 64.38 | 4.86 | 74.0 | 9.62 | Peak | 95.00 | 150 | Vertical | Pass |
| 2** | 5353.080 | 50.82 | 4.86 | 54.0 | 3.18 | AV | 95.00 | 150 | Vertical | Pass |
| 3 | 5350.165 | 60.51 | 5.09 | 74.0 | 13.49 | Peak | 242.00 | 150 | Vertical | Pass |
| 3** | 5350.165 | 51.70 | 5.09 | 54.0 | 2.30 | AV | 242.00 | 150 | Vertical | Pass |

U-NII-2A 11ax80 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5123.025 | 58.47 | 4.47 | 74.0 | 15.53 | Peak | 286.00 | 100 | Vertical | Pass |
| 1** | 5123.025 | 47.63 | 4.47 | 54.0 | 6.37 | AV | 286.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 57.79 | 4.06 | 74.0 | 16.21 | Peak | 120.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 47.30 | 4.06 | 54.0 | 6.70 | AV | 120.00 | 150 | Vertical | Pass |

U-NII-2A 11ax80 (SU) Middle Channel



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 61.36 | 5.11 | 74.0 | 12.64 | Peak | 171.00 | 150 | Vertical | Pass |
| 1** | 5350.000 | 51.34 | 5.11 | 54.0 | 2.66 | AV | 171.00 | 150 | Vertical | Pass |
| 2 | 5356.930 | 63.32 | 4.58 | 74.0 | 10.68 | Peak | 108.00 | 150 | Vertical | Pass |
| 2** | 5356.930 | 50.66 | 4.58 | 54.0 | 3.34 | AV | 108.00 | 150 | Vertical | Pass |

U-NII-2A 11ax20 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5120.750 | 59.14 | 4.38 | 74.0 | 14.86 | Peak | 310.00 | 100 | Vertical | Pass |
| 1** | 5120.750 | 47.27 | 4.38 | 54.0 | 6.73 | AV | 310.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 56.60 | 4.06 | 74.0 | 17.40 | Peak | 89.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 47.27 | 4.06 | 54.0 | 6.73 | AV | 89.00 | 100 | Vertical | Pass |

U-NII-2A 11ax20 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 62.51 | 5.10 | 74.0 | 11.49 | Peak | 271.00 | 200 | Vertical | Pass |
| 1** | 5350.055 | 48.32 | 5.10 | 54.0 | 5.68 | AV | 271.00 | 200 | Vertical | Pass |
| 2 | 5350.385 | 62.96 | 5.06 | 74.0 | 11.04 | Peak | 103.00 | 100 | Vertical | Pass |
| 2** | 5350.385 | 48.52 | 5.06 | 54.0 | 5.48 | AV | 103.00 | 100 | Vertical | Pass |

U-NII-2A 11ax40 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5117.175 | 58.95 | 4.42 | 74.0 | 15.05 | Peak | 72.00 | 150 | Vertical | Pass |
| 1** | 5117.175 | 47.29 | 4.42 | 54.0 | 6.71 | AV | 72.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 56.60 | 4.06 | 74.0 | 17.40 | Peak | 57.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 47.24 | 4.06 | 54.0 | 6.76 | AV | 57.00 | 150 | Vertical | Pass |

U-NII-2A 11ax40 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 58.54 | 5.11 | 74.0 | 15.46 | Peak | 107.00 | 200 | Vertical | Pass |
| 1** | 5350.000 | 48.30 | 5.11 | 54.0 | 5.70 | AV | 107.00 | 200 | Vertical | Pass |
| 2 | 5409.455 | 59.31 | 4.38 | 74.0 | 14.69 | Peak | 5.00 | 150 | Vertical | Pass |
| 2** | 5409.455 | 47.22 | 4.38 | 54.0 | 6.78 | AV | 5.00 | 150 | Vertical | Pass |

U-NII-2A 11ax80 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5095.725 | 58.63 | 4.16 | 74.0 | 15.37 | Peak | 49.00 | 100 | Vertical | Pass |
| 1** | 5095.725 | 47.20 | 4.16 | 54.0 | 6.80 | AV | 49.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 56.41 | 4.06 | 74.0 | 17.59 | Peak | 147.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 47.07 | 4.06 | 54.0 | 6.93 | AV | 147.00 | 150 | Vertical | Pass |

U-NII-2A 11ax80 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 58.71 | 5.11 | 74.0 | 15.29 | Peak | 278.00 | 200 | Vertical | Pass |
| 1** | 5350.000 | 48.21 | 5.11 | 54.0 | 5.79 | AV | 278.00 | 200 | Vertical | Pass |
| 2 | 5351.595 | 59.97 | 4.96 | 74.0 | 14.03 | Peak | 83.00 | 150 | Vertical | Pass |
| 2** | 5351.595 | 48.04 | 4.96 | 54.0 | 5.96 | AV | 83.00 | 150 | Vertical | Pass |

U-NII-2C 11a Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5402.860 | 59.33 | 4.64 | 74.0 | 14.67 | Peak | 320.00 | 200 | Horizontal | Pass |
| 1** | 5402.860 | 47.67 | 4.64 | 54.0 | 6.33 | AV | 320.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 56.63 | 4.04 | 74.0 | 17.37 | Peak | 83.00 | 100 | Horizontal | Pass |
| 2** | 5459.980 | 46.78 | 4.04 | 54.0 | 7.22 | AV | 83.00 | 100 | Horizontal | Pass |
| 3 | 5463.700 | 61.40 | 4.01 | 68.2 | 6.80 | Peak | 88.00 | 150 | Horizontal | Pass |
| 3** | 5463.700 | 46.72 | 4.01 | -- | -- | AV | 88.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 57.15 | 4.06 | 68.2 | 11.05 | Peak | 181.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 46.99 | 4.06 | -- | -- | AV | 181.00 | 200 | Horizontal | N/A |

U-NII-2C 11a High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 61.66 | 3.93 | 68.2 | 6.54 | Peak | 209.00 | 200 | Horizontal | Pass |
| 2 | 5725.313 | 66.10 | 3.90 | 68.2 | 2.10 | Peak | 48.00 | 200 | Horizontal | Pass |

U-NII-2C 11n20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5439.880 | 60.58 | 4.19 | 74.0 | 13.42 | Peak | 0.00 | 200 | Horizontal | Pass |
| 1** | 5439.880 | 46.81 | 4.19 | 54.0 | 7.19 | AV | 0.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 57.30 | 4.04 | 74.0 | 16.70 | Peak | 140.00 | 200 | Horizontal | Pass |
| 2** | 5459.980 | 47.01 | 4.04 | 54.0 | 6.99 | AV | 140.00 | 200 | Horizontal | Pass |
| 3 | 5469.760 | 61.18 | 4.04 | 68.2 | 7.02 | Peak | 123.00 | 200 | Horizontal | Pass |
| 3** | 5469.760 | 46.96 | 4.04 | -- | -- | AV | 123.00 | 200 | Horizontal | N/A |
| 4 | 5469.940 | 57.84 | 4.06 | 68.2 | 10.36 | Peak | 120.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 47.43 | 4.06 | -- | -- | AV | 120.00 | 200 | Horizontal | N/A |

U-NII-2C 11n20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 63.63 | 3.93 | 68.2 | 4.57 | Peak | 146.00 | 100 | Horizontal | Pass |
| 2 | 5726.625 | 66.41 | 3.81 | 68.2 | 1.79 | Peak | 158.00 | 100 | Horizontal | Pass |

U-NII-2C 11n40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5459.080 | 59.67 | 4.14 | 74.0 | 14.33 | Peak | 360.00 | 200 | Horizontal | Pass |
| 1** | 5459.080 | 47.17 | 4.14 | 54.0 | 6.83 | AV | 360.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 56.41 | 4.04 | 74.0 | 17.59 | Peak | 339.00 | 100 | Horizontal | Pass |
| 2** | 5459.980 | 47.45 | 4.04 | 54.0 | 6.55 | AV | 339.00 | 100 | Horizontal | Pass |
| 3 | 5469.700 | 61.24 | 4.04 | 68.2 | 6.96 | Peak | 59.00 | 150 | Horizontal | Pass |
| 3** | 5469.700 | 48.25 | 4.04 | -- | -- | AV | 59.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 59.06 | 4.06 | 68.2 | 9.14 | Peak | 210.00 | 100 | Horizontal | Pass |
| 4** | 5469.940 | 48.09 | 4.06 | -- | -- | AV | 210.00 | 100 | Horizontal | N/A |

U-NII-2C 11n40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 57.71 | 3.93 | 68.2 | 10.49 | Peak | 261.00 | 150 | Horizontal | Pass |
| 2 | 5765.938 | 59.47 | 4.28 | 68.2 | 8.73 | Peak | 104.00 | 150 | Horizontal | Pass |

U-NII-2C 11ac20 Low Channel



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5452.480 | 59.94 | 4.01 | 74.0 | 14.06 | Peak | 85.00 | 100 | Horizontal | Pass |
| 1** | 5452.480 | 46.84 | 4.01 | 54.0 | 7.16 | AV | 85.00 | 100 | Horizontal | Pass |
| 2 | 5459.980 | 56.61 | 4.04 | 74.0 | 17.39 | Peak | 293.00 | 200 | Horizontal | Pass |
| 2** | 5459.980 | 47.11 | 4.04 | 54.0 | 6.89 | AV | 293.00 | 200 | Horizontal | Pass |
| 3 | 5466.400 | 61.70 | 3.90 | 68.2 | 6.50 | Peak | 39.00 | 200 | Horizontal | Pass |
| 3** | 5466.400 | 46.86 | 3.90 | -- | -- | AV | 39.00 | 200 | Horizontal | N/A |
| 4 | 5469.940 | 58.13 | 4.06 | 68.2 | 10.07 | Peak | 198.00 | 100 | Horizontal | Pass |
| 4** | 5469.940 | 47.21 | 4.06 | -- | -- | AV | 198.00 | 100 | Horizontal | N/A |

U-NII-2C 11ac20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 63.03 | 3.93 | 68.2 | 5.17 | Peak | 84.00 | 200 | Horizontal | Pass |
| 2 | 5726.938 | 65.68 | 3.79 | 68.2 | 2.52 | Peak | 158.00 | 100 | Horizontal | Pass |

U-NII-2C 11ac40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5455.720 | 60.04 | 4.23 | 74.0 | 13.96 | Peak | 13.00 | 100 | Horizontal | Pass |
| 1** | 5455.720 | 47.09 | 4.23 | 54.0 | 6.91 | AV | 13.00 | 100 | Horizontal | Pass |
| 2 | 5459.980 | 56.96 | 4.04 | 74.0 | 17.04 | Peak | 360.00 | 200 | Horizontal | Pass |
| 2** | 5459.980 | 47.08 | 4.04 | 54.0 | 6.92 | AV | 360.00 | 200 | Horizontal | Pass |
| 3 | 5469.700 | 60.77 | 4.04 | 68.2 | 7.43 | Peak | 35.00 | 150 | Horizontal | Pass |
| 3** | 5469.700 | 47.90 | 4.04 | -- | -- | AV | 35.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 59.87 | 4.06 | 68.2 | 8.33 | Peak | 37.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 48.25 | 4.06 | -- | -- | AV | 37.00 | 200 | Horizontal | N/A |

U-NII-2C 11ac40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.063 | 57.32 | 3.92 | 68.2 | 10.88 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2 | 5790.625 | 59.92 | 4.35 | 68.2 | 8.28 | Peak | 0.00 | 150 | Horizontal | Pass |

U-NII-2C 11ac80 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5453.560 | 60.93 | 4.09 | 74.0 | 13.07 | Peak | 86.00 | 200 | Horizontal | Pass |
| 1** | 5453.560 | 47.39 | 4.09 | 54.0 | 6.61 | AV | 86.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 58.98 | 4.04 | 74.0 | 15.02 | Peak | 181.00 | 200 | Horizontal | Pass |
| 2** | 5459.980 | 47.16 | 4.04 | 54.0 | 6.84 | AV | 181.00 | 200 | Horizontal | Pass |
| 3 | 5461.240 | 59.45 | 3.89 | 68.2 | 8.75 | Peak | 343.00 | 150 | Horizontal | Pass |
| 3** | 5461.240 | 47.17 | 3.89 | -- | -- | AV | 343.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 56.84 | 4.06 | 68.2 | 11.36 | Peak | 0.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 47.75 | 4.06 | -- | -- | AV | 0.00 | 200 | Horizontal | N/A |

U-NII-2C 11ac80 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.063 | 57.40 | 3.92 | 68.2 | 10.80 | Peak | 332.00 | 200 | Horizontal | Pass |
| 2 | 5767.750 | 59.78 | 4.48 | 68.2 | 8.42 | Peak | 12.00 | 150 | Horizontal | Pass |

U-NII-2C 11ac160 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5407.240 | 59.13 | 4.50 | 74.0 | 14.87 | Peak | 286.00 | 100 | Horizontal | Pass |
| 1** | 5407.240 | 47.61 | 4.50 | 54.0 | 6.39 | AV | 286.00 | 100 | Horizontal | Pass |
| 2 | 5459.980 | 55.98 | 4.04 | 74.0 | 18.02 | Peak | 158.00 | 100 | Horizontal | Pass |
| 2** | 5459.980 | 46.89 | 4.04 | 54.0 | 7.11 | AV | 158.00 | 100 | Horizontal | Pass |
| 3 | 5467.360 | 57.83 | 3.94 | 68.2 | 10.37 | Peak | 360.00 | 200 | Horizontal | Pass |
| 3** | 5467.360 | 46.59 | 3.94 | -- | -- | AV | 360.00 | 200 | Horizontal | N/A |
| 4 | 5469.940 | 56.80 | 4.06 | 68.2 | 11.40 | Peak | 87.00 | 150 | Horizontal | Pass |
| 4** | 5469.940 | 46.95 | 4.06 | -- | -- | AV | 87.00 | 150 | Horizontal | N/A |

U-NII-2C 11ac160 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.063 | 57.14 | 3.92 | 68.2 | 11.06 | Peak | 112.00 | 100 | Horizontal | Pass |
| 2 | 5849.250 | 59.69 | 5.41 | 68.2 | 8.51 | Peak | 360.00 | 100 | Horizontal | Pass |

U-NII-2C 11ax20 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5457.100 | 60.24 | 4.28 | 74.0 | 13.76 | Peak | 360.00 | 150 | Horizontal | Pass |
| 1** | 5457.100 | 47.29 | 4.28 | 54.0 | 6.71 | AV | 360.00 | 150 | Horizontal | Pass |
| 2 | 5459.980 | 57.11 | 4.04 | 74.0 | 16.89 | Peak | 188.00 | 150 | Horizontal | Pass |
| 2** | 5459.980 | 46.82 | 4.04 | 54.0 | 7.18 | AV | 188.00 | 150 | Horizontal | Pass |
| 3 | 5466.820 | 61.30 | 3.92 | 68.2 | 6.90 | Peak | 60.00 | 200 | Horizontal | Pass |
| 3** | 5466.820 | 47.03 | 3.92 | -- | -- | AV | 60.00 | 200 | Horizontal | N/A |
| 4 | 5469.940 | 57.56 | 4.06 | 68.2 | 10.64 | Peak | 36.00 | 150 | Horizontal | Pass |
| 4** | 5469.940 | 47.33 | 4.06 | -- | -- | AV | 36.00 | 150 | Horizontal | N/A |

U-NII-2C 11ax20 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.063 | 65.26 | 3.92 | 68.2 | 2.94 | Peak | 42.00 | 200 | Horizontal | Pass |
| 2 | 5726.750 | 66.25 | 3.80 | 68.2 | 1.95 | Peak | 42.00 | 200 | Horizontal | Pass |

U-NII-2C 11ax40 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5458.180 | 60.87 | 4.20 | 74.0 | 13.13 | Peak | 360.00 | 150 | Horizontal | Pass |
| 1** | 5458.180 | 47.37 | 4.20 | 54.0 | 6.63 | AV | 360.00 | 150 | Horizontal | Pass |
| 2 | 5459.980 | 56.57 | 4.04 | 74.0 | 17.43 | Peak | 259.00 | 150 | Horizontal | Pass |
| 2** | 5459.980 | 47.58 | 4.04 | 54.0 | 6.42 | AV | 259.00 | 150 | Horizontal | Pass |
| 3 | 5469.700 | 60.64 | 4.04 | 68.2 | 7.56 | Peak | 193.00 | 100 | Horizontal | Pass |
| 3** | 5469.700 | 48.55 | 4.04 | -- | -- | AV | 193.00 | 100 | Horizontal | N/A |
| 4 | 5469.940 | 58.51 | 4.06 | 68.2 | 9.69 | Peak | 0.00 | 100 | Horizontal | Pass |
| 4** | 5469.940 | 48.27 | 4.06 | -- | -- | AV | 0.00 | 100 | Horizontal | N/A |

U-NII-2C 11ax40 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 57.67 | 3.93 | 68.2 | 10.53 | Peak | 360.00 | 150 | Horizontal | Pass |
| 2 | 5726.375 | 59.81 | 3.83 | 68.2 | 8.39 | Peak | 152.00 | 150 | Horizontal | Pass |

U-NII-2C 11ax80 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5456.440 | 61.84 | 4.26 | 74.0 | 12.16 | Peak | 60.00 | 100 | Horizontal | Pass |
| 1** | 5456.440 | 48.01 | 4.26 | 54.0 | 5.99 | AV | 60.00 | 100 | Horizontal | Pass |
| 2 | 5459.980 | 57.38 | 4.04 | 74.0 | 16.62 | Peak | 220.00 | 100 | Horizontal | Pass |
| 2** | 5459.980 | 48.35 | 4.04 | 54.0 | 5.65 | AV | 220.00 | 100 | Horizontal | Pass |
| 3 | 5468.260 | 59.68 | 3.98 | 68.2 | 8.52 | Peak | 327.00 | 150 | Horizontal | Pass |
| 3** | 5468.260 | 48.31 | 3.98 | -- | -- | AV | 327.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 57.55 | 4.06 | 68.2 | 10.65 | Peak | 356.00 | 100 | Horizontal | Pass |
| 4** | 5469.940 | 48.36 | 4.06 | -- | -- | AV | 356.00 | 100 | Horizontal | N/A |

U-NII-2C 11ax80 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.063 | 57.03 | 3.92 | 68.2 | 11.17 | Peak | 302.00 | 200 | Horizontal | Pass |
| 2 | 5843.750 | 59.97 | 5.24 | 68.2 | 8.23 | Peak | 232.00 | 200 | Horizontal | Pass |

U-NII-2C 11ax160 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5433.160 | 63.70 | 4.28 | 74.0 | 10.30 | Peak | 3.00 | 100 | Horizontal | Pass |
| 1** | 5433.160 | 50.29 | 4.28 | 54.0 | 3.71 | AV | 3.00 | 100 | Horizontal | Pass |
| 2 | 5459.980 | 60.09 | 4.04 | 74.0 | 13.91 | Peak | 62.00 | 150 | Horizontal | Pass |
| 2** | 5459.980 | 51.12 | 4.04 | 54.0 | 2.88 | AV | 62.00 | 150 | Horizontal | Pass |
| 3 | 5467.300 | 63.45 | 3.94 | 68.2 | 4.75 | Peak | 84.00 | 150 | Horizontal | Pass |
| 3** | 5467.300 | 51.28 | 3.94 | -- | -- | AV | 84.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 60.24 | 4.06 | 68.2 | 7.96 | Peak | 57.00 | 150 | Horizontal | Pass |
| 4** | 5469.940 | 51.40 | 4.06 | -- | -- | AV | 57.00 | 150 | Horizontal | N/A |

U-NII-2C 11ax160 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 64.45 | 3.93 | 68.2 | 3.75 | Peak | 41.00 | 100 | Horizontal | Pass |
| 2 | 5735.375 | 66.55 | 3.65 | 68.2 | 1.65 | Peak | 157.00 | 100 | Horizontal | Pass |

U-NII-2C 11ax20 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5358.520 | 59.99 | 4.68 | 74.0 | 14.01 | Peak | 360.00 | 200 | Horizontal | Pass |
| 1** | 5358.520 | 47.94 | 4.68 | 54.0 | 6.06 | AV | 360.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 55.93 | 4.04 | 74.0 | 18.07 | Peak | 245.00 | 100 | Horizontal | Pass |
| 2** | 5459.980 | 46.63 | 4.04 | 54.0 | 7.37 | AV | 245.00 | 100 | Horizontal | Pass |
| 3 | 5467.060 | 58.89 | 3.93 | 68.2 | 9.31 | Peak | 33.00 | 200 | Horizontal | Pass |
| 3** | 5467.060 | 46.35 | 3.93 | -- | -- | AV | 33.00 | 200 | Horizontal | N/A |
| 4 | 5469.940 | 56.18 | 4.06 | 68.2 | 12.02 | Peak | 145.00 | 150 | Horizontal | Pass |
| 4** | 5469.940 | 46.60 | 4.06 | -- | -- | AV | 145.00 | 150 | Horizontal | N/A |

U-NII-2C 11ax20 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 57.40 | 3.93 | 68.2 | 10.80 | Peak | 229.00 | 150 | Horizontal | Pass |
| 2 | 5728.375 | 62.03 | 3.60 | 68.2 | 6.17 | Peak | 103.00 | 200 | Horizontal | Pass |

U-NII-2C 11ax40 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5401.360 | 59.60 | 4.67 | 74.0 | 14.40 | Peak | 0.00 | 150 | Horizontal | Pass |
| 1** | 5401.360 | 47.79 | 4.67 | 54.0 | 6.21 | AV | 0.00 | 150 | Horizontal | Pass |
| 2 | 5459.980 | 56.26 | 4.04 | 74.0 | 17.74 | Peak | 3.00 | 100 | Horizontal | Pass |
| 2** | 5459.980 | 46.64 | 4.04 | 54.0 | 7.36 | AV | 3.00 | 100 | Horizontal | Pass |
| 3 | 5466.940 | 58.63 | 3.92 | 68.2 | 9.57 | Peak | 190.00 | 200 | Horizontal | Pass |
| 3** | 5466.940 | 46.83 | 3.92 | -- | -- | AV | 190.00 | 200 | Horizontal | N/A |
| 4 | 5469.940 | 57.05 | 4.06 | 68.2 | 11.15 | Peak | 237.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 46.64 | 4.06 | -- | -- | AV | 237.00 | 200 | Horizontal | N/A |

U-NII-2C 11ax40 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 57.48 | 3.93 | 68.2 | 10.72 | Peak | 70.00 | 200 | Horizontal | Pass |
| 2 | 5789.437 | 59.43 | 4.42 | 68.2 | 8.77 | Peak | 189.00 | 150 | Horizontal | Pass |

U-NII-2C 11ax80 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5384.620 | 59.70 | 4.61 | 74.0 | 14.30 | Peak | 360.00 | 150 | Horizontal | Pass |
| 1** | 5384.620 | 47.58 | 4.61 | 54.0 | 6.42 | AV | 360.00 | 150 | Horizontal | Pass |
| 2 | 5459.980 | 55.84 | 4.04 | 74.0 | 18.16 | Peak | 157.00 | 150 | Horizontal | Pass |
| 2** | 5459.980 | 46.70 | 4.04 | 54.0 | 7.30 | AV | 157.00 | 150 | Horizontal | Pass |
| 3 | 5469.580 | 58.28 | 4.03 | 68.2 | 9.92 | Peak | 188.00 | 150 | Horizontal | Pass |
| 3** | 5469.580 | 46.31 | 4.03 | -- | -- | AV | 188.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 57.14 | 4.06 | 68.2 | 11.06 | Peak | 276.00 | 150 | Horizontal | Pass |
| 4** | 5469.940 | 46.61 | 4.06 | -- | -- | AV | 276.00 | 150 | Horizontal | N/A |

U-NII-2C 11ax80 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.063 | 57.13 | 3.92 | 68.2 | 11.07 | Peak | 296.00 | 150 | Horizontal | Pass |
| 2 | 5816.688 | 59.61 | 4.26 | 68.2 | 8.59 | Peak | 157.00 | 100 | Horizontal | Pass |

U-NII-2C 11ax160 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5356.240 | 59.32 | 4.57 | 74.0 | 14.68 | Peak | 130.00 | 100 | Horizontal | Pass |
| 1** | 5356.240 | 47.73 | 4.57 | 54.0 | 6.27 | AV | 130.00 | 100 | Horizontal | Pass |
| 2 | 5459.980 | 55.90 | 4.04 | 74.0 | 18.10 | Peak | 35.00 | 200 | Horizontal | Pass |
| 2** | 5459.980 | 46.78 | 4.04 | 54.0 | 7.22 | AV | 35.00 | 200 | Horizontal | Pass |
| 3 | 5465.320 | 57.41 | 3.88 | 68.2 | 10.79 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 5465.320 | 46.78 | 3.88 | -- | -- | AV | 0.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 56.96 | 4.06 | 68.2 | 11.24 | Peak | 342.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 46.52 | 4.06 | -- | -- | AV | 342.00 | 200 | Horizontal | N/A |

U-NII-2C 11ax160 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 56.71 | 3.93 | 68.2 | 11.49 | Peak | 360.00 | 100 | Horizontal | Pass |
| 2 | 5827.375 | 59.08 | 4.30 | 68.2 | 9.12 | Peak | 289.00 | 200 | Horizontal | Pass |

U-NII-3 11a Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5602.708 | 56.41 | 1.19 | 68.2 | 11.79 | Peak | 343.00 | 200 | Horizontal | Pass |
| 2 | 5650.000 | 54.66 | -0.21 | 68.2 | 13.54 | Peak | 62.00 | 100 | Horizontal | Pass |

U-NII-3 11a High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.39 | 0.01 | 68.2 | 13.81 | Peak | 249.00 | 200 | Horizontal | Pass |
| 2 | 5991.750 | 56.42 | 0.48 | 68.2 | 11.78 | Peak | 292.00 | 200 | Horizontal | Pass |

U-NII-3 11n20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5603.334 | 56.89 | 1.03 | 68.2 | 11.31 | Peak | 183.00 | 100 | Horizontal | Pass |
| 2 | 5650.000 | 53.98 | -0.21 | 68.2 | 14.22 | Peak | 89.00 | 200 | Horizontal | Pass |

U-NII-3 11n20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.12 | 0.01 | 68.2 | 14.08 | Peak | 58.00 | 100 | Horizontal | Pass |
| 2 | 5990.500 | 56.64 | 1.00 | 68.2 | 11.56 | Peak | 61.00 | 150 | Horizontal | Pass |

U-NII-3 11n40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5624.792 | 56.65 | 0.95 | 68.2 | 11.55 | Peak | 45.00 | 200 | Horizontal | Pass |
| 2 | 5650.000 | 54.64 | -0.21 | 68.2 | 13.56 | Peak | 135.00 | 100 | Horizontal | Pass |

U-NII-3 11n40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.21 | 0.01 | 68.2 | 13.99 | Peak | 34.00 | 150 | Horizontal | Pass |
| 2 | 5990.750 | 56.25 | 0.80 | 68.2 | 11.95 | Peak | 131.00 | 100 | Horizontal | Pass |

U-NII-3 11ac20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5629.375 | 56.23 | 0.29 | 68.2 | 11.97 | Peak | 345.00 | 200 | Horizontal | Pass |
| 2 | 5650.000 | 53.57 | -0.21 | 68.2 | 14.63 | Peak | 194.00 | 150 | Horizontal | Pass |

U-NII-3 11ac20 High Channel



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.23 | 0.01 | 68.2 | 13.97 | Peak | 6.00 | 150 | Horizontal | Pass |
| 2 | 5985.250 | 56.31 | 0.61 | 68.2 | 11.89 | Peak | 8.00 | 200 | Horizontal | Pass |

U-NII-3 11ac40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5600.000 | 56.61 | 1.00 | 68.2 | 11.59 | Peak | 11.00 | 200 | Horizontal | Pass |
| 2 | 5650.000 | 54.51 | -0.21 | 68.2 | 13.69 | Peak | 53.00 | 200 | Horizontal | Pass |

U-NII-3 11ac40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 55.07 | 0.01 | 68.2 | 13.13 | Peak | 212.00 | 100 | Horizontal | Pass |
| 2 | 5993.500 | 56.34 | 0.90 | 68.2 | 11.86 | Peak | 54.00 | 200 | Horizontal | Pass |

U-NII-3 11ac80 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5602.916 | 56.87 | 1.33 | 68.2 | 11.33 | Peak | 50.00 | 200 | Horizontal | Pass |
| 2 | 5650.000 | 55.13 | -0.21 | 68.2 | 13.07 | Peak | 153.00 | 100 | Horizontal | Pass |

U-NII-3 11ac80 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.73 | 0.01 | 68.2 | 14.47 | Peak | 45.00 | 150 | Horizontal | Pass |
| 2 | 5993.000 | 56.69 | 0.95 | 68.2 | 11.51 | Peak | 83.00 | 200 | Horizontal | Pass |

U-NII-3 11ax20 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5637.500 | 56.36 | 0.19 | 68.2 | 11.84 | Peak | 22.00 | 200 | Horizontal | Pass |
| 2 | 5650.000 | 54.33 | -0.21 | 68.2 | 13.87 | Peak | 184.00 | 200 | Horizontal | Pass |

U-NII-3 11ax20 (SU) High Channel



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.76 | 0.01 | 68.2 | 14.44 | Peak | 244.00 | 200 | Horizontal | Pass |
| 2 | 5979.500 | 56.15 | 0.45 | 68.2 | 12.05 | Peak | 180.00 | 200 | Horizontal | Pass |

U-NII-3 11ax40 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5607.291 | 56.40 | 1.12 | 68.2 | 11.80 | Peak | 169.00 | 100 | Horizontal | Pass |
| 2 | 5650.000 | 54.36 | -0.21 | 68.2 | 13.84 | Peak | 249.00 | 150 | Horizontal | Pass |

U-NII-3 11ax40 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.79 | 0.01 | 68.2 | 14.41 | Peak | 161.00 | 100 | Horizontal | Pass |
| 2 | 5986.500 | 56.04 | 0.59 | 68.2 | 12.16 | Peak | 226.00 | 200 | Horizontal | Pass |

U-NII-3 11ax80 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5612.084 | 56.37 | 1.28 | 68.2 | 11.83 | Peak | 123.00 | 100 | Horizontal | Pass |
| 2 | 5650.000 | 54.91 | -0.21 | 68.2 | 13.29 | Peak | 33.00 | 100 | Horizontal | Pass |

U-NII-3 11ax80 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.73 | 0.01 | 68.2 | 13.47 | Peak | 353.00 | 100 | Horizontal | Pass |
| 2 | 5984.250 | 56.56 | 0.69 | 68.2 | 11.64 | Peak | 46.00 | 150 | Horizontal | Pass |

U-NII-3 11ax20 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5633.187 | 59.82 | 4.84 | 68.2 | 8.38 | Peak | 215.00 | 100 | Horizontal | Pass |
| 2 | 5650.000 | 56.87 | 4.41 | 68.2 | 11.33 | Peak | 0.00 | 200 | Horizontal | Pass |

U-NII-3 11ax20 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5924.925 | 56.56 | 3.49 | 68.3 | 11.74 | Peak | 132.00 | 150 | Vertical | Pass |
| 2 | 5931.450 | 58.32 | 4.11 | 68.2 | 9.88 | Peak | 254.00 | 100 | Vertical | Pass |

U-NII-3 11ax40 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5637.500 | 59.48 | 4.85 | 68.2 | 8.72 | Peak | 344.00 | 200 | Horizontal | Pass |
| 2 | 5650.000 | 57.54 | 4.41 | 68.2 | 10.66 | Peak | 120.00 | 150 | Horizontal | Pass |

U-NII-3 11ax40 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 55.91 | 3.49 | 68.3 | 12.39 | Peak | 134.00 | 150 | Horizontal | Pass |
| 2 | 5939.775 | 58.90 | 4.39 | 68.2 | 9.30 | Peak | 303.00 | 150 | Horizontal | Pass |

U-NII-3 11ax80 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5624.563 | 62.83 | 4.60 | 68.2 | 5.37 | Peak | 157.00 | 100 | Horizontal | Pass |
| 2 | 5650.000 | 57.41 | 4.41 | 68.2 | 10.79 | Peak | 273.00 | 200 | Horizontal | Pass |

U-NII-3 11ax80 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 56.58 | 3.49 | 68.3 | 11.72 | Peak | 21.00 | 150 | Horizontal | Pass |
| 2 | 5964.150 | 64.95 | 3.86 | 68.2 | 3.25 | Peak | 154.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11a 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5390.000 | 56.89 | 2.31 | 74.0 | 17.11 | Peak | 360.00 | 100 | Horizontal | Pass |
| 1** | 5390.000 | 45.50 | 2.31 | 54.0 | 8.50 | AV | 360.00 | 100 | Horizontal | Pass |
| 2 | 5460.000 | 55.13 | 1.37 | 74.0 | 18.87 | Peak | 278.00 | 150 | Horizontal | Pass |
| 2** | 5460.000 | 44.37 | 1.37 | 54.0 | 9.63 | AV | 278.00 | 150 | Horizontal | Pass |
| 3 | 5468.200 | 56.16 | 1.49 | 68.2 | 12.04 | Peak | 189.00 | 100 | Horizontal | Pass |
| 3** | 5468.200 | 44.52 | 1.49 | -- | -- | AV | 189.00 | 100 | Horizontal | N/A |
| 4 | 5470.000 | 55.41 | 1.09 | 68.2 | 12.79 | Peak | 324.00 | 150 | Horizontal | Pass |
| 4** | 5470.000 | 44.10 | 1.09 | -- | -- | AV | 324.00 | 150 | Horizontal | N/A |

U-NII-2C & U-NII-3 11a 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.55 | 0.01 | 68.2 | 14.65 | Peak | 206.00 | 100 | Horizontal | Pass |
| 2 | 5973.250 | 56.19 | 0.25 | 68.2 | 12.01 | Peak | 14.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11n20 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5386.200 | 56.46 | 1.88 | 74.0 | 17.54 | Peak | 0.00 | 150 | Horizontal | Pass |
| 1** | 5386.200 | 45.02 | 1.88 | 54.0 | 8.98 | AV | 0.00 | 150 | Horizontal | Pass |
| 2 | 5460.000 | 54.76 | 1.37 | 74.0 | 19.24 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2** | 5460.000 | 44.57 | 1.37 | 54.0 | 9.43 | AV | 0.00 | 150 | Horizontal | Pass |
| 3 | 5467.400 | 56.35 | 1.23 | 68.2 | 11.85 | Peak | 120.00 | 100 | Horizontal | Pass |
| 3** | 5467.400 | 44.41 | 1.23 | -- | -- | AV | 120.00 | 100 | Horizontal | N/A |
| 4 | 5470.000 | 55.63 | 1.09 | 68.2 | 12.57 | Peak | 333.00 | 150 | Horizontal | Pass |
| 4** | 5470.000 | 44.23 | 1.09 | -- | -- | AV | 333.00 | 150 | Horizontal | N/A |
| 5 | 5389.200 | 56.05 | 2.14 | 74.0 | 17.95 | Peak | 256.00 | 150 | Horizontal | Pass |
| 5** | 5389.200 | 45.51 | 2.14 | 54.0 | 8.49 | AV | 256.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11n20 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.86 | 0.01 | 68.2 | 14.34 | Peak | 17.00 | 100 | Horizontal | Pass |
| 2 | 5993.250 | 57.44 | 0.93 | 68.2 | 10.76 | Peak | 342.00 | 100 | Horizontal | Pass |

U-NII-2C & U-NII-3 11n40 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5375.200 | 56.79 | 1.24 | 74.0 | 17.21 | Peak | 304.00 | 200 | Horizontal | Pass |
| 1** | 5375.200 | 44.33 | 1.24 | 54.0 | 9.67 | AV | 304.00 | 200 | Horizontal | Pass |
| 2 | 5460.000 | 54.60 | 1.37 | 74.0 | 19.40 | Peak | 272.00 | 100 | Horizontal | Pass |
| 2** | 5460.000 | 44.40 | 1.37 | 54.0 | 9.60 | AV | 272.00 | 100 | Horizontal | Pass |
| 3 | 5464.600 | 55.90 | 1.55 | 68.2 | 12.30 | Peak | 160.00 | 200 | Horizontal | Pass |
| 3** | 5464.600 | 44.63 | 1.55 | -- | -- | AV | 160.00 | 200 | Horizontal | N/A |
| 4 | 5470.000 | 54.72 | 1.09 | 68.2 | 13.48 | Peak | 304.00 | 100 | Horizontal | Pass |
| 4** | 5470.000 | 44.21 | 1.09 | -- | -- | AV | 304.00 | 100 | Horizontal | N/A |
| 5 | 5390.000 | 55.60 | 2.31 | 74.0 | 18.40 | Peak | 96.00 | 150 | Horizontal | Pass |
| 5** | 5390.000 | 45.46 | 2.31 | 54.0 | 8.54 | AV | 96.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11n40 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.73 | 0.01 | 68.2 | 14.47 | Peak | 167.00 | 200 | Horizontal | Pass |
| 2 | 5992.750 | 55.70 | 0.65 | 68.2 | 12.50 | Peak | 119.00 | 200 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ac20 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5387.200 | 56.80 | 2.00 | 74.0 | 17.20 | Peak | 169.00 | 200 | Horizontal | Pass |
| 1** | 5387.200 | 45.18 | 2.00 | 54.0 | 8.82 | AV | 169.00 | 200 | Horizontal | Pass |
| 2 | 5460.000 | 55.04 | 1.37 | 74.0 | 18.96 | Peak | 96.00 | 200 | Horizontal | Pass |
| 2** | 5460.000 | 44.44 | 1.37 | 54.0 | 9.56 | AV | 96.00 | 200 | Horizontal | Pass |
| 3 | 5462.000 | 56.02 | 1.64 | 68.2 | 12.18 | Peak | 0.00 | 100 | Horizontal | Pass |
| 3** | 5462.000 | 44.68 | 1.64 | -- | -- | AV | 0.00 | 100 | Horizontal | N/A |
| 4 | 5470.000 | 54.44 | 1.09 | 68.2 | 13.76 | Peak | 114.00 | 150 | Horizontal | Pass |
| 4** | 5470.000 | 44.44 | 1.09 | -- | -- | AV | 114.00 | 150 | Horizontal | N/A |
| 5 | 5390.000 | 56.41 | 2.31 | 74.0 | 17.59 | Peak | 231.00 | 150 | Horizontal | Pass |
| 5** | 5390.000 | 45.48 | 2.31 | 54.0 | 8.52 | AV | 231.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ac20 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.89 | 0.01 | 68.2 | 14.31 | Peak | 14.00 | 200 | Horizontal | Pass |
| 2 | 5994.000 | 57.06 | 0.75 | 68.2 | 11.14 | Peak | 169.00 | 100 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ac40 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5387.800 | 57.27 | 2.09 | 74.0 | 16.73 | Peak | 60.00 | 150 | Horizontal | Pass |
| 1** | 5387.800 | 45.24 | 2.09 | 54.0 | 8.76 | AV | 60.00 | 150 | Horizontal | Pass |
| 2 | 5460.000 | 55.28 | 1.37 | 74.0 | 18.72 | Peak | 9.00 | 150 | Horizontal | Pass |
| 2** | 5460.000 | 44.33 | 1.37 | 54.0 | 9.67 | AV | 9.00 | 150 | Horizontal | Pass |
| 3 | 5460.400 | 56.76 | 1.33 | 68.2 | 11.44 | Peak | 88.00 | 150 | Horizontal | Pass |
| 3** | 5460.400 | 44.44 | 1.33 | -- | -- | AV | 88.00 | 150 | Horizontal | N/A |
| 4 | 5470.000 | 54.61 | 1.09 | 68.2 | 13.59 | Peak | 98.00 | 100 | Horizontal | Pass |
| 4** | 5470.000 | 44.26 | 1.09 | -- | -- | AV | 98.00 | 100 | Horizontal | N/A |
| 5 | 5390.000 | 55.58 | 2.31 | 74.0 | 18.42 | Peak | 193.00 | 150 | Horizontal | Pass |
| 5** | 5390.000 | 45.56 | 2.31 | 54.0 | 8.44 | AV | 193.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ac40 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.71 | 0.01 | 68.2 | 14.49 | Peak | 56.00 | 100 | Horizontal | Pass |
| 2 | 5978.250 | 56.13 | 0.51 | 68.2 | 12.07 | Peak | 1.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ac80 138 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5384.400 | 57.09 | 2.07 | 74.0 | 16.91 | Peak | 295.00 | 150 | Horizontal | Pass |
| 1** | 5384.400 | 45.14 | 2.07 | 54.0 | 8.86 | AV | 295.00 | 150 | Horizontal | Pass |
| 2 | 5460.000 | 55.01 | 1.37 | 74.0 | 18.99 | Peak | 360.00 | 100 | Horizontal | Pass |
| 2** | 5460.000 | 44.39 | 1.37 | 54.0 | 9.61 | AV | 360.00 | 100 | Horizontal | Pass |
| 3 | 5460.600 | 56.52 | 1.37 | 68.2 | 11.68 | Peak | 263.00 | 100 | Horizontal | Pass |
| 3** | 5460.600 | 44.41 | 1.37 | -- | -- | AV | 263.00 | 100 | Horizontal | N/A |
| 4 | 5470.000 | 54.17 | 1.09 | 68.2 | 14.03 | Peak | 29.00 | 100 | Horizontal | Pass |
| 4** | 5470.000 | 44.14 | 1.09 | -- | -- | AV | 29.00 | 100 | Horizontal | N/A |
| 5 | 5390.000 | 56.04 | 2.31 | 74.0 | 17.96 | Peak | 204.00 | 150 | Horizontal | Pass |
| 5** | 5390.000 | 45.41 | 2.31 | 54.0 | 8.59 | AV | 204.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ac80 138 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.72 | 0.01 | 68.2 | 14.48 | Peak | 186.00 | 200 | Horizontal | Pass |
| 2 | 5980.750 | 55.98 | 0.52 | 68.2 | 12.22 | Peak | 322.00 | 200 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5391.200 | 56.49 | 1.87 | 74.0 | 17.51 | Peak | 145.00 | 200 | Horizontal | Pass |
| 1** | 5391.200 | 45.03 | 1.87 | 54.0 | 8.97 | AV | 145.00 | 200 | Horizontal | Pass |
| 2 | 5460.000 | 55.23 | 1.37 | 74.0 | 18.77 | Peak | 69.00 | 150 | Horizontal | Pass |
| 2** | 5460.000 | 44.46 | 1.37 | 54.0 | 9.54 | AV | 69.00 | 150 | Horizontal | Pass |
| 3 | 5462.800 | 56.14 | 1.23 | 68.2 | 12.06 | Peak | 360.00 | 100 | Horizontal | Pass |
| 3** | 5462.800 | 44.43 | 1.23 | -- | -- | AV | 360.00 | 100 | Horizontal | N/A |
| 4 | 5470.000 | 54.54 | 1.09 | 68.2 | 13.66 | Peak | 27.00 | 200 | Horizontal | Pass |
| 4** | 5470.000 | 44.25 | 1.09 | -- | -- | AV | 27.00 | 200 | Horizontal | N/A |
| 5 | 5390.000 | 55.65 | 2.31 | 74.0 | 18.35 | Peak | 125.00 | 150 | Horizontal | Pass |
| 5** | 5390.000 | 45.58 | 2.31 | 54.0 | 8.42 | AV | 125.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 53.95 | 0.01 | 68.2 | 14.25 | Peak | 321.00 | 200 | Horizontal | Pass |
| 2 | 5985.250 | 56.15 | 0.61 | 68.2 | 12.05 | Peak | 118.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5393.800 | 56.94 | 1.72 | 74.0 | 17.06 | Peak | 181.00 | 100 | Horizontal | Pass |
| 1** | 5393.800 | 44.78 | 1.72 | 54.0 | 9.22 | AV | 181.00 | 100 | Horizontal | Pass |
| 2 | 5460.000 | 54.93 | 1.37 | 74.0 | 19.07 | Peak | 123.00 | 200 | Horizontal | Pass |
| 2** | 5460.000 | 44.38 | 1.37 | 54.0 | 9.62 | AV | 123.00 | 200 | Horizontal | Pass |
| 3 | 5460.800 | 56.78 | 1.49 | 68.2 | 11.42 | Peak | 72.00 | 200 | Horizontal | Pass |
| 3** | 5460.800 | 44.55 | 1.49 | -- | -- | AV | 72.00 | 200 | Horizontal | N/A |
| 4 | 5470.000 | 55.90 | 1.09 | 68.2 | 12.30 | Peak | 136.00 | 150 | Horizontal | Pass |
| 4** | 5470.000 | 44.39 | 1.09 | -- | -- | AV | 136.00 | 150 | Horizontal | N/A |
| 5 | 5390.000 | 56.30 | 2.31 | 74.0 | 17.70 | Peak | 49.00 | 150 | Horizontal | Pass |
| 5** | 5390.000 | 45.49 | 2.31 | 54.0 | 8.51 | AV | 49.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.37 | 0.01 | 68.2 | 13.83 | Peak | 58.00 | 150 | Horizontal | Pass |
| 2 | 5985.750 | 56.28 | 0.65 | 68.2 | 11.92 | Peak | 21.00 | 100 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5394.800 | 56.51 | 1.84 | 74.0 | 17.49 | Peak | 283.00 | 200 | Horizontal | Pass |
| 1** | 5394.800 | 45.00 | 1.84 | 54.0 | 9.00 | AV | 283.00 | 200 | Horizontal | Pass |
| 2 | 5460.000 | 54.57 | 1.37 | 74.0 | 19.43 | Peak | 27.00 | 100 | Horizontal | Pass |
| 2** | 5460.000 | 44.39 | 1.37 | 54.0 | 9.61 | AV | 27.00 | 100 | Horizontal | Pass |
| 3 | 5464.200 | 55.73 | 1.45 | 68.2 | 12.47 | Peak | 235.00 | 200 | Horizontal | Pass |
| 3** | 5464.200 | 44.37 | 1.45 | -- | -- | AV | 235.00 | 200 | Horizontal | N/A |
| 4 | 5470.000 | 55.29 | 1.09 | 68.2 | 12.91 | Peak | 4.00 | 100 | Horizontal | Pass |
| 4** | 5470.000 | 44.27 | 1.09 | -- | -- | AV | 4.00 | 100 | Horizontal | N/A |
| 5 | 5384.600 | 55.35 | 2.13 | 74.0 | 18.65 | Peak | 327.00 | 150 | Horizontal | Pass |
| 5** | 5384.600 | 45.38 | 2.13 | 54.0 | 8.62 | AV | 327.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5925.000 | 54.02 | 0.01 | 68.2 | 14.18 | Peak | 164.00 | 150 | Horizontal | Pass |
| 2 | 5999.000 | 55.99 | 0.73 | 68.2 | 12.21 | Peak | 1.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5365.240 | 59.35 | 4.43 | 74.0 | 14.65 | Peak | 140.00 | 100 | Horizontal | Pass |
| 1** | 5365.240 | 47.56 | 4.43 | 54.0 | 6.44 | AV | 140.00 | 100 | Horizontal | Pass |
| 2 | 5459.980 | 56.67 | 4.04 | 74.0 | 17.33 | Peak | 86.00 | 200 | Horizontal | Pass |
| 2** | 5459.980 | 46.89 | 4.04 | 54.0 | 7.11 | AV | 86.00 | 200 | Horizontal | Pass |
| 3 | 5464.360 | 58.46 | 3.96 | 68.2 | 9.74 | Peak | 8.00 | 100 | Horizontal | Pass |
| 3** | 5464.360 | 46.65 | 3.96 | -- | -- | AV | 8.00 | 100 | Horizontal | N/A |
| 4 | 5469.940 | 56.66 | 4.06 | 68.2 | 11.54 | Peak | 27.00 | 150 | Horizontal | Pass |
| 4** | 5469.940 | 46.62 | 4.06 | -- | -- | AV | 27.00 | 150 | Horizontal | N/A |

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 56.28 | 3.49 | 68.3 | 12.02 | Peak | 264.00 | 100 | Horizontal | Pass |
| 2 | 5948.325 | 59.29 | 3.83 | 68.2 | 8.91 | Peak | 327.00 | 150 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5351.200 | 59.70 | 4.99 | 74.0 | 14.30 | Peak | 109.00 | 200 | Horizontal | Pass |
| 1** | 5351.200 | 48.10 | 4.99 | 54.0 | 5.90 | AV | 109.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 57.22 | 4.04 | 74.0 | 16.78 | Peak | 75.00 | 150 | Horizontal | Pass |
| 2** | 5459.980 | 46.88 | 4.04 | 54.0 | 7.12 | AV | 75.00 | 150 | Horizontal | Pass |
| 3 | 5460.220 | 57.87 | 4.01 | 68.2 | 10.33 | Peak | 237.00 | 150 | Horizontal | Pass |
| 3** | 5460.220 | 46.56 | 4.01 | -- | -- | AV | 237.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 56.00 | 4.06 | 68.2 | 12.20 | Peak | 332.00 | 100 | Horizontal | Pass |
| 4** | 5469.940 | 46.59 | 4.06 | -- | -- | AV | 332.00 | 100 | Horizontal | N/A |

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 56.33 | 3.49 | 68.3 | 11.97 | Peak | 125.00 | 100 | Horizontal | Pass |
| 2 | 5933.700 | 58.55 | 4.27 | 68.2 | 9.65 | Peak | 51.00 | 100 | Horizontal | Pass |

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5359.300 | 59.32 | 4.73 | 74.0 | 14.68 | Peak | 144.00 | 150 | Horizontal | Pass |
| 1** | 5359.300 | 48.01 | 4.73 | 54.0 | 5.99 | AV | 144.00 | 150 | Horizontal | Pass |
| 2 | 5459.980 | 55.91 | 4.04 | 74.0 | 18.09 | Peak | 67.00 | 150 | Horizontal | Pass |
| 2** | 5459.980 | 46.72 | 4.04 | 54.0 | 7.28 | AV | 67.00 | 150 | Horizontal | Pass |
| 3 | 5467.000 | 57.91 | 3.93 | 68.2 | 10.29 | Peak | 96.00 | 150 | Horizontal | Pass |
| 3** | 5467.000 | 46.33 | 3.93 | -- | -- | AV | 96.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 56.00 | 4.06 | 68.2 | 12.20 | Peak | 166.00 | 150 | Horizontal | Pass |
| 4** | 5469.940 | 46.89 | 4.06 | -- | -- | AV | 166.00 | 150 | Horizontal | N/A |

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 55.47 | 3.49 | 68.3 | 12.83 | Peak | 196.00 | 100 | Horizontal | Pass |
| 2 | 5944.650 | 58.98 | 4.19 | 68.2 | 9.22 | Peak | 264.00 | 150 | Horizontal | Pass |

U-NII-5 11ax20 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5650.450 | 59.53 | 4.43 | 88.2 | 28.67 | Peak | 0.00 | 200 | Horizontal | Pass |
| 1** | 5650.450 | 47.41 | 4.43 | 68.2 | 20.79 | AV | 0.00 | 200 | Horizontal | Pass |
| 2 | 5924.788 | 56.27 | 3.47 | 88.2 | 31.93 | Peak | 198.00 | 100 | Horizontal | Pass |
| 2** | 5924.788 | 46.13 | 3.47 | 68.2 | 22.07 | AV | 198.00 | 100 | Horizontal | Pass |

U-NII-5 11ax40 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5664.050 | 59.49 | 4.60 | 88.2 | 28.71 | Peak | 27.00 | 200 | Horizontal | Pass |
| 1** | 5664.050 | 47.93 | 4.60 | 68.2 | 20.27 | AV | 27.00 | 200 | Horizontal | Pass |
| 2 | 5924.788 | 56.35 | 3.47 | 88.2 | 31.85 | Peak | 55.00 | 100 | Horizontal | Pass |
| 2** | 5924.788 | 46.18 | 3.47 | 68.2 | 22.02 | AV | 55.00 | 100 | Horizontal | Pass |

U-NII-5 11ax80 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5636.212 | 59.34 | 4.96 | 88.2 | 28.86 | Peak | 103.00 | 200 | Horizontal | Pass |
| 1** | 5636.212 | 48.18 | 4.96 | 68.2 | 20.02 | AV | 103.00 | 200 | Horizontal | Pass |
| 2 | 5924.788 | 55.71 | 3.47 | 88.2 | 32.49 | Peak | 157.00 | 150 | Horizontal | Pass |
| 2** | 5924.788 | 46.21 | 3.47 | 68.2 | 21.99 | AV | 157.00 | 150 | Horizontal | Pass |

U-NII-5 11ax160 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5632.600 | 59.65 | 4.79 | 88.2 | 28.55 | Peak | 312.00 | 100 | Horizontal | Pass |
| 1** | 5632.600 | 48.02 | 4.79 | 68.2 | 20.18 | AV | 312.00 | 100 | Horizontal | Pass |
| 2 | 5924.788 | 55.47 | 3.47 | 88.2 | 32.73 | Peak | 169.00 | 100 | Horizontal | Pass |
| 2** | 5924.788 | 46.43 | 3.47 | 68.2 | 21.77 | AV | 169.00 | 100 | Horizontal | Pass |

U-NII-5 11ax20 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5780.712 | 60.23 | 4.22 | 88.2 | 27.97 | Peak | 284.00 | 100 | Horizontal | Pass |
| 1** | 5780.712 | 47.37 | 4.22 | 68.2 | 20.83 | AV | 284.00 | 100 | Horizontal | Pass |
| 2 | 5924.788 | 55.50 | 3.47 | 88.2 | 32.70 | Peak | 126.00 | 200 | Horizontal | Pass |
| 2** | 5924.788 | 46.30 | 3.47 | 68.2 | 21.90 | AV | 126.00 | 200 | Horizontal | Pass |

U-NII-5 11ax40 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5664.688 | 59.58 | 4.62 | 88.2 | 28.62 | Peak | 337.00 | 200 | Horizontal | Pass |
| 1** | 5664.688 | 48.17 | 4.62 | 68.2 | 20.03 | AV | 337.00 | 200 | Horizontal | Pass |
| 2 | 5924.788 | 55.67 | 3.47 | 88.2 | 32.53 | Peak | 64.00 | 200 | Horizontal | Pass |
| 2** | 5924.788 | 46.11 | 3.47 | 68.2 | 22.09 | AV | 64.00 | 200 | Horizontal | Pass |

U-NII-5 11ax80 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5634.937 | 59.95 | 4.97 | 88.2 | 28.25 | Peak | 10.00 | 150 | Horizontal | Pass |
| 1** | 5634.937 | 48.47 | 4.97 | 68.2 | 19.73 | AV | 10.00 | 150 | Horizontal | Pass |
| 2 | 5924.788 | 56.21 | 3.47 | 88.2 | 31.99 | Peak | 271.00 | 150 | Horizontal | Pass |
| 2** | 5924.788 | 46.20 | 3.47 | 68.2 | 22.00 | AV | 271.00 | 150 | Horizontal | Pass |

U-NII-5 11ax160 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5602.000 | 59.58 | 5.18 | 88.2 | 28.62 | Peak | 30.00 | 150 | Horizontal | Pass |
| 1** | 5602.000 | 48.45 | 5.18 | 68.2 | 19.75 | AV | 30.00 | 150 | Horizontal | Pass |
| 2 | 5924.788 | 56.94 | 3.47 | 88.2 | 31.26 | Peak | 179.00 | 200 | Horizontal | Pass |
| 2** | 5924.788 | 46.23 | 3.47 | 68.2 | 21.97 | AV | 179.00 | 200 | Horizontal | Pass |

U-NII-8 11ax20 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 7125.000 | 59.47 | 6.89 | 88.2 | 28.73 | Peak | 193.00 | 200 | Horizontal | Pass |
| 1** | 7125.000 | 49.57 | 6.89 | 68.2 | 18.63 | AV | 193.00 | 200 | Horizontal | Pass |
| 2 | 7199.813 | 63.55 | 10.19 | 88.2 | 24.65 | Peak | 38.00 | 150 | Horizontal | Pass |
| 2** | 7199.813 | 52.40 | 10.19 | 68.2 | 15.80 | AV | 38.00 | 150 | Horizontal | Pass |

U-NII-8 11ax20 (SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 7125.063 | 71.99 | 6.90 | 88.2 | 16.21 | Peak | 90.00 | 200 | Horizontal | Pass |
| 1** | 7125.063 | 61.17 | 6.90 | 68.2 | 7.03 | AV | 90.00 | 200 | Horizontal | Pass |
| 2 | 7125.125 | 68.43 | 6.91 | 88.2 | 19.77 | Peak | 90.00 | 200 | Horizontal | Pass |
| 2** | 7125.125 | 60.97 | 6.91 | 68.2 | 7.23 | AV | 90.00 | 200 | Horizontal | Pass |
| 3 | 7125.000 | 70.96 | 6.89 | 88.2 | 17.24 | Peak | 93.00 | 0 | Horizontal | Pass |
| 3** | 7125.000 | 62.39 | 6.89 | 68.2 | 5.81 | AV | 93.00 | 0 | Horizontal | Pass |

U-NII-8 11ax40 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 7125.000 | 60.25 | 6.89 | 88.2 | 27.95 | Peak | 14.00 | 200 | Horizontal | Pass |
| 1** | 7125.000 | 49.65 | 6.89 | 68.2 | 18.55 | AV | 14.00 | 200 | Horizontal | Pass |
| 2 | 7200.125 | 63.34 | 10.14 | 88.2 | 24.86 | Peak | 249.00 | 150 | Horizontal | Pass |
| 2** | 7200.125 | 52.14 | 10.14 | 68.2 | 16.06 | AV | 249.00 | 150 | Horizontal | Pass |

U-NII-8 11ax80 (SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 7125.063 | 59.47 | 6.90 | 88.2 | 28.73 | Peak | 200.00 | 200 | Horizontal | Pass |
| 1** | 7125.063 | 49.38 | 6.90 | 68.2 | 18.82 | AV | 200.00 | 200 | Horizontal | Pass |
| 2 | 7197.938 | 63.84 | 10.24 | 88.2 | 24.36 | Peak | 249.00 | 150 | Horizontal | Pass |
| 2** | 7197.938 | 52.20 | 10.24 | 68.2 | 16.00 | AV | 249.00 | 150 | Horizontal | Pass |

U-NII-8 11ax160 (SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 7125.063 | 59.52 | 6.90 | 88.2 | 28.68 | Peak | 5.00 | 100 | Horizontal | Pass |
| 1** | 7125.063 | 49.84 | 6.90 | 68.2 | 18.36 | AV | 5.00 | 100 | Horizontal | Pass |
| 2 | 7197.687 | 63.57 | 10.24 | 88.2 | 24.63 | Peak | 223.00 | 200 | Horizontal | Pass |
| 2** | 7197.687 | 52.22 | 10.24 | 68.2 | 15.98 | AV | 223.00 | 200 | Horizontal | Pass |

U-NII-8 11ax20 (RU26) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 7125.000 | 59.77 | 6.89 | 88.2 | 28.43 | Peak | 52.00 | 150 | Horizontal | Pass |
| 1** | 7125.000 | 49.47 | 6.89 | 68.2 | 18.73 | AV | 52.00 | 150 | Horizontal | Pass |
| 2 | 7189.938 | 62.99 | 9.50 | 88.2 | 25.21 | Peak | 349.00 | 200 | Horizontal | Pass |
| 2** | 7189.938 | 51.52 | 9.50 | 68.2 | 16.68 | AV | 349.00 | 200 | Horizontal | Pass |

U-NII-8 11ax20 (RU26) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 7125.000 | 74.31 | 6.89 | 88.2 | 13.89 | Peak | 86.00 | 150 | Horizontal | Pass |
| 1** | 7125.000 | 67.19 | 6.89 | 68.2 | 1.01 | AV | 86.00 | 150 | Horizontal | Pass |
| 2 | 7125.250 | 72.88 | 6.91 | 88.2 | 15.32 | Peak | 86.00 | 200 | Horizontal | Pass |
| 2** | 7125.250 | 61.58 | 6.91 | 68.2 | 6.62 | AV | 86.00 | 200 | Horizontal | Pass |
| 3 | 7125.000 | 74.31 | 6.89 | 88.2 | 13.89 | Peak | 86.00 | 150 | Horizontal | Pass |
| 3** | 7125.000 | 67.19 | 6.89 | 68.2 | 1.01 | AV | 86.00 | 150 | Horizontal | Pass |

U-NII-8 11ax40 (RU26) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 7125.000 | 59.73 | 6.89 | 88.2 | 28.47 | Peak | 42.00 | 150 | Horizontal | Pass |
| 1** | 7125.000 | 49.55 | 6.89 | 68.2 | 18.65 | AV | 42.00 | 150 | Horizontal | Pass |
| 2 | 7197.188 | 63.29 | 10.20 | 88.2 | 24.91 | Peak | 130.00 | 100 | Horizontal | Pass |
| 2** | 7197.188 | 52.27 | 10.20 | 68.2 | 15.93 | AV | 130.00 | 100 | Horizontal | Pass |

U-NII-8 11ax80 (RU26) Low Channel



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 7125.063 | 59.28 | 6.90 | 88.2 | 28.92 | Peak | 337.00 | 200 | Horizontal | Pass |
| 1** | 7125.063 | 49.49 | 6.90 | 68.2 | 18.71 | AV | 337.00 | 200 | Horizontal | Pass |
| 2 | 7199.250 | 63.45 | 10.24 | 88.2 | 24.75 | Peak | 254.00 | 150 | Horizontal | Pass |
| 2** | 7199.250 | 52.10 | 10.24 | 68.2 | 16.10 | AV | 254.00 | 150 | Horizontal | Pass |

U-NII-8 11ax160 (RU26) Middle Channel



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 7125.063 | 59.69 | 6.90 | 88.2 | 28.51 | Peak | 355.00 | 200 | Horizontal | Pass |
| 1** | 7125.063 | 49.67 | 6.90 | 68.2 | 18.53 | AV | 355.00 | 200 | Horizontal | Pass |
| 2 | 7197.562 | 63.72 | 10.24 | 88.2 | 24.48 | Peak | 82.00 | 200 | Horizontal | Pass |
| 2** | 7197.562 | 52.14 | 10.24 | 68.2 | 16.06 | AV | 82.00 | 200 | Horizontal | Pass |

A.7 Contention Based Protocol

Interference Signals used for Tests

| Interference Signals Type | Bandwidth (MHz) |
|---------------------------|-----------------|
| AWGN | 10 |

Regulated Threshold Level

| Test Method | Interference threshold level |
|---|--|
| <input checked="" type="checkbox"/> Conducted <input type="checkbox"/> Radiation | The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 2.83 dBi. The Regulated Threshold Level = -62 dBm + G (2.83 dBi) = -59.17 dBm |


Test Data

| U-NII-5 (5925 MHz to 6425 MHz) | | | | | | | | |
|--------------------------------|----------------|-------------------------|-----------------------------|--------------------------------|----------------|---------------------------------|-------------|---------|
| Operation Mode | Channel Number | Channel Frequency (MHz) | AWGN Signal Frequency (MHz) | Measured Detection Level (dBm) | Detection Rate | Regulated Threshold Level (dBm) | Margin (dB) | Verdict |
| 802.11ax (HE20) | 37 | 6135 | 6135 | -66.54 | 90% | -59.17 | 7.37 | Pass |
| 802.11ax (HE160) | 47 | 6185 | 6110 | -71.01 | 100% | -59.17 | 11.84 | Pass |
| | | | 6185 | -68.14 | 100% | -59.17 | 8.97 | Pass |
| | | | 6260 | -63.16 | 100% | -59.17 | 3.99 | Pass |

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 37



Date: 11 APR 2023 16:26:37

802.11ax (HE160)-Channel 47 (Low Edge)




Date: 11 APR 2023 16:27:52

802.11ax (HE160)-Channel 47 (Middle Edge)



Date: 11 APR 2023 16:28:59


802.11ax (HE160)-Channel 47 (High Edge)



Date: 11 APR 2023 16:30:24


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 37




Date: 11.APR 2023 17:12:43

802.11ax (HE160)-Channel 47 (Low Edge)




Date: 11.APR 2023 14:43:13

802.11ax (HE160)-Channel 47 (Middle Edge)



Date: 11.APR 2023 14:50:54

802.11ax (HE160)-Channel 47 (High Edge)



Date: 11.APR 2023 15:00:18

Interference Signals used for Tests

| Interference Signals Type | Bandwidth (MHz) |
|---------------------------|-----------------|
| AWGN | 10 |

Regulated Threshold Level

| Test Method | Interference threshold level |
|---|--|
| <input checked="" type="checkbox"/> Conducted <input type="checkbox"/> Radiation | <p>The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 0.1 dBi.</p> <p>The Regulated Threshold Level = -62 dBm + G (0.1 dBi) = -61.9 dBm</p> |

Test Data

| U-NII-6 (6425 MHz to 6525 MHz) | | | | | | | | |
|--------------------------------|----------------|-------------------------|-----------------------------|--------------------------------|----------------|---------------------------------|-------------|---------|
| Operation Mode | Channel Number | Channel Frequency (MHz) | AWGN Signal Frequency (MHz) | Measured Detection Level (dBm) | Detection Rate | Regulated Threshold Level (dBm) | Margin (dB) | Verdict |
| 802.11ax (HE20) | 97 | 6435 | 6435 | -66.91 | 100% | -61.90 | 5.01 | Pass |
| 802.11ax (HE160) | 111 | 6505 | 6430 | -70.22 | 100% | -61.90 | 8.32 | Pass |
| | | | 6505 | -66.70 | 100% | -61.90 | 4.80 | Pass |
| | | | 6580 | -69.29 | 100% | -61.90 | 7.39 | Pass |

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 97



Date: 11 APR 2023 18:25:48

802.11ax (HE160)-Channel 111 (Low Edge)




Date: 11 APR 2023 18:31:29

802.11ax (HE160)-Channel 111 (Middle Edge)



Date: 11 APR 2023 18:32:28


802.11ax (HE160)-Channel 111 (High Edge)



Date: 11 APR 2023 18:33:56


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 97




Date: 11.APR.2023 17:21:28

802.11ax (HE160)-Channel 111 (Low Edge)




Date: 11.APR.2023 15:08:42

802.11ax (HE160)-Channel 111 (Middle Edge)



Date: 11.APR.2023 15:19:46

802.11ax (HE160)-Channel 111 (High Edge)



Date: 11.APR.2023 15:30:35

Interference Signals used for Tests

| Interference Signals Type | Bandwidth (MHz) |
|---------------------------|-----------------|
| AWGN | 10 |

Regulated Threshold Level

| Test Method | Interference threshold level |
|---|--|
| <input checked="" type="checkbox"/> Conducted <input type="checkbox"/> Radiation | The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 1.28 dBi. The Regulated Threshold Level = -62 dBm + G (1.28 dBi) = -60.72 dBm |


Test Data

| U-NII-7 (6425 MHz to 6875 MHz) | | | | | | | | |
|--------------------------------|----------------|-------------------------|-----------------------------|--------------------------------|----------------|---------------------------------|-------------|---------|
| Operation Mode | Channel Number | Channel Frequency (MHz) | AWGN Signal Frequency (MHz) | Measured Detection Level (dBm) | Detection Rate | Regulated Threshold Level (dBm) | Margin (dB) | Verdict |
| 802.11ax (HE20) | 129 | 6595 | 6595 | -66.29 | 90% | -60.17 | 6.12 | Pass |
| 802.11ax (HE160) | 143 | 6665 | 6590 | -69.57 | 100% | -60.17 | 9.40 | Pass |
| | | | 6665 | -66.88 | 100% | -60.17 | 6.71 | Pass |
| | | | 6740 | -69.19 | 100% | -60.17 | 9.02 | Pass |

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 129




Date: 11 APR 2023 18:24:33

802.11ax (HE160)-Channel 143 (Low Edge)




Date: 11 APR 2023 18:35:04

802.11ax (HE160)-Channel 143 (Middle Edge)



Date: 11 APR 2023 18:36:22


802.11ax (HE160)-Channel 143 (High Edge)



Date: 11 APR 2023 18:37:34


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 129




Date: 11 APR 2023 16:15:30

802.11ax (HE160)-Channel 143 (Low Edge)




Date: 11 APR 2023 15:39:54

802.11ax (HE160)-Channel 143 (Middle Edge)



Date: 11 APR 2023 15:48:40

802.11ax (HE160)-Channel 143 (High Edge)



Date: 11 APR 2023 16:02:56

Interference Signals used for Tests

| Interference Signals Type | Bandwidth (MHz) |
|---------------------------|-----------------|
| AWGN | 10 |

Regulated Threshold Level

| Test Method | Interference threshold level |
|---|--|
| <input checked="" type="checkbox"/> Conducted <input type="checkbox"/> Radiation | The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 3.14 dBi. The Regulated Threshold Level = -62 dBm + G (3.14 dBi) = -58.86 dBm |

Test Data

| U-NII-8 (6875 MHz to 7125 MHz) | | | | | | | | |
|--------------------------------|----------------|-------------------------|-----------------------------|--------------------------------|----------------|---------------------------------|-------------|---------|
| Operation Mode | Channel Number | Channel Frequency (MHz) | AWGN Signal Frequency (MHz) | Measured Detection Level (dBm) | Detection Rate | Regulated Threshold Level (dBm) | Margin (dB) | Verdict |
| 802.11ax (HE20) | 193 | 6915 | 6915 | -64.29 | 90% | -58.50 | 5.79 | Pass |
| 802.11ax (HE160) | 207 | 6985 | 6910 | -68.40 | 100% | -58.50 | 9.90 | Pass |
| | | | 6985 | -65.92 | 90% | -58.50 | 7.42 | Pass |
| | | | 7060 | -68.71 | 100% | -58.50 | 10.21 | Pass |

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 193



Date: 11 APR 2023 18:23:20

802.11ax (HE160)-Channel 207 (Low Edge)




Date: 11 APR 2023 18:38:51

802.11ax (HE160)-Channel 207 (Middle Edge)



Date: 11 APR 2023 18:39:57


802.11ax (HE160)-Channel 207 (High Edge)



Date: 11 APR 2023 18:41:01


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 193




Date: 11 APR 2023 16:38:30

802.11ax (HE160)-Channel 207 (Low Edge)




Date: 11 APR 2023 16:09:58

802.11ax (HE160)-Channel 207 (Middle Edge)



Date: 11 APR 2023 16:15:31

802.11ax (HE160)-Channel 207 (High Edge)




Date: 11 APR 2023 16:23:10

A.8 In-Band Emissions

Test Data and Plots


Main Antenna

11ax20 (SU), U-NII-5, Low Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -60 | -30 | 0.2 | -36.18 | 5918.82 | -53.23 | -64.28 | -13.23 | Pass |
| -30 | -20 | 0.2 | -30 | 5925 | -53.73 | -64.79 | -13.73 | Pass |
| -20 | -11 | 0.2 | -11 | 5944 | -23.53 | -34.58 | -3.53 | Pass |
| -11 | -10 | 0.2 | -11 | 5944 | -23.72 | -34.77 | -3.72 | Pass |
| 10 | 11 | 0.2 | 11 | 5966 | -23.57 | -34.63 | 3.57 | Pass |
| 11 | 20 | 0.2 | 11.28 | 5966.28 | -23.5 | -34.55 | 3.25 | Pass |
| 20 | 30 | 0.2 | 30 | 5985 | -53.28 | -64.33 | 13.28 | Pass |
| 30 | 60 | 0.2 | 38.04 | 5993.04 | -52.33 | -63.38 | 12.33 | Pass |

11ax20 (SU), U-NII-5, Middle Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -75.3 | -37.65 | 0.2 | -40.7373 | 6134.2627 | -53.17 | -63.92 | -13.17 | Pass |
| -37.65 | -25.1 | 0.2 | -37.3488 | 6137.6512 | -53.52 | -64.28 | -13.81 | Pass |
| -25.1 | -13.55 | 0.2 | -13.6293 | 6161.3707 | -30.97 | -41.73 | -10.92 | Pass |
| -13.55 | -12.55 | 0.2 | -13.55 | 6161.45 | -31.66 | -42.41 | -11.66 | Pass |
| 12.55 | 13.55 | 0.2 | 13.55 | 6188.55 | -32.24 | -42.99 | 12.24 | Pass |
| 13.55 | 25.1 | 0.2 | 13.55 | 6188.55 | -31.51 | -42.26 | 11.51 | Pass |
| 25.1 | 37.65 | 0.2 | 37.3488 | 6212.3488 | -54.23 | -64.99 | 14.52 | Pass |
| 37.65 | 75.3 | 0.2 | 39.0807 | 6214.0807 | -53.84 | -64.59 | 13.84 | Pass |

11ax20 (SU), U-NII-5, High Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -77.1 | -38.55 | 0.2 | -44.8722 | 6370.1278 | -54.41 | -65.21 | -14.41 | Pass |
| -38.55 | -25.7 | 0.2 | -38.3187 | 6376.6813 | -54.75 | -65.55 | -14.97 | Pass |
| -25.7 | -13.85 | 0.2 | -13.85 | 6401.15 | -32.72 | -43.52 | -12.72 | Pass |
| -13.85 | -12.85 | 0.2 | -13.85 | 6401.15 | -32.93 | -43.73 | -12.93 | Pass |
| 12.85 | 13.85 | 0.2 | 13.85 | 6428.85 | -33.52 | -44.32 | 13.52 | Pass |
| 13.85 | 25.7 | 0.2 | 13.85 | 6428.85 | -33.14 | -43.94 | 13.14 | Pass |
| 25.7 | 38.55 | 0.2 | 38.4729 | 6453.4729 | -54.64 | -65.44 | 14.71 | Pass |
| 38.55 | 77.1 | 0.2 | 44.7951 | 6459.7951 | -54.53 | -65.33 | 14.53 | Pass |

11ax40 (SU), U-NII-5, Low Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -120 | -60 | 0.4 | -62.16 | 5902.84 | -54.36 | -61.56 | -14.36 | Pass |
| -60 | -40 | 0.4 | -59.76 | 5905.24 | -54.9 | -62.1 | -15.04 | Pass |
| -40 | -21 | 0.4 | -21 | 5944 | -23.31 | -30.51 | -3.31 | Pass |
| -21 | -20 | 0.4 | -21 | 5944 | -23.31 | -30.51 | -3.31 | Pass |
| 20 | 21 | 0.4 | 21 | 5986 | -23.43 | -30.63 | 3.43 | Pass |
| 21 | 40 | 0.4 | 21 | 5986 | -23.43 | -30.63 | 3.43 | Pass |
| 40 | 60 | 0.4 | 59.64 | 6024.64 | -53.96 | -61.17 | 14.18 | Pass |
| 60 | 120 | 0.4 | 63.6 | 6028.6 | -53.84 | -61.04 | 13.84 | Pass |

11ax40 (SU), U-NII-5, Middle Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -137.4 | -68.7 | 0.4 | -71.8602 | 6093.1398 | -53.19 | -60.82 | -13.19 | Pass |
| -68.7 | -45.8 | 0.4 | -68.7 | 6096.3 | -54.21 | -61.85 | -14.21 | Pass |
| -45.8 | -23.9 | 0.4 | - | 6141.035682 | -29.63 | -37.26 | -9.6 | Pass |
| -23.9 | -22.9 | 0.4 | -23.9 | 6141.1 | -29.77 | -37.4 | -9.77 | Pass |
| 22.9 | 23.9 | 0.4 | 23.9 | 6188.9 | -30.33 | -37.96 | 10.33 | Pass |
| 23.9 | 45.8 | 0.4 | 23.9 | 6188.9 | -30.33 | -37.96 | 10.33 | Pass |
| 45.8 | 68.7 | 0.4 | 68.7 | 6233.7 | -54.78 | -62.41 | 14.78 | Pass |
| 68.7 | 137.4 | 0.4 | 71.9976 | 6236.9976 | -54.63 | -62.26 | 14.63 | Pass |

11ax40 (SU), U-NII-5, High Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -120 | -60 | 0.4 | -61.2 | 6343.8 | -54.44 | -61.9 | -14.44 | Pass |
| -60 | -40 | 0.4 | -60 | 6345 | -55.16 | -62.62 | -15.16 | Pass |
| -40 | -21 | 0.4 | -21 | 6384 | -23.03 | -30.49 | -3.03 | Pass |
| -21 | -20 | 0.4 | -21 | 6384 | -23.03 | -30.49 | -3.03 | Pass |
| 20 | 21 | 0.4 | 21 | 6426 | -23.7 | -31.15 | 3.7 | Pass |
| 21 | 40 | 0.4 | 21.169415 | 6426.169415 | -23.76 | -31.22 | 3.69 | Pass |
| 40 | 60 | 0.4 | 59.64 | 6464.64 | -55.46 | -62.92 | 15.67 | Pass |
| 60 | 120 | 0.4 | 67.68 | 6472.68 | -54.71 | -62.17 | 14.71 | Pass |

11ax80 (SU), U-NII-5, Low Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -240 | -120 | 0.8 | -123.12 | 5861.88 | -55.3 | -59.78 | -15.3 | Pass |
| -120 | -80 | 0.8 | -118.08 | 5866.92 | -55.93 | -60.41 | -16.5 | Pass |
| -80 | -41 | 0.8 | -41.13943 | 5943.86057 | -25.08 | -29.56 | -5.06 | Pass |
| -41 | -40 | 0.8 | -41 | 5944 | -25.08 | -29.56 | -5.08 | Pass |
| 40 | 41 | 0.8 | 41 | 6026 | -25.51 | -29.99 | 5.51 | Pass |
| 41 | 80 | 0.8 | 41 | 6026 | -25.51 | -29.99 | 5.51 | Pass |
| 80 | 120 | 0.8 | 118.08 | 6103.08 | -55.46 | -59.94 | 16.03 | Pass |
| 120 | 240 | 0.8 | 121.92 | 6106.92 | -54.75 | -59.23 | 14.75 | Pass |

11ax80 (SU), U-NII-5, Middle Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -240 | -120 | 0.8 | -120.96 | 6024.04 | -54.82 | -58.91 | -14.82 | Pass |
| -120 | -80 | 0.8 | -120 | 6025 | -55.34 | -59.42 | -15.34 | Pass |
| -80 | -41 | 0.8 | -41.13943 | 6103.86057 | -24.29 | -28.38 | -4.26 | Pass |
| -41 | -40 | 0.8 | -41 | 6104 | -24.55 | -28.64 | -4.55 | Pass |
| 40 | 41 | 0.8 | 41 | 6186 | -25.64 | -29.73 | 5.64 | Pass |
| 41 | 80 | 0.8 | 41 | 6186 | -25.64 | -29.73 | 5.64 | Pass |
| 80 | 120 | 0.8 | 120 | 6265 | -56.41 | -60.49 | 16.41 | Pass |
| 120 | 240 | 0.8 | 124.32 | 6269.32 | -55.72 | -59.8 | 15.72 | Pass |

11ax80 (SU), U-NII-5, High Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -240 | -120 | 0.8 | -137.04 | 6247.96 | -55.58 | -60.06 | -15.58 | Pass |
| -120 | -80 | 0.8 | -119.52 | 6265.48 | -56.14 | -60.62 | -16.28 | Pass |
| -80 | -41 | 0.8 | -41.13943 | 6343.86057 | -24.9 | -29.38 | -4.87 | Pass |
| -41 | -40 | 0.8 | -41 | 6344 | -25.02 | -29.5 | -5.02 | Pass |
| 40 | 41 | 0.8 | 41 | 6426 | -25.42 | -29.9 | 5.42 | Pass |
| 41 | 80 | 0.8 | 41 | 6426 | -25.42 | -29.9 | 5.42 | Pass |
| 80 | 120 | 0.8 | 119.76 | 6504.76 | -56.21 | -60.69 | 16.28 | Pass |
| 120 | 240 | 0.8 | 124.08 | 6509.08 | -55.92 | -60.4 | 15.92 | Pass |

11ax160 (SU), U-NII-5, Low Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -493.5 | -246.75 | 1.6 | -247.737 | 5777.263 | -52.98 | -54.89 | -12.98 | Pass |
| -246.75 | -164.5 | 1.6 | -246.2565 | 5778.7435 | -52.87 | -54.77 | -12.94 | Pass |
| -164.5 | -83.25 | 1.6 | -83.25 | 5941.75 | -29.18 | -31.08 | -9.18 | Pass |
| -83.25 | -82.25 | 1.6 | -83.25 | 5941.75 | -29.18 | -31.08 | -9.18 | Pass |
| 82.25 | 83.25 | 1.6 | 83.25 | 6108.25 | -31.48 | -33.38 | 11.48 | Pass |
| 83.25 | 164.5 | 1.6 | 152.16866 6 | 6177.1686 66 | -38.11 | -40.02 | 11.33 | Pass |
| 164.5 | 246.75 | 1.6 | 246.75 | 6271.75 | -53.97 | -55.88 | 13.97 | Pass |
| 246.75 | 493.5 | 1.6 | 375.06 | 6400.06 | -52.45 | -54.36 | 12.45 | Pass |

11ax160 (SU), U-NII-5, Middle Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -492.3 | -246.15 | 1.6 | -248.1192 | 5936.8808 | -52.01 | -53.89 | -12.01 | Pass |
| -246.15 | -164.1 | 1.6 | -245.1654 | 5939.8346 | -52.28 | -54.16 | -12.42 | Pass |
| -164.1 | -83.05 | 1.6 | -83.05 | 6101.95 | -27.87 | -29.75 | -7.87 | Pass |
| -83.05 | -82.05 | 1.6 | -83.05 | 6101.95 | -27.87 | -29.75 | -7.87 | Pass |
| 82.05 | 83.05 | 1.6 | 83.05 | 6268.05 | -29.84 | -31.72 | 9.84 | Pass |
| 83.05 | 164.1 | 1.6 | 83.05 | 6268.05 | -29.84 | -31.72 | 9.84 | Pass |
| 164.1 | 246.15 | 1.6 | 215.1351 | 6400.1351 | -48.5 | -50.38 | 13.04 | Pass |
| 246.15 | 492.3 | 1.6 | 246.15 | 6431.15 | -53.29 | -55.17 | 13.29 | Pass |

11ax160 (SU), U-NII-5, High Channel



| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -493.8 | -246.9 | 1.6 | -248.8752 | 6096.1248 | -50.62 | -52.57 | -10.62 | Pass |
| -246.9 | -164.6 | 1.6 | -246.4062 | 6098.5938 | -51.17 | -53.12 | -11.24 | Pass |
| -164.6 | -83.3 | 1.6 | -83.3 | 6261.7 | -28.44 | -30.39 | -8.44 | Pass |
| -83.3 | -82.3 | 1.6 | -83.3 | 6261.7 | -28.44 | -30.39 | -8.44 | Pass |
| 82.3 | 83.3 | 1.6 | 83.3 | 6428.3 | -30.02 | -31.97 | 10.02 | Pass |
| 83.3 | 164.6 | 1.6 | 83.3 | 6428.3 | -30.02 | -31.97 | 10.02 | Pass |
| 164.6 | 246.9 | 1.6 | 245.4186 | 6590.4186 | -52.79 | -54.74 | 13.01 | Pass |
| 246.9 | 493.8 | 1.6 | 247.3938 | 6592.3938 | -52.7 | -54.65 | 12.7 | Pass |

11ax20 (SU), U-NII-6, Low Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -74.4 | -37.2 | 0.2 | -37.944 | 6397.056 | -53.61 | -67.08 | -13.61 | Pass |
| -37.2 | -24.8 | 0.2 | -35.0424 | 6399.9576 | -46.01 | -59.49 | -8.1 | Pass |
| -24.8 | -13.4 | 0.2 | -13.4664 | 6421.5336 | -31.19 | -44.66 | -11.14 | Pass |
| -13.4 | -12.4 | 0.2 | -13.4 | 6421.6 | -31.41 | -44.88 | -11.41 | Pass |
| 12.4 | 13.4 | 0.2 | 13.4 | 6448.4 | -31.91 | -45.39 | 11.91 | Pass |
| 13.4 | 24.8 | 0.2 | 13.4 | 6448.4 | -31.92 | -45.39 | 11.92 | Pass |
| 24.8 | 37.2 | 0.2 | 37.2 | 6472.2 | -54.03 | -67.51 | 14.03 | Pass |
| 37.2 | 74.4 | 0.2 | 38.0184 | 6473.0184 | -53.66 | -67.13 | 13.66 | Pass |

11ax20 (SU), U-NII-6, Middle Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -60 | -30 | 0.2 | -34.5 | 6440.5 | -53.52 | -66.88 | -13.52 | Pass |
| -30 | -20 | 0.2 | -29.76 | 6445.24 | -54.24 | -67.59 | -14.53 | Pass |
| -20 | -11 | 0.2 | -11.28 | 6463.72 | -23.6 | -36.96 | -3.35 | Pass |
| -11 | -10 | 0.2 | -11 | 6464 | -23.66 | -37.02 | -3.66 | Pass |
| 10 | 11 | 0.2 | 11 | 6486 | -23.54 | -36.9 | 3.54 | Pass |
| 11 | 20 | 0.2 | 11.22 | 6486.22 | -23.3 | -36.65 | 3.1 | Pass |
| 20 | 30 | 0.2 | 29.94 | 6504.94 | -53.56 | -66.92 | 13.63 | Pass |
| 30 | 60 | 0.2 | 38.1 | 6513.1 | -53.1 | -66.46 | 13.1 | Pass |

11ax20 (SU), U-NII-6, High Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -76.8 | -38.4 | 0.2 | -38.9376 | 6476.0624 | -53.53 | -66.59 | -13.53 | Pass |
| -38.4 | -25.6 | 0.2 | -38.4 | 6476.6 | -54.57 | -67.63 | -14.57 | Pass |
| -25.6 | -13.8 | 0.2 | -13.9008 | 6501.0992 | -32.63 | -45.69 | -12.56 | Pass |
| -13.8 | -12.8 | 0.2 | -13.8 | 6501.2 | -32.69 | -45.74 | -12.69 | Pass |
| 12.8 | 13.8 | 0.2 | 13.8 | 6528.8 | -32.99 | -46.04 | 12.99 | Pass |
| 13.8 | 25.6 | 0.2 | 13.9008 | 6528.9008 | -33.68 | -46.73 | 13.61 | Pass |
| 25.6 | 38.4 | 0.2 | 38.1696 | 6553.1696 | -54.03 | -67.09 | 14.25 | Pass |
| 38.4 | 76.8 | 0.2 | 40.1664 | 6555.1664 | -54.15 | -67.2 | 14.15 | Pass |

11ax40 (SU), U-NII-6, Low Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -120 | -60 | 0.4 | -62.64 | 6382.36 | -54.75 | -64.74 | -14.75 | Pass |
| -60 | -40 | 0.4 | -59.4 | 6385.6 | -54.88 | -64.86 | -15.24 | Pass |
| -40 | -21 | 0.4 | - | 6423.8305 85 | -23.28 | -33.27 | -3.21 | Pass |
| -21 | -20 | 0.4 | -21 | 6424 | -23.54 | -33.53 | -3.54 | Pass |
| 20 | 21 | 0.4 | 21 | 6466 | -24.31 | -34.3 | 4.31 | Pass |
| 21 | 40 | 0.4 | 21.289355 | 6466.2893 55 | -24.33 | -34.31 | 4.2 | Pass |
| 40 | 60 | 0.4 | 59.76 | 6504.76 | -54.62 | -64.6 | 14.76 | Pass |
| 60 | 120 | 0.4 | 63.24 | 6508.24 | -54.37 | -64.36 | 14.37 | Pass |

11ax40 (SU), U-NII-6, Middle Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -120 | -60 | 0.4 | -85.08 | 6399.92 | -48.75 | -58.7 | -8.75 | Pass |
| -60 | -40 | 0.4 | -59.4 | 6425.6 | -55.1 | -65.05 | -15.46 | Pass |
| -40 | -21 | 0.4 | -21 | 6464 | -23.71 | -33.66 | -3.71 | Pass |
| -21 | -20 | 0.4 | -21 | 6464 | -23.71 | -33.66 | -3.71 | Pass |
| 20 | 21 | 0.4 | 21 | 6506 | -23.6 | -33.55 | 3.6 | Pass |
| 21 | 40 | 0.4 | 21 | 6506 | -23.6 | -33.55 | 3.6 | Pass |
| 40 | 60 | 0.4 | 59.88 | 6544.88 | -55.12 | -65.07 | 15.19 | Pass |
| 60 | 120 | 0.4 | 61.8 | 6546.8 | -54.61 | -64.56 | 14.61 | Pass |

11ax40 (SU), U-NII-6, High Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|------------------------|----------------|-----------------|-------------|---------|
| -120 | -60 | 0.4 | -61.44 | 6463.56 | -54.87 | -64.49 | -14.87 | Pass |
| -60 | -40 | 0.4 | -59.64 | 6465.36 | -55.18 | -64.79 | -15.39 | Pass |
| -40 | -21 | 0.4 | - | 6503.8305 21.169415 | -23.6 | -33.22 | -3.53 | Pass |
| -21 | -20 | 0.4 | -21 | 6504 | -23.73 | -33.34 | -3.73 | Pass |
| 20 | 21 | 0.4 | 21 | 6546 | -23.87 | -33.48 | 3.87 | Pass |
| 21 | 40 | 0.4 | 21 | 6546 | -23.87 | -33.48 | 3.87 | Pass |
| 40 | 60 | 0.4 | 59.88 | 6584.88 | -55.66 | -65.28 | 15.73 | Pass |
| 60 | 120 | 0.4 | 63.96 | 6588.96 | -54.85 | -64.47 | 14.85 | Pass |

11ax80 (SU), U-NII-6, Low Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -240 | -120 | 0.8 | -143.76 | 6321.24 | -56.2 | -63.05 | -16.2 | Pass |
| -120 | -80 | 0.8 | -119.76 | 6345.24 | -56.65 | -63.5 | -16.72 | Pass |
| -80 | -41 | 0.8 | -41.61919 | 6423.3808 1 | -25.48 | -32.34 | -5.36 | Pass |
| -41 | -40 | 0.8 | -41 | 6424 | -25.59 | -32.45 | -5.59 | Pass |
| 40 | 41 | 0.8 | 41 | 6506 | -25.57 | -32.42 | 5.57 | Pass |
| 41 | 80 | 0.8 | 41.37931 | 6506.3793 1 | -25.64 | -32.5 | 5.56 | Pass |
| 80 | 120 | 0.8 | 120 | 6585 | -56.5 | -63.36 | 16.5 | Pass |
| 120 | 240 | 0.8 | 120.96 | 6585.96 | -55.91 | -62.77 | 15.91 | Pass |

11ax80 (SU), U-NII-6, High Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -240 | -120 | 0.8 | -144.96 | 6400.04 | -51.55 | -58.27 | -11.55 | Pass |
| -120 | -80 | 0.8 | -120 | 6425 | -55.87 | -62.59 | -15.87 | Pass |
| -80 | -41 | 0.8 | -41 | 6504 | -24.93 | -31.65 | -4.93 | Pass |
| -41 | -40 | 0.8 | -41 | 6504 | -24.93 | -31.65 | -4.93 | Pass |
| 40 | 41 | 0.8 | 41 | 6586 | -25.75 | -32.47 | 5.75 | Pass |
| 41 | 80 | 0.8 | 41.37931 | 6586.3793 1 | -25.73 | -32.45 | 5.65 | Pass |
| 80 | 120 | 0.8 | 119.28 | 6664.28 | -57.23 | -63.95 | 17.45 | Pass |
| 120 | 240 | 0.8 | 124.32 | 6669.32 | -56.63 | -63.35 | 16.63 | Pass |

11ax160 (SU), U-NII-6, Middle Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -491.4 | -245.7 | 1.6 | -251.1054 | 6253.8946 | -52.8 | -57.15 | -12.8 | Pass |
| -245.7 | -163.8 | 1.6 | -241.2774 | 6263.7226 | -52.14 | -56.49 | -12.79 | Pass |
| -163.8 | -82.9 | 1.6 | -82.9 | 6422.1 | -28.94 | -33.28 | -8.94 | Pass |
| -82.9 | -81.9 | 1.6 | -82.9 | 6422.1 | -28.94 | -33.28 | -8.94 | Pass |
| 81.9 | 82.9 | 1.6 | 82.9 | 6587.9 | -29.73 | -34.08 | 9.73 | Pass |
| 82.9 | 163.8 | 1.6 | 82.9 | 6587.9 | -29.73 | -34.08 | 9.73 | Pass |
| 163.8 | 245.7 | 1.6 | 243.7344 | 6748.7344 | -54.05 | -58.4 | 14.34 | Pass |
| 245.7 | 491.4 | 1.6 | 248.6484 | 6753.6484 | -54.34 | -58.69 | 14.34 | Pass |

11ax20 (SU), U-NII-7, Low Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -76.8 | -38.4 | 0.2 | -71.7312 | 6463.2688 | -53.64 | -67.32 | -13.64 | Pass |
| -38.4 | -25.6 | 0.2 | -38.016 | 6496.984 | -53.92 | -67.61 | -14.28 | Pass |
| -25.6 | -13.8 | 0.2 | -13.824 | 6521.176 | -30.98 | -44.66 | -10.97 | Pass |
| -13.8 | -12.8 | 0.2 | -13.8 | 6521.2 | -31.05 | -44.73 | -11.05 | Pass |
| 12.8 | 13.8 | 0.2 | 13.8 | 6548.8 | -32.47 | -46.15 | 12.47 | Pass |
| 13.8 | 25.6 | 0.2 | 13.8 | 6548.8 | -32.21 | -45.89 | 12.21 | Pass |
| 25.6 | 38.4 | 0.2 | 37.8624 | 6572.8624 | -53.86 | -67.55 | 14.37 | Pass |
| 38.4 | 76.8 | 0.2 | 40.4736 | 6575.4736 | -53.75 | -67.44 | 13.75 | Pass |

11ax20 (SU), U-NII-7, Middle Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -60 | -30 | 0.2 | -35.82 | 6679.18 | -54.43 | -67.64 | -14.43 | Pass |
| -30 | -20 | 0.2 | -29.88 | 6685.12 | -54.82 | -68.04 | -14.97 | Pass |
| -20 | -11 | 0.2 | -11 | 6704 | -23.08 | -36.3 | -3.08 | Pass |
| -11 | -10 | 0.2 | -11 | 6704 | -23.36 | -36.58 | -3.36 | Pass |
| 10 | 11 | 0.2 | 11 | 6726 | -24.56 | -37.78 | 4.56 | Pass |
| 11 | 20 | 0.2 | 11.34 | 6726.34 | -24.34 | -37.55 | 4.04 | Pass |
| 20 | 30 | 0.2 | 29.82 | 6744.82 | -54.68 | -67.9 | 14.9 | Pass |
| 30 | 60 | 0.2 | 32.94 | 6747.94 | -54.38 | -67.6 | 14.38 | Pass |

11ax20 (SU), U-NII-7, High Channel




| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -60 | -30 | 0.2 | -59.76 | 6795.24 | -54.18 | -68.09 | -14.18 | Pass |
| -30 | -20 | 0.2 | -29.52 | 6825.48 | -54.11 | -68.02 | -14.68 | Pass |
| -20 | -11 | 0.2 | -11.04 | 6843.96 | -23.12 | -37.04 | -3.09 | Pass |
| -11 | -10 | 0.2 | -11 | 6844 | -23.24 | -37.15 | -3.24 | Pass |
| 10 | 11 | 0.2 | 11 | 6866 | -23.54 | -37.45 | 3.54 | Pass |
| 11 | 20 | 0.2 | 11.16 | 6866.16 | -24.22 | -38.14 | 4.08 | Pass |
| 20 | 30 | 0.2 | 29.94 | 6884.94 | -54.79 | -68.71 | 14.86 | Pass |
| 30 | 60 | 0.2 | 37.92 | 6892.92 | -54.17 | -68.08 | 14.17 | Pass |

11ax40 (SU), U-NII-7, Low Channel



| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|------------------------------|----------------|-----------------|-------------|---------|
| -120 | -60 | 0.4 | -63.84 | 6501.16 | -53.76 | -64.7 | -13.76 | Pass |
| -60 | -40 | 0.4 | -60 | 6505 | -54.34 | -65.29 | -14.34 | Pass |
| -40 | -21 | 0.4 | - | 6543.8305 21.169415 85 | -23.14 | -34.09 | -3.07 | Pass |
| -21 | -20 | 0.4 | -21 | 6544 | -23.44 | -34.38 | -3.44 | Pass |
| 20 | 21 | 0.4 | 21 | 6586 | -23.59 | -34.53 | 3.59 | Pass |
| 21 | 40 | 0.4 | 21 | 6586 | -23.59 | -34.53 | 3.59 | Pass |
| 40 | 60 | 0.4 | 59.64 | 6624.64 | -54.8 | -65.74 | 15.02 | Pass |
| 60 | 120 | 0.4 | 63.12 | 6628.12 | -54.3 | -65.24 | 14.3 | Pass |

11ax40 (SU), U-NII-7, Middle Channel



| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Frequency Rel (MHz) | Frequency Abs (MHz) | Power Rel (dB) | Power Abs (dBm) | Margin (dB) | Verdict |
|-----------------------|----------------------|-----------|---------------------|---------------------|----------------|-----------------|-------------|---------|
| -120 | -60 | 0.4 | -72.48 | 6652.52 | -54.21 | -65.08 | -14.21 | Pass |
| -60 | -40 | 0.4 | -59.52 | 6665.48 | -54.13 | -65 | -14.42 | Pass |
| -40 | -21 | 0.4 | -21 | 6704 | -23.31 | -34.17 | -3.31 | Pass |
| -21 | -20 | 0.4 | -21 | 6704 | -23.31 | -34.17 | -3.31 | Pass |
| 20 | 21 | 0.4 | 21 | 6746 | -23.56 | -34.42 | 3.56 | Pass |
| 21 | 40 | 0.4 | 21.049475 | 6746.049475 | -23.41 | -34.28 | 3.39 | Pass |
| 40 | 60 | 0.4 | 59.76 | 6784.76 | -54.72 | -65.59 | 14.86 | Pass |
| 60 | 120 | 0.4 | 87.36 | 6812.36 | -54.39 | -65.25 | 14.39 | Pass |