




802.11n-20 MHz CHANNEL 6, SPURIOUS
30 MHz ~ 3 GHz




802.11n-20 MHz CHANNEL 6, SPURIOUS
2 GHz ~ 25 GHz




802.11n-20 MHz CHANNEL 11 CARRIER LEVEL




802.11n-20 MHz CHANNEL 11, SPURIOUS
30 MHz ~ 3 GHz




802.11n-20 MHz CHANNEL 11, SPURIOUS
2 GHz ~ 25 GHz



802.11n-20 MHz CHANNEL 12 CARRIER LEVEL




802.11n-20 MHz CHANNEL 12, SPURIOUS
30 MHz ~ 3 GHz




802.11n-20 MHz CHANNEL 12, SPURIOUS
2 GHz ~ 25 GHz



802.11n-20 MHz CHANNEL 13 CARRIER LEVEL



802.11n-20 MHz CHANNEL 13, SPURIOUS
30 MHz ~ 3 GHz




802.11n-20 MHz CHANNEL 13, SPURIOUS
2 GHz ~ 25 GHz



802.11n-40 MHz CHANNEL 3 CARRIER LEVEL




802.11n-40 MHz CHANNEL 3, SPURIOUS
30 MHz ~ 3 GHz




802.11n-40 MHz CHANNEL 3, SPURIOUS
2 GHz ~ 25 GHz



802.11n-40 MHz CHANNEL 6 CARRIER LEVEL




802.11n-40 MHz CHANNEL 6, SPURIOUS
30 MHz ~ 3 GHz




802.11n-40 MHz CHANNEL 6, SPURIOUS
2 GHz ~ 25 GHz



802.11n-40 MHz CHANNEL 9 CARRIER LEVEL




802.11n-40 MHz CHANNEL 9, SPURIOUS
30 MHz ~ 3 GHz




802.11n-40 MHz CHANNEL 9, SPURIOUS
2 GHz ~ 25 GHz



802.11n-40 MHz CHANNEL 10 CARRIER LEVEL




802.11n-40 MHz CHANNEL 10, SPURIOUS
30 MHz ~ 3 GHz




802.11n-40 MHz CHANNEL 10, SPURIOUS
2 GHz ~ 25 GHz



802.11n-40 MHz CHANNEL 11 CARRIER LEVEL




802.11n-40 MHz CHANNEL 11, SPURIOUS
30 MHz ~ 3 GHz




802.11n-40 MHz CHANNEL 11, SPURIOUS
2 GHz ~ 25 GHz



802.11ax-20 MHz(SU) CHANNEL 1 CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 1, SPURIOUS
30 MHz ~ 3 GHz




802.11ax-20 MHz(SU) CHANNEL 1, SPURIOUS
2 GHz ~ 25 GHz



802.11ax-20 MHz(SU) CHANNEL 6 CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 6, SPURIOUS
30 MHz ~ 3 GHz




802.11ax-20 MHz(SU) CHANNEL 6, SPURIOUS
2 GHz ~ 25 GHz



802.11ax-20 MHz(SU) CHANNEL 11 CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 11, SPURIOUS 30 MHz ~ 3 GHz




802.11ax-20 MHz(SU) CHANNEL 11, SPURIOUS 2 GHz ~ 25 GHz



802.11ax-20 MHz(SU) CHANNEL 12 CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 12, SPURIOUS
30 MHz ~ 3 GHz




802.11ax-20 MHz(SU) CHANNEL 12, SPURIOUS
2 GHz ~ 25 GHz




802.11ax-20 MHz(SU) CHANNEL 13 CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 13, SPURIOUS
30 MHz ~ 3 GHz




802.11ax-20 MHz(SU) CHANNEL 13, SPURIOUS
2 GHz ~ 25 GHz



802.11ax-40 MHz(SU) CHANNEL 3 CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 3, SPURIOUS
30 MHz ~ 3 GHz




802.11ax-40 MHz(SU) CHANNEL 3, SPURIOUS
2 GHz ~ 25 GHz




802.11ax-40 MHz(SU) CHANNEL 6 CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 6, SPURIOUS
30 MHz ~ 3 GHz




802.11ax-40 MHz(SU) CHANNEL 6, SPURIOUS
2 GHz ~ 25 GHz




802.11ax-40 MHz(SU) CHANNEL 9 CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 9, SPURIOUS
30 MHz ~ 3 GHz




802.11ax-40 MHz(SU) CHANNEL 9, SPURIOUS
2 GHz ~ 25 GHz



802.11ax-40 MHz(SU) CHANNEL 10 CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 10, SPURIOUS 30 MHz ~ 3 GHz




802.11ax-40 MHz(SU) CHANNEL 10, SPURIOUS 2 GHz ~ 25 GHz



802.11ax-40 MHz(SU) CHANNEL 11 CARRIER LEVEL



802.11ax-40 MHz(SU) CHANNEL 11, SPURIOUS
30 MHz ~ 3 GHz




802.11ax-40 MHz(SU) CHANNEL 11, SPURIOUS
2 GHz ~ 25 GHz




MIMO-Aux. Antenna

802.11n-20 MHz CHANNEL 1 CARRIER LEVEL




802.11n-20 MHz CHANNEL 1, SPURIOUS
30 MHz ~ 3 GHz




802.11n-20 MHz CHANNEL 1, SPURIOUS
2 GHz ~ 25 GHz




802.11n-20 MHz CHANNEL 6 CARRIER LEVEL



802.11n-20 MHz CHANNEL 6, SPURIOUS
30 MHz ~ 3 GHz




802.11n-20 MHz CHANNEL 6, SPURIOUS
2 GHz ~ 25 GHz



802.11n-20 MHz CHANNEL 11 CARRIER LEVEL




802.11n-20 MHz CHANNEL 11, SPURIOUS
30 MHz ~ 3 GHz




802.11n-20 MHz CHANNEL 11, SPURIOUS
2 GHz ~ 25 GHz




802.11n-20 MHz CHANNEL 12 CARRIER LEVEL




802.11n-20 MHz CHANNEL 12, SPURIOUS
30 MHz ~ 3 GHz




802.11n-20 MHz CHANNEL 12, SPURIOUS
2 GHz ~ 25 GHz




802.11n-20 MHz CHANNEL 13 CARRIER LEVEL




802.11n-20 MHz CHANNEL 13, SPURIOUS
30 MHz ~ 3 GHz




802.11n-20 MHz CHANNEL 13, SPURIOUS
2 GHz ~ 25 GHz




802.11n-40 MHz CHANNEL 3 CARRIER LEVEL




802.11n-40 MHz CHANNEL 3, SPURIOUS
30 MHz ~ 3 GHz




802.11n-40 MHz CHANNEL 3, SPURIOUS
2 GHz ~ 25 GHz




802.11n-40 MHz CHANNEL 6 CARRIER LEVEL




802.11n-40 MHz CHANNEL 6, SPURIOUS
30 MHz ~ 3 GHz




802.11n-40 MHz CHANNEL 6, SPURIOUS
2 GHz ~ 25 GHz



802.11n-40 MHz CHANNEL 9 CARRIER LEVEL




802.11n-40 MHz CHANNEL 9, SPURIOUS
30 MHz ~ 3 GHz




802.11n-40 MHz CHANNEL 9, SPURIOUS
2 GHz ~ 25 GHz



802.11n-40 MHz CHANNEL 10 CARRIER LEVEL




802.11n-40 MHz CHANNEL 10, SPURIOUS
30 MHz ~ 3 GHz




802.11n-40 MHz CHANNEL 10, SPURIOUS
2 GHz ~ 25 GHz



802.11n-40 MHz CHANNEL 11 CARRIER LEVEL




802.11n-40 MHz CHANNEL 11, SPURIOUS
30 MHz ~ 3 GHz




802.11n-40 MHz CHANNEL 11, SPURIOUS
2 GHz ~ 25 GHz



802.11ax-20 MHz(SU) CHANNEL 1 CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 1, SPURIOUS
30 MHz ~ 3 GHz




802.11ax-20 MHz(SU) CHANNEL 1, SPURIOUS
2 GHz ~ 25 GHz




802.11ax-20 MHz(SU) CHANNEL 6 CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 6, SPURIOUS
30 MHz ~ 3 GHz




802.11ax-20 MHz(SU) CHANNEL 6, SPURIOUS
2 GHz ~ 25 GHz



802.11ax-20 MHz(SU) CHANNEL 11 CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 11, SPURIOUS 30 MHz ~ 3 GHz




802.11ax-20 MHz(SU) CHANNEL 11, SPURIOUS 2 GHz ~ 25 GHz



802.11ax-20 MHz(SU) CHANNEL 12 CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 12, SPURIOUS
30 MHz ~ 3 GHz




802.11ax-20 MHz(SU) CHANNEL 12, SPURIOUS
2 GHz ~ 25 GHz



802.11ax-20 MHz(SU) CHANNEL 13 CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 13, SPURIOUS
30 MHz ~ 3 GHz




802.11ax-20 MHz(SU) CHANNEL 13, SPURIOUS
2 GHz ~ 25 GHz



802.11ax-40 MHz(SU) CHANNEL 3 CARRIER LEVEL



802.11ax-40 MHz(SU) CHANNEL 3, SPURIOUS 30 MHz ~ 3 GHz




802.11ax-40 MHz(SU) CHANNEL 3, SPURIOUS 2 GHz ~ 25 GHz



802.11ax-40 MHz(SU) CHANNEL 6 CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 6, SPURIOUS
30 MHz ~ 3 GHz




802.11ax-40 MHz(SU) CHANNEL 6, SPURIOUS
2 GHz ~ 25 GHz




802.11ax-40 MHz(SU) CHANNEL 9 CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 9, SPURIOUS
30 MHz ~ 3 GHz




802.11ax-40 MHz(SU) CHANNEL 9, SPURIOUS
2 GHz ~ 25 GHz



802.11ax-40 MHz(SU) CHANNEL 10 CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 10, SPURIOUS 30 MHz ~ 3 GHz



802.11ax-40 MHz(SU) CHANNEL 10, SPURIOUS 2 GHz ~ 25 GHz




802.11ax-40 MHz(SU) CHANNEL 11 CARRIER LEVEL



802.11ax-40 MHz(SU) CHANNEL 11, SPURIOUS
30 MHz ~ 3 GHz

802.11ax-40 MHz(SU) CHANNEL 11, SPURIOUS
2 GHz ~ 25 GHz



A.4 Band Edge (Authorized-band band-edge)

Note 1: The 99% OBW of the fundamental emission is without 2 MHz of the authorized band.

Note 2: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

Main Antenna

802.11b Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH1 | -39.01 | 11.40 | -8.60 | Pass |
| CH11 | -46.17 | 11.42 | -8.58 | Pass |
| CH12 | -43.93 | 9.36 | -10.64 | Pass |
| CH13 | -41.05 | 9.50 | -10.50 | Pass |

802.11g Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH1 | -19.73 | 10.00 | -10.00 | Pass |
| CH11 | -41.50 | 8.60 | -11.40 | Pass |
| CH12 | -43.45 | 2.19 | -17.81 | Pass |
| CH13 | -42.36 | -3.01 | -23.01 | Pass |

802.11n-20 MHz Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH1 | -17.66 | 9.99 | -10.01 | Pass |
| CH11 | -44.19 | 7.54 | -12.46 | Pass |
| CH12 | -42.76 | 2.07 | -17.93 | Pass |
| CH13 | -41.29 | -2.97 | -22.97 | Pass |

802.11n-40 MHz Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH3 | -27.17 | 0.73 | -19.27 | Pass |
| CH9 | -41.84 | 0.14 | -19.86 | Pass |
| CH10 | -42.83 | -1.60 | -21.60 | Pass |
| CH11 | -43.86 | -4.72 | -24.72 | Pass |

802.11ax-20 MHz(SU) Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH1 | -18.13 | 9.65 | -10.35 | Pass |
| CH11 | -43.16 | 7.17 | -12.83 | Pass |
| CH12 | -44.17 | 2.18 | -17.82 | Pass |
| CH13 | -42.96 | -3.75 | -23.75 | Pass |

802.11ax-40 MHz(SU) Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH3 | -25.77 | 2.66 | -17.34 | Pass |
| CH9 | -44.79 | -0.27 | -20.27 | Pass |
| CH10 | -44.47 | -2.25 | -22.25 | Pass |
| CH11 | -43.64 | -5.26 | -25.26 | Pass |

Aux. Antenna

802.11b Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH1 | -41.07 | 10.73 | -9.27 | Pass |
| CH11 | -45.55 | 10.62 | -9.38 | Pass |
| CH12 | -43.32 | 8.82 | -11.19 | Pass |
| CH13 | -43.26 | 8.89 | -11.11 | Pass |

802.11g Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH1 | -21.62 | 7.79 | -12.21 | Pass |
| CH11 | -43.99 | 8.50 | -11.50 | Pass |
| CH12 | -45.01 | 1.80 | -18.21 | Pass |
| CH13 | -42.86 | -3.16 | -23.16 | Pass |

802.11n-20 MHz Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH1 | -23.85 | 6.40 | -13.60 | Pass |
| CH11 | -44.78 | 7.92 | -12.09 | Pass |
| CH12 | -45.00 | 1.97 | -18.03 | Pass |
| CH13 | -42.12 | -2.81 | -22.81 | Pass |

802.11n-40 MHz Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH3 | -31.89 | -3.37 | -23.37 | Pass |
| CH9 | -42.88 | 2.04 | -17.97 | Pass |
| CH10 | -45.25 | -2.34 | -22.34 | Pass |
| CH11 | -45.66 | -7.10 | -27.10 | Pass |

802.11ax-20 MHz(SU) Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH1 | -22.63 | 5.31 | -14.69 | Pass |
| CH11 | -44.57 | 6.76 | -13.24 | Pass |
| CH12 | -43.94 | 1.73 | -18.27 | Pass |
| CH13 | -41.01 | -2.51 | -22.51 | Pass |

802.11ax-40 MHz(SU) Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH3 | -31.35 | -3.63 | -23.63 | Pass |
| CH9 | -42.83 | 2.14 | -17.86 | Pass |
| CH10 | -45.56 | -2.57 | -22.57 | Pass |
| CH11 | -45.31 | -7.27 | -27.27 | Pass |

MIMO-Main Antenna

802.11n-20 MHz Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH1 | -20.22 | 6.74 | -13.26 | Pass |
| CH11 | -43.46 | 6.85 | -13.16 | Pass |
| CH12 | -45.98 | -1.12 | -21.12 | Pass |
| CH13 | -41.33 | -2.37 | -22.37 | Pass |

802.11n-40 MHz Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH3 | -31.06 | -2.45 | -22.45 | Pass |
| CH9 | -41.77 | -0.29 | -20.29 | Pass |
| CH10 | -45.51 | -4.70 | -24.70 | Pass |
| CH11 | -44.93 | -5.95 | -25.95 | Pass |

802.11ax-20 MHz(SU) Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH1 | -21.79 | 5.86 | -14.14 | Pass |
| CH11 | -43.48 | 6.49 | -13.51 | Pass |
| CH12 | -45.18 | -0.95 | -20.95 | Pass |
| CH13 | -41.66 | -3.16 | -23.16 | Pass |

802.11ax-40 MHz(SU) Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH3 | -30.12 | -2.26 | -22.26 | Pass |
| CH9 | -42.53 | -0.17 | -20.17 | Pass |
| CH10 | -45.11 | -4.93 | -24.93 | Pass |
| CH11 | -45.42 | -6.09 | -26.09 | Pass |

MIMO-Aux. Antenna

802.11n-20 MHz Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH1 | -21.96 | 6.19 | -13.81 | Pass |
| CH11 | -45.19 | 6.44 | -13.56 | Pass |
| CH12 | -45.23 | -1.45 | -21.45 | Pass |
| CH13 | -43.08 | -3.57 | -23.57 | Pass |

802.11n-40 MHz Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH3 | -31.54 | -3.13 | -23.13 | Pass |
| CH9 | -45.89 | -1.03 | -21.03 | Pass |
| CH10 | -46.04 | -5.37 | -25.37 | Pass |
| CH11 | -44.90 | -6.41 | -26.41 | Pass |

802.11ax-20 MHz(SU) Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH1 | -23.39 | 5.47 | -14.53 | Pass |
| CH11 | -45.23 | 6.05 | -13.95 | Pass |
| CH12 | -45.13 | -1.32 | -21.32 | Pass |
| CH13 | -44.60 | -3.64 | -23.64 | Pass |

802.11ax-40 MHz(SU) Mode:

| Channel | Measured Max. Band Edge Emission (dBm) | Limit (dBm) | | Verdict |
|---------|--|---------------|----------------------------|---------|
| | | Carrier Level | Calculated 20 dBc Limit | |
| CH3 | -31.11 | -2.97 | -22.97 | Pass |
| CH9 | -45.45 | -0.76 | -20.76 | Pass |
| CH10 | -45.15 | -5.70 | -25.70 | Pass |
| CH11 | -45.64 | -6.77 | -26.77 | Pass |

Test Plots

Main Antenna

802.11b CHANNEL 1, CARRIER LEVEL



802.11b CHANNEL 1, BAND EDGE



802.11b CHANNEL 11, CARRIER LEVEL




802.11b CHANNEL 11, BAND EDGE



802.11b CHANNEL 12, CARRIER LEVEL



802.11b CHANNEL 12, BAND EDGE




802.11b CHANNEL 13, CARRIER LEVEL



802.11b CHANNEL 13, BAND EDGE




802.11g CHANNEL 1, CARRIER LEVEL




802.11g CHANNEL 1, BAND EDGE



802.11g CHANNEL 11, CARRIER LEVEL



802.11g CHANNEL 11, BAND EDGE




802.11g CHANNEL 12, CARRIER LEVEL



802.11g CHANNEL 12, BAND EDGE




802.11g CHANNEL 13, CARRIER LEVEL



802.11g CHANNEL 13, BAND EDGE




802.11n-20 MHz CHANNEL 1, CARRIER LEVEL




802.11n-20 MHz CHANNEL 1, BAND EDGE



802.11n-20 MHz CHANNEL 11, CARRIER LEVEL



802.11n-20 MHz CHANNEL 11, BAND EDGE




802.11n-20 MHz CHANNEL 12, CARRIER LEVEL



802.11n-20 MHz CHANNEL 12, BAND EDGE




802.11n-20 MHz CHANNEL 13, CARRIER LEVEL



802.11n-20 MHz CHANNEL 13, BAND EDGE




802.11n-40 MHz CHANNEL 3, CARRIER LEVEL




802.11n-40 MHz CHANNEL 3, BAND EDGE




802.11n-40 MHz CHANNEL 9, CARRIER LEVEL




802.11n-40 MHz CHANNEL 9, BAND EDGE




802.11n-40 MHz CHANNEL 10, CARRIER LEVEL




802.11n-40 MHz CHANNEL 10, BAND EDGE




802.11n-40 MHz CHANNEL 11, CARRIER LEVEL




802.11n-40 MHz CHANNEL 11, BAND EDGE



802.11ax-20 MHz(SU) CHANNEL 1, CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 1, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 11, CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 11, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 12, CARRIER LEVEL



802.11ax-20 MHz(SU) CHANNEL 12, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 13, CARRIER LEVEL



802.11ax-20 MHz(SU) CHANNEL 13, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 3, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 3, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 9, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 9, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 10, CARRIER LEVEL



802.11ax-40 MHz(SU) CHANNEL 10, BAND EDGE



802.11ax-40 MHz(SU) CHANNEL 11, CARRIER LEVEL



802.11ax-40 MHz(SU) CHANNEL 11, BAND EDGE




Aux. Antenna


802.11b CHANNEL 1, CARRIER LEVEL




802.11b CHANNEL 1, BAND EDGE




802.11b CHANNEL 11, CARRIER LEVEL




802.11b CHANNEL 11, BAND EDGE




802.11b CHANNEL 12, CARRIER LEVEL




802.11b CHANNEL 12, BAND EDGE



802.11b CHANNEL 13, CARRIER LEVEL




802.11b CHANNEL 13, BAND EDGE



802.11g CHANNEL 1, CARRIER LEVEL




802.11g CHANNEL 1, BAND EDGE




802.11g CHANNEL 11, CARRIER LEVEL




802.11g CHANNEL 11, BAND EDGE




802.11g CHANNEL 12, CARRIER LEVEL



802.11g CHANNEL 12, BAND EDGE




802.11g CHANNEL 13, CARRIER LEVEL



802.11g CHANNEL 13, BAND EDGE




802.11n-20 MHz CHANNEL 1, CARRIER LEVEL




802.11n-20 MHz CHANNEL 1, BAND EDGE




802.11n-20 MHz CHANNEL 11, CARRIER LEVEL




802.11n-20 MHz CHANNEL 11, BAND EDGE




802.11n-20 MHz CHANNEL 12, CARRIER LEVEL



802.11n-20 MHz CHANNEL 12, BAND EDGE




802.11n-20 MHz CHANNEL 13, CARRIER LEVEL



802.11n-20 MHz CHANNEL 13, BAND EDGE



802.11n-40 MHz CHANNEL 3, CARRIER LEVEL




802.11n-40 MHz CHANNEL 3, BAND EDGE




802.11n-40 MHz CHANNEL 9, CARRIER LEVEL




802.11n-40 MHz CHANNEL 9, BAND EDGE




802.11n-40 MHz CHANNEL 10, CARRIER LEVEL




802.11n-40 MHz CHANNEL 10, BAND EDGE




802.11n-40 MHz CHANNEL 11, CARRIER LEVEL




802.11n-40 MHz CHANNEL 11, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 1, CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 1, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 11, CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 11, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 12, CARRIER LEVEL



802.11ax-20 MHz(SU) CHANNEL 12, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 13, CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 13, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 3, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 3, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 9, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 9, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 10, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 10, BAND EDGE



802.11ax-40 MHz(SU) CHANNEL 11, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 11, BAND EDGE



MIMO-Main Antenna

802.11n-20 MHz CHANNEL 1, CARRIER LEVEL




802.11n-20 MHz CHANNEL 1, BAND EDGE




802.11n-20 MHz CHANNEL 11, CARRIER LEVEL



802.11n-20 MHz CHANNEL 11, BAND EDGE




802.11n-20 MHz CHANNEL 12, CARRIER LEVEL



802.11n-20 MHz CHANNEL 12, BAND EDGE



802.11n-20 MHz CHANNEL 13, CARRIER LEVEL



802.11n-20 MHz CHANNEL 13, BAND EDGE




802.11n-40 MHz CHANNEL 3, CARRIER LEVEL




802.11n-40 MHz CHANNEL 3, BAND EDGE




802.11n-40 MHz CHANNEL 9, CARRIER LEVEL




802.11n-40 MHz CHANNEL 9, BAND EDGE




802.11n-40 MHz CHANNEL 10, CARRIER LEVEL



802.11n-40 MHz CHANNEL 10, BAND EDGE




802.11n-40 MHz CHANNEL 11, CARRIER LEVEL



802.11n-40 MHz CHANNEL 11, BAND EDGE



802.11ax-20 MHz(SU) CHANNEL 1, CARRIER LEVEL





802.11ax-20 MHz(SU) CHANNEL 1, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 11, CARRIER LEVEL

802.11ax-20 MHz(SU) CHANNEL 11, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 12, CARRIER LEVEL

802.11ax-20 MHz(SU) CHANNEL 12, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 13, CARRIER LEVEL

802.11ax-20 MHz(SU) CHANNEL 13, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 3, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 3, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 9, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 9, BAND EDGE



802.11ax-40 MHz(SU) CHANNEL 10, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 10, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 11, CARRIER LEVEL

802.11ax-40 MHz(SU) CHANNEL 11, BAND EDGE



MIMO-Aux. Antenna

802.11n-20 MHz CHANNEL 1, CARRIER LEVEL




802.11n-20 MHz CHANNEL 1, BAND EDGE




802.11n-20 MHz CHANNEL 11, CARRIER LEVEL




802.11n-20 MHz CHANNEL 11, BAND EDGE




802.11n-20 MHz CHANNEL 12, CARRIER LEVEL



802.11n-20 MHz CHANNEL 12, BAND EDGE




802.11n-20 MHz CHANNEL 13, CARRIER LEVEL



802.11n-20 MHz CHANNEL 13, BAND EDGE




802.11n-40 MHz CHANNEL 3, CARRIER LEVEL




802.11n-40 MHz CHANNEL 3, BAND EDGE




802.11n-40 MHz CHANNEL 9, CARRIER LEVEL




802.11n-40 MHz CHANNEL 9, BAND EDGE




802.11n-40 MHz CHANNEL 10, CARRIER LEVEL



802.11n-40 MHz CHANNEL 10, BAND EDGE



802.11n-40 MHz CHANNEL 11, CARRIER LEVEL




802.11n-40 MHz CHANNEL 11, BAND EDGE



802.11ax-20 MHz(SU) CHANNEL 1, CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 1, BAND EDGE





802.11ax-20 MHz(SU) CHANNEL 11, CARRIER LEVEL

802.11ax-20 MHz(SU) CHANNEL 11, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 12, CARRIER LEVEL

802.11ax-20 MHz(SU) CHANNEL 12, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 13, CARRIER LEVEL

802.11ax-20 MHz(SU) CHANNEL 13, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 3, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 3, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 9, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 9, BAND EDGE



802.11ax-40 MHz(SU) CHANNEL 10, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 10, BAND EDGE



802.11ax-40 MHz(SU) CHANNEL 11, CARRIER LEVEL

802.11ax-40 MHz(SU) CHANNEL 11, BAND EDGE



A.5 Conducted Emissions


Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15B_Class B



| No. | Frequency (MHz) | Results (dBUV) | Factor (dB) | Limit (dBUV) | Margin (dB) | Detector | Line | Verdict |
|-----|-----------------|----------------|-------------|--------------|-------------|----------|------|---------|
| 1 | 0.152 | 51.19 | 10.09 | 65.89 | 14.70 | Peak | L | Pass |
| 1** | 0.152 | 36.37 | 10.09 | 55.89 | 19.52 | AV | L | Pass |
| 2 | 0.180 | 47.17 | 10.07 | 64.49 | 17.32 | Peak | L | Pass |
| 2** | 0.180 | 33.30 | 10.07 | 54.49 | 21.19 | AV | L | Pass |
| 3 | 0.402 | 36.45 | 10.74 | 57.81 | 21.36 | Peak | L | Pass |
| 3** | 0.402 | 26.51 | 10.74 | 47.81 | 21.30 | AV | L | Pass |
| 4 | 1.294 | 35.69 | 10.61 | 56.00 | 20.31 | Peak | L | Pass |
| 4** | 1.294 | 24.75 | 10.61 | 46.00 | 21.25 | AV | L | Pass |
| 5 | 4.450 | 36.48 | 10.15 | 56.00 | 19.52 | Peak | L | Pass |
| 5** | 4.450 | 24.85 | 10.15 | 46.00 | 21.15 | AV | L | Pass |
| 6 | 17.672 | 38.13 | 10.64 | 60.00 | 21.87 | Peak | L | Pass |
| 6** | 17.672 | 27.27 | 10.64 | 50.00 | 22.73 | AV | L | Pass |

PHASE N

CE Test case_FCC_CE_FCC PART 15B_Class B



| No. | Frequency (MHz) | Results (dBuV) | Factor (dB) | Limit (dBuV) | Margin (dB) | Detector | Line | Verdict |
|-----|-----------------|----------------|-------------|--------------|-------------|----------|------|---------|
| 1 | 0.154 | 48.46 | 10.09 | 65.78 | 17.32 | Peak | N | Pass |
| 1** | 0.154 | 33.14 | 10.09 | 55.78 | 22.64 | AV | N | Pass |
| 2 | 0.234 | 41.39 | 10.03 | 62.31 | 20.92 | Peak | N | Pass |
| 2** | 0.234 | 27.64 | 10.03 | 52.31 | 24.67 | AV | N | Pass |
| 3 | 0.400 | 37.27 | 10.76 | 57.85 | 20.58 | Peak | N | Pass |
| 3** | 0.400 | 25.82 | 10.76 | 47.85 | 22.03 | AV | N | Pass |
| 4 | 1.220 | 37.14 | 10.24 | 56.00 | 18.86 | Peak | N | Pass |
| 4** | 1.220 | 24.36 | 10.24 | 46.00 | 21.64 | AV | N | Pass |
| 5 | 3.358 | 37.09 | 10.45 | 56.00 | 18.91 | Peak | N | Pass |
| 5** | 3.358 | 24.34 | 10.45 | 46.00 | 21.66 | AV | N | Pass |
| 6 | 17.348 | 39.33 | 10.36 | 60.00 | 20.67 | Peak | N | Pass |
| 6** | 17.348 | 30.51 | 10.36 | 50.00 | 19.49 | AV | N | Pass |

A.6 Radiated Emission

Note ¹: The symbol of "--" in the table which means not application.


Note ²: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note ⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Test Data and Plots


30 MHz to 1 GHz, ANT H



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 42.607 | 12.06 | -26.23 | 30.0 | 17.94 | Peak | 233.00 | 200 | Horizontal | Pass |
| 2 | 56.911 | 13.63 | -27.06 | 30.0 | 16.37 | Peak | 56.00 | 100 | Horizontal | Pass |
| 3 | 95.944 | 11.88 | -28.69 | 33.5 | 21.62 | Peak | 360.00 | 200 | Horizontal | Pass |
| 4 | 211.345 | 17.66 | -27.98 | 33.5 | 15.84 | Peak | 109.00 | 200 | Horizontal | Pass |
| 5 | 287.956 | 18.26 | -25.19 | 36.0 | 17.74 | Peak | 295.00 | 200 | Horizontal | Pass |
| 6 | 430.267 | 21.12 | -21.86 | 36.0 | 14.88 | Peak | 189.00 | 200 | Horizontal | Pass |

30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15B ClassB 30MHz-1GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 42.364 | 16.69 | -26.32 | 30.0 | 13.31 | Peak | 65.00 | 100 | Vertical | Pass |
| 2 | 116.308 | 22.79 | -29.01 | 33.5 | 10.71 | Peak | 298.00 | 100 | Vertical | Pass |
| 3 | 137.401 | 17.24 | -31.55 | 33.5 | 16.26 | Peak | 301.00 | 100 | Vertical | Pass |
| 4 | 173.282 | 18.69 | -30.15 | 33.5 | 14.81 | Peak | 313.00 | 100 | Vertical | Pass |
| 5 | 204.314 | 20.52 | -27.90 | 33.5 | 12.98 | Peak | 53.00 | 100 | Vertical | Pass |
| 6 | 262.499 | 16.54 | -25.94 | 36.0 | 19.46 | Peak | 186.00 | 100 | Vertical | Pass |

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

Main Antenna

1 GHz to 18 GHz, ANT H 802.11b Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1256.000 | 43.65 | -17.09 | 74.0 | 30.35 | Peak | 242.00 | 100 | Horizontal | Pass |
| 1** | 1256.000 | 33.15 | -17.09 | 54.0 | 20.85 | AV | 242.00 | 100 | Horizontal | Pass |
| 2 | 2413.200 | 109.06 | -10.02 | 74.0 | -35.06 | Peak | 134.00 | 100 | Horizontal | N/A |
| 2** | 2413.200 | 106.22 | -10.02 | 54.0 | -52.22 | AV | 134.00 | 100 | Horizontal | N/A |
| 3 | 4898.250 | 50.47 | -2.53 | 74.0 | 23.53 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4898.250 | 41.06 | -2.53 | 54.0 | 12.94 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 7854.250 | 54.34 | 1.95 | 74.0 | 19.66 | Peak | 45.00 | 400 | Horizontal | Pass |
| 4** | 7854.250 | 44.39 | 1.95 | 54.0 | 9.61 | AV | 45.00 | 400 | Horizontal | Pass |
| 5 | 11168.012 | 51.60 | -1.25 | 74.0 | 22.40 | Peak | 79.00 | 200 | Horizontal | Pass |
| 5** | 11168.012 | 41.48 | -1.25 | 54.0 | 12.52 | AV | 79.00 | 200 | Horizontal | Pass |
| 6 | 16461.225 | 53.00 | 0.49 | 74.0 | 21.00 | Peak | 118.00 | 200 | Horizontal | Pass |
| 6** | 16461.225 | 44.69 | 0.49 | 54.0 | 9.31 | AV | 118.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11b Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1531.700 | 45.67 | -16.53 | 74.0 | 28.33 | Peak | 149.00 | 100 | Vertical | Pass |
| 1** | 1531.700 | 36.34 | -16.53 | 54.0 | 17.66 | AV | 149.00 | 100 | Vertical | Pass |
| 2 | 2413.100 | 108.23 | -10.01 | 74.0 | -34.23 | Peak | 120.00 | 200 | Vertical | N/A |
| 2** | 2413.100 | 105.42 | -10.01 | 54.0 | -51.42 | AV | 120.00 | 200 | Vertical | N/A |
| 3 | 3993.750 | 51.82 | -5.16 | 74.0 | 22.18 | Peak | 220.00 | 150 | Vertical | Pass |
| 3** | 3993.750 | 42.02 | -5.16 | 54.0 | 11.98 | AV | 220.00 | 150 | Vertical | Pass |
| 4 | 5990.750 | 62.61 | -1.21 | 74.0 | 11.39 | Peak | 360.00 | 100 | Vertical | Pass |
| 4** | 5990.750 | 57.62 | -1.21 | 54.0 | -3.62 | AV | 360.00 | 100 | Vertical | N/A |
| 5 | 11163.975 | 51.89 | -1.19 | 74.0 | 22.11 | Peak | 45.00 | 100 | Vertical | Pass |
| 5** | 11163.975 | 42.02 | -1.19 | 54.0 | 11.98 | AV | 45.00 | 100 | Vertical | Pass |
| 6 | 16682.511 | 53.28 | 0.95 | 74.0 | 20.72 | Peak | 229.00 | 400 | Vertical | Pass |
| 6** | 16682.511 | 42.84 | 0.95 | 54.0 | 11.16 | AV | 229.00 | 400 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11b Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1535.500 | 43.90 | -16.48 | 74.0 | 30.10 | Peak | 275.00 | 200 | Horizontal | Pass |
| 1** | 1535.500 | 32.96 | -16.48 | 54.0 | 21.04 | AV | 275.00 | 200 | Horizontal | Pass |
| 2 | 2436.800 | 111.48 | -9.13 | 74.0 | -37.48 | Peak | 139.00 | 100 | Horizontal | N/A |
| 2** | 2436.800 | 106.51 | -9.13 | 54.0 | -52.51 | AV | 139.00 | 100 | Horizontal | N/A |
| 3 | 4874.000 | 50.21 | -2.53 | 74.0 | 23.79 | Peak | 26.00 | 100 | Horizontal | Pass |
| 3** | 4874.000 | 45.17 | -2.53 | 54.0 | 8.83 | AV | 26.00 | 100 | Horizontal | Pass |
| 4 | 5990.500 | 58.27 | -1.23 | 74.0 | 15.73 | Peak | 140.00 | 100 | Horizontal | Pass |
| 4** | 5990.500 | 48.64 | -1.23 | 54.0 | 5.36 | AV | 140.00 | 100 | Horizontal | N/A |
| 5 | 9747.763 | 52.27 | -2.68 | 74.0 | 21.73 | Peak | 224.00 | 400 | Horizontal | Pass |
| 5** | 9747.763 | 46.54 | -2.68 | 54.0 | 7.46 | AV | 224.00 | 400 | Horizontal | Pass |
| 6 | 16301.625 | 52.92 | -0.53 | 74.0 | 21.08 | Peak | 217.00 | 300 | Horizontal | Pass |
| 6** | 16301.625 | 42.95 | -0.53 | 54.0 | 11.05 | AV | 217.00 | 300 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11b Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1545.200 | 46.34 | -16.43 | 74.0 | 27.66 | Peak | 164.00 | 200 | Vertical | Pass |
| 1** | 1545.200 | 34.97 | -16.43 | 54.0 | 19.03 | AV | 164.00 | 200 | Vertical | Pass |
| 2 | 2436.700 | 110.28 | -9.11 | 74.0 | -36.28 | Peak | 88.00 | 100 | Vertical | N/A |
| 2** | 2436.700 | 105.73 | -9.11 | 54.0 | -51.73 | AV | 88.00 | 100 | Vertical | N/A |
| 3 | 3993.500 | 54.50 | -5.13 | 74.0 | 19.50 | Peak | 160.00 | 150 | Vertical | Pass |
| 3** | 3993.500 | 38.02 | -5.13 | 54.0 | 15.98 | AV | 160.00 | 150 | Vertical | Pass |
| 4 | 5990.500 | 61.70 | -1.23 | 74.0 | 12.30 | Peak | 262.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 56.62 | -1.23 | 54.0 | -2.62 | AV | 262.00 | 100 | Vertical | N/A |
| 5 | 10582.813 | 51.80 | -1.68 | 74.0 | 22.20 | Peak | 127.00 | 300 | Vertical | Pass |
| 5** | 10582.813 | 42.34 | -1.68 | 54.0 | 11.66 | AV | 127.00 | 300 | Vertical | Pass |
| 6 | 16324.987 | 53.30 | 0.14 | 74.0 | 20.70 | Peak | 55.00 | 200 | Vertical | Pass |
| 6** | 16324.987 | 44.06 | 0.14 | 54.0 | 9.94 | AV | 55.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11b Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1540.400 | 43.24 | -16.47 | 74.0 | 30.76 | Peak | 286.00 | 200 | Horizontal | Pass |
| 1** | 1540.400 | 34.23 | -16.47 | 54.0 | 19.77 | AV | 286.00 | 200 | Horizontal | Pass |
| 2 | 2461.700 | 110.56 | -9.74 | 74.0 | -36.56 | Peak | 76.00 | 200 | Horizontal | N/A |
| 2** | 2461.700 | 105.61 | -9.74 | 54.0 | -51.61 | AV | 76.00 | 200 | Horizontal | N/A |
| 3 | 4924.250 | 51.37 | -2.70 | 74.0 | 22.63 | Peak | 11.00 | 150 | Horizontal | Pass |
| 3** | 4924.250 | 46.04 | -2.70 | 54.0 | 7.96 | AV | 11.00 | 150 | Horizontal | Pass |
| 4 | 5990.750 | 58.28 | -1.21 | 74.0 | 15.72 | Peak | 87.00 | 100 | Horizontal | Pass |
| 4** | 5990.750 | 51.95 | -1.21 | 54.0 | 2.05 | AV | 87.00 | 100 | Horizontal | N/A |
| 5 | 11130.963 | 52.00 | -0.97 | 74.0 | 22.00 | Peak | 105.00 | 100 | Horizontal | Pass |
| 5** | 11130.963 | 43.40 | -0.97 | 54.0 | 10.60 | AV | 105.00 | 100 | Horizontal | Pass |
| 6 | 16485.900 | 52.93 | 0.40 | 74.0 | 21.07 | Peak | 315.00 | 200 | Horizontal | Pass |
| 6** | 16485.900 | 43.32 | 0.40 | 54.0 | 10.68 | AV | 315.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11b Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1541.300 | 45.36 | -16.47 | 74.0 | 28.64 | Peak | 167.00 | 100 | Vertical | Pass |
| 1** | 1541.300 | 37.39 | -16.47 | 54.0 | 16.61 | AV | 167.00 | 100 | Vertical | Pass |
| 2 | 2462.300 | 110.16 | -9.74 | 74.0 | -36.16 | Peak | 113.00 | 200 | Vertical | N/A |
| 2** | 2462.300 | 105.13 | -9.74 | 54.0 | -51.13 | AV | 113.00 | 200 | Vertical | N/A |
| 3 | 3993.500 | 55.81 | -5.13 | 74.0 | 18.19 | Peak | 159.00 | 100 | Vertical | Pass |
| 3** | 3993.500 | 37.97 | -5.13 | 54.0 | 16.03 | AV | 159.00 | 100 | Vertical | Pass |
| 4 | 5990.750 | 48.85 | -1.21 | 74.0 | 25.15 | Peak | 201.00 | 100 | Vertical | Pass |
| 4** | 5990.750 | 56.59 | -1.21 | 54.0 | -2.59 | AV | 201.00 | 100 | Vertical | N/A |
| 5 | 11077.049 | 51.58 | -1.44 | 74.0 | 22.42 | Peak | 154.00 | 100 | Vertical | Pass |
| 5** | 11077.049 | 42.31 | -1.44 | 54.0 | 11.69 | AV | 154.00 | 100 | Vertical | Pass |
| 6 | 16337.325 | 52.94 | 0.49 | 74.0 | 21.06 | Peak | 57.00 | 100 | Vertical | Pass |
| 6** | 16337.325 | 44.05 | 0.49 | 54.0 | 9.95 | AV | 57.00 | 100 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11b Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1254.200 | 43.83 | -17.08 | 74.0 | 30.17 | Peak | 52.00 | 100 | Horizontal | Pass |
| 1** | 1254.200 | 33.56 | -17.08 | 54.0 | 20.44 | AV | 52.00 | 100 | Horizontal | Pass |
| 2 | 2465.400 | 109.90 | -9.82 | 74.0 | -35.90 | Peak | 77.00 | 200 | Horizontal | N/A |
| 2** | 2465.400 | 105.82 | -9.82 | 54.0 | -51.82 | AV | 77.00 | 200 | Horizontal | N/A |
| 3 | 4759.250 | 50.78 | -2.70 | 74.0 | 23.22 | Peak | 211.00 | 200 | Horizontal | Pass |
| 3** | 4759.250 | 41.38 | -2.70 | 54.0 | 12.62 | AV | 211.00 | 200 | Horizontal | Pass |
| 4 | 5990.250 | 56.02 | -1.24 | 74.0 | 17.98 | Peak | 288.00 | 100 | Horizontal | Pass |
| 4** | 5990.250 | 48.37 | -1.24 | 54.0 | 5.63 | AV | 288.00 | 100 | Horizontal | N/A |
| 5 | 10835.276 | 51.95 | -2.18 | 74.0 | 22.05 | Peak | 360.00 | 100 | Horizontal | Pass |
| 5** | 10835.276 | 42.47 | -2.18 | 54.0 | 11.53 | AV | 360.00 | 100 | Horizontal | Pass |
| 6 | 16347.825 | 53.27 | 0.78 | 74.0 | 20.73 | Peak | 351.00 | 100 | Horizontal | Pass |
| 6** | 16347.825 | 44.78 | 0.78 | 54.0 | 9.22 | AV | 351.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11b Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1533.800 | 46.01 | -16.47 | 74.0 | 27.99 | Peak | 169.00 | 200 | Vertical | Pass |
| 1** | 1533.800 | 35.70 | -16.47 | 54.0 | 18.30 | AV | 169.00 | 200 | Vertical | Pass |
| 2 | 2465.600 | 107.39 | -9.84 | 74.0 | -33.39 | Peak | 113.00 | 150 | Vertical | N/A |
| 2** | 2465.600 | 104.54 | -9.84 | 54.0 | -50.54 | AV | 113.00 | 150 | Vertical | N/A |
| 3 | 4914.000 | 50.44 | -2.82 | 74.0 | 23.56 | Peak | 193.00 | 100 | Vertical | Pass |
| 3** | 4914.000 | 40.47 | -2.82 | 54.0 | 13.53 | AV | 193.00 | 100 | Vertical | Pass |
| 4 | 5990.500 | 64.75 | -1.23 | 74.0 | 9.25 | Peak | 2.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 56.42 | -1.23 | 54.0 | -2.42 | AV | 2.00 | 100 | Vertical | N/A |
| 5 | 11112.438 | 52.06 | -0.99 | 74.0 | 21.94 | Peak | 8.00 | 200 | Vertical | Pass |
| 5** | 11112.438 | 42.99 | -0.99 | 54.0 | 11.01 | AV | 8.00 | 200 | Vertical | Pass |
| 6 | 16768.613 | 52.96 | 0.04 | 74.0 | 21.04 | Peak | 217.00 | 400 | Vertical | Pass |
| 6** | 16768.613 | 42.68 | 0.04 | 54.0 | 11.32 | AV | 217.00 | 400 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11b Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1534.200 | 43.16 | -16.45 | 74.0 | 30.84 | Peak | 60.00 | 100 | Horizontal | Pass |
| 1** | 1534.200 | 33.66 | -16.45 | 54.0 | 20.34 | AV | 60.00 | 100 | Horizontal | Pass |
| 2 | 2472.300 | 109.66 | -10.45 | 74.0 | -35.66 | Peak | 135.00 | 100 | Horizontal | N/A |
| 2** | 2472.300 | 104.51 | -10.45 | 54.0 | -50.51 | AV | 135.00 | 100 | Horizontal | N/A |
| 3 | 4944.250 | 50.88 | -2.49 | 74.0 | 23.12 | Peak | 115.00 | 150 | Horizontal | Pass |
| 3** | 4944.250 | 44.63 | -2.49 | 54.0 | 9.37 | AV | 115.00 | 150 | Horizontal | Pass |
| 4 | 5990.750 | 54.17 | -1.21 | 74.0 | 19.83 | Peak | 63.00 | 100 | Horizontal | Pass |
| 4** | 5990.750 | 52.45 | -1.21 | 54.0 | 1.55 | AV | 63.00 | 100 | Horizontal | N/A |
| 5 | 11139.512 | 52.49 | -0.96 | 74.0 | 21.51 | Peak | 42.00 | 100 | Horizontal | Pass |
| 5** | 11139.512 | 42.43 | -0.96 | 54.0 | 11.57 | AV | 42.00 | 100 | Horizontal | Pass |
| 6 | 16349.662 | 53.12 | 0.84 | 74.0 | 20.88 | Peak | 31.00 | 100 | Horizontal | Pass |
| 6** | 16349.662 | 44.54 | 0.84 | 54.0 | 9.46 | AV | 31.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11b Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1540.500 | 45.20 | -16.47 | 74.0 | 28.80 | Peak | 152.00 | 100 | Vertical | Pass |
| 1** | 1540.500 | 36.68 | -16.47 | 54.0 | 17.32 | AV | 152.00 | 100 | Vertical | Pass |
| 2 | 2472.000 | 107.24 | -10.42 | 74.0 | -33.24 | Peak | 139.00 | 200 | Vertical | N/A |
| 2** | 2472.000 | 102.30 | -10.42 | 54.0 | -48.30 | AV | 139.00 | 200 | Vertical | N/A |
| 3 | 4916.000 | 50.45 | -2.81 | 74.0 | 23.55 | Peak | 133.00 | 150 | Vertical | Pass |
| 3** | 4916.000 | 40.62 | -2.81 | 54.0 | 13.38 | AV | 133.00 | 150 | Vertical | Pass |
| 4 | 5991.000 | 56.70 | -1.20 | 74.0 | 17.30 | Peak | 55.00 | 100 | Vertical | Pass |
| 4** | 5991.000 | 53.06 | -1.20 | 54.0 | 0.94 | AV | 55.00 | 100 | Vertical | N/A |
| 5 | 11143.075 | 52.22 | -0.96 | 74.0 | 21.78 | Peak | 307.00 | 300 | Vertical | Pass |
| 5** | 11143.075 | 42.42 | -0.96 | 54.0 | 11.58 | AV | 307.00 | 300 | Vertical | Pass |
| 6 | 16329.713 | 53.44 | 0.27 | 74.0 | 20.56 | Peak | 42.00 | 300 | Vertical | Pass |
| 6** | 16329.713 | 43.78 | 0.27 | 54.0 | 10.22 | AV | 42.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11g Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1543.800 | 43.77 | -16.47 | 74.0 | 30.23 | Peak | 273.00 | 300 | Horizontal | Pass |
| 1** | 1543.800 | 33.51 | -16.47 | 54.0 | 20.49 | AV | 273.00 | 300 | Horizontal | Pass |
| 2 | 2416.400 | 111.99 | -10.02 | 74.0 | -37.99 | Peak | 84.00 | 100 | Horizontal | N/A |
| 2** | 2416.400 | 104.85 | -10.02 | 54.0 | -50.85 | AV | 84.00 | 100 | Horizontal | N/A |
| 3 | 4768.500 | 50.20 | -2.36 | 74.0 | 23.80 | Peak | 261.00 | 200 | Horizontal | Pass |
| 3** | 4768.500 | 41.69 | -2.36 | 54.0 | 12.31 | AV | 261.00 | 200 | Horizontal | Pass |
| 4 | 5990.250 | 57.61 | -1.24 | 74.0 | 16.39 | Peak | 121.00 | 100 | Horizontal | Pass |
| 4** | 5990.250 | 48.18 | -1.24 | 54.0 | 5.82 | AV | 121.00 | 100 | Horizontal | N/A |
| 5 | 11187.013 | 51.82 | -1.58 | 74.0 | 22.18 | Peak | 247.00 | 300 | Horizontal | Pass |
| 5** | 11187.013 | 42.72 | -1.58 | 54.0 | 11.28 | AV | 247.00 | 300 | Horizontal | Pass |
| 6 | 16321.838 | 53.55 | 0.05 | 74.0 | 20.45 | Peak | 43.00 | 100 | Horizontal | Pass |
| 6** | 16321.838 | 43.32 | 0.05 | 54.0 | 10.68 | AV | 43.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11g Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1542.400 | 45.34 | -16.51 | 74.0 | 28.66 | Peak | 216.00 | 300 | Vertical | Pass |
| 1** | 1542.400 | 36.46 | -16.51 | 54.0 | 17.54 | AV | 216.00 | 300 | Vertical | Pass |
| 2 | 2408.400 | 111.24 | -10.07 | 74.0 | -37.24 | Peak | 117.00 | 150 | Vertical | N/A |
| 2** | 2408.400 | 103.44 | -10.07 | 54.0 | -49.44 | AV | 117.00 | 150 | Vertical | N/A |
| 3 | 3993.750 | 52.30 | -5.16 | 74.0 | 21.70 | Peak | 218.00 | 100 | Vertical | Pass |
| 3** | 3993.750 | 42.80 | -5.16 | 54.0 | 11.20 | AV | 218.00 | 100 | Vertical | Pass |
| 4 | 5990.750 | 64.84 | -1.21 | 74.0 | 9.16 | Peak | 9.00 | 100 | Vertical | Pass |
| 4** | 5990.750 | 56.30 | -1.21 | 54.0 | -2.30 | AV | 9.00 | 100 | Vertical | N/A |
| 5 | 10716.049 | 52.53 | -2.18 | 74.0 | 21.47 | Peak | 312.00 | 300 | Vertical | Pass |
| 5** | 10716.049 | 42.32 | -2.18 | 54.0 | 11.68 | AV | 312.00 | 300 | Vertical | Pass |
| 6 | 16345.201 | 52.73 | 0.71 | 74.0 | 21.27 | Peak | 92.00 | 200 | Vertical | Pass |
| 6** | 16345.201 | 44.30 | 0.71 | 54.0 | 9.70 | AV | 92.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11g Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1533.400 | 43.66 | -16.48 | 74.0 | 30.34 | Peak | 281.00 | 300 | Horizontal | Pass |
| 1** | 1533.400 | 33.34 | -16.48 | 54.0 | 20.66 | AV | 281.00 | 300 | Horizontal | Pass |
| 2 | 2432.700 | 114.04 | -9.12 | 74.0 | -40.04 | Peak | 135.00 | 150 | Horizontal | N/A |
| 2** | 2432.700 | 105.33 | -9.12 | 54.0 | -51.33 | AV | 135.00 | 150 | Horizontal | N/A |
| 3 | 4846.500 | 50.28 | -2.82 | 74.0 | 23.72 | Peak | 183.00 | 100 | Horizontal | Pass |
| 3** | 4846.500 | 40.35 | -2.82 | 54.0 | 13.65 | AV | 183.00 | 100 | Horizontal | Pass |
| 4 | 5990.750 | 52.68 | -1.21 | 74.0 | 21.32 | Peak | 251.00 | 100 | Horizontal | Pass |
| 4** | 5990.750 | 48.18 | -1.21 | 54.0 | 5.82 | AV | 251.00 | 100 | Horizontal | N/A |
| 5 | 11142.838 | 52.06 | -0.96 | 74.0 | 21.94 | Peak | 283.00 | 300 | Horizontal | Pass |
| 5** | 11142.838 | 42.76 | -0.96 | 54.0 | 11.24 | AV | 283.00 | 300 | Horizontal | Pass |
| 6 | 16785.412 | 53.07 | 0.64 | 74.0 | 20.93 | Peak | 55.00 | 400 | Horizontal | Pass |
| 6** | 16785.412 | 43.55 | 0.64 | 54.0 | 10.45 | AV | 55.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11g Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1544.200 | 45.90 | -16.45 | 74.0 | 28.10 | Peak | 183.00 | 400 | Vertical | Pass |
| 1** | 1544.200 | 35.07 | -16.45 | 54.0 | 18.93 | AV | 183.00 | 400 | Vertical | Pass |
| 2 | 2434.700 | 112.04 | -8.97 | 74.0 | -38.04 | Peak | 94.00 | 150 | Vertical | N/A |
| 2** | 2434.700 | 104.24 | -8.97 | 54.0 | -50.24 | AV | 94.00 | 150 | Vertical | N/A |
| 3 | 3994.000 | 52.72 | -5.20 | 74.0 | 21.28 | Peak | 142.00 | 100 | Vertical | Pass |
| 3** | 3994.000 | 43.26 | -5.20 | 54.0 | 10.74 | AV | 142.00 | 100 | Vertical | Pass |
| 4 | 5990.750 | 61.39 | -1.21 | 74.0 | 12.61 | Peak | 210.00 | 100 | Vertical | Pass |
| 4** | 5990.750 | 58.65 | -1.21 | 54.0 | -4.65 | AV | 210.00 | 100 | Vertical | N/A |
| 5 | 10570.937 | 51.78 | -1.86 | 74.0 | 22.22 | Peak | 261.00 | 400 | Vertical | Pass |
| 5** | 10570.937 | 41.44 | -1.86 | 54.0 | 12.56 | AV | 261.00 | 400 | Vertical | Pass |
| 6 | 16345.201 | 53.20 | 0.71 | 74.0 | 20.80 | Peak | 278.00 | 100 | Vertical | Pass |
| 6** | 16345.201 | 44.22 | 0.71 | 54.0 | 9.78 | AV | 278.00 | 100 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11g Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1537.700 | 43.15 | -16.56 | 74.0 | 30.85 | Peak | 276.00 | 400 | Horizontal | Pass |
| 1** | 1537.700 | 33.55 | -16.56 | 54.0 | 20.45 | AV | 276.00 | 400 | Horizontal | Pass |
| 2 | 2463.800 | 111.98 | -9.76 | 74.0 | -37.98 | Peak | 86.00 | 150 | Horizontal | N/A |
| 2** | 2463.800 | 104.21 | -9.76 | 54.0 | -50.21 | AV | 86.00 | 150 | Horizontal | N/A |
| 3 | 4836.500 | 50.32 | -1.98 | 74.0 | 23.68 | Peak | 278.00 | 200 | Horizontal | Pass |
| 3** | 4836.500 | 40.79 | -1.98 | 54.0 | 13.21 | AV | 278.00 | 200 | Horizontal | Pass |
| 4 | 5990.000 | 54.14 | -1.26 | 74.0 | 19.86 | Peak | 45.00 | 100 | Horizontal | Pass |
| 4** | 5990.000 | 48.01 | -1.26 | 54.0 | 5.99 | AV | 45.00 | 100 | Horizontal | N/A |
| 5 | 11034.776 | 51.89 | -1.82 | 74.0 | 22.11 | Peak | 261.00 | 100 | Horizontal | Pass |
| 5** | 11034.776 | 41.47 | -1.82 | 54.0 | 12.53 | AV | 261.00 | 100 | Horizontal | Pass |
| 6 | 16480.912 | 52.62 | 0.42 | 74.0 | 21.38 | Peak | 55.00 | 200 | Horizontal | Pass |
| 6** | 16480.912 | 43.37 | 0.42 | 54.0 | 10.63 | AV | 55.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11g Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1541.900 | 45.61 | -16.49 | 74.0 | 28.39 | Peak | 162.00 | 400 | Vertical | Pass |
| 1** | 1541.900 | 37.01 | -16.49 | 54.0 | 16.99 | AV | 162.00 | 400 | Vertical | Pass |
| 2 | 2463.300 | 111.21 | -9.75 | 74.0 | -37.21 | Peak | 118.00 | 100 | Vertical | N/A |
| 2** | 2463.300 | 102.47 | -9.75 | 54.0 | -48.47 | AV | 118.00 | 100 | Vertical | N/A |
| 3 | 3993.500 | 50.77 | -5.13 | 74.0 | 23.23 | Peak | 157.00 | 100 | Vertical | Pass |
| 3** | 3993.500 | 38.40 | -5.13 | 54.0 | 15.60 | AV | 157.00 | 100 | Vertical | Pass |
| 4 | 5990.750 | 63.36 | -1.21 | 74.0 | 10.64 | Peak | 210.00 | 100 | Vertical | Pass |
| 4** | 5990.750 | 56.45 | -1.21 | 54.0 | -2.45 | AV | 210.00 | 100 | Vertical | N/A |
| 5 | 11125.975 | 51.94 | -0.98 | 74.0 | 22.06 | Peak | 115.00 | 400 | Vertical | Pass |
| 5** | 11125.975 | 42.59 | -0.98 | 54.0 | 11.41 | AV | 115.00 | 400 | Vertical | Pass |
| 6 | 16348.349 | 53.27 | 0.80 | 74.0 | 20.73 | Peak | 266.00 | 100 | Vertical | Pass |
| 6** | 16348.349 | 43.97 | 0.80 | 54.0 | 10.03 | AV | 266.00 | 100 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11g Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1538.300 | 44.26 | -16.59 | 74.0 | 29.74 | Peak | 94.00 | 400 | Horizontal | Pass |
| 1** | 1538.300 | 33.61 | -16.59 | 54.0 | 20.39 | AV | 94.00 | 400 | Horizontal | Pass |
| 2 | 2464.600 | 108.30 | -9.78 | 74.0 | -34.30 | Peak | 132.00 | 150 | Horizontal | N/A |
| 2** | 2464.600 | 100.63 | -9.78 | 54.0 | -46.63 | AV | 132.00 | 150 | Horizontal | N/A |
| 3 | 4785.250 | 50.67 | -2.49 | 74.0 | 23.33 | Peak | 89.00 | 150 | Horizontal | Pass |
| 3** | 4785.250 | 41.61 | -2.49 | 54.0 | 12.39 | AV | 89.00 | 150 | Horizontal | Pass |
| 4 | 5991.000 | 52.58 | -1.20 | 74.0 | 21.42 | Peak | 123.00 | 100 | Horizontal | Pass |
| 4** | 5991.000 | 47.26 | -1.20 | 54.0 | 6.74 | AV | 123.00 | 100 | Horizontal | N/A |
| 5 | 11157.800 | 51.78 | -1.08 | 74.0 | 22.22 | Peak | 7.00 | 400 | Horizontal | Pass |
| 5** | 11157.800 | 42.05 | -1.08 | 54.0 | 11.95 | AV | 7.00 | 400 | Horizontal | Pass |
| 6 | 16327.088 | 53.11 | 0.19 | 74.0 | 20.89 | Peak | 57.00 | 200 | Horizontal | Pass |
| 6** | 16327.088 | 44.03 | 0.19 | 54.0 | 9.97 | AV | 57.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11g Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1541.100 | 46.43 | -16.47 | 74.0 | 27.57 | Peak | 142.00 | 100 | Vertical | Pass |
| 1** | 1541.100 | 36.86 | -16.47 | 54.0 | 17.14 | AV | 142.00 | 100 | Vertical | Pass |
| 2 | 2463.000 | 104.83 | -9.74 | 74.0 | -30.83 | Peak | 103.00 | 200 | Vertical | N/A |
| 2** | 2463.000 | 97.45 | -9.74 | 54.0 | -43.45 | AV | 103.00 | 200 | Vertical | N/A |
| 3 | 4749.250 | 50.73 | -2.66 | 74.0 | 23.27 | Peak | 191.00 | 100 | Vertical | Pass |
| 3** | 4749.250 | 40.59 | -2.66 | 54.0 | 13.41 | AV | 191.00 | 100 | Vertical | Pass |
| 4 | 5990.500 | 66.34 | -1.23 | 74.0 | 7.66 | Peak | 164.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 56.89 | -1.23 | 54.0 | -2.89 | AV | 164.00 | 100 | Vertical | N/A |
| 5 | 11197.463 | 52.31 | -1.75 | 74.0 | 21.69 | Peak | 200.00 | 100 | Vertical | Pass |
| 5** | 11197.463 | 43.11 | -1.75 | 54.0 | 10.89 | AV | 200.00 | 100 | Vertical | Pass |
| 6 | 16328.925 | 53.54 | 0.25 | 74.0 | 20.46 | Peak | 191.00 | 300 | Vertical | Pass |
| 6** | 16328.925 | 44.69 | 0.25 | 54.0 | 9.31 | AV | 191.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11g Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1538.000 | 43.82 | -16.58 | 74.0 | 30.18 | Peak | 282.00 | 300 | Horizontal | Pass |
| 1** | 1538.000 | 34.65 | -16.58 | 54.0 | 19.35 | AV | 282.00 | 300 | Horizontal | Pass |
| 2 | 2478.300 | 106.68 | -10.50 | 74.0 | -32.68 | Peak | 129.00 | 100 | Horizontal | N/A |
| 2** | 2478.300 | 99.08 | -10.50 | 54.0 | -45.08 | AV | 129.00 | 100 | Horizontal | N/A |
| 3 | 4760.250 | 50.77 | -2.66 | 74.0 | 23.23 | Peak | 200.00 | 150 | Horizontal | Pass |
| 3** | 4760.250 | 41.00 | -2.66 | 54.0 | 13.00 | AV | 200.00 | 150 | Horizontal | Pass |
| 4 | 5990.000 | 57.81 | -1.26 | 74.0 | 16.19 | Peak | 96.00 | 100 | Horizontal | Pass |
| 4** | 5990.000 | 49.21 | -1.26 | 54.0 | 4.79 | AV | 96.00 | 100 | Horizontal | N/A |
| 5 | 10725.075 | 51.82 | -2.04 | 74.0 | 22.18 | Peak | 293.00 | 100 | Horizontal | Pass |
| 5** | 10725.075 | 42.85 | -2.04 | 54.0 | 11.15 | AV | 293.00 | 100 | Horizontal | Pass |
| 6 | 16507.162 | 53.52 | 0.30 | 74.0 | 20.48 | Peak | 81.00 | 100 | Horizontal | Pass |
| 6** | 16507.162 | 43.29 | 0.30 | 54.0 | 10.71 | AV | 81.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11g Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1541.800 | 45.93 | -16.49 | 74.0 | 28.07 | Peak | 145.00 | 200 | Vertical | Pass |
| 1** | 1541.800 | 36.59 | -16.49 | 54.0 | 17.41 | AV | 145.00 | 200 | Vertical | Pass |
| 2 | 2464.800 | 103.65 | -9.79 | 74.0 | -29.65 | Peak | 113.00 | 150 | Vertical | N/A |
| 2** | 2464.800 | 96.68 | -9.79 | 54.0 | -42.68 | AV | 113.00 | 150 | Vertical | N/A |
| 3 | 3994.000 | 51.29 | -5.20 | 74.0 | 22.71 | Peak | 218.00 | 200 | Vertical | Pass |
| 3** | 3994.000 | 38.44 | -5.20 | 54.0 | 15.56 | AV | 218.00 | 200 | Vertical | Pass |
| 4 | 5990.500 | 60.52 | -1.23 | 74.0 | 13.48 | Peak | 150.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 54.68 | -1.23 | 54.0 | -0.68 | AV | 150.00 | 100 | Vertical | N/A |
| 5 | 11191.287 | 52.36 | -1.65 | 74.0 | 21.64 | Peak | 322.00 | 100 | Vertical | Pass |
| 5** | 11191.287 | 42.42 | -1.65 | 54.0 | 11.58 | AV | 322.00 | 100 | Vertical | Pass |
| 6 | 16442.063 | 53.06 | 0.41 | 74.0 | 20.94 | Peak | 43.00 | 400 | Vertical | Pass |
| 6** | 16442.063 | 42.73 | 0.41 | 54.0 | 11.27 | AV | 43.00 | 400 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1534.300 | 43.47 | -16.45 | 74.0 | 30.53 | Peak | 286.00 | 100 | Horizontal | Pass |
| 1** | 1534.300 | 33.03 | -16.45 | 54.0 | 20.97 | AV | 286.00 | 100 | Horizontal | Pass |
| 2 | 2410.800 | 112.02 | -10.01 | 74.0 | -38.02 | Peak | 132.00 | 150 | Horizontal | N/A |
| 2** | 2410.800 | 104.22 | -10.01 | 54.0 | -50.22 | AV | 132.00 | 150 | Horizontal | N/A |
| 3 | 4761.250 | 50.49 | -2.67 | 74.0 | 23.51 | Peak | 273.00 | 200 | Horizontal | Pass |
| 3** | 4761.250 | 41.61 | -2.67 | 54.0 | 12.39 | AV | 273.00 | 200 | Horizontal | Pass |
| 4 | 5990.750 | 52.16 | -1.21 | 74.0 | 21.84 | Peak | 84.00 | 100 | Horizontal | Pass |
| 4** | 5990.750 | 49.20 | -1.21 | 54.0 | 4.80 | AV | 84.00 | 100 | Horizontal | N/A |
| 5 | 10731.250 | 51.98 | -1.94 | 74.0 | 22.02 | Peak | 76.00 | 300 | Horizontal | Pass |
| 5** | 10731.250 | 42.63 | -1.94 | 54.0 | 11.37 | AV | 76.00 | 300 | Horizontal | Pass |
| 6 | 16310.550 | 53.25 | -0.28 | 74.0 | 20.75 | Peak | 167.00 | 400 | Horizontal | Pass |
| 6** | 16310.550 | 43.76 | -0.28 | 54.0 | 10.24 | AV | 167.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1533.800 | 45.21 | -16.47 | 74.0 | 28.79 | Peak | 151.00 | 200 | Vertical | Pass |
| 1** | 1533.800 | 35.38 | -16.47 | 54.0 | 18.62 | AV | 151.00 | 200 | Vertical | Pass |
| 2 | 2409.700 | 110.75 | -10.08 | 74.0 | -36.75 | Peak | 130.00 | 100 | Vertical | N/A |
| 2** | 2409.700 | 103.14 | -10.08 | 54.0 | -49.14 | AV | 130.00 | 100 | Vertical | N/A |
| 3 | 3993.500 | 51.39 | -5.13 | 74.0 | 22.61 | Peak | 162.00 | 150 | Vertical | Pass |
| 3** | 3993.500 | 41.03 | -5.13 | 54.0 | 12.97 | AV | 162.00 | 150 | Vertical | Pass |
| 4 | 5991.000 | 63.76 | -1.20 | 74.0 | 10.24 | Peak | 189.00 | 100 | Vertical | Pass |
| 4** | 5991.000 | 55.75 | -1.20 | 54.0 | -1.75 | AV | 189.00 | 100 | Vertical | N/A |
| 5 | 11201.500 | 51.94 | -1.84 | 74.0 | 22.06 | Peak | 225.00 | 200 | Vertical | Pass |
| 5** | 11201.500 | 42.04 | -1.84 | 54.0 | 11.96 | AV | 225.00 | 200 | Vertical | Pass |
| 6 | 16501.386 | 54.12 | 0.34 | 74.0 | 19.88 | Peak | 5.00 | 300 | Vertical | Pass |
| 6** | 16501.386 | 43.52 | 0.34 | 54.0 | 10.48 | AV | 5.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1571.300 | 43.27 | -16.56 | 74.0 | 30.73 | Peak | 172.00 | 100 | Horizontal | Pass |
| 1** | 1571.300 | 32.79 | -16.56 | 54.0 | 21.21 | AV | 172.00 | 100 | Horizontal | Pass |
| 2 | 2434.200 | 113.18 | -9.03 | 74.0 | -39.18 | Peak | 130.00 | 100 | Horizontal | N/A |
| 2** | 2434.200 | 105.71 | -9.03 | 54.0 | -51.71 | AV | 130.00 | 100 | Horizontal | N/A |
| 3 | 4955.500 | 49.96 | -2.40 | 74.0 | 24.04 | Peak | 142.00 | 150 | Horizontal | Pass |
| 3** | 4955.500 | 40.96 | -2.40 | 54.0 | 13.04 | AV | 142.00 | 150 | Horizontal | Pass |
| 4 | 5990.500 | 52.85 | -1.23 | 74.0 | 21.15 | Peak | 262.00 | 100 | Horizontal | Pass |
| 4** | 5990.500 | 47.60 | -1.23 | 54.0 | 6.40 | AV | 262.00 | 100 | Horizontal | N/A |
| 5 | 10212.312 | 52.69 | -2.21 | 74.0 | 21.31 | Peak | 222.00 | 400 | Horizontal | Pass |
| 5** | 10212.312 | 42.58 | -2.21 | 54.0 | 11.42 | AV | 222.00 | 400 | Horizontal | Pass |
| 6 | 16788.824 | 52.95 | 0.76 | 74.0 | 21.05 | Peak | 120.00 | 200 | Horizontal | Pass |
| 6** | 16788.824 | 43.54 | 0.76 | 54.0 | 10.46 | AV | 120.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1531.600 | 44.55 | -16.53 | 74.0 | 29.45 | Peak | 150.00 | 100 | Vertical | Pass |
| 1** | 1531.600 | 35.61 | -16.53 | 54.0 | 18.39 | AV | 150.00 | 100 | Vertical | Pass |
| 2 | 2433.600 | 112.06 | -9.09 | 74.0 | -38.06 | Peak | 97.00 | 200 | Vertical | N/A |
| 2** | 2433.600 | 104.06 | -9.09 | 54.0 | -50.06 | AV | 97.00 | 200 | Vertical | N/A |
| 3 | 3993.000 | 52.33 | -5.06 | 74.0 | 21.67 | Peak | 161.00 | 200 | Vertical | Pass |
| 3** | 3993.000 | 38.38 | -5.06 | 54.0 | 15.62 | AV | 161.00 | 200 | Vertical | Pass |
| 4 | 5990.250 | 52.98 | -1.24 | 74.0 | 21.02 | Peak | 262.00 | 100 | Vertical | Pass |
| 4** | 5990.250 | 55.70 | -1.24 | 54.0 | -1.70 | AV | 262.00 | 100 | Vertical | N/A |
| 5 | 10098.787 | 51.87 | -2.24 | 74.0 | 22.13 | Peak | 256.00 | 300 | Vertical | Pass |
| 5** | 10098.787 | 41.73 | -2.24 | 54.0 | 12.27 | AV | 256.00 | 300 | Vertical | Pass |
| 6 | 16332.862 | 53.25 | 0.36 | 74.0 | 20.75 | Peak | 0.00 | 100 | Vertical | Pass |
| 6** | 16332.862 | 43.42 | 0.36 | 54.0 | 10.58 | AV | 0.00 | 100 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1531.200 | 43.48 | -16.54 | 74.0 | 30.52 | Peak | 276.00 | 200 | Horizontal | Pass |
| 1** | 1531.200 | 33.53 | -16.54 | 54.0 | 20.47 | AV | 276.00 | 200 | Horizontal | Pass |
| 2 | 2460.600 | 111.87 | -9.73 | 74.0 | -37.87 | Peak | 121.00 | 200 | Horizontal | N/A |
| 2** | 2460.600 | 104.54 | -9.73 | 54.0 | -50.54 | AV | 121.00 | 200 | Horizontal | N/A |
| 3 | 4767.250 | 50.16 | -2.45 | 74.0 | 23.84 | Peak | 142.00 | 200 | Horizontal | Pass |
| 3** | 4767.250 | 40.99 | -2.45 | 54.0 | 13.01 | AV | 142.00 | 200 | Horizontal | Pass |
| 4 | 5990.750 | 48.81 | -1.21 | 74.0 | 25.19 | Peak | 176.00 | 100 | Horizontal | Pass |
| 4** | 5990.750 | 49.09 | -1.21 | 54.0 | 4.91 | AV | 176.00 | 100 | Horizontal | N/A |
| 5 | 11061.137 | 52.08 | -1.73 | 74.0 | 21.92 | Peak | 127.00 | 400 | Horizontal | Pass |
| 5** | 11061.137 | 42.32 | -1.73 | 54.0 | 11.68 | AV | 127.00 | 400 | Horizontal | Pass |
| 6 | 16767.563 | 53.73 | 0.01 | 74.0 | 20.27 | Peak | 360.00 | 100 | Horizontal | Pass |
| 6** | 16767.563 | 42.99 | 0.01 | 54.0 | 11.01 | AV | 360.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1541.800 | 45.93 | -16.49 | 74.0 | 28.07 | Peak | 162.00 | 100 | Vertical | Pass |
| 1** | 1541.800 | 35.95 | -16.49 | 54.0 | 18.05 | AV | 162.00 | 100 | Vertical | Pass |
| 2 | 2460.000 | 110.30 | -9.74 | 74.0 | -36.30 | Peak | 116.00 | 150 | Vertical | N/A |
| 2** | 2460.000 | 103.36 | -9.74 | 54.0 | -49.36 | AV | 116.00 | 150 | Vertical | N/A |
| 3 | 4732.000 | 50.28 | -2.89 | 74.0 | 23.72 | Peak | 115.00 | 200 | Vertical | Pass |
| 3** | 4732.000 | 41.64 | -2.89 | 54.0 | 12.36 | AV | 115.00 | 200 | Vertical | Pass |
| 4 | 5991.000 | 64.42 | -1.20 | 74.0 | 9.58 | Peak | 208.00 | 100 | Vertical | Pass |
| 4** | 5991.000 | 58.00 | -1.20 | 54.0 | -4.00 | AV | 208.00 | 100 | Vertical | N/A |
| 5 | 11324.287 | 52.30 | -2.24 | 74.0 | 21.70 | Peak | 305.00 | 100 | Vertical | Pass |
| 5** | 11324.287 | 41.47 | -2.24 | 54.0 | 12.53 | AV | 305.00 | 100 | Vertical | Pass |
| 6 | 16312.388 | 53.67 | -0.22 | 74.0 | 20.33 | Peak | 230.00 | 200 | Vertical | Pass |
| 6** | 16312.388 | 44.59 | -0.22 | 54.0 | 9.41 | AV | 230.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n20 Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1535.600 | 43.48 | -16.49 | 74.0 | 30.52 | Peak | 161.00 | 200 | Horizontal | Pass |
| 1** | 1535.600 | 34.21 | -16.49 | 54.0 | 19.79 | AV | 161.00 | 200 | Horizontal | Pass |
| 2 | 2465.000 | 107.76 | -9.79 | 74.0 | -33.76 | Peak | 130.00 | 100 | Horizontal | N/A |
| 2** | 2465.000 | 100.27 | -9.79 | 54.0 | -46.27 | AV | 130.00 | 100 | Horizontal | N/A |
| 3 | 4780.250 | 50.43 | -2.63 | 74.0 | 23.57 | Peak | 21.00 | 100 | Horizontal | Pass |
| 3** | 4780.250 | 41.10 | -2.63 | 54.0 | 12.90 | AV | 21.00 | 100 | Horizontal | Pass |
| 4 | 5991.000 | 51.78 | -1.20 | 74.0 | 22.22 | Peak | 210.00 | 100 | Horizontal | Pass |
| 4** | 5991.000 | 48.80 | -1.20 | 54.0 | 5.20 | AV | 210.00 | 100 | Horizontal | N/A |
| 5 | 11123.838 | 52.48 | -0.98 | 74.0 | 21.52 | Peak | 360.00 | 100 | Horizontal | Pass |
| 5** | 11123.838 | 42.53 | -0.98 | 54.0 | 11.47 | AV | 360.00 | 100 | Horizontal | Pass |
| 6 | 16344.937 | 53.28 | 0.70 | 74.0 | 20.72 | Peak | 143.00 | 400 | Horizontal | Pass |
| 6** | 16344.937 | 43.88 | 0.70 | 54.0 | 10.12 | AV | 143.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n20 Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1541.400 | 45.73 | -16.47 | 74.0 | 28.27 | Peak | 148.00 | 300 | Vertical | Pass |
| 1** | 1541.400 | 36.82 | -16.47 | 54.0 | 17.18 | AV | 148.00 | 300 | Vertical | Pass |
| 2 | 2462.700 | 104.86 | -9.74 | 74.0 | -30.86 | Peak | 111.00 | 150 | Vertical | N/A |
| 2** | 2462.700 | 96.66 | -9.74 | 54.0 | -42.66 | AV | 111.00 | 150 | Vertical | N/A |
| 3 | 3993.750 | 51.72 | -5.16 | 74.0 | 22.28 | Peak | 213.00 | 200 | Vertical | Pass |
| 3** | 3993.750 | 38.04 | -5.16 | 54.0 | 15.96 | AV | 213.00 | 200 | Vertical | Pass |
| 4 | 5990.750 | 63.32 | -1.21 | 74.0 | 10.68 | Peak | 14.00 | 100 | Vertical | Pass |
| 4** | 5990.750 | 56.56 | -1.21 | 54.0 | -2.56 | AV | 14.00 | 100 | Vertical | N/A |
| 5 | 11132.625 | 52.13 | -0.97 | 74.0 | 21.87 | Peak | 4.00 | 300 | Vertical | Pass |
| 5** | 11132.625 | 42.83 | -0.97 | 54.0 | 11.17 | AV | 4.00 | 300 | Vertical | Pass |
| 6 | 16342.838 | 52.54 | 0.64 | 74.0 | 21.46 | Peak | 244.00 | 300 | Vertical | Pass |
| 6** | 16342.838 | 44.12 | 0.64 | 54.0 | 9.88 | AV | 244.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n20 Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1542.300 | 43.49 | -16.50 | 74.0 | 30.51 | Peak | 266.00 | 100 | Horizontal | Pass |
| 1** | 1542.300 | 36.13 | -16.50 | 54.0 | 17.87 | AV | 266.00 | 100 | Horizontal | Pass |
| 2 | 2465.200 | 106.46 | -9.80 | 74.0 | -32.46 | Peak | 127.00 | 100 | Horizontal | N/A |
| 2** | 2465.200 | 99.14 | -9.80 | 54.0 | -45.14 | AV | 127.00 | 100 | Horizontal | N/A |
| 3 | 4835.250 | 50.41 | -2.02 | 74.0 | 23.59 | Peak | 118.00 | 150 | Horizontal | Pass |
| 3** | 4835.250 | 40.64 | -2.02 | 54.0 | 13.36 | AV | 118.00 | 150 | Horizontal | Pass |
| 4 | 5991.000 | 48.30 | -1.20 | 74.0 | 25.70 | Peak | 283.00 | 100 | Horizontal | Pass |
| 4** | 5991.000 | 47.80 | -1.20 | 54.0 | 6.20 | AV | 283.00 | 100 | Horizontal | N/A |
| 5 | 10714.387 | 52.08 | -2.21 | 74.0 | 21.92 | Peak | 171.00 | 200 | Horizontal | Pass |
| 5** | 10714.387 | 42.66 | -2.21 | 54.0 | 11.34 | AV | 171.00 | 200 | Horizontal | Pass |
| 6 | 16314.488 | 54.17 | -0.16 | 74.0 | 19.83 | Peak | 108.00 | 100 | Horizontal | Pass |
| 6** | 16314.488 | 43.69 | -0.16 | 54.0 | 10.31 | AV | 108.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n20 Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1542.700 | 45.88 | -16.51 | 74.0 | 28.12 | Peak | 146.00 | 200 | Vertical | Pass |
| 1** | 1542.700 | 36.60 | -16.51 | 54.0 | 17.40 | AV | 146.00 | 200 | Vertical | Pass |
| 2 | 2464.600 | 103.52 | -9.78 | 74.0 | -29.52 | Peak | 104.00 | 150 | Vertical | N/A |
| 2** | 2464.600 | 96.12 | -9.78 | 54.0 | -42.12 | AV | 104.00 | 150 | Vertical | N/A |
| 3 | 3994.000 | 51.10 | -5.20 | 74.0 | 22.90 | Peak | 220.00 | 200 | Vertical | Pass |
| 3** | 3994.000 | 38.93 | -5.20 | 54.0 | 15.07 | AV | 220.00 | 200 | Vertical | Pass |
| 4 | 5990.500 | 65.85 | -1.23 | 74.0 | 8.15 | Peak | 360.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 56.11 | -1.23 | 54.0 | -2.11 | AV | 360.00 | 100 | Vertical | N/A |
| 5 | 11208.150 | 51.85 | -2.01 | 74.0 | 22.15 | Peak | 317.00 | 300 | Vertical | Pass |
| 5** | 11208.150 | 42.88 | -2.01 | 54.0 | 11.12 | AV | 317.00 | 300 | Vertical | Pass |
| 6 | 16325.775 | 53.30 | 0.16 | 74.0 | 20.70 | Peak | 31.00 | 300 | Vertical | Pass |
| 6** | 16325.775 | 43.73 | 0.16 | 54.0 | 10.27 | AV | 31.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1531.600 | 45.92 | -16.53 | 74.0 | 28.08 | Peak | 309.00 | 400 | Horizontal | Pass |
| 1** | 1531.600 | 35.21 | -16.53 | 54.0 | 18.79 | AV | 309.00 | 400 | Horizontal | Pass |
| 2 | 2424.400 | 108.68 | -9.91 | 74.0 | -34.68 | Peak | 169.00 | 100 | Horizontal | N/A |
| 2** | 2424.400 | 100.19 | -9.91 | 54.0 | -46.19 | AV | 169.00 | 100 | Horizontal | N/A |
| 3 | 4693.250 | 50.81 | -3.00 | 74.0 | 23.19 | Peak | 338.00 | 200 | Horizontal | Pass |
| 3** | 4693.250 | 40.60 | -3.00 | 54.0 | 13.40 | AV | 338.00 | 200 | Horizontal | Pass |
| 4 | 5990.500 | 57.69 | -1.23 | 74.0 | 16.31 | Peak | 131.00 | 300 | Horizontal | Pass |
| 4** | 5990.500 | 48.60 | -1.23 | 54.0 | 5.40 | AV | 131.00 | 300 | Horizontal | Pass |
| 5 | 11119.563 | 51.63 | -0.99 | 74.0 | 22.37 | Peak | 312.00 | 300 | Horizontal | Pass |
| 5** | 11119.563 | 42.54 | -0.99 | 54.0 | 11.46 | AV | 312.00 | 300 | Horizontal | Pass |
| 6 | 15753.787 | 52.98 | 0.27 | 74.0 | 21.02 | Peak | 77.00 | 100 | Horizontal | Pass |
| 6** | 15753.787 | 43.76 | 0.27 | 54.0 | 10.24 | AV | 77.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1539.900 | 47.59 | -16.51 | 74.0 | 26.41 | Peak | 183.00 | 400 | Vertical | Pass |
| 1** | 1539.900 | 38.82 | -16.51 | 54.0 | 15.18 | AV | 183.00 | 400 | Vertical | Pass |
| 2 | 2411.700 | 107.10 | -9.94 | 74.0 | -33.10 | Peak | 147.00 | 150 | Vertical | N/A |
| 2** | 2411.700 | 98.73 | -9.94 | 54.0 | -44.73 | AV | 147.00 | 150 | Vertical | N/A |
| 3 | 3993.500 | 54.44 | -5.13 | 74.0 | 19.56 | Peak | 192.00 | 100 | Vertical | Pass |
| 3** | 3993.500 | 38.81 | -5.13 | 54.0 | 15.19 | AV | 192.00 | 100 | Vertical | Pass |
| 4 | 5991.000 | 64.80 | -1.20 | 74.0 | 9.20 | Peak | 227.00 | 150 | Vertical | Pass |
| 4** | 5991.000 | 58.62 | -1.20 | 54.0 | -4.62 | AV | 227.00 | 150 | Vertical | N/A |
| 5 | 11063.987 | 51.37 | -1.68 | 74.0 | 22.63 | Peak | 333.00 | 300 | Vertical | Pass |
| 5** | 11063.987 | 41.73 | -1.68 | 54.0 | 12.27 | AV | 333.00 | 300 | Vertical | Pass |
| 6 | 16788.563 | 53.05 | 0.75 | 74.0 | 20.95 | Peak | 288.00 | 300 | Vertical | Pass |
| 6** | 16788.563 | 42.94 | 0.75 | 54.0 | 11.06 | AV | 288.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1261.400 | 44.78 | -17.02 | 74.0 | 29.22 | Peak | 99.00 | 200 | Horizontal | Pass |
| 1** | 1261.400 | 33.34 | -17.02 | 54.0 | 20.66 | AV | 99.00 | 200 | Horizontal | Pass |
| 2 | 2432.900 | 109.04 | -9.13 | 74.0 | -35.04 | Peak | 166.00 | 100 | Horizontal | N/A |
| 2** | 2432.900 | 100.85 | -9.13 | 54.0 | -46.85 | AV | 166.00 | 100 | Horizontal | N/A |
| 3 | 4791.750 | 50.22 | -2.87 | 74.0 | 23.78 | Peak | 173.00 | 150 | Horizontal | Pass |
| 3** | 4791.750 | 40.59 | -2.87 | 54.0 | 13.41 | AV | 173.00 | 150 | Horizontal | Pass |
| 4 | 5990.500 | 60.06 | -1.23 | 74.0 | 13.94 | Peak | 156.00 | 150 | Horizontal | Pass |
| 4** | 5990.500 | 51.59 | -1.23 | 54.0 | 2.41 | AV | 156.00 | 150 | Horizontal | Pass |
| 5 | 11135.000 | 52.34 | -0.97 | 74.0 | 21.66 | Peak | 153.00 | 100 | Horizontal | Pass |
| 5** | 11135.000 | 42.53 | -0.97 | 54.0 | 11.47 | AV | 153.00 | 100 | Horizontal | Pass |
| 6 | 16697.213 | 52.57 | 0.89 | 74.0 | 21.43 | Peak | 326.00 | 400 | Horizontal | Pass |
| 6** | 16697.213 | 42.82 | 0.89 | 54.0 | 11.18 | AV | 326.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1544.300 | 45.47 | -16.44 | 74.0 | 28.53 | Peak | 189.00 | 200 | Vertical | Pass |
| 1** | 1544.300 | 36.63 | -16.44 | 54.0 | 17.37 | AV | 189.00 | 200 | Vertical | Pass |
| 2 | 2432.500 | 107.14 | -9.11 | 74.0 | -33.14 | Peak | 142.00 | 100 | Vertical | N/A |
| 2** | 2432.500 | 99.66 | -9.11 | 54.0 | -45.66 | AV | 142.00 | 100 | Vertical | N/A |
| 3 | 4892.000 | 50.63 | -2.63 | 74.0 | 23.37 | Peak | 339.00 | 200 | Vertical | Pass |
| 3** | 4892.000 | 40.54 | -2.63 | 54.0 | 13.46 | AV | 339.00 | 200 | Vertical | Pass |
| 4 | 5990.250 | 60.95 | -1.24 | 74.0 | 13.05 | Peak | 165.00 | 150 | Vertical | Pass |
| 4** | 5990.250 | 56.64 | -1.24 | 54.0 | -2.64 | AV | 165.00 | 150 | Vertical | N/A |
| 5 | 10964.712 | 51.49 | -2.24 | 74.0 | 22.51 | Peak | 197.00 | 300 | Vertical | Pass |
| 5** | 10964.712 | 42.04 | -2.24 | 54.0 | 11.96 | AV | 197.00 | 300 | Vertical | Pass |
| 6 | 16325.512 | 52.89 | 0.15 | 74.0 | 21.11 | Peak | 80.00 | 200 | Vertical | Pass |
| 6** | 16325.512 | 44.28 | 0.15 | 54.0 | 9.72 | AV | 80.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1540.800 | 43.28 | -16.46 | 74.0 | 30.72 | Peak | 274.00 | 300 | Horizontal | Pass |
| 1** | 1540.800 | 34.80 | -16.46 | 54.0 | 19.20 | AV | 274.00 | 300 | Horizontal | Pass |
| 2 | 2457.600 | 108.62 | -9.72 | 74.0 | -34.62 | Peak | 76.00 | 150 | Horizontal | N/A |
| 2** | 2457.600 | 100.38 | -9.72 | 54.0 | -46.38 | AV | 76.00 | 150 | Horizontal | N/A |
| 3 | 4704.750 | 50.54 | -2.70 | 74.0 | 23.46 | Peak | 190.00 | 200 | Horizontal | Pass |
| 3** | 4704.750 | 41.06 | -2.70 | 54.0 | 12.94 | AV | 190.00 | 200 | Horizontal | Pass |
| 4 | 5989.750 | 58.26 | -1.28 | 74.0 | 15.74 | Peak | 111.00 | 200 | Horizontal | Pass |
| 4** | 5989.750 | 41.98 | -1.28 | 54.0 | 12.02 | AV | 111.00 | 200 | Horizontal | Pass |
| 5 | 10717.475 | 51.67 | -2.16 | 74.0 | 22.33 | Peak | 328.00 | 300 | Horizontal | Pass |
| 5** | 10717.475 | 41.95 | -2.16 | 54.0 | 12.05 | AV | 328.00 | 300 | Horizontal | Pass |
| 6 | 16359.113 | 52.47 | 0.65 | 74.0 | 21.53 | Peak | 263.00 | 300 | Horizontal | Pass |
| 6** | 16359.113 | 42.95 | 0.65 | 54.0 | 11.05 | AV | 263.00 | 300 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1545.100 | 44.65 | -16.42 | 74.0 | 29.35 | Peak | 152.00 | 200 | Vertical | Pass |
| 1** | 1545.100 | 36.56 | -16.42 | 54.0 | 17.44 | AV | 152.00 | 200 | Vertical | Pass |
| 2 | 2456.900 | 106.41 | -9.71 | 74.0 | -32.41 | Peak | 98.00 | 100 | Vertical | N/A |
| 2** | 2456.900 | 98.64 | -9.71 | 54.0 | -44.64 | AV | 98.00 | 100 | Vertical | N/A |
| 3 | 3993.750 | 52.77 | -5.16 | 74.0 | 21.23 | Peak | 221.00 | 150 | Vertical | Pass |
| 3** | 3993.750 | 41.70 | -5.16 | 54.0 | 12.30 | AV | 221.00 | 150 | Vertical | Pass |
| 4 | 5990.750 | 58.05 | -1.21 | 74.0 | 15.95 | Peak | 73.00 | 150 | Vertical | Pass |
| 4** | 5990.750 | 55.71 | -1.21 | 54.0 | -1.71 | AV | 73.00 | 150 | Vertical | N/A |
| 5 | 11141.650 | 52.05 | -0.96 | 74.0 | 21.95 | Peak | 180.00 | 300 | Vertical | Pass |
| 5** | 11141.650 | 42.50 | -0.96 | 54.0 | 11.50 | AV | 180.00 | 300 | Vertical | Pass |
| 6 | 15783.975 | 52.27 | -0.56 | 74.0 | 21.73 | Peak | 249.00 | 200 | Vertical | Pass |
| 6** | 15783.975 | 42.54 | -0.56 | 54.0 | 11.46 | AV | 249.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n40 Channel 10

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1537.400 | 43.43 | -16.55 | 74.0 | 30.57 | Peak | 318.00 | 300 | Horizontal | Pass |
| 1** | 1537.400 | 33.76 | -16.55 | 54.0 | 20.24 | AV | 318.00 | 300 | Horizontal | Pass |
| 2 | 2463.100 | 106.38 | -9.74 | 74.0 | -32.38 | Peak | 72.00 | 100 | Horizontal | N/A |
| 2** | 2463.100 | 97.06 | -9.74 | 54.0 | -43.06 | AV | 72.00 | 100 | Horizontal | N/A |
| 3 | 4955.750 | 50.18 | -2.42 | 74.0 | 23.82 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4955.750 | 42.14 | -2.42 | 54.0 | 11.86 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5990.500 | 60.01 | -1.23 | 74.0 | 13.99 | Peak | 90.00 | 100 | Horizontal | Pass |
| 4** | 5990.500 | 42.61 | -1.23 | 54.0 | 11.39 | AV | 90.00 | 100 | Horizontal | Pass |
| 5 | 11203.875 | 51.55 | -1.90 | 74.0 | 22.45 | Peak | 109.00 | 100 | Horizontal | Pass |
| 5** | 11203.875 | 42.20 | -1.90 | 54.0 | 11.80 | AV | 109.00 | 100 | Horizontal | Pass |
| 6 | 16330.237 | 53.18 | 0.28 | 74.0 | 20.82 | Peak | 300.00 | 100 | Horizontal | Pass |
| 6** | 16330.237 | 43.16 | 0.28 | 54.0 | 10.84 | AV | 300.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n40 Channel 10

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1542.800 | 44.30 | -16.52 | 74.0 | 29.70 | Peak | 189.00 | 400 | Vertical | Pass |
| 1** | 1542.800 | 35.95 | -16.52 | 54.0 | 18.05 | AV | 189.00 | 400 | Vertical | Pass |
| 2 | 2452.800 | 102.48 | -9.95 | 74.0 | -28.48 | Peak | 106.00 | 100 | Vertical | N/A |
| 2** | 2452.800 | 94.82 | -9.95 | 54.0 | -40.82 | AV | 106.00 | 100 | Vertical | N/A |
| 3 | 4722.750 | 50.83 | -2.85 | 74.0 | 23.17 | Peak | 92.00 | 150 | Vertical | Pass |
| 3** | 4722.750 | 41.07 | -2.85 | 54.0 | 12.93 | AV | 92.00 | 150 | Vertical | Pass |
| 4 | 5991.000 | 58.09 | -1.20 | 74.0 | 15.91 | Peak | 20.00 | 150 | Vertical | Pass |
| 4** | 5991.000 | 55.59 | -1.20 | 54.0 | -1.59 | AV | 20.00 | 150 | Vertical | N/A |
| 5 | 11126.688 | 51.57 | -0.98 | 74.0 | 22.43 | Peak | 58.00 | 200 | Vertical | Pass |
| 5** | 11126.688 | 43.80 | -0.98 | 54.0 | 10.20 | AV | 58.00 | 200 | Vertical | Pass |
| 6 | 16307.401 | 52.60 | -0.36 | 74.0 | 21.40 | Peak | 56.00 | 200 | Vertical | Pass |
| 6** | 16307.401 | 43.43 | -0.36 | 54.0 | 10.57 | AV | 56.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n40 Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1256.700 | 44.03 | -17.13 | 74.0 | 29.97 | Peak | 47.00 | 400 | Horizontal | Pass |
| 1** | 1256.700 | 34.16 | -17.13 | 54.0 | 19.84 | AV | 47.00 | 400 | Horizontal | Pass |
| 2 | 2478.000 | 103.93 | -10.48 | 74.0 | -29.93 | Peak | 130.00 | 100 | Horizontal | N/A |
| 2** | 2478.000 | 96.73 | -10.48 | 54.0 | -42.73 | AV | 130.00 | 100 | Horizontal | N/A |
| 3 | 4757.750 | 50.33 | -2.79 | 74.0 | 23.67 | Peak | 133.00 | 150 | Horizontal | Pass |
| 3** | 4757.750 | 41.53 | -2.79 | 54.0 | 12.47 | AV | 133.00 | 150 | Horizontal | Pass |
| 4 | 5990.000 | 58.90 | -1.26 | 74.0 | 15.10 | Peak | 88.00 | 400 | Horizontal | Pass |
| 4** | 5990.000 | 41.46 | -1.26 | 54.0 | 12.54 | AV | 88.00 | 400 | Horizontal | Pass |
| 5 | 10572.599 | 51.78 | -1.83 | 74.0 | 22.22 | Peak | 282.00 | 100 | Horizontal | Pass |
| 5** | 10572.599 | 41.89 | -1.83 | 54.0 | 12.11 | AV | 282.00 | 100 | Horizontal | Pass |
| 6 | 16332.338 | 52.90 | 0.34 | 74.0 | 21.10 | Peak | 5.00 | 400 | Horizontal | Pass |
| 6** | 16332.338 | 43.78 | 0.34 | 54.0 | 10.22 | AV | 5.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n40 Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1543.900 | 44.54 | -16.46 | 74.0 | 29.46 | Peak | 195.00 | 200 | Vertical | Pass |
| 1** | 1543.900 | 35.49 | -16.46 | 54.0 | 18.51 | AV | 195.00 | 200 | Vertical | Pass |
| 2 | 2457.700 | 102.32 | -9.72 | 74.0 | -28.32 | Peak | 111.00 | 150 | Vertical | N/A |
| 2** | 2457.700 | 93.78 | -9.72 | 54.0 | -39.78 | AV | 111.00 | 150 | Vertical | N/A |
| 3 | 3993.750 | 52.95 | -5.16 | 74.0 | 21.05 | Peak | 209.00 | 150 | Vertical | Pass |
| 3** | 3993.750 | 42.93 | -5.16 | 54.0 | 11.07 | AV | 209.00 | 150 | Vertical | Pass |
| 4 | 5990.500 | 63.49 | -1.23 | 74.0 | 10.51 | Peak | 165.00 | 150 | Vertical | Pass |
| 4** | 5990.500 | 55.71 | -1.23 | 54.0 | -1.71 | AV | 165.00 | 150 | Vertical | N/A |
| 5 | 11134.287 | 52.08 | -0.97 | 74.0 | 21.92 | Peak | 107.00 | 300 | Vertical | Pass |
| 5** | 11134.287 | 42.20 | -0.97 | 54.0 | 11.80 | AV | 107.00 | 300 | Vertical | Pass |
| 6 | 16706.662 | 52.77 | 0.67 | 74.0 | 21.23 | Peak | 44.00 | 300 | Vertical | Pass |
| 6** | 16706.662 | 43.30 | 0.67 | 54.0 | 10.70 | AV | 44.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1537.600 | 43.44 | -16.56 | 74.0 | 30.56 | Peak | 178.00 | 200 | Horizontal | Pass |
| 1** | 1537.600 | 33.42 | -16.56 | 54.0 | 20.58 | AV | 178.00 | 200 | Horizontal | Pass |
| 2 | 2412.600 | 113.02 | -9.97 | 74.0 | -39.02 | Peak | 67.00 | 100 | Horizontal | N/A |
| 2** | 2412.600 | 104.43 | -9.97 | 54.0 | -50.43 | AV | 67.00 | 100 | Horizontal | N/A |
| 3 | 3993.750 | 51.19 | -5.16 | 74.0 | 22.81 | Peak | 302.00 | 150 | Horizontal | Pass |
| 3** | 3993.750 | 41.31 | -5.16 | 54.0 | 12.69 | AV | 302.00 | 150 | Horizontal | Pass |
| 4 | 5990.000 | 55.74 | -1.26 | 74.0 | 18.26 | Peak | 206.00 | 200 | Horizontal | Pass |
| 4** | 5990.000 | 42.24 | -1.26 | 54.0 | 11.76 | AV | 206.00 | 200 | Horizontal | Pass |
| 5 | 11125.262 | 51.61 | -0.98 | 74.0 | 22.39 | Peak | 335.00 | 400 | Horizontal | Pass |
| 5** | 11125.262 | 42.19 | -0.98 | 54.0 | 11.81 | AV | 335.00 | 400 | Horizontal | Pass |
| 6 | 15743.549 | 52.87 | 0.28 | 74.0 | 21.13 | Peak | 172.00 | 300 | Horizontal | Pass |
| 6** | 15743.549 | 43.27 | 0.28 | 54.0 | 10.73 | AV | 172.00 | 300 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1540.500 | 44.90 | -16.47 | 74.0 | 29.10 | Peak | 203.00 | 200 | Vertical | Pass |
| 1** | 1540.500 | 35.53 | -16.47 | 54.0 | 18.47 | AV | 203.00 | 200 | Vertical | Pass |
| 2 | 2416.900 | 112.18 | -10.00 | 74.0 | -38.18 | Peak | 96.00 | 100 | Vertical | N/A |
| 2** | 2416.900 | 103.32 | -10.00 | 54.0 | -49.32 | AV | 96.00 | 100 | Vertical | N/A |
| 3 | 3993.500 | 53.10 | -5.13 | 74.0 | 20.90 | Peak | 160.00 | 100 | Vertical | Pass |
| 3** | 3993.500 | 37.89 | -5.13 | 54.0 | 16.11 | AV | 160.00 | 100 | Vertical | Pass |
| 4 | 5991.250 | 57.52 | -1.19 | 74.0 | 16.48 | Peak | 177.00 | 150 | Vertical | Pass |
| 4** | 5991.250 | 54.94 | -1.19 | 54.0 | -0.94 | AV | 177.00 | 150 | Vertical | N/A |
| 5 | 10071.950 | 51.88 | -2.74 | 74.0 | 22.12 | Peak | 312.00 | 100 | Vertical | Pass |
| 5** | 10071.950 | 41.11 | -2.74 | 54.0 | 12.89 | AV | 312.00 | 100 | Vertical | Pass |
| 6 | 16327.349 | 53.56 | 0.20 | 74.0 | 20.44 | Peak | 105.00 | 200 | Vertical | Pass |
| 6** | 16327.349 | 43.69 | 0.20 | 54.0 | 10.31 | AV | 105.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1543.800 | 44.02 | -16.47 | 74.0 | 29.98 | Peak | 316.00 | 200 | Horizontal | Pass |
| 1** | 1543.800 | 33.14 | -16.47 | 54.0 | 20.86 | AV | 316.00 | 200 | Horizontal | Pass |
| 2 | 2432.400 | 113.31 | -9.11 | 74.0 | -39.31 | Peak | 69.00 | 200 | Horizontal | N/A |
| 2** | 2432.400 | 105.12 | -9.11 | 54.0 | -51.12 | AV | 69.00 | 200 | Horizontal | N/A |
| 3 | 4738.750 | 50.77 | -2.82 | 74.0 | 23.23 | Peak | 90.00 | 150 | Horizontal | Pass |
| 3** | 4738.750 | 40.86 | -2.82 | 54.0 | 13.14 | AV | 90.00 | 150 | Horizontal | Pass |
| 4 | 5990.000 | 58.94 | -1.26 | 74.0 | 15.06 | Peak | 90.00 | 200 | Horizontal | Pass |
| 4** | 5990.000 | 41.93 | -1.26 | 54.0 | 12.07 | AV | 90.00 | 200 | Horizontal | Pass |
| 5 | 11132.151 | 51.75 | -0.97 | 74.0 | 22.25 | Peak | 172.00 | 200 | Horizontal | Pass |
| 5** | 11132.151 | 42.88 | -0.97 | 54.0 | 11.12 | AV | 172.00 | 200 | Horizontal | Pass |
| 6 | 15732.000 | 52.58 | 0.13 | 74.0 | 21.42 | Peak | 261.00 | 200 | Horizontal | Pass |
| 6** | 15732.000 | 42.83 | 0.13 | 54.0 | 11.17 | AV | 261.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1541.500 | 45.75 | -16.48 | 74.0 | 28.25 | Peak | 228.00 | 300 | Vertical | Pass |
| 1** | 1541.500 | 35.78 | -16.48 | 54.0 | 18.22 | AV | 228.00 | 300 | Vertical | Pass |
| 2 | 2432.200 | 112.56 | -9.10 | 74.0 | -38.56 | Peak | 104.00 | 150 | Vertical | N/A |
| 2** | 2432.200 | 104.72 | -9.10 | 54.0 | -50.72 | AV | 104.00 | 150 | Vertical | N/A |
| 3 | 3994.000 | 51.00 | -5.20 | 74.0 | 23.00 | Peak | 233.00 | 100 | Vertical | Pass |
| 3** | 3994.000 | 39.07 | -5.20 | 54.0 | 14.93 | AV | 233.00 | 100 | Vertical | Pass |
| 4 | 5990.750 | 66.82 | -1.21 | 74.0 | 7.18 | Peak | 197.00 | 100 | Vertical | Pass |
| 4** | 5990.750 | 57.36 | -1.21 | 54.0 | -3.36 | AV | 197.00 | 100 | Vertical | N/A |
| 5 | 11063.037 | 51.68 | -1.70 | 74.0 | 22.32 | Peak | 208.00 | 200 | Vertical | Pass |
| 5** | 11063.037 | 42.29 | -1.70 | 54.0 | 11.71 | AV | 208.00 | 200 | Vertical | Pass |
| 6 | 16513.463 | 53.05 | 0.26 | 74.0 | 20.95 | Peak | 94.00 | 400 | Vertical | Pass |
| 6** | 16513.463 | 44.45 | 0.26 | 54.0 | 9.55 | AV | 94.00 | 400 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1249.900 | 43.67 | -16.89 | 74.0 | 30.33 | Peak | 43.00 | 400 | Horizontal | Pass |
| 1** | 1249.900 | 35.31 | -16.89 | 54.0 | 18.69 | AV | 43.00 | 400 | Horizontal | Pass |
| 2 | 2465.600 | 112.62 | -9.84 | 74.0 | -38.62 | Peak | 64.00 | 200 | Horizontal | N/A |
| 2** | 2465.600 | 103.39 | -9.84 | 54.0 | -49.39 | AV | 64.00 | 200 | Horizontal | N/A |
| 3 | 4950.000 | 50.90 | -2.26 | 74.0 | 23.10 | Peak | 329.00 | 150 | Horizontal | Pass |
| 3** | 4950.000 | 40.84 | -2.26 | 54.0 | 13.16 | AV | 329.00 | 150 | Horizontal | Pass |
| 4 | 5990.000 | 60.33 | -1.26 | 74.0 | 13.67 | Peak | 99.00 | 300 | Horizontal | Pass |
| 4** | 5990.000 | 45.34 | -1.26 | 54.0 | 8.66 | AV | 99.00 | 300 | Horizontal | Pass |
| 5 | 10576.638 | 52.07 | -1.77 | 74.0 | 21.93 | Peak | 293.00 | 100 | Horizontal | Pass |
| 5** | 10576.638 | 42.02 | -1.77 | 54.0 | 11.98 | AV | 293.00 | 100 | Horizontal | Pass |
| 6 | 15734.100 | 52.74 | 0.15 | 74.0 | 21.26 | Peak | 4.00 | 200 | Horizontal | Pass |
| 6** | 15734.100 | 43.48 | 0.15 | 54.0 | 10.52 | AV | 4.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1530.100 | 45.34 | -16.54 | 74.0 | 28.66 | Peak | 223.00 | 400 | Vertical | Pass |
| 1** | 1530.100 | 34.90 | -16.54 | 54.0 | 19.10 | AV | 223.00 | 400 | Vertical | Pass |
| 2 | 2460.300 | 111.25 | -9.74 | 74.0 | -37.25 | Peak | 96.00 | 100 | Vertical | N/A |
| 2** | 2460.300 | 103.44 | -9.74 | 54.0 | -49.44 | AV | 96.00 | 100 | Vertical | N/A |
| 3 | 3993.750 | 52.72 | -5.16 | 74.0 | 21.28 | Peak | 150.00 | 200 | Vertical | Pass |
| 3** | 3993.750 | 41.34 | -5.16 | 54.0 | 12.66 | AV | 150.00 | 200 | Vertical | Pass |
| 4 | 5990.750 | 61.80 | -1.21 | 74.0 | 12.20 | Peak | 141.00 | 150 | Vertical | Pass |
| 4** | 5990.750 | 55.78 | -1.21 | 54.0 | -1.78 | AV | 141.00 | 150 | Vertical | N/A |
| 5 | 10702.513 | 51.70 | -2.40 | 74.0 | 22.30 | Peak | 258.00 | 300 | Vertical | Pass |
| 5** | 10702.513 | 41.89 | -2.40 | 54.0 | 12.11 | AV | 258.00 | 300 | Vertical | Pass |
| 6 | 16344.150 | 53.32 | 0.68 | 74.0 | 20.68 | Peak | 299.00 | 200 | Vertical | Pass |
| 6** | 16344.150 | 43.60 | 0.68 | 54.0 | 10.40 | AV | 299.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1260.600 | 43.61 | -16.97 | 74.0 | 30.39 | Peak | 250.00 | 200 | Horizontal | Pass |
| 1** | 1260.600 | 34.06 | -16.97 | 54.0 | 19.94 | AV | 250.00 | 200 | Horizontal | Pass |
| 2 | 2464.500 | 109.12 | -9.78 | 74.0 | -35.12 | Peak | 130.00 | 100 | Horizontal | N/A |
| 2** | 2464.500 | 100.23 | -9.78 | 54.0 | -46.23 | AV | 130.00 | 100 | Horizontal | N/A |
| 3 | 4746.000 | 50.61 | -2.82 | 74.0 | 23.39 | Peak | 178.00 | 150 | Horizontal | Pass |
| 3** | 4746.000 | 41.14 | -2.82 | 54.0 | 12.86 | AV | 178.00 | 150 | Horizontal | Pass |
| 4 | 5990.250 | 56.17 | -1.24 | 74.0 | 17.83 | Peak | 63.00 | 300 | Horizontal | Pass |
| 4** | 5990.250 | 42.34 | -1.24 | 54.0 | 11.66 | AV | 63.00 | 300 | Horizontal | Pass |
| 5 | 10809.388 | 51.53 | -2.80 | 74.0 | 22.47 | Peak | 184.00 | 400 | Horizontal | Pass |
| 5** | 10809.388 | 41.82 | -2.80 | 54.0 | 12.18 | AV | 184.00 | 400 | Horizontal | Pass |
| 6 | 16489.051 | 52.47 | 0.39 | 74.0 | 21.53 | Peak | 67.00 | 300 | Horizontal | Pass |
| 6** | 16489.051 | 43.22 | 0.39 | 54.0 | 10.78 | AV | 67.00 | 300 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1539.700 | 45.48 | -16.52 | 74.0 | 28.52 | Peak | 211.00 | 100 | Vertical | Pass |
| 1** | 1539.700 | 36.51 | -16.52 | 54.0 | 17.49 | AV | 211.00 | 100 | Vertical | Pass |
| 2 | 2464.600 | 106.06 | -9.78 | 74.0 | -32.06 | Peak | 108.00 | 100 | Vertical | N/A |
| 2** | 2464.600 | 97.47 | -9.78 | 54.0 | -43.47 | AV | 108.00 | 100 | Vertical | N/A |
| 3 | 3993.750 | 51.96 | -5.16 | 74.0 | 22.04 | Peak | 190.00 | 150 | Vertical | Pass |
| 3** | 3993.750 | 41.47 | -5.16 | 54.0 | 12.53 | AV | 190.00 | 150 | Vertical | Pass |
| 4 | 5990.750 | 64.00 | -1.21 | 74.0 | 10.00 | Peak | 360.00 | 150 | Vertical | Pass |
| 4** | 5990.750 | 55.96 | -1.21 | 54.0 | -1.96 | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 11182.500 | 51.62 | -1.50 | 74.0 | 22.38 | Peak | 234.00 | 200 | Vertical | Pass |
| 5** | 11182.500 | 43.19 | -1.50 | 54.0 | 10.81 | AV | 234.00 | 200 | Vertical | Pass |
| 6 | 16353.863 | 52.81 | 0.76 | 74.0 | 21.19 | Peak | 236.00 | 300 | Vertical | Pass |
| 6** | 16353.863 | 43.81 | 0.76 | 54.0 | 10.19 | AV | 236.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1256.200 | 44.60 | -17.10 | 74.0 | 29.40 | Peak | 47.00 | 100 | Horizontal | Pass |
| 1** | 1256.200 | 33.77 | -17.10 | 54.0 | 20.23 | AV | 47.00 | 100 | Horizontal | Pass |
| 2 | 2467.200 | 108.48 | -10.01 | 74.0 | -34.48 | Peak | 76.00 | 200 | Horizontal | N/A |
| 2** | 2467.200 | 98.48 | -10.01 | 54.0 | -44.48 | AV | 76.00 | 200 | Horizontal | N/A |
| 3 | 4794.250 | 50.44 | -2.97 | 74.0 | 23.56 | Peak | 14.00 | 150 | Horizontal | Pass |
| 3** | 4794.250 | 41.50 | -2.97 | 54.0 | 12.50 | AV | 14.00 | 150 | Horizontal | Pass |
| 4 | 5991.000 | 58.07 | -1.20 | 74.0 | 15.93 | Peak | 110.00 | 400 | Horizontal | Pass |
| 4** | 5991.000 | 43.78 | -1.20 | 54.0 | 10.22 | AV | 110.00 | 400 | Horizontal | Pass |
| 5 | 11150.675 | 52.35 | -0.96 | 74.0 | 21.65 | Peak | 157.00 | 400 | Horizontal | Pass |
| 5** | 11150.675 | 42.02 | -0.96 | 54.0 | 11.98 | AV | 157.00 | 400 | Horizontal | Pass |
| 6 | 16487.213 | 52.83 | 0.39 | 74.0 | 21.17 | Peak | 275.00 | 200 | Horizontal | Pass |
| 6** | 16487.213 | 43.46 | 0.39 | 54.0 | 10.54 | AV | 275.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1543.200 | 45.03 | -16.50 | 74.0 | 28.97 | Peak | 206.00 | 100 | Vertical | Pass |
| 1** | 1543.200 | 35.74 | -16.50 | 54.0 | 18.26 | AV | 206.00 | 100 | Vertical | Pass |
| 2 | 2463.600 | 104.94 | -9.76 | 74.0 | -30.94 | Peak | 113.00 | 100 | Vertical | N/A |
| 2** | 2463.600 | 95.71 | -9.76 | 54.0 | -41.71 | AV | 113.00 | 100 | Vertical | N/A |
| 3 | 3993.500 | 52.47 | -5.13 | 74.0 | 21.53 | Peak | 170.00 | 200 | Vertical | Pass |
| 3** | 3993.500 | 38.44 | -5.13 | 54.0 | 15.56 | AV | 170.00 | 200 | Vertical | Pass |
| 4 | 5991.000 | 61.41 | -1.20 | 74.0 | 12.59 | Peak | 0.00 | 150 | Vertical | Pass |
| 4** | 5991.000 | 55.53 | -1.20 | 54.0 | -1.53 | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 10712.963 | 51.42 | -2.23 | 74.0 | 22.58 | Peak | 168.00 | 100 | Vertical | Pass |
| 5** | 10712.963 | 42.41 | -2.23 | 54.0 | 11.59 | AV | 168.00 | 100 | Vertical | Pass |
| 6 | 16816.125 | 53.01 | 1.04 | 74.0 | 20.99 | Peak | 160.00 | 400 | Vertical | Pass |
| 6** | 16816.125 | 43.86 | 1.04 | 54.0 | 10.14 | AV | 160.00 | 400 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1262.500 | 43.41 | -17.07 | 74.0 | 30.59 | Peak | 52.00 | 200 | Horizontal | Pass |
| 1** | 1262.500 | 34.62 | -17.07 | 54.0 | 19.38 | AV | 52.00 | 200 | Horizontal | Pass |
| 2 | 2430.900 | 108.67 | -9.11 | 74.0 | -34.67 | Peak | 132.00 | 200 | Horizontal | N/A |
| 2** | 2430.900 | 99.85 | -9.11 | 54.0 | -45.85 | AV | 132.00 | 200 | Horizontal | N/A |
| 3 | 4748.500 | 50.48 | -2.70 | 74.0 | 23.52 | Peak | 267.00 | 150 | Horizontal | Pass |
| 3** | 4748.500 | 40.96 | -2.70 | 54.0 | 13.04 | AV | 267.00 | 150 | Horizontal | Pass |
| 4 | 5990.250 | 60.58 | -1.24 | 74.0 | 13.42 | Peak | 116.00 | 100 | Horizontal | Pass |
| 4** | 5990.250 | 44.35 | -1.24 | 54.0 | 9.65 | AV | 116.00 | 100 | Horizontal | Pass |
| 5 | 11175.137 | 52.44 | -1.37 | 74.0 | 21.56 | Peak | 21.00 | 200 | Horizontal | Pass |
| 5** | 11175.137 | 42.30 | -1.37 | 54.0 | 11.70 | AV | 21.00 | 200 | Horizontal | Pass |
| 6 | 16321.838 | 53.03 | 0.05 | 74.0 | 20.97 | Peak | 262.00 | 400 | Horizontal | Pass |
| 6** | 16321.838 | 43.66 | 0.05 | 54.0 | 10.34 | AV | 262.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1543.000 | 44.85 | -16.51 | 74.0 | 29.15 | Peak | 157.00 | 100 | Vertical | Pass |
| 1** | 1543.000 | 36.12 | -16.51 | 54.0 | 17.88 | AV | 157.00 | 100 | Vertical | Pass |
| 2 | 2411.400 | 107.21 | -9.96 | 74.0 | -33.21 | Peak | 99.00 | 100 | Vertical | N/A |
| 2** | 2411.400 | 98.92 | -9.96 | 54.0 | -44.92 | AV | 99.00 | 100 | Vertical | N/A |
| 3 | 4750.250 | 50.44 | -2.68 | 74.0 | 23.56 | Peak | 321.00 | 150 | Vertical | Pass |
| 3** | 4750.250 | 41.02 | -2.68 | 54.0 | 12.98 | AV | 321.00 | 150 | Vertical | Pass |
| 4 | 5990.500 | 64.36 | -1.23 | 74.0 | 9.64 | Peak | 0.00 | 150 | Vertical | Pass |
| 4** | 5990.500 | 55.89 | -1.23 | 54.0 | -1.89 | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 10959.725 | 51.79 | -2.34 | 74.0 | 22.21 | Peak | 82.00 | 100 | Vertical | Pass |
| 5** | 10959.725 | 42.22 | -2.34 | 54.0 | 11.78 | AV | 82.00 | 100 | Vertical | Pass |
| 6 | 16349.138 | 52.93 | 0.82 | 74.0 | 21.07 | Peak | 353.00 | 400 | Vertical | Pass |
| 6** | 16349.138 | 44.74 | 0.82 | 54.0 | 9.26 | AV | 353.00 | 400 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1263.200 | 44.51 | -17.05 | 74.0 | 29.49 | Peak | 47.00 | 200 | Horizontal | Pass |
| 1** | 1263.200 | 34.17 | -17.05 | 54.0 | 19.83 | AV | 47.00 | 200 | Horizontal | Pass |
| 2 | 2434.200 | 108.60 | -9.03 | 74.0 | -34.60 | Peak | 134.00 | 200 | Horizontal | N/A |
| 2** | 2434.200 | 100.44 | -9.03 | 54.0 | -46.44 | AV | 134.00 | 200 | Horizontal | N/A |
| 3 | 4780.500 | 50.13 | -2.64 | 74.0 | 23.87 | Peak | 136.00 | 200 | Horizontal | Pass |
| 3** | 4780.500 | 40.39 | -2.64 | 54.0 | 13.61 | AV | 136.00 | 200 | Horizontal | Pass |
| 4 | 5990.750 | 56.14 | -1.21 | 74.0 | 17.86 | Peak | 119.00 | 300 | Horizontal | Pass |
| 4** | 5990.750 | 42.68 | -1.21 | 54.0 | 11.32 | AV | 119.00 | 300 | Horizontal | Pass |
| 5 | 10699.900 | 52.11 | -2.44 | 74.0 | 21.89 | Peak | 341.00 | 200 | Horizontal | Pass |
| 5** | 10699.900 | 42.64 | -2.44 | 54.0 | 11.36 | AV | 341.00 | 200 | Horizontal | Pass |
| 6 | 16799.324 | 52.47 | 1.13 | 74.0 | 21.53 | Peak | 265.00 | 300 | Horizontal | Pass |
| 6** | 16799.324 | 43.71 | 1.13 | 54.0 | 10.29 | AV | 265.00 | 300 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1535.800 | 45.28 | -16.49 | 74.0 | 28.72 | Peak | 154.00 | 400 | Vertical | Pass |
| 1** | 1535.800 | 34.49 | -16.49 | 54.0 | 19.51 | AV | 154.00 | 400 | Vertical | Pass |
| 2 | 2432.200 | 107.46 | -9.10 | 74.0 | -33.46 | Peak | 111.00 | 150 | Vertical | N/A |
| 2** | 2432.200 | 98.63 | -9.10 | 54.0 | -44.63 | AV | 111.00 | 150 | Vertical | N/A |
| 3 | 3993.250 | 50.26 | -5.09 | 74.0 | 23.74 | Peak | 356.00 | 200 | Vertical | Pass |
| 3** | 3993.250 | 39.04 | -5.09 | 54.0 | 14.96 | AV | 356.00 | 200 | Vertical | Pass |
| 4 | 5991.000 | 62.35 | -1.20 | 74.0 | 11.65 | Peak | 250.00 | 150 | Vertical | Pass |
| 4** | 5991.000 | 55.51 | -1.20 | 54.0 | -1.51 | AV | 250.00 | 150 | Vertical | N/A |
| 5 | 11181.075 | 51.66 | -1.48 | 74.0 | 22.34 | Peak | 145.00 | 100 | Vertical | Pass |
| 5** | 11181.075 | 42.88 | -1.48 | 54.0 | 11.12 | AV | 145.00 | 100 | Vertical | Pass |
| 6 | 15749.588 | 54.27 | 0.37 | 74.0 | 19.73 | Peak | 161.00 | 300 | Vertical | Pass |
| 6** | 15749.588 | 44.03 | 0.37 | 54.0 | 9.97 | AV | 161.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1260.200 | 43.38 | -16.94 | 74.0 | 30.62 | Peak | 6.00 | 200 | Horizontal | Pass |
| 1** | 1260.200 | 33.84 | -16.94 | 54.0 | 20.16 | AV | 6.00 | 200 | Horizontal | Pass |
| 2 | 2448.900 | 108.70 | -10.17 | 74.0 | -34.70 | Peak | 130.00 | 150 | Horizontal | N/A |
| 2** | 2448.900 | 100.13 | -10.17 | 54.0 | -46.13 | AV | 130.00 | 150 | Horizontal | N/A |
| 3 | 4968.250 | 50.08 | -2.77 | 74.0 | 23.92 | Peak | 251.00 | 100 | Horizontal | Pass |
| 3** | 4968.250 | 40.98 | -2.77 | 54.0 | 13.02 | AV | 251.00 | 100 | Horizontal | Pass |
| 4 | 5990.500 | 56.88 | -1.23 | 74.0 | 17.12 | Peak | 216.00 | 400 | Horizontal | Pass |
| 4** | 5990.500 | 46.33 | -1.23 | 54.0 | 7.67 | AV | 216.00 | 400 | Horizontal | Pass |
| 5 | 11187.724 | 52.88 | -1.59 | 74.0 | 21.12 | Peak | 181.00 | 200 | Horizontal | Pass |
| 5** | 11187.724 | 41.66 | -1.59 | 54.0 | 12.34 | AV | 181.00 | 200 | Horizontal | Pass |
| 6 | 16348.349 | 52.98 | 0.80 | 74.0 | 21.02 | Peak | 289.00 | 300 | Horizontal | Pass |
| 6** | 16348.349 | 44.77 | 0.80 | 54.0 | 9.23 | AV | 289.00 | 300 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1540.700 | 45.84 | -16.45 | 74.0 | 28.16 | Peak | 151.00 | 300 | Vertical | Pass |
| 1** | 1540.700 | 35.80 | -16.45 | 54.0 | 18.20 | AV | 151.00 | 300 | Vertical | Pass |
| 2 | 2456.600 | 107.33 | -9.71 | 74.0 | -33.33 | Peak | 105.00 | 200 | Vertical | N/A |
| 2** | 2456.600 | 99.00 | -9.71 | 54.0 | -45.00 | AV | 105.00 | 200 | Vertical | N/A |
| 3 | 3993.250 | 52.28 | -5.09 | 74.0 | 21.72 | Peak | 155.00 | 150 | Vertical | Pass |
| 3** | 3993.250 | 43.23 | -5.09 | 54.0 | 10.77 | AV | 155.00 | 150 | Vertical | Pass |
| 4 | 5990.500 | 61.04 | -1.23 | 74.0 | 12.96 | Peak | 136.00 | 150 | Vertical | Pass |
| 4** | 5990.500 | 56.18 | -1.23 | 54.0 | -2.18 | AV | 136.00 | 150 | Vertical | N/A |
| 5 | 10717.712 | 51.47 | -2.16 | 74.0 | 22.53 | Peak | 106.00 | 300 | Vertical | Pass |
| 5** | 10717.712 | 42.28 | -2.16 | 54.0 | 11.72 | AV | 106.00 | 300 | Vertical | Pass |
| 6 | 16343.099 | 53.31 | 0.65 | 74.0 | 20.69 | Peak | 251.00 | 100 | Vertical | Pass |
| 6** | 16343.099 | 44.15 | 0.65 | 54.0 | 9.85 | AV | 251.00 | 100 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 10

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1252.500 | 43.65 | -16.95 | 74.0 | 30.35 | Peak | 52.00 | 100 | Horizontal | Pass |
| 1** | 1252.500 | 37.05 | -16.95 | 54.0 | 16.95 | AV | 52.00 | 100 | Horizontal | Pass |
| 2 | 2455.100 | 104.85 | -9.99 | 74.0 | -30.85 | Peak | 128.00 | 150 | Horizontal | N/A |
| 2** | 2455.100 | 97.37 | -9.99 | 54.0 | -43.37 | AV | 128.00 | 150 | Horizontal | N/A |
| 3 | 4769.750 | 50.50 | -2.46 | 74.0 | 23.50 | Peak | 331.00 | 100 | Horizontal | Pass |
| 3** | 4769.750 | 40.95 | -2.46 | 54.0 | 13.05 | AV | 331.00 | 100 | Horizontal | Pass |
| 4 | 5990.500 | 59.41 | -1.23 | 74.0 | 14.59 | Peak | 112.00 | 400 | Horizontal | Pass |
| 4** | 5990.500 | 46.68 | -1.23 | 54.0 | 7.32 | AV | 112.00 | 400 | Horizontal | Pass |
| 5 | 10722.700 | 52.69 | -2.08 | 74.0 | 21.31 | Peak | 241.00 | 400 | Horizontal | Pass |
| 5** | 10722.700 | 42.55 | -2.08 | 54.0 | 11.45 | AV | 241.00 | 400 | Horizontal | Pass |
| 6 | 16770.713 | 53.67 | 0.12 | 74.0 | 20.33 | Peak | 20.00 | 300 | Horizontal | Pass |
| 6** | 16770.713 | 43.74 | 0.12 | 54.0 | 10.26 | AV | 20.00 | 300 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 10

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1542.000 | 44.63 | -16.49 | 74.0 | 29.37 | Peak | 206.00 | 300 | Vertical | Pass |
| 1** | 1542.000 | 36.95 | -16.49 | 54.0 | 17.05 | AV | 206.00 | 300 | Vertical | Pass |
| 2 | 2452.400 | 102.47 | -9.92 | 74.0 | -28.47 | Peak | 111.00 | 100 | Vertical | N/A |
| 2** | 2452.400 | 94.84 | -9.92 | 54.0 | -40.84 | AV | 111.00 | 100 | Vertical | N/A |
| 3 | 3993.500 | 52.54 | -5.13 | 74.0 | 21.46 | Peak | 172.00 | 150 | Vertical | Pass |
| 3** | 3993.500 | 43.38 | -5.13 | 54.0 | 10.62 | AV | 172.00 | 150 | Vertical | Pass |
| 4 | 5990.500 | 63.73 | -1.23 | 74.0 | 10.27 | Peak | 348.00 | 150 | Vertical | Pass |
| 4** | 5990.500 | 55.87 | -1.23 | 54.0 | -1.87 | AV | 348.00 | 150 | Vertical | N/A |
| 5 | 10719.138 | 51.56 | -2.13 | 74.0 | 22.44 | Peak | 218.00 | 100 | Vertical | Pass |
| 5** | 10719.138 | 43.38 | -2.13 | 54.0 | 10.62 | AV | 218.00 | 100 | Vertical | Pass |
| 6 | 16772.287 | 52.89 | 0.17 | 74.0 | 21.11 | Peak | 22.00 | 200 | Vertical | Pass |
| 6** | 16772.287 | 43.40 | 0.17 | 54.0 | 10.60 | AV | 22.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1543.700 | 43.28 | -16.47 | 74.0 | 30.72 | Peak | 325.00 | 100 | Horizontal | Pass |
| 1** | 1543.700 | 33.37 | -16.47 | 54.0 | 20.63 | AV | 325.00 | 100 | Horizontal | Pass |
| 2 | 2479.300 | 104.06 | -10.53 | 74.0 | -30.06 | Peak | 134.00 | 200 | Horizontal | N/A |
| 2** | 2479.300 | 96.75 | -10.53 | 54.0 | -42.75 | AV | 134.00 | 200 | Horizontal | N/A |
| 3 | 4711.250 | 51.33 | -2.66 | 74.0 | 22.67 | Peak | 268.00 | 100 | Horizontal | Pass |
| 3** | 4711.250 | 41.63 | -2.66 | 54.0 | 12.37 | AV | 268.00 | 100 | Horizontal | Pass |
| 4 | 5990.250 | 49.57 | -1.24 | 74.0 | 24.43 | Peak | 172.00 | 150 | Horizontal | Pass |
| 4** | 5990.250 | 52.27 | -1.24 | 54.0 | 1.73 | AV | 172.00 | 150 | Horizontal | Pass |
| 5 | 9845.137 | 51.97 | -2.06 | 74.0 | 22.03 | Peak | 133.00 | 300 | Horizontal | Pass |
| 5** | 9845.137 | 42.07 | -2.06 | 54.0 | 11.93 | AV | 133.00 | 300 | Horizontal | Pass |
| 6 | 16462.537 | 52.69 | 0.48 | 74.0 | 21.31 | Peak | 360.00 | 400 | Horizontal | Pass |
| 6** | 16462.537 | 43.08 | 0.48 | 54.0 | 10.92 | AV | 360.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1542.300 | 45.26 | -16.50 | 74.0 | 28.74 | Peak | 162.00 | 400 | Vertical | Pass |
| 1** | 1542.300 | 36.33 | -16.50 | 54.0 | 17.67 | AV | 162.00 | 400 | Vertical | Pass |
| 2 | 2455.800 | 101.61 | -9.86 | 74.0 | -27.61 | Peak | 110.00 | 200 | Vertical | N/A |
| 2** | 2455.800 | 93.33 | -9.86 | 54.0 | -39.33 | AV | 110.00 | 200 | Vertical | N/A |
| 3 | 3993.500 | 50.97 | -5.13 | 74.0 | 23.03 | Peak | 215.00 | 100 | Vertical | Pass |
| 3** | 3993.500 | 42.30 | -5.13 | 54.0 | 11.70 | AV | 215.00 | 100 | Vertical | Pass |
| 4 | 5990.750 | 49.25 | -1.21 | 74.0 | 24.75 | Peak | 41.00 | 150 | Vertical | Pass |
| 4** | 5990.750 | 56.40 | -1.21 | 54.0 | -2.40 | AV | 41.00 | 150 | Vertical | N/A |
| 5 | 10725.550 | 52.13 | -2.03 | 74.0 | 21.87 | Peak | 281.00 | 400 | Vertical | Pass |
| 5** | 10725.550 | 42.39 | -2.03 | 54.0 | 11.61 | AV | 281.00 | 400 | Vertical | Pass |
| 6 | 16332.599 | 52.79 | 0.35 | 74.0 | 21.21 | Peak | 134.00 | 400 | Vertical | Pass |
| 6** | 16332.599 | 44.03 | 0.35 | 54.0 | 9.97 | AV | 134.00 | 400 | Vertical | Pass |

Aux. Antenna**1 GHz to 18 GHz, ANT H 802.11b Channel 1**

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1568.800 | 42.47 | -16.74 | 74.0 | 31.53 | Peak | 208.00 | 400 | Horizontal | Pass |
| 1** | 1568.800 | 32.85 | -16.74 | 54.0 | 21.15 | AV | 208.00 | 400 | Horizontal | Pass |
| 2 | 2412.700 | 109.37 | -9.98 | 74.0 | -35.37 | Peak | 259.00 | 200 | Horizontal | N/A |
| 2** | 2412.700 | 105.66 | -9.98 | 54.0 | -51.66 | AV | 259.00 | 200 | Horizontal | N/A |
| 3 | 4715.250 | 50.94 | -2.91 | 74.0 | 23.06 | Peak | 222.00 | 200 | Horizontal | Pass |
| 3** | 4715.250 | 41.18 | -2.91 | 54.0 | 12.82 | AV | 222.00 | 200 | Horizontal | Pass |
| 4 | 7929.250 | 54.39 | 2.47 | 74.0 | 19.61 | Peak | 360.00 | 100 | Horizontal | Pass |
| 4** | 7929.250 | 44.83 | 2.47 | 54.0 | 9.17 | AV | 360.00 | 100 | Horizontal | Pass |
| 5 | 11202.925 | 52.12 | -1.87 | 74.0 | 21.88 | Peak | 0.00 | 400 | Horizontal | Pass |
| 5** | 11202.925 | 42.43 | -1.87 | 54.0 | 11.57 | AV | 0.00 | 400 | Horizontal | Pass |
| 6 | 16487.474 | 53.18 | 0.39 | 74.0 | 20.82 | Peak | 195.00 | 100 | Horizontal | Pass |
| 6** | 16487.474 | 44.69 | 0.39 | 54.0 | 9.31 | AV | 195.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11b Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1532.400 | 44.20 | -16.52 | 74.0 | 29.80 | Peak | 208.00 | 400 | Vertical | Pass |
| 1** | 1532.400 | 34.15 | -16.52 | 54.0 | 19.85 | AV | 208.00 | 400 | Vertical | Pass |
| 2 | 2410.200 | 109.32 | -10.05 | 74.0 | -35.32 | Peak | 293.00 | 200 | Vertical | N/A |
| 2** | 2410.200 | 104.87 | -10.05 | 54.0 | -50.87 | AV | 293.00 | 200 | Vertical | N/A |
| 3 | 4768.750 | 50.60 | -2.37 | 74.0 | 23.40 | Peak | 101.00 | 100 | Vertical | Pass |
| 3** | 4768.750 | 40.77 | -2.37 | 54.0 | 13.23 | AV | 101.00 | 100 | Vertical | Pass |
| 4 | 5991.000 | 57.50 | -1.20 | 74.0 | 16.50 | Peak | 4.00 | 400 | Vertical | Pass |
| 4** | 5991.000 | 41.59 | -1.20 | 54.0 | 12.41 | AV | 4.00 | 400 | Vertical | Pass |
| 5 | 10818.888 | 51.87 | -2.57 | 74.0 | 22.13 | Peak | 161.00 | 400 | Vertical | Pass |
| 5** | 10818.888 | 42.29 | -2.57 | 54.0 | 11.71 | AV | 161.00 | 400 | Vertical | Pass |
| 6 | 17004.074 | 52.61 | 0.37 | 74.0 | 21.39 | Peak | 307.00 | 200 | Vertical | Pass |
| 6** | 17004.074 | 43.19 | 0.37 | 54.0 | 10.81 | AV | 307.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11b Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1534.800 | 42.84 | -16.46 | 74.0 | 31.16 | Peak | 280.00 | 200 | Horizontal | Pass |
| 1** | 1534.800 | 33.48 | -16.46 | 54.0 | 20.52 | AV | 280.00 | 200 | Horizontal | Pass |
| 2 | 2436.700 | 110.56 | -9.11 | 74.0 | -36.56 | Peak | 242.00 | 100 | Horizontal | N/A |
| 2** | 2436.700 | 105.94 | -9.11 | 54.0 | -51.94 | AV | 242.00 | 100 | Horizontal | N/A |
| 3 | 4874.000 | 53.35 | -2.53 | 74.0 | 20.65 | Peak | 360.00 | 100 | Horizontal | Pass |
| 3** | 4874.000 | 47.68 | -2.53 | 54.0 | 6.32 | AV | 360.00 | 100 | Horizontal | Pass |
| 4 | 7846.250 | 54.17 | 2.64 | 74.0 | 19.83 | Peak | 149.00 | 300 | Horizontal | Pass |
| 4** | 7846.250 | 44.69 | 2.64 | 54.0 | 9.31 | AV | 149.00 | 300 | Horizontal | Pass |
| 5 | 11172.525 | 51.67 | -1.33 | 74.0 | 22.33 | Peak | 360.00 | 300 | Horizontal | Pass |
| 5** | 11172.525 | 42.39 | -1.33 | 54.0 | 11.61 | AV | 360.00 | 300 | Horizontal | Pass |
| 6 | 16331.025 | 53.04 | 0.31 | 74.0 | 20.96 | Peak | 305.00 | 200 | Horizontal | Pass |
| 6** | 16331.025 | 43.85 | 0.31 | 54.0 | 10.15 | AV | 305.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11b Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1532.600 | 44.79 | -16.52 | 74.0 | 29.21 | Peak | 140.00 | 400 | Vertical | Pass |
| 1** | 1532.600 | 34.81 | -16.52 | 54.0 | 19.19 | AV | 140.00 | 400 | Vertical | Pass |
| 2 | 2435.800 | 108.58 | -8.98 | 74.0 | -34.58 | Peak | 269.00 | 100 | Vertical | N/A |
| 2** | 2435.800 | 105.67 | -8.98 | 54.0 | -51.67 | AV | 269.00 | 100 | Vertical | N/A |
| 3 | 3993.750 | 50.62 | -5.16 | 74.0 | 23.38 | Peak | 169.00 | 200 | Vertical | Pass |
| 3** | 3993.750 | 37.89 | -5.16 | 54.0 | 16.11 | AV | 169.00 | 200 | Vertical | Pass |
| 4 | 5990.750 | 56.75 | -1.21 | 74.0 | 17.25 | Peak | 197.00 | 300 | Vertical | Pass |
| 4** | 5990.750 | 44.59 | -1.21 | 54.0 | 9.41 | AV | 197.00 | 300 | Vertical | Pass |
| 5 | 11154.000 | 51.93 | -1.02 | 74.0 | 22.07 | Peak | 293.00 | 400 | Vertical | Pass |
| 5** | 11154.000 | 42.11 | -1.02 | 54.0 | 11.89 | AV | 293.00 | 400 | Vertical | Pass |
| 6 | 16339.951 | 53.18 | 0.56 | 74.0 | 20.82 | Peak | 59.00 | 300 | Vertical | Pass |
| 6** | 16339.951 | 44.54 | 0.56 | 54.0 | 9.46 | AV | 59.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11b Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1540.100 | 42.56 | -16.49 | 74.0 | 31.44 | Peak | 109.00 | 200 | Horizontal | Pass |
| 1** | 1540.100 | 33.15 | -16.49 | 54.0 | 20.85 | AV | 109.00 | 200 | Horizontal | Pass |
| 2 | 2463.100 | 108.80 | -9.74 | 74.0 | -34.80 | Peak | 251.00 | 150 | Horizontal | N/A |
| 2** | 2463.100 | 105.99 | -9.74 | 54.0 | -51.99 | AV | 251.00 | 150 | Horizontal | N/A |
| 3 | 4923.750 | 51.91 | -2.68 | 74.0 | 22.09 | Peak | 0.00 | 100 | Horizontal | Pass |
| 3** | 4923.750 | 45.25 | -2.68 | 54.0 | 8.75 | AV | 0.00 | 100 | Horizontal | Pass |
| 4 | 5990.500 | 54.70 | -1.23 | 74.0 | 19.30 | Peak | 350.00 | 400 | Horizontal | Pass |
| 4** | 5990.500 | 42.17 | -1.23 | 54.0 | 11.83 | AV | 350.00 | 400 | Horizontal | Pass |
| 5 | 10827.437 | 51.69 | -2.37 | 74.0 | 22.31 | Peak | 0.00 | 100 | Horizontal | Pass |
| 5** | 10827.437 | 41.95 | -2.37 | 54.0 | 12.05 | AV | 0.00 | 100 | Horizontal | Pass |
| 6 | 16350.451 | 53.45 | 0.84 | 74.0 | 20.55 | Peak | 82.00 | 200 | Horizontal | Pass |
| 6** | 16350.451 | 43.64 | 0.84 | 54.0 | 10.36 | AV | 82.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11b Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1541.400 | 43.84 | -16.47 | 74.0 | 30.16 | Peak | 42.00 | 200 | Vertical | Pass |
| 1** | 1541.400 | 34.25 | -16.47 | 54.0 | 19.75 | AV | 42.00 | 200 | Vertical | Pass |
| 2 | 2463.200 | 107.78 | -9.75 | 74.0 | -33.78 | Peak | 280.00 | 200 | Vertical | N/A |
| 2** | 2463.200 | 105.00 | -9.75 | 54.0 | -51.00 | AV | 280.00 | 200 | Vertical | N/A |
| 3 | 3993.000 | 50.52 | -5.06 | 74.0 | 23.48 | Peak | 151.00 | 200 | Vertical | Pass |
| 3** | 3993.000 | 37.79 | -5.06 | 54.0 | 16.21 | AV | 151.00 | 200 | Vertical | Pass |
| 4 | 5990.000 | 59.13 | -1.26 | 74.0 | 14.87 | Peak | 254.00 | 400 | Vertical | Pass |
| 4** | 5990.000 | 48.32 | -1.26 | 54.0 | 5.68 | AV | 254.00 | 400 | Vertical | Pass |
| 5 | 11134.287 | 51.79 | -0.97 | 74.0 | 22.21 | Peak | 352.00 | 200 | Vertical | Pass |
| 5** | 11134.287 | 42.91 | -0.97 | 54.0 | 11.09 | AV | 352.00 | 200 | Vertical | Pass |
| 6 | 16499.812 | 53.37 | 0.35 | 74.0 | 20.63 | Peak | 331.00 | 400 | Vertical | Pass |
| 6** | 16499.812 | 43.08 | 0.35 | 54.0 | 10.92 | AV | 331.00 | 400 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11b Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1531.700 | 43.54 | -16.53 | 74.0 | 30.46 | Peak | 86.00 | 300 | Horizontal | Pass |
| 1** | 1531.700 | 35.61 | -16.53 | 54.0 | 18.39 | AV | 86.00 | 300 | Horizontal | Pass |
| 2 | 2469.000 | 108.85 | -10.15 | 74.0 | -34.85 | Peak | 258.00 | 200 | Horizontal | N/A |
| 2** | 2469.000 | 104.23 | -10.15 | 54.0 | -50.23 | AV | 258.00 | 200 | Horizontal | N/A |
| 3 | 4934.000 | 50.27 | -2.62 | 74.0 | 23.73 | Peak | 0.00 | 200 | Horizontal | Pass |
| 3** | 4934.000 | 45.19 | -2.62 | 54.0 | 8.81 | AV | 0.00 | 200 | Horizontal | Pass |
| 4 | 5991.000 | 60.29 | -1.20 | 74.0 | 13.71 | Peak | 99.00 | 400 | Horizontal | Pass |
| 4** | 5991.000 | 42.77 | -1.20 | 54.0 | 11.23 | AV | 99.00 | 400 | Horizontal | Pass |
| 5 | 10687.549 | 51.80 | -2.58 | 74.0 | 22.20 | Peak | 186.00 | 200 | Horizontal | Pass |
| 5** | 10687.549 | 41.96 | -2.58 | 54.0 | 12.04 | AV | 186.00 | 200 | Horizontal | Pass |
| 6 | 16329.450 | 52.72 | 0.26 | 74.0 | 21.28 | Peak | 45.00 | 400 | Horizontal | Pass |
| 6** | 16329.450 | 43.71 | 0.26 | 54.0 | 10.29 | AV | 45.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11b Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1537.900 | 45.84 | -16.57 | 74.0 | 28.16 | Peak | 164.00 | 100 | Vertical | Pass |
| 1** | 1537.900 | 38.82 | -16.57 | 54.0 | 15.18 | AV | 164.00 | 100 | Vertical | Pass |
| 2 | 2465.700 | 105.72 | -9.85 | 74.0 | -31.72 | Peak | 283.00 | 100 | Vertical | N/A |
| 2** | 2465.700 | 102.81 | -9.85 | 54.0 | -48.81 | AV | 283.00 | 100 | Vertical | N/A |
| 3 | 3993.250 | 52.68 | -5.09 | 74.0 | 21.32 | Peak | 148.00 | 200 | Vertical | Pass |
| 3** | 3993.250 | 38.15 | -5.09 | 54.0 | 15.85 | AV | 148.00 | 200 | Vertical | Pass |
| 4 | 5990.500 | 64.50 | -1.23 | 74.0 | 9.50 | Peak | 11.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 56.38 | -1.23 | 54.0 | -2.38 | AV | 11.00 | 100 | Vertical | N/A |
| 5 | 10576.162 | 52.41 | -1.78 | 74.0 | 21.59 | Peak | 310.00 | 300 | Vertical | Pass |
| 5** | 10576.162 | 42.40 | -1.78 | 54.0 | 11.60 | AV | 310.00 | 300 | Vertical | Pass |
| 6 | 16217.888 | 53.14 | -0.12 | 74.0 | 20.86 | Peak | 351.00 | 200 | Vertical | Pass |
| 6** | 16217.888 | 42.55 | -0.12 | 54.0 | 11.45 | AV | 351.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11b Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1541.900 | 43.98 | -16.49 | 74.0 | 30.02 | Peak | 287.00 | 100 | Horizontal | Pass |
| 1** | 1541.900 | 36.26 | -16.49 | 54.0 | 17.74 | AV | 287.00 | 100 | Horizontal | Pass |
| 2 | 2473.200 | 107.69 | -10.56 | 74.0 | -33.69 | Peak | 254.00 | 150 | Horizontal | N/A |
| 2** | 2473.200 | 104.84 | -10.56 | 54.0 | -50.84 | AV | 254.00 | 150 | Horizontal | N/A |
| 3 | 4944.250 | 50.76 | -2.49 | 74.0 | 23.24 | Peak | 21.00 | 100 | Horizontal | Pass |
| 3** | 4944.250 | 44.59 | -2.49 | 54.0 | 9.41 | AV | 21.00 | 100 | Horizontal | Pass |
| 4 | 5990.250 | 58.77 | -1.24 | 74.0 | 15.23 | Peak | 63.00 | 100 | Horizontal | Pass |
| 4** | 5990.250 | 50.70 | -1.24 | 54.0 | 3.30 | AV | 63.00 | 100 | Horizontal | N/A |
| 5 | 11131.912 | 51.62 | -0.97 | 74.0 | 22.38 | Peak | 31.00 | 300 | Horizontal | Pass |
| 5** | 11131.912 | 43.37 | -0.97 | 54.0 | 10.63 | AV | 31.00 | 300 | Horizontal | Pass |
| 6 | 16343.099 | 52.98 | 0.65 | 74.0 | 21.02 | Peak | 55.00 | 100 | Horizontal | Pass |
| 6** | 16343.099 | 44.17 | 0.65 | 54.0 | 9.83 | AV | 55.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11b Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1538.000 | 46.36 | -16.58 | 74.0 | 27.64 | Peak | 156.00 | 200 | Vertical | Pass |
| 1** | 1538.000 | 36.10 | -16.58 | 54.0 | 17.90 | AV | 156.00 | 200 | Vertical | Pass |
| 2 | 2473.200 | 105.18 | -10.56 | 74.0 | -31.18 | Peak | 281.00 | 100 | Vertical | N/A |
| 2** | 2473.200 | 102.32 | -10.56 | 54.0 | -48.32 | AV | 281.00 | 100 | Vertical | N/A |
| 3 | 3993.750 | 54.03 | -5.16 | 74.0 | 19.97 | Peak | 227.00 | 200 | Vertical | Pass |
| 3** | 3993.750 | 42.43 | -5.16 | 54.0 | 11.57 | AV | 227.00 | 200 | Vertical | Pass |
| 4 | 5990.500 | 58.18 | -1.23 | 74.0 | 15.82 | Peak | 121.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 57.13 | -1.23 | 54.0 | -3.13 | AV | 121.00 | 100 | Vertical | N/A |
| 5 | 10713.675 | 51.40 | -2.22 | 74.0 | 22.60 | Peak | 247.00 | 300 | Vertical | Pass |
| 5** | 10713.675 | 42.30 | -2.22 | 54.0 | 11.70 | AV | 247.00 | 300 | Vertical | Pass |
| 6 | 16317.375 | 53.04 | -0.08 | 74.0 | 20.96 | Peak | 7.00 | 400 | Vertical | Pass |
| 6** | 16317.375 | 43.35 | -0.08 | 54.0 | 10.65 | AV | 7.00 | 400 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11g Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1397.400 | 43.39 | -16.75 | 74.0 | 30.61 | Peak | 176.00 | 100 | Horizontal | Pass |
| 1** | 1397.400 | 33.01 | -16.75 | 54.0 | 20.99 | AV | 176.00 | 100 | Horizontal | Pass |
| 2 | 2409.600 | 112.17 | -10.08 | 74.0 | -38.17 | Peak | 247.00 | 200 | Horizontal | N/A |
| 2** | 2409.600 | 104.84 | -10.08 | 54.0 | -50.84 | AV | 247.00 | 200 | Horizontal | N/A |
| 3 | 4954.250 | 50.47 | -2.32 | 74.0 | 23.53 | Peak | 55.00 | 100 | Horizontal | Pass |
| 3** | 4954.250 | 41.17 | -2.32 | 54.0 | 12.83 | AV | 55.00 | 100 | Horizontal | Pass |
| 4 | 5989.750 | 57.82 | -1.28 | 74.0 | 16.18 | Peak | 108.00 | 300 | Horizontal | Pass |
| 4** | 5989.750 | 41.84 | -1.28 | 54.0 | 12.16 | AV | 108.00 | 300 | Horizontal | Pass |
| 5 | 10600.625 | 51.69 | -1.44 | 74.0 | 22.31 | Peak | 256.00 | 100 | Horizontal | Pass |
| 5** | 10600.625 | 41.34 | -1.44 | 54.0 | 12.66 | AV | 256.00 | 100 | Horizontal | Pass |
| 6 | 15762.975 | 52.66 | 0.02 | 74.0 | 21.34 | Peak | 71.00 | 400 | Horizontal | Pass |
| 6** | 15762.975 | 43.90 | 0.02 | 54.0 | 10.10 | AV | 71.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11g Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1544.000 | 47.21 | -16.46 | 74.0 | 26.79 | Peak | 143.00 | 300 | Vertical | Pass |
| 1** | 1544.000 | 37.02 | -16.46 | 54.0 | 16.98 | AV | 143.00 | 300 | Vertical | Pass |
| 2 | 2414.300 | 111.32 | -10.08 | 74.0 | -37.32 | Peak | 283.00 | 150 | Vertical | N/A |
| 2** | 2414.300 | 102.91 | -10.08 | 54.0 | -48.91 | AV | 283.00 | 150 | Vertical | N/A |
| 3 | 4704.500 | 50.70 | -2.70 | 74.0 | 23.30 | Peak | 230.00 | 100 | Vertical | Pass |
| 3** | 4704.500 | 40.80 | -2.70 | 54.0 | 13.20 | AV | 230.00 | 100 | Vertical | Pass |
| 4 | 5990.500 | 60.36 | -1.23 | 74.0 | 13.64 | Peak | 0.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 50.99 | -1.23 | 54.0 | 3.01 | AV | 0.00 | 100 | Vertical | Pass |
| 5 | 11165.162 | 52.45 | -1.21 | 74.0 | 21.55 | Peak | 329.00 | 400 | Vertical | Pass |
| 5** | 11165.162 | 41.73 | -1.21 | 54.0 | 12.27 | AV | 329.00 | 400 | Vertical | Pass |
| 6 | 16453.614 | 52.96 | 0.52 | 74.0 | 21.04 | Peak | 230.00 | 200 | Vertical | Pass |
| 6** | 16453.614 | 43.39 | 0.52 | 54.0 | 10.61 | AV | 230.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11g Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1542.300 | 47.40 | -16.50 | 74.0 | 26.60 | Peak | 280.00 | 300 | Horizontal | Pass |
| 1** | 1542.300 | 39.42 | -16.50 | 54.0 | 14.58 | AV | 280.00 | 300 | Horizontal | Pass |
| 2 | 2434.300 | 113.20 | -9.02 | 74.0 | -39.20 | Peak | 303.00 | 150 | Horizontal | N/A |
| 2** | 2434.300 | 105.51 | -9.02 | 54.0 | -51.51 | AV | 303.00 | 150 | Horizontal | N/A |
| 3 | 4876.750 | 50.87 | -2.23 | 74.0 | 23.13 | Peak | 72.00 | 100 | Horizontal | Pass |
| 3** | 4876.750 | 41.75 | -2.23 | 54.0 | 12.25 | AV | 72.00 | 100 | Horizontal | Pass |
| 4 | 7824.500 | 54.18 | 3.17 | 74.0 | 19.82 | Peak | 106.00 | 300 | Horizontal | Pass |
| 4** | 7824.500 | 45.17 | 3.17 | 54.0 | 8.83 | AV | 106.00 | 300 | Horizontal | Pass |
| 5 | 10709.875 | 51.63 | -2.28 | 74.0 | 22.37 | Peak | 111.00 | 300 | Horizontal | Pass |
| 5** | 10709.875 | 42.49 | -2.28 | 54.0 | 11.51 | AV | 111.00 | 300 | Horizontal | Pass |
| 6 | 16327.349 | 53.19 | 0.20 | 74.0 | 20.81 | Peak | 9.00 | 100 | Horizontal | Pass |
| 6** | 16327.349 | 43.73 | 0.20 | 54.0 | 10.27 | AV | 9.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11g Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1539.400 | 46.37 | -16.54 | 74.0 | 27.63 | Peak | 205.00 | 300 | Vertical | Pass |
| 1** | 1539.400 | 37.37 | -16.54 | 54.0 | 16.63 | AV | 205.00 | 300 | Vertical | Pass |
| 2 | 2435.200 | 112.03 | -8.92 | 74.0 | -38.03 | Peak | 271.00 | 200 | Vertical | N/A |
| 2** | 2435.200 | 104.39 | -8.92 | 54.0 | -50.39 | AV | 271.00 | 200 | Vertical | N/A |
| 3 | 3993.750 | 45.13 | -5.16 | 74.0 | 28.87 | Peak | 275.00 | 100 | Vertical | Pass |
| 3** | 3993.750 | 40.11 | -5.16 | 54.0 | 13.89 | AV | 275.00 | 100 | Vertical | Pass |
| 4 | 5990.250 | 61.72 | -1.24 | 74.0 | 12.28 | Peak | 205.00 | 100 | Vertical | Pass |
| 4** | 5990.250 | 51.00 | -1.24 | 54.0 | 3.00 | AV | 205.00 | 100 | Vertical | Pass |
| 5 | 11128.588 | 51.87 | -0.97 | 74.0 | 22.13 | Peak | 293.00 | 400 | Vertical | Pass |
| 5** | 11128.588 | 43.14 | -0.97 | 54.0 | 10.86 | AV | 293.00 | 400 | Vertical | Pass |
| 6 | 15727.275 | 53.00 | 0.06 | 74.0 | 21.00 | Peak | 319.00 | 200 | Vertical | Pass |
| 6** | 15727.275 | 43.27 | 0.06 | 54.0 | 10.73 | AV | 319.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11g Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1544.600 | 46.34 | -16.43 | 74.0 | 27.66 | Peak | 269.00 | 400 | Horizontal | Pass |
| 1** | 1544.600 | 35.30 | -16.43 | 54.0 | 18.70 | AV | 269.00 | 400 | Horizontal | Pass |
| 2 | 2465.200 | 111.73 | -9.80 | 74.0 | -37.73 | Peak | 308.00 | 100 | Horizontal | N/A |
| 2** | 2465.200 | 104.79 | -9.80 | 54.0 | -50.79 | AV | 308.00 | 100 | Horizontal | N/A |
| 3 | 4745.000 | 50.52 | -2.87 | 74.0 | 23.48 | Peak | 65.00 | 150 | Horizontal | Pass |
| 3** | 4745.000 | 40.68 | -2.87 | 54.0 | 13.32 | AV | 65.00 | 150 | Horizontal | Pass |
| 4 | 5991.000 | 56.93 | -1.20 | 74.0 | 18.07 | Peak | 264.00 | 100 | Horizontal | Pass |
| 4** | 5991.000 | 48.78 | -1.20 | 54.0 | 5.22 | AV | 264.00 | 100 | Horizontal | Pass |
| 5 | 11064.463 | 51.75 | -1.67 | 74.0 | 22.25 | Peak | 111.00 | 400 | Horizontal | Pass |
| 5** | 11064.463 | 41.60 | -1.67 | 54.0 | 12.40 | AV | 111.00 | 400 | Horizontal | Pass |
| 6 | 16791.450 | 53.06 | 0.85 | 74.0 | 20.94 | Peak | 295.00 | 300 | Horizontal | Pass |
| 6** | 16791.450 | 44.25 | 0.85 | 54.0 | 9.75 | AV | 295.00 | 300 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11g Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1545.200 | 47.41 | -16.43 | 74.0 | 26.59 | Peak | 142.00 | 400 | Vertical | Pass |
| 1** | 1545.200 | 35.24 | -16.43 | 54.0 | 18.76 | AV | 142.00 | 400 | Vertical | Pass |
| 2 | 2464.200 | 109.86 | -9.77 | 74.0 | -35.86 | Peak | 283.00 | 200 | Vertical | N/A |
| 2** | 2464.200 | 102.34 | -9.77 | 54.0 | -48.34 | AV | 283.00 | 200 | Vertical | N/A |
| 3 | 4804.250 | 51.18 | -2.74 | 74.0 | 22.82 | Peak | 351.00 | 200 | Vertical | Pass |
| 3** | 4804.250 | 41.57 | -2.74 | 54.0 | 12.43 | AV | 351.00 | 200 | Vertical | Pass |
| 4 | 7914.000 | 54.79 | 1.85 | 74.0 | 19.21 | Peak | 168.00 | 400 | Vertical | Pass |
| 4** | 7914.000 | 44.23 | 1.85 | 54.0 | 9.77 | AV | 168.00 | 400 | Vertical | Pass |
| 5 | 11132.151 | 51.47 | -0.97 | 74.0 | 22.53 | Peak | 196.00 | 200 | Vertical | Pass |
| 5** | 11132.151 | 43.39 | -0.97 | 54.0 | 10.61 | AV | 196.00 | 200 | Vertical | Pass |
| 6 | 16490.887 | 53.37 | 0.38 | 74.0 | 20.63 | Peak | 230.00 | 100 | Vertical | Pass |
| 6** | 16490.887 | 43.45 | 0.38 | 54.0 | 10.55 | AV | 230.00 | 100 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11g Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1542.700 | 43.79 | -16.51 | 74.0 | 30.21 | Peak | 137.00 | 400 | Horizontal | Pass |
| 1** | 1542.700 | 34.41 | -16.51 | 54.0 | 19.59 | AV | 137.00 | 400 | Horizontal | Pass |
| 2 | 2464.000 | 106.39 | -9.77 | 74.0 | -32.39 | Peak | 261.00 | 100 | Horizontal | N/A |
| 2** | 2464.000 | 98.65 | -9.77 | 54.0 | -44.65 | AV | 261.00 | 100 | Horizontal | N/A |
| 3 | 4727.250 | 50.37 | -2.98 | 74.0 | 23.63 | Peak | 55.00 | 100 | Horizontal | Pass |
| 3** | 4727.250 | 40.94 | -2.98 | 54.0 | 13.06 | AV | 55.00 | 100 | Horizontal | Pass |
| 4 | 5990.500 | 55.04 | -1.23 | 74.0 | 18.96 | Peak | 63.00 | 100 | Horizontal | Pass |
| 4** | 5990.500 | 48.93 | -1.23 | 54.0 | 5.07 | AV | 63.00 | 100 | Horizontal | N/A |
| 5 | 11186.062 | 52.10 | -1.56 | 74.0 | 21.90 | Peak | 334.00 | 200 | Horizontal | Pass |
| 5** | 11186.062 | 43.41 | -1.56 | 54.0 | 10.59 | AV | 334.00 | 200 | Horizontal | Pass |
| 6 | 16507.162 | 53.21 | 0.30 | 74.0 | 20.79 | Peak | 278.00 | 100 | Horizontal | Pass |
| 6** | 16507.162 | 42.99 | 0.30 | 54.0 | 11.01 | AV | 278.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11g Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1542.900 | 46.22 | -16.52 | 74.0 | 27.78 | Peak | 159.00 | 200 | Vertical | Pass |
| 1** | 1542.900 | 36.19 | -16.52 | 54.0 | 17.81 | AV | 159.00 | 200 | Vertical | Pass |
| 2 | 2465.400 | 103.17 | -9.82 | 74.0 | -29.17 | Peak | 285.00 | 150 | Vertical | N/A |
| 2** | 2465.400 | 96.23 | -9.82 | 54.0 | -42.23 | AV | 285.00 | 150 | Vertical | N/A |
| 3 | 3993.000 | 52.82 | -5.06 | 74.0 | 21.18 | Peak | 140.00 | 100 | Vertical | Pass |
| 3** | 3993.000 | 37.95 | -5.06 | 54.0 | 16.05 | AV | 140.00 | 100 | Vertical | Pass |
| 4 | 5990.500 | 65.29 | -1.23 | 74.0 | 8.71 | Peak | 0.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 57.32 | -1.23 | 54.0 | -3.32 | AV | 0.00 | 100 | Vertical | N/A |
| 5 | 11178.937 | 51.49 | -1.44 | 74.0 | 22.51 | Peak | 360.00 | 100 | Vertical | Pass |
| 5** | 11178.937 | 41.79 | -1.44 | 54.0 | 12.21 | AV | 360.00 | 100 | Vertical | Pass |
| 6 | 16328.138 | 52.86 | 0.22 | 74.0 | 21.14 | Peak | 104.00 | 100 | Vertical | Pass |
| 6** | 16328.138 | 43.53 | 0.22 | 54.0 | 10.47 | AV | 104.00 | 100 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11g Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1539.800 | 43.94 | -16.51 | 74.0 | 30.06 | Peak | 289.00 | 100 | Horizontal | Pass |
| 1** | 1539.800 | 35.04 | -16.51 | 54.0 | 18.96 | AV | 289.00 | 100 | Horizontal | Pass |
| 2 | 2478.700 | 105.49 | -10.51 | 74.0 | -31.49 | Peak | 255.00 | 150 | Horizontal | N/A |
| 2** | 2478.700 | 97.88 | -10.51 | 54.0 | -43.88 | AV | 255.00 | 150 | Horizontal | N/A |
| 3 | 4778.500 | 50.07 | -2.59 | 74.0 | 23.93 | Peak | 150.00 | 200 | Horizontal | Pass |
| 3** | 4778.500 | 41.06 | -2.59 | 54.0 | 12.94 | AV | 150.00 | 200 | Horizontal | Pass |
| 4 | 5990.750 | 56.29 | -1.21 | 74.0 | 17.71 | Peak | 80.00 | 100 | Horizontal | Pass |
| 4** | 5990.750 | 52.00 | -1.21 | 54.0 | 2.00 | AV | 80.00 | 100 | Horizontal | N/A |
| 5 | 10599.675 | 51.78 | -1.42 | 74.0 | 22.22 | Peak | 55.00 | 100 | Horizontal | Pass |
| 5** | 10599.675 | 41.69 | -1.42 | 54.0 | 12.31 | AV | 55.00 | 100 | Horizontal | Pass |
| 6 | 16321.050 | 52.83 | 0.02 | 74.0 | 21.17 | Peak | 193.00 | 400 | Horizontal | Pass |
| 6** | 16321.050 | 43.79 | 0.02 | 54.0 | 10.21 | AV | 193.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11g Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1544.200 | 46.39 | -16.45 | 74.0 | 27.61 | Peak | 151.00 | 100 | Vertical | Pass |
| 1** | 1544.200 | 37.70 | -16.45 | 54.0 | 16.30 | AV | 151.00 | 100 | Vertical | Pass |
| 2 | 2476.500 | 102.34 | -10.62 | 74.0 | -28.34 | Peak | 280.00 | 150 | Vertical | N/A |
| 2** | 2476.500 | 94.60 | -10.62 | 54.0 | -40.60 | AV | 280.00 | 150 | Vertical | N/A |
| 3 | 4732.500 | 50.12 | -2.87 | 74.0 | 23.88 | Peak | 346.00 | 200 | Vertical | Pass |
| 3** | 4732.500 | 40.80 | -2.87 | 54.0 | 13.20 | AV | 346.00 | 200 | Vertical | Pass |
| 4 | 5991.250 | 60.18 | -1.19 | 74.0 | 13.82 | Peak | 208.00 | 100 | Vertical | Pass |
| 4** | 5991.250 | 54.21 | -1.19 | 54.0 | -0.21 | AV | 208.00 | 100 | Vertical | N/A |
| 5 | 11134.763 | 52.23 | -0.97 | 74.0 | 21.77 | Peak | 129.00 | 300 | Vertical | Pass |
| 5** | 11134.763 | 42.95 | -0.97 | 54.0 | 11.05 | AV | 129.00 | 300 | Vertical | Pass |
| 6 | 16783.574 | 52.85 | 0.57 | 74.0 | 21.15 | Peak | 41.00 | 300 | Vertical | Pass |
| 6** | 16783.574 | 43.37 | 0.57 | 54.0 | 10.63 | AV | 41.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1540.200 | 45.63 | -16.49 | 74.0 | 28.37 | Peak | 274.00 | 400 | Horizontal | Pass |
| 1** | 1540.200 | 36.70 | -16.49 | 54.0 | 17.30 | AV | 274.00 | 400 | Horizontal | Pass |
| 2 | 2408.100 | 112.04 | -10.07 | 74.0 | -38.04 | Peak | 247.00 | 100 | Horizontal | N/A |
| 2** | 2408.100 | 103.70 | -10.07 | 54.0 | -49.70 | AV | 247.00 | 100 | Horizontal | N/A |
| 3 | 4819.750 | 51.32 | -1.81 | 74.0 | 22.68 | Peak | 134.00 | 100 | Horizontal | Pass |
| 3** | 4819.750 | 41.64 | -1.81 | 54.0 | 12.36 | AV | 134.00 | 100 | Horizontal | Pass |
| 4 | 7925.250 | 54.07 | 2.18 | 74.0 | 19.93 | Peak | 324.00 | 100 | Horizontal | Pass |
| 4** | 7925.250 | 44.97 | 2.18 | 54.0 | 9.03 | AV | 324.00 | 100 | Horizontal | Pass |
| 5 | 11180.838 | 52.71 | -1.47 | 74.0 | 21.29 | Peak | 17.00 | 100 | Horizontal | Pass |
| 5** | 11180.838 | 42.49 | -1.47 | 54.0 | 11.51 | AV | 17.00 | 100 | Horizontal | Pass |
| 6 | 16349.662 | 53.28 | 0.84 | 74.0 | 20.72 | Peak | 321.00 | 200 | Horizontal | Pass |
| 6** | 16349.662 | 44.05 | 0.84 | 54.0 | 9.95 | AV | 321.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1542.300 | 46.50 | -16.50 | 74.0 | 27.50 | Peak | 138.00 | 200 | Vertical | Pass |
| 1** | 1542.300 | 37.68 | -16.50 | 54.0 | 16.32 | AV | 138.00 | 200 | Vertical | Pass |
| 2 | 2411.100 | 110.70 | -9.98 | 74.0 | -36.70 | Peak | 293.00 | 150 | Vertical | N/A |
| 2** | 2411.100 | 103.29 | -9.98 | 54.0 | -49.29 | AV | 293.00 | 150 | Vertical | N/A |
| 3 | 4955.500 | 51.22 | -2.40 | 74.0 | 22.78 | Peak | 108.00 | 100 | Vertical | Pass |
| 3** | 4955.500 | 40.90 | -2.40 | 54.0 | 13.10 | AV | 108.00 | 100 | Vertical | Pass |
| 4 | 5990.500 | 59.82 | -1.23 | 74.0 | 14.18 | Peak | 0.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 50.68 | -1.23 | 54.0 | 3.32 | AV | 0.00 | 100 | Vertical | Pass |
| 5 | 10713.912 | 51.52 | -2.22 | 74.0 | 22.48 | Peak | 85.00 | 200 | Vertical | Pass |
| 5** | 10713.912 | 42.68 | -2.22 | 54.0 | 11.32 | AV | 85.00 | 200 | Vertical | Pass |
| 6 | 16330.237 | 53.11 | 0.28 | 74.0 | 20.89 | Peak | 84.00 | 200 | Vertical | Pass |
| 6** | 16330.237 | 44.20 | 0.28 | 54.0 | 9.80 | AV | 84.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1535.800 | 45.53 | -16.49 | 74.0 | 28.47 | Peak | 274.00 | 100 | Horizontal | Pass |
| 1** | 1535.800 | 34.21 | -16.49 | 54.0 | 19.79 | AV | 274.00 | 100 | Horizontal | Pass |
| 2 | 2435.900 | 113.07 | -8.99 | 74.0 | -39.07 | Peak | 254.00 | 200 | Horizontal | N/A |
| 2** | 2435.900 | 105.35 | -8.99 | 54.0 | -51.35 | AV | 254.00 | 200 | Horizontal | N/A |
| 3 | 4981.250 | 50.17 | -2.60 | 74.0 | 23.83 | Peak | 100.00 | 150 | Horizontal | Pass |
| 3** | 4981.250 | 41.02 | -2.60 | 54.0 | 12.98 | AV | 100.00 | 150 | Horizontal | Pass |
| 4 | 5990.250 | 59.16 | -1.24 | 74.0 | 14.84 | Peak | 108.00 | 100 | Horizontal | Pass |
| 4** | 5990.250 | 50.15 | -1.24 | 54.0 | 3.85 | AV | 108.00 | 100 | Horizontal | Pass |
| 5 | 10574.737 | 51.82 | -1.80 | 74.0 | 22.18 | Peak | 198.00 | 100 | Horizontal | Pass |
| 5** | 10574.737 | 42.63 | -1.80 | 54.0 | 11.37 | AV | 198.00 | 100 | Horizontal | Pass |
| 6 | 16698.000 | 53.12 | 0.88 | 74.0 | 20.88 | Peak | 331.00 | 400 | Horizontal | Pass |
| 6** | 16698.000 | 43.45 | 0.88 | 54.0 | 10.55 | AV | 331.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1543.400 | 46.73 | -16.49 | 74.0 | 27.27 | Peak | 207.00 | 100 | Vertical | Pass |
| 1** | 1543.400 | 38.14 | -16.49 | 54.0 | 15.86 | AV | 207.00 | 100 | Vertical | Pass |
| 2 | 2433.700 | 111.04 | -9.08 | 74.0 | -37.04 | Peak | 283.00 | 200 | Vertical | N/A |
| 2** | 2433.700 | 103.43 | -9.08 | 54.0 | -49.43 | AV | 283.00 | 200 | Vertical | N/A |
| 3 | 4809.000 | 50.73 | -2.64 | 74.0 | 23.27 | Peak | 125.00 | 100 | Vertical | Pass |
| 3** | 4809.000 | 40.90 | -2.64 | 54.0 | 13.10 | AV | 125.00 | 100 | Vertical | Pass |
| 4 | 7821.000 | 54.11 | 2.87 | 74.0 | 19.89 | Peak | 4.00 | 300 | Vertical | Pass |
| 4** | 7821.000 | 45.77 | 2.87 | 54.0 | 8.23 | AV | 4.00 | 300 | Vertical | Pass |
| 5 | 10707.974 | 51.87 | -2.31 | 74.0 | 22.13 | Peak | 147.00 | 400 | Vertical | Pass |
| 5** | 10707.974 | 42.23 | -2.31 | 54.0 | 11.77 | AV | 147.00 | 400 | Vertical | Pass |
| 6 | 15752.212 | 53.10 | 0.31 | 74.0 | 20.90 | Peak | 244.00 | 100 | Vertical | Pass |
| 6** | 15752.212 | 43.16 | 0.31 | 54.0 | 10.84 | AV | 244.00 | 100 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1537.200 | 46.27 | -16.54 | 74.0 | 27.73 | Peak | 273.00 | 300 | Horizontal | Pass |
| 1** | 1537.200 | 36.24 | -16.54 | 54.0 | 17.76 | AV | 273.00 | 300 | Horizontal | Pass |
| 2 | 2458.000 | 111.34 | -9.73 | 74.0 | -37.34 | Peak | 247.00 | 200 | Horizontal | N/A |
| 2** | 2458.000 | 103.38 | -9.73 | 54.0 | -49.38 | AV | 247.00 | 200 | Horizontal | N/A |
| 3 | 4954.750 | 50.00 | -2.35 | 74.0 | 24.00 | Peak | 336.00 | 150 | Horizontal | Pass |
| 3** | 4954.750 | 40.70 | -2.35 | 54.0 | 13.30 | AV | 336.00 | 150 | Horizontal | Pass |
| 4 | 7916.000 | 54.02 | 1.90 | 74.0 | 19.98 | Peak | 4.00 | 400 | Horizontal | Pass |
| 4** | 7916.000 | 45.08 | 1.90 | 54.0 | 8.92 | AV | 4.00 | 400 | Horizontal | Pass |
| 5 | 11137.138 | 51.79 | -0.96 | 74.0 | 22.21 | Peak | 135.00 | 200 | Horizontal | Pass |
| 5** | 11137.138 | 42.58 | -0.96 | 54.0 | 11.42 | AV | 135.00 | 200 | Horizontal | Pass |
| 6 | 16795.387 | 52.56 | 0.99 | 74.0 | 21.44 | Peak | 71.00 | 400 | Horizontal | Pass |
| 6** | 16795.387 | 43.38 | 0.99 | 54.0 | 10.62 | AV | 71.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1541.200 | 46.88 | -16.47 | 74.0 | 27.12 | Peak | 147.00 | 400 | Vertical | Pass |
| 1** | 1541.200 | 38.79 | -16.47 | 54.0 | 15.21 | AV | 147.00 | 400 | Vertical | Pass |
| 2 | 2463.400 | 109.87 | -9.75 | 74.0 | -35.87 | Peak | 288.00 | 150 | Vertical | N/A |
| 2** | 2463.400 | 102.01 | -9.75 | 54.0 | -48.01 | AV | 288.00 | 150 | Vertical | N/A |
| 3 | 4786.000 | 50.33 | -2.50 | 74.0 | 23.67 | Peak | 256.00 | 150 | Vertical | Pass |
| 3** | 4786.000 | 41.53 | -2.50 | 54.0 | 12.47 | AV | 256.00 | 150 | Vertical | Pass |
| 4 | 7925.750 | 53.80 | 2.19 | 74.0 | 20.20 | Peak | 118.00 | 100 | Vertical | Pass |
| 4** | 7925.750 | 44.65 | 2.19 | 54.0 | 9.35 | AV | 118.00 | 100 | Vertical | Pass |
| 5 | 11405.987 | 51.48 | -1.73 | 74.0 | 22.52 | Peak | 317.00 | 100 | Vertical | Pass |
| 5** | 11405.987 | 42.03 | -1.73 | 54.0 | 11.97 | AV | 317.00 | 100 | Vertical | Pass |
| 6 | 16342.838 | 52.63 | 0.64 | 74.0 | 21.37 | Peak | 331.00 | 300 | Vertical | Pass |
| 6** | 16342.838 | 43.68 | 0.64 | 54.0 | 10.32 | AV | 331.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n20 Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1538.500 | 44.90 | -16.60 | 74.0 | 29.10 | Peak | 280.00 | 400 | Horizontal | Pass |
| 1** | 1538.500 | 34.57 | -16.60 | 54.0 | 19.43 | AV | 280.00 | 400 | Horizontal | Pass |
| 2 | 2469.200 | 106.69 | -9.77 | 74.0 | -32.69 | Peak | 253.00 | 150 | Horizontal | N/A |
| 2** | 2469.200 | 98.90 | -9.77 | 54.0 | -44.90 | AV | 253.00 | 150 | Horizontal | N/A |
| 3 | 4676.250 | 50.86 | -3.05 | 74.0 | 23.14 | Peak | 193.00 | 200 | Horizontal | Pass |
| 3** | 4676.250 | 40.26 | -3.05 | 54.0 | 13.74 | AV | 193.00 | 200 | Horizontal | Pass |
| 4 | 5990.250 | 58.14 | -1.24 | 74.0 | 15.86 | Peak | 339.00 | 100 | Horizontal | Pass |
| 4** | 5990.250 | 49.16 | -1.24 | 54.0 | 4.84 | AV | 339.00 | 100 | Horizontal | N/A |
| 5 | 11400.287 | 52.03 | -1.66 | 74.0 | 21.97 | Peak | 0.00 | 400 | Horizontal | Pass |
| 5** | 11400.287 | 42.51 | -1.66 | 54.0 | 11.49 | AV | 0.00 | 400 | Horizontal | Pass |
| 6 | 16268.287 | 53.22 | -0.88 | 74.0 | 20.78 | Peak | 0.00 | 300 | Horizontal | Pass |
| 6** | 16268.287 | 42.06 | -0.88 | 54.0 | 11.94 | AV | 0.00 | 300 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n20 Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1533.300 | 46.60 | -16.49 | 74.0 | 27.40 | Peak | 151.00 | 400 | Vertical | Pass |
| 1** | 1533.300 | 36.02 | -16.49 | 54.0 | 17.98 | AV | 151.00 | 400 | Vertical | Pass |
| 2 | 2464.800 | 102.97 | -9.79 | 74.0 | -28.97 | Peak | 283.00 | 150 | Vertical | N/A |
| 2** | 2464.800 | 95.55 | -9.79 | 54.0 | -41.55 | AV | 283.00 | 150 | Vertical | N/A |
| 3 | 4737.000 | 50.14 | -3.07 | 74.0 | 23.86 | Peak | 150.00 | 150 | Vertical | Pass |
| 3** | 4737.000 | 41.62 | -3.07 | 54.0 | 12.38 | AV | 150.00 | 150 | Vertical | Pass |
| 4 | 5990.500 | 62.49 | -1.23 | 74.0 | 11.51 | Peak | 356.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 55.39 | -1.23 | 54.0 | -1.39 | AV | 356.00 | 100 | Vertical | N/A |
| 5 | 10728.401 | 51.78 | -1.99 | 74.0 | 22.22 | Peak | 198.00 | 300 | Vertical | Pass |
| 5** | 10728.401 | 42.47 | -1.99 | 54.0 | 11.53 | AV | 198.00 | 300 | Vertical | Pass |
| 6 | 16780.950 | 53.53 | 0.48 | 74.0 | 20.47 | Peak | 142.00 | 100 | Vertical | Pass |
| 6** | 16780.950 | 43.15 | 0.48 | 54.0 | 10.85 | AV | 142.00 | 100 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n20 Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1536.300 | 44.43 | -16.51 | 74.0 | 29.57 | Peak | 282.00 | 300 | Horizontal | Pass |
| 1** | 1536.300 | 33.79 | -16.51 | 54.0 | 20.21 | AV | 282.00 | 300 | Horizontal | Pass |
| 2 | 2477.300 | 105.27 | -10.53 | 74.0 | -31.27 | Peak | 254.00 | 200 | Horizontal | N/A |
| 2** | 2477.300 | 98.32 | -10.53 | 54.0 | -44.32 | AV | 254.00 | 200 | Horizontal | N/A |
| 3 | 4741.250 | 50.61 | -3.12 | 74.0 | 23.39 | Peak | 288.00 | 150 | Horizontal | Pass |
| 3** | 4741.250 | 40.05 | -3.12 | 54.0 | 13.95 | AV | 288.00 | 150 | Horizontal | Pass |
| 4 | 5990.000 | 54.14 | -1.26 | 74.0 | 19.86 | Peak | 288.00 | 100 | Horizontal | Pass |
| 4** | 5990.000 | 46.91 | -1.26 | 54.0 | 7.09 | AV | 288.00 | 100 | Horizontal | N/A |
| 5 | 10205.187 | 52.20 | -2.06 | 74.0 | 21.80 | Peak | 323.00 | 300 | Horizontal | Pass |
| 5** | 10205.187 | 42.37 | -2.06 | 54.0 | 11.63 | AV | 323.00 | 300 | Horizontal | Pass |
| 6 | 16789.614 | 53.05 | 0.79 | 74.0 | 20.95 | Peak | 0.00 | 100 | Horizontal | Pass |
| 6** | 16789.614 | 43.68 | 0.79 | 54.0 | 10.32 | AV | 0.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n20 Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1543.000 | 46.25 | -16.51 | 74.0 | 27.75 | Peak | 178.00 | 300 | Vertical | Pass |
| 1** | 1543.000 | 34.77 | -16.51 | 54.0 | 19.23 | AV | 178.00 | 300 | Vertical | Pass |
| 2 | 2478.500 | 102.09 | -10.50 | 74.0 | -28.09 | Peak | 280.00 | 200 | Vertical | N/A |
| 2** | 2478.500 | 94.35 | -10.50 | 54.0 | -40.35 | AV | 280.00 | 200 | Vertical | N/A |
| 3 | 3993.750 | 52.13 | -5.16 | 74.0 | 21.87 | Peak | 167.00 | 100 | Vertical | Pass |
| 3** | 3993.750 | 42.86 | -5.16 | 54.0 | 11.14 | AV | 167.00 | 100 | Vertical | Pass |
| 4 | 5990.250 | 64.08 | -1.24 | 74.0 | 9.92 | Peak | 360.00 | 100 | Vertical | Pass |
| 4** | 5990.250 | 56.73 | -1.24 | 54.0 | -2.73 | AV | 360.00 | 100 | Vertical | N/A |
| 5 | 10196.400 | 51.68 | -2.03 | 74.0 | 22.32 | Peak | 57.00 | 300 | Vertical | Pass |
| 5** | 10196.400 | 41.55 | -2.03 | 54.0 | 12.45 | AV | 57.00 | 300 | Vertical | Pass |
| 6 | 15752.212 | 53.18 | 0.31 | 74.0 | 20.82 | Peak | 0.00 | 200 | Vertical | Pass |
| 6** | 15752.212 | 42.99 | 0.31 | 54.0 | 11.01 | AV | 0.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1535.800 | 46.52 | -16.49 | 74.0 | 27.48 | Peak | 264.00 | 200 | Horizontal | Pass |
| 1** | 1535.800 | 36.04 | -16.49 | 54.0 | 17.96 | AV | 264.00 | 200 | Horizontal | Pass |
| 2 | 2434.300 | 107.78 | -9.02 | 74.0 | -33.78 | Peak | 312.00 | 200 | Horizontal | N/A |
| 2** | 2434.300 | 99.96 | -9.02 | 54.0 | -45.96 | AV | 312.00 | 200 | Horizontal | N/A |
| 3 | 4788.250 | 50.90 | -2.69 | 74.0 | 23.10 | Peak | 144.00 | 200 | Horizontal | Pass |
| 3** | 4788.250 | 41.28 | -2.69 | 54.0 | 12.72 | AV | 144.00 | 200 | Horizontal | Pass |
| 4 | 5990.750 | 57.67 | -1.21 | 74.0 | 16.33 | Peak | 144.00 | 100 | Horizontal | Pass |
| 4** | 5990.750 | 50.96 | -1.21 | 54.0 | 3.04 | AV | 144.00 | 100 | Horizontal | Pass |
| 5 | 11138.800 | 51.52 | -0.96 | 74.0 | 22.48 | Peak | 360.00 | 100 | Horizontal | Pass |
| 5** | 11138.800 | 42.67 | -0.96 | 54.0 | 11.33 | AV | 360.00 | 100 | Horizontal | Pass |
| 6 | 16468.312 | 52.59 | 0.46 | 74.0 | 21.41 | Peak | 207.00 | 200 | Horizontal | Pass |
| 6** | 16468.312 | 43.71 | 0.46 | 54.0 | 10.29 | AV | 207.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1546.400 | 47.56 | -16.53 | 74.0 | 26.44 | Peak | 152.00 | 100 | Vertical | Pass |
| 1** | 1546.400 | 35.49 | -16.53 | 54.0 | 18.51 | AV | 152.00 | 100 | Vertical | Pass |
| 2 | 2431.700 | 105.87 | -9.08 | 74.0 | -31.87 | Peak | 271.00 | 150 | Vertical | N/A |
| 2** | 2431.700 | 98.39 | -9.08 | 54.0 | -44.39 | AV | 271.00 | 150 | Vertical | N/A |
| 3 | 4927.250 | 50.54 | -2.79 | 74.0 | 23.46 | Peak | 239.00 | 100 | Vertical | Pass |
| 3** | 4927.250 | 40.50 | -2.79 | 54.0 | 13.50 | AV | 239.00 | 100 | Vertical | Pass |
| 4 | 7757.250 | 54.84 | 1.61 | 74.0 | 19.16 | Peak | 144.00 | 200 | Vertical | Pass |
| 4** | 7757.250 | 44.82 | 1.61 | 54.0 | 9.18 | AV | 144.00 | 200 | Vertical | Pass |
| 5 | 10827.201 | 51.84 | -2.37 | 74.0 | 22.16 | Peak | 50.00 | 400 | Vertical | Pass |
| 5** | 10827.201 | 42.10 | -2.37 | 54.0 | 11.90 | AV | 50.00 | 400 | Vertical | Pass |
| 6 | 16800.114 | 52.73 | 1.15 | 74.0 | 21.27 | Peak | 256.00 | 300 | Vertical | Pass |
| 6** | 16800.114 | 43.35 | 1.15 | 54.0 | 10.65 | AV | 256.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1538.100 | 46.21 | -16.58 | 74.0 | 27.79 | Peak | 273.00 | 200 | Horizontal | Pass |
| 1** | 1538.100 | 35.12 | -16.58 | 54.0 | 18.88 | AV | 273.00 | 200 | Horizontal | Pass |
| 2 | 2446.700 | 107.45 | -10.05 | 74.0 | -33.45 | Peak | 312.00 | 150 | Horizontal | N/A |
| 2** | 2446.700 | 99.53 | -10.05 | 54.0 | -45.53 | AV | 312.00 | 150 | Horizontal | N/A |
| 3 | 4893.250 | 51.07 | -2.77 | 74.0 | 22.93 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4893.250 | 41.14 | -2.77 | 54.0 | 12.86 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 7937.000 | 54.09 | 2.04 | 74.0 | 19.91 | Peak | 4.00 | 400 | Horizontal | Pass |
| 4** | 7937.000 | 44.14 | 2.04 | 54.0 | 9.86 | AV | 4.00 | 400 | Horizontal | Pass |
| 5 | 11135.950 | 52.03 | -0.97 | 74.0 | 21.97 | Peak | 75.00 | 300 | Horizontal | Pass |
| 5** | 11135.950 | 42.93 | -0.97 | 54.0 | 11.07 | AV | 75.00 | 300 | Horizontal | Pass |
| 6 | 16478.551 | 52.64 | 0.43 | 74.0 | 21.36 | Peak | 244.00 | 200 | Horizontal | Pass |
| 6** | 16478.551 | 42.93 | 0.43 | 54.0 | 11.07 | AV | 244.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1540.900 | 48.42 | -16.46 | 74.0 | 25.58 | Peak | 205.00 | 100 | Vertical | Pass |
| 1** | 1540.900 | 37.58 | -16.46 | 54.0 | 16.42 | AV | 205.00 | 100 | Vertical | Pass |
| 2 | 2449.300 | 105.63 | -10.10 | 74.0 | -31.63 | Peak | 288.00 | 200 | Vertical | N/A |
| 2** | 2449.300 | 98.53 | -10.10 | 54.0 | -44.53 | AV | 288.00 | 200 | Vertical | N/A |
| 3 | 4696.750 | 50.66 | -2.79 | 74.0 | 23.34 | Peak | 101.00 | 100 | Vertical | Pass |
| 3** | 4696.750 | 40.42 | -2.79 | 54.0 | 13.58 | AV | 101.00 | 100 | Vertical | Pass |
| 4 | 5990.500 | 59.37 | -1.23 | 74.0 | 14.63 | Peak | 353.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 50.63 | -1.23 | 54.0 | 3.37 | AV | 353.00 | 100 | Vertical | Pass |
| 5 | 11173.713 | 52.53 | -1.35 | 74.0 | 21.47 | Peak | 183.00 | 200 | Vertical | Pass |
| 5** | 11173.713 | 42.57 | -1.35 | 54.0 | 11.43 | AV | 183.00 | 200 | Vertical | Pass |
| 6 | 16325.775 | 53.82 | 0.16 | 74.0 | 20.18 | Peak | 246.00 | 300 | Vertical | Pass |
| 6** | 16325.775 | 43.86 | 0.16 | 54.0 | 10.14 | AV | 246.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1532.500 | 46.98 | -16.52 | 74.0 | 27.02 | Peak | 268.00 | 200 | Horizontal | Pass |
| 1** | 1532.500 | 36.55 | -16.52 | 54.0 | 17.45 | AV | 268.00 | 200 | Horizontal | Pass |
| 2 | 2462.100 | 107.15 | -9.74 | 74.0 | -33.15 | Peak | 247.00 | 100 | Horizontal | N/A |
| 2** | 2462.100 | 99.05 | -9.74 | 54.0 | -45.05 | AV | 247.00 | 100 | Horizontal | N/A |
| 3 | 4762.000 | 50.32 | -2.69 | 74.0 | 23.68 | Peak | 239.00 | 150 | Horizontal | Pass |
| 3** | 4762.000 | 41.06 | -2.69 | 54.0 | 12.94 | AV | 239.00 | 150 | Horizontal | Pass |
| 4 | 5991.250 | 56.46 | -1.19 | 74.0 | 17.54 | Peak | 108.00 | 100 | Horizontal | Pass |
| 4** | 5991.250 | 48.01 | -1.19 | 54.0 | 5.99 | AV | 108.00 | 100 | Horizontal | Pass |
| 5 | 10586.138 | 52.13 | -1.63 | 74.0 | 21.87 | Peak | 0.00 | 200 | Horizontal | Pass |
| 5** | 10586.138 | 42.58 | -1.63 | 54.0 | 11.42 | AV | 0.00 | 200 | Horizontal | Pass |
| 6 | 16315.800 | 52.84 | -0.13 | 74.0 | 21.16 | Peak | 346.00 | 200 | Horizontal | Pass |
| 6** | 16315.800 | 44.23 | -0.13 | 54.0 | 9.77 | AV | 346.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1541.700 | 47.62 | -16.48 | 74.0 | 26.38 | Peak | 208.00 | 300 | Vertical | Pass |
| 1** | 1541.700 | 39.60 | -16.48 | 54.0 | 14.40 | AV | 208.00 | 300 | Vertical | Pass |
| 2 | 2455.700 | 105.04 | -9.87 | 74.0 | -31.04 | Peak | 288.00 | 200 | Vertical | N/A |
| 2** | 2455.700 | 96.82 | -9.87 | 54.0 | -42.82 | AV | 288.00 | 200 | Vertical | N/A |
| 3 | 4699.750 | 50.76 | -2.76 | 74.0 | 23.24 | Peak | 161.00 | 200 | Vertical | Pass |
| 3** | 4699.750 | 40.98 | -2.76 | 54.0 | 13.02 | AV | 161.00 | 200 | Vertical | Pass |
| 4 | 7541.750 | 53.99 | 2.09 | 74.0 | 20.01 | Peak | 230.00 | 100 | Vertical | Pass |
| 4** | 7541.750 | 44.08 | 2.09 | 54.0 | 9.92 | AV | 230.00 | 100 | Vertical | Pass |
| 5 | 11208.625 | 51.79 | -2.02 | 74.0 | 22.21 | Peak | 341.00 | 400 | Vertical | Pass |
| 5** | 11208.625 | 42.98 | -2.02 | 54.0 | 11.02 | AV | 341.00 | 400 | Vertical | Pass |
| 6 | 16467.261 | 52.93 | 0.47 | 74.0 | 21.07 | Peak | 270.00 | 300 | Vertical | Pass |
| 6** | 16467.261 | 43.20 | 0.47 | 54.0 | 10.80 | AV | 270.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n40 Channel 10

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1537.000 | 44.13 | -16.54 | 74.0 | 29.87 | Peak | 137.00 | 200 | Horizontal | Pass |
| 1** | 1537.000 | 33.57 | -16.54 | 54.0 | 20.43 | AV | 137.00 | 200 | Horizontal | Pass |
| 2 | 2464.300 | 103.15 | -9.77 | 74.0 | -29.15 | Peak | 259.00 | 100 | Horizontal | N/A |
| 2** | 2464.300 | 94.81 | -9.77 | 54.0 | -40.81 | AV | 259.00 | 100 | Horizontal | N/A |
| 3 | 4773.000 | 50.70 | -2.49 | 74.0 | 23.30 | Peak | 142.00 | 200 | Horizontal | Pass |
| 3** | 4773.000 | 42.30 | -2.49 | 54.0 | 11.70 | AV | 142.00 | 200 | Horizontal | Pass |
| 4 | 5990.250 | 55.93 | -1.24 | 74.0 | 18.07 | Peak | 48.00 | 100 | Horizontal | Pass |
| 4** | 5990.250 | 49.27 | -1.24 | 54.0 | 4.73 | AV | 48.00 | 100 | Horizontal | N/A |
| 5 | 11135.237 | 51.94 | -0.97 | 74.0 | 22.06 | Peak | 283.00 | 400 | Horizontal | Pass |
| 5** | 11135.237 | 42.65 | -0.97 | 54.0 | 11.35 | AV | 283.00 | 400 | Horizontal | Pass |
| 6 | 16354.912 | 53.12 | 0.74 | 74.0 | 20.88 | Peak | 0.00 | 200 | Horizontal | Pass |
| 6** | 16354.912 | 44.17 | 0.74 | 54.0 | 9.83 | AV | 0.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n40 Channel 10

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1544.200 | 46.01 | -16.45 | 74.0 | 27.99 | Peak | 157.00 | 300 | Vertical | Pass |
| 1** | 1544.200 | 36.68 | -16.45 | 54.0 | 17.32 | AV | 157.00 | 300 | Vertical | Pass |
| 2 | 2453.100 | 100.06 | -9.98 | 74.0 | -26.06 | Peak | 285.00 | 150 | Vertical | N/A |
| 2** | 2453.100 | 92.90 | -9.98 | 54.0 | -38.90 | AV | 285.00 | 150 | Vertical | N/A |
| 3 | 4766.250 | 50.79 | -2.52 | 74.0 | 23.21 | Peak | 296.00 | 100 | Vertical | Pass |
| 3** | 4766.250 | 41.02 | -2.52 | 54.0 | 12.98 | AV | 296.00 | 100 | Vertical | Pass |
| 4 | 5990.750 | 65.30 | -1.21 | 74.0 | 8.70 | Peak | 133.00 | 100 | Vertical | Pass |
| 4** | 5990.750 | 57.87 | -1.21 | 54.0 | -3.87 | AV | 133.00 | 100 | Vertical | N/A |
| 5 | 11184.638 | 51.65 | -1.54 | 74.0 | 22.35 | Peak | 357.00 | 200 | Vertical | Pass |
| 5** | 11184.638 | 42.89 | -1.54 | 54.0 | 11.11 | AV | 357.00 | 200 | Vertical | Pass |
| 6 | 16327.875 | 52.59 | 0.22 | 74.0 | 21.41 | Peak | 341.00 | 200 | Vertical | Pass |
| 6** | 16327.875 | 43.34 | 0.22 | 54.0 | 10.66 | AV | 341.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n40 Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1533.500 | 44.02 | -16.48 | 74.0 | 29.98 | Peak | 191.00 | 100 | Horizontal | Pass |
| 1** | 1533.500 | 33.79 | -16.48 | 54.0 | 20.21 | AV | 191.00 | 100 | Horizontal | Pass |
| 2 | 2451.900 | 102.65 | -9.92 | 74.0 | -28.65 | Peak | 312.00 | 150 | Horizontal | N/A |
| 2** | 2451.900 | 94.73 | -9.92 | 54.0 | -40.73 | AV | 312.00 | 150 | Horizontal | N/A |
| 3 | 4797.500 | 51.10 | -2.94 | 74.0 | 22.90 | Peak | 133.00 | 150 | Horizontal | Pass |
| 3** | 4797.500 | 41.18 | -2.94 | 54.0 | 12.82 | AV | 133.00 | 150 | Horizontal | Pass |
| 4 | 5990.250 | 56.13 | -1.24 | 74.0 | 17.87 | Peak | 80.00 | 100 | Horizontal | Pass |
| 4** | 5990.250 | 48.52 | -1.24 | 54.0 | 5.48 | AV | 80.00 | 100 | Horizontal | N/A |
| 5 | 11128.588 | 52.14 | -0.97 | 74.0 | 21.86 | Peak | 353.00 | 200 | Horizontal | Pass |
| 5** | 11128.588 | 42.93 | -0.97 | 54.0 | 11.07 | AV | 353.00 | 200 | Horizontal | Pass |
| 6 | 16531.838 | 52.85 | 0.15 | 74.0 | 21.15 | Peak | 302.00 | 200 | Horizontal | Pass |
| 6** | 16531.838 | 43.31 | 0.15 | 54.0 | 10.69 | AV | 302.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n40 Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1540.600 | 46.63 | -16.46 | 74.0 | 27.37 | Peak | 161.00 | 300 | Vertical | Pass |
| 1** | 1540.600 | 36.22 | -16.46 | 54.0 | 17.78 | AV | 161.00 | 300 | Vertical | Pass |
| 2 | 2455.900 | 100.42 | -9.84 | 74.0 | -26.42 | Peak | 286.00 | 100 | Vertical | N/A |
| 2** | 2455.900 | 92.46 | -9.84 | 54.0 | -38.46 | AV | 286.00 | 100 | Vertical | N/A |
| 3 | 3993.500 | 53.80 | -5.13 | 74.0 | 20.20 | Peak | 148.00 | 200 | Vertical | Pass |
| 3** | 3993.500 | 38.28 | -5.13 | 54.0 | 15.72 | AV | 148.00 | 200 | Vertical | Pass |
| 4 | 5990.250 | 65.60 | -1.24 | 74.0 | 8.40 | Peak | 10.00 | 100 | Vertical | Pass |
| 4** | 5990.250 | 56.83 | -1.24 | 54.0 | -2.83 | AV | 10.00 | 100 | Vertical | N/A |
| 5 | 11416.200 | 52.09 | -1.85 | 74.0 | 21.91 | Peak | 324.00 | 200 | Vertical | Pass |
| 5** | 11416.200 | 41.19 | -1.85 | 54.0 | 12.81 | AV | 324.00 | 200 | Vertical | Pass |
| 6 | 16496.663 | 52.92 | 0.36 | 74.0 | 21.08 | Peak | 7.00 | 200 | Vertical | Pass |
| 6** | 16496.663 | 43.58 | 0.36 | 54.0 | 10.42 | AV | 7.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1533.700 | 46.04 | -16.47 | 74.0 | 27.96 | Peak | 264.00 | 100 | Horizontal | Pass |
| 1** | 1533.700 | 36.03 | -16.47 | 54.0 | 17.97 | AV | 264.00 | 100 | Horizontal | Pass |
| 2 | 2406.200 | 112.21 | -9.91 | 74.0 | -38.21 | Peak | 240.00 | 200 | Horizontal | N/A |
| 2** | 2406.200 | 101.88 | -9.91 | 54.0 | -47.88 | AV | 240.00 | 200 | Horizontal | N/A |
| 3 | 4749.750 | 50.27 | -2.66 | 74.0 | 23.73 | Peak | 118.00 | 100 | Horizontal | Pass |
| 3** | 4749.750 | 42.22 | -2.66 | 54.0 | 11.78 | AV | 118.00 | 100 | Horizontal | Pass |
| 4 | 7818.250 | 54.35 | 2.84 | 74.0 | 19.65 | Peak | 154.00 | 100 | Horizontal | Pass |
| 4** | 7818.250 | 45.19 | 2.84 | 54.0 | 8.81 | AV | 154.00 | 100 | Horizontal | Pass |
| 5 | 10816.987 | 52.05 | -2.62 | 74.0 | 21.95 | Peak | 352.00 | 300 | Horizontal | Pass |
| 5** | 10816.987 | 42.52 | -2.62 | 54.0 | 11.48 | AV | 352.00 | 300 | Horizontal | Pass |
| 6 | 16323.412 | 53.39 | 0.09 | 74.0 | 20.61 | Peak | 171.00 | 300 | Horizontal | Pass |
| 6** | 16323.412 | 43.71 | 0.09 | 54.0 | 10.29 | AV | 171.00 | 300 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1544.400 | 47.50 | -16.44 | 74.0 | 26.50 | Peak | 210.00 | 400 | Vertical | Pass |
| 1** | 1544.400 | 35.51 | -16.44 | 54.0 | 18.49 | AV | 210.00 | 400 | Vertical | Pass |
| 2 | 2413.800 | 111.87 | -10.06 | 74.0 | -37.87 | Peak | 271.00 | 200 | Vertical | N/A |
| 2** | 2413.800 | 102.40 | -10.06 | 54.0 | -48.40 | AV | 271.00 | 200 | Vertical | N/A |
| 3 | 3993.500 | 53.41 | -5.13 | 74.0 | 20.59 | Peak | 0.00 | 100 | Vertical | Pass |
| 3** | 3993.500 | 44.91 | -5.13 | 54.0 | 9.09 | AV | 0.00 | 100 | Vertical | Pass |
| 4 | 5990.750 | 60.22 | -1.21 | 74.0 | 13.78 | Peak | 180.00 | 100 | Vertical | Pass |
| 4** | 5990.750 | 50.91 | -1.21 | 54.0 | 3.09 | AV | 180.00 | 100 | Vertical | Pass |
| 5 | 11157.325 | 52.08 | -1.07 | 74.0 | 21.92 | Peak | 172.00 | 300 | Vertical | Pass |
| 5** | 11157.325 | 41.91 | -1.07 | 54.0 | 12.09 | AV | 172.00 | 300 | Vertical | Pass |
| 6 | 16799.324 | 52.77 | 1.13 | 74.0 | 21.23 | Peak | 256.00 | 100 | Vertical | Pass |
| 6** | 16799.324 | 43.30 | 1.13 | 54.0 | 10.70 | AV | 256.00 | 100 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1533.500 | 45.50 | -16.48 | 74.0 | 28.50 | Peak | 274.00 | 400 | Horizontal | Pass |
| 1** | 1533.500 | 36.84 | -16.48 | 54.0 | 17.16 | AV | 274.00 | 400 | Horizontal | Pass |
| 2 | 2433.200 | 114.30 | -9.14 | 74.0 | -40.30 | Peak | 256.00 | 200 | Horizontal | N/A |
| 2** | 2433.200 | 104.77 | -9.14 | 54.0 | -50.77 | AV | 256.00 | 200 | Horizontal | N/A |
| 3 | 4780.750 | 50.60 | -2.64 | 74.0 | 23.40 | Peak | 326.00 | 100 | Horizontal | Pass |
| 3** | 4780.750 | 40.72 | -2.64 | 54.0 | 13.28 | AV | 326.00 | 100 | Horizontal | Pass |
| 4 | 5990.500 | 57.29 | -1.23 | 74.0 | 16.71 | Peak | 213.00 | 100 | Horizontal | Pass |
| 4** | 5990.500 | 48.18 | -1.23 | 54.0 | 5.82 | AV | 213.00 | 100 | Horizontal | Pass |
| 5 | 10953.550 | 51.67 | -2.45 | 74.0 | 22.33 | Peak | 171.00 | 300 | Horizontal | Pass |
| 5** | 10953.550 | 41.36 | -2.45 | 54.0 | 12.64 | AV | 171.00 | 300 | Horizontal | Pass |
| 6 | 16350.713 | 52.68 | 0.83 | 74.0 | 21.32 | Peak | 181.00 | 200 | Horizontal | Pass |
| 6** | 16350.713 | 44.28 | 0.83 | 54.0 | 9.72 | AV | 181.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1544.600 | 48.28 | -16.43 | 74.0 | 25.72 | Peak | 142.00 | 100 | Vertical | Pass |
| 1** | 1544.600 | 35.27 | -16.43 | 54.0 | 18.73 | AV | 142.00 | 100 | Vertical | Pass |
| 2 | 2432.500 | 112.94 | -9.11 | 74.0 | -38.94 | Peak | 264.00 | 150 | Vertical | N/A |
| 2** | 2432.500 | 102.72 | -9.11 | 54.0 | -48.72 | AV | 264.00 | 150 | Vertical | N/A |
| 3 | 4731.750 | 50.45 | -2.91 | 74.0 | 23.55 | Peak | 205.00 | 200 | Vertical | Pass |
| 3** | 4731.750 | 40.53 | -2.91 | 54.0 | 13.47 | AV | 205.00 | 200 | Vertical | Pass |
| 4 | 7924.000 | 54.06 | 2.16 | 74.0 | 19.94 | Peak | 169.00 | 400 | Vertical | Pass |
| 4** | 7924.000 | 46.01 | 2.16 | 54.0 | 7.99 | AV | 169.00 | 400 | Vertical | Pass |
| 5 | 11074.201 | 51.77 | -1.49 | 74.0 | 22.23 | Peak | 113.00 | 100 | Vertical | Pass |
| 5** | 11074.201 | 42.19 | -1.49 | 54.0 | 11.81 | AV | 113.00 | 100 | Vertical | Pass |
| 6 | 16493.250 | 52.99 | 0.37 | 74.0 | 21.01 | Peak | 356.00 | 300 | Vertical | Pass |
| 6** | 16493.250 | 43.24 | 0.37 | 54.0 | 10.76 | AV | 356.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1539.900 | 46.74 | -16.51 | 74.0 | 27.26 | Peak | 273.00 | 200 | Horizontal | Pass |
| 1** | 1539.900 | 36.99 | -16.51 | 54.0 | 17.01 | AV | 273.00 | 200 | Horizontal | Pass |
| 2 | 2465.500 | 111.88 | -9.83 | 74.0 | -37.88 | Peak | 249.00 | 150 | Horizontal | N/A |
| 2** | 2465.500 | 103.59 | -9.83 | 54.0 | -49.59 | AV | 249.00 | 150 | Horizontal | N/A |
| 3 | 4805.500 | 49.98 | -2.68 | 74.0 | 24.02 | Peak | 38.00 | 100 | Horizontal | Pass |
| 3** | 4805.500 | 41.37 | -2.68 | 54.0 | 12.63 | AV | 38.00 | 100 | Horizontal | Pass |
| 4 | 7823.500 | 54.21 | 3.00 | 74.0 | 19.79 | Peak | 317.00 | 400 | Horizontal | Pass |
| 4** | 7823.500 | 45.75 | 3.00 | 54.0 | 8.25 | AV | 317.00 | 400 | Horizontal | Pass |
| 5 | 10713.201 | 52.18 | -2.23 | 74.0 | 21.82 | Peak | 96.00 | 200 | Horizontal | Pass |
| 5** | 10713.201 | 42.37 | -2.23 | 54.0 | 11.63 | AV | 96.00 | 200 | Horizontal | Pass |
| 6 | 16309.500 | 52.77 | -0.31 | 74.0 | 21.23 | Peak | 94.00 | 300 | Horizontal | Pass |
| 6** | 16309.500 | 43.15 | -0.31 | 54.0 | 10.85 | AV | 94.00 | 300 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1544.400 | 47.86 | -16.44 | 74.0 | 26.14 | Peak | 147.00 | 400 | Vertical | Pass |
| 1** | 1544.400 | 37.76 | -16.44 | 54.0 | 16.24 | AV | 147.00 | 400 | Vertical | Pass |
| 2 | 2461.200 | 111.85 | -9.73 | 74.0 | -37.85 | Peak | 283.00 | 200 | Vertical | N/A |
| 2** | 2461.200 | 102.59 | -9.73 | 54.0 | -48.59 | AV | 283.00 | 200 | Vertical | N/A |
| 3 | 4913.250 | 50.47 | -2.85 | 74.0 | 23.53 | Peak | 300.00 | 150 | Vertical | Pass |
| 3** | 4913.250 | 40.49 | -2.85 | 54.0 | 13.51 | AV | 300.00 | 150 | Vertical | Pass |
| 4 | 5990.500 | 60.57 | -1.23 | 74.0 | 13.43 | Peak | 91.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 50.83 | -1.23 | 54.0 | 3.17 | AV | 91.00 | 100 | Vertical | Pass |
| 5 | 11129.062 | 52.44 | -0.97 | 74.0 | 21.56 | Peak | 73.00 | 100 | Vertical | Pass |
| 5** | 11129.062 | 42.79 | -0.97 | 54.0 | 11.21 | AV | 73.00 | 100 | Vertical | Pass |
| 6 | 16341.526 | 52.79 | 0.61 | 74.0 | 21.21 | Peak | 345.00 | 200 | Vertical | Pass |
| 6** | 16341.526 | 44.54 | 0.61 | 54.0 | 9.46 | AV | 345.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1541.700 | 44.01 | -16.48 | 74.0 | 29.99 | Peak | 142.00 | 200 | Horizontal | Pass |
| 1** | 1541.700 | 33.97 | -16.48 | 54.0 | 20.03 | AV | 142.00 | 200 | Horizontal | Pass |
| 2 | 2464.300 | 108.46 | -9.77 | 74.0 | -34.46 | Peak | 254.00 | 150 | Horizontal | N/A |
| 2** | 2464.300 | 100.00 | -9.77 | 54.0 | -46.00 | AV | 254.00 | 150 | Horizontal | N/A |
| 3 | 4738.500 | 51.03 | -2.85 | 74.0 | 22.97 | Peak | 61.00 | 150 | Horizontal | Pass |
| 3** | 4738.500 | 40.98 | -2.85 | 54.0 | 13.02 | AV | 61.00 | 150 | Horizontal | Pass |
| 4 | 5990.500 | 59.14 | -1.23 | 74.0 | 14.86 | Peak | 97.00 | 100 | Horizontal | Pass |
| 4** | 5990.500 | 49.83 | -1.23 | 54.0 | 4.17 | AV | 97.00 | 100 | Horizontal | N/A |
| 5 | 11076.575 | 51.76 | -1.45 | 74.0 | 22.24 | Peak | 68.00 | 200 | Horizontal | Pass |
| 5** | 11076.575 | 43.06 | -1.45 | 54.0 | 10.94 | AV | 68.00 | 200 | Horizontal | Pass |
| 6 | 16799.849 | 52.89 | 1.15 | 74.0 | 21.11 | Peak | 230.00 | 200 | Horizontal | Pass |
| 6** | 16799.849 | 43.48 | 1.15 | 54.0 | 10.52 | AV | 230.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1536.000 | 46.85 | -16.50 | 74.0 | 27.15 | Peak | 142.00 | 200 | Vertical | Pass |
| 1** | 1536.000 | 35.70 | -16.50 | 54.0 | 18.30 | AV | 142.00 | 200 | Vertical | Pass |
| 2 | 2469.400 | 103.55 | -10.18 | 74.0 | -29.55 | Peak | 283.00 | 200 | Vertical | N/A |
| 2** | 2469.400 | 94.13 | -10.18 | 54.0 | -40.13 | AV | 283.00 | 200 | Vertical | N/A |
| 3 | 4703.750 | 50.53 | -2.69 | 74.0 | 23.47 | Peak | 237.00 | 100 | Vertical | Pass |
| 3** | 4703.750 | 40.82 | -2.69 | 54.0 | 13.18 | AV | 237.00 | 100 | Vertical | Pass |
| 4 | 5990.750 | 58.43 | -1.21 | 74.0 | 15.57 | Peak | 29.00 | 100 | Vertical | Pass |
| 4** | 5990.750 | 59.66 | -1.21 | 54.0 | -5.66 | AV | 29.00 | 100 | Vertical | N/A |
| 5 | 11075.625 | 52.10 | -1.46 | 74.0 | 21.90 | Peak | 162.00 | 100 | Vertical | Pass |
| 5** | 11075.625 | 42.54 | -1.46 | 54.0 | 11.46 | AV | 162.00 | 100 | Vertical | Pass |
| 6 | 16354.912 | 53.14 | 0.74 | 74.0 | 20.86 | Peak | 41.00 | 300 | Vertical | Pass |
| 6** | 16354.912 | 44.34 | 0.74 | 54.0 | 9.66 | AV | 41.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1534.700 | 44.16 | -16.46 | 74.0 | 29.84 | Peak | 276.00 | 200 | Horizontal | Pass |
| 1** | 1534.700 | 35.10 | -16.46 | 54.0 | 18.90 | AV | 276.00 | 200 | Horizontal | Pass |
| 2 | 2478.900 | 106.35 | -10.52 | 74.0 | -32.35 | Peak | 253.00 | 200 | Horizontal | N/A |
| 2** | 2478.900 | 97.17 | -10.52 | 54.0 | -43.17 | AV | 253.00 | 200 | Horizontal | N/A |
| 3 | 4830.750 | 50.33 | -1.93 | 74.0 | 23.67 | Peak | 165.00 | 150 | Horizontal | Pass |
| 3** | 4830.750 | 40.64 | -1.93 | 54.0 | 13.36 | AV | 165.00 | 150 | Horizontal | Pass |
| 4 | 5990.000 | 58.09 | -1.26 | 74.0 | 15.91 | Peak | 97.00 | 100 | Horizontal | Pass |
| 4** | 5990.000 | 48.27 | -1.26 | 54.0 | 5.73 | AV | 97.00 | 100 | Horizontal | N/A |
| 5 | 11128.350 | 54.03 | -0.97 | 74.0 | 19.97 | Peak | 200.00 | 400 | Horizontal | Pass |
| 5** | 11128.350 | 42.91 | -0.97 | 54.0 | 11.09 | AV | 200.00 | 400 | Horizontal | Pass |
| 6 | 16360.424 | 52.86 | 0.62 | 74.0 | 21.14 | Peak | 91.00 | 400 | Horizontal | Pass |
| 6** | 16360.424 | 43.44 | 0.62 | 54.0 | 10.56 | AV | 91.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1531.900 | 45.80 | -16.53 | 74.0 | 28.20 | Peak | 214.00 | 100 | Vertical | Pass |
| 1** | 1531.900 | 35.50 | -16.53 | 54.0 | 18.50 | AV | 214.00 | 100 | Vertical | Pass |
| 2 | 2478.700 | 104.16 | -10.51 | 74.0 | -30.16 | Peak | 279.00 | 200 | Vertical | N/A |
| 2** | 2478.700 | 93.85 | -10.51 | 54.0 | -39.85 | AV | 279.00 | 200 | Vertical | N/A |
| 3 | 4718.250 | 50.35 | -2.77 | 74.0 | 23.65 | Peak | 45.00 | 150 | Vertical | Pass |
| 3** | 4718.250 | 41.31 | -2.77 | 54.0 | 12.69 | AV | 45.00 | 150 | Vertical | Pass |
| 4 | 5990.500 | 61.29 | -1.23 | 74.0 | 12.71 | Peak | 148.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 59.28 | -1.23 | 54.0 | -5.28 | AV | 148.00 | 100 | Vertical | N/A |
| 5 | 11135.000 | 52.44 | -0.97 | 74.0 | 21.56 | Peak | 8.00 | 400 | Vertical | Pass |
| 5** | 11135.000 | 43.46 | -0.97 | 54.0 | 10.54 | AV | 8.00 | 400 | Vertical | Pass |
| 6 | 16492.463 | 53.52 | 0.38 | 74.0 | 20.48 | Peak | 106.00 | 100 | Vertical | Pass |
| 6** | 16492.463 | 45.28 | 0.38 | 54.0 | 8.72 | AV | 106.00 | 100 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1540.800 | 46.53 | -16.46 | 74.0 | 27.47 | Peak | 271.00 | 100 | Horizontal | Pass |
| 1** | 1540.800 | 38.01 | -16.46 | 54.0 | 15.99 | AV | 271.00 | 100 | Horizontal | Pass |
| 2 | 2420.600 | 108.57 | -10.01 | 74.0 | -34.57 | Peak | 252.00 | 200 | Horizontal | N/A |
| 2** | 2420.600 | 99.72 | -10.01 | 54.0 | -45.72 | AV | 252.00 | 200 | Horizontal | N/A |
| 3 | 4798.500 | 50.68 | -2.92 | 74.0 | 23.32 | Peak | 246.00 | 200 | Horizontal | Pass |
| 3** | 4798.500 | 40.91 | -2.92 | 54.0 | 13.09 | AV | 246.00 | 200 | Horizontal | Pass |
| 4 | 5991.000 | 59.34 | -1.20 | 74.0 | 14.66 | Peak | 341.00 | 100 | Horizontal | Pass |
| 4** | 5991.000 | 49.95 | -1.20 | 54.0 | 4.05 | AV | 341.00 | 100 | Horizontal | Pass |
| 5 | 11176.563 | 51.98 | -1.40 | 74.0 | 22.02 | Peak | 269.00 | 100 | Horizontal | Pass |
| 5** | 11176.563 | 42.66 | -1.40 | 54.0 | 11.34 | AV | 269.00 | 100 | Horizontal | Pass |
| 6 | 16344.412 | 52.94 | 0.69 | 74.0 | 21.06 | Peak | 181.00 | 400 | Horizontal | Pass |
| 6** | 16344.412 | 44.41 | 0.69 | 54.0 | 9.59 | AV | 181.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1542.900 | 47.70 | -16.52 | 74.0 | 26.30 | Peak | 144.00 | 200 | Vertical | Pass |
| 1** | 1542.900 | 38.42 | -16.52 | 54.0 | 15.58 | AV | 144.00 | 200 | Vertical | Pass |
| 2 | 2432.500 | 106.53 | -9.11 | 74.0 | -32.53 | Peak | 276.00 | 150 | Vertical | N/A |
| 2** | 2432.500 | 97.98 | -9.11 | 54.0 | -43.98 | AV | 276.00 | 150 | Vertical | N/A |
| 3 | 4695.500 | 50.46 | -2.82 | 74.0 | 23.54 | Peak | 214.00 | 200 | Vertical | Pass |
| 3** | 4695.500 | 40.36 | -2.82 | 54.0 | 13.64 | AV | 214.00 | 200 | Vertical | Pass |
| 4 | 7900.000 | 53.78 | 2.19 | 74.0 | 20.22 | Peak | 57.00 | 100 | Vertical | Pass |
| 4** | 7900.000 | 44.63 | 2.19 | 54.0 | 9.37 | AV | 57.00 | 100 | Vertical | Pass |
| 5 | 11122.650 | 52.88 | -0.98 | 74.0 | 21.12 | Peak | 244.00 | 200 | Vertical | Pass |
| 5** | 11122.650 | 42.32 | -0.98 | 54.0 | 11.68 | AV | 244.00 | 200 | Vertical | Pass |
| 6 | 16295.850 | 53.26 | -0.61 | 74.0 | 20.74 | Peak | 360.00 | 400 | Vertical | Pass |
| 6** | 16295.850 | 43.29 | -0.61 | 54.0 | 10.71 | AV | 360.00 | 400 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1542.100 | 46.73 | -16.50 | 74.0 | 27.27 | Peak | 269.00 | 100 | Horizontal | Pass |
| 1** | 1542.100 | 37.81 | -16.50 | 54.0 | 16.19 | AV | 269.00 | 100 | Horizontal | Pass |
| 2 | 2446.000 | 108.82 | -9.93 | 74.0 | -34.82 | Peak | 249.00 | 100 | Horizontal | N/A |
| 2** | 2446.000 | 99.22 | -9.93 | 54.0 | -45.22 | AV | 249.00 | 100 | Horizontal | N/A |
| 3 | 4739.750 | 50.30 | -2.95 | 74.0 | 23.70 | Peak | 65.00 | 200 | Horizontal | Pass |
| 3** | 4739.750 | 40.81 | -2.95 | 54.0 | 13.19 | AV | 65.00 | 200 | Horizontal | Pass |
| 4 | 7838.500 | 54.26 | 3.42 | 74.0 | 19.74 | Peak | 205.00 | 100 | Horizontal | Pass |
| 4** | 7838.500 | 45.44 | 3.42 | 54.0 | 8.56 | AV | 205.00 | 100 | Horizontal | Pass |
| 5 | 11068.975 | 52.31 | -1.59 | 74.0 | 21.69 | Peak | 109.00 | 100 | Horizontal | Pass |
| 5** | 11068.975 | 41.77 | -1.59 | 54.0 | 12.23 | AV | 109.00 | 100 | Horizontal | Pass |
| 6 | 16322.362 | 52.74 | 0.06 | 74.0 | 21.26 | Peak | 57.00 | 200 | Horizontal | Pass |
| 6** | 16322.362 | 43.60 | 0.06 | 54.0 | 10.40 | AV | 57.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1539.900 | 48.84 | -16.51 | 74.0 | 25.16 | Peak | 149.00 | 200 | Vertical | Pass |
| 1** | 1539.900 | 40.32 | -16.51 | 54.0 | 13.68 | AV | 149.00 | 200 | Vertical | Pass |
| 2 | 2448.000 | 106.78 | -10.27 | 74.0 | -32.78 | Peak | 271.00 | 150 | Vertical | N/A |
| 2** | 2448.000 | 98.22 | -10.27 | 54.0 | -44.22 | AV | 271.00 | 150 | Vertical | N/A |
| 3 | 4954.500 | 50.53 | -2.34 | 74.0 | 23.47 | Peak | 47.00 | 200 | Vertical | Pass |
| 3** | 4954.500 | 41.36 | -2.34 | 54.0 | 12.64 | AV | 47.00 | 200 | Vertical | Pass |
| 4 | 5990.250 | 58.05 | -1.24 | 74.0 | 15.95 | Peak | 38.00 | 100 | Vertical | Pass |
| 4** | 5990.250 | 49.86 | -1.24 | 54.0 | 4.14 | AV | 38.00 | 100 | Vertical | Pass |
| 5 | 11121.225 | 51.78 | -0.98 | 74.0 | 22.22 | Peak | 123.00 | 200 | Vertical | Pass |
| 5** | 11121.225 | 42.45 | -0.98 | 54.0 | 11.55 | AV | 123.00 | 200 | Vertical | Pass |
| 6 | 16721.625 | 52.48 | 0.23 | 74.0 | 21.52 | Peak | 82.00 | 100 | Vertical | Pass |
| 6** | 16721.625 | 42.66 | 0.23 | 54.0 | 11.34 | AV | 82.00 | 100 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1542.100 | 47.07 | -16.50 | 74.0 | 26.93 | Peak | 269.00 | 300 | Horizontal | Pass |
| 1** | 1542.100 | 38.46 | -16.50 | 54.0 | 15.54 | AV | 269.00 | 300 | Horizontal | Pass |
| 2 | 2459.500 | 109.22 | -9.74 | 74.0 | -35.22 | Peak | 300.00 | 200 | Horizontal | N/A |
| 2** | 2459.500 | 99.22 | -9.74 | 54.0 | -45.22 | AV | 300.00 | 200 | Horizontal | N/A |
| 3 | 4806.000 | 50.77 | -2.67 | 74.0 | 23.23 | Peak | 74.00 | 150 | Horizontal | Pass |
| 3** | 4806.000 | 41.57 | -2.67 | 54.0 | 12.43 | AV | 74.00 | 150 | Horizontal | Pass |
| 4 | 7783.000 | 54.11 | 1.67 | 74.0 | 19.89 | Peak | 48.00 | 200 | Horizontal | Pass |
| 4** | 7783.000 | 45.32 | 1.67 | 54.0 | 8.68 | AV | 48.00 | 200 | Horizontal | Pass |
| 5 | 10729.588 | 52.07 | -1.97 | 74.0 | 21.93 | Peak | 171.00 | 400 | Horizontal | Pass |
| 5** | 10729.588 | 41.51 | -1.97 | 54.0 | 12.49 | AV | 171.00 | 400 | Horizontal | Pass |
| 6 | 16324.463 | 53.05 | 0.12 | 74.0 | 20.95 | Peak | 45.00 | 400 | Horizontal | Pass |
| 6** | 16324.463 | 44.35 | 0.12 | 54.0 | 9.65 | AV | 45.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1537.800 | 47.89 | -16.57 | 74.0 | 26.11 | Peak | 147.00 | 400 | Vertical | Pass |
| 1** | 1537.800 | 37.17 | -16.57 | 54.0 | 16.83 | AV | 147.00 | 400 | Vertical | Pass |
| 2 | 2444.000 | 106.36 | -9.77 | 74.0 | -32.36 | Peak | 271.00 | 100 | Vertical | N/A |
| 2** | 2444.000 | 96.21 | -9.77 | 54.0 | -42.21 | AV | 271.00 | 100 | Vertical | N/A |
| 3 | 4715.750 | 50.16 | -2.89 | 74.0 | 23.84 | Peak | 334.00 | 200 | Vertical | Pass |
| 3** | 4715.750 | 40.96 | -2.89 | 54.0 | 13.04 | AV | 334.00 | 200 | Vertical | Pass |
| 4 | 7621.250 | 55.02 | 1.08 | 74.0 | 18.98 | Peak | 264.00 | 400 | Vertical | Pass |
| 4** | 7621.250 | 43.40 | 1.08 | 54.0 | 10.60 | AV | 264.00 | 400 | Vertical | Pass |
| 5 | 11168.250 | 51.91 | -1.26 | 74.0 | 22.09 | Peak | 51.00 | 100 | Vertical | Pass |
| 5** | 11168.250 | 41.74 | -1.26 | 54.0 | 12.26 | AV | 51.00 | 100 | Vertical | Pass |
| 6 | 16339.687 | 53.61 | 0.55 | 74.0 | 20.39 | Peak | 0.00 | 200 | Vertical | Pass |
| 6** | 16339.687 | 44.13 | 0.55 | 54.0 | 9.87 | AV | 0.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 10

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1539.600 | 43.76 | -16.53 | 74.0 | 30.24 | Peak | 76.00 | 100 | Horizontal | Pass |
| 1** | 1539.600 | 35.27 | -16.53 | 54.0 | 18.73 | AV | 76.00 | 100 | Horizontal | Pass |
| 2 | 2451.800 | 105.04 | -9.92 | 74.0 | -31.04 | Peak | 310.00 | 100 | Horizontal | N/A |
| 2** | 2451.800 | 94.71 | -9.92 | 54.0 | -40.71 | AV | 310.00 | 100 | Horizontal | N/A |
| 3 | 4736.250 | 50.36 | -3.11 | 74.0 | 23.64 | Peak | 189.00 | 100 | Horizontal | Pass |
| 3** | 4736.250 | 40.63 | -3.11 | 54.0 | 13.37 | AV | 189.00 | 100 | Horizontal | Pass |
| 4 | 5990.500 | 56.84 | -1.23 | 74.0 | 17.16 | Peak | 278.00 | 100 | Horizontal | Pass |
| 4** | 5990.500 | 48.77 | -1.23 | 54.0 | 5.23 | AV | 278.00 | 100 | Horizontal | N/A |
| 5 | 10574.262 | 52.33 | -1.81 | 74.0 | 21.67 | Peak | 140.00 | 300 | Horizontal | Pass |
| 5** | 10574.262 | 41.93 | -1.81 | 54.0 | 12.07 | AV | 140.00 | 300 | Horizontal | Pass |
| 6 | 15752.212 | 53.43 | 0.31 | 74.0 | 20.57 | Peak | 154.00 | 100 | Horizontal | Pass |
| 6** | 15752.212 | 44.05 | 0.31 | 54.0 | 9.95 | AV | 154.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 10

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1542.300 | 45.85 | -16.50 | 74.0 | 28.15 | Peak | 147.00 | 300 | Vertical | Pass |
| 1** | 1542.300 | 36.35 | -16.50 | 54.0 | 17.65 | AV | 147.00 | 300 | Vertical | Pass |
| 2 | 2463.200 | 102.20 | -9.75 | 74.0 | -28.20 | Peak | 288.00 | 150 | Vertical | N/A |
| 2** | 2463.200 | 92.26 | -9.75 | 54.0 | -38.26 | AV | 288.00 | 150 | Vertical | N/A |
| 3 | 4922.750 | 50.35 | -2.67 | 74.0 | 23.65 | Peak | 360.00 | 100 | Vertical | Pass |
| 3** | 4922.750 | 40.50 | -2.67 | 54.0 | 13.50 | AV | 360.00 | 100 | Vertical | Pass |
| 4 | 5990.250 | 66.85 | -1.24 | 74.0 | 7.15 | Peak | 176.00 | 100 | Vertical | Pass |
| 4** | 5990.250 | 58.91 | -1.24 | 54.0 | -4.91 | AV | 176.00 | 100 | Vertical | N/A |
| 5 | 11139.037 | 51.66 | -0.96 | 74.0 | 22.34 | Peak | 152.00 | 100 | Vertical | Pass |
| 5** | 11139.037 | 42.28 | -0.96 | 54.0 | 11.72 | AV | 152.00 | 100 | Vertical | Pass |
| 6 | 15749.588 | 53.02 | 0.37 | 74.0 | 20.98 | Peak | 118.00 | 400 | Vertical | Pass |
| 6** | 15749.588 | 43.51 | 0.37 | 54.0 | 10.49 | AV | 118.00 | 400 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1540.700 | 43.83 | -16.45 | 74.0 | 30.17 | Peak | 71.00 | 300 | Horizontal | Pass |
| 1** | 1540.700 | 33.76 | -16.45 | 54.0 | 20.24 | AV | 71.00 | 300 | Horizontal | Pass |
| 2 | 2449.000 | 104.53 | -10.15 | 74.0 | -30.53 | Peak | 259.00 | 150 | Horizontal | N/A |
| 2** | 2449.000 | 94.59 | -10.15 | 54.0 | -40.59 | AV | 259.00 | 150 | Horizontal | N/A |
| 3 | 4759.750 | 50.74 | -2.67 | 74.0 | 23.26 | Peak | 165.00 | 200 | Horizontal | Pass |
| 3** | 4759.750 | 40.81 | -2.67 | 54.0 | 13.19 | AV | 165.00 | 200 | Horizontal | Pass |
| 4 | 5990.750 | 57.65 | -1.21 | 74.0 | 16.35 | Peak | 140.00 | 100 | Horizontal | Pass |
| 4** | 5990.750 | 51.07 | -1.21 | 54.0 | 2.93 | AV | 140.00 | 100 | Horizontal | N/A |
| 5 | 10545.050 | 51.72 | -2.26 | 74.0 | 22.28 | Peak | 285.00 | 300 | Horizontal | Pass |
| 5** | 10545.050 | 41.46 | -2.26 | 54.0 | 12.54 | AV | 285.00 | 300 | Horizontal | Pass |
| 6 | 15740.925 | 53.07 | 0.25 | 74.0 | 20.93 | Peak | 352.00 | 400 | Horizontal | Pass |
| 6** | 15740.925 | 43.37 | 0.25 | 54.0 | 10.63 | AV | 352.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1534.500 | 46.53 | -16.45 | 74.0 | 27.47 | Peak | 219.00 | 200 | Vertical | Pass |
| 1** | 1534.500 | 36.29 | -16.45 | 54.0 | 17.71 | AV | 219.00 | 200 | Vertical | Pass |
| 2 | 2447.900 | 101.96 | -10.25 | 74.0 | -27.96 | Peak | 271.00 | 200 | Vertical | N/A |
| 2** | 2447.900 | 91.53 | -10.25 | 54.0 | -37.53 | AV | 271.00 | 200 | Vertical | N/A |
| 3 | 4761.250 | 50.27 | -2.67 | 74.0 | 23.73 | Peak | 356.00 | 150 | Vertical | Pass |
| 3** | 4761.250 | 41.26 | -2.67 | 54.0 | 12.74 | AV | 356.00 | 150 | Vertical | Pass |
| 4 | 5991.000 | 64.54 | -1.20 | 74.0 | 9.46 | Peak | 183.00 | 100 | Vertical | Pass |
| 4** | 5991.000 | 57.26 | -1.20 | 54.0 | -3.26 | AV | 183.00 | 100 | Vertical | N/A |
| 5 | 11135.475 | 52.12 | -0.97 | 74.0 | 21.88 | Peak | 103.00 | 400 | Vertical | Pass |
| 5** | 11135.475 | 42.69 | -0.97 | 54.0 | 11.31 | AV | 103.00 | 400 | Vertical | Pass |
| 6 | 16333.650 | 53.69 | 0.38 | 74.0 | 20.31 | Peak | 45.00 | 200 | Vertical | Pass |
| 6** | 16333.650 | 44.09 | 0.38 | 54.0 | 9.91 | AV | 45.00 | 200 | Vertical | Pass |

MIMO**1 GHz to 18 GHz, ANT H 802.11n20 Channel 1**

| No. | Frequency (MHz) | Results (dBUV/m) | Factor (dB) | Limit (dBUV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1260.000 | 43.54 | -16.97 | 74.0 | 30.46 | Peak | 42.00 | 300 | Horizontal | Pass |
| 1** | 1260.000 | 34.06 | -16.97 | 54.0 | 19.94 | AV | 42.00 | 300 | Horizontal | Pass |
| 2 | 2408.000 | 111.81 | -10.07 | 74.0 | -37.81 | Peak | 245.00 | 150 | Horizontal | N/A |
| 2** | 2408.000 | 103.82 | -10.07 | 54.0 | -49.82 | AV | 245.00 | 150 | Horizontal | N/A |
| 3 | 4754.500 | 50.53 | -2.88 | 74.0 | 23.47 | Peak | 354.00 | 100 | Horizontal | Pass |
| 3** | 4754.500 | 41.19 | -2.88 | 54.0 | 12.81 | AV | 354.00 | 100 | Horizontal | Pass |
| 4 | 5990.500 | 57.95 | -1.23 | 74.0 | 16.05 | Peak | 65.00 | 400 | Horizontal | Pass |
| 4** | 5990.500 | 45.64 | -1.23 | 54.0 | 8.36 | AV | 65.00 | 400 | Horizontal | Pass |
| 5 | 10981.576 | 51.40 | -1.92 | 74.0 | 22.60 | Peak | 228.00 | 400 | Horizontal | Pass |
| 5** | 10981.576 | 41.41 | -1.92 | 54.0 | 12.59 | AV | 228.00 | 400 | Horizontal | Pass |
| 6 | 15749.850 | 55.17 | 0.37 | 74.0 | 18.83 | Peak | 95.00 | 300 | Horizontal | Pass |
| 6** | 15749.850 | 43.69 | 0.37 | 54.0 | 10.31 | AV | 95.00 | 300 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

| No. | Frequency (MHz) | Results (dBUV/m) | Factor (dB) | Limit (dBUV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1541.400 | 45.81 | -16.47 | 74.0 | 28.19 | Peak | 150.00 | 100 | Vertical | Pass |
| 1** | 1541.400 | 35.41 | -16.47 | 54.0 | 18.59 | AV | 150.00 | 100 | Vertical | Pass |
| 2 | 2408.900 | 111.41 | -10.07 | 74.0 | -37.41 | Peak | 113.00 | 100 | Vertical | N/A |
| 2** | 2408.900 | 103.64 | -10.07 | 54.0 | -49.64 | AV | 113.00 | 100 | Vertical | N/A |
| 3 | 3993.500 | 53.61 | -5.13 | 74.0 | 20.39 | Peak | 163.00 | 200 | Vertical | Pass |
| 3** | 3993.500 | 37.78 | -5.13 | 54.0 | 16.22 | AV | 163.00 | 200 | Vertical | Pass |
| 4 | 5991.000 | 64.33 | -1.20 | 74.0 | 9.67 | Peak | 199.00 | 150 | Vertical | Pass |
| 4** | 5991.000 | 56.62 | -1.20 | 54.0 | -2.62 | AV | 199.00 | 150 | Vertical | N/A |
| 5 | 10831.475 | 51.82 | -2.27 | 74.0 | 22.18 | Peak | 243.00 | 400 | Vertical | Pass |
| 5** | 10831.475 | 42.44 | -2.27 | 54.0 | 11.56 | AV | 243.00 | 400 | Vertical | Pass |
| 6 | 16347.300 | 53.16 | 0.77 | 74.0 | 20.84 | Peak | 360.00 | 200 | Vertical | Pass |
| 6** | 16347.300 | 43.80 | 0.77 | 54.0 | 10.20 | AV | 360.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1526.200 | 43.03 | -16.72 | 74.0 | 30.97 | Peak | 62.00 | 200 | Horizontal | Pass |
| 1** | 1526.200 | 33.15 | -16.72 | 54.0 | 20.85 | AV | 62.00 | 200 | Horizontal | Pass |
| 2 | 2434.000 | 112.65 | -9.05 | 74.0 | -38.65 | Peak | 315.00 | 200 | Horizontal | N/A |
| 2** | 2434.000 | 104.66 | -9.05 | 54.0 | -50.66 | AV | 315.00 | 200 | Horizontal | N/A |
| 3 | 4873.250 | 50.10 | -2.63 | 74.0 | 23.90 | Peak | 2.00 | 200 | Horizontal | Pass |
| 3** | 4873.250 | 41.61 | -2.63 | 54.0 | 12.39 | AV | 2.00 | 200 | Horizontal | Pass |
| 4 | 5990.000 | 58.66 | -1.26 | 74.0 | 15.34 | Peak | 117.00 | 300 | Horizontal | Pass |
| 4** | 5990.000 | 42.15 | -1.26 | 54.0 | 11.85 | AV | 117.00 | 300 | Horizontal | Pass |
| 5 | 11134.050 | 52.11 | -0.97 | 74.0 | 21.89 | Peak | 7.00 | 300 | Horizontal | Pass |
| 5** | 11134.050 | 42.39 | -0.97 | 54.0 | 11.61 | AV | 7.00 | 300 | Horizontal | Pass |
| 6 | 16321.575 | 53.13 | 0.04 | 74.0 | 20.87 | Peak | 19.00 | 200 | Horizontal | Pass |
| 6** | 16321.575 | 43.98 | 0.04 | 54.0 | 10.02 | AV | 19.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1538.500 | 44.81 | -16.60 | 74.0 | 29.19 | Peak | 207.00 | 100 | Vertical | Pass |
| 1** | 1538.500 | 35.75 | -16.60 | 54.0 | 18.25 | AV | 207.00 | 100 | Vertical | Pass |
| 2 | 2433.200 | 111.84 | -9.14 | 74.0 | -37.84 | Peak | 320.00 | 100 | Vertical | N/A |
| 2** | 2433.200 | 104.98 | -9.14 | 54.0 | -50.98 | AV | 320.00 | 100 | Vertical | N/A |
| 3 | 3994.000 | 51.67 | -5.20 | 74.0 | 22.33 | Peak | 151.00 | 200 | Vertical | Pass |
| 3** | 3994.000 | 41.68 | -5.20 | 54.0 | 12.32 | AV | 151.00 | 200 | Vertical | Pass |
| 4 | 5990.500 | 61.87 | -1.23 | 74.0 | 12.13 | Peak | 348.00 | 150 | Vertical | Pass |
| 4** | 5990.500 | 54.72 | -1.23 | 54.0 | -0.72 | AV | 348.00 | 150 | Vertical | N/A |
| 5 | 11167.776 | 52.23 | -1.25 | 74.0 | 21.77 | Peak | 62.00 | 200 | Vertical | Pass |
| 5** | 11167.776 | 42.43 | -1.25 | 54.0 | 11.57 | AV | 62.00 | 200 | Vertical | Pass |
| 6 | 15750.638 | 52.07 | 0.36 | 74.0 | 21.93 | Peak | 360.00 | 300 | Vertical | Pass |
| 6** | 15750.638 | 42.98 | 0.36 | 54.0 | 11.02 | AV | 360.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1260.900 | 43.49 | -16.98 | 74.0 | 30.51 | Peak | 0.00 | 100 | Horizontal | Pass |
| 1** | 1260.900 | 35.32 | -16.98 | 54.0 | 18.68 | AV | 0.00 | 100 | Horizontal | Pass |
| 2 | 2464.300 | 111.81 | -9.77 | 74.0 | -37.81 | Peak | 320.00 | 100 | Horizontal | N/A |
| 2** | 2464.300 | 103.93 | -9.77 | 54.0 | -49.93 | AV | 320.00 | 100 | Horizontal | N/A |
| 3 | 4893.250 | 50.35 | -2.77 | 74.0 | 23.65 | Peak | 32.00 | 100 | Horizontal | Pass |
| 3** | 4893.250 | 40.48 | -2.77 | 54.0 | 13.52 | AV | 32.00 | 100 | Horizontal | Pass |
| 4 | 5990.750 | 60.92 | -1.21 | 74.0 | 13.08 | Peak | 112.00 | 100 | Horizontal | Pass |
| 4** | 5990.750 | 49.81 | -1.21 | 54.0 | 4.19 | AV | 112.00 | 100 | Horizontal | Pass |
| 5 | 11130.250 | 51.82 | -0.97 | 74.0 | 22.18 | Peak | 150.00 | 400 | Horizontal | Pass |
| 5** | 11130.250 | 42.93 | -0.97 | 54.0 | 11.07 | AV | 150.00 | 400 | Horizontal | Pass |
| 6 | 16495.088 | 53.16 | 0.37 | 74.0 | 20.84 | Peak | 234.00 | 100 | Horizontal | Pass |
| 6** | 16495.088 | 44.35 | 0.37 | 54.0 | 9.65 | AV | 234.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1534.800 | 44.41 | -16.46 | 74.0 | 29.59 | Peak | 147.00 | 300 | Vertical | Pass |
| 1** | 1534.800 | 35.63 | -16.46 | 54.0 | 18.37 | AV | 147.00 | 300 | Vertical | Pass |
| 2 | 2465.700 | 110.37 | -9.85 | 74.0 | -36.37 | Peak | 271.00 | 200 | Vertical | N/A |
| 2** | 2465.700 | 103.14 | -9.85 | 54.0 | -49.14 | AV | 271.00 | 200 | Vertical | N/A |
| 3 | 3993.500 | 53.28 | -5.13 | 74.0 | 20.72 | Peak | 161.00 | 100 | Vertical | Pass |
| 3** | 3993.500 | 41.54 | -5.13 | 54.0 | 12.46 | AV | 161.00 | 100 | Vertical | Pass |
| 4 | 5990.750 | 65.48 | -1.21 | 74.0 | 8.52 | Peak | 199.00 | 150 | Vertical | Pass |
| 4** | 5990.750 | 56.73 | -1.21 | 54.0 | -2.73 | AV | 199.00 | 150 | Vertical | N/A |
| 5 | 10101.638 | 52.41 | -2.25 | 74.0 | 21.59 | Peak | 99.00 | 400 | Vertical | Pass |
| 5** | 10101.638 | 41.50 | -2.25 | 54.0 | 12.50 | AV | 99.00 | 400 | Vertical | Pass |
| 6 | 16339.425 | 53.40 | 0.55 | 74.0 | 20.60 | Peak | 39.00 | 200 | Vertical | Pass |
| 6** | 16339.425 | 43.57 | 0.55 | 54.0 | 10.43 | AV | 39.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n20 Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1253.200 | 43.30 | -17.02 | 74.0 | 30.70 | Peak | 246.00 | 100 | Horizontal | Pass |
| 1** | 1253.200 | 33.57 | -17.02 | 54.0 | 20.43 | AV | 246.00 | 100 | Horizontal | Pass |
| 2 | 2463.100 | 105.30 | -9.74 | 74.0 | -31.30 | Peak | 131.00 | 100 | Horizontal | N/A |
| 2** | 2463.100 | 97.51 | -9.74 | 54.0 | -43.51 | AV | 131.00 | 100 | Horizontal | N/A |
| 3 | 4732.500 | 50.82 | -2.87 | 74.0 | 23.18 | Peak | 319.00 | 100 | Horizontal | Pass |
| 3** | 4732.500 | 40.48 | -2.87 | 54.0 | 13.52 | AV | 319.00 | 100 | Horizontal | Pass |
| 4 | 5990.750 | 58.93 | -1.21 | 74.0 | 15.07 | Peak | 97.00 | 300 | Horizontal | Pass |
| 4** | 5990.750 | 45.76 | -1.21 | 54.0 | 8.24 | AV | 97.00 | 300 | Horizontal | Pass |
| 5 | 11133.100 | 51.58 | -0.97 | 74.0 | 22.42 | Peak | 33.00 | 300 | Horizontal | Pass |
| 5** | 11133.100 | 42.45 | -0.97 | 54.0 | 11.55 | AV | 33.00 | 300 | Horizontal | Pass |
| 6 | 16537.613 | 53.11 | 0.11 | 74.0 | 20.89 | Peak | 102.00 | 200 | Horizontal | Pass |
| 6** | 16537.613 | 42.75 | 0.11 | 54.0 | 11.25 | AV | 102.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n20 Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1538.900 | 44.46 | -16.57 | 74.0 | 29.54 | Peak | 154.00 | 400 | Vertical | Pass |
| 1** | 1538.900 | 34.80 | -16.57 | 54.0 | 19.20 | AV | 154.00 | 400 | Vertical | Pass |
| 2 | 2464.800 | 104.07 | -9.79 | 74.0 | -30.07 | Peak | 278.00 | 200 | Vertical | N/A |
| 2** | 2464.800 | 96.15 | -9.79 | 54.0 | -42.15 | AV | 278.00 | 200 | Vertical | N/A |
| 3 | 3993.250 | 51.17 | -5.09 | 74.0 | 22.83 | Peak | 178.00 | 200 | Vertical | Pass |
| 3** | 3993.250 | 38.32 | -5.09 | 54.0 | 15.68 | AV | 178.00 | 200 | Vertical | Pass |
| 4 | 5990.750 | 63.30 | -1.21 | 74.0 | 10.70 | Peak | 360.00 | 150 | Vertical | Pass |
| 4** | 5990.750 | 56.51 | -1.21 | 54.0 | -2.51 | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 11139.512 | 52.05 | -0.96 | 74.0 | 21.95 | Peak | 197.00 | 200 | Vertical | Pass |
| 5** | 11139.512 | 42.25 | -0.96 | 54.0 | 11.75 | AV | 197.00 | 200 | Vertical | Pass |
| 6 | 16523.176 | 52.61 | 0.20 | 74.0 | 21.39 | Peak | 182.00 | 200 | Vertical | Pass |
| 6** | 16523.176 | 43.23 | 0.20 | 54.0 | 10.77 | AV | 182.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n20 Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1250.800 | 43.53 | -16.88 | 74.0 | 30.47 | Peak | 240.00 | 300 | Horizontal | Pass |
| 1** | 1250.800 | 35.16 | -16.88 | 54.0 | 18.84 | AV | 240.00 | 300 | Horizontal | Pass |
| 2 | 2464.900 | 104.11 | -9.79 | 74.0 | -30.11 | Peak | 135.00 | 100 | Horizontal | N/A |
| 2** | 2464.900 | 97.10 | -9.79 | 54.0 | -43.10 | AV | 135.00 | 100 | Horizontal | N/A |
| 3 | 4769.000 | 50.09 | -2.39 | 74.0 | 23.91 | Peak | 176.00 | 100 | Horizontal | Pass |
| 3** | 4769.000 | 41.16 | -2.39 | 54.0 | 12.84 | AV | 176.00 | 100 | Horizontal | Pass |
| 4 | 5991.250 | 55.39 | -1.19 | 74.0 | 18.61 | Peak | 214.00 | 200 | Horizontal | Pass |
| 4** | 5991.250 | 42.28 | -1.19 | 54.0 | 11.72 | AV | 214.00 | 200 | Horizontal | Pass |
| 5 | 11149.963 | 51.77 | -0.95 | 74.0 | 22.23 | Peak | 289.00 | 300 | Horizontal | Pass |
| 5** | 11149.963 | 43.19 | -0.95 | 54.0 | 10.81 | AV | 289.00 | 300 | Horizontal | Pass |
| 6 | 16340.475 | 53.13 | 0.58 | 74.0 | 20.87 | Peak | 0.00 | 300 | Horizontal | Pass |
| 6** | 16340.475 | 44.40 | 0.58 | 54.0 | 9.60 | AV | 0.00 | 300 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n20 Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1533.200 | 44.89 | -16.49 | 74.0 | 29.11 | Peak | 223.00 | 200 | Vertical | Pass |
| 1** | 1533.200 | 35.11 | -16.49 | 54.0 | 18.89 | AV | 223.00 | 200 | Vertical | Pass |
| 2 | 2479.400 | 103.52 | -10.54 | 74.0 | -29.52 | Peak | 284.00 | 200 | Vertical | N/A |
| 2** | 2479.400 | 96.41 | -10.54 | 54.0 | -42.41 | AV | 284.00 | 200 | Vertical | N/A |
| 3 | 3994.000 | 52.75 | -5.20 | 74.0 | 21.25 | Peak | 222.00 | 200 | Vertical | Pass |
| 3** | 3994.000 | 39.55 | -5.20 | 54.0 | 14.45 | AV | 222.00 | 200 | Vertical | Pass |
| 4 | 5991.000 | 60.65 | -1.20 | 74.0 | 13.35 | Peak | 187.00 | 150 | Vertical | Pass |
| 4** | 5991.000 | 56.07 | -1.20 | 54.0 | -2.07 | AV | 187.00 | 150 | Vertical | N/A |
| 5 | 11068.262 | 51.73 | -1.60 | 74.0 | 22.27 | Peak | 123.00 | 100 | Vertical | Pass |
| 5** | 11068.262 | 43.52 | -1.60 | 54.0 | 10.48 | AV | 123.00 | 100 | Vertical | Pass |
| 6 | 15744.600 | 52.57 | 0.30 | 74.0 | 21.43 | Peak | 36.00 | 200 | Vertical | Pass |
| 6** | 15744.600 | 43.19 | 0.30 | 54.0 | 10.81 | AV | 36.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1540.100 | 43.34 | -16.49 | 74.0 | 30.66 | Peak | 322.00 | 200 | Horizontal | Pass |
| 1** | 1540.100 | 33.78 | -16.49 | 54.0 | 20.22 | AV | 322.00 | 200 | Horizontal | Pass |
| 2 | 2432.400 | 107.87 | -9.11 | 74.0 | -33.87 | Peak | 252.00 | 100 | Horizontal | N/A |
| 2** | 2432.400 | 99.89 | -9.11 | 54.0 | -45.89 | AV | 252.00 | 100 | Horizontal | N/A |
| 3 | 4760.250 | 50.33 | -2.66 | 74.0 | 23.67 | Peak | 75.00 | 200 | Horizontal | Pass |
| 3** | 4760.250 | 41.22 | -2.66 | 54.0 | 12.78 | AV | 75.00 | 200 | Horizontal | Pass |
| 4 | 5990.250 | 50.16 | -1.24 | 74.0 | 23.84 | Peak | 127.00 | 150 | Horizontal | Pass |
| 4** | 5990.250 | 51.82 | -1.24 | 54.0 | 2.18 | AV | 127.00 | 150 | Horizontal | Pass |
| 5 | 11059.237 | 52.14 | -1.77 | 74.0 | 21.86 | Peak | 70.00 | 400 | Horizontal | Pass |
| 5** | 11059.237 | 41.91 | -1.77 | 54.0 | 12.09 | AV | 70.00 | 400 | Horizontal | Pass |
| 6 | 16319.475 | 52.85 | -0.02 | 74.0 | 21.15 | Peak | 0.00 | 400 | Horizontal | Pass |
| 6** | 16319.475 | 43.58 | -0.02 | 54.0 | 10.42 | AV | 0.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1541.400 | 45.65 | -16.47 | 74.0 | 28.35 | Peak | 145.00 | 300 | Vertical | Pass |
| 1** | 1541.400 | 35.27 | -16.47 | 54.0 | 18.73 | AV | 145.00 | 300 | Vertical | Pass |
| 2 | 2429.400 | 105.94 | -9.39 | 74.0 | -31.94 | Peak | 111.00 | 150 | Vertical | N/A |
| 2** | 2429.400 | 97.96 | -9.39 | 54.0 | -43.96 | AV | 111.00 | 150 | Vertical | N/A |
| 3 | 3994.000 | 51.74 | -5.20 | 74.0 | 22.26 | Peak | 229.00 | 150 | Vertical | Pass |
| 3** | 3994.000 | 40.00 | -5.20 | 54.0 | 14.00 | AV | 229.00 | 150 | Vertical | Pass |
| 4 | 5991.000 | 60.51 | -1.20 | 74.0 | 13.49 | Peak | 255.00 | 150 | Vertical | Pass |
| 4** | 5991.000 | 57.15 | -1.20 | 54.0 | -3.15 | AV | 255.00 | 150 | Vertical | N/A |
| 5 | 9855.112 | 51.98 | -1.95 | 74.0 | 22.02 | Peak | 136.00 | 300 | Vertical | Pass |
| 5** | 9855.112 | 42.10 | -1.95 | 54.0 | 11.90 | AV | 136.00 | 300 | Vertical | Pass |
| 6 | 16347.037 | 52.98 | 0.76 | 74.0 | 21.02 | Peak | 248.00 | 300 | Vertical | Pass |
| 6** | 16347.037 | 43.76 | 0.76 | 54.0 | 10.24 | AV | 248.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1261.100 | 43.75 | -17.00 | 74.0 | 30.25 | Peak | 62.00 | 400 | Horizontal | Pass |
| 1** | 1261.100 | 34.13 | -17.00 | 54.0 | 19.87 | AV | 62.00 | 400 | Horizontal | Pass |
| 2 | 2431.500 | 107.46 | -9.07 | 74.0 | -33.46 | Peak | 135.00 | 150 | Horizontal | N/A |
| 2** | 2431.500 | 99.15 | -9.07 | 54.0 | -45.15 | AV | 135.00 | 150 | Horizontal | N/A |
| 3 | 4986.500 | 50.49 | -2.36 | 74.0 | 23.51 | Peak | 293.00 | 100 | Horizontal | Pass |
| 3** | 4986.500 | 40.65 | -2.36 | 54.0 | 13.35 | AV | 293.00 | 100 | Horizontal | Pass |
| 4 | 5990.000 | 55.94 | -1.26 | 74.0 | 18.06 | Peak | 204.00 | 300 | Horizontal | Pass |
| 4** | 5990.000 | 42.69 | -1.26 | 54.0 | 11.31 | AV | 204.00 | 300 | Horizontal | Pass |
| 5 | 11126.688 | 51.80 | -0.98 | 74.0 | 22.20 | Peak | 213.00 | 200 | Horizontal | Pass |
| 5** | 11126.688 | 42.90 | -0.98 | 54.0 | 11.10 | AV | 213.00 | 200 | Horizontal | Pass |
| 6 | 16336.012 | 53.37 | 0.45 | 74.0 | 20.63 | Peak | 64.00 | 100 | Horizontal | Pass |
| 6** | 16336.012 | 43.93 | 0.45 | 54.0 | 10.07 | AV | 64.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1540.100 | 45.04 | -16.49 | 74.0 | 28.96 | Peak | 152.00 | 400 | Vertical | Pass |
| 1** | 1540.100 | 36.85 | -16.49 | 54.0 | 17.15 | AV | 152.00 | 400 | Vertical | Pass |
| 2 | 2434.200 | 106.07 | -9.03 | 74.0 | -32.07 | Peak | 108.00 | 150 | Vertical | N/A |
| 2** | 2434.200 | 98.74 | -9.03 | 54.0 | -44.74 | AV | 108.00 | 150 | Vertical | N/A |
| 3 | 3994.000 | 52.16 | -5.20 | 74.0 | 21.84 | Peak | 214.00 | 150 | Vertical | Pass |
| 3** | 3994.000 | 40.29 | -5.20 | 54.0 | 13.71 | AV | 214.00 | 150 | Vertical | Pass |
| 4 | 5990.500 | 59.67 | -1.23 | 74.0 | 14.33 | Peak | 71.00 | 150 | Vertical | Pass |
| 4** | 5990.500 | 55.57 | -1.23 | 54.0 | -1.57 | AV | 71.00 | 150 | Vertical | N/A |
| 5 | 10827.201 | 51.72 | -2.37 | 74.0 | 22.28 | Peak | 135.00 | 200 | Vertical | Pass |
| 5** | 10827.201 | 42.35 | -2.37 | 54.0 | 11.65 | AV | 135.00 | 200 | Vertical | Pass |
| 6 | 16324.987 | 53.37 | 0.14 | 74.0 | 20.63 | Peak | 312.00 | 200 | Vertical | Pass |
| 6** | 16324.987 | 44.53 | 0.14 | 54.0 | 9.47 | AV | 312.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1407.000 | 43.21 | -16.57 | 74.0 | 30.79 | Peak | 10.00 | 300 | Horizontal | Pass |
| 1** | 1407.000 | 32.88 | -16.57 | 54.0 | 21.12 | AV | 10.00 | 300 | Horizontal | Pass |
| 2 | 2454.900 | 106.83 | -10.03 | 74.0 | -32.83 | Peak | 78.00 | 100 | Horizontal | N/A |
| 2** | 2454.900 | 99.49 | -10.03 | 54.0 | -45.49 | AV | 78.00 | 100 | Horizontal | N/A |
| 3 | 4973.750 | 50.25 | -2.62 | 74.0 | 23.75 | Peak | 21.00 | 200 | Horizontal | Pass |
| 3** | 4973.750 | 40.86 | -2.62 | 54.0 | 13.14 | AV | 21.00 | 200 | Horizontal | Pass |
| 4 | 5990.500 | 54.07 | -1.23 | 74.0 | 19.93 | Peak | 141.00 | 100 | Horizontal | Pass |
| 4** | 5990.500 | 42.13 | -1.23 | 54.0 | 11.87 | AV | 141.00 | 100 | Horizontal | Pass |
| 5 | 11189.387 | 51.78 | -1.62 | 74.0 | 22.22 | Peak | 264.00 | 100 | Horizontal | Pass |
| 5** | 11189.387 | 42.48 | -1.62 | 54.0 | 11.52 | AV | 264.00 | 100 | Horizontal | Pass |
| 6 | 16681.200 | 53.15 | 0.96 | 74.0 | 20.85 | Peak | 37.00 | 100 | Horizontal | Pass |
| 6** | 16681.200 | 42.45 | 0.96 | 54.0 | 11.55 | AV | 37.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1543.500 | 44.46 | -16.48 | 74.0 | 29.54 | Peak | 161.00 | 300 | Vertical | Pass |
| 1** | 1543.500 | 35.85 | -16.48 | 54.0 | 18.15 | AV | 161.00 | 300 | Vertical | Pass |
| 2 | 2456.700 | 105.43 | -9.70 | 74.0 | -31.43 | Peak | 125.00 | 150 | Vertical | N/A |
| 2** | 2456.700 | 97.99 | -9.70 | 54.0 | -43.99 | AV | 125.00 | 150 | Vertical | N/A |
| 3 | 3994.000 | 53.85 | -5.20 | 74.0 | 20.15 | Peak | 229.00 | 150 | Vertical | Pass |
| 3** | 3994.000 | 41.78 | -5.20 | 54.0 | 12.22 | AV | 229.00 | 150 | Vertical | Pass |
| 4 | 5990.750 | 62.60 | -1.21 | 74.0 | 11.40 | Peak | 237.00 | 150 | Vertical | Pass |
| 4** | 5990.750 | 56.02 | -1.21 | 54.0 | -2.02 | AV | 237.00 | 150 | Vertical | N/A |
| 5 | 10721.037 | 51.55 | -2.10 | 74.0 | 22.45 | Peak | 0.00 | 200 | Vertical | Pass |
| 5** | 10721.037 | 42.43 | -2.10 | 54.0 | 11.57 | AV | 0.00 | 200 | Vertical | Pass |
| 6 | 16353.075 | 53.60 | 0.78 | 74.0 | 20.40 | Peak | 261.00 | 400 | Vertical | Pass |
| 6** | 16353.075 | 43.41 | 0.78 | 54.0 | 10.59 | AV | 261.00 | 400 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n40 Channel 10

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1257.100 | 44.58 | -17.15 | 74.0 | 29.42 | Peak | 45.00 | 300 | Horizontal | Pass |
| 1** | 1257.100 | 33.84 | -17.15 | 54.0 | 20.16 | AV | 45.00 | 300 | Horizontal | Pass |
| 2 | 2451.700 | 103.06 | -9.92 | 74.0 | -29.06 | Peak | 129.00 | 150 | Horizontal | N/A |
| 2** | 2451.700 | 95.55 | -9.92 | 54.0 | -41.55 | AV | 129.00 | 150 | Horizontal | N/A |
| 3 | 4750.750 | 50.85 | -2.70 | 74.0 | 23.15 | Peak | 156.00 | 150 | Horizontal | Pass |
| 3** | 4750.750 | 41.08 | -2.70 | 54.0 | 12.92 | AV | 156.00 | 150 | Horizontal | Pass |
| 4 | 5990.500 | 57.38 | -1.23 | 74.0 | 16.62 | Peak | 137.00 | 200 | Horizontal | Pass |
| 4** | 5990.500 | 47.11 | -1.23 | 54.0 | 6.89 | AV | 137.00 | 200 | Horizontal | Pass |
| 5 | 11056.388 | 52.03 | -1.82 | 74.0 | 21.97 | Peak | 46.00 | 400 | Horizontal | Pass |
| 5** | 11056.388 | 41.60 | -1.82 | 54.0 | 12.40 | AV | 46.00 | 400 | Horizontal | Pass |
| 6 | 16331.288 | 53.11 | 0.31 | 74.0 | 20.89 | Peak | 10.00 | 100 | Horizontal | Pass |
| 6** | 16331.288 | 43.78 | 0.31 | 54.0 | 10.22 | AV | 10.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n40 Channel 10

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1541.800 | 45.19 | -16.49 | 74.0 | 28.81 | Peak | 171.00 | 200 | Vertical | Pass |
| 1** | 1541.800 | 35.58 | -16.49 | 54.0 | 18.42 | AV | 171.00 | 200 | Vertical | Pass |
| 2 | 2453.100 | 102.11 | -9.98 | 74.0 | -28.11 | Peak | 117.00 | 150 | Vertical | N/A |
| 2** | 2453.100 | 94.30 | -9.98 | 54.0 | -40.30 | AV | 117.00 | 150 | Vertical | N/A |
| 3 | 3994.000 | 51.78 | -5.20 | 74.0 | 22.22 | Peak | 229.00 | 100 | Vertical | Pass |
| 3** | 3994.000 | 39.92 | -5.20 | 54.0 | 14.08 | AV | 229.00 | 100 | Vertical | Pass |
| 4 | 5990.750 | 64.07 | -1.21 | 74.0 | 9.93 | Peak | 248.00 | 150 | Vertical | Pass |
| 4** | 5990.750 | 57.04 | -1.21 | 54.0 | -3.04 | AV | 248.00 | 150 | Vertical | N/A |
| 5 | 10948.563 | 51.92 | -2.54 | 74.0 | 22.08 | Peak | 334.00 | 200 | Vertical | Pass |
| 5** | 10948.563 | 41.68 | -2.54 | 54.0 | 12.32 | AV | 334.00 | 200 | Vertical | Pass |
| 6 | 16795.650 | 52.92 | 1.00 | 74.0 | 21.08 | Peak | 339.00 | 300 | Vertical | Pass |
| 6** | 16795.650 | 44.31 | 1.00 | 54.0 | 9.69 | AV | 339.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11n40 Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1537.600 | 44.47 | -16.56 | 74.0 | 29.53 | Peak | 164.00 | 200 | Horizontal | Pass |
| 1** | 1537.600 | 34.02 | -16.56 | 54.0 | 19.98 | AV | 164.00 | 200 | Horizontal | Pass |
| 2 | 2454.200 | 102.73 | -10.09 | 74.0 | -28.73 | Peak | 244.00 | 150 | Horizontal | N/A |
| 2** | 2454.200 | 94.20 | -10.09 | 54.0 | -40.20 | AV | 244.00 | 150 | Horizontal | N/A |
| 3 | 4731.500 | 50.58 | -2.93 | 74.0 | 23.42 | Peak | 312.00 | 200 | Horizontal | Pass |
| 3** | 4731.500 | 41.09 | -2.93 | 54.0 | 12.91 | AV | 312.00 | 200 | Horizontal | Pass |
| 4 | 5990.000 | 58.43 | -1.26 | 74.0 | 15.57 | Peak | 113.00 | 400 | Horizontal | Pass |
| 4** | 5990.000 | 43.13 | -1.26 | 54.0 | 10.87 | AV | 113.00 | 400 | Horizontal | Pass |
| 5 | 11050.925 | 51.84 | -1.92 | 74.0 | 22.16 | Peak | 238.00 | 100 | Horizontal | Pass |
| 5** | 11050.925 | 41.59 | -1.92 | 54.0 | 12.41 | AV | 238.00 | 100 | Horizontal | Pass |
| 6 | 16718.213 | 52.72 | 0.33 | 74.0 | 21.28 | Peak | 339.00 | 400 | Horizontal | Pass |
| 6** | 16718.213 | 43.05 | 0.33 | 54.0 | 10.95 | AV | 339.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11n40 Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1541.800 | 45.20 | -16.49 | 74.0 | 28.80 | Peak | 197.00 | 400 | Vertical | Pass |
| 1** | 1541.800 | 37.41 | -16.49 | 54.0 | 16.59 | AV | 197.00 | 400 | Vertical | Pass |
| 2 | 2449.100 | 100.81 | -10.13 | 74.0 | -26.81 | Peak | 110.00 | 150 | Vertical | N/A |
| 2** | 2449.100 | 92.53 | -10.13 | 54.0 | -38.53 | AV | 110.00 | 150 | Vertical | N/A |
| 3 | 3993.500 | 51.81 | -5.13 | 74.0 | 22.19 | Peak | 203.00 | 100 | Vertical | Pass |
| 3** | 3993.500 | 38.05 | -5.13 | 54.0 | 15.95 | AV | 203.00 | 100 | Vertical | Pass |
| 4 | 5990.500 | 50.53 | -1.23 | 74.0 | 23.47 | Peak | 302.00 | 150 | Vertical | Pass |
| 4** | 5990.500 | 56.31 | -1.23 | 54.0 | -2.31 | AV | 302.00 | 150 | Vertical | N/A |
| 5 | 11135.713 | 51.43 | -0.97 | 74.0 | 22.57 | Peak | 60.00 | 300 | Vertical | Pass |
| 5** | 11135.713 | 43.48 | -0.97 | 54.0 | 10.52 | AV | 60.00 | 300 | Vertical | Pass |
| 6 | 16344.674 | 53.29 | 0.69 | 74.0 | 20.71 | Peak | 128.00 | 300 | Vertical | Pass |
| 6** | 16344.674 | 44.30 | 0.69 | 54.0 | 9.70 | AV | 128.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1260.000 | 43.33 | -16.97 | 74.0 | 30.67 | Peak | 0.00 | 400 | Horizontal | Pass |
| 1** | 1260.000 | 34.16 | -16.97 | 54.0 | 19.84 | AV | 0.00 | 400 | Horizontal | Pass |
| 2 | 2415.600 | 111.77 | -10.05 | 74.0 | -37.77 | Peak | 122.00 | 200 | Horizontal | N/A |
| 2** | 2415.600 | 103.01 | -10.05 | 54.0 | -49.01 | AV | 122.00 | 200 | Horizontal | N/A |
| 3 | 4782.250 | 50.17 | -2.64 | 74.0 | 23.83 | Peak | 122.00 | 200 | Horizontal | Pass |
| 3** | 4782.250 | 41.50 | -2.64 | 54.0 | 12.50 | AV | 122.00 | 200 | Horizontal | Pass |
| 4 | 5990.000 | 54.72 | -1.26 | 74.0 | 19.28 | Peak | 139.00 | 400 | Horizontal | Pass |
| 4** | 5990.000 | 42.12 | -1.26 | 54.0 | 11.88 | AV | 139.00 | 400 | Horizontal | Pass |
| 5 | 11128.112 | 51.60 | -0.97 | 74.0 | 22.40 | Peak | 262.00 | 300 | Horizontal | Pass |
| 5** | 11128.112 | 42.67 | -0.97 | 54.0 | 11.33 | AV | 262.00 | 300 | Horizontal | Pass |
| 6 | 16487.474 | 52.96 | 0.39 | 74.0 | 21.04 | Peak | 287.00 | 200 | Horizontal | Pass |
| 6** | 16487.474 | 44.81 | 0.39 | 54.0 | 9.19 | AV | 287.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 1

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1540.700 | 45.61 | -16.45 | 74.0 | 28.39 | Peak | 219.00 | 200 | Vertical | Pass |
| 1** | 1540.700 | 36.98 | -16.45 | 54.0 | 17.02 | AV | 219.00 | 200 | Vertical | Pass |
| 2 | 2411.000 | 110.78 | -9.99 | 74.0 | -36.78 | Peak | 93.00 | 200 | Vertical | N/A |
| 2** | 2411.000 | 102.12 | -9.99 | 54.0 | -48.12 | AV | 93.00 | 200 | Vertical | N/A |
| 3 | 3994.000 | 51.27 | -5.20 | 74.0 | 22.73 | Peak | 214.00 | 100 | Vertical | Pass |
| 3** | 3994.000 | 37.74 | -5.20 | 54.0 | 16.26 | AV | 214.00 | 100 | Vertical | Pass |
| 4 | 5990.250 | 65.26 | -1.24 | 74.0 | 8.74 | Peak | 169.00 | 100 | Vertical | Pass |
| 4** | 5990.250 | 55.87 | -1.24 | 54.0 | -1.87 | AV | 169.00 | 100 | Vertical | N/A |
| 5 | 10717.712 | 51.72 | -2.16 | 74.0 | 22.28 | Peak | 328.00 | 400 | Vertical | Pass |
| 5** | 10717.712 | 42.46 | -2.16 | 54.0 | 11.54 | AV | 328.00 | 400 | Vertical | Pass |
| 6 | 16349.400 | 53.29 | 0.83 | 74.0 | 20.71 | Peak | 0.00 | 300 | Vertical | Pass |
| 6** | 16349.400 | 44.21 | 0.83 | 54.0 | 9.79 | AV | 0.00 | 300 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1254.800 | 43.50 | -17.08 | 74.0 | 30.50 | Peak | 0.00 | 400 | Horizontal | Pass |
| 1** | 1254.800 | 35.37 | -17.08 | 54.0 | 18.63 | AV | 0.00 | 400 | Horizontal | Pass |
| 2 | 2435.800 | 113.96 | -8.98 | 74.0 | -39.96 | Peak | 129.00 | 100 | Horizontal | N/A |
| 2** | 2435.800 | 104.60 | -8.98 | 54.0 | -50.60 | AV | 129.00 | 100 | Horizontal | N/A |
| 3 | 4759.500 | 50.57 | -2.68 | 74.0 | 23.43 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4759.500 | 41.34 | -2.68 | 54.0 | 12.66 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5991.000 | 49.15 | -1.20 | 74.0 | 24.85 | Peak | 54.00 | 100 | Horizontal | Pass |
| 4** | 5991.000 | 53.58 | -1.20 | 54.0 | 0.42 | AV | 54.00 | 100 | Horizontal | N/A |
| 5 | 11128.825 | 51.41 | -0.97 | 74.0 | 22.59 | Peak | 136.00 | 200 | Horizontal | Pass |
| 5** | 11128.825 | 42.79 | -0.97 | 54.0 | 11.21 | AV | 136.00 | 200 | Horizontal | Pass |
| 6 | 16352.812 | 52.90 | 0.79 | 74.0 | 21.10 | Peak | 227.00 | 400 | Horizontal | Pass |
| 6** | 16352.812 | 43.96 | 0.79 | 54.0 | 10.04 | AV | 227.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1535.300 | 45.68 | -16.48 | 74.0 | 28.32 | Peak | 157.00 | 300 | Vertical | Pass |
| 1** | 1535.300 | 34.89 | -16.48 | 54.0 | 19.11 | AV | 157.00 | 300 | Vertical | Pass |
| 2 | 2432.800 | 112.38 | -9.12 | 74.0 | -38.38 | Peak | 96.00 | 150 | Vertical | N/A |
| 2** | 2432.800 | 103.74 | -9.12 | 54.0 | -49.74 | AV | 96.00 | 150 | Vertical | N/A |
| 3 | 3993.500 | 51.14 | -5.13 | 74.0 | 22.86 | Peak | 236.00 | 150 | Vertical | Pass |
| 3** | 3993.500 | 40.56 | -5.13 | 54.0 | 13.44 | AV | 236.00 | 150 | Vertical | Pass |
| 4 | 5990.500 | 64.79 | -1.23 | 74.0 | 9.21 | Peak | 261.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 57.09 | -1.23 | 54.0 | -3.09 | AV | 261.00 | 100 | Vertical | N/A |
| 5 | 11400.287 | 51.45 | -1.66 | 74.0 | 22.55 | Peak | 330.00 | 100 | Vertical | Pass |
| 5** | 11400.287 | 42.49 | -1.66 | 54.0 | 11.51 | AV | 330.00 | 100 | Vertical | Pass |
| 6 | 16338.375 | 53.27 | 0.52 | 74.0 | 20.73 | Peak | 302.00 | 400 | Vertical | Pass |
| 6** | 16338.375 | 43.87 | 0.52 | 54.0 | 10.13 | AV | 302.00 | 400 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1261.900 | 43.62 | -17.05 | 74.0 | 30.38 | Peak | 49.00 | 200 | Horizontal | Pass |
| 1** | 1261.900 | 34.47 | -17.05 | 54.0 | 19.53 | AV | 49.00 | 200 | Horizontal | Pass |
| 2 | 2459.700 | 112.45 | -9.74 | 74.0 | -38.45 | Peak | 120.00 | 150 | Horizontal | N/A |
| 2** | 2459.700 | 104.02 | -9.74 | 54.0 | -50.02 | AV | 120.00 | 150 | Horizontal | N/A |
| 3 | 4690.000 | 51.14 | -3.17 | 74.0 | 22.86 | Peak | 131.00 | 200 | Horizontal | Pass |
| 3** | 4690.000 | 40.79 | -3.17 | 54.0 | 13.21 | AV | 131.00 | 200 | Horizontal | Pass |
| 4 | 5990.750 | 54.21 | -1.21 | 74.0 | 19.79 | Peak | 122.00 | 400 | Horizontal | Pass |
| 4** | 5990.750 | 45.41 | -1.21 | 54.0 | 8.59 | AV | 122.00 | 400 | Horizontal | Pass |
| 5 | 11134.050 | 51.58 | -0.97 | 74.0 | 22.42 | Peak | 328.00 | 200 | Horizontal | Pass |
| 5** | 11134.050 | 43.02 | -0.97 | 54.0 | 10.98 | AV | 328.00 | 200 | Horizontal | Pass |
| 6 | 15770.325 | 53.05 | -0.18 | 74.0 | 20.95 | Peak | 91.00 | 400 | Horizontal | Pass |
| 6** | 15770.325 | 43.05 | -0.18 | 54.0 | 10.95 | AV | 91.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1539.500 | 44.75 | -16.53 | 74.0 | 29.25 | Peak | 151.00 | 400 | Vertical | Pass |
| 1** | 1539.500 | 35.71 | -16.53 | 54.0 | 18.29 | AV | 151.00 | 400 | Vertical | Pass |
| 2 | 2459.800 | 110.28 | -9.74 | 74.0 | -36.28 | Peak | 98.00 | 100 | Vertical | N/A |
| 2** | 2459.800 | 102.12 | -9.74 | 54.0 | -48.12 | AV | 98.00 | 100 | Vertical | N/A |
| 3 | 3993.750 | 52.73 | -5.16 | 74.0 | 21.27 | Peak | 151.00 | 100 | Vertical | Pass |
| 3** | 3993.750 | 38.25 | -5.16 | 54.0 | 15.75 | AV | 151.00 | 100 | Vertical | Pass |
| 4 | 5990.500 | 59.42 | -1.23 | 74.0 | 14.58 | Peak | 54.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 55.68 | -1.23 | 54.0 | -1.68 | AV | 54.00 | 100 | Vertical | N/A |
| 5 | 11136.187 | 51.98 | -0.96 | 74.0 | 22.02 | Peak | 345.00 | 200 | Vertical | Pass |
| 5** | 11136.187 | 43.41 | -0.96 | 54.0 | 10.59 | AV | 345.00 | 200 | Vertical | Pass |
| 6 | 16345.463 | 52.90 | 0.72 | 74.0 | 21.10 | Peak | 0.00 | 100 | Vertical | Pass |
| 6** | 16345.463 | 43.68 | 0.72 | 54.0 | 10.32 | AV | 0.00 | 100 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1250.800 | 44.43 | -16.88 | 74.0 | 29.57 | Peak | 49.00 | 200 | Horizontal | Pass |
| 1** | 1250.800 | 35.28 | -16.88 | 54.0 | 18.72 | AV | 49.00 | 200 | Horizontal | Pass |
| 2 | 2465.900 | 106.82 | -9.87 | 74.0 | -32.82 | Peak | 129.00 | 150 | Horizontal | N/A |
| 2** | 2465.900 | 98.68 | -9.87 | 54.0 | -44.68 | AV | 129.00 | 150 | Horizontal | N/A |
| 3 | 4696.750 | 50.76 | -2.79 | 74.0 | 23.24 | Peak | 90.00 | 100 | Horizontal | Pass |
| 3** | 4696.750 | 40.58 | -2.79 | 54.0 | 13.42 | AV | 90.00 | 100 | Horizontal | Pass |
| 4 | 5990.750 | 52.37 | -1.21 | 74.0 | 21.63 | Peak | 73.00 | 100 | Horizontal | Pass |
| 4** | 5990.750 | 52.09 | -1.21 | 54.0 | 1.91 | AV | 73.00 | 100 | Horizontal | N/A |
| 5 | 11146.162 | 52.11 | -0.95 | 74.0 | 21.89 | Peak | 294.00 | 300 | Horizontal | Pass |
| 5** | 11146.162 | 42.61 | -0.95 | 54.0 | 11.39 | AV | 294.00 | 300 | Horizontal | Pass |
| 6 | 16325.250 | 52.96 | 0.14 | 74.0 | 21.04 | Peak | 339.00 | 400 | Horizontal | Pass |
| 6** | 16325.250 | 44.25 | 0.14 | 54.0 | 9.75 | AV | 339.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 12

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1540.900 | 45.29 | -16.46 | 74.0 | 28.71 | Peak | 156.00 | 100 | Vertical | Pass |
| 1** | 1540.900 | 34.91 | -16.46 | 54.0 | 19.09 | AV | 156.00 | 100 | Vertical | Pass |
| 2 | 2464.200 | 103.68 | -9.77 | 74.0 | -29.68 | Peak | 101.00 | 150 | Vertical | N/A |
| 2** | 2464.200 | 95.56 | -9.77 | 54.0 | -41.56 | AV | 101.00 | 150 | Vertical | N/A |
| 3 | 3993.000 | 51.56 | -5.06 | 74.0 | 22.44 | Peak | 149.00 | 200 | Vertical | Pass |
| 3** | 3993.000 | 38.12 | -5.06 | 54.0 | 15.88 | AV | 149.00 | 200 | Vertical | Pass |
| 4 | 5990.500 | 64.83 | -1.23 | 74.0 | 9.17 | Peak | 356.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 56.08 | -1.23 | 54.0 | -2.08 | AV | 356.00 | 100 | Vertical | N/A |
| 5 | 11182.026 | 51.98 | -1.49 | 74.0 | 22.02 | Peak | 7.00 | 400 | Vertical | Pass |
| 5** | 11182.026 | 43.26 | -1.49 | 54.0 | 10.74 | AV | 7.00 | 400 | Vertical | Pass |
| 6 | 16349.662 | 53.16 | 0.84 | 74.0 | 20.84 | Peak | 0.00 | 400 | Vertical | Pass |
| 6** | 16349.662 | 44.56 | 0.84 | 54.0 | 9.44 | AV | 0.00 | 400 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1252.500 | 43.93 | -16.95 | 74.0 | 30.07 | Peak | 45.00 | 200 | Horizontal | Pass |
| 1** | 1252.500 | 34.09 | -16.95 | 54.0 | 19.91 | AV | 45.00 | 200 | Horizontal | Pass |
| 2 | 2465.600 | 105.40 | -9.84 | 74.0 | -31.40 | Peak | 132.00 | 100 | Horizontal | N/A |
| 2** | 2465.600 | 96.45 | -9.84 | 54.0 | -42.45 | AV | 132.00 | 100 | Horizontal | N/A |
| 3 | 4799.750 | 50.62 | -2.86 | 74.0 | 23.38 | Peak | 227.00 | 150 | Horizontal | Pass |
| 3** | 4799.750 | 40.53 | -2.86 | 54.0 | 13.47 | AV | 227.00 | 150 | Horizontal | Pass |
| 4 | 5990.750 | 59.00 | -1.21 | 74.0 | 15.00 | Peak | 115.00 | 100 | Horizontal | Pass |
| 4** | 5990.750 | 51.71 | -1.21 | 54.0 | 2.29 | AV | 115.00 | 100 | Horizontal | N/A |
| 5 | 11120.987 | 51.57 | -0.98 | 74.0 | 22.43 | Peak | 271.00 | 300 | Horizontal | Pass |
| 5** | 11120.987 | 42.79 | -0.98 | 54.0 | 11.21 | AV | 271.00 | 300 | Horizontal | Pass |
| 6 | 15756.675 | 53.63 | 0.19 | 74.0 | 20.37 | Peak | 360.00 | 400 | Horizontal | Pass |
| 6** | 15756.675 | 43.28 | 0.19 | 54.0 | 10.72 | AV | 360.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 13

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1539.800 | 45.35 | -16.51 | 74.0 | 28.65 | Peak | 222.00 | 100 | Vertical | Pass |
| 1** | 1539.800 | 35.46 | -16.51 | 54.0 | 18.54 | AV | 222.00 | 100 | Vertical | Pass |
| 2 | 2465.400 | 102.79 | -9.82 | 74.0 | -28.79 | Peak | 113.00 | 100 | Vertical | N/A |
| 2** | 2465.400 | 94.07 | -9.82 | 54.0 | -40.07 | AV | 113.00 | 100 | Vertical | N/A |
| 3 | 3993.500 | 52.93 | -5.13 | 74.0 | 21.07 | Peak | 219.00 | 150 | Vertical | Pass |
| 3** | 3993.500 | 37.90 | -5.13 | 54.0 | 16.10 | AV | 219.00 | 150 | Vertical | Pass |
| 4 | 5990.500 | 64.54 | -1.23 | 74.0 | 9.46 | Peak | 141.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 57.37 | -1.23 | 54.0 | -3.37 | AV | 141.00 | 100 | Vertical | N/A |
| 5 | 11125.026 | 51.60 | -0.98 | 74.0 | 22.40 | Peak | 211.00 | 100 | Vertical | Pass |
| 5** | 11125.026 | 43.99 | -0.98 | 54.0 | 10.01 | AV | 211.00 | 100 | Vertical | Pass |
| 6 | 16359.638 | 53.42 | 0.64 | 74.0 | 20.58 | Peak | 217.00 | 400 | Vertical | Pass |
| 6** | 16359.638 | 43.46 | 0.64 | 54.0 | 10.54 | AV | 217.00 | 400 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1255.300 | 43.65 | -17.08 | 74.0 | 30.35 | Peak | 49.00 | 100 | Horizontal | Pass |
| 1** | 1255.300 | 33.18 | -17.08 | 54.0 | 20.82 | AV | 49.00 | 100 | Horizontal | Pass |
| 2 | 2425.400 | 108.95 | -9.77 | 74.0 | -34.95 | Peak | 244.00 | 200 | Horizontal | N/A |
| 2** | 2425.400 | 99.43 | -9.77 | 54.0 | -45.43 | AV | 244.00 | 200 | Horizontal | N/A |
| 3 | 4703.000 | 50.25 | -2.68 | 74.0 | 23.75 | Peak | 28.00 | 150 | Horizontal | Pass |
| 3** | 4703.000 | 41.87 | -2.68 | 54.0 | 12.13 | AV | 28.00 | 150 | Horizontal | Pass |
| 4 | 5990.750 | 53.26 | -1.21 | 74.0 | 20.74 | Peak | 280.00 | 100 | Horizontal | Pass |
| 4** | 5990.750 | 53.73 | -1.21 | 54.0 | 0.27 | AV | 280.00 | 100 | Horizontal | N/A |
| 5 | 11116.713 | 51.65 | -0.99 | 74.0 | 22.35 | Peak | 340.00 | 400 | Horizontal | Pass |
| 5** | 11116.713 | 42.12 | -0.99 | 54.0 | 11.88 | AV | 340.00 | 400 | Horizontal | Pass |
| 6 | 16706.400 | 53.26 | 0.68 | 74.0 | 20.74 | Peak | 142.00 | 100 | Horizontal | Pass |
| 6** | 16706.400 | 43.50 | 0.68 | 54.0 | 10.50 | AV | 142.00 | 100 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1542.100 | 46.96 | -16.50 | 74.0 | 27.04 | Peak | 218.00 | 200 | Vertical | Pass |
| 1** | 1542.100 | 35.37 | -16.50 | 54.0 | 18.63 | AV | 218.00 | 200 | Vertical | Pass |
| 2 | 2433.000 | 107.24 | -9.13 | 74.0 | -33.24 | Peak | 318.00 | 200 | Vertical | N/A |
| 2** | 2433.000 | 97.82 | -9.13 | 54.0 | -43.82 | AV | 318.00 | 200 | Vertical | N/A |
| 3 | 3994.000 | 45.27 | -5.20 | 74.0 | 28.73 | Peak | 308.00 | 200 | Vertical | Pass |
| 3** | 3994.000 | 46.71 | -5.20 | 54.0 | 7.29 | AV | 308.00 | 200 | Vertical | N/A |
| 4 | 5990.500 | 64.27 | -1.23 | 74.0 | 9.73 | Peak | 194.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 56.09 | -1.23 | 54.0 | -2.09 | AV | 194.00 | 100 | Vertical | N/A |
| 5 | 11075.387 | 51.41 | -1.47 | 74.0 | 22.59 | Peak | 139.00 | 400 | Vertical | Pass |
| 5** | 11075.387 | 41.73 | -1.47 | 54.0 | 12.27 | AV | 139.00 | 400 | Vertical | Pass |
| 6 | 16342.313 | 53.60 | 0.63 | 74.0 | 20.40 | Peak | 68.00 | 200 | Vertical | Pass |
| 6** | 16342.313 | 44.87 | 0.63 | 54.0 | 9.13 | AV | 68.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1261.900 | 43.68 | -17.05 | 74.0 | 30.32 | Peak | 0.00 | 300 | Horizontal | Pass |
| 1** | 1261.900 | 34.42 | -17.05 | 54.0 | 19.58 | AV | 0.00 | 300 | Horizontal | Pass |
| 2 | 2433.800 | 108.97 | -9.07 | 74.0 | -34.97 | Peak | 246.00 | 200 | Horizontal | N/A |
| 2** | 2433.800 | 98.92 | -9.07 | 54.0 | -44.92 | AV | 246.00 | 200 | Horizontal | N/A |
| 3 | 4761.000 | 49.87 | -2.67 | 74.0 | 24.13 | Peak | 279.00 | 100 | Horizontal | Pass |
| 3** | 4761.000 | 41.69 | -2.67 | 54.0 | 12.31 | AV | 279.00 | 100 | Horizontal | Pass |
| 4 | 5991.000 | 51.99 | -1.20 | 74.0 | 22.01 | Peak | 340.00 | 100 | Horizontal | Pass |
| 4** | 5991.000 | 51.38 | -1.20 | 54.0 | 2.62 | AV | 340.00 | 100 | Horizontal | N/A |
| 5 | 11110.300 | 51.79 | -1.00 | 74.0 | 22.21 | Peak | 0.00 | 300 | Horizontal | Pass |
| 5** | 11110.300 | 41.55 | -1.00 | 54.0 | 12.45 | AV | 0.00 | 300 | Horizontal | Pass |
| 6 | 16339.687 | 53.65 | 0.55 | 74.0 | 20.35 | Peak | 291.00 | 200 | Horizontal | Pass |
| 6** | 16339.687 | 44.00 | 0.55 | 54.0 | 10.00 | AV | 291.00 | 200 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1538.000 | 45.51 | -16.58 | 74.0 | 28.49 | Peak | 149.00 | 400 | Vertical | Pass |
| 1** | 1538.000 | 36.15 | -16.58 | 54.0 | 17.85 | AV | 149.00 | 400 | Vertical | Pass |
| 2 | 2426.300 | 107.63 | -9.62 | 74.0 | -33.63 | Peak | 115.00 | 100 | Vertical | N/A |
| 2** | 2426.300 | 97.29 | -9.62 | 54.0 | -43.29 | AV | 115.00 | 100 | Vertical | N/A |
| 3 | 3993.250 | 51.82 | -5.09 | 74.0 | 22.18 | Peak | 159.00 | 200 | Vertical | Pass |
| 3** | 3993.250 | 37.71 | -5.09 | 54.0 | 16.29 | AV | 159.00 | 200 | Vertical | Pass |
| 4 | 5990.250 | 64.60 | -1.24 | 74.0 | 9.40 | Peak | 0.00 | 100 | Vertical | Pass |
| 4** | 5990.250 | 56.03 | -1.24 | 54.0 | -2.03 | AV | 0.00 | 100 | Vertical | N/A |
| 5 | 11125.737 | 52.60 | -0.98 | 74.0 | 21.40 | Peak | 125.00 | 400 | Vertical | Pass |
| 5** | 11125.737 | 42.55 | -0.98 | 54.0 | 11.45 | AV | 125.00 | 400 | Vertical | Pass |
| 6 | 16333.650 | 53.19 | 0.38 | 74.0 | 20.81 | Peak | 70.00 | 200 | Vertical | Pass |
| 6** | 16333.650 | 44.05 | 0.38 | 54.0 | 9.95 | AV | 70.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1263.600 | 43.37 | -17.04 | 74.0 | 30.63 | Peak | 60.00 | 300 | Horizontal | Pass |
| 1** | 1263.600 | 33.04 | -17.04 | 54.0 | 20.96 | AV | 60.00 | 300 | Horizontal | Pass |
| 2 | 2457.500 | 108.97 | -9.72 | 74.0 | -34.97 | Peak | 131.00 | 100 | Horizontal | N/A |
| 2** | 2457.500 | 98.38 | -9.72 | 54.0 | -44.38 | AV | 131.00 | 100 | Horizontal | N/A |
| 3 | 4892.000 | 50.06 | -2.63 | 74.0 | 23.94 | Peak | 114.00 | 100 | Horizontal | Pass |
| 3** | 4892.000 | 40.87 | -2.63 | 54.0 | 13.13 | AV | 114.00 | 100 | Horizontal | Pass |
| 4 | 5990.750 | 59.52 | -1.21 | 74.0 | 14.48 | Peak | 97.00 | 100 | Horizontal | Pass |
| 4** | 5990.750 | 53.33 | -1.21 | 54.0 | 0.67 | AV | 97.00 | 100 | Horizontal | N/A |
| 5 | 11075.387 | 52.01 | -1.47 | 74.0 | 21.99 | Peak | 220.00 | 100 | Horizontal | Pass |
| 5** | 11075.387 | 42.07 | -1.47 | 54.0 | 11.93 | AV | 220.00 | 100 | Horizontal | Pass |
| 6 | 16696.162 | 53.04 | 0.89 | 74.0 | 20.96 | Peak | 45.00 | 400 | Horizontal | Pass |
| 6** | 16696.162 | 43.52 | 0.89 | 54.0 | 10.48 | AV | 45.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1539.900 | 45.56 | -16.51 | 74.0 | 28.44 | Peak | 151.00 | 400 | Vertical | Pass |
| 1** | 1539.900 | 36.35 | -16.51 | 54.0 | 17.65 | AV | 151.00 | 400 | Vertical | Pass |
| 2 | 2449.300 | 107.81 | -10.10 | 74.0 | -33.81 | Peak | 122.00 | 200 | Vertical | N/A |
| 2** | 2449.300 | 97.60 | -10.10 | 54.0 | -43.60 | AV | 122.00 | 200 | Vertical | N/A |
| 3 | 3993.500 | 53.06 | -5.13 | 74.0 | 20.94 | Peak | 186.00 | 200 | Vertical | Pass |
| 3** | 3993.500 | 42.97 | -5.13 | 54.0 | 11.03 | AV | 186.00 | 200 | Vertical | Pass |
| 4 | 5990.250 | 64.65 | -1.24 | 74.0 | 9.35 | Peak | 142.00 | 200 | Vertical | Pass |
| 4** | 5990.250 | 57.28 | -1.24 | 54.0 | -3.28 | AV | 142.00 | 200 | Vertical | N/A |
| 5 | 11179.412 | 52.13 | -1.45 | 74.0 | 21.87 | Peak | 305.00 | 300 | Vertical | Pass |
| 5** | 11179.412 | 42.42 | -1.45 | 54.0 | 11.58 | AV | 305.00 | 300 | Vertical | Pass |
| 6 | 16484.324 | 53.09 | 0.41 | 74.0 | 20.91 | Peak | 96.00 | 200 | Vertical | Pass |
| 6** | 16484.324 | 43.57 | 0.41 | 54.0 | 10.43 | AV | 96.00 | 200 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 10

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1534.300 | 43.10 | -16.45 | 74.0 | 30.90 | Peak | 166.00 | 200 | Horizontal | Pass |
| 1** | 1534.300 | 34.94 | -16.45 | 54.0 | 19.06 | AV | 166.00 | 200 | Horizontal | Pass |
| 2 | 2446.000 | 104.04 | -9.93 | 74.0 | -30.04 | Peak | 240.00 | 200 | Horizontal | N/A |
| 2** | 2446.000 | 94.45 | -9.93 | 54.0 | -40.45 | AV | 240.00 | 200 | Horizontal | N/A |
| 3 | 4953.000 | 50.36 | -2.27 | 74.0 | 23.64 | Peak | 63.00 | 150 | Horizontal | Pass |
| 3** | 4953.000 | 41.78 | -2.27 | 54.0 | 12.22 | AV | 63.00 | 150 | Horizontal | Pass |
| 4 | 5990.000 | 60.14 | -1.26 | 74.0 | 13.86 | Peak | 106.00 | 200 | Horizontal | Pass |
| 4** | 5990.000 | 50.14 | -1.26 | 54.0 | 3.86 | AV | 106.00 | 200 | Horizontal | N/A |
| 5 | 11400.050 | 51.65 | -1.65 | 74.0 | 22.35 | Peak | 52.00 | 300 | Horizontal | Pass |
| 5** | 11400.050 | 41.88 | -1.65 | 54.0 | 12.12 | AV | 52.00 | 300 | Horizontal | Pass |
| 6 | 16306.088 | 52.75 | -0.40 | 74.0 | 21.25 | Peak | 0.00 | 400 | Horizontal | Pass |
| 6** | 16306.088 | 43.00 | -0.40 | 54.0 | 11.00 | AV | 0.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 10

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1543.200 | 45.47 | -16.50 | 74.0 | 28.53 | Peak | 199.00 | 200 | Vertical | Pass |
| 1** | 1543.200 | 38.12 | -16.50 | 54.0 | 15.88 | AV | 199.00 | 200 | Vertical | Pass |
| 2 | 2447.600 | 103.42 | -10.20 | 74.0 | -29.42 | Peak | 108.00 | 150 | Vertical | N/A |
| 2** | 2447.600 | 93.03 | -10.20 | 54.0 | -39.03 | AV | 108.00 | 150 | Vertical | N/A |
| 3 | 3993.750 | 51.71 | -5.16 | 74.0 | 22.29 | Peak | 237.00 | 200 | Vertical | Pass |
| 3** | 3993.750 | 38.96 | -5.16 | 54.0 | 15.04 | AV | 237.00 | 200 | Vertical | Pass |
| 4 | 5990.500 | 64.59 | -1.23 | 74.0 | 9.41 | Peak | 247.00 | 100 | Vertical | Pass |
| 4** | 5990.500 | 56.75 | -1.23 | 54.0 | -2.75 | AV | 247.00 | 100 | Vertical | N/A |
| 5 | 11136.425 | 51.87 | -0.96 | 74.0 | 22.13 | Peak | 222.00 | 400 | Vertical | Pass |
| 5** | 11136.425 | 43.60 | -0.96 | 54.0 | 10.40 | AV | 222.00 | 400 | Vertical | Pass |
| 6 | 16319.737 | 53.57 | -0.01 | 74.0 | 20.43 | Peak | 131.00 | 100 | Vertical | Pass |
| 6** | 16319.737 | 43.88 | -0.01 | 54.0 | 10.12 | AV | 131.00 | 100 | Vertical | Pass |

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 1256.900 | 44.30 | -17.14 | 74.0 | 29.70 | Peak | 50.00 | 100 | Horizontal | Pass |
| 1** | 1256.900 | 34.34 | -17.14 | 54.0 | 19.66 | AV | 50.00 | 100 | Horizontal | Pass |
| 2 | 2451.100 | 104.28 | -9.93 | 74.0 | -30.28 | Peak | 254.00 | 200 | Horizontal | N/A |
| 2** | 2451.100 | 94.01 | -9.93 | 54.0 | -40.01 | AV | 254.00 | 200 | Horizontal | N/A |
| 3 | 3993.750 | 51.18 | -5.16 | 74.0 | 22.82 | Peak | 322.00 | 100 | Horizontal | Pass |
| 3** | 3993.750 | 41.97 | -5.16 | 54.0 | 12.03 | AV | 322.00 | 100 | Horizontal | Pass |
| 4 | 5991.000 | 48.28 | -1.20 | 74.0 | 25.72 | Peak | 360.00 | 100 | Horizontal | Pass |
| 4** | 5991.000 | 51.39 | -1.20 | 54.0 | 2.61 | AV | 360.00 | 100 | Horizontal | N/A |
| 5 | 11123.125 | 51.49 | -0.98 | 74.0 | 22.51 | Peak | 244.00 | 200 | Horizontal | Pass |
| 5** | 11123.125 | 42.64 | -0.98 | 54.0 | 11.36 | AV | 244.00 | 200 | Horizontal | Pass |
| 6 | 16353.338 | 52.89 | 0.77 | 74.0 | 21.11 | Peak | 157.00 | 400 | Horizontal | Pass |
| 6** | 16353.338 | 43.65 | 0.77 | 54.0 | 10.35 | AV | 157.00 | 400 | Horizontal | Pass |

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 11

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 1537.600 | 45.12 | -16.56 | 74.0 | 28.88 | Peak | 195.00 | 200 | Vertical | Pass |
| 1** | 1537.600 | 35.50 | -16.56 | 54.0 | 18.50 | AV | 195.00 | 200 | Vertical | Pass |
| 2 | 2453.400 | 101.88 | -10.01 | 74.0 | -27.88 | Peak | 293.00 | 150 | Vertical | N/A |
| 2** | 2453.400 | 93.26 | -10.01 | 54.0 | -39.26 | AV | 293.00 | 150 | Vertical | N/A |
| 3 | 3993.500 | 53.60 | -5.13 | 74.0 | 20.40 | Peak | 169.00 | 100 | Vertical | Pass |
| 3** | 3993.500 | 39.80 | -5.13 | 54.0 | 14.20 | AV | 169.00 | 100 | Vertical | Pass |
| 4 | 5991.000 | 60.99 | -1.20 | 74.0 | 13.01 | Peak | 360.00 | 100 | Vertical | Pass |
| 4** | 5991.000 | 57.08 | -1.20 | 54.0 | -3.08 | AV | 360.00 | 100 | Vertical | N/A |
| 5 | 10978.250 | 51.76 | -1.98 | 74.0 | 22.24 | Peak | 87.00 | 100 | Vertical | Pass |
| 5** | 10978.250 | 41.68 | -1.98 | 54.0 | 12.32 | AV | 87.00 | 100 | Vertical | Pass |
| 6 | 16340.213 | 53.43 | 0.57 | 74.0 | 20.57 | Peak | 295.00 | 100 | Vertical | Pass |
| 6** | 16340.213 | 44.79 | 0.57 | 54.0 | 9.21 | AV | 295.00 | 100 | Vertical | Pass |

A.7 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note ³: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


Main Antenna

802.11b Channel 1




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2383.650 | 59.07 | 2.05 | 74.0 | 14.93 | Peak | 70.00 | 100 | Horizontal | Pass |
| 1** | 2383.650 | 47.13 | 2.05 | 54.0 | 6.87 | AV | 70.00 | 100 | Horizontal | Pass |
| 2 | 2389.950 | 57.08 | 1.86 | 74.0 | 16.92 | Peak | 170.00 | 100 | Horizontal | Pass |
| 2** | 2389.950 | 47.16 | 1.86 | 54.0 | 6.84 | AV | 170.00 | 100 | Horizontal | Pass |

802.11b Channel 11




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.545 | 56.82 | 1.77 | 74.0 | 17.18 | Peak | 114.00 | 150 | Horizontal | Pass |
| 1** | 2483.545 | 47.78 | 1.77 | 54.0 | 6.22 | AV | 114.00 | 150 | Horizontal | Pass |
| 2 | 2484.025 | 58.89 | 1.77 | 74.0 | 15.11 | Peak | 127.00 | 100 | Horizontal | Pass |
| 2** | 2484.025 | 48.39 | 1.77 | 54.0 | 5.61 | AV | 127.00 | 100 | Horizontal | Pass |

802.11b Channel 12




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.500 | 59.03 | 1.77 | 74.0 | 14.97 | Peak | 127.00 | 150 | Horizontal | Pass |
| 1** | 2483.500 | 49.84 | 1.77 | 54.0 | 4.16 | AV | 127.00 | 150 | Horizontal | Pass |
| 2 | 2484.460 | 59.29 | 1.76 | 74.0 | 14.71 | Peak | 122.00 | 100 | Horizontal | Pass |
| 2** | 2484.460 | 50.73 | 1.76 | 54.0 | 3.27 | AV | 122.00 | 100 | Horizontal | Pass |

802.11b Channel 13




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.560 | 72.57 | 1.77 | 74.0 | 1.43 | Peak | 125.00 | 150 | Horizontal | Pass |
| 1** | 2483.560 | 51.28 | 1.77 | 54.0 | 2.72 | AV | 125.00 | 150 | Horizontal | Pass |
| 2 | 2483.755 | 72.28 | 1.77 | 74.0 | 1.72 | Peak | 136.00 | 100 | Horizontal | Pass |
| 2** | 2483.755 | 51.37 | 1.77 | 54.0 | 2.63 | AV | 136.00 | 100 | Horizontal | Pass |

802.11g Channel 1




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2385.150 | 65.22 | 2.07 | 74.0 | 8.78 | Peak | 129.00 | 200 | Horizontal | Pass |
| 1** | 2385.150 | 50.68 | 2.07 | 54.0 | 3.32 | AV | 129.00 | 200 | Horizontal | Pass |
| 2 | 2389.950 | 59.87 | 1.86 | 74.0 | 14.13 | Peak | 126.00 | 150 | Horizontal | Pass |
| 2** | 2389.950 | 51.09 | 1.86 | 54.0 | 2.91 | AV | 126.00 | 150 | Horizontal | Pass |

802.11g Channel 11




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.500 | 66.81 | 1.77 | 74.0 | 7.19 | Peak | 132.00 | 150 | Horizontal | Pass |
| 1** | 2483.500 | 52.23 | 1.77 | 54.0 | 1.77 | AV | 132.00 | 150 | Horizontal | Pass |
| 2 | 2484.490 | 66.95 | 1.76 | 74.0 | 7.05 | Peak | 129.00 | 100 | Horizontal | Pass |
| 2** | 2484.490 | 50.43 | 1.76 | 54.0 | 3.57 | AV | 129.00 | 100 | Horizontal | Pass |

802.11g Channel 12




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.545 | 61.82 | 1.77 | 74.0 | 12.18 | Peak | 132.00 | 150 | Horizontal | Pass |
| 1** | 2483.545 | 50.64 | 1.77 | 54.0 | 3.36 | AV | 132.00 | 150 | Horizontal | Pass |
| 2 | 2483.905 | 61.36 | 1.77 | 74.0 | 12.64 | Peak | 131.00 | 200 | Horizontal | Pass |
| 2** | 2483.905 | 50.19 | 1.77 | 54.0 | 3.81 | AV | 131.00 | 200 | Horizontal | Pass |

802.11g Channel 13




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.575 | 72.91 | 1.77 | 74.0 | 1.09 | Peak | 140.00 | 100 | Horizontal | Pass |
| 1** | 2483.575 | 48.37 | 1.77 | 54.0 | 5.63 | AV | 140.00 | 100 | Horizontal | Pass |
| 2 | 2483.710 | 71.88 | 1.77 | 74.0 | 2.12 | Peak | 140.00 | 150 | Horizontal | Pass |
| 2** | 2483.710 | 48.81 | 1.77 | 54.0 | 5.19 | AV | 140.00 | 150 | Horizontal | Pass |

802.11n20 Channel 1




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2389.550 | 64.50 | 1.89 | 74.0 | 9.50 | Peak | 132.00 | 100 | Horizontal | Pass |
| 1** | 2389.550 | 52.08 | 1.89 | 54.0 | 1.92 | AV | 132.00 | 100 | Horizontal | Pass |
| 2 | 2389.950 | 61.10 | 1.86 | 74.0 | 12.90 | Peak | 132.00 | 100 | Horizontal | Pass |
| 2** | 2389.950 | 52.39 | 1.86 | 54.0 | 1.61 | AV | 132.00 | 100 | Horizontal | Pass |

802.11n20 Channel 11




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.560 | 63.60 | 1.77 | 74.0 | 10.40 | Peak | 70.00 | 150 | Horizontal | Pass |
| 1** | 2483.560 | 51.32 | 1.77 | 54.0 | 2.68 | AV | 70.00 | 150 | Horizontal | Pass |
| 2 | 2483.815 | 64.98 | 1.77 | 74.0 | 9.02 | Peak | 128.00 | 150 | Horizontal | Pass |
| 2** | 2483.815 | 50.55 | 1.77 | 54.0 | 3.45 | AV | 128.00 | 100 | Horizontal | Pass |

802.11n20 Channel 12




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.500 | 61.28 | 1.77 | 74.0 | 12.72 | Peak | 133.00 | 150 | Horizontal | Pass |
| 1** | 2483.500 | 50.69 | 1.77 | 54.0 | 3.31 | AV | 133.00 | 150 | Horizontal | Pass |
| 2 | 2483.740 | 61.33 | 1.77 | 74.0 | 12.67 | Peak | 135.00 | 200 | Horizontal | Pass |
| 2** | 2483.740 | 50.01 | 1.77 | 54.0 | 3.99 | AV | 135.00 | 200 | Horizontal | Pass |

802.11n20 Channel 13




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.560 | 71.82 | 1.77 | 74.0 | 2.18 | Peak | 139.00 | 200 | Horizontal | Pass |
| 1** | 2483.560 | 48.74 | 1.77 | 54.0 | 5.26 | AV | 139.00 | 200 | Horizontal | Pass |
| 2 | 2483.740 | 72.28 | 1.77 | 74.0 | 1.72 | Peak | 134.00 | 200 | Horizontal | Pass |
| 2** | 2483.740 | 50.27 | 1.77 | 54.0 | 3.73 | AV | 134.00 | 200 | Horizontal | Pass |

802.11n40 Channel 3




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2389.750 | 62.47 | 1.87 | 74.0 | 11.53 | Peak | 129.00 | 200 | Horizontal | Pass |
| 1** | 2389.750 | 51.50 | 1.87 | 54.0 | 2.50 | AV | 129.00 | 200 | Horizontal | Pass |
| 2 | 2389.950 | 60.82 | 1.86 | 74.0 | 13.18 | Peak | 132.00 | 100 | Horizontal | Pass |
| 2** | 2389.950 | 51.52 | 1.86 | 54.0 | 2.48 | AV | 132.00 | 100 | Horizontal | Pass |

802.11n40 Channel 9




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.575 | 62.20 | 1.77 | 74.0 | 11.80 | Peak | 79.00 | 200 | Horizontal | Pass |
| 1** | 2483.575 | 51.61 | 1.77 | 54.0 | 2.39 | AV | 79.00 | 200 | Horizontal | Pass |
| 2 | 2483.785 | 62.58 | 1.77 | 74.0 | 11.42 | Peak | 130.00 | 200 | Horizontal | Pass |
| 2** | 2483.785 | 51.23 | 1.77 | 54.0 | 2.77 | AV | 130.00 | 200 | Horizontal | Pass |

802.11n40 Channel 10




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.590 | 64.22 | 1.77 | 74.0 | 9.78 | Peak | 137.00 | 150 | Horizontal | Pass |
| 1** | 2483.590 | 52.17 | 1.77 | 54.0 | 1.83 | AV | 137.00 | 150 | Horizontal | Pass |
| 2 | 2487.070 | 64.62 | 1.67 | 74.0 | 9.38 | Peak | 131.00 | 100 | Horizontal | Pass |
| 2** | 2487.070 | 49.86 | 1.67 | 54.0 | 4.14 | AV | 131.00 | 100 | Horizontal | Pass |

802.11n40 Channel 11




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.500 | 71.92 | 1.77 | 74.0 | 2.08 | Peak | 75.00 | 200 | Horizontal | Pass |
| 1** | 2483.500 | 52.51 | 1.77 | 54.0 | 1.49 | AV | 75.00 | 200 | Horizontal | Pass |
| 2 | 2483.830 | 71.46 | 1.77 | 74.0 | 2.54 | Peak | 136.00 | 100 | Horizontal | Pass |
| 2** | 2483.830 | 50.68 | 1.77 | 54.0 | 3.32 | AV | 136.00 | 100 | Horizontal | Pass |

802.11ax20(SU) Channel 1




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2389.000 | 63.59 | 1.92 | 74.0 | 10.41 | Peak | 133.00 | 100 | Horizontal | Pass |
| 1** | 2389.000 | 51.74 | 1.92 | 54.0 | 2.26 | AV | 133.00 | 100 | Horizontal | Pass |
| 2 | 2389.950 | 61.51 | 1.86 | 74.0 | 12.49 | Peak | 126.00 | 150 | Horizontal | Pass |
| 2** | 2389.950 | 51.91 | 1.86 | 54.0 | 2.09 | AV | 126.00 | 150 | Horizontal | Pass |

802.11ax20(SU) Channel 11




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.500 | 63.84 | 1.77 | 74.0 | 10.16 | Peak | 139.00 | 200 | Horizontal | Pass |
| 1** | 2483.500 | 52.20 | 1.77 | 54.0 | 1.80 | AV | 139.00 | 200 | Horizontal | Pass |
| 2 | 2483.935 | 65.81 | 1.77 | 74.0 | 8.19 | Peak | 129.00 | 150 | Horizontal | Pass |
| 2** | 2483.935 | 51.87 | 1.77 | 54.0 | 2.13 | AV | 129.00 | 150 | Horizontal | Pass |

802.11ax20(SU) Channel 12




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.560 | 60.51 | 1.77 | 74.0 | 13.49 | Peak | 142.00 | 100 | Horizontal | Pass |
| 1** | 2483.560 | 50.33 | 1.77 | 54.0 | 3.67 | AV | 142.00 | 100 | Horizontal | Pass |
| 2 | 2483.710 | 63.27 | 1.77 | 74.0 | 10.73 | Peak | 142.00 | 100 | Horizontal | Pass |
| 2** | 2483.710 | 50.99 | 1.77 | 54.0 | 3.01 | AV | 142.00 | 100 | Horizontal | Pass |

802.11ax20(SU) Channel 13




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.500 | 72.75 | 1.77 | 74.0 | 1.25 | Peak | 130.00 | 200 | Horizontal | Pass |
| 1** | 2483.500 | 52.51 | 1.77 | 54.0 | 1.49 | AV | 130.00 | 200 | Horizontal | Pass |
| 2 | 2483.785 | 70.77 | 1.77 | 74.0 | 3.23 | Peak | 126.00 | 200 | Horizontal | Pass |
| 2** | 2483.785 | 48.98 | 1.77 | 54.0 | 5.02 | AV | 126.00 | 200 | Horizontal | Pass |

802.11ax40(SU) Channel 3




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2388.900 | 63.49 | 1.93 | 74.0 | 10.51 | Peak | 128.00 | 200 | Horizontal | Pass |
| 1** | 2388.900 | 52.30 | 1.93 | 54.0 | 1.70 | AV | 128.00 | 200 | Horizontal | Pass |
| 2 | 2389.950 | 62.09 | 1.86 | 74.0 | 11.91 | Peak | 128.00 | 200 | Horizontal | Pass |
| 2** | 2389.950 | 52.73 | 1.86 | 54.0 | 1.27 | AV | 128.00 | 200 | Horizontal | Pass |

802.11ax40(SU) Channel 9




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.515 | 61.00 | 1.77 | 74.0 | 13.00 | Peak | 136.00 | 200 | Horizontal | Pass |
| 1** | 2483.515 | 51.02 | 1.77 | 54.0 | 2.98 | AV | 136.00 | 200 | Horizontal | Pass |
| 2 | 2483.875 | 62.83 | 1.77 | 74.0 | 11.17 | Peak | 127.00 | 150 | Horizontal | Pass |
| 2** | 2483.875 | 51.36 | 1.77 | 54.0 | 2.64 | AV | 127.00 | 150 | Horizontal | Pass |

802.11ax40(SU) Channel 10




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.530 | 64.10 | 1.77 | 74.0 | 9.90 | Peak | 131.00 | 100 | Horizontal | Pass |
| 1** | 2483.530 | 52.11 | 1.77 | 54.0 | 1.89 | AV | 131.00 | 100 | Horizontal | Pass |
| 2 | 2484.250 | 65.03 | 1.77 | 74.0 | 8.97 | Peak | 131.00 | 100 | Horizontal | Pass |
| 2** | 2484.250 | 51.38 | 1.77 | 54.0 | 2.62 | AV | 131.00 | 100 | Horizontal | Pass |
| 3 | 2483.545 | 63.28 | 1.77 | 74.0 | 10.72 | Peak | 136.00 | 100 | Horizontal | Pass |
| 3** | 2483.545 | 52.94 | 1.77 | 54.0 | 1.06 | AV | 136.00 | 100 | Horizontal | Pass |

802.11ax40(SU) Channel 11




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.560 | 72.49 | 1.77 | 74.0 | 1.51 | Peak | 128.00 | 100 | Horizontal | Pass |
| 1** | 2483.560 | 51.17 | 1.77 | 54.0 | 2.83 | AV | 128.00 | 100 | Horizontal | Pass |
| 2 | 2483.935 | 71.04 | 1.77 | 74.0 | 2.96 | Peak | 130.00 | 200 | Horizontal | Pass |
| 2** | 2483.935 | 50.16 | 1.77 | 54.0 | 3.84 | AV | 130.00 | 200 | Horizontal | Pass |

802.11ax20(RU26) Channel 1




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2378.700 | 62.68 | 1.86 | 74.0 | 11.32 | Peak | 132.00 | 100 | Horizontal | Pass |
| 1** | 2378.700 | 46.91 | 1.86 | 54.0 | 7.09 | AV | 132.00 | 100 | Horizontal | Pass |
| 2 | 2389.950 | 56.82 | 1.86 | 74.0 | 17.18 | Peak | 143.00 | 200 | Horizontal | Pass |
| 2** | 2389.950 | 48.22 | 1.86 | 54.0 | 5.78 | AV | 143.00 | 200 | Horizontal | Pass |

802.11ax20(RU26) Channel 11




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.545 | 57.58 | 1.77 | 74.0 | 16.42 | Peak | 136.00 | 150 | Horizontal | Pass |
| 1** | 2483.545 | 47.53 | 1.77 | 54.0 | 6.47 | AV | 136.00 | 150 | Horizontal | Pass |
| 2 | 2491.330 | 60.02 | 1.69 | 74.0 | 13.98 | Peak | 129.00 | 100 | Horizontal | Pass |
| 2** | 2491.330 | 46.74 | 1.69 | 54.0 | 7.26 | AV | 129.00 | 100 | Horizontal | Pass |

802.11ax20(RU26) Channel 12




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.545 | 68.84 | 1.77 | 74.0 | 5.16 | Peak | 130.00 | 150 | Horizontal | Pass |
| 1** | 2483.545 | 50.61 | 1.77 | 54.0 | 3.39 | AV | 130.00 | 150 | Horizontal | Pass |
| 2 | 2492.860 | 69.23 | 1.73 | 74.0 | 4.77 | Peak | 128.00 | 100 | Horizontal | Pass |
| 2** | 2492.860 | 49.23 | 1.73 | 54.0 | 4.77 | AV | 128.00 | 100 | Horizontal | Pass |

802.11ax20(RU26) Channel 13




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.575 | 70.42 | 1.77 | 74.0 | 3.58 | Peak | 132.00 | 100 | Horizontal | Pass |
| 1** | 2483.575 | 51.29 | 1.77 | 54.0 | 2.71 | AV | 132.00 | 100 | Horizontal | Pass |
| 2 | 2483.710 | 69.56 | 1.77 | 74.0 | 4.44 | Peak | 129.00 | 100 | Horizontal | Pass |
| 2** | 2483.710 | 50.53 | 1.77 | 54.0 | 3.47 | AV | 129.00 | 100 | Horizontal | Pass |

802.11ax40(RU26) Channel 3




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2381.900 | 58.20 | 1.99 | 74.0 | 15.80 | Peak | 246.00 | 150 | Horizontal | Pass |
| 1** | 2381.900 | 46.87 | 1.99 | 54.0 | 7.13 | AV | 246.00 | 150 | Horizontal | Pass |
| 2 | 2389.950 | 57.13 | 1.86 | 74.0 | 16.87 | Peak | 201.00 | 150 | Horizontal | Pass |
| 2** | 2389.950 | 47.19 | 1.86 | 54.0 | 6.81 | AV | 201.00 | 150 | Horizontal | Pass |

802.11ax40(RU26) Channel 9




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.530 | 60.24 | 1.77 | 74.0 | 13.76 | Peak | 130.00 | 200 | Horizontal | Pass |
| 1** | 2483.530 | 48.85 | 1.77 | 54.0 | 5.15 | AV | 130.00 | 200 | Horizontal | Pass |
| 2 | 2483.725 | 60.99 | 1.77 | 74.0 | 13.01 | Peak | 137.00 | 200 | Horizontal | Pass |
| 2** | 2483.725 | 48.31 | 1.77 | 54.0 | 5.69 | AV | 137.00 | 200 | Horizontal | Pass |

802.11ax40(RU26) Channel 10



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.575 | 70.83 | 1.77 | 74.0 | 3.17 | Peak | 134.00 | 150 | Horizontal | Pass |
| 1** | 2483.575 | 47.97 | 1.77 | 54.0 | 6.03 | AV | 134.00 | 150 | Horizontal | Pass |
| 2 | 2483.770 | 70.57 | 1.77 | 74.0 | 3.43 | Peak | 132.00 | 200 | Horizontal | Pass |
| 2** | 2483.770 | 49.77 | 1.77 | 54.0 | 4.23 | AV | 132.00 | 200 | Horizontal | Pass |


802.11ax40(RU26) Channel 11



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.500 | 72.94 | 1.77 | 74.0 | 1.06 | Peak | 137.00 | 100 | Horizontal | Pass |
| 1** | 2483.500 | 52.54 | 1.77 | 54.0 | 1.46 | AV | 137.00 | 100 | Horizontal | Pass |
| 2 | 2483.710 | 71.68 | 1.77 | 74.0 | 2.32 | Peak | 128.00 | 100 | Horizontal | Pass |
| 2** | 2483.710 | 51.87 | 1.77 | 54.0 | 2.13 | AV | 128.00 | 100 | Horizontal | Pass |


Aux. Antenna

802.11b Channel 1




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2381.500 | 59.01 | 1.97 | 74.0 | 14.99 | Peak | 312.00 | 150 | Horizontal | Pass |
| 1** | 2381.500 | 48.26 | 1.97 | 54.0 | 5.74 | AV | 312.00 | 150 | Horizontal | Pass |
| 2 | 2389.950 | 56.66 | 1.86 | 74.0 | 17.34 | Peak | 256.00 | 200 | Horizontal | Pass |
| 2** | 2389.950 | 46.92 | 1.86 | 54.0 | 7.08 | AV | 256.00 | 200 | Horizontal | Pass |

802.11b Channel 11




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.545 | 57.00 | 1.77 | 74.0 | 17.00 | Peak | 334.00 | 200 | Horizontal | Pass |
| 1** | 2483.545 | 46.74 | 1.77 | 54.0 | 7.26 | AV | 334.00 | 200 | Horizontal | Pass |
| 2 | 2487.325 | 58.70 | 1.66 | 74.0 | 15.30 | Peak | 310.00 | 200 | Horizontal | Pass |
| 2** | 2487.325 | 48.93 | 1.66 | 54.0 | 5.07 | AV | 310.00 | 200 | Horizontal | Pass |

802.11b Channel 12




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.500 | 59.32 | 1.77 | 74.0 | 14.68 | Peak | 312.00 | 100 | Horizontal | Pass |
| 1** | 2483.500 | 50.68 | 1.77 | 54.0 | 3.32 | AV | 312.00 | 100 | Horizontal | Pass |
| 2 | 2485.465 | 59.22 | 1.72 | 74.0 | 14.78 | Peak | 250.00 | 150 | Horizontal | Pass |
| 2** | 2485.465 | 49.82 | 1.72 | 54.0 | 4.18 | AV | 250.00 | 150 | Horizontal | Pass |
| 3 | 2484.460 | 58.36 | 1.76 | 74.0 | 15.64 | Peak | 254.00 | 150 | Horizontal | Pass |
| 3** | 2484.460 | 52.15 | 1.76 | 54.0 | 1.85 | AV | 254.00 | 150 | Horizontal | Pass |

802.11b Channel 13




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.500 | 70.02 | 1.77 | 74.0 | 3.98 | Peak | 310.00 | 100 | Horizontal | Pass |
| 1** | 2483.500 | 49.76 | 1.77 | 54.0 | 4.24 | AV | 310.00 | 100 | Horizontal | Pass |
| 2 | 2483.680 | 71.48 | 1.77 | 74.0 | 2.52 | Peak | 252.00 | 150 | Horizontal | Pass |
| 2** | 2483.680 | 48.39 | 1.77 | 54.0 | 5.61 | AV | 252.00 | 150 | Horizontal | Pass |
| 3 | 2485.015 | 64.28 | 1.74 | 74.0 | 9.72 | Peak | 319.00 | 150 | Horizontal | Pass |
| 3** | 2485.015 | 52.75 | 1.74 | 54.0 | 1.25 | AV | 319.00 | 150 | Horizontal | Pass |

802.11g Channel 1




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2389.500 | 64.96 | 1.89 | 74.0 | 9.04 | Peak | 252.00 | 100 | Horizontal | Pass |
| 1** | 2389.500 | 52.03 | 1.89 | 54.0 | 1.97 | AV | 252.00 | 100 | Horizontal | Pass |
| 2 | 2389.950 | 62.46 | 1.86 | 74.0 | 11.54 | Peak | 216.00 | 100 | Horizontal | Pass |
| 2** | 2389.950 | 52.71 | 1.86 | 54.0 | 1.29 | AV | 216.00 | 100 | Horizontal | Pass |
| 3 | 2389.900 | 62.76 | 1.86 | 74.0 | 11.24 | Peak | 252.00 | 100 | Horizontal | Pass |
| 3** | 2389.900 | 52.74 | 1.86 | 54.0 | 1.26 | AV | 252.00 | 100 | Horizontal | Pass |

802.11g Channel 11




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.500 | 64.64 | 1.77 | 74.0 | 9.36 | Peak | 258.00 | 200 | Horizontal | Pass |
| 1** | 2483.500 | 51.81 | 1.77 | 54.0 | 2.19 | AV | 258.00 | 200 | Horizontal | Pass |
| 2 | 2484.145 | 64.04 | 1.77 | 74.0 | 9.96 | Peak | 253.00 | 150 | Horizontal | Pass |
| 2** | 2484.145 | 51.26 | 1.77 | 54.0 | 2.74 | AV | 253.00 | 150 | Horizontal | Pass |
| 3 | 2483.650 | 60.72 | 1.77 | 74.0 | 13.28 | Peak | 259.00 | 150 | Horizontal | Pass |
| 3** | 2483.650 | 52.07 | 1.77 | 54.0 | 1.93 | AV | 259.00 | 150 | Horizontal | Pass |

802.11g Channel 12




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.530 | 63.86 | 1.77 | 74.0 | 10.14 | Peak | 312.00 | 200 | Horizontal | Pass |
| 1** | 2483.530 | 50.64 | 1.77 | 54.0 | 3.36 | AV | 312.00 | 200 | Horizontal | Pass |
| 2 | 2483.710 | 61.09 | 1.77 | 74.0 | 12.91 | Peak | 242.00 | 150 | Horizontal | Pass |
| 2** | 2483.710 | 50.31 | 1.77 | 54.0 | 3.69 | AV | 242.00 | 150 | Horizontal | Pass |
| 3 | 2483.545 | 60.85 | 1.77 | 74.0 | 13.15 | Peak | 254.00 | 150 | Horizontal | Pass |
| 3** | 2483.545 | 50.84 | 1.77 | 54.0 | 3.16 | AV | 254.00 | 150 | Horizontal | Pass |

802.11g Channel 13




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.575 | 72.54 | 1.77 | 74.0 | 1.46 | Peak | 250.00 | 100 | Horizontal | Pass |
| 1** | 2483.575 | 50.95 | 1.77 | 54.0 | 3.05 | AV | 250.00 | 100 | Horizontal | Pass |
| 2 | 2483.920 | 70.78 | 1.77 | 74.0 | 3.22 | Peak | 255.00 | 200 | Horizontal | Pass |
| 2** | 2483.920 | 47.30 | 1.77 | 54.0 | 6.70 | AV | 255.00 | 200 | Horizontal | Pass |
| 3 | 2483.590 | 72.23 | 1.77 | 74.0 | 1.77 | Peak | 255.00 | 100 | Horizontal | Pass |
| 3** | 2483.590 | 51.93 | 1.77 | 54.0 | 2.07 | AV | 255.00 | 100 | Horizontal | Pass |

802.11n20 Channel 1



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2389.600 | 65.12 | 1.88 | 74.0 | 8.88 | Peak | 258.00 | 200 | Horizontal | Pass |
| 1** | 2389.600 | 50.88 | 1.88 | 54.0 | 3.12 | AV | 258.00 | 200 | Horizontal | Pass |
| 2 | 2389.950 | 63.54 | 1.86 | 74.0 | 10.46 | Peak | 263.00 | 100 | Horizontal | Pass |
| 2** | 2389.950 | 51.29 | 1.86 | 54.0 | 2.71 | AV | 263.00 | 100 | Horizontal | Pass |
| 3 | 2389.750 | 62.25 | 1.87 | 74.0 | 11.75 | Peak | 318.00 | 100 | Horizontal | Pass |
| 3** | 2389.750 | 52.21 | 1.87 | 54.0 | 1.79 | AV | 318.00 | 100 | Horizontal | Pass |

802.11n20 Channel 11



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 2483.575 | 63.21 | 1.77 | 74.0 | 10.79 | Peak | 259.00 | 200 | Horizontal | Pass |
| 1** | 2483.575 | 51.52 | 1.77 | 54.0 | 2.48 | AV | 259.00 | 200 | Horizontal | Pass |
| 2 | 2484.130 | 64.70 | 1.77 | 74.0 | 9.30 | Peak | 253.00 | 100 | Horizontal | Pass |
| 2** | 2484.130 | 51.21 | 1.77 | 54.0 | 2.79 | AV | 253.00 | 100 | Horizontal | Pass |