

11x80 (SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.600	42.23	-17.29	74.0	31.77	Peak	132.00	300	Horizontal	Pass
1**	1543.600	31.65	-17.29	54.0	22.35	AV	132.00	300	Horizontal	Pass
2	4380.200	50.36	-3.02	74.0	23.64	Peak	117.00	400	Horizontal	Pass
2**	4380.200	42.42	-3.02	54.0	11.58	AV	117.00	400	Horizontal	Pass
3	5669.600	104.62	-0.98	--	--	Peak	209.00	200	Horizontal	N/A
3**	5669.600	96.31	-0.98	--	--	AV	209.00	200	Horizontal	N/A
4	7618.413	48.00	-2.92	74.0	26.00	Peak	254.00	400	Horizontal	Pass
4**	7618.413	39.06	-2.92	54.0	14.94	AV	254.00	400	Horizontal	Pass
5	12243.713	52.31	1.03	74.0	21.69	Peak	270.00	200	Horizontal	Pass
5**	12243.713	43.06	1.03	54.0	10.94	AV	270.00	200	Horizontal	Pass
6	15799.987	55.14	2.33	74.0	18.86	Peak	122.00	300	Horizontal	Pass
6**	15799.987	46.21	2.33	54.0	7.79	AV	122.00	300	Horizontal	Pass

11x80 (SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.600	44.59	-17.35	74.0	29.41	Peak	191.00	100	Vertical	Pass
1**	1542.600	35.43	-17.35	54.0	18.57	AV	191.00	100	Vertical	Pass
2	4376.000	50.39	-2.95	74.0	23.61	Peak	0.00	400	Vertical	Pass
2**	4376.000	41.31	-2.95	54.0	12.69	AV	0.00	400	Vertical	Pass
3	5698.000	104.05	-0.83	--	--	Peak	242.00	200	Vertical	N/A
3**	5698.000	94.72	-0.83	--	--	AV	242.00	200	Vertical	N/A
4	5990.200	64.37	-0.32	68.2	3.83	Peak	106.00	100	Vertical	Pass
4**	5990.200	51.31	-0.32	--	--	AV	106.00	100	Vertical	N/A
5	12694.513	52.03	0.83	74.0	21.97	Peak	76.00	150	Vertical	Pass
5**	12694.513	42.69	0.83	54.0	11.31	AV	76.00	150	Vertical	Pass
6	15611.250	55.07	1.32	74.0	18.93	Peak	273.00	300	Vertical	Pass
6**	15611.250	45.38	1.32	54.0	8.62	AV	273.00	300	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Main Antenna/ Aux. Antenna

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
802.11ax(HE20) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE40) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE80) (RU26)	Middle	Pass	
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
802.11ax(HE20) (RU26)	Low	Pass	
	High	Pass	

	802.11ax(HE40) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE80) (RU26)	Middle	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Low	Pass
		High	Pass
	802.11ax(HE20) (RU26)	Low	Pass
		High	Pass
802.11ax(HE40) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE80) (RU26)	Low	Pass	
	High	Pass	
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
802.11ax(HE40) (SU)	Low	Pass	
	High	Pass	
802.11ax(HE80) (SU)	Middle	Pass	

	802.11ax(HE20) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE40) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE80) (RU26)	Middle	Pass

Test Band	Mode	Channel	Verdict
U-NII-2C & U-NII-3	802.11a	144	Pass
	802.11n(HT20)	144	Pass
	802.11n(HT40)	142	Pass
	802.11ac(VHT20)	144	Pass
	802.11ac(VHT40)	142	Pass
	802.11ac(VHT80)	138	Pass
	802.11ax(HE20) (SU)	144	Pass
	802.11ax(HE40) (SU)	142	Pass
	802.11ax(HE80) (SU)	138	Pass
	802.11ax(HE20) (RU26)	144	Pass
	802.11ax(HE40) (RU26)	142	Pass
	802.11ax(HE80) (RU26)	138	Pass

MIMO

Test Band	Mode	Channel	Verdict
U-NII-1	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
802.11ax(HE20) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE40) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE80) (RU26)	Middle	Pass	
U-NII-2A	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
802.11ax(HE20) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE40) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE80) (RU26)	Middle	Pass	
U-NII-2C	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass


		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Low	Pass
High		Pass	
802.11ax(HE20) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE40) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE80) (RU26)	Low	Pass	
	High	Pass	
U-NII-3	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
802.11ax(HE20) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE40) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE80) (RU26)	Middle	Pass	

Test Band	Mode	Channel	Verdict
U-NII-2C & U-NII-3	802.11n(HT20)	144	Pass
	802.11n(HT40)	142	Pass
	802.11ac(VHT20)	144	Pass
	802.11ac(VHT40)	142	Pass
	802.11ac(VHT80)	138	Pass
	802.11ax(HE20) (SU)	144	Pass
	802.11ax(HE40) (SU)	142	Pass
	802.11ax(HE80) (SU)	138	Pass
	802.11ax(HE20) (RU26)	144	Pass
	802.11ax(HE40) (RU26)	142	Pass
	802.11ax(HE80) (RU26)	138	Pass

Test Plots


Main Antenna

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	59.32	4.06	74.0	14.68	Peak	84.00	150	Horizontal	Pass
1**	5149.675	49.35	4.06	54.0	4.65	AV	84.00	150	Horizontal	Pass
2	5149.675	59.32	4.06	74.0	14.68	Peak	84.00	100	Horizontal	Pass
2**	5149.675	49.35	4.06	54.0	4.65	AV	84.00	100	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.21	5.11	74.0	15.79	Peak	132.00	150	Horizontal	Pass
1**	5350.000	48.42	5.11	54.0	5.58	AV	132.00	150	Horizontal	Pass
2	5400.160	59.75	4.65	74.0	14.25	Peak	320.00	200	Horizontal	Pass
2**	5400.160	47.82	4.65	54.0	6.18	AV	320.00	200	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	62.94	4.03	74.0	11.06	Peak	123.00	150	Horizontal	Pass
1**	5149.025	50.51	4.03	54.0	3.49	AV	123.00	150	Horizontal	Pass
2	5149.675	62.74	4.06	74.0	11.26	Peak	174.00	200	Horizontal	Pass
2**	5149.675	50.81	4.06	54.0	3.19	AV	174.00	200	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.31	5.10	74.0	15.69	Peak	26.00	150	Horizontal	Pass
1**	5350.055	48.35	5.10	54.0	5.65	AV	26.00	150	Horizontal	Pass
2	5376.070	59.60	4.57	74.0	14.40	Peak	184.00	100	Horizontal	Pass
2**	5376.070	47.67	4.57	54.0	6.33	AV	184.00	100	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	64.58	4.09	74.0	9.42	Peak	117.00	200	Horizontal	Pass
1**	5147.725	51.58	4.09	54.0	2.42	AV	117.00	200	Horizontal	Pass
2	5149.675	63.63	4.06	74.0	10.37	Peak	38.00	200	Horizontal	Pass
2**	5149.675	52.13	4.06	54.0	1.87	AV	38.00	200	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.62	5.10	74.0	14.38	Peak	110.00	100	Horizontal	Pass
1**	5350.055	48.73	5.10	54.0	5.27	AV	110.00	100	Horizontal	Pass
2	5350.385	60.21	5.06	74.0	13.79	Peak	331.00	100	Horizontal	Pass
2**	5350.385	48.43	5.06	54.0	5.57	AV	331.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.375	60.08	4.05	74.0	13.92	Peak	122.00	100	Horizontal	Pass
1**	5148.375	49.49	4.05	54.0	4.51	AV	122.00	100	Horizontal	Pass
2	5149.675	59.13	4.06	74.0	14.87	Peak	79.00	150	Horizontal	Pass
2**	5149.675	49.80	4.06	54.0	4.20	AV	79.00	150	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.65	5.11	74.0	15.35	Peak	300.00	200	Horizontal	Pass
1**	5350.000	48.38	5.11	54.0	5.62	AV	300.00	200	Horizontal	Pass
2	5350.935	59.94	5.00	74.0	14.06	Peak	252.00	150	Horizontal	Pass
2**	5350.935	48.41	5.00	54.0	5.59	AV	252.00	150	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.375	64.97	4.05	74.0	9.03	Peak	172.00	100	Horizontal	Pass
1**	5148.375	51.81	4.05	54.0	2.19	AV	172.00	100	Horizontal	Pass
2	5149.675	62.45	4.06	74.0	11.55	Peak	113.00	100	Horizontal	Pass
2**	5149.675	52.36	4.06	54.0	1.64	AV	113.00	100	Horizontal	Pass
3	5150.000	64.16	4.07	74.0	9.84	Peak	16.00	150	Horizontal	Pass
3**	5150.000	52.89	4.07	54.0	1.11	AV	16.00	150	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.02	5.10	74.0	15.98	Peak	298.00	100	Horizontal	Pass
1**	5350.055	48.56	5.10	54.0	5.44	AV	298.00	100	Horizontal	Pass
2	5400.435	59.46	4.65	74.0	14.54	Peak	182.00	200	Horizontal	Pass
2**	5400.435	48.05	4.65	54.0	5.95	AV	182.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.150	59.71	4.21	74.0	14.29	Peak	115.00	100	Horizontal	Pass
1**	5131.150	48.58	4.21	54.0	5.42	AV	115.00	100	Horizontal	Pass
2	5149.675	57.51	4.06	74.0	16.49	Peak	79.00	100	Horizontal	Pass
2**	5149.675	49.37	4.06	54.0	4.63	AV	79.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.95	5.11	74.0	16.05	Peak	84.00	150	Horizontal	Pass
1**	5350.000	49.11	5.11	54.0	4.89	AV	84.00	150	Horizontal	Pass
2	5365.235	59.47	4.43	74.0	14.53	Peak	225.00	150	Horizontal	Pass
2**	5365.235	47.84	4.43	54.0	6.16	AV	225.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	62.15	4.04	74.0	11.85	Peak	188.00	150	Horizontal	Pass
1**	5149.350	50.61	4.04	54.0	3.39	AV	188.00	150	Horizontal	Pass
2	5149.675	59.81	4.06	74.0	14.19	Peak	115.00	150	Horizontal	Pass
2**	5149.675	50.76	4.06	54.0	3.24	AV	115.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.34	5.10	74.0	15.66	Peak	104.00	100	Horizontal	Pass
1**	5350.055	48.56	5.10	54.0	5.44	AV	104.00	100	Horizontal	Pass
2	5402.415	59.44	4.66	74.0	14.56	Peak	240.00	100	Horizontal	Pass
2**	5402.415	47.76	4.66	54.0	6.24	AV	240.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	63.87	4.07	74.0	10.13	Peak	120.00	100	Horizontal	Pass
1**	5146.100	50.73	4.07	54.0	3.27	AV	120.00	100	Horizontal	Pass
2	5149.675	61.41	4.06	74.0	12.59	Peak	38.00	200	Horizontal	Pass
2**	5149.675	51.14	4.06	54.0	2.86	AV	38.00	200	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.75	5.10	74.0	15.25	Peak	259.00	200	Horizontal	Pass
1**	5350.055	48.75	5.10	54.0	5.25	AV	259.00	200	Horizontal	Pass
2	5351.045	59.74	4.99	74.0	14.26	Peak	283.00	100	Horizontal	Pass
2**	5351.045	48.55	4.99	54.0	5.45	AV	283.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.225	60.48	4.51	74.0	13.52	Peak	81.00	100	Horizontal	Pass
1**	5128.225	48.80	4.51	54.0	5.20	AV	81.00	100	Horizontal	Pass
2	5149.675	59.52	4.06	74.0	14.48	Peak	15.00	100	Horizontal	Pass
2**	5149.675	50.02	4.06	54.0	3.98	AV	15.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.34	5.10	74.0	15.66	Peak	327.00	150	Horizontal	Pass
1**	5350.055	48.82	5.10	54.0	5.18	AV	327.00	150	Horizontal	Pass
2	5364.190	59.24	4.44	74.0	14.76	Peak	186.00	200	Horizontal	Pass
2**	5364.190	48.08	4.44	54.0	5.92	AV	186.00	200	Horizontal	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.675	58.15	4.50	74.0	15.85	Peak	107.00	100	Horizontal	Pass
1**	5123.675	47.39	4.50	54.0	6.61	AV	107.00	100	Horizontal	Pass
2	5149.675	57.19	4.06	74.0	16.81	Peak	29.00	200	Horizontal	Pass
2**	5149.675	47.33	4.06	54.0	6.67	AV	29.00	200	Horizontal	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.62	5.11	74.0	15.38	Peak	319.00	100	Horizontal	Pass
1**	5350.000	48.64	5.11	54.0	5.36	AV	319.00	100	Horizontal	Pass
2	5395.760	59.41	4.72	74.0	14.59	Peak	207.00	200	Horizontal	Pass
2**	5395.760	47.69	4.72	54.0	6.31	AV	207.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.925	59.16	4.52	74.0	14.84	Peak	327.00	100	Horizontal	Pass
1**	5126.925	47.69	4.52	54.0	6.31	AV	327.00	100	Horizontal	Pass
2	5149.675	56.56	4.06	74.0	17.44	Peak	40.00	150	Horizontal	Pass
2**	5149.675	46.95	4.06	54.0	7.05	AV	40.00	150	Horizontal	Pass

U-NII-1 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.51	5.11	74.0	15.49	Peak	129.00	100	Horizontal	Pass
1**	5350.000	48.19	5.11	54.0	5.81	AV	129.00	100	Horizontal	Pass
2	5397.300	59.35	4.75	74.0	14.65	Peak	360.00	200	Horizontal	Pass
2**	5397.300	47.77	4.75	54.0	6.23	AV	360.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5095.400	58.39	4.16	74.0	15.61	Peak	39.00	150	Horizontal	Pass
1**	5095.400	46.73	4.16	54.0	7.27	AV	39.00	150	Horizontal	Pass
2	5149.675	56.81	4.06	74.0	17.19	Peak	41.00	200	Horizontal	Pass
2**	5149.675	47.08	4.06	54.0	6.92	AV	41.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.03	5.10	74.0	15.97	Peak	39.00	200	Horizontal	Pass
1**	5350.055	48.24	5.10	54.0	5.76	AV	39.00	200	Horizontal	Pass
2	5351.540	59.49	4.97	74.0	14.51	Peak	168.00	150	Horizontal	Pass
2**	5351.540	48.33	4.97	54.0	5.67	AV	168.00	150	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.325	59.28	4.51	74.0	14.72	Peak	278.00	150	Horizontal	Pass
1**	5124.325	47.29	4.51	54.0	6.71	AV	278.00	150	Horizontal	Pass
2	5149.675	56.52	4.06	74.0	17.48	Peak	16.00	200	Horizontal	Pass
2**	5149.675	47.06	4.06	54.0	6.94	AV	16.00	200	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	60.38	5.10	74.0	13.62	Peak	30.00	200	Horizontal	Pass
1**	5350.055	50.54	5.10	54.0	3.46	AV	30.00	200	Horizontal	Pass
2	5352.805	61.11	4.89	74.0	12.89	Peak	20.00	100	Horizontal	Pass
2**	5352.805	50.78	4.89	54.0	3.22	AV	20.00	100	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.200	59.14	4.21	74.0	14.86	Peak	227.00	150	Horizontal	Pass
1**	5077.200	46.92	4.21	54.0	7.08	AV	227.00	150	Horizontal	Pass
2	5149.675	56.53	4.06	74.0	17.47	Peak	54.00	150	Horizontal	Pass
2**	5149.675	47.38	4.06	54.0	6.62	AV	54.00	150	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.28	5.11	74.0	13.72	Peak	319.00	200	Horizontal	Pass
1**	5350.000	50.22	5.11	54.0	3.78	AV	319.00	200	Horizontal	Pass
2	5352.365	61.14	4.92	74.0	12.86	Peak	116.00	100	Horizontal	Pass
2**	5352.365	49.99	4.92	54.0	4.01	AV	116.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	60.02	4.14	74.0	13.98	Peak	56.00	100	Horizontal	Pass
1**	5146.750	47.39	4.14	54.0	6.61	AV	56.00	100	Horizontal	Pass
2	5149.675	57.19	4.06	74.0	16.81	Peak	354.00	200	Horizontal	Pass
2**	5149.675	47.60	4.06	54.0	6.40	AV	354.00	200	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.07	5.10	74.0	12.93	Peak	183.00	150	Horizontal	Pass
1**	5350.055	51.54	5.10	54.0	2.46	AV	183.00	150	Horizontal	Pass
2	5351.045	62.44	4.99	74.0	11.56	Peak	116.00	150	Horizontal	Pass
2**	5351.045	51.42	4.99	54.0	2.58	AV	116.00	150	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	58.28	4.07	74.0	15.72	Peak	148.00	150	Horizontal	Pass
1**	5148.050	47.23	4.07	54.0	6.77	AV	148.00	150	Horizontal	Pass
2	5149.675	57.14	4.06	74.0	16.86	Peak	180.00	200	Horizontal	Pass
2**	5149.675	47.34	4.06	54.0	6.66	AV	180.00	200	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	60.49	5.10	74.0	13.51	Peak	18.00	100	Horizontal	Pass
1**	5350.055	50.66	5.10	54.0	3.34	AV	18.00	100	Horizontal	Pass
2	5352.090	61.56	4.93	74.0	12.44	Peak	18.00	150	Horizontal	Pass
2**	5352.090	50.22	4.93	54.0	3.78	AV	18.00	150	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5122.375	58.63	4.42	74.0	15.37	Peak	333.00	150	Horizontal	Pass
1**	5122.375	47.38	4.42	54.0	6.62	AV	333.00	150	Horizontal	Pass
2	5149.675	57.10	4.06	74.0	16.90	Peak	71.00	150	Horizontal	Pass
2**	5149.675	47.74	4.06	54.0	6.26	AV	71.00	150	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	62.89	5.10	74.0	11.11	Peak	122.00	200	Horizontal	Pass
1**	5350.055	51.44	5.10	54.0	2.56	AV	122.00	200	Horizontal	Pass
2	5350.825	63.28	5.01	74.0	10.72	Peak	187.00	100	Horizontal	Pass
2**	5350.825	52.32	5.01	54.0	1.68	AV	187.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5091.500	59.03	4.19	74.0	14.97	Peak	61.00	100	Horizontal	Pass
1**	5091.500	47.10	4.19	54.0	6.90	AV	61.00	100	Horizontal	Pass
2	5149.675	57.07	4.06	74.0	16.93	Peak	0.00	100	Horizontal	Pass
2**	5149.675	47.33	4.06	54.0	6.67	AV	0.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.88	5.10	74.0	12.12	Peak	18.00	200	Horizontal	Pass
1**	5350.055	51.77	5.10	54.0	2.23	AV	18.00	200	Horizontal	Pass
2	5358.855	64.09	4.70	74.0	9.91	Peak	31.00	100	Horizontal	Pass
2**	5358.855	50.81	4.70	54.0	3.19	AV	31.00	100	Horizontal	Pass

U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5120.425	58.38	4.41	74.0	15.62	Peak	2.00	200	Horizontal	Pass
1**	5120.425	47.08	4.41	54.0	6.92	AV	2.00	200	Horizontal	Pass
2	5149.675	56.54	4.06	74.0	17.46	Peak	31.00	200	Horizontal	Pass
2**	5149.675	47.12	4.06	54.0	6.88	AV	31.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	63.14	5.10	74.0	10.86	Peak	172.00	100	Horizontal	Pass
1**	5350.055	51.74	5.10	54.0	2.26	AV	172.00	100	Horizontal	Pass
2	5352.145	63.68	4.93	74.0	10.32	Peak	16.00	100	Horizontal	Pass
2**	5352.145	51.51	4.93	54.0	2.49	AV	16.00	100	Horizontal	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5130.175	58.48	4.41	74.0	15.52	Peak	66.00	100	Horizontal	Pass
1**	5130.175	47.59	4.41	54.0	6.41	AV	66.00	100	Horizontal	Pass
2	5149.675	56.86	4.06	74.0	17.14	Peak	190.00	200	Horizontal	Pass
2**	5149.675	47.82	4.06	54.0	6.18	AV	190.00	200	Horizontal	Pass

U-NII-2A 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.33	5.10	74.0	12.67	Peak	320.00	200	Horizontal	Pass
1**	5350.055	51.69	5.10	54.0	2.31	AV	320.00	200	Horizontal	Pass
2	5350.770	62.71	5.01	74.0	11.29	Peak	185.00	200	Horizontal	Pass
2**	5350.770	51.76	5.01	54.0	2.24	AV	185.00	200	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.200	58.54	4.50	74.0	15.46	Peak	327.00	200	Horizontal	Pass
1**	5129.200	47.70	4.50	54.0	6.30	AV	327.00	200	Horizontal	Pass
2	5149.675	56.73	4.06	74.0	17.27	Peak	61.00	100	Horizontal	Pass
2**	5149.675	47.30	4.06	54.0	6.70	AV	61.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.72	5.10	74.0	12.28	Peak	185.00	100	Horizontal	Pass
1**	5350.055	52.01	5.10	54.0	1.99	AV	185.00	100	Horizontal	Pass
2	5352.255	63.31	4.93	74.0	10.69	Peak	185.00	100	Horizontal	Pass
2**	5352.255	51.85	4.93	54.0	2.15	AV	185.00	100	Horizontal	Pass

U-NII-2A 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5098.650	59.25	4.19	74.0	14.75	Peak	69.00	100	Horizontal	Pass
1**	5098.650	46.78	4.19	54.0	7.22	AV	69.00	100	Horizontal	Pass
2	5149.675	57.07	4.06	74.0	16.93	Peak	279.00	150	Horizontal	Pass
2**	5149.675	47.05	4.06	54.0	6.95	AV	279.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.43	5.11	74.0	15.57	Peak	146.00	200	Horizontal	Pass
1**	5350.000	48.44	5.11	54.0	5.56	AV	146.00	200	Horizontal	Pass
2	5354.290	59.79	4.68	74.0	14.21	Peak	322.00	150	Horizontal	Pass
2**	5354.290	47.80	4.68	54.0	6.20	AV	322.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5089.875	58.83	4.05	74.0	15.17	Peak	119.00	150	Horizontal	Pass
1**	5089.875	46.84	4.05	54.0	7.16	AV	119.00	150	Horizontal	Pass
2	5149.675	56.65	4.06	74.0	17.35	Peak	360.00	200	Horizontal	Pass
2**	5149.675	46.95	4.06	54.0	7.05	AV	360.00	200	Horizontal	Pass

U-NII-2A 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.20	5.11	74.0	15.80	Peak	324.00	200	Horizontal	Pass
1**	5350.000	48.41	5.11	54.0	5.59	AV	324.00	200	Horizontal	Pass
2	5350.550	59.34	5.04	74.0	14.66	Peak	30.00	100	Horizontal	Pass
2**	5350.550	48.76	5.04	54.0	5.24	AV	30.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.650	58.51	4.51	74.0	15.49	Peak	27.00	200	Horizontal	Pass
1**	5124.650	47.67	4.51	54.0	6.33	AV	27.00	200	Horizontal	Pass
2	5149.675	56.93	4.06	74.0	17.07	Peak	20.00	150	Horizontal	Pass
2**	5149.675	46.90	4.06	54.0	7.10	AV	20.00	150	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.28	5.11	74.0	15.72	Peak	117.00	150	Horizontal	Pass
1**	5350.000	48.17	5.11	54.0	5.83	AV	117.00	150	Horizontal	Pass
2	5356.655	59.51	4.58	74.0	14.49	Peak	336.00	150	Horizontal	Pass
2**	5356.655	47.80	4.58	54.0	6.20	AV	336.00	150	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.700	61.73	4.24	74.0	12.27	Peak	186.00	150	Horizontal	Pass
1**	5457.700	50.05	4.24	54.0	3.95	AV	186.00	150	Horizontal	Pass
2	5459.980	60.57	4.04	74.0	13.43	Peak	324.00	100	Horizontal	Pass
2**	5459.980	50.75	4.04	54.0	3.25	AV	324.00	100	Horizontal	Pass
3	5468.020	63.59	3.97	68.2	4.61	Peak	85.00	100	Horizontal	Pass
3**	5468.020	51.93	3.97	--	--	AV	85.00	100	Horizontal	N/A
4	5469.940	62.19	4.06	68.2	6.01	Peak	256.00	150	Horizontal	Pass
4**	5469.940	53.32	4.06	--	--	AV	256.00	150	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	62.06	3.92	68.2	6.14	Peak	82.00	150	Horizontal	Pass
2	5725.562	64.44	3.89	68.2	3.76	Peak	115.00	200	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.720	62.03	4.16	74.0	11.97	Peak	184.00	200	Horizontal	Pass
1**	5458.720	51.15	4.16	54.0	2.85	AV	184.00	200	Horizontal	Pass
2	5459.980	60.79	4.04	74.0	13.21	Peak	86.00	200	Horizontal	Pass
2**	5459.980	51.33	4.04	54.0	2.67	AV	86.00	200	Horizontal	Pass
3	5469.640	63.42	4.03	68.2	4.78	Peak	184.00	150	Horizontal	Pass
3**	5469.640	53.06	4.03	--	--	AV	184.00	150	Horizontal	N/A
4	5469.940	62.08	4.06	68.2	6.12	Peak	184.00	150	Horizontal	Pass
4**	5469.940	52.87	4.06	--	--	AV	184.00	150	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.55	3.93	68.2	5.65	Peak	113.00	150	Horizontal	Pass
2	5730.438	63.74	3.66	68.2	4.46	Peak	252.00	150	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.040	63.99	4.13	74.0	10.01	Peak	20.00	150	Horizontal	Pass
1**	5454.040	50.81	4.13	54.0	3.19	AV	20.00	150	Horizontal	Pass
2	5459.980	59.90	4.04	74.0	14.10	Peak	181.00	150	Horizontal	Pass
2**	5459.980	52.25	4.04	54.0	1.75	AV	181.00	150	Horizontal	Pass
3	5466.700	65.48	3.91	68.2	2.72	Peak	186.00	150	Horizontal	Pass
3**	5466.700	53.07	3.91	--	--	AV	186.00	150	Horizontal	N/A
4	5469.940	63.50	4.06	68.2	4.70	Peak	186.00	200	Horizontal	Pass
4**	5469.940	53.70	4.06	--	--	AV	186.00	200	Horizontal	N/A
5	5458.840	60.83	4.15	74.0	13.17	Peak	181.00	150	Horizontal	Pass
5**	5458.840	52.22	4.15	54.0	1.78	AV	181.00	150	Horizontal	Pass

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.26	3.92	68.2	7.94	Peak	257.00	100	Horizontal	Pass
2	5730.937	62.07	3.71	68.2	6.13	Peak	120.00	150	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.220	63.82	4.27	74.0	10.18	Peak	126.00	200	Horizontal	Pass
1**	5457.220	50.95	4.27	54.0	3.05	AV	126.00	200	Horizontal	Pass
2	5459.980	60.24	4.04	74.0	13.76	Peak	120.00	200	Horizontal	Pass
2**	5459.980	50.91	4.04	54.0	3.09	AV	120.00	200	Horizontal	Pass
3	5464.540	64.83	3.95	68.2	3.37	Peak	183.00	100	Horizontal	Pass
3**	5464.540	52.23	3.95	--	--	AV	183.00	100	Horizontal	N/A
4	5469.940	62.11	4.06	68.2	6.09	Peak	227.00	150	Horizontal	Pass
4**	5469.940	53.05	4.06	--	--	AV	227.00	150	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.40	3.93	68.2	5.80	Peak	233.00	150	Horizontal	Pass
2	5725.687	63.88	3.88	68.2	4.32	Peak	247.00	100	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.100	63.27	4.13	74.0	10.73	Peak	240.00	100	Horizontal	Pass
1**	5454.100	51.25	4.13	54.0	2.75	AV	240.00	100	Horizontal	Pass
2	5459.980	61.98	4.04	74.0	12.02	Peak	18.00	150	Horizontal	Pass
2**	5459.980	51.54	4.04	54.0	2.46	AV	18.00	150	Horizontal	Pass
3	5469.220	65.56	4.02	68.2	2.64	Peak	184.00	200	Horizontal	Pass
3**	5469.220	53.79	4.02	--	--	AV	184.00	200	Horizontal	N/A
4	5469.940	62.17	4.06	68.2	6.03	Peak	188.00	150	Horizontal	Pass
4**	5469.940	53.63	4.06	--	--	AV	188.00	150	Horizontal	N/A
5	5457.160	61.32	4.28	74.0	12.68	Peak	115.00	150	Horizontal	Pass
5**	5457.160	52.11	4.28	54.0	1.89	AV	115.00	150	Horizontal	Pass

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.14	3.92	68.2	8.06	Peak	250.00	100	Horizontal	Pass
2	5728.187	62.15	3.63	68.2	6.05	Peak	115.00	150	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5447.920	64.61	3.88	74.0	9.39	Peak	187.00	150	Horizontal	Pass
1**	5447.920	50.25	3.88	54.0	3.75	AV	187.00	150	Horizontal	Pass
2	5459.980	60.56	4.04	74.0	13.44	Peak	324.00	200	Horizontal	Pass
2**	5459.980	51.49	4.04	54.0	2.51	AV	324.00	200	Horizontal	Pass
3	5468.320	63.04	3.98	68.2	5.16	Peak	117.00	100	Horizontal	Pass
3**	5468.320	52.31	3.98	--	--	AV	117.00	100	Horizontal	N/A
4	5469.940	61.97	4.06	68.2	6.23	Peak	117.00	100	Horizontal	Pass
4**	5469.940	53.28	4.06	--	--	AV	117.00	100	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.52	3.93	68.2	10.68	Peak	235.00	150	Horizontal	Pass
2	5793.187	59.33	4.30	68.2	8.87	Peak	286.00	100	Horizontal	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.980	62.79	4.12	74.0	11.21	Peak	114.00	100	Horizontal	Pass
1**	5453.980	50.28	4.12	54.0	3.72	AV	114.00	100	Horizontal	Pass
2	5459.980	60.85	4.04	74.0	13.15	Peak	121.00	150	Horizontal	Pass
2**	5459.980	51.18	4.04	54.0	2.82	AV	121.00	150	Horizontal	Pass
3	5466.040	64.36	3.89	68.2	3.84	Peak	184.00	150	Horizontal	Pass
3**	5466.040	52.61	3.89	--	--	AV	184.00	150	Horizontal	N/A
4	5469.940	61.39	4.06	68.2	6.81	Peak	186.00	100	Horizontal	Pass
4**	5469.940	53.96	4.06	--	--	AV	186.00	100	Horizontal	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.11	3.93	68.2	4.09	Peak	244.00	100	Horizontal	Pass
2	5725.250	65.09	3.91	68.2	3.11	Peak	113.00	100	Horizontal	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.140	62.84	4.05	74.0	11.16	Peak	117.00	200	Horizontal	Pass
1**	5453.140	50.99	4.05	54.0	3.01	AV	117.00	200	Horizontal	Pass
2	5459.980	61.04	4.04	74.0	12.96	Peak	84.00	100	Horizontal	Pass
2**	5459.980	51.46	4.04	54.0	2.54	AV	84.00	100	Horizontal	Pass
3	5468.440	63.69	3.99	68.2	4.51	Peak	184.00	150	Horizontal	Pass
3**	5468.440	53.54	3.99	--	--	AV	184.00	150	Horizontal	N/A
4	5469.940	62.79	4.06	68.2	5.41	Peak	242.00	150	Horizontal	Pass
4**	5469.940	53.19	4.06	--	--	AV	242.00	150	Horizontal	N/A
5	5457.460	61.38	4.25	74.0	12.62	Peak	89.00	150	Horizontal	Pass
5**	5457.460	52.10	4.25	54.0	1.90	AV	89.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.57	3.93	68.2	7.63	Peak	246.00	150	Horizontal	Pass
2	5726.000	62.38	3.86	68.2	5.82	Peak	247.00	100	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5448.400	63.71	3.88	74.0	10.29	Peak	184.00	100	Horizontal	Pass
1**	5448.400	49.36	3.88	54.0	4.64	AV	184.00	100	Horizontal	Pass
2	5459.980	60.74	4.04	74.0	13.26	Peak	122.00	100	Horizontal	Pass
2**	5459.980	50.74	4.04	54.0	3.26	AV	122.00	100	Horizontal	Pass
3	5467.000	63.94	3.93	68.2	4.26	Peak	184.00	150	Horizontal	Pass
3**	5467.000	51.42	3.93	--	--	AV	184.00	150	Horizontal	N/A
4	5469.940	61.93	4.06	68.2	6.27	Peak	82.00	200	Horizontal	Pass
4**	5469.940	52.08	4.06	--	--	AV	82.00	200	Horizontal	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.73	3.92	68.2	11.47	Peak	229.00	100	Horizontal	Pass
2	5844.000	59.24	5.25	68.2	8.96	Peak	61.00	100	Horizontal	Pass

U-NII-2C 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.960	60.23	4.15	74.0	13.77	Peak	121.00	150	Horizontal	Pass
1**	5458.960	48.90	4.15	54.0	5.10	AV	121.00	150	Horizontal	Pass
2	5459.980	58.25	4.04	74.0	15.75	Peak	20.00	100	Horizontal	Pass
2**	5459.980	47.75	4.04	54.0	6.25	AV	20.00	100	Horizontal	Pass
3	5460.520	59.43	3.98	68.2	8.77	Peak	185.00	150	Horizontal	Pass
3**	5460.520	47.45	3.98	--	--	AV	185.00	150	Horizontal	N/A
4	5469.940	56.44	4.06	68.2	11.76	Peak	214.00	200	Horizontal	Pass
4**	5469.940	46.60	4.06	--	--	AV	214.00	200	Horizontal	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.79	3.93	68.2	11.41	Peak	360.00	200	Horizontal	Pass
2	5820.250	59.51	4.54	68.2	8.69	Peak	241.00	100	Horizontal	Pass

U-NII-2C 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5388.460	59.34	4.44	74.0	14.66	Peak	109.00	100	Horizontal	Pass
1**	5388.460	47.22	4.44	54.0	6.78	AV	109.00	100	Horizontal	Pass
2	5459.980	56.15	4.04	74.0	17.85	Peak	259.00	100	Horizontal	Pass
2**	5459.980	46.62	4.04	54.0	7.38	AV	259.00	100	Horizontal	Pass
3	5465.380	59.00	3.88	68.2	9.20	Peak	185.00	150	Horizontal	Pass
3**	5465.380	47.03	3.88	--	--	AV	185.00	150	Horizontal	N/A
4	5469.940	55.75	4.06	68.2	12.45	Peak	237.00	150	Horizontal	Pass
4**	5469.940	46.75	4.06	--	--	AV	237.00	150	Horizontal	N/A

U-NII-2C 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.87	3.92	68.2	11.33	Peak	200.00	100	Horizontal	Pass
2	5773.188	59.20	4.41	68.2	9.00	Peak	360.00	150	Horizontal	Pass

U-NII-2C 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5422.840	59.70	4.07	74.0	14.30	Peak	124.00	100	Horizontal	Pass
1**	5422.840	47.56	4.07	54.0	6.44	AV	124.00	100	Horizontal	Pass
2	5459.980	55.97	4.04	74.0	18.03	Peak	33.00	150	Horizontal	Pass
2**	5459.980	46.44	4.04	54.0	7.56	AV	33.00	150	Horizontal	Pass
3	5463.700	57.45	4.01	68.2	10.75	Peak	360.00	100	Horizontal	Pass
3**	5463.700	46.62	4.01	--	--	AV	360.00	100	Horizontal	N/A
4	5469.940	55.78	4.06	68.2	12.42	Peak	121.00	150	Horizontal	Pass
4**	5469.940	46.70	4.06	--	--	AV	121.00	150	Horizontal	N/A

U-NII-2C 11ax80 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.68	3.93	68.2	5.52	Peak	120.00	150	Horizontal	Pass
2	5725.500	63.42	3.89	68.2	4.78	Peak	116.00	200	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.250	58.70	4.57	68.2	9.50	Peak	113.00	200	Horizontal	Pass
2	5650.000	57.46	4.48	68.2	10.74	Peak	35.00	100	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.38	4.55	68.3	10.92	Peak	105.00	100	Horizontal	Pass
2	5990.625	63.46	5.68	68.2	4.74	Peak	75.00	150	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5602.687	58.46	4.28	68.2	9.74	Peak	353.00	100	Horizontal	Pass
2	5650.000	58.51	4.48	68.2	9.69	Peak	107.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.98	4.55	68.3	11.32	Peak	232.00	100	Horizontal	Pass
2	5990.250	63.46	5.68	68.2	4.74	Peak	70.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.188	59.62	4.12	68.2	8.58	Peak	60.00	100	Horizontal	Pass
2	5650.000	56.98	4.48	68.2	11.22	Peak	269.00	200	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.31	4.55	68.3	10.99	Peak	160.00	150	Horizontal	Pass
2	5990.400	63.01	5.68	68.2	5.19	Peak	68.00	150	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5628.875	58.92	4.12	68.2	9.28	Peak	57.00	100	Horizontal	Pass
2	5650.000	58.42	4.48	68.2	9.78	Peak	84.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.71	4.55	68.3	10.59	Peak	322.00	100	Horizontal	Pass
2	5990.175	63.42	5.68	68.2	4.78	Peak	73.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.437	59.48	4.29	68.2	8.72	Peak	153.00	200	Horizontal	Pass
2	5650.000	58.22	4.48	68.2	9.98	Peak	16.00	100	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	59.64	4.55	68.3	8.66	Peak	352.00	150	Horizontal	Pass
2	5990.175	62.85	5.68	68.2	5.35	Peak	69.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.125	62.16	4.37	68.2	6.04	Peak	53.00	100	Horizontal	Pass
2	5650.000	59.94	4.48	68.2	8.26	Peak	53.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.97	4.55	68.3	10.33	Peak	353.00	150	Horizontal	Pass
2	5990.250	63.43	5.68	68.2	4.77	Peak	76.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.625	58.88	4.48	68.2	9.32	Peak	338.00	150	Horizontal	Pass
2	5650.000	58.52	4.48	68.2	9.68	Peak	208.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	59.17	4.55	68.3	9.13	Peak	360.00	150	Horizontal	Pass
2	5990.475	62.50	5.68	68.2	5.70	Peak	67.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.563	59.97	4.30	68.2	8.23	Peak	51.00	200	Horizontal	Pass
2	5650.000	58.62	4.48	68.2	9.58	Peak	61.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.00	4.55	68.3	10.30	Peak	0.00	150	Horizontal	Pass
2	5990.400	64.17	5.68	68.2	4.03	Peak	75.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.625	61.96	4.48	68.2	6.24	Peak	60.00	200	Horizontal	Pass
2	5650.000	59.21	4.48	68.2	8.99	Peak	86.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.96	4.55	68.3	10.34	Peak	215.00	200	Horizontal	Pass
2	5990.400	63.65	5.68	68.2	4.55	Peak	80.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.438	59.86	5.01	68.2	8.34	Peak	124.00	150	Horizontal	Pass
2	5650.000	57.44	4.41	68.2	10.76	Peak	237.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.85	3.49	68.3	11.45	Peak	239.00	100	Horizontal	Pass
2	5982.075	58.12	3.64	68.2	10.08	Peak	163.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5604.625	60.08	5.02	68.2	8.12	Peak	212.00	100	Horizontal	Pass
2	5650.000	57.38	4.41	68.2	10.82	Peak	236.00	100	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.00	3.49	68.3	12.30	Peak	281.00	200	Horizontal	Pass
2	5940.825	58.87	4.41	68.2	9.33	Peak	131.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.812	60.28	4.29	68.2	7.92	Peak	277.00	100	Horizontal	Pass
2	5650.000	56.63	4.41	68.2	11.57	Peak	265.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.34	3.49	68.3	11.96	Peak	26.00	200	Horizontal	Pass
2	5963.175	61.00	3.78	68.2	7.20	Peak	180.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5443.720	59.09	5.49	74.0	14.91	Peak	274.00	100	Horizontal	Pass
1**	5443.720	48.00	5.49	54.0	6.00	AV	274.00	100	Horizontal	Pass
2	5459.980	57.34	5.37	74.0	16.66	Peak	157.00	100	Horizontal	Pass
2**	5459.980	47.93	5.37	54.0	6.07	AV	157.00	100	Horizontal	Pass
3	5461.420	59.01	5.44	68.2	9.19	Peak	87.00	100	Horizontal	Pass
3**	5461.420	47.76	5.44	--	--	AV	87.00	100	Horizontal	N/A
4	5469.940	56.76	5.05	68.2	11.44	Peak	138.00	150	Horizontal	Pass
4**	5469.940	47.50	5.05	--	--	AV	138.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.24	4.55	68.3	11.06	Peak	324.00	150	Horizontal	Pass
2	5990.325	63.32	5.68	68.2	4.88	Peak	86.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5385.100	59.32	4.68	74.0	14.68	Peak	68.00	150	Horizontal	Pass
1**	5385.100	47.27	4.68	54.0	6.73	AV	68.00	150	Horizontal	Pass
2	5459.980	57.16	5.37	74.0	16.84	Peak	259.00	100	Horizontal	Pass
2**	5459.980	48.08	5.37	54.0	5.92	AV	259.00	100	Horizontal	Pass
3	5462.080	58.58	5.35	68.2	9.62	Peak	269.00	200	Horizontal	Pass
3**	5462.080	47.70	5.35	--	--	AV	269.00	200	Horizontal	N/A
4	5469.940	58.11	5.05	68.2	10.09	Peak	249.00	100	Horizontal	Pass
4**	5469.940	47.46	5.05	--	--	AV	249.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.08	4.55	68.3	11.22	Peak	141.00	100	Horizontal	Pass
2	5990.025	61.70	5.68	68.2	6.50	Peak	84.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.220	59.51	5.60	74.0	14.49	Peak	46.00	150	Horizontal	Pass
1**	5454.220	48.05	5.60	54.0	5.95	AV	46.00	150	Horizontal	Pass
2	5459.980	58.45	5.37	74.0	15.55	Peak	185.00	150	Horizontal	Pass
2**	5459.980	47.67	5.37	54.0	6.33	AV	185.00	150	Horizontal	Pass
3	5461.540	58.88	5.43	68.2	9.32	Peak	208.00	100	Horizontal	Pass
3**	5461.540	47.76	5.43	--	--	AV	208.00	100	Horizontal	N/A
4	5469.940	58.16	5.05	68.2	10.04	Peak	167.00	200	Horizontal	Pass
4**	5469.940	47.48	5.05	--	--	AV	167.00	200	Horizontal	N/A

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.23	4.55	68.3	11.07	Peak	219.00	150	Horizontal	Pass
2	5990.100	61.07	5.68	68.2	7.13	Peak	68.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.540	59.49	5.34	74.0	14.51	Peak	248.00	100	Horizontal	Pass
1**	5446.540	47.74	5.34	54.0	6.26	AV	248.00	100	Horizontal	Pass
2	5459.980	57.20	5.37	74.0	16.80	Peak	360.00	150	Horizontal	Pass
2**	5459.980	47.55	5.37	54.0	6.45	AV	360.00	150	Horizontal	Pass
3	5463.700	59.03	5.17	68.2	9.17	Peak	358.00	100	Horizontal	Pass
3**	5463.700	47.31	5.17	--	--	AV	358.00	100	Horizontal	N/A
4	5469.940	57.58	5.05	68.2	10.62	Peak	353.00	100	Horizontal	Pass
4**	5469.940	47.61	5.05	--	--	AV	353.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.03	4.55	68.3	11.27	Peak	237.00	100	Horizontal	Pass
2	5990.700	61.97	5.69	68.2	6.23	Peak	79.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5448.640	58.92	5.45	74.0	15.08	Peak	212.00	100	Horizontal	Pass
1**	5448.640	47.78	5.45	54.0	6.22	AV	212.00	100	Horizontal	Pass
2	5459.980	56.84	5.37	74.0	17.16	Peak	290.00	150	Horizontal	Pass
2**	5459.980	47.69	5.37	54.0	6.31	AV	290.00	150	Horizontal	Pass
3	5460.280	58.48	5.39	68.2	9.72	Peak	0.00	200	Horizontal	Pass
3**	5460.280	47.89	5.39	--	--	AV	0.00	200	Horizontal	N/A
4	5469.940	58.18	5.05	68.2	10.02	Peak	351.00	150	Horizontal	Pass
4**	5469.940	47.59	5.05	--	--	AV	351.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.34	4.55	68.3	10.96	Peak	323.00	100	Horizontal	Pass
2	5990.250	62.08	5.68	68.2	6.12	Peak	81.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.560	59.34	5.58	74.0	14.66	Peak	238.00	200	Horizontal	Pass
1**	5444.560	47.83	5.58	54.0	6.17	AV	238.00	200	Horizontal	Pass
2	5459.980	58.64	5.37	74.0	15.36	Peak	84.00	200	Horizontal	Pass
2**	5459.980	47.67	5.37	54.0	6.33	AV	84.00	200	Horizontal	Pass
3	5464.900	58.53	5.19	68.2	9.67	Peak	314.00	100	Horizontal	Pass
3**	5464.900	47.54	5.19	--	--	AV	314.00	100	Horizontal	N/A
4	5469.940	57.02	5.05	68.2	11.18	Peak	164.00	200	Horizontal	Pass
4**	5469.940	47.87	5.05	--	--	AV	164.00	200	Horizontal	N/A

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.76	4.55	68.3	11.54	Peak	19.00	150	Horizontal	Pass
2	5990.250	62.27	5.68	68.2	5.93	Peak	76.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.860	58.90	5.71	74.0	15.10	Peak	45.00	100	Horizontal	Pass
1**	5456.860	48.06	5.71	54.0	5.94	AV	45.00	100	Horizontal	Pass
2	5459.980	57.90	5.37	74.0	16.10	Peak	122.00	200	Horizontal	Pass
2**	5459.980	47.67	5.37	54.0	6.33	AV	122.00	200	Horizontal	Pass
3	5465.620	58.81	5.20	68.2	9.39	Peak	110.00	200	Horizontal	Pass
3**	5465.620	47.76	5.20	--	--	AV	110.00	200	Horizontal	N/A
4	5469.940	58.23	5.05	68.2	9.97	Peak	322.00	100	Horizontal	Pass
4**	5469.940	47.49	5.05	--	--	AV	322.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.86	4.55	68.3	10.44	Peak	190.00	200	Horizontal	Pass
2	5990.325	62.75	5.68	68.2	5.45	Peak	77.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.920	59.44	5.71	74.0	14.56	Peak	360.00	200	Horizontal	Pass
1**	5456.920	48.11	5.71	54.0	5.89	AV	360.00	200	Horizontal	Pass
2	5459.980	56.85	5.37	74.0	17.15	Peak	144.00	100	Horizontal	Pass
2**	5459.980	47.65	5.37	54.0	6.35	AV	144.00	100	Horizontal	Pass
3	5463.760	58.75	5.17	68.2	9.45	Peak	265.00	200	Horizontal	Pass
3**	5463.760	47.28	5.17	--	--	AV	265.00	200	Horizontal	N/A
4	5469.940	56.89	5.05	68.2	11.31	Peak	50.00	150	Horizontal	Pass
4**	5469.940	47.63	5.05	--	--	AV	50.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.24	4.55	68.3	11.06	Peak	331.00	150	Horizontal	Pass
2	5990.100	61.43	5.68	68.2	6.77	Peak	78.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.320	59.01	5.65	74.0	14.99	Peak	253.00	150	Horizontal	Pass
1**	5453.320	47.82	5.65	54.0	6.18	AV	253.00	150	Horizontal	Pass
2	5459.980	57.32	5.37	74.0	16.68	Peak	192.00	150	Horizontal	Pass
2**	5459.980	47.48	5.37	54.0	6.52	AV	192.00	150	Horizontal	Pass
3	5467.480	58.85	4.90	68.2	9.35	Peak	60.00	150	Horizontal	Pass
3**	5467.480	47.32	4.90	--	--	AV	60.00	150	Horizontal	N/A
4	5469.940	57.51	5.05	68.2	10.69	Peak	256.00	150	Horizontal	Pass
4**	5469.940	47.55	5.05	--	--	AV	256.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.96	4.55	68.3	11.34	Peak	240.00	200	Horizontal	Pass
2	5990.775	61.95	5.69	68.2	6.25	Peak	86.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5377.600	59.13	4.78	74.0	14.87	Peak	77.00	200	Horizontal	Pass
1**	5377.600	47.98	4.78	54.0	6.02	AV	77.00	200	Horizontal	Pass
2	5459.980	56.97	4.04	74.0	17.03	Peak	355.00	200	Horizontal	Pass
2**	5459.980	46.55	4.04	54.0	7.45	AV	355.00	200	Horizontal	Pass
3	5466.760	58.06	3.92	68.2	10.14	Peak	331.00	150	Horizontal	Pass
3**	5466.760	46.34	3.92	--	--	AV	331.00	150	Horizontal	N/A
4	5469.940	55.73	4.06	68.2	12.47	Peak	140.00	100	Horizontal	Pass
4**	5469.940	46.50	4.06	--	--	AV	140.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.93	3.49	68.3	12.37	Peak	128.00	200	Horizontal	Pass
2	5937.600	58.23	4.26	68.2	9.97	Peak	114.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5396.680	59.56	4.74	74.0	14.44	Peak	26.00	100	Horizontal	Pass
1**	5396.680	47.89	4.74	54.0	6.11	AV	26.00	100	Horizontal	Pass
2	5459.980	55.85	4.04	74.0	18.15	Peak	183.00	100	Horizontal	Pass
2**	5459.980	46.51	4.04	54.0	7.49	AV	183.00	100	Horizontal	Pass
3	5465.020	57.46	3.91	68.2	10.74	Peak	163.00	200	Horizontal	Pass
3**	5465.020	46.33	3.91	--	--	AV	163.00	200	Horizontal	N/A
4	5469.940	56.24	4.06	68.2	11.96	Peak	134.00	200	Horizontal	Pass
4**	5469.940	47.21	4.06	--	--	AV	134.00	200	Horizontal	N/A

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.21	3.49	68.3	12.09	Peak	215.00	150	Horizontal	Pass
2	5947.050	58.85	4.00	68.2	9.35	Peak	272.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5378.920	59.04	4.84	74.0	14.96	Peak	87.00	100	Horizontal	Pass
1**	5378.920	47.61	4.84	54.0	6.39	AV	87.00	100	Horizontal	Pass
2	5459.980	55.56	4.04	74.0	18.44	Peak	128.00	150	Horizontal	Pass
2**	5459.980	46.55	4.04	54.0	7.45	AV	128.00	150	Horizontal	Pass
3	5461.900	57.22	3.93	68.2	10.98	Peak	173.00	150	Horizontal	Pass
3**	5461.900	46.42	3.93	--	--	AV	173.00	150	Horizontal	N/A
4	5469.940	56.52	4.06	68.2	11.68	Peak	106.00	100	Horizontal	Pass
4**	5469.940	46.72	4.06	--	--	AV	106.00	100	Horizontal	N/A


U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.21	3.49	68.3	12.09	Peak	43.00	100	Horizontal	Pass
2	5939.550	59.08	4.39	68.2	9.12	Peak	148.00	150	Horizontal	Pass


Aux. Antenna

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	62.24	4.06	74.0	11.76	Peak	354.00	150	Horizontal	Pass
1**	5149.675	51.85	4.06	54.0	2.15	AV	354.00	150	Horizontal	Pass
2	5149.675	62.24	4.06	74.0	11.76	Peak	354.00	200	Horizontal	Pass
2**	5149.675	51.85	4.06	54.0	2.15	AV	354.00	200	Horizontal	Pass
3	5150.000	61.04	4.07	74.0	12.96	Peak	218.00	150	Horizontal	Pass
3**	5150.000	52.63	4.07	54.0	1.37	AV	218.00	150	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.30	5.10	74.0	15.70	Peak	274.00	150	Horizontal	Pass
1**	5350.055	48.39	5.10	54.0	5.61	AV	274.00	150	Horizontal	Pass
2	5354.290	59.53	4.68	74.0	14.47	Peak	269.00	200	Horizontal	Pass
2**	5354.290	47.96	4.68	54.0	6.04	AV	269.00	200	Horizontal	Pass
3	5384.834	55.96	2.22	74.0	18.04	Peak	22.00	150	Horizontal	Pass
3**	5384.834	46.35	2.22	54.0	7.65	AV	22.00	150	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.375	63.80	4.05	74.0	10.20	Peak	355.00	200	Horizontal	Pass
1**	5148.375	52.72	4.05	54.0	1.28	AV	355.00	200	Horizontal	Pass
2	5149.675	61.92	4.06	74.0	12.08	Peak	355.00	100	Horizontal	Pass
2**	5149.675	53.00	4.06	54.0	1.00	AV	355.00	100	Horizontal	Pass
3	5149.675	61.92	4.06	74.0	12.08	Peak	355.00	150	Horizontal	Pass
3**	5149.675	53.00	4.06	54.0	1.00	AV	355.00	150	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	60.13	5.10	74.0	13.87	Peak	305.00	150	Horizontal	Pass
1**	5350.055	48.83	5.10	54.0	5.17	AV	305.00	150	Horizontal	Pass
2	5350.660	60.06	5.03	74.0	13.94	Peak	18.00	100	Horizontal	Pass
2**	5350.660	48.37	5.03	54.0	5.63	AV	18.00	100	Horizontal	Pass
3	5387.950	55.98	1.99	74.0	18.02	Peak	355.00	100	Horizontal	Pass
3**	5387.950	46.42	1.99	54.0	7.58	AV	355.00	100	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5138.300	60.58	3.84	74.0	13.42	Peak	357.00	100	Horizontal	Pass
1**	5138.300	49.32	3.84	54.0	4.68	AV	357.00	100	Horizontal	Pass
2	5149.675	60.05	4.06	74.0	13.95	Peak	208.00	200	Horizontal	Pass
2**	5149.675	50.46	4.06	54.0	3.54	AV	208.00	200	Horizontal	Pass
3	5148.050	59.67	4.07	74.0	14.33	Peak	259.00	150	Horizontal	Pass
3**	5148.050	50.80	4.07	54.0	3.20	AV	259.00	150	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.26	5.11	74.0	15.74	Peak	154.00	200	Horizontal	Pass
1**	5350.000	48.64	5.11	54.0	5.36	AV	154.00	200	Horizontal	Pass
2	5350.660	59.90	5.03	74.0	14.10	Peak	261.00	150	Horizontal	Pass
2**	5350.660	48.41	5.03	54.0	5.59	AV	261.00	150	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.500	63.19	4.06	74.0	10.81	Peak	316.00	150	Horizontal	Pass
1**	5149.500	52.97	4.06	54.0	1.03	AV	316.00	150	Horizontal	Pass
2	5149.675	63.18	4.06	74.0	10.82	Peak	356.00	150	Horizontal	Pass
2**	5149.675	53.00	4.06	54.0	1.00	AV	356.00	150	Horizontal	Pass
3	5149.675	63.18	4.06	74.0	10.82	Peak	356.00	150	Horizontal	Pass
3**	5149.675	53.00	4.06	54.0	1.00	AV	356.00	150	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.18	5.11	74.0	15.82	Peak	120.00	100	Horizontal	Pass
1**	5350.000	48.44	5.11	54.0	5.56	AV	120.00	100	Horizontal	Pass
2	5350.990	59.86	5.00	74.0	14.14	Peak	83.00	100	Horizontal	Pass
2**	5350.990	48.61	5.00	54.0	5.39	AV	83.00	100	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.000	60.48	3.93	74.0	13.52	Peak	224.00	150	Horizontal	Pass
1**	5137.000	49.31	3.93	54.0	4.69	AV	224.00	150	Horizontal	Pass
2	5149.675	58.23	4.06	74.0	15.77	Peak	300.00	200	Horizontal	Pass
2**	5149.675	50.68	4.06	54.0	3.32	AV	300.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.88	5.10	74.0	16.12	Peak	360.00	150	Horizontal	Pass
1**	5350.055	48.48	5.10	54.0	5.52	AV	360.00	150	Horizontal	Pass
2	5378.160	59.41	4.87	74.0	14.59	Peak	209.00	200	Horizontal	Pass
2**	5378.160	48.23	4.87	54.0	5.77	AV	209.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.575	62.61	4.52	74.0	11.39	Peak	8.00	150	Horizontal	Pass
1**	5127.575	50.49	4.52	54.0	3.51	AV	8.00	150	Horizontal	Pass
2	5149.675	60.14	4.06	74.0	13.86	Peak	354.00	150	Horizontal	Pass
2**	5149.675	50.97	4.06	54.0	3.03	AV	354.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.33	5.10	74.0	15.67	Peak	210.00	100	Horizontal	Pass
1**	5350.055	48.41	5.10	54.0	5.59	AV	210.00	100	Horizontal	Pass
2	5396.475	59.59	4.73	74.0	14.41	Peak	161.00	200	Horizontal	Pass
2**	5396.475	48.27	4.73	54.0	5.73	AV	161.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	63.11	4.03	74.0	10.89	Peak	210.00	200	Horizontal	Pass
1**	5148.700	52.41	4.03	54.0	1.59	AV	210.00	200	Horizontal	Pass
2	5149.675	62.76	4.06	74.0	11.24	Peak	298.00	150	Horizontal	Pass
2**	5149.675	52.57	4.06	54.0	1.43	AV	298.00	150	Horizontal	Pass
3	5150.000	63.12	4.07	74.0	10.88	Peak	298.00	150	Horizontal	Pass
3**	5150.000	53.00	4.07	54.0	1.00	AV	298.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.40	5.11	74.0	15.60	Peak	234.00	200	Horizontal	Pass
1**	5350.000	48.63	5.11	54.0	5.37	AV	234.00	200	Horizontal	Pass
2	5359.130	59.59	4.72	74.0	14.41	Peak	266.00	150	Horizontal	Pass
2**	5359.130	48.02	4.72	54.0	5.98	AV	266.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	64.24	4.04	74.0	9.76	Peak	0.00	150	Horizontal	Pass
1**	5149.350	51.16	4.04	54.0	2.84	AV	0.00	150	Horizontal	Pass
2	5149.675	60.86	4.06	74.0	13.14	Peak	207.00	150	Horizontal	Pass
2**	5149.675	50.21	4.06	54.0	3.79	AV	207.00	150	Horizontal	Pass
3	5149.350	64.24	4.04	74.0	9.76	Peak	0.00	150	Horizontal	Pass
3**	5149.350	51.16	4.04	54.0	2.84	AV	0.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.46	5.11	74.0	15.54	Peak	123.00	100	Horizontal	Pass
1**	5350.000	48.51	5.11	54.0	5.49	AV	123.00	100	Horizontal	Pass
2	5354.400	59.91	4.66	74.0	14.09	Peak	62.00	100	Horizontal	Pass
2**	5354.400	48.09	4.66	54.0	5.91	AV	62.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.225	62.51	4.51	74.0	11.49	Peak	206.00	150	Horizontal	Pass
1**	5128.225	51.61	4.51	54.0	2.39	AV	206.00	150	Horizontal	Pass
2	5149.675	61.78	4.06	74.0	12.22	Peak	206.00	200	Horizontal	Pass
2**	5149.675	52.80	4.06	54.0	1.20	AV	206.00	200	Horizontal	Pass
3	5144.800	61.08	3.93	74.0	12.92	Peak	204.00	150	Horizontal	Pass
3**	5144.800	52.77	3.93	54.0	1.23	AV	204.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.94	5.11	74.0	15.06	Peak	210.00	150	Horizontal	Pass
1**	5350.000	48.47	5.11	54.0	5.53	AV	210.00	150	Horizontal	Pass
2	5406.155	60.00	4.60	74.0	14.00	Peak	64.00	150	Horizontal	Pass
2**	5406.155	47.96	4.60	54.0	6.04	AV	64.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	64.12	4.09	74.0	9.88	Peak	354.00	200	Horizontal	Pass
1**	5147.725	49.26	4.09	54.0	4.74	AV	354.00	200	Horizontal	Pass
2	5149.675	58.26	4.06	74.0	15.74	Peak	360.00	150	Horizontal	Pass
2**	5149.675	48.54	4.06	54.0	5.46	AV	360.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.94	5.10	74.0	15.06	Peak	124.00	100	Horizontal	Pass
1**	5350.055	48.23	5.10	54.0	5.77	AV	124.00	100	Horizontal	Pass
2	5350.880	59.09	5.00	74.0	14.91	Peak	310.00	200	Horizontal	Pass
2**	5350.880	48.25	5.00	54.0	5.75	AV	310.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	62.30	4.14	74.0	11.70	Peak	263.00	100	Horizontal	Pass
1**	5146.750	48.29	4.14	54.0	5.71	AV	263.00	100	Horizontal	Pass
2	5149.675	59.08	4.06	74.0	14.92	Peak	342.00	150	Horizontal	Pass
2**	5149.675	47.27	4.06	54.0	6.73	AV	342.00	150	Horizontal	Pass

U-NII-1 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.92	5.10	74.0	16.08	Peak	22.00	150	Horizontal	Pass
1**	5350.055	48.25	5.10	54.0	5.75	AV	22.00	150	Horizontal	Pass
2	5396.750	59.13	4.74	74.0	14.87	Peak	15.00	150	Horizontal	Pass
2**	5396.750	47.49	4.74	54.0	6.51	AV	15.00	150	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	58.66	4.04	74.0	15.34	Peak	0.00	200	Horizontal	Pass
1**	5149.350	47.18	4.04	54.0	6.82	AV	0.00	200	Horizontal	Pass
2	5149.675	56.46	4.06	74.0	17.54	Peak	338.00	200	Horizontal	Pass
2**	5149.675	47.09	4.06	54.0	6.91	AV	338.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.71	5.10	74.0	15.29	Peak	283.00	150	Horizontal	Pass
1**	5350.055	48.61	5.10	54.0	5.39	AV	283.00	150	Horizontal	Pass
2	5376.125	59.16	4.57	74.0	14.84	Peak	318.00	200	Horizontal	Pass
2**	5376.125	47.63	4.57	54.0	6.37	AV	318.00	200	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5120.425	58.90	4.41	74.0	15.10	Peak	257.00	150	Horizontal	Pass
1**	5120.425	47.17	4.41	54.0	6.83	AV	257.00	150	Horizontal	Pass
2	5149.675	56.12	4.06	74.0	17.88	Peak	167.00	150	Horizontal	Pass
2**	5149.675	47.24	4.06	54.0	6.76	AV	167.00	150	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.88	5.11	74.0	12.12	Peak	261.00	200	Horizontal	Pass
1**	5350.000	52.19	5.11	54.0	1.81	AV	261.00	200	Horizontal	Pass
2	5350.275	62.57	5.08	74.0	11.43	Peak	266.00	200	Horizontal	Pass
2**	5350.275	52.40	5.08	54.0	1.60	AV	266.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.025	58.22	3.99	74.0	15.78	Peak	298.00	150	Horizontal	Pass
1**	5136.025	47.02	3.99	54.0	6.98	AV	298.00	150	Horizontal	Pass
2	5149.675	56.83	4.06	74.0	17.17	Peak	120.00	100	Horizontal	Pass
2**	5149.675	47.25	4.06	54.0	6.75	AV	120.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.38	5.10	74.0	12.62	Peak	267.00	200	Horizontal	Pass
1**	5350.055	52.55	5.10	54.0	1.45	AV	267.00	200	Horizontal	Pass
2	5350.660	62.68	5.03	74.0	11.32	Peak	258.00	200	Horizontal	Pass
2**	5350.660	52.39	5.03	54.0	1.61	AV	258.00	200	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.875	58.55	4.50	74.0	15.45	Peak	165.00	100	Horizontal	Pass
1**	5128.875	47.44	4.50	54.0	6.56	AV	165.00	100	Horizontal	Pass
2	5149.675	57.27	4.06	74.0	16.73	Peak	10.00	200	Horizontal	Pass
2**	5149.675	47.48	4.06	54.0	6.52	AV	10.00	200	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	62.12	5.10	74.0	11.88	Peak	156.00	100	Horizontal	Pass
1**	5350.055	51.91	5.10	54.0	2.09	AV	156.00	100	Horizontal	Pass
2	5350.275	63.86	5.08	74.0	10.14	Peak	261.00	150	Horizontal	Pass
2**	5350.275	51.34	5.08	54.0	2.66	AV	261.00	150	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5093.125	58.58	4.16	74.0	15.42	Peak	251.00	150	Horizontal	Pass
1**	5093.125	46.95	4.16	54.0	7.05	AV	251.00	150	Horizontal	Pass
2	5149.675	56.51	4.06	74.0	17.49	Peak	0.00	200	Horizontal	Pass
2**	5149.675	47.18	4.06	54.0	6.82	AV	0.00	200	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.29	5.11	74.0	11.71	Peak	300.00	100	Horizontal	Pass
1**	5350.000	52.24	5.11	54.0	1.76	AV	300.00	100	Horizontal	Pass
2	5353.190	62.48	4.84	74.0	11.52	Peak	266.00	200	Horizontal	Pass
2**	5353.190	51.56	4.84	54.0	2.44	AV	266.00	200	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5130.175	59.55	4.41	74.0	14.45	Peak	234.00	150	Horizontal	Pass
1**	5130.175	47.76	4.41	54.0	6.24	AV	234.00	150	Horizontal	Pass
2	5149.675	57.41	4.06	74.0	16.59	Peak	205.00	150	Horizontal	Pass
2**	5149.675	47.78	4.06	54.0	6.22	AV	205.00	150	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.95	5.11	74.0	12.05	Peak	265.00	150	Horizontal	Pass
1**	5350.000	51.30	5.11	54.0	2.70	AV	265.00	150	Horizontal	Pass
2	5352.750	65.07	4.90	74.0	8.93	Peak	260.00	100	Horizontal	Pass
2**	5352.750	50.81	4.90	54.0	3.19	AV	260.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5082.400	58.24	4.13	74.0	15.76	Peak	214.00	150	Horizontal	Pass
1**	5082.400	47.16	4.13	54.0	6.84	AV	214.00	150	Horizontal	Pass
2	5149.675	56.84	4.06	74.0	17.16	Peak	253.00	100	Horizontal	Pass
2**	5149.675	47.45	4.06	54.0	6.55	AV	253.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.37	5.11	74.0	12.63	Peak	195.00	200	Horizontal	Pass
1**	5350.000	52.53	5.11	54.0	1.47	AV	195.00	200	Horizontal	Pass
2	5354.565	64.37	4.63	74.0	9.63	Peak	237.00	100	Horizontal	Pass
2**	5354.565	52.24	4.63	54.0	1.76	AV	237.00	100	Horizontal	Pass

U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5120.100	58.71	4.44	74.0	15.29	Peak	44.00	200	Horizontal	Pass
1**	5120.100	47.35	4.44	54.0	6.65	AV	44.00	200	Horizontal	Pass
2	5149.675	57.47	4.06	74.0	16.53	Peak	261.00	100	Horizontal	Pass
2**	5149.675	46.93	4.06	54.0	7.07	AV	261.00	100	Horizontal	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.39	5.10	74.0	12.61	Peak	262.00	200	Horizontal	Pass
1**	5350.055	51.74	5.10	54.0	2.26	AV	262.00	200	Horizontal	Pass
2	5350.220	63.19	5.08	74.0	10.81	Peak	270.00	100	Horizontal	Pass
2**	5350.220	52.29	5.08	54.0	1.71	AV	270.00	100	Horizontal	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.850	58.45	4.48	74.0	15.55	Peak	147.00	200	Horizontal	Pass
1**	5129.850	47.37	4.48	54.0	6.63	AV	147.00	200	Horizontal	Pass
2	5149.675	57.23	4.06	74.0	16.77	Peak	338.00	100	Horizontal	Pass
2**	5149.675	47.77	4.06	54.0	6.23	AV	338.00	100	Horizontal	Pass

U-NII-2A 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	63.71	5.10	74.0	10.29	Peak	265.00	150	Horizontal	Pass
1**	5350.055	51.32	5.10	54.0	2.68	AV	265.00	150	Horizontal	Pass
2	5352.200	63.58	4.93	74.0	10.42	Peak	260.00	200	Horizontal	Pass
2**	5352.200	50.91	4.93	54.0	3.09	AV	260.00	200	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5107.425	59.24	4.43	74.0	14.76	Peak	166.00	150	Horizontal	Pass
1**	5107.425	47.36	4.43	54.0	6.64	AV	166.00	150	Horizontal	Pass
2	5149.675	56.54	4.06	74.0	17.46	Peak	360.00	200	Horizontal	Pass
2**	5149.675	47.39	4.06	54.0	6.61	AV	360.00	200	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.40	5.10	74.0	12.60	Peak	267.00	200	Horizontal	Pass
1**	5350.055	52.01	5.10	54.0	1.99	AV	267.00	200	Horizontal	Pass
2	5350.220	63.62	5.08	74.0	10.38	Peak	263.00	200	Horizontal	Pass
2**	5350.220	52.26	5.08	54.0	1.74	AV	263.00	200	Horizontal	Pass

U-NII-2A 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.400	58.73	4.11	74.0	15.27	Peak	61.00	150	Horizontal	Pass
1**	5147.400	47.12	4.11	54.0	6.88	AV	61.00	150	Horizontal	Pass
2	5149.675	55.91	4.06	74.0	18.09	Peak	170.00	200	Horizontal	Pass
2**	5149.675	47.18	4.06	54.0	6.82	AV	170.00	200	Horizontal	Pass

U-NII-2A 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.77	5.10	74.0	15.23	Peak	125.00	100	Horizontal	Pass
1**	5350.055	48.41	5.10	54.0	5.59	AV	125.00	100	Horizontal	Pass
2	5350.110	60.30	5.10	74.0	13.70	Peak	157.00	150	Horizontal	Pass
2**	5350.110	48.28	5.10	54.0	5.72	AV	157.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.800	58.22	4.08	74.0	15.78	Peak	206.00	150	Horizontal	Pass
1**	5131.800	47.16	4.08	54.0	6.84	AV	206.00	150	Horizontal	Pass
2	5149.675	56.90	4.06	74.0	17.10	Peak	0.00	200	Horizontal	Pass
2**	5149.675	46.97	4.06	54.0	7.03	AV	0.00	200	Horizontal	Pass

U-NII-2A 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.89	5.11	74.0	15.11	Peak	11.00	150	Horizontal	Pass
1**	5350.000	48.37	5.11	54.0	5.63	AV	11.00	150	Horizontal	Pass
2	5358.580	59.49	4.68	74.0	14.51	Peak	266.00	100	Horizontal	Pass
2**	5358.580	48.03	4.68	54.0	5.97	AV	266.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5110.025	58.37	4.50	74.0	15.63	Peak	344.00	200	Horizontal	Pass
1**	5110.025	47.15	4.50	54.0	6.85	AV	344.00	200	Horizontal	Pass
2	5149.675	57.63	4.06	74.0	16.37	Peak	63.00	200	Horizontal	Pass
2**	5149.675	47.06	4.06	54.0	6.94	AV	63.00	200	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.02	5.11	74.0	14.98	Peak	269.00	200	Horizontal	Pass
1**	5350.000	48.26	5.11	54.0	5.74	AV	269.00	200	Horizontal	Pass
2	5353.740	60.17	4.76	74.0	13.83	Peak	261.00	100	Horizontal	Pass
2**	5353.740	48.03	4.76	54.0	5.97	AV	261.00	100	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.900	62.61	4.15	74.0	11.39	Peak	128.00	100	Horizontal	Pass
1**	5458.900	50.78	4.15	54.0	3.22	AV	128.00	100	Horizontal	Pass
2	5459.980	60.15	4.04	74.0	13.85	Peak	262.00	150	Horizontal	Pass
2**	5459.980	51.11	4.04	54.0	2.89	AV	262.00	150	Horizontal	Pass
3	5469.640	64.00	4.03	68.2	4.20	Peak	4.00	150	Horizontal	Pass
3**	5469.640	53.62	4.03	--	--	AV	4.00	150	Horizontal	N/A
4	5469.940	63.56	4.06	68.2	4.64	Peak	196.00	100	Horizontal	Pass
4**	5469.940	53.19	4.06	--	--	AV	196.00	100	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	61.25	3.92	68.2	6.95	Peak	202.00	150	Horizontal	Pass
2	5725.375	63.74	3.90	68.2	4.46	Peak	263.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.900	62.54	4.24	74.0	11.46	Peak	5.00	200	Horizontal	Pass
1**	5455.900	50.28	4.24	54.0	3.72	AV	5.00	200	Horizontal	Pass
2	5459.980	60.10	4.04	74.0	13.90	Peak	263.00	100	Horizontal	Pass
2**	5459.980	51.21	4.04	54.0	2.79	AV	263.00	100	Horizontal	Pass
3	5468.980	64.05	4.01	68.2	4.15	Peak	266.00	200	Horizontal	Pass
3**	5468.980	53.22	4.01	--	--	AV	266.00	200	Horizontal	N/A
4	5469.940	62.62	4.06	68.2	5.58	Peak	124.00	150	Horizontal	Pass
4**	5469.940	53.43	4.06	--	--	AV	124.00	150	Horizontal	N/A

U-NII-2C 11n20 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.42	3.93	68.2	8.78	Peak	315.00	200	Horizontal	Pass
2	5725.625	62.70	3.88	68.2	5.50	Peak	137.00	150	Horizontal	Pass

U-NII-2C 11n40 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.800	65.38	4.06	74.0	8.62	Peak	196.00	150	Horizontal	Pass
1**	5459.800	51.68	4.06	54.0	2.32	AV	196.00	150	Horizontal	Pass
2	5459.980	63.59	4.04	74.0	10.41	Peak	301.00	150	Horizontal	Pass
2**	5459.980	51.96	4.04	54.0	2.04	AV	301.00	150	Horizontal	Pass
3	5460.820	65.56	3.94	68.2	2.64	Peak	123.00	200	Horizontal	Pass
3**	5460.820	51.78	3.94	--	--	AV	123.00	200	Horizontal	N/A
4	5469.940	63.53	4.06	68.2	4.67	Peak	196.00	100	Horizontal	Pass
4**	5469.940	52.16	4.06	--	--	AV	196.00	100	Horizontal	N/A
5	5456.260	63.34	4.25	74.0	10.66	Peak	5.00	150	Horizontal	Pass
5**	5456.260	52.91	4.25	54.0	1.09	AV	5.00	150	Horizontal	Pass