



U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.10	3.92	68.2	8.10	Peak	264.00	100	Horizontal	Pass
2	5738.438	62.47	3.72	68.2	5.73	Peak	201.00	100	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.080	62.56	4.25	74.0	11.44	Peak	262.00	100	Horizontal	Pass
1**	5456.080	50.44	4.25	54.0	3.56	AV	262.00	100	Horizontal	Pass
2	5459.980	60.29	4.04	74.0	13.71	Peak	16.00	200	Horizontal	Pass
2**	5459.980	51.08	4.04	54.0	2.92	AV	16.00	200	Horizontal	Pass
3	5468.440	63.98	3.99	68.2	4.22	Peak	265.00	150	Horizontal	Pass
3**	5468.440	53.48	3.99	--	-53.48	AV	265.00	150	Horizontal	N/A
4	5469.940	62.85	4.06	68.2	5.35	Peak	130.00	100	Horizontal	Pass
4**	5469.940	53.43	4.06	--	-53.43	AV	130.00	100	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	62.03	3.92	68.2	6.17	Peak	299.00	150	Horizontal	Pass
2	5727.312	60.97	3.74	68.2	7.23	Peak	267.00	150	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.680	65.10	4.07	74.0	8.90	Peak	262.00	200	Horizontal	Pass
1**	5459.680	51.73	4.07	54.0	2.27	AV	262.00	200	Horizontal	Pass
2	5459.980	62.66	4.04	74.0	11.34	Peak	159.00	100	Horizontal	Pass
2**	5459.980	51.47	4.04	54.0	2.53	AV	159.00	100	Horizontal	Pass
3	5464.540	65.01	3.95	68.2	3.19	Peak	5.00	150	Horizontal	Pass
3**	5464.540	51.75	3.95	--	--	AV	5.00	150	Horizontal	N/A
4	5469.940	63.60	4.06	68.2	4.60	Peak	130.00	150	Horizontal	Pass
4**	5469.940	51.35	4.06	--	--	AV	130.00	150	Horizontal	N/A
5	5457.820	61.84	4.23	74.0	12.16	Peak	321.00	150	Horizontal	Pass
5**	5457.820	52.97	4.23	54.0	1.03	AV	321.00	150	Horizontal	Pass

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.57	3.93	68.2	7.63	Peak	4.00	150	Horizontal	Pass
2	5728.000	61.92	3.65	68.2	6.28	Peak	260.00	100	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.700	63.10	4.24	74.0	10.90	Peak	125.00	150	Horizontal	Pass
1**	5457.700	51.78	4.24	54.0	2.22	AV	125.00	150	Horizontal	Pass
2	5459.980	61.94	4.04	74.0	12.06	Peak	354.00	100	Horizontal	Pass
2**	5459.980	52.14	4.04	54.0	1.86	AV	354.00	100	Horizontal	Pass
3	5468.800	65.52	4.00	68.2	2.68	Peak	4.00	200	Horizontal	Pass
3**	5468.800	53.21	4.00	--	--	AV	4.00	200	Horizontal	N/A
4	5469.940	63.58	4.06	68.2	4.62	Peak	81.00	100	Horizontal	Pass
4**	5469.940	53.49	4.06	--	--	AV	81.00	100	Horizontal	N/A
5	5457.160	61.54	4.28	74.0	12.46	Peak	264.00	150	Horizontal	Pass
5**	5457.160	52.90	4.28	54.0	1.10	AV	264.00	150	Horizontal	Pass

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.29	3.93	68.2	10.91	Peak	40.00	200	Horizontal	Pass
2	5761.438	59.56	4.22	68.2	8.64	Peak	236.00	200	Horizontal	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.300	63.16	4.19	74.0	10.84	Peak	5.00	150	Horizontal	Pass
1**	5458.300	51.74	4.19	54.0	2.26	AV	5.00	150	Horizontal	Pass
2	5459.980	60.82	4.04	74.0	13.18	Peak	59.00	150	Horizontal	Pass
2**	5459.980	52.05	4.04	54.0	1.95	AV	59.00	150	Horizontal	Pass
3	5468.620	65.44	3.99	68.2	2.76	Peak	130.00	150	Horizontal	Pass
3**	5468.620	53.75	3.99	--	--	AV	130.00	150	Horizontal	N/A
4	5469.940	64.39	4.06	68.2	3.81	Peak	125.00	200	Horizontal	Pass
4**	5469.940	53.81	4.06	--	--	AV	125.00	200	Horizontal	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.84	3.93	68.2	4.36	Peak	266.00	100	Horizontal	Pass
2	5725.437	65.04	3.90	68.2	3.16	Peak	201.00	100	Horizontal	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.520	66.84	4.17	74.0	7.16	Peak	264.00	150	Horizontal	Pass
1**	5454.520	50.81	4.17	54.0	3.19	AV	264.00	150	Horizontal	Pass
2	5459.980	60.53	4.04	74.0	13.47	Peak	129.00	100	Horizontal	Pass
2**	5459.980	50.61	4.04	54.0	3.39	AV	129.00	100	Horizontal	Pass
3	5461.960	64.21	3.94	68.2	3.99	Peak	266.00	200	Horizontal	Pass
3**	5461.960	50.47	3.94	--	--	AV	266.00	200	Horizontal	N/A
4	5469.940	62.32	4.06	68.2	5.88	Peak	146.00	150	Horizontal	Pass
4**	5469.940	50.62	4.06	--	--	AV	146.00	150	Horizontal	N/A
5	5457.940	61.14	4.22	74.0	12.86	Peak	122.00	150	Horizontal	Pass
5**	5457.940	51.93	4.22	54.0	2.07	AV	122.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.34	3.92	68.2	7.86	Peak	73.00	100	Horizontal	Pass
2	5728.625	62.21	3.57	68.2	5.99	Peak	264.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5448.880	63.89	3.89	74.0	10.11	Peak	261.00	200	Horizontal	Pass
1**	5448.880	51.08	3.89	54.0	2.92	AV	261.00	200	Horizontal	Pass
2	5459.980	61.27	4.04	74.0	12.73	Peak	198.00	200	Horizontal	Pass
2**	5459.980	51.69	4.04	54.0	2.31	AV	198.00	200	Horizontal	Pass
3	5464.480	64.37	3.95	68.2	3.83	Peak	262.00	150	Horizontal	Pass
3**	5464.480	53.26	3.95	--	--	AV	262.00	150	Horizontal	N/A
4	5469.940	62.52	4.06	68.2	5.68	Peak	132.00	200	Horizontal	Pass
4**	5469.940	53.30	4.06	--	--	AV	132.00	200	Horizontal	N/A
5	5458.120	60.72	4.21	74.0	13.28	Peak	118.00	150	Horizontal	Pass
5**	5458.120	53.00	4.21	54.0	1.00	AV	118.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.44	3.93	68.2	10.76	Peak	67.00	200	Horizontal	Pass
2	5769.750	59.60	4.51	68.2	8.60	Peak	264.00	100	Horizontal	Pass

U-NII-2C 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5394.520	59.28	4.62	74.0	14.72	Peak	131.00	100	Horizontal	Pass
1**	5394.520	47.86	4.62	54.0	6.14	AV	131.00	100	Horizontal	Pass
2	5459.980	56.79	4.04	74.0	17.21	Peak	89.00	150	Horizontal	Pass
2**	5459.980	46.78	4.04	54.0	7.22	AV	89.00	150	Horizontal	Pass
3	5461.780	57.95	3.92	68.2	10.25	Peak	124.00	150	Horizontal	Pass
3**	5461.780	46.39	3.92	--	--	AV	124.00	150	Horizontal	N/A
4	5469.940	56.47	4.06	68.2	11.73	Peak	0.00	200	Horizontal	Pass
4**	5469.940	46.81	4.06	--	--	AV	0.00	200	Horizontal	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.59	3.92	68.2	11.61	Peak	260.00	150	Horizontal	Pass
2	5845.750	59.25	5.27	68.2	8.95	Peak	312.00	100	Horizontal	Pass

U-NII-2C 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5364.160	59.18	4.44	74.0	14.82	Peak	358.00	200	Horizontal	Pass
1**	5364.160	47.41	4.44	54.0	6.59	AV	358.00	200	Horizontal	Pass
2	5459.980	57.66	4.04	74.0	16.34	Peak	360.00	200	Horizontal	Pass
2**	5459.980	46.65	4.04	54.0	7.35	AV	360.00	200	Horizontal	Pass
3	5469.700	60.75	4.04	68.2	7.45	Peak	201.00	100	Horizontal	Pass
3**	5469.700	47.22	4.04	--	--	AV	201.00	100	Horizontal	N/A
4	5469.940	57.64	4.06	68.2	10.56	Peak	125.00	150	Horizontal	Pass
4**	5469.940	47.48	4.06	--	--	AV	125.00	150	Horizontal	N/A

U-NII-2C 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.27	3.93	68.2	11.93	Peak	65.00	100	Horizontal	Pass
2	5791.250	59.34	4.35	68.2	8.86	Peak	290.00	200	Horizontal	Pass

U-NII-2C 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5366.560	59.13	4.40	74.0	14.87	Peak	337.00	200	Horizontal	Pass
1**	5366.560	47.06	4.40	54.0	6.94	AV	337.00	200	Horizontal	Pass
2	5459.980	55.90	4.04	74.0	18.10	Peak	146.00	150	Horizontal	Pass
2**	5459.980	46.82	4.04	54.0	7.18	AV	146.00	150	Horizontal	Pass
3	5465.800	57.85	3.88	68.2	10.35	Peak	266.00	100	Horizontal	Pass
3**	5465.800	46.62	3.88	--	--	AV	266.00	100	Horizontal	N/A
4	5469.940	56.32	4.06	68.2	11.88	Peak	131.00	150	Horizontal	Pass
4**	5469.940	46.77	4.06	--	--	AV	131.00	150	Horizontal	N/A

U-NII-2C 11ax80 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.14	3.92	68.2	11.06	Peak	166.00	100	Horizontal	Pass
2	5797.250	60.33	3.94	68.2	7.87	Peak	268.00	200	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5610.125	58.85	4.22	68.2	9.35	Peak	257.00	100	Horizontal	Pass
2	5650.000	56.93	4.48	68.2	11.27	Peak	132.00	150	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.26	4.55	68.3	11.04	Peak	247.00	200	Horizontal	Pass
2	5990.400	62.97	5.68	68.2	5.23	Peak	81.00	100	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.250	59.77	4.19	68.2	8.43	Peak	215.00	100	Horizontal	Pass
2	5650.000	57.39	4.48	68.2	10.81	Peak	183.00	150	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.50	4.55	68.3	10.80	Peak	298.00	100	Horizontal	Pass
2	5990.775	63.57	5.69	68.2	4.63	Peak	79.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.063	58.77	4.59	68.2	9.43	Peak	33.00	100	Horizontal	Pass
2	5650.000	58.39	4.48	68.2	9.81	Peak	331.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.67	4.55	68.3	10.63	Peak	232.00	150	Horizontal	Pass
2	5990.625	63.00	5.68	68.2	5.20	Peak	73.00	150	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5625.125	59.01	3.81	68.2	9.19	Peak	289.00	200	Horizontal	Pass
2	5650.000	58.22	4.48	68.2	9.98	Peak	43.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.62	4.55	68.3	10.68	Peak	278.00	150	Horizontal	Pass
2	5990.850	62.85	5.70	68.2	5.35	Peak	76.00	150	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.312	58.86	4.19	68.2	9.34	Peak	266.00	100	Horizontal	Pass
2	5650.000	57.53	4.48	68.2	10.67	Peak	183.00	100	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.35	4.55	68.3	10.95	Peak	12.00	100	Horizontal	Pass
2	5990.175	63.32	5.68	68.2	4.88	Peak	76.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.187	59.50	4.26	68.2	8.70	Peak	46.00	200	Horizontal	Pass
2	5650.000	59.87	4.48	68.2	8.33	Peak	234.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.44	4.55	68.3	9.86	Peak	144.00	150	Horizontal	Pass
2	5990.475	63.32	5.68	68.2	4.88	Peak	79.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.000	58.66	4.13	68.2	9.54	Peak	0.00	100	Horizontal	Pass
2	5650.000	57.00	4.48	68.2	11.20	Peak	208.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.60	4.55	68.3	9.70	Peak	161.00	200	Horizontal	Pass
2	5990.250	63.34	5.68	68.2	4.86	Peak	82.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.000	58.98	4.57	68.2	9.22	Peak	123.00	150	Horizontal	Pass
2	5650.000	57.30	4.48	68.2	10.90	Peak	42.00	100	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.03	4.55	68.3	10.27	Peak	335.00	150	Horizontal	Pass
2	5990.400	64.49	5.68	68.2	3.71	Peak	80.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.312	59.68	4.39	68.2	8.52	Peak	103.00	100	Horizontal	Pass
2	5650.000	57.64	4.48	68.2	10.56	Peak	232.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.21	4.55	68.3	11.09	Peak	234.00	100	Horizontal	Pass
2	5990.325	63.63	5.68	68.2	4.57	Peak	79.00	200	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5605.750	59.27	4.93	68.2	8.93	Peak	199.00	150	Horizontal	Pass
2	5650.000	57.15	4.41	68.2	11.05	Peak	289.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.92	3.49	68.3	11.38	Peak	6.00	200	Horizontal	Pass
2	5934.225	58.97	4.25	68.2	9.23	Peak	336.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5626.500	59.29	4.75	68.2	8.91	Peak	75.00	200	Horizontal	Pass
2	5650.000	57.28	4.41	68.2	10.92	Peak	170.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.58	3.49	68.3	12.72	Peak	260.00	150	Horizontal	Pass
2	5999.700	58.38	4.28	68.2	9.82	Peak	153.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.313	59.62	4.30	68.2	8.58	Peak	83.00	200	Horizontal	Pass
2	5650.000	58.15	4.41	68.2	10.05	Peak	245.00	200	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.06	3.49	68.3	11.24	Peak	258.00	100	Horizontal	Pass
2	5962.500	60.40	3.76	68.2	7.80	Peak	62.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.860	59.30	5.71	74.0	14.70	Peak	184.00	150	Horizontal	Pass
1**	5456.860	47.80	5.71	54.0	6.20	AV	184.00	150	Horizontal	Pass
2	5459.980	57.93	5.37	74.0	16.07	Peak	314.00	150	Horizontal	Pass
2**	5459.980	48.06	5.37	54.0	5.94	AV	314.00	150	Horizontal	Pass
3	5461.480	58.68	5.43	68.2	9.52	Peak	54.00	100	Horizontal	Pass
3**	5461.480	47.69	5.43	--	--	AV	54.00	100	Horizontal	N/A
4	5469.940	56.64	5.05	68.2	11.56	Peak	112.00	150	Horizontal	Pass
4**	5469.940	47.46	5.05	--	--	AV	112.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.90	4.55	68.3	11.40	Peak	174.00	200	Horizontal	Pass
2	5990.325	62.79	5.68	68.2	5.41	Peak	80.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5363.440	59.29	4.72	74.0	14.71	Peak	259.00	150	Horizontal	Pass
1**	5363.440	47.91	4.72	54.0	6.09	AV	259.00	150	Horizontal	Pass
2	5459.980	57.83	5.37	74.0	16.17	Peak	114.00	150	Horizontal	Pass
2**	5459.980	47.50	5.37	54.0	6.50	AV	114.00	150	Horizontal	Pass
3	5464.060	58.83	5.18	68.2	9.37	Peak	79.00	200	Horizontal	Pass
3**	5464.060	47.61	5.18	--	--	AV	79.00	200	Horizontal	N/A
4	5469.940	57.07	5.05	68.2	11.13	Peak	349.00	200	Horizontal	Pass
4**	5469.940	47.43	5.05	--	--	AV	349.00	200	Horizontal	N/A

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.76	4.55	68.3	11.54	Peak	337.00	200	Horizontal	Pass
2	5990.475	61.38	5.68	68.2	6.82	Peak	74.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5385.400	59.02	4.67	74.0	14.98	Peak	315.00	150	Horizontal	Pass
1**	5385.400	47.37	4.67	54.0	6.63	AV	315.00	150	Horizontal	Pass
2	5459.980	57.02	5.37	74.0	16.98	Peak	139.00	100	Horizontal	Pass
2**	5459.980	47.71	5.37	54.0	6.29	AV	139.00	100	Horizontal	Pass
3	5461.060	59.07	5.43	68.2	9.13	Peak	177.00	200	Horizontal	Pass
3**	5461.060	47.57	5.43	--	--	AV	177.00	200	Horizontal	N/A
4	5469.940	57.06	5.05	68.2	11.14	Peak	165.00	200	Horizontal	Pass
4**	5469.940	47.52	5.05	--	--	AV	165.00	200	Horizontal	N/A

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.87	4.55	68.3	11.43	Peak	158.00	200	Horizontal	Pass
2	5990.175	62.05	5.68	68.2	6.15	Peak	80.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.840	58.93	5.63	74.0	15.07	Peak	270.00	200	Horizontal	Pass
1**	5455.840	47.81	5.63	54.0	6.19	AV	270.00	200	Horizontal	Pass
2	5459.980	56.99	5.37	74.0	17.01	Peak	338.00	200	Horizontal	Pass
2**	5459.980	47.63	5.37	54.0	6.37	AV	338.00	200	Horizontal	Pass
3	5462.260	58.80	5.33	68.2	9.40	Peak	285.00	150	Horizontal	Pass
3**	5462.260	47.65	5.33	--	--	AV	285.00	150	Horizontal	N/A
4	5469.940	58.02	5.05	68.2	10.18	Peak	208.00	100	Horizontal	Pass
4**	5469.940	47.63	5.05	--	--	AV	208.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.00	4.55	68.3	11.30	Peak	345.00	100	Horizontal	Pass
2	5990.400	63.00	5.68	68.2	5.20	Peak	77.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5442.820	59.20	5.31	74.0	14.80	Peak	18.00	200	Horizontal	Pass
1**	5442.820	47.72	5.31	54.0	6.28	AV	18.00	200	Horizontal	Pass
2	5459.980	57.11	5.37	74.0	16.89	Peak	298.00	100	Horizontal	Pass
2**	5459.980	47.82	5.37	54.0	6.18	AV	298.00	100	Horizontal	Pass
3	5464.540	58.44	5.19	68.2	9.76	Peak	104.00	200	Horizontal	Pass
3**	5464.540	47.54	5.19	--	--	AV	104.00	200	Horizontal	N/A
4	5469.940	56.67	5.05	68.2	11.53	Peak	360.00	200	Horizontal	Pass
4**	5469.940	47.46	5.05	--	--	AV	360.00	200	Horizontal	N/A

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.47	4.55	68.3	10.83	Peak	0.00	100	Horizontal	Pass
2	5990.325	61.71	5.68	68.2	6.49	Peak	70.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.680	59.45	5.63	74.0	14.55	Peak	234.00	150	Horizontal	Pass
1**	5453.680	47.79	5.63	54.0	6.21	AV	234.00	150	Horizontal	Pass
2	5459.980	57.44	5.37	74.0	16.56	Peak	121.00	100	Horizontal	Pass
2**	5459.980	47.95	5.37	54.0	6.05	AV	121.00	100	Horizontal	Pass
3	5469.460	58.73	5.02	68.2	9.47	Peak	161.00	100	Horizontal	Pass
3**	5469.460	47.48	5.02	--	--	AV	161.00	100	Horizontal	N/A
4	5469.940	57.20	5.05	68.2	11.00	Peak	210.00	150	Horizontal	Pass
4**	5469.940	47.48	5.05	--	--	AV	210.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.22	4.55	68.3	10.08	Peak	133.00	100	Horizontal	Pass
2	5990.400	61.86	5.68	68.2	6.34	Peak	76.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.100	59.43	5.51	74.0	14.57	Peak	145.00	100	Horizontal	Pass
1**	5451.100	47.81	5.51	54.0	6.19	AV	145.00	100	Horizontal	Pass
2	5459.980	56.92	5.37	74.0	17.08	Peak	225.00	200	Horizontal	Pass
2**	5459.980	47.50	5.37	54.0	6.50	AV	225.00	200	Horizontal	Pass
3	5461.660	58.31	5.41	68.2	9.89	Peak	105.00	100	Horizontal	Pass
3**	5461.660	47.50	5.41	--	--	AV	105.00	100	Horizontal	N/A
4	5469.940	57.17	5.05	68.2	11.03	Peak	208.00	150	Horizontal	Pass
4**	5469.940	47.50	5.05	--	--	AV	208.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.85	4.55	68.3	10.45	Peak	33.00	150	Horizontal	Pass
2	5990.250	62.13	5.68	68.2	6.07	Peak	82.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.180	59.67	5.61	74.0	14.33	Peak	3.00	150	Horizontal	Pass
1**	5452.180	47.98	5.61	54.0	6.02	AV	3.00	150	Horizontal	Pass
2	5459.980	57.42	5.37	74.0	16.58	Peak	62.00	100	Horizontal	Pass
2**	5459.980	47.52	5.37	54.0	6.48	AV	62.00	100	Horizontal	Pass
3	5465.440	58.79	5.20	68.2	9.41	Peak	24.00	100	Horizontal	Pass
3**	5465.440	47.85	5.20	--	--	AV	24.00	100	Horizontal	N/A
4	5469.940	57.74	5.05	68.2	10.46	Peak	62.00	100	Horizontal	Pass
4**	5469.940	47.47	5.05	--	--	AV	62.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.68	4.55	68.3	10.62	Peak	281.00	200	Horizontal	Pass
2	5990.475	62.02	5.68	68.2	6.18	Peak	75.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.400	59.22	5.67	74.0	14.78	Peak	135.00	200	Horizontal	Pass
1**	5457.400	47.95	5.67	54.0	6.05	AV	135.00	200	Horizontal	Pass
2	5459.980	57.14	5.37	74.0	16.86	Peak	102.00	200	Horizontal	Pass
2**	5459.980	47.49	5.37	54.0	6.51	AV	102.00	200	Horizontal	Pass
3	5461.960	58.73	5.37	68.2	9.47	Peak	102.00	150	Horizontal	Pass
3**	5461.960	47.74	5.37	--	--	AV	102.00	150	Horizontal	N/A
4	5469.940	57.27	5.05	68.2	10.93	Peak	41.00	150	Horizontal	Pass
4**	5469.940	47.50	5.05	--	--	AV	41.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.14	4.55	68.3	12.16	Peak	174.00	100	Horizontal	Pass
2	5990.775	62.07	5.69	68.2	6.13	Peak	85.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.780	59.08	5.01	74.0	14.92	Peak	100.00	150	Horizontal	Pass
1**	5350.780	47.91	5.01	54.0	6.09	AV	100.00	150	Horizontal	Pass
2	5459.980	55.70	4.04	74.0	18.30	Peak	121.00	200	Horizontal	Pass
2**	5459.980	46.81	4.04	54.0	7.19	AV	121.00	200	Horizontal	Pass
3	5469.880	57.39	4.05	68.2	10.81	Peak	315.00	200	Horizontal	Pass
3**	5469.880	46.43	4.05	--	--	AV	315.00	200	Horizontal	N/A
4	5469.940	56.62	4.06	68.2	11.58	Peak	127.00	150	Horizontal	Pass
4**	5469.940	46.47	4.06	--	--	AV	127.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.67	3.49	68.3	12.63	Peak	359.00	200	Horizontal	Pass
2	5994.150	58.60	4.32	68.2	9.60	Peak	151.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5378.020	59.06	4.85	74.0	14.94	Peak	128.00	200	Horizontal	Pass
1**	5378.020	47.55	4.85	54.0	6.45	AV	128.00	200	Horizontal	Pass
2	5459.980	56.23	4.04	74.0	17.77	Peak	155.00	200	Horizontal	Pass
2**	5459.980	46.69	4.04	54.0	7.31	AV	155.00	200	Horizontal	Pass
3	5463.880	58.13	4.00	68.2	10.07	Peak	175.00	100	Horizontal	Pass
3**	5463.880	46.52	4.00	--	--	AV	175.00	100	Horizontal	N/A
4	5469.940	57.36	4.06	68.2	10.84	Peak	119.00	200	Horizontal	Pass
4**	5469.940	46.70	4.06	--	--	AV	119.00	200	Horizontal	N/A

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.64	3.49	68.3	11.66	Peak	331.00	100	Horizontal	Pass
2	5957.475	58.45	3.81	68.2	9.75	Peak	347.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5400.820	58.93	4.66	74.0	15.07	Peak	177.00	200	Horizontal	Pass
1**	5400.820	47.40	4.66	54.0	6.60	AV	177.00	200	Horizontal	Pass
2	5459.980	55.94	4.04	74.0	18.06	Peak	329.00	200	Horizontal	Pass
2**	5459.980	46.57	4.04	54.0	7.43	AV	329.00	200	Horizontal	Pass
3	5469.100	57.64	4.01	68.2	10.56	Peak	273.00	200	Horizontal	Pass
3**	5469.100	46.39	4.01	--	--	AV	273.00	200	Horizontal	N/A
4	5469.940	56.32	4.06	68.2	11.88	Peak	200.00	100	Horizontal	Pass
4**	5469.940	46.50	4.06	--	--	AV	200.00	100	Horizontal	N/A


U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.76	3.49	68.3	12.54	Peak	1.00	150	Horizontal	Pass
2	5943.075	58.42	4.27	68.2	9.78	Peak	187.00	100	Horizontal	Pass


MIMO

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	62.95	4.14	74.0	11.05	Peak	149.00	100	Horizontal	Pass
1**	5146.750	51.29	4.14	54.0	2.71	AV	149.00	100	Horizontal	Pass
2	5149.675	61.57	4.06	74.0	12.43	Peak	235.00	200	Horizontal	Pass
2**	5149.675	52.16	4.06	54.0	1.84	AV	235.00	200	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.16	5.10	74.0	15.84	Peak	96.00	150	Horizontal	Pass
1**	5350.055	48.59	5.10	54.0	5.41	AV	96.00	150	Horizontal	Pass
2	5351.155	60.31	4.99	74.0	13.69	Peak	138.00	200	Horizontal	Pass
2**	5351.155	48.27	4.99	54.0	5.73	AV	138.00	200	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	61.58	4.04	74.0	12.42	Peak	354.00	200	Horizontal	Pass
1**	5149.350	51.45	4.04	54.0	2.55	AV	354.00	200	Horizontal	Pass
2	5149.675	60.01	4.06	74.0	13.99	Peak	298.00	100	Horizontal	Pass
2**	5149.675	52.01	4.06	54.0	1.99	AV	298.00	100	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.06	5.10	74.0	15.94	Peak	0.00	100	Horizontal	Pass
1**	5350.055	48.77	5.10	54.0	5.23	AV	0.00	100	Horizontal	Pass
2	5371.120	59.53	4.52	74.0	14.47	Peak	27.00	200	Horizontal	Pass
2**	5371.120	47.89	4.52	54.0	6.11	AV	27.00	200	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.450	64.06	4.00	74.0	9.94	Peak	343.00	200	Horizontal	Pass
1**	5145.450	50.62	4.00	54.0	3.38	AV	343.00	200	Horizontal	Pass
2	5149.675	62.44	4.06	74.0	11.56	Peak	343.00	150	Horizontal	Pass
2**	5149.675	52.77	4.06	54.0	1.23	AV	343.00	150	Horizontal	Pass
3	5149.675	62.44	4.06	74.0	11.56	Peak	343.00	150	Horizontal	Pass
3**	5149.675	52.77	4.06	54.0	1.23	AV	343.00	150	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.02	5.10	74.0	15.98	Peak	106.00	100	Horizontal	Pass
1**	5350.055	48.34	5.10	54.0	5.66	AV	106.00	100	Horizontal	Pass
2	5401.535	60.01	4.67	74.0	13.99	Peak	161.00	150	Horizontal	Pass
2**	5401.535	48.01	4.67	54.0	5.99	AV	161.00	150	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.475	61.18	3.89	74.0	12.82	Peak	150.00	200	Horizontal	Pass
1**	5144.475	50.53	3.89	54.0	3.47	AV	150.00	200	Horizontal	Pass
2	5149.675	59.91	4.06	74.0	14.09	Peak	318.00	150	Horizontal	Pass
2**	5149.675	51.61	4.06	54.0	2.39	AV	318.00	150	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.63	5.11	74.0	15.37	Peak	125.00	100	Horizontal	Pass
1**	5350.000	48.52	5.11	54.0	5.48	AV	125.00	100	Horizontal	Pass
2	5403.625	59.67	4.62	74.0	14.33	Peak	360.00	200	Horizontal	Pass
2**	5403.625	47.92	4.62	54.0	6.08	AV	360.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.450	60.47	4.00	74.0	13.53	Peak	16.00	150	Horizontal	Pass
1**	5145.450	49.77	4.00	54.0	4.23	AV	16.00	150	Horizontal	Pass
2	5149.675	59.57	4.06	74.0	14.43	Peak	218.00	150	Horizontal	Pass
2**	5149.675	49.91	4.06	54.0	4.09	AV	218.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.20	5.10	74.0	15.80	Peak	10.00	200	Horizontal	Pass
1**	5350.055	48.48	5.10	54.0	5.52	AV	10.00	200	Horizontal	Pass
2	5351.925	59.97	4.94	74.0	14.03	Peak	120.00	100	Horizontal	Pass
2**	5351.925	48.21	4.94	54.0	5.79	AV	120.00	100	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.150	63.72	3.85	74.0	10.28	Peak	357.00	150	Horizontal	Pass
1**	5144.150	50.56	3.85	54.0	3.44	AV	357.00	150	Horizontal	Pass
2	5149.675	62.33	4.06	74.0	11.67	Peak	298.00	100	Horizontal	Pass
2**	5149.675	52.93	4.06	54.0	1.07	AV	298.00	100	Horizontal	Pass
3	5149.675	62.33	4.06	74.0	11.67	Peak	298.00	150	Horizontal	Pass
3**	5149.675	52.93	4.06	54.0	1.07	AV	298.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.99	5.10	74.0	16.01	Peak	211.00	200	Horizontal	Pass
1**	5350.055	48.65	5.10	54.0	5.35	AV	211.00	200	Horizontal	Pass
2	5377.445	59.49	4.76	74.0	14.51	Peak	264.00	200	Horizontal	Pass
2**	5377.445	48.21	4.76	54.0	5.79	AV	264.00	200	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	61.90	4.04	74.0	12.10	Peak	345.00	200	Horizontal	Pass
1**	5149.350	51.87	4.04	54.0	2.13	AV	345.00	200	Horizontal	Pass
2	5149.675	60.92	4.06	74.0	13.08	Peak	259.00	100	Horizontal	Pass
2**	5149.675	51.65	4.06	54.0	2.35	AV	259.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.24	5.10	74.0	15.76	Peak	234.00	200	Horizontal	Pass
1**	5350.055	48.37	5.10	54.0	5.63	AV	234.00	200	Horizontal	Pass
2	5350.275	59.51	5.08	74.0	14.49	Peak	297.00	150	Horizontal	Pass
2**	5350.275	48.42	5.08	54.0	5.58	AV	297.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	60.39	4.03	74.0	13.61	Peak	266.00	100	Horizontal	Pass
1**	5149.025	50.22	4.03	54.0	3.78	AV	266.00	100	Horizontal	Pass
2	5149.675	58.84	4.06	74.0	15.16	Peak	356.00	100	Horizontal	Pass
2**	5149.675	49.40	4.06	54.0	4.60	AV	356.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.94	5.11	74.0	16.06	Peak	228.00	200	Horizontal	Pass
1**	5350.000	48.27	5.11	54.0	5.73	AV	228.00	200	Horizontal	Pass
2	5380.470	59.22	4.63	74.0	14.78	Peak	16.00	200	Horizontal	Pass
2**	5380.470	47.61	4.63	54.0	6.39	AV	16.00	200	Horizontal	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.975	58.82	4.51	74.0	15.18	Peak	125.00	200	Horizontal	Pass
1**	5124.975	47.57	4.51	54.0	6.43	AV	125.00	200	Horizontal	Pass
2	5149.675	57.52	4.06	74.0	16.48	Peak	299.00	100	Horizontal	Pass
2**	5149.675	47.02	4.06	54.0	6.98	AV	299.00	100	Horizontal	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.99	5.11	74.0	16.01	Peak	58.00	150	Horizontal	Pass
1**	5350.000	48.30	5.11	54.0	5.70	AV	58.00	150	Horizontal	Pass
2	5351.760	59.74	4.95	74.0	14.26	Peak	81.00	150	Horizontal	Pass
2**	5351.760	48.25	4.95	54.0	5.75	AV	81.00	150	Horizontal	Pass

U-NII-1 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5068.425	58.70	4.42	74.0	15.30	Peak	153.00	150	Horizontal	Pass
1**	5068.425	47.13	4.42	54.0	6.87	AV	153.00	150	Horizontal	Pass
2	5149.675	57.78	4.06	74.0	16.22	Peak	129.00	200	Horizontal	Pass
2**	5149.675	47.28	4.06	54.0	6.72	AV	129.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.30	5.11	74.0	15.70	Peak	320.00	150	Horizontal	Pass
1**	5350.000	48.54	5.11	54.0	5.46	AV	320.00	150	Horizontal	Pass
2	5393.505	59.33	4.51	74.0	14.67	Peak	78.00	200	Horizontal	Pass
2**	5393.505	47.46	4.51	54.0	6.54	AV	78.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5120.750	59.35	4.38	74.0	14.65	Peak	139.00	150	Horizontal	Pass
1**	5120.750	47.19	4.38	54.0	6.81	AV	139.00	150	Horizontal	Pass
2	5149.675	56.60	4.06	74.0	17.40	Peak	100.00	200	Horizontal	Pass
2**	5149.675	47.14	4.06	54.0	6.86	AV	100.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.77	5.11	74.0	16.23	Peak	122.00	100	Horizontal	Pass
1**	5350.000	48.24	5.11	54.0	5.76	AV	122.00	100	Horizontal	Pass
2	5352.090	59.88	4.93	74.0	14.12	Peak	360.00	200	Horizontal	Pass
2**	5352.090	48.06	4.93	54.0	5.94	AV	360.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.550	58.75	4.51	74.0	15.25	Peak	96.00	200	Horizontal	Pass
1**	5128.550	47.79	4.51	54.0	6.21	AV	96.00	200	Horizontal	Pass
2	5149.675	57.16	4.06	74.0	16.84	Peak	289.00	200	Horizontal	Pass
2**	5149.675	47.23	4.06	54.0	6.77	AV	289.00	200	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.18	5.11	74.0	14.82	Peak	182.00	200	Horizontal	Pass
1**	5350.000	50.12	5.11	54.0	3.88	AV	182.00	200	Horizontal	Pass
2	5351.540	61.21	4.97	74.0	12.79	Peak	13.00	150	Horizontal	Pass
2**	5351.540	49.51	4.97	54.0	4.49	AV	13.00	150	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5110.350	58.67	4.52	74.0	15.33	Peak	360.00	150	Horizontal	Pass
1**	5110.350	47.34	4.52	54.0	6.66	AV	360.00	150	Horizontal	Pass
2	5149.675	56.75	4.06	74.0	17.25	Peak	142.00	150	Horizontal	Pass
2**	5149.675	47.35	4.06	54.0	6.65	AV	142.00	150	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.07	5.10	74.0	12.93	Peak	156.00	200	Horizontal	Pass
1**	5350.055	51.71	5.10	54.0	2.29	AV	156.00	200	Horizontal	Pass
2	5350.825	62.45	5.01	74.0	11.55	Peak	193.00	100	Horizontal	Pass
2**	5350.825	51.74	5.01	54.0	2.26	AV	193.00	100	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5064.525	58.69	4.11	74.0	15.31	Peak	307.00	150	Horizontal	Pass
1**	5064.525	46.91	4.11	54.0	7.09	AV	307.00	150	Horizontal	Pass
2	5149.675	56.47	4.06	74.0	17.53	Peak	151.00	150	Horizontal	Pass
2**	5149.675	47.48	4.06	54.0	6.52	AV	151.00	150	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.40	5.11	74.0	14.60	Peak	272.00	200	Horizontal	Pass
1**	5350.000	49.95	5.11	54.0	4.05	AV	272.00	200	Horizontal	Pass
2	5355.775	60.59	4.57	74.0	13.41	Peak	41.00	200	Horizontal	Pass
2**	5355.775	48.59	4.57	54.0	5.41	AV	41.00	200	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5121.075	58.99	4.35	74.0	15.01	Peak	0.00	100	Horizontal	Pass
1**	5121.075	47.35	4.35	54.0	6.65	AV	0.00	100	Horizontal	Pass
2	5149.675	58.46	4.06	74.0	15.54	Peak	186.00	150	Horizontal	Pass
2**	5149.675	47.14	4.06	54.0	6.86	AV	186.00	150	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.98	5.11	74.0	12.02	Peak	6.00	100	Horizontal	Pass
1**	5350.000	52.58	5.11	54.0	1.42	AV	6.00	100	Horizontal	Pass
2	5350.715	62.89	5.02	74.0	11.11	Peak	45.00	100	Horizontal	Pass
2**	5350.715	51.38	5.02	54.0	2.62	AV	45.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.275	58.28	4.52	74.0	15.72	Peak	280.00	100	Horizontal	Pass
1**	5126.275	47.60	4.52	54.0	6.40	AV	280.00	100	Horizontal	Pass
2	5149.675	57.11	4.06	74.0	16.89	Peak	360.00	200	Horizontal	Pass
2**	5149.675	47.32	4.06	54.0	6.68	AV	360.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	60.24	5.10	74.0	13.76	Peak	320.00	100	Horizontal	Pass
1**	5350.055	50.94	5.10	54.0	3.06	AV	320.00	100	Horizontal	Pass
2	5351.265	62.11	4.98	74.0	11.89	Peak	59.00	150	Horizontal	Pass
2**	5351.265	51.20	4.98	54.0	2.80	AV	59.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.650	58.36	3.88	74.0	15.64	Peak	172.00	200	Horizontal	Pass
1**	5137.650	46.92	3.88	54.0	7.08	AV	172.00	200	Horizontal	Pass
2	5149.675	56.25	4.06	74.0	17.75	Peak	196.00	200	Horizontal	Pass
2**	5149.675	47.06	4.06	54.0	6.94	AV	196.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	60.25	5.10	74.0	13.75	Peak	211.00	150	Horizontal	Pass
1**	5350.055	49.76	5.10	54.0	4.24	AV	211.00	150	Horizontal	Pass
2	5350.275	62.31	5.08	74.0	11.69	Peak	159.00	200	Horizontal	Pass
2**	5350.275	49.92	5.08	54.0	4.08	AV	159.00	200	Horizontal	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5110.350	58.70	4.52	74.0	15.30	Peak	360.00	100	Horizontal	Pass
1**	5110.350	47.28	4.52	54.0	6.72	AV	360.00	100	Horizontal	Pass
2	5149.675	56.91	4.06	74.0	17.09	Peak	161.00	150	Horizontal	Pass
2**	5149.675	47.48	4.06	54.0	6.52	AV	161.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.23	5.11	74.0	10.77	Peak	61.00	200	Horizontal	Pass
1**	5350.000	50.59	5.11	54.0	3.41	AV	61.00	200	Horizontal	Pass
2	5353.575	62.46	4.79	74.0	11.54	Peak	195.00	150	Horizontal	Pass
2**	5353.575	50.10	4.79	54.0	3.90	AV	195.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5130.175	58.54	4.41	74.0	15.46	Peak	290.00	100	Horizontal	Pass
1**	5130.175	47.46	4.41	54.0	6.54	AV	290.00	100	Horizontal	Pass
2	5149.675	56.57	4.06	74.0	17.43	Peak	112.00	150	Horizontal	Pass
2**	5149.675	47.49	4.06	54.0	6.51	AV	112.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	60.28	5.10	74.0	13.72	Peak	143.00	150	Horizontal	Pass
1**	5350.055	51.51	5.10	54.0	2.49	AV	143.00	150	Horizontal	Pass
2	5359.020	62.30	4.71	74.0	11.70	Peak	15.00	200	Horizontal	Pass
2**	5359.020	50.06	4.71	54.0	3.94	AV	15.00	200	Horizontal	Pass

U-NII-2A 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.850	58.45	4.48	74.0	15.55	Peak	352.00	150	Horizontal	Pass
1**	5129.850	47.53	4.48	54.0	6.47	AV	352.00	150	Horizontal	Pass
2	5149.675	56.03	4.06	74.0	17.97	Peak	25.00	150	Horizontal	Pass
2**	5149.675	47.10	4.06	54.0	6.90	AV	25.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.50	5.10	74.0	15.50	Peak	3.00	200	Horizontal	Pass
1**	5350.055	48.44	5.10	54.0	5.56	AV	3.00	200	Horizontal	Pass
2	5402.855	59.61	4.64	74.0	14.39	Peak	269.00	150	Horizontal	Pass
2**	5402.855	47.70	4.64	54.0	6.30	AV	269.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5093.775	58.89	4.15	74.0	15.11	Peak	96.00	200	Horizontal	Pass
1**	5093.775	47.07	4.15	54.0	6.93	AV	96.00	200	Horizontal	Pass
2	5149.675	56.34	4.06	74.0	17.66	Peak	36.00	150	Horizontal	Pass
2**	5149.675	47.10	4.06	54.0	6.90	AV	36.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU26) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.37	5.11	74.0	14.63	Peak	223.00	100	Horizontal	Pass
1**	5350.000	48.42	5.11	54.0	5.58	AV	223.00	100	Horizontal	Pass
2	5365.895	59.91	4.42	74.0	14.09	Peak	195.00	150	Horizontal	Pass
2**	5365.895	47.88	4.42	54.0	6.12	AV	195.00	150	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5097.350	58.31	4.22	74.0	15.69	Peak	7.00	100	Horizontal	Pass
1**	5097.350	46.97	4.22	54.0	7.03	AV	7.00	100	Horizontal	Pass
2	5149.675	56.72	4.06	74.0	17.28	Peak	359.00	200	Horizontal	Pass
2**	5149.675	47.03	4.06	54.0	6.97	AV	359.00	200	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.66	5.11	74.0	15.34	Peak	0.00	200	Horizontal	Pass
1**	5350.000	48.46	5.11	54.0	5.54	AV	0.00	200	Horizontal	Pass
2	5361.055	59.31	4.57	74.0	14.69	Peak	14.00	200	Horizontal	Pass
2**	5361.055	47.63	4.57	54.0	6.37	AV	14.00	200	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5401.660	59.46	4.67	74.0	14.54	Peak	244.00	100	Horizontal	Pass
1**	5401.660	47.60	4.67	54.0	6.40	AV	244.00	100	Horizontal	Pass
2	5459.980	56.40	4.04	74.0	17.60	Peak	298.00	150	Horizontal	Pass
2**	5459.980	47.45	4.04	54.0	6.55	AV	298.00	150	Horizontal	Pass
3	5467.900	62.67	3.96	68.2	5.53	Peak	87.00	100	Horizontal	Pass
3**	5467.900	49.45	3.96	--	--	AV	87.00	100	Horizontal	N/A
4	5469.940	61.41	4.06	68.2	6.79	Peak	87.00	150	Horizontal	Pass
4**	5469.940	50.75	4.06	--	--	AV	87.00	150	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.19	3.92	68.2	10.01	Peak	81.00	100	Horizontal	Pass
2	5726.813	59.62	3.80	68.2	8.58	Peak	127.00	200	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.880	62.47	4.22	74.0	11.53	Peak	200.00	200	Horizontal	Pass
1**	5457.880	51.80	4.22	54.0	2.20	AV	200.00	200	Horizontal	Pass
2	5459.980	60.07	4.04	74.0	13.93	Peak	144.00	100	Horizontal	Pass
2**	5459.980	50.18	4.04	54.0	3.82	AV	144.00	100	Horizontal	Pass
3	5467.840	65.39	3.96	68.2	2.81	Peak	123.00	200	Horizontal	Pass
3**	5467.840	51.72	3.96	--	--	AV	123.00	200	Horizontal	N/A
4	5469.940	61.22	4.06	68.2	6.98	Peak	127.00	150	Horizontal	Pass
4**	5469.940	52.22	4.06	--	--	AV	127.00	150	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.82	3.93	68.2	8.38	Peak	320.00	200	Horizontal	Pass
2	5726.063	61.53	3.85	68.2	6.67	Peak	135.00	100	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5395.300	59.52	4.70	74.0	14.48	Peak	299.00	100	Horizontal	Pass
1**	5395.300	47.72	4.70	54.0	6.28	AV	299.00	100	Horizontal	Pass
2	5459.980	57.74	4.04	74.0	16.26	Peak	60.00	100	Horizontal	Pass
2**	5459.980	47.66	4.04	54.0	6.34	AV	60.00	100	Horizontal	Pass
3	5469.160	60.15	4.01	68.2	8.05	Peak	125.00	200	Horizontal	Pass
3**	5469.160	49.30	4.01	--	--	AV	125.00	200	Horizontal	N/A
4	5469.940	58.16	4.06	68.2	10.04	Peak	86.00	100	Horizontal	Pass
4**	5469.940	49.32	4.06	--	--	AV	86.00	100	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.55	3.92	68.2	9.65	Peak	66.00	200	Horizontal	Pass
2	5846.938	59.99	5.38	68.2	8.21	Peak	10.00	100	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.200	63.82	4.13	74.0	10.18	Peak	7.00	150	Horizontal	Pass
1**	5459.200	50.13	4.13	54.0	3.87	AV	7.00	150	Horizontal	Pass
2	5459.980	60.24	4.04	74.0	13.76	Peak	242.00	100	Horizontal	Pass
2**	5459.980	50.17	4.04	54.0	3.83	AV	242.00	100	Horizontal	Pass
3	5460.280	63.52	4.00	68.2	4.68	Peak	157.00	150	Horizontal	Pass
3**	5460.280	50.77	4.00	--	-50.77	AV	157.00	150	Horizontal	N/A
4	5469.940	61.90	4.06	68.2	6.30	Peak	146.00	200	Horizontal	Pass
4**	5469.940	52.09	4.06	--	-52.09	AV	146.00	200	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	59.77	3.92	68.2	8.43	Peak	81.00	200	Horizontal	Pass
2	5725.562	62.28	3.89	68.2	5.92	Peak	320.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.420	61.65	4.18	74.0	12.35	Peak	119.00	200	Horizontal	Pass
1**	5458.420	50.13	4.18	54.0	3.87	AV	119.00	200	Horizontal	Pass
2	5459.980	59.50	4.04	74.0	14.50	Peak	156.00	200	Horizontal	Pass
2**	5459.980	50.52	4.04	54.0	3.48	AV	156.00	200	Horizontal	Pass
3	5469.760	63.79	4.04	68.2	4.41	Peak	124.00	150	Horizontal	Pass
3**	5469.760	53.16	4.04	--	--	AV	124.00	150	Horizontal	N/A
4	5469.940	62.33	4.06	68.2	5.87	Peak	119.00	100	Horizontal	Pass
4**	5469.940	52.78	4.06	--	--	AV	119.00	100	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.91	3.92	68.2	10.29	Peak	24.00	200	Horizontal	Pass
2	5769.688	59.77	4.51	68.2	8.43	Peak	126.00	100	Horizontal	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5403.040	59.80	4.64	74.0	14.20	Peak	147.00	150	Horizontal	Pass
1**	5403.040	47.71	4.64	54.0	6.29	AV	147.00	150	Horizontal	Pass
2	5459.980	57.73	4.04	74.0	16.27	Peak	244.00	150	Horizontal	Pass
2**	5459.980	47.53	4.04	54.0	6.47	AV	244.00	150	Horizontal	Pass
3	5466.400	61.48	3.90	68.2	6.72	Peak	122.00	100	Horizontal	Pass
3**	5466.400	48.16	3.90	-	-	AV	122.00	100	Horizontal	N/A
4	5469.940	58.71	4.06	68.2	9.49	Peak	207.00	100	Horizontal	Pass
4**	5469.940	49.38	4.06	-	-	AV	207.00	100	Horizontal	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.54	3.93	68.2	8.66	Peak	310.00	150	Horizontal	Pass
2	5725.375	60.71	3.90	68.2	7.49	Peak	183.00	100	Horizontal	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.100	65.64	4.13	74.0	8.36	Peak	64.00	200	Horizontal	Pass
1**	5454.100	51.39	4.13	54.0	2.61	AV	64.00	200	Horizontal	Pass
2	5459.980	61.39	4.04	74.0	12.61	Peak	123.00	100	Horizontal	Pass
2**	5459.980	51.20	4.04	54.0	2.80	AV	123.00	100	Horizontal	Pass
3	5467.900	67.02	3.96	68.2	1.18	Peak	128.00	100	Horizontal	Pass
3**	5467.900	52.40	3.96	--	--	AV	128.00	100	Horizontal	N/A
4	5469.940	63.78	4.06	68.2	4.42	Peak	123.00	100	Horizontal	Pass
4**	5469.940	52.99	4.06	--	--	AV	123.00	100	Horizontal	N/A
5	5458.300	62.65	4.19	74.0	11.35	Peak	61.00	150	Horizontal	Pass
5**	5458.300	52.98	4.19	54.0	1.02	AV	61.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	62.49	3.92	68.2	5.71	Peak	315.00	100	Horizontal	Pass
2	5725.750	63.30	3.87	68.2	4.90	Peak	243.00	100	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.180	62.28	4.20	74.0	11.72	Peak	5.00	100	Horizontal	Pass
1**	5458.180	50.81	4.20	54.0	3.19	AV	5.00	100	Horizontal	Pass
2	5459.980	61.92	4.04	74.0	12.08	Peak	83.00	150	Horizontal	Pass
2**	5459.980	50.86	4.04	54.0	3.14	AV	83.00	150	Horizontal	Pass
3	5466.820	63.49	3.92	68.2	4.71	Peak	88.00	100	Horizontal	Pass
3**	5466.820	52.57	3.92	--	--	AV	88.00	100	Horizontal	N/A
4	5469.940	60.84	4.06	68.2	7.36	Peak	66.00	150	Horizontal	Pass
4**	5469.940	52.61	4.06	--	--	AV	66.00	150	Horizontal	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.53	3.93	68.2	10.67	Peak	154.00	100	Horizontal	Pass
2	5844.562	58.95	5.26	68.2	9.25	Peak	241.00	100	Horizontal	Pass

U-NII-2C 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5367.520	59.23	4.37	74.0	14.77	Peak	253.00	150	Horizontal	Pass
1**	5367.520	47.34	4.37	54.0	6.66	AV	253.00	150	Horizontal	Pass
2	5459.980	55.77	4.04	74.0	18.23	Peak	360.00	200	Horizontal	Pass
2**	5459.980	46.94	4.04	54.0	7.06	AV	360.00	200	Horizontal	Pass
3	5465.980	58.25	3.88	68.2	9.95	Peak	204.00	200	Horizontal	Pass
3**	5465.980	46.20	3.88	--	--	AV	204.00	200	Horizontal	N/A
4	5469.940	56.93	4.06	68.2	11.27	Peak	57.00	150	Horizontal	Pass
4**	5469.940	46.42	4.06	--	--	AV	57.00	150	Horizontal	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.30	3.93	68.2	10.90	Peak	119.00	150	Horizontal	Pass
2	5806.625	58.99	4.09	68.2	9.21	Peak	167.00	150	Horizontal	Pass

U-NII-2C 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.48	5.11	74.0	14.52	Peak	190.00	150	Horizontal	Pass
1**	5350.000	48.08	5.11	54.0	5.92	AV	190.00	150	Horizontal	Pass
2	5459.980	56.53	4.04	74.0	17.47	Peak	28.00	100	Horizontal	Pass
2**	5459.980	46.40	4.04	54.0	7.60	AV	28.00	100	Horizontal	Pass
3	5464.420	58.04	3.96	68.2	10.16	Peak	0.00	100	Horizontal	Pass
3**	5464.420	46.39	3.96	--	--	AV	0.00	100	Horizontal	N/A
4	5469.940	56.51	4.06	68.2	11.69	Peak	197.00	200	Horizontal	Pass
4**	5469.940	46.49	4.06	--	--	AV	197.00	200	Horizontal	N/A

U-NII-2C 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.79	3.93	68.2	11.41	Peak	336.00	200	Horizontal	Pass
2	5773.938	60.04	4.38	68.2	8.16	Peak	246.00	200	Horizontal	Pass

U-NII-2C 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5398.420	59.31	4.71	74.0	14.69	Peak	0.00	100	Horizontal	Pass
1**	5398.420	47.58	4.71	54.0	6.42	AV	0.00	100	Horizontal	Pass
2	5459.980	56.36	4.04	74.0	17.64	Peak	295.00	150	Horizontal	Pass
2**	5459.980	46.78	4.04	54.0	7.22	AV	295.00	150	Horizontal	Pass
3	5466.760	57.75	3.92	68.2	10.45	Peak	182.00	200	Horizontal	Pass
3**	5466.760	46.32	3.92	--	--	AV	182.00	200	Horizontal	N/A
4	5469.940	56.80	4.06	68.2	11.40	Peak	199.00	200	Horizontal	Pass
4**	5469.940	46.45	4.06	--	--	AV	199.00	200	Horizontal	N/A

U-NII-2C 11ax80 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.94	3.93	68.2	11.26	Peak	47.00	150	Horizontal	Pass
2	5845.687	60.77	5.27	68.2	7.43	Peak	211.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.000	58.47	4.02	68.2	9.73	Peak	344.00	100	Horizontal	Pass
2	5650.000	56.56	4.48	68.2	11.64	Peak	142.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.89	4.55	68.3	11.41	Peak	309.00	100	Horizontal	Pass
2	5990.400	62.37	5.68	68.2	5.83	Peak	78.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.312	58.91	4.39	68.2	9.29	Peak	51.00	200	Horizontal	Pass
2	5650.000	58.15	4.48	68.2	10.05	Peak	23.00	150	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.54	4.55	68.3	10.76	Peak	6.00	200	Horizontal	Pass
2	5990.100	63.62	5.68	68.2	4.58	Peak	80.00	200	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.437	58.42	4.29	68.2	9.78	Peak	347.00	200	Horizontal	Pass
2	5650.000	57.02	4.48	68.2	11.18	Peak	101.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.04	4.55	68.3	11.26	Peak	315.00	100	Horizontal	Pass
2	5990.325	62.42	5.68	68.2	5.78	Peak	65.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.625	58.30	4.44	68.2	9.90	Peak	285.00	150	Horizontal	Pass
2	5650.000	56.75	4.48	68.2	11.45	Peak	238.00	150	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.62	4.55	68.3	10.68	Peak	224.00	150	Horizontal	Pass
2	5990.550	61.94	5.68	68.2	6.26	Peak	67.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.188	59.00	4.35	68.2	9.20	Peak	289.00	150	Horizontal	Pass
2	5650.000	56.76	4.48	68.2	11.44	Peak	240.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.02	4.55	68.3	11.28	Peak	308.00	200	Horizontal	Pass
2	5990.175	63.03	5.68	68.2	5.17	Peak	82.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.750	58.55	4.15	68.2	9.65	Peak	289.00	150	Horizontal	Pass
2	5650.000	57.81	4.48	68.2	10.39	Peak	200.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.12	4.55	68.3	11.18	Peak	297.00	200	Horizontal	Pass
2	5990.475	62.31	5.68	68.2	5.89	Peak	80.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5611.125	58.68	4.14	68.2	9.52	Peak	95.00	200	Horizontal	Pass
2	5650.000	56.88	4.48	68.2	11.32	Peak	235.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.35	4.55	68.3	10.95	Peak	132.00	150	Horizontal	Pass
2	5990.550	63.28	5.68	68.2	4.92	Peak	76.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.625	58.83	4.43	68.2	9.37	Peak	234.00	100	Horizontal	Pass
2	5650.000	56.80	4.48	68.2	11.40	Peak	18.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.20	4.55	68.3	11.10	Peak	191.00	150	Horizontal	Pass
2	5990.625	62.33	5.68	68.2	5.87	Peak	68.00	200	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.750	59.34	4.83	68.2	8.86	Peak	344.00	100	Horizontal	Pass
2	5650.000	57.82	4.41	68.2	10.38	Peak	231.00	200	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.96	3.49	68.3	11.34	Peak	58.00	200	Horizontal	Pass
2	5971.350	58.47	4.06	68.2	9.73	Peak	29.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.812	59.30	4.83	68.2	8.90	Peak	35.00	200	Horizontal	Pass
2	5650.000	57.38	4.41	68.2	10.82	Peak	295.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.81	3.49	68.3	12.49	Peak	273.00	100	Horizontal	Pass
2	5959.800	58.30	3.81	68.2	9.90	Peak	172.00	200	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5629.125	59.16	4.85	68.2	9.04	Peak	0.00	200	Horizontal	Pass
2	5650.000	57.07	4.41	68.2	11.13	Peak	110.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.29	3.49	68.3	12.01	Peak	273.00	150	Horizontal	Pass
2	5943.150	58.48	4.27	68.2	9.72	Peak	360.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.080	59.60	5.56	74.0	14.40	Peak	175.00	150	Horizontal	Pass
1**	5444.080	48.12	5.56	54.0	5.88	AV	175.00	150	Horizontal	Pass
2	5459.980	57.84	5.37	74.0	16.16	Peak	180.00	150	Horizontal	Pass
2**	5459.980	47.66	5.37	54.0	6.34	AV	180.00	150	Horizontal	Pass
3	5461.240	59.23	5.44	68.2	8.97	Peak	321.00	100	Horizontal	Pass
3**	5461.240	47.77	5.44	--	--	AV	321.00	100	Horizontal	N/A
4	5469.940	57.70	5.05	68.2	10.50	Peak	113.00	200	Horizontal	Pass
4**	5469.940	47.88	5.05	--	--	AV	113.00	200	Horizontal	N/A

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.24	4.55	68.3	11.06	Peak	70.00	100	Horizontal	Pass
2	5990.325	62.34	5.68	68.2	5.86	Peak	78.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.400	59.31	5.67	74.0	14.69	Peak	239.00	200	Horizontal	Pass
1**	5457.400	48.11	5.67	54.0	5.89	AV	239.00	200	Horizontal	Pass
2	5459.980	57.01	5.37	74.0	16.99	Peak	47.00	150	Horizontal	Pass
2**	5459.980	47.60	5.37	54.0	6.40	AV	47.00	150	Horizontal	Pass
3	5469.100	58.52	4.98	68.2	9.68	Peak	120.00	150	Horizontal	Pass
3**	5469.100	47.57	4.98	--	--	AV	120.00	150	Horizontal	N/A
4	5469.940	56.82	5.05	68.2	11.38	Peak	360.00	200	Horizontal	Pass
4**	5469.940	47.40	5.05	--	--	AV	360.00	200	Horizontal	N/A

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.30	4.55	68.3	11.00	Peak	243.00	150	Horizontal	Pass
2	5989.875	62.45	5.68	68.2	5.75	Peak	84.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.220	59.10	5.52	74.0	14.90	Peak	39.00	200	Horizontal	Pass
1**	5451.220	47.94	5.52	54.0	6.06	AV	39.00	200	Horizontal	Pass
2	5459.980	56.86	5.37	74.0	17.14	Peak	26.00	100	Horizontal	Pass
2**	5459.980	47.78	5.37	54.0	6.22	AV	26.00	100	Horizontal	Pass
3	5461.300	58.53	5.44	68.2	9.67	Peak	1.00	150	Horizontal	Pass
3**	5461.300	47.91	5.44	--	--	AV	1.00	150	Horizontal	N/A
4	5469.940	56.63	5.05	68.2	11.57	Peak	311.00	200	Horizontal	Pass
4**	5469.940	47.57	5.05	--	--	AV	311.00	200	Horizontal	N/A

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.44	4.55	68.3	10.86	Peak	12.00	100	Horizontal	Pass
2	5990.100	62.04	5.68	68.2	6.16	Peak	63.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5384.080	59.07	4.67	74.0	14.93	Peak	125.00	150	Horizontal	Pass
1**	5384.080	47.46	4.67	54.0	6.54	AV	125.00	150	Horizontal	Pass
2	5459.980	57.26	5.37	74.0	16.74	Peak	125.00	100	Horizontal	Pass
2**	5459.980	48.03	5.37	54.0	5.97	AV	125.00	100	Horizontal	Pass
3	5465.860	59.22	5.16	68.2	8.98	Peak	115.00	100	Horizontal	Pass
3**	5465.860	47.65	5.16	--	--	AV	115.00	100	Horizontal	N/A
4	5469.940	56.83	5.05	68.2	11.37	Peak	39.00	150	Horizontal	Pass
4**	5469.940	47.59	5.05	--	--	AV	39.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.24	4.55	68.3	11.06	Peak	129.00	100	Horizontal	Pass
2	5990.175	64.01	5.68	68.2	4.19	Peak	81.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.800	59.29	5.62	74.0	14.71	Peak	310.00	150	Horizontal	Pass
1**	5453.800	47.76	5.62	54.0	6.24	AV	310.00	150	Horizontal	Pass
2	5459.980	57.10	5.37	74.0	16.90	Peak	42.00	200	Horizontal	Pass
2**	5459.980	48.11	5.37	54.0	5.89	AV	42.00	200	Horizontal	Pass
3	5460.580	58.76	5.41	68.2	9.44	Peak	186.00	100	Horizontal	Pass
3**	5460.580	47.69	5.41	--	--	AV	186.00	100	Horizontal	N/A
4	5469.940	57.87	5.05	68.2	10.33	Peak	292.00	100	Horizontal	Pass
4**	5469.940	47.78	5.05	--	--	AV	292.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.44	4.55	68.3	10.86	Peak	176.00	100	Horizontal	Pass
2	5990.325	62.68	5.68	68.2	5.52	Peak	75.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.560	59.36	5.68	74.0	14.64	Peak	233.00	200	Horizontal	Pass
1**	5456.560	47.81	5.68	54.0	6.19	AV	233.00	200	Horizontal	Pass
2	5459.980	56.91	5.37	74.0	17.09	Peak	98.00	100	Horizontal	Pass
2**	5459.980	47.79	5.37	54.0	6.21	AV	98.00	100	Horizontal	Pass
3	5462.680	59.02	5.28	68.2	9.18	Peak	90.00	200	Horizontal	Pass
3**	5462.680	47.44	5.28	--	--	AV	90.00	200	Horizontal	N/A
4	5469.940	57.40	5.05	68.2	10.80	Peak	183.00	100	Horizontal	Pass
4**	5469.940	47.39	5.05	--	--	AV	183.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.60	4.55	68.3	10.70	Peak	255.00	200	Horizontal	Pass
2	5990.250	62.15	5.68	68.2	6.05	Peak	76.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.360	59.20	5.60	74.0	14.80	Peak	340.00	100	Horizontal	Pass
1**	5455.360	47.76	5.60	54.0	6.24	AV	340.00	100	Horizontal	Pass
2	5459.980	57.27	5.37	74.0	16.73	Peak	205.00	200	Horizontal	Pass
2**	5459.980	47.60	5.37	54.0	6.40	AV	205.00	200	Horizontal	Pass
3	5461.420	58.47	5.44	68.2	9.73	Peak	291.00	200	Horizontal	Pass
3**	5461.420	47.66	5.44	--	--	AV	291.00	200	Horizontal	N/A
4	5469.940	56.92	5.05	68.2	11.28	Peak	236.00	100	Horizontal	Pass
4**	5469.940	47.52	5.05	--	--	AV	236.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.57	4.55	68.3	10.73	Peak	13.00	150	Horizontal	Pass
2	5990.550	62.52	5.68	68.2	5.68	Peak	80.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5360.020	59.32	4.81	74.0	14.68	Peak	41.00	100	Horizontal	Pass
1**	5360.020	47.25	4.81	54.0	6.75	AV	41.00	100	Horizontal	Pass
2	5459.980	56.52	5.37	74.0	17.48	Peak	249.00	200	Horizontal	Pass
2**	5459.980	47.48	5.37	54.0	6.52	AV	249.00	200	Horizontal	Pass
3	5469.700	58.69	5.04	68.2	9.51	Peak	148.00	200	Horizontal	Pass
3**	5469.700	47.65	5.04	--	--	AV	148.00	200	Horizontal	N/A
4	5469.940	56.84	5.05	68.2	11.36	Peak	37.00	200	Horizontal	Pass
4**	5469.940	47.59	5.05	--	--	AV	37.00	200	Horizontal	N/A

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.15	4.55	68.3	11.15	Peak	161.00	100	Horizontal	Pass
2	5990.325	62.33	5.68	68.2	5.87	Peak	81.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5358.400	59.65	4.67	74.0	14.35	Peak	111.00	200	Horizontal	Pass
1**	5358.400	47.89	4.67	54.0	6.11	AV	111.00	200	Horizontal	Pass
2	5459.980	56.16	4.04	74.0	17.84	Peak	226.00	200	Horizontal	Pass
2**	5459.980	46.39	4.04	54.0	7.61	AV	226.00	200	Horizontal	Pass
3	5465.740	57.24	3.87	68.2	10.96	Peak	172.00	100	Horizontal	Pass
3**	5465.740	46.54	3.87	--	--	AV	172.00	100	Horizontal	N/A
4	5469.940	56.01	4.06	68.2	12.19	Peak	355.00	200	Horizontal	Pass
4**	5469.940	46.41	4.06	--	--	AV	355.00	200	Horizontal	N/A

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.78	3.49	68.3	12.52	Peak	227.00	150	Horizontal	Pass
2	5943.900	58.58	4.21	68.2	9.62	Peak	273.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5352.220	59.42	4.93	74.0	14.58	Peak	196.00	150	Horizontal	Pass
1**	5352.220	47.69	4.93	54.0	6.31	AV	196.00	150	Horizontal	Pass
2	5459.980	55.89	4.04	74.0	18.11	Peak	0.00	150	Horizontal	Pass
2**	5459.980	46.43	4.04	54.0	7.57	AV	0.00	150	Horizontal	Pass
3	5462.620	57.79	3.98	68.2	10.41	Peak	74.00	200	Horizontal	Pass
3**	5462.620	46.77	3.98	--	--	AV	74.00	200	Horizontal	N/A
4	5469.940	55.50	4.06	68.2	12.70	Peak	126.00	150	Horizontal	Pass
4**	5469.940	46.50	4.06	--	--	AV	126.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.41	3.49	68.3	11.89	Peak	268.00	150	Horizontal	Pass
2	5949.975	58.35	3.57	68.2	9.85	Peak	275.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5404.300	59.43	4.61	74.0	14.57	Peak	109.00	150	Horizontal	Pass
1**	5404.300	47.44	4.61	54.0	6.56	AV	109.00	150	Horizontal	Pass
2	5459.980	55.76	4.04	74.0	18.24	Peak	114.00	150	Horizontal	Pass
2**	5459.980	46.48	4.04	54.0	7.52	AV	114.00	150	Horizontal	Pass
3	5463.340	57.34	4.03	68.2	10.86	Peak	241.00	100	Horizontal	Pass
3**	5463.340	46.26	4.03	--	--	AV	241.00	100	Horizontal	N/A
4	5469.940	55.33	4.06	68.2	12.87	Peak	253.00	100	Horizontal	Pass
4**	5469.940	46.53	4.06	--	--	AV	253.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.68	3.49	68.3	11.62	Peak	244.00	100	Horizontal	Pass
2	5999.775	58.28	4.28	68.2	9.92	Peak	231.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2330184-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2330184-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2330184-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--