

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.800	40.98	-19.19	74.0	33.02	Peak	334.00	400	Horizontal	Pass
1**	1540.800	32.62	-19.19	54.0	21.38	AV	334.00	400	Horizontal	Pass
2	2411.600	106.92	-14.98	74.0	-32.92	Peak	343.00	150	Horizontal	N/A
2**	2411.600	98.38	-14.98	54.0	-44.38	AV	343.00	150	Horizontal	N/A
3	2778.700	50.09	-10.48	74.0	23.91	Peak	142.00	150	Horizontal	Pass
3**	2778.700	41.25	-10.48	54.0	12.75	AV	142.00	150	Horizontal	Pass
4	5990.750	55.27	-4.93	74.0	18.73	Peak	86.00	150	Horizontal	Pass
4**	5990.750	40.52	-4.93	54.0	13.48	AV	86.00	150	Horizontal	N/A
5	7585.750	53.54	0.05	74.0	20.46	Peak	49.00	400	Horizontal	Pass
5**	7585.750	44.66	0.05	54.0	9.34	AV	49.00	400	Horizontal	Pass
6	17805.001	48.75	6.39	74.0	25.25	Peak	120.00	100	Horizontal	Pass
6**	17805.001	41.95	6.39	54.0	12.05	AV	120.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.900	42.52	-19.39	74.0	31.48	Peak	215.00	400	Vertical	Pass
1**	1543.900	32.15	-19.39	54.0	21.85	AV	215.00	400	Vertical	Pass
2	2410.300	107.76	-15.25	74.0	-33.76	Peak	287.00	200	Vertical	N/A
2**	2410.300	98.23	-15.25	54.0	-44.23	AV	287.00	200	Vertical	N/A
3	2786.200	50.84	-9.99	74.0	23.16	Peak	233.00	100	Vertical	Pass
3**	2786.200	41.48	-9.99	54.0	12.52	AV	233.00	100	Vertical	Pass
4	3993.500	55.24	-7.46	74.0	18.76	Peak	185.00	150	Vertical	Pass
4**	3993.500	42.54	-7.46	54.0	11.46	AV	185.00	150	Vertical	Pass
5	5990.500	58.84	-5.16	74.0	15.16	Peak	0.00	150	Vertical	Pass
5**	5990.500	44.32	-5.16	54.0	9.68	AV	0.00	150	Vertical	N/A
6	17795.000	48.90	6.37	74.0	25.10	Peak	44.00	200	Vertical	Pass
6**	17795.000	42.53	6.37	54.0	11.47	AV	44.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.900	41.16	-19.22	74.0	32.84	Peak	141.00	100	Horizontal	Pass
1**	1539.900	34.70	-19.22	54.0	19.30	AV	141.00	100	Horizontal	Pass
2	2441.000	108.15	-14.16	74.0	-34.15	Peak	300.00	100	Horizontal	N/A
2**	2441.000	100.10	-14.16	54.0	-46.10	AV	300.00	100	Horizontal	N/A
3	2784.500	50.32	-10.26	74.0	23.68	Peak	8.00	100	Horizontal	Pass
3**	2784.500	41.94	-10.26	54.0	12.06	AV	8.00	100	Horizontal	Pass
4	5990.250	52.27	-5.21	74.0	21.73	Peak	106.00	150	Horizontal	Pass
4**	5990.250	40.28	-5.21	54.0	13.72	AV	106.00	150	Horizontal	N/A
5	7597.250	53.44	-0.78	74.0	20.56	Peak	347.00	200	Horizontal	Pass
5**	7597.250	43.69	-0.78	54.0	10.31	AV	347.00	200	Horizontal	Pass
6	17557.500	49.71	6.40	74.0	24.29	Peak	7.00	100	Horizontal	Pass
6**	17557.500	40.18	6.40	54.0	13.82	AV	7.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.900	41.98	-19.35	74.0	32.02	Peak	218.00	100	Vertical	Pass
1**	1523.900	30.70	-19.35	54.0	23.30	AV	218.00	100	Vertical	Pass
2	2436.700	106.31	-14.77	74.0	-32.31	Peak	290.00	150	Vertical	N/A
2**	2436.700	98.16	-14.77	54.0	-44.16	AV	290.00	150	Vertical	N/A
3	2773.300	50.28	-10.58	74.0	23.72	Peak	191.00	150	Vertical	Pass
3**	2773.300	41.77	-10.58	54.0	12.23	AV	191.00	150	Vertical	Pass
4	3994.000	53.49	-7.53	74.0	20.51	Peak	175.00	150	Vertical	Pass
4**	3994.000	39.25	-7.53	54.0	14.75	AV	175.00	150	Vertical	Pass
5	5990.500	56.62	-5.16	74.0	17.38	Peak	289.00	150	Vertical	Pass
5**	5990.500	42.04	-5.16	54.0	11.96	AV	289.00	150	Vertical	N/A
6	17807.499	49.48	6.32	74.0	24.52	Peak	359.00	100	Vertical	Pass
6**	17807.499	41.95	6.32	54.0	12.05	AV	359.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.000	41.79	-19.58	74.0	32.21	Peak	151.00	100	Horizontal	Pass
1**	1543.000	32.36	-19.58	54.0	21.64	AV	151.00	100	Horizontal	Pass
2	2459.900	108.95	-13.55	74.0	-34.95	Peak	311.00	200	Horizontal	N/A
2**	2459.900	101.05	-13.55	54.0	-47.05	AV	311.00	200	Horizontal	N/A
3	2774.500	50.10	-10.97	74.0	23.90	Peak	143.00	150	Horizontal	Pass
3**	2774.500	40.50	-10.97	54.0	13.50	AV	143.00	150	Horizontal	Pass
4	4876.750	48.40	-5.75	74.0	25.60	Peak	116.00	400	Horizontal	Pass
4**	4876.750	39.16	-5.75	54.0	14.84	AV	116.00	400	Horizontal	Pass
5	5990.750	55.93	-4.93	74.0	18.07	Peak	97.00	400	Horizontal	Pass
5**	5990.750	43.35	-4.93	54.0	10.65	AV	97.00	400	Horizontal	N/A
6	17805.001	48.95	6.39	74.0	25.05	Peak	0.00	100	Horizontal	Pass
6**	17805.001	42.19	6.39	54.0	11.81	AV	0.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.700	41.89	-19.53	74.0	32.11	Peak	197.00	200	Vertical	Pass
1**	1525.700	31.43	-19.53	54.0	22.57	AV	197.00	200	Vertical	Pass
2	2462.600	107.08	-13.67	74.0	-33.08	Peak	127.00	150	Vertical	N/A
2**	2462.600	99.42	-13.67	54.0	-45.42	AV	127.00	150	Vertical	N/A
3	2786.000	49.97	-10.07	74.0	24.03	Peak	215.00	150	Vertical	Pass
3**	2786.000	41.69	-10.07	54.0	12.31	AV	215.00	150	Vertical	Pass
4	3993.750	56.64	-7.47	74.0	17.36	Peak	237.00	200	Vertical	Pass
4**	3993.750	37.51	-7.47	54.0	16.49	AV	237.00	200	Vertical	Pass
5	5990.750	57.43	-4.93	74.0	16.57	Peak	360.00	300	Vertical	Pass
5**	5990.750	44.92	-4.93	54.0	9.08	AV	360.00	300	Vertical	N/A
6	17782.499	48.58	6.00	74.0	25.42	Peak	338.00	300	Vertical	Pass
6**	17782.499	40.70	6.00	54.0	13.30	AV	338.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.800	41.95	-19.69	74.0	32.05	Peak	150.00	100	Horizontal	Pass
1**	1530.800	32.19	-19.69	54.0	21.81	AV	150.00	100	Horizontal	Pass
2	2463.400	105.18	-13.97	74.0	-31.18	Peak	252.00	150	Horizontal	N/A
2**	2463.400	97.11	-13.97	54.0	-43.11	AV	252.00	150	Horizontal	N/A
3	2783.200	50.26	-9.54	74.0	23.74	Peak	35.00	150	Horizontal	Pass
3**	2783.200	42.75	-9.54	54.0	11.25	AV	35.00	150	Horizontal	Pass
4	4971.250	48.20	-3.40	74.0	25.80	Peak	169.00	400	Horizontal	Pass
4**	4971.250	40.03	-3.40	54.0	13.97	AV	169.00	400	Horizontal	Pass
5	7688.500	53.40	-0.88	74.0	20.60	Peak	224.00	400	Horizontal	Pass
5**	7688.500	44.09	-0.88	54.0	9.91	AV	224.00	400	Horizontal	Pass
6	17812.500	48.45	6.19	74.0	25.55	Peak	288.00	300	Horizontal	Pass
6**	17812.500	40.33	6.19	54.0	13.67	AV	288.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.600	41.93	-19.60	74.0	32.07	Peak	278.00	200	Vertical	Pass
1**	1539.600	34.42	-19.60	54.0	19.58	AV	278.00	200	Vertical	Pass
2	2463.000	103.09	-13.43	74.0	-29.09	Peak	286.00	200	Vertical	N/A
2**	2463.000	94.63	-13.43	54.0	-40.63	AV	286.00	200	Vertical	N/A
3	2782.300	50.10	-9.93	74.0	23.90	Peak	313.00	100	Vertical	Pass
3**	2782.300	41.81	-9.93	54.0	12.19	AV	313.00	100	Vertical	Pass
4	3993.500	56.95	-7.46	74.0	17.05	Peak	235.00	100	Vertical	Pass
4**	3993.500	49.10	-7.46	54.0	4.90	AV	235.00	100	Vertical	Pass
5	5990.750	60.26	-4.93	74.0	13.74	Peak	176.00	100	Vertical	Pass
5**	5990.750	46.20	-4.93	54.0	7.80	AV	176.00	100	Vertical	N/A
6	17545.001	48.38	6.40	74.0	25.62	Peak	0.00	400	Vertical	Pass
6**	17545.001	41.57	6.40	54.0	12.43	AV	0.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.800	42.70	-19.19	74.0	31.30	Peak	166.00	400	Horizontal	Pass
1**	1540.800	33.32	-19.19	54.0	20.68	AV	166.00	400	Horizontal	Pass
2	2474.100	105.01	-14.73	74.0	-31.01	Peak	264.00	200	Horizontal	N/A
2**	2474.100	95.36	-14.73	54.0	-41.36	AV	264.00	200	Horizontal	N/A
3	2782.400	50.68	-9.91	74.0	23.32	Peak	175.00	150	Horizontal	Pass
3**	2782.400	41.88	-9.91	54.0	12.12	AV	175.00	150	Horizontal	Pass
4	4971.000	48.25	-3.33	74.0	25.75	Peak	286.00	300	Horizontal	Pass
4**	4971.000	39.59	-3.33	54.0	14.41	AV	286.00	300	Horizontal	Pass
5	5991.000	53.29	-4.88	74.0	20.71	Peak	68.00	100	Horizontal	Pass
5**	5991.000	42.78	-4.88	54.0	11.22	AV	68.00	100	Horizontal	N/A
6	17532.500	47.74	6.16	74.0	26.26	Peak	151.00	400	Horizontal	Pass
6**	17532.500	40.44	6.16	54.0	13.56	AV	151.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.000	42.72	-19.77	74.0	31.28	Peak	211.00	300	Vertical	Pass
1**	1546.000	32.66	-19.77	54.0	21.34	AV	211.00	300	Vertical	Pass
2	2468.600	101.38	-14.15	74.0	-27.38	Peak	292.00	150	Vertical	N/A
2**	2468.600	93.02	-14.15	54.0	-39.02	AV	292.00	150	Vertical	N/A
3	2775.100	50.76	-11.24	74.0	23.24	Peak	202.00	200	Vertical	Pass
3**	2775.100	40.75	-11.24	54.0	13.25	AV	202.00	200	Vertical	Pass
4	3993.500	51.07	-7.46	74.0	22.93	Peak	267.00	300	Vertical	Pass
4**	3993.500	40.98	-7.46	54.0	13.02	AV	267.00	300	Vertical	Pass
5	5990.000	58.45	-5.20	74.0	15.55	Peak	0.00	200	Vertical	Pass
5**	5990.000	43.53	-5.20	54.0	10.47	AV	0.00	200	Vertical	N/A
6	17817.500	49.50	6.05	74.0	24.50	Peak	33.00	200	Vertical	Pass
6**	17817.500	40.84	6.05	54.0	13.16	AV	33.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1249.200	41.15	-19.79	74.0	32.85	Peak	339.00	300	Horizontal	Pass
1**	1249.200	30.95	-19.79	54.0	23.05	AV	339.00	300	Horizontal	Pass
2	2426.300	105.29	-14.27	74.0	-31.29	Peak	303.00	150	Horizontal	N/A
2**	2426.300	95.51	-14.27	54.0	-41.51	AV	303.00	150	Horizontal	N/A
3	2777.600	51.39	-10.12	74.0	22.61	Peak	339.00	100	Horizontal	Pass
3**	2777.600	42.41	-10.12	54.0	11.59	AV	339.00	100	Horizontal	Pass
4	4971.000	50.20	-3.33	74.0	23.80	Peak	241.00	100	Horizontal	Pass
4**	4971.000	39.73	-3.33	54.0	14.27	AV	241.00	100	Horizontal	Pass
5	7757.250	53.31	-0.25	74.0	20.69	Peak	165.00	400	Horizontal	Pass
5**	7757.250	44.28	-0.25	54.0	9.72	AV	165.00	400	Horizontal	Pass
6	17785.000	48.59	6.07	74.0	25.41	Peak	305.00	400	Horizontal	Pass
6**	17785.000	40.88	6.07	54.0	13.12	AV	305.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.900	42.69	-19.36	74.0	31.31	Peak	55.00	400	Vertical	Pass
1**	1532.900	33.63	-19.36	54.0	20.37	AV	55.00	400	Vertical	Pass
2	2416.100	103.09	-14.29	74.0	-29.09	Peak	295.00	150	Vertical	N/A
2**	2416.100	94.05	-14.29	54.0	-40.05	AV	295.00	150	Vertical	N/A
3	2784.900	50.77	-9.85	74.0	23.23	Peak	360.00	150	Vertical	Pass
3**	2784.900	42.13	-9.85	54.0	11.87	AV	360.00	150	Vertical	Pass
4	3993.750	51.80	-7.47	74.0	22.20	Peak	138.00	400	Vertical	Pass
4**	3993.750	41.39	-7.47	54.0	12.61	AV	138.00	400	Vertical	Pass
5	5990.500	60.43	-5.16	74.0	13.57	Peak	345.00	100	Vertical	Pass
5**	5990.500	47.71	-5.16	54.0	6.29	AV	345.00	100	Vertical	N/A
6	17567.500	48.60	6.27	74.0	25.40	Peak	53.00	300	Vertical	Pass
6**	17567.500	40.45	6.27	54.0	13.55	AV	53.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1326.700	41.51	-19.09	74.0	32.49	Peak	120.00	300	Horizontal	Pass
1**	1326.700	30.76	-19.09	54.0	23.24	AV	120.00	300	Horizontal	Pass
2	2440.900	105.37	-14.23	74.0	-31.37	Peak	311.00	150	Horizontal	N/A
2**	2440.900	96.04	-14.23	54.0	-42.04	AV	311.00	150	Horizontal	N/A
3	2784.800	50.57	-9.79	74.0	23.43	Peak	84.00	100	Horizontal	Pass
3**	2784.800	42.05	-9.79	54.0	11.95	AV	84.00	100	Horizontal	Pass
4	4976.500	48.68	-3.89	74.0	25.32	Peak	344.00	100	Horizontal	Pass
4**	4976.500	38.86	-3.89	54.0	15.14	AV	344.00	100	Horizontal	Pass
5	7764.500	53.01	-0.41	74.0	20.99	Peak	230.00	100	Horizontal	Pass
5**	7764.500	44.54	-0.41	54.0	9.46	AV	230.00	100	Horizontal	Pass
6	17557.500	48.97	6.40	74.0	25.03	Peak	64.00	300	Horizontal	Pass
6**	17557.500	41.90	6.40	54.0	12.10	AV	64.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.000	42.56	-19.31	74.0	31.44	Peak	264.00	100	Vertical	Pass
1**	1541.000	33.30	-19.31	54.0	20.70	AV	264.00	100	Vertical	Pass
2	2426.800	103.28	-14.25	74.0	-29.28	Peak	273.00	100	Vertical	N/A
2**	2426.800	94.68	-14.25	54.0	-40.68	AV	273.00	100	Vertical	N/A
3	2782.400	50.20	-9.91	74.0	23.80	Peak	319.00	150	Vertical	Pass
3**	2782.400	41.42	-9.91	54.0	12.58	AV	319.00	150	Vertical	Pass
4	3993.500	51.49	-7.46	74.0	22.51	Peak	258.00	300	Vertical	Pass
4**	3993.500	39.75	-7.46	54.0	14.25	AV	258.00	300	Vertical	Pass
5	5990.750	58.69	-4.93	74.0	15.31	Peak	360.00	300	Vertical	Pass
5**	5990.750	44.90	-4.93	54.0	9.10	AV	360.00	300	Vertical	N/A
6	17797.501	49.06	6.45	74.0	24.94	Peak	41.00	100	Vertical	Pass
6**	17797.501	41.25	6.45	54.0	12.75	AV	41.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1248.500	41.47	-19.41	74.0	32.53	Peak	242.00	200	Horizontal	Pass
1**	1248.500	31.54	-19.41	54.0	22.46	AV	242.00	200	Horizontal	Pass
2	2459.700	106.29	-13.35	74.0	-32.29	Peak	303.00	100	Horizontal	N/A
2**	2459.700	96.57	-13.35	54.0	-42.57	AV	303.00	100	Horizontal	N/A
3	2782.900	50.22	-9.58	74.0	23.78	Peak	107.00	200	Horizontal	Pass
3**	2782.900	43.07	-9.58	54.0	10.93	AV	107.00	200	Horizontal	Pass
4	4641.000	48.53	-5.97	74.0	25.47	Peak	15.00	100	Horizontal	Pass
4**	4641.000	37.95	-5.97	54.0	16.05	AV	15.00	100	Horizontal	Pass
5	7798.000	54.42	-0.40	74.0	19.58	Peak	129.00	300	Horizontal	Pass
5**	7798.000	44.82	-0.40	54.0	9.18	AV	129.00	300	Horizontal	Pass
6	17797.501	49.03	6.45	74.0	24.97	Peak	210.00	200	Horizontal	Pass
6**	17797.501	41.89	6.45	54.0	12.11	AV	210.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.500	41.43	-19.43	74.0	32.57	Peak	188.00	100	Vertical	Pass
1**	1544.500	33.18	-19.43	54.0	20.82	AV	188.00	100	Vertical	Pass
2	2458.000	104.20	-13.45	74.0	-30.20	Peak	285.00	200	Vertical	N/A
2**	2458.000	95.20	-13.45	54.0	-41.20	AV	285.00	200	Vertical	N/A
3	2779.000	50.93	-10.40	74.0	23.07	Peak	38.00	150	Vertical	Pass
3**	2779.000	41.28	-10.40	54.0	12.72	AV	38.00	150	Vertical	Pass
4	3993.750	55.35	-7.47	74.0	18.65	Peak	173.00	300	Vertical	Pass
4**	3993.750	37.13	-7.47	54.0	16.87	AV	173.00	300	Vertical	Pass
5	5990.750	56.41	-4.93	74.0	17.59	Peak	360.00	300	Vertical	Pass
5**	5990.750	44.47	-4.93	54.0	9.53	AV	360.00	300	Vertical	N/A
6	17855.001	48.55	5.02	74.0	25.45	Peak	16.00	100	Vertical	Pass
6**	17855.001	40.40	5.02	54.0	13.60	AV	16.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.800	42.23	-19.78	74.0	31.77	Peak	151.00	100	Horizontal	Pass
1**	1526.800	31.38	-19.78	54.0	22.62	AV	151.00	100	Horizontal	Pass
2	2445.500	103.54	-14.31	74.0	-29.54	Peak	250.00	150	Horizontal	N/A
2**	2445.500	92.46	-14.31	54.0	-38.46	AV	250.00	150	Horizontal	N/A
3	2782.500	51.50	-9.89	74.0	22.50	Peak	187.00	150	Horizontal	Pass
3**	2782.500	41.48	-9.89	54.0	12.52	AV	187.00	150	Horizontal	Pass
4	4529.000	49.13	-4.84	74.0	24.87	Peak	223.00	400	Horizontal	Pass
4**	4529.000	39.65	-4.84	54.0	14.35	AV	223.00	400	Horizontal	Pass
5	5990.000	53.11	-5.20	74.0	20.89	Peak	280.00	300	Horizontal	Pass
5**	5990.000	40.59	-5.20	54.0	13.41	AV	280.00	300	Horizontal	N/A
6	17610.000	48.34	5.44	74.0	25.66	Peak	213.00	200	Horizontal	Pass
6**	17610.000	40.31	5.44	54.0	13.69	AV	213.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.500	42.51	-19.70	74.0	31.49	Peak	285.00	200	Vertical	Pass
1**	1546.500	31.79	-19.70	54.0	22.21	AV	285.00	200	Vertical	Pass
2	2460.300	101.04	-13.78	74.0	-27.04	Peak	285.00	200	Vertical	N/A
2**	2460.300	91.16	-13.78	54.0	-37.16	AV	285.00	200	Vertical	N/A
3	2779.600	49.87	-10.54	74.0	24.13	Peak	137.00	150	Vertical	Pass
3**	2779.600	41.67	-10.54	54.0	12.33	AV	137.00	150	Vertical	Pass
4	3993.750	55.68	-7.47	74.0	18.32	Peak	170.00	100	Vertical	Pass
4**	3993.750	39.37	-7.47	54.0	14.63	AV	170.00	100	Vertical	Pass
5	5989.750	58.76	-5.05	74.0	15.24	Peak	0.00	300	Vertical	Pass
5**	5989.750	43.42	-5.05	54.0	10.58	AV	0.00	300	Vertical	N/A
6	17557.500	48.82	6.40	74.0	25.18	Peak	0.00	300	Vertical	Pass
6**	17557.500	40.27	6.40	54.0	13.73	AV	0.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.900	41.64	-19.68	74.0	32.36	Peak	158.00	100	Horizontal	Pass
1**	1541.900	32.29	-19.68	54.0	21.71	AV	158.00	100	Horizontal	Pass
2	2451.100	102.21	-13.37	74.0	-28.21	Peak	263.00	100	Horizontal	N/A
2**	2451.100	92.52	-13.37	54.0	-38.52	AV	263.00	100	Horizontal	N/A
3	2783.100	50.60	-9.34	74.0	23.40	Peak	360.00	200	Horizontal	Pass
3**	2783.100	42.33	-9.34	54.0	11.67	AV	360.00	200	Horizontal	Pass
4	4770.250	48.35	-5.54	74.0	25.65	Peak	360.00	100	Horizontal	Pass
4**	4770.250	39.08	-5.54	54.0	14.92	AV	360.00	100	Horizontal	Pass
5	7754.000	53.10	-0.38	74.0	20.90	Peak	13.00	200	Horizontal	Pass
5**	7754.000	44.17	-0.38	54.0	9.83	AV	13.00	200	Horizontal	Pass
6	17562.499	48.59	6.34	74.0	25.41	Peak	246.00	200	Horizontal	Pass
6**	17562.499	40.53	6.34	54.0	13.47	AV	246.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.200	41.74	-19.35	74.0	32.26	Peak	215.00	200	Vertical	Pass
1**	1529.200	32.10	-19.35	54.0	21.90	AV	215.00	200	Vertical	Pass
2	2477.100	99.47	-13.97	74.0	-25.47	Peak	273.00	100	Vertical	N/A
2**	2477.100	90.89	-13.97	54.0	-36.89	AV	273.00	100	Vertical	N/A
3	2776.500	50.28	-10.57	74.0	23.72	Peak	26.00	200	Vertical	Pass
3**	2776.500	41.24	-10.57	54.0	12.76	AV	26.00	200	Vertical	Pass
4	3993.750	54.66	-7.47	74.0	19.34	Peak	187.00	200	Vertical	Pass
4**	3993.750	35.61	-7.47	54.0	18.39	AV	187.00	200	Vertical	Pass
5	5990.500	58.01	-5.16	74.0	15.99	Peak	244.00	100	Vertical	Pass
5**	5990.500	45.85	-5.16	54.0	8.15	AV	244.00	100	Vertical	N/A
6	17565.000	49.55	6.31	74.0	24.45	Peak	20.00	200	Vertical	Pass
6**	17565.000	39.47	6.31	54.0	14.53	AV	20.00	200	Vertical	Pass

MIMO**1 GHz to 18 GHz, ANT H 802.11n20 Channel 1**

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1255.100	42.12	-19.69	74.0	31.88	Peak	349.00	200	Horizontal	Pass
1**	1255.100	32.03	-19.69	54.0	21.97	AV	349.00	200	Horizontal	Pass
2	2409.600	107.23	-14.94	74.0	-33.23	Peak	137.00	100	Horizontal	N/A
2**	2409.600	98.88	-14.94	54.0	-44.88	AV	137.00	100	Horizontal	N/A
3	2785.000	50.37	-9.91	74.0	23.63	Peak	64.00	200	Horizontal	Pass
3**	2785.000	41.75	-9.91	54.0	12.25	AV	64.00	200	Horizontal	Pass
4	4982.750	49.01	-4.38	74.0	24.99	Peak	63.00	300	Horizontal	Pass
4**	4982.750	39.25	-4.38	54.0	14.75	AV	63.00	300	Horizontal	Pass
5	5990.750	58.45	-4.93	74.0	15.55	Peak	100.00	300	Horizontal	Pass
5**	5990.750	40.50	-4.93	54.0	13.50	AV	100.00	300	Horizontal	N/A
6	17810.000	48.19	6.25	74.0	25.81	Peak	78.00	100	Horizontal	Pass
6**	17810.000	40.08	6.25	54.0	13.92	AV	78.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1397.000	40.94	-19.27	74.0	33.06	Peak	233.00	100	Vertical	Pass
1**	1397.000	31.38	-19.27	54.0	22.62	AV	233.00	100	Vertical	Pass
2	2414.500	106.03	-14.68	74.0	-32.03	Peak	118.00	100	Vertical	N/A
2**	2414.500	99.05	-14.68	54.0	-45.05	AV	118.00	100	Vertical	N/A
3	2786.000	50.15	-10.07	74.0	23.85	Peak	127.00	200	Vertical	Pass
3**	2786.000	41.60	-10.07	54.0	12.40	AV	127.00	200	Vertical	Pass
4	3993.500	56.91	-7.46	74.0	17.09	Peak	241.00	200	Vertical	Pass
4**	3993.500	46.31	-7.46	54.0	7.69	AV	241.00	200	Vertical	Pass
5	5990.500	63.83	-5.16	74.0	10.17	Peak	127.00	400	Vertical	Pass
5**	5990.500	46.63	-5.16	54.0	7.37	AV	127.00	400	Vertical	N/A
6	17802.500	48.03	6.46	74.0	25.97	Peak	309.00	100	Vertical	Pass
6**	17802.500	43.39	6.46	54.0	10.61	AV	309.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1250.000	41.54	-19.48	74.0	32.46	Peak	344.00	200	Horizontal	Pass
1**	1250.000	31.43	-19.48	54.0	22.57	AV	344.00	200	Horizontal	Pass
2	2441.100	108.11	-14.24	74.0	-34.11	Peak	121.00	150	Horizontal	N/A
2**	2441.100	99.78	-14.24	54.0	-45.78	AV	121.00	150	Horizontal	N/A
3	2786.200	50.21	-9.99	74.0	23.79	Peak	14.00	200	Horizontal	Pass
3**	2786.200	42.06	-9.99	54.0	11.94	AV	14.00	200	Horizontal	Pass
4	4870.750	49.70	-5.89	74.0	24.30	Peak	34.00	300	Horizontal	Pass
4**	4870.750	40.08	-5.89	54.0	13.92	AV	34.00	300	Horizontal	Pass
5	5990.750	54.97	-4.93	74.0	19.03	Peak	189.00	200	Horizontal	Pass
5**	5990.750	45.29	-4.93	54.0	8.71	AV	189.00	200	Horizontal	N/A
6	17792.500	48.93	6.30	74.0	25.07	Peak	184.00	400	Horizontal	Pass
6**	17792.500	40.92	6.30	54.0	13.08	AV	184.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.100	40.66	-19.51	74.0	33.34	Peak	0.00	300	Vertical	Pass
1**	1541.100	31.97	-19.51	54.0	22.03	AV	0.00	300	Vertical	Pass
2	2438.900	106.55	-14.28	74.0	-32.55	Peak	112.00	200	Vertical	N/A
2**	2438.900	99.24	-14.28	54.0	-45.24	AV	112.00	200	Vertical	N/A
3	2785.700	50.73	-10.09	74.0	23.27	Peak	314.00	100	Vertical	Pass
3**	2785.700	41.52	-10.09	54.0	12.48	AV	314.00	100	Vertical	Pass
4	3992.750	49.39	-8.10	74.0	24.61	Peak	249.00	200	Vertical	Pass
4**	3992.750	35.36	-8.10	54.0	18.64	AV	249.00	200	Vertical	Pass
5	5990.500	64.37	-5.16	74.0	9.63	Peak	191.00	400	Vertical	Pass
5**	5990.500	48.67	-5.16	54.0	5.33	AV	191.00	400	Vertical	N/A
6	17807.499	48.79	6.32	74.0	25.21	Peak	335.00	100	Vertical	Pass
6**	17807.499	41.56	6.32	54.0	12.44	AV	335.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1372.200	40.74	-19.18	74.0	33.26	Peak	156.00	100	Horizontal	Pass
1**	1372.200	31.22	-19.18	54.0	22.78	AV	156.00	100	Horizontal	Pass
2	2459.800	108.03	-13.45	74.0	-34.03	Peak	140.00	100	Horizontal	N/A
2**	2459.800	100.70	-13.45	54.0	-46.70	AV	140.00	100	Horizontal	N/A
3	2785.100	50.09	-9.97	74.0	23.91	Peak	193.00	100	Horizontal	Pass
3**	2785.100	41.19	-9.97	54.0	12.81	AV	193.00	100	Horizontal	Pass
4	4970.750	48.67	-3.41	74.0	25.33	Peak	326.00	100	Horizontal	Pass
4**	4970.750	39.63	-3.41	54.0	14.37	AV	326.00	100	Horizontal	Pass
5	5990.250	58.02	-5.21	74.0	15.98	Peak	230.00	100	Horizontal	Pass
5**	5990.250	42.84	-5.21	54.0	11.16	AV	230.00	100	Horizontal	N/A
6	17520.001	48.21	5.92	74.0	25.79	Peak	203.00	300	Horizontal	Pass
6**	17520.001	39.57	5.92	54.0	14.43	AV	203.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.200	41.70	-19.72	74.0	32.30	Peak	53.00	200	Vertical	Pass
1**	1541.200	31.04	-19.72	54.0	22.96	AV	53.00	200	Vertical	Pass
2	2458.900	107.48	-13.72	74.0	-33.48	Peak	116.00	100	Vertical	N/A
2**	2458.900	100.23	-13.72	54.0	-46.23	AV	116.00	100	Vertical	N/A
3	2776.200	50.04	-10.75	74.0	23.96	Peak	218.00	150	Vertical	Pass
3**	2776.200	41.47	-10.75	54.0	12.53	AV	218.00	150	Vertical	Pass
4	3993.750	50.53	-7.47	74.0	23.47	Peak	204.00	300	Vertical	Pass
4**	3993.750	37.96	-7.47	54.0	16.04	AV	204.00	300	Vertical	Pass
5	5990.000	61.41	-5.20	74.0	12.59	Peak	360.00	100	Vertical	Pass
5**	5990.000	47.69	-5.20	54.0	6.31	AV	360.00	100	Vertical	N/A
6	17799.999	48.42	6.52	74.0	25.58	Peak	312.00	200	Vertical	Pass
6**	17799.999	41.65	6.52	54.0	12.35	AV	312.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1259.500	42.53	-19.29	74.0	31.47	Peak	300.00	200	Horizontal	Pass
1**	1259.500	32.73	-19.29	54.0	21.27	AV	300.00	200	Horizontal	Pass
2	2465.000	104.39	-14.16	74.0	-30.39	Peak	70.00	100	Horizontal	N/A
2**	2465.000	96.66	-14.16	54.0	-42.66	AV	70.00	100	Horizontal	N/A
3	2779.000	50.59	-10.40	74.0	23.41	Peak	190.00	200	Horizontal	Pass
3**	2779.000	41.31	-10.40	54.0	12.69	AV	190.00	200	Horizontal	Pass
4	4851.250	48.72	-5.84	74.0	25.28	Peak	322.00	200	Horizontal	Pass
4**	4851.250	38.74	-5.84	54.0	15.26	AV	322.00	200	Horizontal	Pass
5	5990.250	55.74	-5.21	74.0	18.26	Peak	118.00	200	Horizontal	Pass
5**	5990.250	43.52	-5.21	54.0	10.48	AV	118.00	200	Horizontal	N/A
6	17830.001	48.90	5.71	74.0	25.10	Peak	279.00	100	Horizontal	Pass
6**	17830.001	42.14	5.71	54.0	11.86	AV	279.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.700	42.50	-19.39	74.0	31.50	Peak	273.00	200	Vertical	Pass
1**	1540.700	32.77	-19.39	54.0	21.23	AV	273.00	200	Vertical	Pass
2	2463.500	101.43	-14.16	74.0	-27.43	Peak	117.00	150	Vertical	N/A
2**	2463.500	93.45	-14.16	54.0	-39.45	AV	117.00	150	Vertical	N/A
3	2783.600	49.93	-10.20	74.0	24.07	Peak	37.00	200	Vertical	Pass
3**	2783.600	41.25	-10.20	54.0	12.75	AV	37.00	200	Vertical	Pass
4	3993.750	53.69	-7.47	74.0	20.31	Peak	168.00	200	Vertical	Pass
4**	3993.750	39.15	-7.47	54.0	14.85	AV	168.00	200	Vertical	Pass
5	5990.500	62.81	-5.16	74.0	11.19	Peak	111.00	400	Vertical	Pass
5**	5990.500	52.38	-5.16	54.0	1.62	AV	111.00	400	Vertical	N/A
6	17550.000	48.45	6.50	74.0	25.55	Peak	272.00	300	Vertical	Pass
6**	17550.000	40.67	6.50	54.0	13.33	AV	272.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.200	42.39	-19.49	74.0	31.61	Peak	17.00	100	Horizontal	Pass
1**	1670.200	33.84	-19.49	54.0	20.16	AV	17.00	100	Horizontal	Pass
2	2475.900	102.98	-14.54	74.0	-28.98	Peak	140.00	100	Horizontal	N/A
2**	2475.900	94.71	-14.54	54.0	-40.71	AV	140.00	100	Horizontal	N/A
3	2783.700	50.55	-10.20	74.0	23.45	Peak	193.00	100	Horizontal	Pass
3**	2783.700	41.82	-10.20	54.0	12.18	AV	193.00	100	Horizontal	Pass
4	4638.000	48.10	-5.17	74.0	25.90	Peak	87.00	100	Horizontal	Pass
4**	4638.000	39.63	-5.17	54.0	14.37	AV	87.00	100	Horizontal	Pass
5	5990.750	53.51	-4.93	74.0	20.49	Peak	290.00	300	Horizontal	Pass
5**	5990.750	44.13	-4.93	54.0	9.87	AV	290.00	300	Horizontal	N/A
6	17797.501	48.75	6.45	74.0	25.25	Peak	87.00	400	Horizontal	Pass
6**	17797.501	40.78	6.45	54.0	13.22	AV	87.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.800	42.87	-19.47	74.0	31.13	Peak	25.00	400	Vertical	Pass
1**	1668.800	32.81	-19.47	54.0	21.19	AV	25.00	400	Vertical	Pass
2	2478.900	100.79	-14.14	74.0	-26.79	Peak	104.00	150	Vertical	N/A
2**	2478.900	93.32	-14.14	54.0	-39.32	AV	104.00	150	Vertical	N/A
3	2783.100	50.72	-9.34	74.0	23.28	Peak	0.00	100	Vertical	Pass
3**	2783.100	42.51	-9.34	54.0	11.49	AV	0.00	100	Vertical	Pass
4	3994.000	50.20	-7.53	74.0	23.80	Peak	252.00	400	Vertical	Pass
4**	3994.000	46.79	-7.53	54.0	7.21	AV	252.00	400	Vertical	Pass
5	5990.750	62.48	-4.93	74.0	11.52	Peak	0.00	100	Vertical	Pass
5**	5990.750	54.18	-4.93	54.0	-0.18	AV	0.00	100	Vertical	N/A
6	17795.000	49.45	6.37	74.0	24.55	Peak	215.00	150	Vertical	Pass
6**	17795.000	41.17	6.37	54.0	12.83	AV	215.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1679.600	43.09	-19.51	74.0	30.91	Peak	3.00	400	Horizontal	Pass
1**	1679.600	32.50	-19.51	54.0	21.50	AV	3.00	400	Horizontal	Pass
2	2424.000	104.62	-13.62	74.0	-30.62	Peak	135.00	150	Horizontal	N/A
2**	2424.000	95.89	-13.62	54.0	-41.89	AV	135.00	150	Horizontal	N/A
3	2784.300	50.51	-10.41	74.0	23.49	Peak	295.00	200	Horizontal	Pass
3**	2784.300	41.35	-10.41	54.0	12.65	AV	295.00	200	Horizontal	Pass
4	4974.500	49.31	-3.74	74.0	24.69	Peak	89.00	200	Horizontal	Pass
4**	4974.500	39.92	-3.74	54.0	14.08	AV	89.00	200	Horizontal	Pass
5	5990.500	58.98	-5.16	74.0	15.02	Peak	128.00	200	Horizontal	Pass
5**	5990.500	40.40	-5.16	54.0	13.60	AV	128.00	200	Horizontal	N/A
6	17795.000	48.16	6.37	74.0	25.84	Peak	46.00	100	Horizontal	Pass
6**	17795.000	42.04	6.37	54.0	11.96	AV	46.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.600	42.97	-19.50	74.0	31.03	Peak	46.00	300	Vertical	Pass
1**	1673.600	32.86	-19.50	54.0	21.14	AV	46.00	300	Vertical	Pass
2	2426.000	101.32	-14.20	74.0	-27.32	Peak	288.00	150	Vertical	N/A
2**	2426.000	94.42	-14.20	54.0	-40.42	AV	288.00	150	Vertical	N/A
3	2813.000	50.03	-11.60	74.0	23.97	Peak	341.00	200	Vertical	Pass
3**	2813.000	39.75	-11.60	54.0	14.25	AV	341.00	200	Vertical	Pass
4	3993.500	55.25	-7.46	74.0	18.75	Peak	217.00	300	Vertical	Pass
4**	3993.500	44.73	-7.46	54.0	9.27	AV	217.00	300	Vertical	Pass
5	5990.500	64.21	-5.16	74.0	9.79	Peak	345.00	200	Vertical	Pass
5**	5990.500	44.07	-5.16	54.0	9.93	AV	345.00	200	Vertical	N/A
6	17529.999	48.42	6.12	74.0	25.58	Peak	47.00	100	Vertical	Pass
6**	17529.999	40.27	6.12	54.0	13.73	AV	47.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1256.800	41.90	-19.61	74.0	32.10	Peak	315.00	300	Horizontal	Pass
1**	1256.800	31.46	-19.61	54.0	22.54	AV	315.00	300	Horizontal	Pass
2	2448.100	104.21	-13.63	74.0	-30.21	Peak	85.00	150	Horizontal	N/A
2**	2448.100	95.63	-13.63	54.0	-41.63	AV	85.00	150	Horizontal	N/A
3	2782.800	50.46	-9.70	74.0	23.54	Peak	120.00	200	Horizontal	Pass
3**	2782.800	42.18	-9.70	54.0	11.82	AV	120.00	200	Horizontal	Pass
4	4556.000	47.86	-5.27	74.0	26.14	Peak	326.00	300	Horizontal	Pass
4**	4556.000	38.51	-5.27	54.0	15.49	AV	326.00	300	Horizontal	Pass
5	5991.000	55.62	-4.88	74.0	18.38	Peak	101.00	200	Horizontal	Pass
5**	5991.000	44.40	-4.88	54.0	9.60	AV	101.00	200	Horizontal	N/A
6	17577.501	48.49	6.14	74.0	25.51	Peak	329.00	100	Horizontal	Pass
6**	17577.501	41.05	6.14	54.0	12.95	AV	329.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.800	43.60	-19.23	74.0	30.40	Peak	27.00	100	Vertical	Pass
1**	1671.800	33.42	-19.23	54.0	20.58	AV	27.00	100	Vertical	Pass
2	2442.600	102.33	-14.28	74.0	-28.33	Peak	90.00	200	Vertical	N/A
2**	2442.600	94.49	-14.28	54.0	-40.49	AV	90.00	200	Vertical	N/A
3	2785.000	51.01	-9.91	74.0	22.99	Peak	150.00	100	Vertical	Pass
3**	2785.000	42.09	-9.91	54.0	11.91	AV	150.00	100	Vertical	Pass
4	3994.000	52.45	-7.53	74.0	21.55	Peak	189.00	200	Vertical	Pass
4**	3994.000	37.91	-7.53	54.0	16.09	AV	189.00	200	Vertical	Pass
5	5990.500	60.35	-5.16	74.0	13.65	Peak	207.00	400	Vertical	Pass
5**	5990.500	47.74	-5.16	54.0	6.26	AV	207.00	400	Vertical	N/A
6	17802.500	49.29	6.46	74.0	24.71	Peak	360.00	300	Vertical	Pass
6**	17802.500	41.51	6.46	54.0	12.49	AV	360.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1250.100	42.34	-19.38	74.0	31.66	Peak	338.00	200	Horizontal	Pass
1**	1250.100	32.54	-19.38	54.0	21.46	AV	338.00	200	Horizontal	Pass
2	2459.300	105.07	-13.47	74.0	-31.07	Peak	259.00	100	Horizontal	N/A
2**	2459.300	97.00	-13.47	54.0	-43.00	AV	259.00	100	Horizontal	N/A
3	2784.800	49.97	-9.79	74.0	24.03	Peak	360.00	150	Horizontal	Pass
3**	2784.800	41.95	-9.79	54.0	12.05	AV	360.00	150	Horizontal	Pass
4	4961.500	48.78	-3.69	74.0	25.22	Peak	0.00	200	Horizontal	Pass
4**	4961.500	39.18	-3.69	54.0	14.82	AV	0.00	200	Horizontal	Pass
5	5990.250	60.67	-5.21	74.0	13.33	Peak	129.00	300	Horizontal	Pass
5**	5990.250	43.36	-5.21	54.0	10.64	AV	129.00	300	Horizontal	N/A
6	17554.999	48.72	6.44	74.0	25.28	Peak	280.00	400	Horizontal	Pass
6**	17554.999	40.34	6.44	54.0	13.66	AV	280.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1672.600	43.56	-19.42	74.0	30.44	Peak	36.00	400	Vertical	Pass
1**	1672.600	32.14	-19.42	54.0	21.86	AV	36.00	400	Vertical	Pass
2	2456.300	103.55	-13.35	74.0	-29.55	Peak	134.00	150	Vertical	N/A
2**	2456.300	95.16	-13.35	54.0	-41.16	AV	134.00	150	Vertical	N/A
3	2786.900	50.16	-10.22	74.0	23.84	Peak	317.00	100	Vertical	Pass
3**	2786.900	40.97	-10.22	54.0	13.03	AV	317.00	100	Vertical	Pass
4	3993.750	48.59	-7.47	74.0	25.41	Peak	171.00	300	Vertical	Pass
4**	3993.750	36.29	-7.47	54.0	17.71	AV	171.00	300	Vertical	Pass
5	5990.750	63.61	-4.93	74.0	10.39	Peak	227.00	100	Vertical	Pass
5**	5990.750	54.28	-4.93	54.0	-0.28	AV	227.00	100	Vertical	N/A
6	17822.501	49.22	5.91	74.0	24.78	Peak	47.00	150	Vertical	Pass
6**	17822.501	41.14	5.91	54.0	12.86	AV	47.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1264.500	41.25	-19.51	74.0	32.75	Peak	344.00	100	Horizontal	Pass
1**	1264.500	31.94	-19.51	54.0	22.06	AV	344.00	100	Horizontal	Pass
2	2458.700	101.11	-13.76	74.0	-27.11	Peak	141.00	100	Horizontal	N/A
2**	2458.700	93.72	-13.76	54.0	-39.72	AV	141.00	100	Horizontal	N/A
3	2785.100	50.32	-9.97	74.0	23.68	Peak	299.00	100	Horizontal	Pass
3**	2785.100	41.63	-9.97	54.0	12.37	AV	299.00	100	Horizontal	Pass
4	4559.250	48.56	-4.97	74.0	25.44	Peak	63.00	300	Horizontal	Pass
4**	4559.250	39.39	-4.97	54.0	14.61	AV	63.00	300	Horizontal	Pass
5	5990.250	56.63	-5.21	74.0	17.37	Peak	81.00	400	Horizontal	Pass
5**	5990.250	41.51	-5.21	54.0	12.49	AV	81.00	400	Horizontal	N/A
6	17565.000	48.48	6.31	74.0	25.52	Peak	18.00	300	Horizontal	Pass
6**	17565.000	41.34	6.31	54.0	12.66	AV	18.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1388.000	40.99	-19.57	74.0	33.01	Peak	144.00	400	Vertical	Pass
1**	1388.000	30.93	-19.57	54.0	23.07	AV	144.00	400	Vertical	Pass
2	2455.000	99.57	-12.70	74.0	-25.57	Peak	118.00	200	Vertical	N/A
2**	2455.000	91.70	-12.70	54.0	-37.70	AV	118.00	200	Vertical	N/A
3	2783.000	50.22	-9.46	74.0	23.78	Peak	360.00	150	Vertical	Pass
3**	2783.000	42.65	-9.46	54.0	11.35	AV	360.00	150	Vertical	Pass
4	3993.250	52.00	-7.62	74.0	22.00	Peak	253.00	200	Vertical	Pass
4**	3993.250	35.58	-7.62	54.0	18.42	AV	253.00	200	Vertical	Pass
5	5990.500	63.97	-5.16	74.0	10.03	Peak	198.00	200	Vertical	Pass
5**	5990.500	52.89	-5.16	54.0	1.11	AV	198.00	200	Vertical	N/A
6	17805.001	48.04	6.39	74.0	25.96	Peak	272.00	400	Vertical	Pass
6**	17805.001	40.99	6.39	54.0	13.01	AV	272.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.000	42.23	-19.23	74.0	31.77	Peak	152.00	300	Horizontal	Pass
1**	1532.000	32.95	-19.23	54.0	21.05	AV	152.00	300	Horizontal	Pass
2	2455.100	101.20	-12.86	74.0	-27.20	Peak	134.00	150	Horizontal	N/A
2**	2455.100	93.42	-12.86	54.0	-39.42	AV	134.00	150	Horizontal	N/A
3	2786.700	50.32	-10.02	74.0	23.68	Peak	360.00	200	Horizontal	Pass
3**	2786.700	41.67	-10.02	54.0	12.33	AV	360.00	200	Horizontal	Pass
4	4974.000	49.63	-3.61	74.0	24.37	Peak	36.00	300	Horizontal	Pass
4**	4974.000	40.14	-3.61	54.0	13.86	AV	36.00	300	Horizontal	Pass
5	5990.750	59.35	-4.93	74.0	14.65	Peak	114.00	100	Horizontal	Pass
5**	5990.750	46.42	-4.93	54.0	7.58	AV	114.00	100	Horizontal	N/A
6	17557.500	48.66	6.40	74.0	25.34	Peak	118.00	200	Horizontal	Pass
6**	17557.500	40.39	6.40	54.0	13.61	AV	118.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.900	43.10	-19.43	74.0	30.90	Peak	39.00	150	Vertical	Pass
1**	1671.900	32.70	-19.43	54.0	21.30	AV	39.00	150	Vertical	Pass
2	2458.200	98.59	-13.60	74.0	-24.59	Peak	127.00	200	Vertical	N/A
2**	2458.200	90.89	-13.60	54.0	-36.89	AV	127.00	200	Vertical	N/A
3	2782.700	50.31	-9.82	74.0	23.69	Peak	232.00	150	Vertical	Pass
3**	2782.700	41.83	-9.82	54.0	12.17	AV	232.00	150	Vertical	Pass
4	3993.750	53.11	-7.47	74.0	20.89	Peak	160.00	100	Vertical	Pass
4**	3993.750	40.44	-7.47	54.0	13.56	AV	160.00	100	Vertical	Pass
5	5990.750	63.22	-4.93	74.0	10.78	Peak	103.00	300	Vertical	Pass
5**	5990.750	51.87	-4.93	54.0	2.13	AV	103.00	300	Vertical	N/A
6	17822.501	48.78	5.91	74.0	25.22	Peak	236.00	100	Vertical	Pass
6**	17822.501	41.48	5.91	54.0	12.52	AV	236.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1248.400	41.31	-19.43	74.0	32.69	Peak	305.00	200	Horizontal	Pass
1**	1248.400	30.93	-19.43	54.0	23.07	AV	305.00	200	Horizontal	Pass
2	2410.100	107.52	-15.32	74.0	-33.52	Peak	138.00	200	Horizontal	N/A
2**	2410.100	98.87	-15.32	54.0	-44.87	AV	138.00	200	Horizontal	N/A
3	2782.100	50.45	-10.15	74.0	23.55	Peak	0.00	100	Horizontal	Pass
3**	2782.100	41.83	-10.15	54.0	12.17	AV	0.00	100	Horizontal	Pass
4	4974.250	48.61	-3.69	74.0	25.39	Peak	122.00	200	Horizontal	Pass
4**	4974.250	40.57	-3.69	54.0	13.43	AV	122.00	200	Horizontal	Pass
5	5990.250	58.62	-5.21	74.0	15.38	Peak	105.00	300	Horizontal	Pass
5**	5990.250	40.12	-5.21	54.0	13.88	AV	105.00	300	Horizontal	N/A
6	17570.001	49.18	6.24	74.0	24.82	Peak	288.00	400	Horizontal	Pass
6**	17570.001	41.24	6.24	54.0	12.76	AV	288.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1391.400	42.45	-19.29	74.0	31.55	Peak	14.00	300	Vertical	Pass
1**	1391.400	32.08	-19.29	54.0	21.92	AV	14.00	300	Vertical	Pass
2	2409.300	106.73	-14.95	74.0	-32.73	Peak	112.00	100	Vertical	N/A
2**	2409.300	98.88	-14.95	54.0	-44.88	AV	112.00	100	Vertical	N/A
3	2782.400	50.29	-9.91	74.0	23.71	Peak	271.00	200	Vertical	Pass
3**	2782.400	41.15	-9.91	54.0	12.85	AV	271.00	200	Vertical	Pass
4	3993.500	54.52	-7.46	74.0	19.48	Peak	257.00	200	Vertical	Pass
4**	3993.500	44.38	-7.46	54.0	9.62	AV	257.00	200	Vertical	Pass
5	5990.000	62.85	-5.20	74.0	11.15	Peak	0.00	400	Vertical	Pass
5**	5990.000	47.41	-5.20	54.0	6.59	AV	0.00	400	Vertical	N/A
6	17812.500	48.51	6.19	74.0	25.49	Peak	329.00	100	Vertical	Pass
6**	17812.500	41.54	6.19	54.0	12.46	AV	329.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1253.600	41.96	-19.51	74.0	32.04	Peak	337.00	400	Horizontal	Pass
1**	1253.600	31.53	-19.51	54.0	22.47	AV	337.00	400	Horizontal	Pass
2	2440.800	107.33	-14.31	74.0	-33.33	Peak	79.00	150	Horizontal	N/A
2**	2440.800	99.36	-14.31	54.0	-45.36	AV	79.00	150	Horizontal	N/A
3	2787.800	50.17	-10.53	74.0	23.83	Peak	360.00	200	Horizontal	Pass
3**	2787.800	41.61	-10.53	54.0	12.39	AV	360.00	200	Horizontal	Pass
4	4870.750	49.40	-5.89	74.0	24.60	Peak	36.00	400	Horizontal	Pass
4**	4870.750	39.90	-5.89	54.0	14.10	AV	36.00	400	Horizontal	Pass
5	5990.250	56.28	-5.21	74.0	17.72	Peak	301.00	400	Horizontal	Pass
5**	5990.250	43.38	-5.21	54.0	10.62	AV	301.00	400	Horizontal	N/A
6	17547.500	48.77	6.45	74.0	25.23	Peak	263.00	100	Horizontal	Pass
6**	17547.500	39.94	6.45	54.0	14.06	AV	263.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.400	43.11	-19.59	74.0	30.89	Peak	32.00	150	Vertical	Pass
1**	1676.400	32.12	-19.59	54.0	21.88	AV	32.00	150	Vertical	Pass
2	2441.000	106.74	-14.16	74.0	-32.74	Peak	298.00	200	Vertical	N/A
2**	2441.000	98.69	-14.16	54.0	-44.69	AV	298.00	200	Vertical	N/A
3	2783.000	50.55	-9.46	74.0	23.45	Peak	15.00	200	Vertical	Pass
3**	2783.000	42.52	-9.46	54.0	11.48	AV	15.00	200	Vertical	Pass
4	3993.750	55.12	-7.47	74.0	18.88	Peak	233.00	200	Vertical	Pass
4**	3993.750	36.40	-7.47	54.0	17.60	AV	233.00	200	Vertical	Pass
5	5990.750	61.78	-4.93	74.0	12.22	Peak	0.00	200	Vertical	Pass
5**	5990.750	50.47	-4.93	54.0	3.53	AV	0.00	200	Vertical	N/A
6	17562.499	48.59	6.34	74.0	25.41	Peak	116.00	300	Vertical	Pass
6**	17562.499	40.52	6.34	54.0	13.48	AV	116.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1253.700	41.62	-19.56	74.0	32.38	Peak	355.00	200	Horizontal	Pass
1**	1253.700	33.15	-19.56	54.0	20.85	AV	355.00	200	Horizontal	Pass
2	2462.900	108.88	-13.48	74.0	-34.88	Peak	142.00	200	Horizontal	N/A
2**	2462.900	100.63	-13.48	54.0	-46.63	AV	142.00	200	Horizontal	N/A
3	2779.600	50.13	-10.54	74.0	23.87	Peak	186.00	200	Horizontal	Pass
3**	2779.600	41.31	-10.54	54.0	12.69	AV	186.00	200	Horizontal	Pass
4	4984.500	48.65	-4.28	74.0	25.35	Peak	360.00	400	Horizontal	Pass
4**	4984.500	40.82	-4.28	54.0	13.18	AV	360.00	400	Horizontal	Pass
5	5990.500	57.28	-5.16	74.0	16.72	Peak	90.00	100	Horizontal	Pass
5**	5990.500	42.24	-5.16	54.0	11.76	AV	90.00	100	Horizontal	N/A
6	17565.000	49.07	6.31	74.0	24.93	Peak	152.00	100	Horizontal	Pass
6**	17565.000	40.66	6.31	54.0	13.34	AV	152.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.200	43.67	-19.33	74.0	30.33	Peak	21.00	150	Vertical	Pass
1**	1671.200	33.90	-19.33	54.0	20.10	AV	21.00	150	Vertical	Pass
2	2458.700	107.14	-13.76	74.0	-33.14	Peak	261.00	100	Vertical	N/A
2**	2458.700	98.67	-13.76	54.0	-44.67	AV	261.00	100	Vertical	N/A
3	2786.600	50.61	-9.92	74.0	23.39	Peak	48.00	150	Vertical	Pass
3**	2786.600	41.96	-9.92	54.0	12.04	AV	48.00	150	Vertical	Pass
4	3993.000	52.25	-7.83	74.0	21.75	Peak	255.00	200	Vertical	Pass
4**	3993.000	39.08	-7.83	54.0	14.92	AV	255.00	200	Vertical	Pass
5	5990.250	61.52	-5.21	74.0	12.48	Peak	255.00	400	Vertical	Pass
5**	5990.250	48.28	-5.21	54.0	5.72	AV	255.00	400	Vertical	N/A
6	17812.500	48.79	6.19	74.0	25.21	Peak	273.00	400	Vertical	Pass
6**	17812.500	41.05	6.19	54.0	12.95	AV	273.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.900	41.97	-19.23	74.0	32.03	Peak	43.00	150	Horizontal	Pass
1**	1670.900	34.45	-19.23	54.0	19.55	AV	43.00	150	Horizontal	Pass
2	2469.100	103.94	-14.47	74.0	-29.94	Peak	78.00	200	Horizontal	N/A
2**	2469.100	94.63	-14.47	54.0	-40.63	AV	78.00	200	Horizontal	N/A
3	2785.100	51.61	-9.97	74.0	22.39	Peak	69.00	150	Horizontal	Pass
3**	2785.100	41.93	-9.97	54.0	12.07	AV	69.00	150	Horizontal	Pass
4	4779.250	48.29	-5.01	74.0	25.71	Peak	201.00	300	Horizontal	Pass
4**	4779.250	38.38	-5.01	54.0	15.62	AV	201.00	300	Horizontal	Pass
5	5990.000	58.08	-5.20	74.0	15.92	Peak	91.00	200	Horizontal	Pass
5**	5990.000	46.49	-5.20	54.0	7.51	AV	91.00	200	Horizontal	N/A
6	17785.000	48.86	6.07	74.0	25.14	Peak	314.00	200	Horizontal	Pass
6**	17785.000	40.88	6.07	54.0	13.12	AV	314.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 12

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.100	43.12	-19.10	74.0	30.88	Peak	36.00	150	Vertical	Pass
1**	1667.100	34.10	-19.10	54.0	19.90	AV	36.00	150	Vertical	Pass
2	2463.300	101.49	-13.78	74.0	-27.49	Peak	116.00	100	Vertical	N/A
2**	2463.300	92.81	-13.78	54.0	-38.81	AV	116.00	100	Vertical	N/A
3	2783.100	50.05	-9.34	74.0	23.95	Peak	284.00	150	Vertical	Pass
3**	2783.100	42.65	-9.34	54.0	11.35	AV	284.00	150	Vertical	Pass
4	3993.500	51.53	-7.46	74.0	22.47	Peak	246.00	100	Vertical	Pass
4**	3993.500	41.74	-7.46	54.0	12.26	AV	246.00	100	Vertical	Pass
5	5990.250	61.14	-5.21	74.0	12.86	Peak	325.00	100	Vertical	Pass
5**	5990.250	49.92	-5.21	54.0	4.08	AV	325.00	100	Vertical	N/A
6	17795.000	48.48	6.37	74.0	25.52	Peak	309.00	400	Vertical	Pass
6**	17795.000	41.38	6.37	54.0	12.62	AV	309.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1259.400	42.98	-19.23	74.0	31.02	Peak	306.00	100	Horizontal	Pass
1**	1259.400	33.07	-19.23	54.0	20.93	AV	306.00	100	Horizontal	Pass
2	2479.400	103.24	-13.85	74.0	-29.24	Peak	262.00	150	Horizontal	N/A
2**	2479.400	94.56	-13.85	54.0	-40.56	AV	262.00	150	Horizontal	N/A
3	2791.200	50.40	-10.47	74.0	23.60	Peak	47.00	200	Horizontal	Pass
3**	2791.200	40.99	-10.47	54.0	13.01	AV	47.00	200	Horizontal	Pass
4	4955.500	48.10	-3.39	74.0	25.90	Peak	120.00	300	Horizontal	Pass
4**	4955.500	40.02	-3.39	54.0	13.98	AV	120.00	300	Horizontal	Pass
5	5990.000	56.61	-5.20	74.0	17.39	Peak	176.00	200	Horizontal	Pass
5**	5990.000	43.13	-5.20	54.0	10.87	AV	176.00	200	Horizontal	N/A
6	17535.001	48.72	6.21	74.0	25.28	Peak	111.00	400	Horizontal	Pass
6**	17535.001	40.61	6.21	54.0	13.39	AV	111.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 13

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1681.500	42.62	-19.22	74.0	31.38	Peak	27.00	150	Vertical	Pass
1**	1681.500	32.64	-19.22	54.0	21.36	AV	27.00	150	Vertical	Pass
2	2474.600	101.04	-14.53	74.0	-27.04	Peak	90.00	200	Vertical	N/A
2**	2474.600	91.72	-14.53	54.0	-37.72	AV	90.00	200	Vertical	N/A
3	2786.200	50.49	-9.99	74.0	23.51	Peak	269.00	150	Vertical	Pass
3**	2786.200	41.99	-9.99	54.0	12.01	AV	269.00	150	Vertical	Pass
4	3994.250	52.74	-7.64	74.0	21.26	Peak	182.00	100	Vertical	Pass
4**	3994.250	42.94	-7.64	54.0	11.06	AV	182.00	100	Vertical	Pass
5	5990.500	63.64	-5.16	74.0	10.36	Peak	360.00	100	Vertical	Pass
5**	5990.500	52.48	-5.16	54.0	1.52	AV	360.00	100	Vertical	N/A
6	17789.999	49.19	6.22	74.0	24.81	Peak	40.00	300	Vertical	Pass
6**	17789.999	41.48	6.22	54.0	12.52	AV	40.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1668.100	42.45	-19.64	74.0	31.55	Peak	144.00	150	Horizontal	Pass
1**	1668.100	33.53	-19.64	54.0	20.47	AV	144.00	150	Horizontal	Pass
2	2427.900	104.55	-14.31	74.0	-30.55	Peak	74.00	200	Horizontal	N/A
2**	2427.900	96.60	-14.31	54.0	-42.60	AV	74.00	200	Horizontal	N/A
3	2783.200	50.02	-9.54	74.0	23.98	Peak	65.00	150	Horizontal	Pass
3**	2783.200	42.62	-9.54	54.0	11.38	AV	65.00	150	Horizontal	Pass
4	4977.250	49.61	-4.13	74.0	24.39	Peak	0.00	300	Horizontal	Pass
4**	4977.250	39.41	-4.13	54.0	14.59	AV	0.00	300	Horizontal	Pass
5	5990.750	57.32	-4.93	74.0	16.68	Peak	128.00	400	Horizontal	Pass
5**	5990.750	44.86	-4.93	54.0	9.14	AV	128.00	400	Horizontal	N/A
6	17795.000	49.84	6.37	74.0	24.16	Peak	211.00	400	Horizontal	Pass
6**	17795.000	41.82	6.37	54.0	12.18	AV	211.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1399.100	41.26	-19.43	74.0	32.74	Peak	238.00	200	Vertical	Pass
1**	1399.100	31.54	-19.43	54.0	22.46	AV	238.00	200	Vertical	Pass
2	2428.600	102.91	-14.17	74.0	-28.91	Peak	124.00	100	Vertical	N/A
2**	2428.600	93.87	-14.17	54.0	-39.87	AV	124.00	100	Vertical	N/A
3	2783.000	50.50	-9.46	74.0	23.50	Peak	164.00	100	Vertical	Pass
3**	2783.000	41.91	-9.46	54.0	12.09	AV	164.00	100	Vertical	Pass
4	3993.750	50.43	-7.47	74.0	23.57	Peak	156.00	100	Vertical	Pass
4**	3993.750	38.35	-7.47	54.0	15.65	AV	156.00	100	Vertical	Pass
5	5990.000	62.85	-5.20	74.0	11.15	Peak	230.00	200	Vertical	Pass
5**	5990.000	49.35	-5.20	54.0	4.65	AV	230.00	200	Vertical	N/A
6	17777.500	48.09	5.85	74.0	25.91	Peak	100.00	400	Vertical	Pass
6**	17777.500	40.23	5.85	54.0	13.77	AV	100.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.000	42.39	-19.09	74.0	31.61	Peak	140.00	200	Horizontal	Pass
1**	1540.000	33.80	-19.09	54.0	20.20	AV	140.00	200	Horizontal	Pass
2	2443.200	105.48	-14.73	74.0	-31.48	Peak	77.00	150	Horizontal	N/A
2**	2443.200	96.17	-14.73	54.0	-42.17	AV	77.00	150	Horizontal	N/A
3	2777.500	51.23	-10.10	74.0	22.77	Peak	158.00	100	Horizontal	Pass
3**	2777.500	41.50	-10.10	54.0	12.50	AV	158.00	100	Horizontal	Pass
4	4988.500	48.49	-4.36	74.0	25.51	Peak	208.00	300	Horizontal	Pass
4**	4988.500	39.81	-4.36	54.0	14.19	AV	208.00	300	Horizontal	Pass
5	5990.250	55.42	-5.21	74.0	18.58	Peak	113.00	100	Horizontal	Pass
5**	5990.250	39.96	-5.21	54.0	14.04	AV	113.00	100	Horizontal	N/A
6	17792.500	48.97	6.30	74.0	25.03	Peak	151.00	300	Horizontal	Pass
6**	17792.500	41.09	6.30	54.0	12.91	AV	151.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.400	43.48	-19.31	74.0	30.52	Peak	300.00	300	Vertical	Pass
1**	1544.400	34.07	-19.31	54.0	19.93	AV	300.00	300	Vertical	Pass
2	2444.000	103.68	-14.34	74.0	-29.68	Peak	103.00	150	Vertical	N/A
2**	2444.000	94.61	-14.34	54.0	-40.61	AV	103.00	150	Vertical	N/A
3	2777.600	50.06	-10.12	74.0	23.94	Peak	54.00	200	Vertical	Pass
3**	2777.600	41.67	-10.12	54.0	12.33	AV	54.00	200	Vertical	Pass
4	3993.750	54.24	-7.47	74.0	19.76	Peak	235.00	300	Vertical	Pass
4**	3993.750	43.36	-7.47	54.0	10.64	AV	235.00	300	Vertical	Pass
5	5990.750	59.03	-4.93	74.0	14.97	Peak	87.00	300	Vertical	Pass
5**	5990.750	47.29	-4.93	54.0	6.71	AV	87.00	300	Vertical	N/A
6	17820.000	49.69	5.98	74.0	24.31	Peak	82.00	400	Vertical	Pass
6**	17820.000	41.79	5.98	54.0	12.21	AV	82.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.400	41.36	-19.94	74.0	32.64	Peak	168.00	100	Horizontal	Pass
1**	1543.400	32.13	-19.94	54.0	21.87	AV	168.00	100	Horizontal	Pass
2	2463.000	106.12	-13.43	74.0	-32.12	Peak	142.00	100	Horizontal	N/A
2**	2463.000	96.74	-13.43	54.0	-42.74	AV	142.00	100	Horizontal	N/A
3	2782.100	51.08	-10.15	74.0	22.92	Peak	203.00	200	Horizontal	Pass
3**	2782.100	41.31	-10.15	54.0	12.69	AV	203.00	200	Horizontal	Pass
4	3993.750	49.57	-7.47	74.0	24.43	Peak	216.00	300	Horizontal	Pass
4**	3993.750	37.46	-7.47	54.0	16.54	AV	216.00	300	Horizontal	Pass
5	5990.250	57.43	-5.21	74.0	16.57	Peak	290.00	200	Horizontal	Pass
5**	5990.250	39.76	-5.21	54.0	14.24	AV	290.00	200	Horizontal	N/A
6	17517.500	48.36	5.88	74.0	25.64	Peak	150.00	200	Horizontal	Pass
6**	17517.500	40.74	5.88	54.0	13.26	AV	150.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.300	42.26	-19.19	74.0	31.74	Peak	278.00	200	Vertical	Pass
1**	1544.300	33.54	-19.19	54.0	20.46	AV	278.00	200	Vertical	Pass
2	2459.800	104.23	-13.45	74.0	-30.23	Peak	125.00	100	Vertical	N/A
2**	2459.800	95.75	-13.45	54.0	-41.75	AV	125.00	100	Vertical	N/A
3	2783.100	51.60	-9.34	74.0	22.40	Peak	99.00	150	Vertical	Pass
3**	2783.100	43.62	-9.34	54.0	10.38	AV	99.00	150	Vertical	Pass
4	3994.000	53.70	-7.53	74.0	20.30	Peak	247.00	100	Vertical	Pass
4**	3994.000	40.45	-7.53	54.0	13.55	AV	247.00	100	Vertical	Pass
5	5990.500	60.90	-5.16	74.0	13.10	Peak	247.00	300	Vertical	Pass
5**	5990.500	48.13	-5.16	54.0	5.87	AV	247.00	300	Vertical	N/A
6	17807.499	47.99	6.32	74.0	26.01	Peak	130.00	400	Vertical	Pass
6**	17807.499	41.98	6.32	54.0	12.02	AV	130.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.700	42.13	-19.60	74.0	31.87	Peak	168.00	300	Horizontal	Pass
1**	1543.700	32.73	-19.60	54.0	21.27	AV	168.00	300	Horizontal	Pass
2	2458.400	102.89	-13.76	74.0	-28.89	Peak	142.00	100	Horizontal	N/A
2**	2458.400	94.16	-13.76	54.0	-40.16	AV	142.00	100	Horizontal	N/A
3	2783.100	50.50	-9.34	74.0	23.50	Peak	0.00	200	Horizontal	Pass
3**	2783.100	42.23	-9.34	54.0	11.77	AV	0.00	200	Horizontal	Pass
4	4945.500	49.10	-4.17	74.0	24.90	Peak	53.00	100	Horizontal	Pass
4**	4945.500	40.04	-4.17	54.0	13.96	AV	53.00	100	Horizontal	Pass
5	7576.500	53.42	-0.53	74.0	20.58	Peak	182.00	400	Horizontal	Pass
5**	7576.500	43.89	-0.53	54.0	10.11	AV	182.00	400	Horizontal	N/A
6	17795.000	49.29	6.37	74.0	24.71	Peak	171.00	100	Horizontal	Pass
6**	17795.000	41.82	6.37	54.0	12.18	AV	171.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.800	43.20	-19.48	74.0	30.80	Peak	275.00	200	Vertical	Pass
1**	1543.800	32.50	-19.48	54.0	21.50	AV	275.00	200	Vertical	Pass
2	2455.100	100.61	-12.86	74.0	-26.61	Peak	107.00	200	Vertical	N/A
2**	2455.100	91.57	-12.86	54.0	-37.57	AV	107.00	200	Vertical	N/A
3	2785.900	49.92	-10.07	74.0	24.08	Peak	152.00	150	Vertical	Pass
3**	2785.900	42.25	-10.07	54.0	11.75	AV	152.00	150	Vertical	Pass
4	3993.750	55.92	-7.47	74.0	18.08	Peak	254.00	300	Vertical	Pass
4**	3993.750	38.13	-7.47	54.0	15.87	AV	254.00	300	Vertical	Pass
5	5990.500	58.58	-5.16	74.0	15.42	Peak	360.00	300	Vertical	Pass
5**	5990.500	47.44	-5.16	54.0	6.56	AV	360.00	300	Vertical	N/A
6	17795.000	48.53	6.37	74.0	25.47	Peak	27.00	150	Vertical	Pass
6**	17795.000	41.60	6.37	54.0	12.40	AV	27.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.300	42.40	-19.19	74.0	31.60	Peak	235.00	400	Horizontal	Pass
1**	1544.300	34.18	-19.19	54.0	19.82	AV	235.00	400	Horizontal	Pass
2	2457.100	102.79	-13.13	74.0	-28.79	Peak	68.00	100	Horizontal	N/A
2**	2457.100	94.65	-13.13	54.0	-40.65	AV	68.00	100	Horizontal	N/A
3	2783.100	50.04	-9.34	74.0	23.96	Peak	344.00	150	Horizontal	Pass
3**	2783.100	42.91	-9.34	54.0	11.09	AV	344.00	150	Horizontal	Pass
4	4960.500	49.06	-3.65	74.0	24.94	Peak	218.00	300	Horizontal	Pass
4**	4960.500	39.40	-3.65	54.0	14.60	AV	218.00	300	Horizontal	Pass
5	7498.750	53.16	0.09	74.0	20.84	Peak	291.00	100	Horizontal	Pass
5**	7498.750	45.03	0.09	54.0	8.97	AV	291.00	100	Horizontal	N/A
6	17827.500	48.57	5.78	74.0	25.43	Peak	207.00	200	Horizontal	Pass
6**	17827.500	40.63	5.78	54.0	13.37	AV	207.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.000	42.28	-19.32	74.0	31.72	Peak	284.00	400	Vertical	Pass
1**	1544.000	32.90	-19.32	54.0	21.10	AV	284.00	400	Vertical	Pass
2	2456.500	100.53	-13.36	74.0	-26.53	Peak	127.00	150	Vertical	N/A
2**	2456.500	90.72	-13.36	54.0	-36.72	AV	127.00	150	Vertical	N/A
3	2782.400	50.26	-9.91	74.0	23.74	Peak	360.00	150	Vertical	Pass
3**	2782.400	41.76	-9.91	54.0	12.24	AV	360.00	150	Vertical	Pass
4	3993.000	49.46	-7.83	74.0	24.54	Peak	172.00	100	Vertical	Pass
4**	3993.000	35.49	-7.83	54.0	18.51	AV	172.00	100	Vertical	Pass
5	5990.250	57.51	-5.21	74.0	16.49	Peak	360.00	300	Vertical	Pass
5**	5990.250	42.09	-5.21	54.0	11.91	AV	360.00	300	Vertical	N/A
6	17575.000	48.37	6.18	74.0	25.63	Peak	274.00	300	Vertical	Pass
6**	17575.000	39.81	6.18	54.0	14.19	AV	274.00	300	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note 1: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note 2: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note 3: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note 4: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


Main Antenna

802.11b Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2371.167	55.52	-2.89	74.0	18.48	Peak	140.00	100	Horizontal	Pass
1**	2371.167	45.14	-2.89	54.0	8.86	AV	140.00	100	Horizontal	Pass
2	2390.000	52.90	-3.52	74.0	21.10	Peak	76.00	200	Horizontal	Pass
2**	2390.000	43.77	-3.52	54.0	10.23	AV	76.00	200	Horizontal	Pass
3	2387.000	54.98	-2.66	74.0	19.02	Peak	80.00	150	Horizontal	Pass
3**	2387.000	46.80	-2.66	54.0	7.20	AV	80.00	150	Horizontal	Pass

802.11b Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.63	-2.54	74.0	19.37	Peak	125.00	150	Horizontal	Pass
1**	2483.500	45.11	-2.54	54.0	8.89	AV	125.00	150	Horizontal	Pass
2	2489.750	56.51	-2.48	74.0	17.49	Peak	125.00	200	Horizontal	Pass
2**	2489.750	45.52	-2.48	54.0	8.48	AV	125.00	200	Horizontal	Pass
3	2488.500	55.05	-2.53	74.0	18.95	Peak	133.00	150	Horizontal	Pass
3**	2488.500	47.66	-2.53	54.0	6.34	AV	133.00	150	Horizontal	Pass

802.11b Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.40	-2.54	74.0	15.60	Peak	132.00	150	Horizontal	Pass
1**	2483.500	50.36	-2.54	54.0	3.64	AV	132.00	150	Horizontal	Pass
2	2483.550	58.56	-2.56	74.0	15.44	Peak	135.00	200	Horizontal	Pass
2**	2483.550	50.41	-2.56	54.0	3.59	AV	135.00	200	Horizontal	Pass
3	2484.500	58.35	-2.52	74.0	15.65	Peak	132.00	150	Horizontal	Pass
3**	2484.500	51.82	-2.52	54.0	2.18	AV	132.00	150	Horizontal	Pass

802.11b Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	70.71	-2.54	74.0	3.29	Peak	74.00	150	Horizontal	Pass
1**	2483.500	47.16	-2.54	54.0	6.84	AV	74.00	150	Horizontal	Pass
2	2483.650	70.72	-2.61	74.0	3.28	Peak	137.00	150	Horizontal	Pass
2**	2483.650	47.86	-2.61	54.0	6.14	AV	137.00	150	Horizontal	Pass
3	2490.350	57.03	-2.31	74.0	16.97	Peak	130.00	150	Horizontal	Pass
3**	2490.350	49.51	-2.31	54.0	4.49	AV	130.00	150	Horizontal	Pass

802.11g Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.833	67.92	-3.45	74.0	6.08	Peak	132.00	100	Horizontal	Pass
1**	2389.833	51.55	-3.45	54.0	2.45	AV	132.00	100	Horizontal	Pass
2	2390.000	65.71	-3.52	74.0	8.29	Peak	128.00	150	Horizontal	Pass
2**	2390.000	51.28	-3.52	54.0	2.72	AV	128.00	150	Horizontal	Pass

802.11g Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	70.19	-2.54	74.0	3.81	Peak	83.00	150	Horizontal	Pass
1**	2483.500	52.76	-2.54	54.0	1.24	AV	83.00	150	Horizontal	Pass

802.11g Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.19	-2.54	74.0	11.81	Peak	125.00	150	Horizontal	Pass
1**	2483.500	49.88	-2.54	54.0	4.12	AV	125.00	150	Horizontal	Pass
2	2483.550	60.95	-2.56	74.0	13.05	Peak	130.00	150	Horizontal	Pass
2**	2483.550	50.00	-2.56	54.0	4.00	AV	130.00	150	Horizontal	Pass

802.11g Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	72.83	-2.54	74.0	1.17	Peak	83.00	150	Horizontal	Pass
1**	2483.500	49.67	-2.54	54.0	4.33	AV	83.00	150	Horizontal	Pass
2	2483.550	72.85	-2.56	74.0	1.15	Peak	137.00	200	Horizontal	Pass
2**	2483.550	48.77	-2.56	54.0	5.23	AV	137.00	200	Horizontal	Pass

802.11n20 Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.167	67.85	-3.55	74.0	6.15	Peak	137.00	100	Horizontal	Pass
1**	2389.167	51.31	-3.55	54.0	2.69	AV	137.00	100	Horizontal	Pass
2	2390.000	66.12	-3.52	74.0	7.88	Peak	137.00	100	Horizontal	Pass
2**	2390.000	52.30	-3.52	54.0	1.70	AV	137.00	100	Horizontal	Pass
3	2389.667	65.41	-3.36	74.0	8.59	Peak	132.00	150	Horizontal	Pass
3**	2389.667	52.47	-3.36	54.0	1.53	AV	132.00	150	Horizontal	Pass

802.11n20 Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.72	-2.54	74.0	9.28	Peak	144.00	200	Horizontal	Pass
1**	2483.500	51.37	-2.54	54.0	2.63	AV	144.00	200	Horizontal	Pass
2	2483.750	67.74	-2.65	74.0	6.26	Peak	83.00	150	Horizontal	Pass
2**	2483.750	50.96	-2.65	54.0	3.04	AV	83.00	150	Horizontal	Pass

802.11n20 Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.94	-2.54	74.0	10.06	Peak	130.00	200	Horizontal	Pass
1**	2483.500	51.79	-2.54	54.0	2.21	AV	130.00	200	Horizontal	Pass

802.11n20 Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	71.35	-2.54	74.0	2.65	Peak	89.00	200	Horizontal	Pass
1**	2483.500	48.77	-2.54	54.0	5.23	AV	89.00	200	Horizontal	Pass
2	2483.650	72.26	-2.61	74.0	1.74	Peak	127.00	200	Horizontal	Pass
2**	2483.650	48.45	-2.61	54.0	5.55	AV	127.00	200	Horizontal	Pass

802.11n40 Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.667	64.88	-3.13	74.0	9.12	Peak	133.00	150	Horizontal	Pass
1**	2387.667	51.36	-3.13	54.0	2.64	AV	133.00	150	Horizontal	Pass
2	2390.000	63.92	-3.52	74.0	10.08	Peak	136.00	100	Horizontal	Pass
2**	2390.000	51.69	-3.52	54.0	2.31	AV	136.00	100	Horizontal	Pass
3	2388.167	62.39	-2.92	74.0	11.61	Peak	128.00	150	Horizontal	Pass
3**	2388.167	51.95	-2.92	54.0	2.05	AV	128.00	150	Horizontal	Pass

802.11n40 Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.74	-2.54	74.0	12.26	Peak	78.00	200	Horizontal	Pass
1**	2483.500	51.56	-2.54	54.0	2.44	AV	78.00	200	Horizontal	Pass
2	2489.200	64.54	-2.82	74.0	9.46	Peak	136.00	150	Horizontal	Pass
2**	2489.200	51.03	-2.82	54.0	2.97	AV	136.00	150	Horizontal	Pass
3	2483.700	63.71	-2.63	74.0	10.29	Peak	83.00	150	Horizontal	Pass
3**	2483.700	52.17	-2.63	54.0	1.83	AV	83.00	150	Horizontal	Pass

802.11n40 Channel 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.33	-2.54	74.0	11.67	Peak	125.00	150	Horizontal	Pass
1**	2483.500	48.99	-2.54	54.0	5.01	AV	125.00	150	Horizontal	Pass
2	2491.050	66.00	-2.63	74.0	8.00	Peak	130.00	200	Horizontal	Pass
2**	2491.050	46.28	-2.63	54.0	7.72	AV	130.00	200	Horizontal	Pass
3	2483.550	63.44	-2.56	74.0	10.56	Peak	128.00	150	Horizontal	Pass
3**	2483.550	49.31	-2.56	54.0	4.69	AV	128.00	150	Horizontal	Pass

802.11n40 Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	68.84	-2.54	74.0	5.16	Peak	73.00	100	Horizontal	Pass
1**	2483.500	51.25	-2.54	54.0	2.75	AV	73.00	100	Horizontal	Pass
2	2488.650	72.10	-2.58	74.0	1.90	Peak	132.00	200	Horizontal	Pass
2**	2488.650	49.49	-2.58	54.0	4.51	AV	132.00	200	Horizontal	Pass
3	2486.200	68.29	-2.52	74.0	5.71	Peak	81.00	150	Horizontal	Pass
3**	2486.200	51.39	-2.52	54.0	2.61	AV	81.00	150	Horizontal	Pass

802.11ax20(SU) Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.500	64.30	-3.02	74.0	9.70	Peak	74.00	100	Horizontal	Pass
1**	2388.500	50.33	-3.02	54.0	3.67	AV	74.00	100	Horizontal	Pass
2	2390.000	61.44	-3.52	74.0	12.56	Peak	80.00	200	Horizontal	Pass
2**	2390.000	51.45	-3.52	54.0	2.55	AV	80.00	200	Horizontal	Pass
3	2389.667	63.51	-3.36	74.0	10.49	Peak	132.00	150	Horizontal	Pass
3**	2389.667	51.46	-3.36	54.0	2.54	AV	132.00	150	Horizontal	Pass

802.11ax20(SU) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.97	-2.54	74.0	9.03	Peak	130.00	150	Horizontal	Pass
1**	2483.500	52.38	-2.54	54.0	1.62	AV	130.00	150	Horizontal	Pass
2	2484.700	66.55	-2.66	74.0	7.45	Peak	130.00	100	Horizontal	Pass
2**	2484.700	51.07	-2.66	54.0	2.93	AV	130.00	100	Horizontal	Pass

802.11ax20(SU) Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.96	-2.54	74.0	11.04	Peak	133.00	200	Horizontal	Pass
1**	2483.500	51.97	-2.54	54.0	2.03	AV	133.00	200	Horizontal	Pass
2	2483.700	63.09	-2.63	74.0	10.91	Peak	133.00	100	Horizontal	Pass
2**	2483.700	50.93	-2.63	54.0	3.07	AV	133.00	100	Horizontal	Pass

802.11ax20(SU) Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	72.74	-2.54	74.0	1.26	Peak	138.00	150	Horizontal	Pass
1**	2483.500	48.23	-2.54	54.0	5.77	AV	138.00	150	Horizontal	Pass
2	2483.550	71.67	-2.56	74.0	2.33	Peak	89.00	150	Horizontal	Pass
2**	2483.550	48.72	-2.56	54.0	5.28	AV	89.00	150	Horizontal	Pass

802.11ax40(SU) Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.167	66.26	-2.92	74.0	7.74	Peak	133.00	100	Horizontal	Pass
1**	2388.167	51.79	-2.92	54.0	2.21	AV	133.00	100	Horizontal	Pass
2	2390.000	62.93	-3.52	74.0	11.07	Peak	133.00	150	Horizontal	Pass
2**	2390.000	51.38	-3.52	54.0	2.62	AV	133.00	150	Horizontal	Pass
3	2388.333	63.00	-2.91	74.0	11.00	Peak	133.00	150	Horizontal	Pass
3**	2388.333	52.05	-2.91	54.0	1.95	AV	133.00	150	Horizontal	Pass

802.11ax40(SU) Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.00	-2.54	74.0	12.00	Peak	137.00	100	Horizontal	Pass
1**	2483.500	51.69	-2.54	54.0	2.31	AV	137.00	100	Horizontal	Pass
2	2483.650	64.98	-2.61	74.0	9.02	Peak	131.00	200	Horizontal	Pass
2**	2483.650	51.52	-2.61	54.0	2.48	AV	131.00	200	Horizontal	Pass
3	2484.050	63.26	-2.62	74.0	10.74	Peak	131.00	150	Horizontal	Pass
3**	2484.050	52.09	-2.62	54.0	1.91	AV	131.00	150	Horizontal	Pass

802.11ax40(SU) Channel 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.15	-2.54	74.0	8.85	Peak	83.00	150	Horizontal	Pass
1**	2483.500	49.52	-2.54	54.0	4.48	AV	83.00	150	Horizontal	Pass
2	2484.300	60.68	-2.43	74.0	13.32	Peak	132.00	150	Horizontal	Pass
2**	2484.300	49.79	-2.43	54.0	4.21	AV	132.00	150	Horizontal	Pass

802.11ax40(SU) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	69.60	-2.54	74.0	4.40	Peak	84.00	100	Horizontal	Pass
1**	2483.500	50.28	-2.54	54.0	3.72	AV	84.00	100	Horizontal	Pass
2	2488.050	71.60	-2.69	74.0	2.40	Peak	133.00	150	Horizontal	Pass
2**	2488.050	49.26	-2.69	54.0	4.74	AV	133.00	150	Horizontal	Pass
3	2485.450	68.29	-2.48	74.0	5.71	Peak	78.00	150	Horizontal	Pass
3**	2485.450	51.01	-2.48	54.0	2.99	AV	78.00	150	Horizontal	Pass

802.11ax20(RU26) Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.350	59.06	-0.60	74.0	14.94	Peak	74.00	100	Vertical	Pass
1**	2387.350	46.35	-0.60	54.0	7.65	AV	74.00	100	Vertical	Pass
2	2389.950	56.10	-0.59	74.0	17.90	Peak	84.00	200	Vertical	Pass
2**	2389.950	45.81	-0.59	54.0	8.19	AV	84.00	200	Vertical	Pass

802.11ax20(RU26) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	55.35	-0.20	74.0	18.65	Peak	57.00	100	Vertical	Pass
1**	2483.515	45.44	-0.20	54.0	8.56	AV	57.00	100	Vertical	Pass
2	2485.330	57.48	-0.02	74.0	16.52	Peak	60.00	100	Vertical	Pass
2**	2485.330	45.22	-0.02	54.0	8.78	AV	60.00	100	Vertical	Pass

802.11ax20(RU26) Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	67.36	-0.20	74.0	6.64	Peak	67.00	100	Vertical	Pass
1**	2483.575	47.53	-0.20	54.0	6.47	AV	67.00	100	Vertical	Pass
2	2483.815	66.47	-0.19	74.0	7.53	Peak	67.00	150	Vertical	Pass
2**	2483.815	47.59	-0.19	54.0	6.41	AV	67.00	150	Vertical	Pass

802.11ax20(RU26) Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	71.16	-0.20	74.0	2.84	Peak	77.00	200	Vertical	Pass
1**	2483.515	51.17	-0.20	54.0	2.83	AV	77.00	200	Vertical	Pass
2	2483.710	68.22	-0.19	74.0	5.78	Peak	73.00	150	Vertical	Pass
2**	2483.710	50.49	-0.19	54.0	3.51	AV	73.00	150	Vertical	Pass
3	2483.545	68.86	-0.20	74.0	5.14	Peak	67.00	100	Vertical	Pass
3**	2483.545	52.23	-0.20	54.0	1.77	AV	67.00	100	Vertical	Pass

802.11ax40(RU26) Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2333.950	56.15	-0.52	74.0	17.85	Peak	275.00	200	Vertical	Pass
1**	2333.950	44.05	-0.52	54.0	9.95	AV	275.00	200	Vertical	Pass
2	2389.950	54.16	-0.59	74.0	19.84	Peak	72.00	150	Vertical	Pass
2**	2389.950	44.61	-0.59	54.0	9.39	AV	72.00	150	Vertical	Pass

802.11ax40(RU26) Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.17	-0.21	74.0	18.83	Peak	89.00	200	Vertical	Pass
1**	2483.500	45.10	-0.21	54.0	8.90	AV	89.00	200	Vertical	Pass
2	2484.550	57.03	-0.12	74.0	16.97	Peak	73.00	150	Vertical	Pass
2**	2484.550	45.07	-0.12	54.0	8.93	AV	73.00	150	Vertical	Pass

802.11ax40(RU26) Channel 10



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	66.96	-0.20	74.0	7.04	Peak	64.00	150	Vertical	Pass
1**	2483.515	46.75	-0.20	54.0	7.25	AV	64.00	150	Vertical	Pass
2	2483.860	66.14	-0.18	74.0	7.86	Peak	64.00	100	Vertical	Pass
2**	2483.860	46.99	-0.18	54.0	7.01	AV	64.00	100	Vertical	Pass


802.11ax40(RU26) Channel 11



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	69.46	-0.20	74.0	4.54	Peak	66.00	150	Vertical	Pass
1**	2483.590	51.63	-0.20	54.0	2.37	AV	66.00	150	Vertical	Pass
2	2483.815	70.45	-0.19	74.0	3.55	Peak	58.00	100	Vertical	Pass
2**	2483.815	47.94	-0.19	54.0	6.06	AV	58.00	100	Vertical	Pass
3	2483.605	68.13	-0.20	74.0	5.87	Peak	63.00	100	Vertical	Pass
3**	2483.605	52.97	-0.20	54.0	1.03	AV	63.00	100	Vertical	Pass


Aux. Antenna

802.11b Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2375.500	54.54	-3.35	74.0	19.46	Peak	255.00	200	Horizontal	Pass
1**	2375.500	44.79	-3.35	54.0	9.21	AV	255.00	200	Horizontal	Pass
2	2390.000	51.82	-3.52	74.0	22.18	Peak	269.00	200	Horizontal	Pass
2**	2390.000	41.97	-3.52	54.0	12.03	AV	269.00	200	Horizontal	Pass
3	2374.500	53.61	-3.33	74.0	20.39	Peak	258.00	150	Horizontal	Pass
3**	2374.500	46.09	-3.33	54.0	7.91	AV	258.00	150	Horizontal	Pass

802.11b Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.71	-2.54	74.0	20.29	Peak	259.00	150	Horizontal	Pass
1**	2483.500	44.48	-2.54	54.0	9.52	AV	259.00	150	Horizontal	Pass
2	2490.700	54.68	-2.44	74.0	19.32	Peak	119.00	150	Horizontal	Pass
2**	2490.700	43.57	-2.44	54.0	10.43	AV	119.00	150	Horizontal	Pass
3	2483.550	53.26	-2.56	74.0	20.74	Peak	248.00	150	Horizontal	Pass
3**	2483.550	44.54	-2.56	54.0	9.46	AV	248.00	150	Horizontal	Pass

802.11b Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.93	-2.54	74.0	16.07	Peak	259.00	200	Horizontal	Pass
1**	2483.500	50.66	-2.54	54.0	3.34	AV	259.00	200	Horizontal	Pass

802.11b Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.46	-2.54	74.0	8.54	Peak	273.00	100	Horizontal	Pass
1**	2483.500	50.83	-2.54	54.0	3.17	AV	273.00	100	Horizontal	Pass
2	2483.850	70.47	-2.70	74.0	3.53	Peak	264.00	100	Horizontal	Pass
2**	2483.850	50.46	-2.70	54.0	3.54	AV	264.00	100	Horizontal	Pass
3	2483.750	67.89	-2.65	74.0	6.11	Peak	305.00	150	Horizontal	Pass
3**	2483.750	50.98	-2.65	54.0	3.02	AV	305.00	150	Horizontal	Pass

802.11g Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	67.73	-3.34	74.0	6.27	Peak	263.00	100	Horizontal	Pass
1**	2389.500	51.89	-3.34	54.0	2.11	AV	263.00	100	Horizontal	Pass
2	2390.000	67.25	-3.52	74.0	6.75	Peak	260.00	100	Horizontal	Pass
2**	2390.000	52.70	-3.52	54.0	1.30	AV	260.00	100	Horizontal	Pass
3	2389.833	67.42	-3.45	74.0	6.58	Peak	260.00	150	Horizontal	Pass
3**	2389.833	52.81	-3.45	54.0	1.19	AV	260.00	150	Horizontal	Pass

802.11g Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	67.95	-2.54	74.0	6.05	Peak	262.00	100	Horizontal	Pass
1**	2483.500	51.70	-2.54	54.0	2.30	AV	262.00	100	Horizontal	Pass
2	2483.850	68.19	-2.70	74.0	5.81	Peak	258.00	200	Horizontal	Pass
2**	2483.850	50.73	-2.70	54.0	3.27	AV	258.00	200	Horizontal	Pass
3	2483.450	66.39	-2.54	74.0	7.61	Peak	258.00	150	Horizontal	Pass
3**	2483.450	51.89	-2.54	54.0	2.11	AV	258.00	150	Horizontal	Pass

802.11g Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.54	-2.54	74.0	13.46	Peak	316.00	150	Horizontal	Pass
1**	2483.500	49.60	-2.54	54.0	4.40	AV	316.00	150	Horizontal	Pass
2	2483.650	61.51	-2.61	74.0	12.49	Peak	256.00	100	Horizontal	Pass
2**	2483.650	48.53	-2.61	54.0	5.47	AV	256.00	100	Horizontal	Pass

802.11g Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	72.95	-2.54	74.0	1.05	Peak	310.00	200	Horizontal	Pass
1**	2483.500	49.22	-2.54	54.0	4.78	AV	310.00	200	Horizontal	Pass
2	2485.250	67.63	-2.40	74.0	6.37	Peak	305.00	150	Horizontal	Pass
2**	2485.250	49.31	-2.40	54.0	4.69	AV	305.00	150	Horizontal	Pass

802.11n20 Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.667	67.65	-3.36	74.0	6.35	Peak	255.00	150	Horizontal	Pass
1**	2389.667	51.37	-3.36	54.0	2.63	AV	255.00	150	Horizontal	Pass
2	2390.000	64.30	-3.52	74.0	9.70	Peak	261.00	150	Horizontal	Pass
2**	2390.000	51.94	-3.52	54.0	2.06	AV	261.00	150	Horizontal	Pass

802.11n20 Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	66.35	-2.54	74.0	7.65	Peak	310.00	100	Horizontal	Pass
1**	2483.500	52.33	-2.54	54.0	1.67	AV	310.00	100	Horizontal	Pass
2	2483.700	68.99	-2.63	74.0	5.01	Peak	255.00	200	Horizontal	Pass
2**	2483.700	51.99	-2.63	54.0	2.01	AV	255.00	200	Horizontal	Pass
3	2483.750	66.07	-2.65	74.0	7.93	Peak	252.00	150	Horizontal	Pass
3**	2483.750	52.37	-2.65	54.0	1.63	AV	252.00	150	Horizontal	Pass

802.11n20 Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.40	-2.54	74.0	13.60	Peak	259.00	100	Horizontal	Pass
1**	2483.500	50.61	-2.54	54.0	3.39	AV	259.00	100	Horizontal	Pass
2	2483.650	61.90	-2.61	74.0	12.10	Peak	256.00	150	Horizontal	Pass
2**	2483.650	49.85	-2.61	54.0	4.15	AV	256.00	150	Horizontal	Pass

802.11n20 Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	72.43	-2.54	74.0	1.57	Peak	313.00	150	Horizontal	Pass
1**	2483.500	49.58	-2.54	54.0	4.42	AV	313.00	150	Horizontal	Pass
2	2483.650	72.50	-2.61	74.0	1.50	Peak	260.00	100	Horizontal	Pass
2**	2483.650	47.96	-2.61	54.0	6.04	AV	260.00	100	Horizontal	Pass

802.11n40 Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.667	63.45	-3.13	74.0	10.55	Peak	256.00	200	Horizontal	Pass
1**	2388.667	51.64	-3.13	54.0	2.36	AV	256.00	200	Horizontal	Pass
2	2390.000	61.17	-3.52	74.0	12.83	Peak	251.00	150	Horizontal	Pass
2**	2390.000	51.59	-3.52	54.0	2.41	AV	251.00	150	Horizontal	Pass
3	2389.500	61.42	-3.34	74.0	12.58	Peak	260.00	150	Horizontal	Pass
3**	2389.500	52.26	-3.34	54.0	1.74	AV	260.00	150	Horizontal	Pass

802.11n40 Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.37	-2.54	74.0	10.63	Peak	260.00	150	Horizontal	Pass
1**	2483.500	52.68	-2.54	54.0	1.32	AV	260.00	150	Horizontal	Pass
2	2487.700	65.10	-2.72	74.0	8.90	Peak	257.00	150	Horizontal	Pass
2**	2487.700	51.38	-2.72	54.0	2.62	AV	257.00	150	Horizontal	Pass
3	2484.350	64.78	-2.41	74.0	9.22	Peak	257.00	150	Horizontal	Pass
3**	2484.350	52.92	-2.41	54.0	1.08	AV	257.00	150	Horizontal	Pass

802.11n40 Channel 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.75	-2.54	74.0	11.25	Peak	251.00	200	Horizontal	Pass
1**	2483.500	51.24	-2.54	54.0	2.76	AV	251.00	200	Horizontal	Pass
2	2487.800	64.85	-2.74	74.0	9.15	Peak	259.00	150	Horizontal	Pass
2**	2487.800	49.06	-2.74	54.0	4.94	AV	259.00	150	Horizontal	Pass

802.11n40 Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	71.45	-2.54	74.0	2.55	Peak	257.00	200	Horizontal	Pass
1**	2483.500	51.49	-2.54	54.0	2.51	AV	257.00	200	Horizontal	Pass
2	2483.550	66.65	-2.56	74.0	7.35	Peak	271.00	150	Horizontal	Pass
2**	2483.550	51.66	-2.56	54.0	2.34	AV	271.00	150	Horizontal	Pass

802.11ax20(SU) Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	66.68	-3.52	74.0	7.32	Peak	261.00	100	Horizontal	Pass
1**	2390.000	52.65	-3.52	54.0	1.35	AV	261.00	100	Horizontal	Pass

802.11ax20(SU) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.52	-2.54	74.0	9.48	Peak	311.00	200	Horizontal	Pass
1**	2483.500	52.05	-2.54	54.0	1.95	AV	311.00	200	Horizontal	Pass
2	2484.300	66.35	-2.43	74.0	7.65	Peak	256.00	100	Horizontal	Pass
2**	2484.300	51.33	-2.43	54.0	2.67	AV	256.00	100	Horizontal	Pass
3	2484.100	61.99	-2.59	74.0	12.01	Peak	256.00	150	Horizontal	Pass
3**	2484.100	52.25	-2.59	54.0	1.75	AV	256.00	150	Horizontal	Pass

802.11ax20(SU) Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.75	-2.54	74.0	11.25	Peak	257.00	100	Horizontal	Pass
1**	2483.500	50.25	-2.54	54.0	3.75	AV	257.00	100	Horizontal	Pass
2	2483.550	59.97	-2.56	74.0	14.03	Peak	315.00	150	Horizontal	Pass
2**	2483.550	50.32	-2.56	54.0	3.68	AV	315.00	150	Horizontal	Pass

802.11ax20(SU) Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	72.09	-2.54	74.0	1.91	Peak	308.00	100	Horizontal	Pass
1**	2483.500	50.61	-2.54	54.0	3.39	AV	308.00	100	Horizontal	Pass

802.11ax40(SU) Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.000	62.91	-2.98	74.0	11.09	Peak	257.00	200	Horizontal	Pass
1**	2386.000	50.41	-2.98	54.0	3.59	AV	257.00	200	Horizontal	Pass
2	2390.000	62.72	-3.52	74.0	11.28	Peak	257.00	200	Horizontal	Pass
2**	2390.000	51.31	-3.52	54.0	2.69	AV	257.00	200	Horizontal	Pass
3	2389.500	61.82	-3.34	74.0	12.18	Peak	253.00	150	Horizontal	Pass
3**	2389.500	51.53	-3.34	54.0	2.47	AV	253.00	150	Horizontal	Pass

802.11ax40(SU) Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.12	-2.54	74.0	11.88	Peak	265.00	150	Horizontal	Pass
1**	2483.500	52.26	-2.54	54.0	1.74	AV	265.00	150	Horizontal	Pass
2	2483.750	66.34	-2.65	74.0	7.66	Peak	260.00	150	Horizontal	Pass
2**	2483.750	52.32	-2.65	54.0	1.68	AV	260.00	150	Horizontal	Pass
3	2484.450	62.93	-2.48	74.0	11.07	Peak	265.00	150	Horizontal	Pass
3**	2484.450	53.00	-2.48	54.0	1.00	AV	265.00	150	Horizontal	Pass

802.11ax40(SU) Channel 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.15	-2.54	74.0	10.85	Peak	312.00	150	Horizontal	Pass
1**	2483.500	50.28	-2.54	54.0	3.72	AV	312.00	150	Horizontal	Pass
2	2484.950	65.29	-2.56	74.0	8.71	Peak	257.00	150	Horizontal	Pass
2**	2484.950	49.43	-2.56	54.0	4.57	AV	257.00	150	Horizontal	Pass

802.11ax40(SU) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	66.30	-2.54	74.0	7.70	Peak	264.00	100	Horizontal	Pass
1**	2483.500	52.07	-2.54	54.0	1.93	AV	264.00	100	Horizontal	Pass
2	2483.600	69.69	-2.59	74.0	4.31	Peak	254.00	200	Horizontal	Pass
2**	2483.600	51.48	-2.59	54.0	2.52	AV	254.00	200	Horizontal	Pass

802.11ax20(RU26) Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.000	57.58	-0.53	74.0	16.42	Peak	202.00	100	Vertical	Pass
1**	2387.000	45.12	-0.53	54.0	8.88	AV	202.00	100	Vertical	Pass
2	2389.950	54.75	-0.59	74.0	19.25	Peak	242.00	200	Vertical	Pass
2**	2389.950	45.05	-0.59	54.0	8.95	AV	242.00	200	Vertical	Pass

802.11ax20(RU26) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	62.37	-0.20	74.0	11.63	Peak	257.00	150	Vertical	Pass
1**	2483.515	50.62	-0.20	54.0	3.38	AV	257.00	150	Vertical	Pass
2	2486.560	64.08	0.12	74.0	9.92	Peak	240.00	150	Vertical	Pass
2**	2486.560	49.67	0.12	54.0	4.33	AV	240.00	150	Vertical	Pass
3	2486.590	62.55	0.12	74.0	11.45	Peak	247.00	100	Vertical	Pass
3**	2486.590	51.98	0.12	54.0	2.02	AV	247.00	100	Vertical	Pass

802.11ax20(RU26) Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	67.48	-0.20	74.0	6.52	Peak	249.00	150	Vertical	Pass
1**	2483.575	49.02	-0.20	54.0	4.98	AV	249.00	150	Vertical	Pass
2	2483.740	67.22	-0.19	74.0	6.78	Peak	250.00	150	Vertical	Pass
2**	2483.740	46.51	-0.19	54.0	7.49	AV	250.00	150	Vertical	Pass

802.11ax20(RU26) Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	71.97	-0.20	74.0	2.03	Peak	243.00	150	Vertical	Pass
1**	2483.515	52.45	-0.20	54.0	1.55	AV	243.00	150	Vertical	Pass
2	2483.710	69.56	-0.19	74.0	4.44	Peak	250.00	100	Vertical	Pass
2**	2483.710	51.15	-0.19	54.0	2.85	AV	250.00	100	Vertical	Pass

802.11ax40(RU26) Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2313.600	56.12	-0.33	74.0	17.88	Peak	259.00	150	Vertical	Pass
1**	2313.600	44.18	-0.33	54.0	9.82	AV	259.00	150	Vertical	Pass
2	2389.950	54.42	-0.59	74.0	19.58	Peak	68.00	150	Vertical	Pass
2**	2389.950	44.21	-0.59	54.0	9.79	AV	68.00	150	Vertical	Pass

802.11ax40(RU26) Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	55.43	-0.20	74.0	18.57	Peak	250.00	150	Vertical	Pass
1**	2483.560	45.57	-0.20	54.0	8.43	AV	250.00	150	Vertical	Pass
2	2485.555	57.07	0.01	74.0	16.93	Peak	262.00	100	Vertical	Pass
2**	2485.555	45.19	0.01	54.0	8.81	AV	262.00	100	Vertical	Pass

802.11ax40(RU26) Channel 10



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	68.89	-0.20	74.0	5.11	Peak	250.00	100	Vertical	Pass
1**	2483.545	46.87	-0.20	54.0	7.13	AV	250.00	100	Vertical	Pass
2	2483.830	68.89	-0.18	74.0	5.11	Peak	247.00	150	Vertical	Pass
2**	2483.830	48.63	-0.18	54.0	5.37	AV	247.00	150	Vertical	Pass


802.11ax40(RU26) Channel 11



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	71.66	-0.20	74.0	2.34	Peak	257.00	200	Vertical	Pass
1**	2483.545	52.30	-0.20	54.0	1.70	AV	257.00	200	Vertical	Pass
2	2483.725	70.53	-0.19	74.0	3.47	Peak	257.00	150	Vertical	Pass
2**	2483.725	50.53	-0.19	54.0	3.47	AV	257.00	150	Vertical	Pass


MIMO

802.11n20 Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2384.667	57.98	-2.99	74.0	16.02	Peak	134.00	150	Horizontal	Pass
1**	2384.667	50.11	-2.99	54.0	3.89	AV	134.00	150	Horizontal	Pass
2	2390.000	52.45	-3.52	74.0	21.55	Peak	129.00	150	Horizontal	Pass
2**	2390.000	42.54	-3.52	54.0	11.46	AV	129.00	150	Horizontal	Pass
3	2385.500	57.76	-3.05	74.0	16.24	Peak	132.00	150	Horizontal	Pass
3**	2385.500	51.34	-3.05	54.0	2.66	AV	132.00	150	Horizontal	Pass

802.11n20 Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.70	-2.54	74.0	20.30	Peak	274.00	150	Horizontal	Pass
1**	2483.500	43.34	-2.54	54.0	10.66	AV	274.00	150	Horizontal	Pass
2	2489.900	55.63	-2.45	74.0	18.37	Peak	260.00	150	Horizontal	Pass
2**	2489.900	45.61	-2.45	54.0	8.39	AV	260.00	150	Horizontal	Pass
3	2488.550	54.29	-2.51	74.0	19.71	Peak	263.00	150	Horizontal	Pass
3**	2488.550	46.59	-2.51	54.0	7.41	AV	263.00	150	Horizontal	Pass

802.11n20 Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.44	-2.54	74.0	14.56	Peak	135.00	150	Horizontal	Pass
1**	2483.500	48.15	-2.54	54.0	5.85	AV	135.00	150	Horizontal	Pass
2	2483.550	60.26	-2.56	74.0	13.74	Peak	132.00	150	Horizontal	Pass
2**	2483.550	47.94	-2.56	54.0	6.06	AV	132.00	150	Horizontal	Pass

802.11n20 Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	70.36	-2.54	74.0	3.64	Peak	28.00	150	Horizontal	Pass
1**	2483.500	49.48	-2.54	54.0	4.52	AV	28.00	150	Horizontal	Pass
2	2483.600	72.04	-2.59	74.0	1.96	Peak	88.00	150	Horizontal	Pass
2**	2483.600	48.38	-2.59	54.0	5.62	AV	88.00	150	Horizontal	Pass

802.11n40 Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.167	63.56	-2.94	74.0	10.44	Peak	80.00	150	Horizontal	Pass
1**	2386.167	50.69	-2.94	54.0	3.31	AV	80.00	150	Horizontal	Pass
2	2390.000	62.18	-3.52	74.0	11.82	Peak	132.00	150	Horizontal	Pass
2**	2390.000	51.52	-3.52	54.0	2.48	AV	132.00	150	Horizontal	Pass
3	2387.000	62.43	-2.66	74.0	11.57	Peak	141.00	150	Horizontal	Pass
3**	2387.000	51.79	-2.66	54.0	2.21	AV	141.00	150	Horizontal	Pass

802.11n40 Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.38	-2.54	74.0	11.62	Peak	135.00	150	Horizontal	Pass
1**	2483.500	52.02	-2.54	54.0	1.98	AV	135.00	150	Horizontal	Pass
2	2484.100	65.50	-2.59	74.0	8.50	Peak	137.00	150	Horizontal	Pass
2**	2484.100	51.29	-2.59	54.0	2.71	AV	137.00	150	Horizontal	Pass
3	2484.450	61.39	-2.48	74.0	12.61	Peak	137.00	150	Horizontal	Pass
3**	2484.450	52.23	-2.48	54.0	1.77	AV	137.00	150	Horizontal	Pass

802.11n40 Channel 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.07	-2.54	74.0	11.93	Peak	256.00	150	Horizontal	Pass
1**	2483.500	49.54	-2.54	54.0	4.46	AV	256.00	150	Horizontal	Pass
2	2483.550	65.13	-2.56	74.0	8.87	Peak	77.00	150	Horizontal	Pass
2**	2483.550	49.44	-2.56	54.0	4.56	AV	77.00	150	Horizontal	Pass
3	2483.650	61.99	-2.61	74.0	12.01	Peak	313.00	150	Horizontal	Pass
3**	2483.650	49.84	-2.61	54.0	4.16	AV	313.00	150	Horizontal	Pass

802.11n40 Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	68.19	-2.54	74.0	5.81	Peak	256.00	150	Horizontal	Pass
1**	2483.500	51.53	-2.54	54.0	2.47	AV	256.00	150	Horizontal	Pass
2	2483.650	69.66	-2.61	74.0	4.34	Peak	82.00	150	Horizontal	Pass
2**	2483.650	51.09	-2.61	54.0	2.91	AV	82.00	150	Horizontal	Pass
3	2483.750	64.98	-2.65	74.0	9.02	Peak	142.00	150	Horizontal	Pass
3**	2483.750	51.58	-2.65	54.0	2.42	AV	142.00	150	Horizontal	Pass

802.11ax20(SU) Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.833	66.78	-3.27	74.0	7.22	Peak	134.00	150	Horizontal	Pass
1**	2388.833	51.75	-3.27	54.0	2.25	AV	134.00	150	Horizontal	Pass
2	2390.000	64.58	-3.52	74.0	9.42	Peak	78.00	150	Horizontal	Pass
2**	2390.000	52.82	-3.52	54.0	1.18	AV	78.00	150	Horizontal	Pass

802.11ax20(SU) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	66.97	-2.54	74.0	7.03	Peak	138.00	150	Horizontal	Pass
1**	2483.500	53.00	-2.54	54.0	1.00	AV	138.00	150	Horizontal	Pass
2	2484.350	67.13	-2.41	74.0	6.87	Peak	260.00	150	Horizontal	Pass
2**	2484.350	51.87	-2.41	54.0	2.13	AV	260.00	150	Horizontal	Pass

802.11ax20(SU) Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.75	-2.54	74.0	16.25	Peak	77.00	150	Horizontal	Pass
1**	2483.500	46.46	-2.54	54.0	7.54	AV	77.00	150	Horizontal	Pass
2	2483.600	58.71	-2.59	74.0	15.29	Peak	79.00	150	Horizontal	Pass
2**	2483.600	46.24	-2.59	54.0	7.76	AV	79.00	150	Horizontal	Pass

802.11ax20(SU) Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	72.03	-2.54	74.0	1.97	Peak	86.00	150	Horizontal	Pass
1**	2483.500	49.41	-2.54	54.0	4.59	AV	86.00	150	Horizontal	Pass
2	2483.550	72.19	-2.56	74.0	1.81	Peak	80.00	150	Horizontal	Pass
2**	2483.550	47.81	-2.56	54.0	6.19	AV	80.00	150	Horizontal	Pass

802.11ax40(SU) Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.333	65.80	-2.93	74.0	8.20	Peak	134.00	150	Horizontal	Pass
1**	2386.333	52.22	-2.93	54.0	1.78	AV	134.00	150	Horizontal	Pass
2	2390.000	63.78	-3.52	74.0	10.22	Peak	134.00	150	Horizontal	Pass
2**	2390.000	52.71	-3.52	54.0	1.29	AV	134.00	150	Horizontal	Pass
3	2386.667	62.68	-2.86	74.0	11.32	Peak	76.00	150	Horizontal	Pass
3**	2386.667	52.83	-2.86	54.0	1.17	AV	76.00	150	Horizontal	Pass

802.11ax40(SU) Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.90	-2.54	74.0	10.10	Peak	134.00	150	Horizontal	Pass
1**	2483.500	52.01	-2.54	54.0	1.99	AV	134.00	150	Horizontal	Pass
2	2483.750	65.32	-2.65	74.0	8.68	Peak	131.00	150	Horizontal	Pass
2**	2483.750	52.45	-2.65	54.0	1.55	AV	131.00	150	Horizontal	Pass

802.11ax40(SU) Channel 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.12	-2.54	74.0	10.88	Peak	73.00	150	Horizontal	Pass
1**	2483.500	48.76	-2.54	54.0	5.24	AV	73.00	150	Horizontal	Pass
2	2491.450	64.70	-2.41	74.0	9.30	Peak	141.00	150	Horizontal	Pass
2**	2491.450	46.11	-2.41	54.0	7.89	AV	141.00	150	Horizontal	Pass
3	2483.400	61.57	-2.54	74.0	12.43	Peak	76.00	150	Horizontal	Pass
3**	2483.400	49.18	-2.54	54.0	4.82	AV	76.00	150	Horizontal	Pass

802.11ax40(SU) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	67.61	-2.54	74.0	6.39	Peak	265.00	150	Horizontal	Pass
1**	2483.500	50.88	-2.54	54.0	3.12	AV	265.00	150	Horizontal	Pass
2	2487.250	70.27	-2.50	74.0	3.73	Peak	132.00	150	Horizontal	Pass
2**	2487.250	50.41	-2.50	54.0	3.59	AV	132.00	150	Horizontal	Pass
3	2483.700	67.41	-2.63	74.0	6.59	Peak	135.00	150	Horizontal	Pass
3**	2483.700	50.95	-2.63	54.0	3.05	AV	135.00	150	Horizontal	Pass

802.11ax20(RU26) Channel 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2378.050	55.84	-0.41	74.0	18.16	Peak	77.00	100	Vertical	Pass
1**	2378.050	44.08	-0.41	54.0	9.92	AV	77.00	100	Vertical	Pass
2	2389.950	53.39	-0.59	74.0	20.61	Peak	86.00	100	Vertical	Pass
2**	2389.950	44.45	-0.59	54.0	9.55	AV	86.00	100	Vertical	Pass

802.11ax20(RU26) Channel 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.05	-0.21	74.0	17.95	Peak	270.00	100	Vertical	Pass
1**	2483.500	46.62	-0.21	54.0	7.38	AV	270.00	100	Vertical	Pass
2	2485.750	58.80	0.04	74.0	15.20	Peak	253.00	150	Vertical	Pass
2**	2485.750	46.29	0.04	54.0	7.71	AV	253.00	150	Vertical	Pass

802.11ax20(RU26) Channel 12




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	62.93	-0.20	74.0	11.07	Peak	242.00	150	Vertical	Pass
1**	2483.515	44.88	-0.20	54.0	9.12	AV	242.00	150	Vertical	Pass
2	2483.740	63.51	-0.19	74.0	10.49	Peak	245.00	100	Vertical	Pass
2**	2483.740	44.70	-0.19	54.0	9.30	AV	245.00	100	Vertical	Pass

802.11ax20(RU26) Channel 13




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	72.95	-0.20	74.0	1.05	Peak	256.00	200	Vertical	Pass
1**	2483.560	52.73	-0.20	54.0	1.27	AV	256.00	200	Vertical	Pass
2	2483.950	72.96	-0.18	74.0	1.04	Peak	258.00	150	Vertical	Pass
2**	2483.950	51.58	-0.18	54.0	2.42	AV	258.00	150	Vertical	Pass

802.11ax40(RU26) Channel 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2323.250	55.95	-0.17	74.0	18.05	Peak	61.00	100	Vertical	Pass
1**	2323.250	44.19	-0.17	54.0	9.81	AV	61.00	100	Vertical	Pass
2	2389.950	55.06	-0.59	74.0	18.94	Peak	265.00	100	Vertical	Pass
2**	2389.950	44.04	-0.59	54.0	9.96	AV	265.00	100	Vertical	Pass

802.11ax40(RU26) Channel 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	55.56	-0.20	74.0	18.44	Peak	53.00	100	Vertical	Pass
1**	2483.575	44.72	-0.20	54.0	9.28	AV	53.00	100	Vertical	Pass
2	2483.710	56.22	-0.19	74.0	17.78	Peak	246.00	200	Vertical	Pass
2**	2483.710	44.80	-0.19	54.0	9.20	AV	246.00	200	Vertical	Pass

802.11ax40(RU26) Channel 10



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.39	-0.21	74.0	9.61	Peak	67.00	150	Vertical	Pass
1**	2483.500	45.40	-0.21	54.0	8.60	AV	67.00	150	Vertical	Pass
2	2483.725	64.58	-0.19	74.0	9.42	Peak	64.00	200	Vertical	Pass
2**	2483.725	45.14	-0.19	54.0	8.86	AV	64.00	200	Vertical	Pass

802.11ax40(RU26) Channel 11



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	69.60	-0.21	74.0	4.40	Peak	258.00	200	Vertical	Pass
1**	2483.500	50.48	-0.21	54.0	3.52	AV	258.00	200	Vertical	Pass
2	2483.725	69.17	-0.19	74.0	4.83	Peak	54.00	100	Vertical	Pass
2**	2483.725	49.12	-0.19	54.0	4.88	AV	54.00	100	Vertical	Pass

A.8 Power Spectral Density (PSD)

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

Main Antenna

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-13.01	8
CH6	-12.72	8
CH11	-13.02	8
CH12	-14.78	8
CH13	-14.92	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-16.92	8
CH6	-15.89	8
CH11	-17.26	8
CH12	-22.75	8
CH13	-26.05	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-18.01	8
CH6	-15.97	8
CH11	-18.11	8
CH12	-23.41	8
CH13	-27.12	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-26.25	8
CH6	-23.12	8
CH9	-23.26	8
CH10	-26.70	8
CH11	-29.42	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-20.11	8
CH6	-17.20	8
CH11	-19.66	8
CH12	-24.64	8
CH13	-28.21	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-27.68	8
CH6	-24.24	8
CH9	-24.21	8
CH10	-28.46	8
CH11	-30.70	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-12.12	8
CH6	-11.58	8
CH11	-11.69	8
CH12	-18.48	8
CH13	-20.55	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-14.07	8
CH6	-14.00	8
CH9	-13.95	8
CH10	-19.14	8
CH11	-20.64	8

Aux. Antenna

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-12.53	8
CH6	-12.47	8
CH11	-12.73	8
CH12	-14.81	8
CH13	-16.24	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-15.44	8
CH6	-15.44	8
CH11	-17.14	8
CH12	-22.94	8
CH13	-25.44	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-16.30	8
CH6	-15.45	8
CH11	-17.66	8
CH12	-22.89	8
CH13	-25.89	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-24.72	8
CH6	-22.94	8
CH9	-24.06	8
CH10	-26.96	8
CH11	-28.46	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-18.24	8
CH6	-16.89	8
CH11	-19.66	8
CH12	-24.68	8
CH13	-27.18	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-25.44	8
CH6	-23.99	8
CH9	-25.31	8
CH10	-28.30	8
CH11	-29.66	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-11.73	8
CH6	-11.72	8
CH11	-11.84	8
CH12	-18.46	8
CH13	-19.04	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-14.19	8
CH6	-14.35	8
CH9	-14.17	8
CH10	-19.23	8
CH11	-19.29	8

MIMO-Main Antenna

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-18.52	8
CH6	-18.85	8
CH11	-18.89	8
CH12	-26.54	8
CH13	-27.80	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-26.87	8
CH6	-26.28	8
CH9	-26.54	8
CH10	-29.85	8
CH11	-30.29	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-20.61	8
CH6	-20.51	8
CH11	-20.11	8
CH12	-27.48	8
CH13	-29.22	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-27.97	8
CH6	-27.41	8
CH9	-27.27	8
CH10	-31.01	8
CH11	-31.80	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-14.57	8
CH6	-14.87	8
CH11	-14.67	8
CH12	-22.05	8
CH13	-22.53	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-17.38	8
CH6	-16.98	8
CH9	-17.45	8
CH10	-22.26	8
CH11	-23.16	8

MIMO-Aux. Antenna

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-21.87	8
CH6	-18.50	8
CH11	-18.73	8
CH12	-26.47	8
CH13	-27.37	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-26.56	8
CH6	-26.07	8
CH9	-26.41	8
CH10	-30.25	8
CH11	-30.89	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-20.60	8
CH6	-20.28	8
CH11	-20.06	8
CH12	-27.89	8
CH13	-28.75	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-27.66	8
CH6	-27.79	8
CH9	-27.53	8
CH10	-31.68	8
CH11	-32.32	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-14.61	8
CH6	-14.88	8
CH11	-14.58	8
CH12	-21.55	8
CH13	-21.98	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-17.02	8
CH6	-17.14	8
CH9	-17.00	8
CH10	-22.06	8
CH11	-22.40	8

MIMO**802.11n-20 MHz Mode:**

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-16.87	8
CH6	-15.66	8
CH11	-15.80	8
CH12	-23.49	8
CH13	-24.57	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-23.70	8
CH6	-23.16	8
CH9	-23.46	8
CH10	-27.03	8
CH11	-27.57	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-17.59	8
CH6	-17.39	8
CH11	-17.07	8
CH12	-24.67	8
CH13	-25.96	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-24.80	8
CH6	-24.58	8
CH9	-24.39	8
CH10	-28.32	8
CH11	-29.04	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-11.58	8
CH6	-11.86	8
CH11	-11.62	8
CH12	-18.78	8
CH13	-19.23	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-14.18	8
CH6	-14.05	8
CH9	-14.21	8
CH10	-19.15	8
CH11	-19.76	8

Test Plots

Main Antenna

802.11b CHANNEL 1



802.11b CHANNEL 6



802.11b CHANNEL 11



802.11b CHANNEL 12



802.11b CHANNEL 13



802.11g CHANNEL 1



802.11g CHANNEL 6




802.11g CHANNEL 11




802.11g CHANNEL 12




802.11g CHANNEL 13



802.11n-20 MHz CHANNEL 1



802.11n-20 MHz CHANNEL 6




802.11n-20 MHz CHANNEL 11



802.11n-20 MHz CHANNEL 12



802.11n-20 MHz CHANNEL 13



802.11n-40 MHz CHANNEL 3



802.11n-40 MHz CHANNEL 6




802.11n-40 MHz CHANNEL 9



802.11n-40 MHz CHANNEL 10



802.11n-40 MHz CHANNEL 11



802.11ax-20 MHz(SU) CHANNEL 1



802.11ax-20 MHz(SU) CHANNEL 6



802.11ax-20 MHz(SU) CHANNEL 11



802.11ax-20 MHz(SU) CHANNEL 12



802.11ax-20 MHz(SU) CHANNEL 13



802.11ax-40 MHz(SU) CHANNEL 3



802.11ax-40 MHz(SU) CHANNEL 6



802.11ax-40 MHz(SU) CHANNEL 9



802.11ax-40 MHz(SU) CHANNEL 10



802.11ax-40 MHz(SU) CHANNEL 11




802.11ax-20 MHz(RU26) CHANNEL 1




802.11ax-20 MHz(RU26) CHANNEL 6




802.11ax-20 MHz(RU26) CHANNEL 11




802.11ax-20 MHz(RU26) CHANNEL 12




802.11ax-20 MHz(RU26) CHANNEL 13



802.11ax-40 MHz(RU26) CHANNEL 3




802.11ax-40 MHz(RU26) CHANNEL 6




802.11ax-40 MHz(RU26) CHANNEL 9



802.11ax-40 MHz(RU26) CHANNEL 10



802.11ax-40 MHz(RU26) CHANNEL 11



Aux. Antenna

802.11b CHANNEL 1



802.11b CHANNEL 6



802.11b CHANNEL 11



802.11b CHANNEL 12




802.11b CHANNEL 13



802.11g CHANNEL 1




802.11g CHANNEL 6



802.11g CHANNEL 11



802.11g CHANNEL 12




802.11g CHANNEL 13



802.11n-20 MHz CHANNEL 1



802.11n-20 MHz CHANNEL 6




802.11n-20 MHz CHANNEL 11



802.11n-20 MHz CHANNEL 12



802.11n-20 MHz CHANNEL 13



802.11n-40 MHz CHANNEL 3



802.11n-40 MHz CHANNEL 6




802.11n-40 MHz CHANNEL 9



802.11n-40 MHz CHANNEL 10



802.11n-40 MHz CHANNEL 11



802.11ax-20 MHz(SU) CHANNEL 1



802.11ax-20 MHz(SU) CHANNEL 6



802.11ax-20 MHz(SU) CHANNEL 11



802.11ax-20 MHz(SU) CHANNEL 12



802.11ax-20 MHz(SU) CHANNEL 13



802.11ax-40 MHz(SU) CHANNEL 3



802.11ax-40 MHz(SU) CHANNEL 6



802.11ax-40 MHz(SU) CHANNEL 9



802.11ax-40 MHz(SU) CHANNEL 10



802.11ax-40 MHz(SU) CHANNEL 11




802.11ax-20 MHz(RU26) CHANNEL 1




802.11ax-20 MHz(RU26) CHANNEL 6




802.11ax-20 MHz(RU26) CHANNEL 11




802.11ax-20 MHz(RU26) CHANNEL 12




802.11ax-20 MHz(RU26) CHANNEL 13




802.11ax-40 MHz(RU26) CHANNEL 3




802.11ax-40 MHz(RU26) CHANNEL 6




802.11ax-40 MHz(RU26) CHANNEL 9



802.11ax-40 MHz(RU26) CHANNEL 10



802.11ax-40 MHz(RU26) CHANNEL 11



MIMO-Main Antenna


802.11n-20 MHz CHANNEL 1



802.11n-20 MHz CHANNEL 6



802.11n-20 MHz CHANNEL 11



802.11n-20 MHz CHANNEL 12



802.11n-20 MHz CHANNEL 13



802.11n-40 MHz CHANNEL 3




802.11n-40 MHz CHANNEL 6



802.11n-40 MHz CHANNEL 9



802.11n-40 MHz CHANNEL 10



802.11n-40 MHz CHANNEL 11



802.11ax-20 MHz(SU) CHANNEL 1



802.11ax-20 MHz(SU) CHANNEL 6



802.11ax-20 MHz(SU) CHANNEL 11



802.11ax-20 MHz(SU) CHANNEL 12



802.11ax-20 MHz(SU) CHANNEL 13



802.11ax-40 MHz(SU) CHANNEL 3



802.11ax-40 MHz(SU) CHANNEL 6



802.11ax-40 MHz(SU) CHANNEL 9



802.11ax-40 MHz(SU) CHANNEL 10



802.11ax-40 MHz(SU) CHANNEL 11




802.11ax-20 MHz(RU26) CHANNEL 1




802.11ax-20 MHz(RU26) CHANNEL 6




802.11ax-20 MHz(RU26) CHANNEL 11




802.11ax-20 MHz(RU26) CHANNEL 12




802.11ax-20 MHz(RU26) CHANNEL 13




802.11ax-40 MHz(RU26) CHANNEL 3




802.11ax-40 MHz(RU26) CHANNEL 6




802.11ax-40 MHz(RU26) CHANNEL 9



802.11ax-40 MHz(RU26) CHANNEL 10



802.11ax-40 MHz(RU26) CHANNEL 11



MIMO-Aux. Antenna

802.11n-20 MHz CHANNEL 1



802.11n-20 MHz CHANNEL 6



802.11n-20 MHz CHANNEL 11




802.11n-20 MHz CHANNEL 12



802.11n-20 MHz CHANNEL 13



802.11n-40 MHz CHANNEL 3



802.11n-40 MHz CHANNEL 6




802.11n-40 MHz CHANNEL 9



802.11n-40 MHz CHANNEL 10



802.11n-40 MHz CHANNEL 11



802.11ax-20 MHz(SU) CHANNEL 1



802.11ax-20 MHz(SU) CHANNEL 6




802.11ax-20 MHz(SU) CHANNEL 11




802.11ax-20 MHz(SU) CHANNEL 12




802.11ax-20 MHz(SU) CHANNEL 13



802.11ax-40 MHz(SU) CHANNEL 3



802.11ax-40 MHz(SU) CHANNEL 6



802.11ax-40 MHz(SU) CHANNEL 9



802.11ax-40 MHz(SU) CHANNEL 10



802.11ax-40 MHz(SU) CHANNEL 11



802.11ax-20 MHz(RU26) CHANNEL 1




802.11ax-20 MHz(RU26) CHANNEL 6




802.11ax-20 MHz(RU26) CHANNEL 11




802.11ax-20 MHz(RU26) CHANNEL 12




802.11ax-20 MHz(RU26) CHANNEL 13




802.11ax-40 MHz(RU26) CHANNEL 3




802.11ax-40 MHz(RU26) CHANNEL 6




802.11ax-40 MHz(RU26) CHANNEL 9



802.11ax-40 MHz(RU26) CHANNEL 10



802.11ax-40 MHz(RU26) CHANNEL 11



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2330183-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2330183-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2330183-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--