

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.800	39.24	-19.48	74.0	34.76	Peak	162.00	300	Horizontal	Pass
1**	1543.800	32.16	-19.48	54.0	21.84	AV	162.00	300	Horizontal	Pass
2	2783.000	45.02	-9.46	74.0	28.98	Peak	292.00	150	Horizontal	Pass
2**	2783.000	36.90	-9.46	54.0	17.10	AV	292.00	150	Horizontal	Pass
3	4344.500	48.09	-5.33	74.0	25.91	Peak	317.00	200	Horizontal	Pass
3**	4344.500	38.84	-5.33	54.0	15.16	AV	317.00	200	Horizontal	Pass
4	5763.250	105.65	-5.36	--	--	Peak	129.00	200	Horizontal	N/A
4**	5763.250	97.59	-5.36	--	--	AV	129.00	200	Horizontal	N/A
5	7335.000	54.28	-1.08	74.0	19.72	Peak	148.00	200	Horizontal	Pass
5**	7335.000	45.37	-1.08	54.0	8.63	AV	148.00	200	Horizontal	Pass
6	12580.425	53.63	1.33	74.0	20.37	Peak	0.00	100	Horizontal	Pass
6**	12580.425	43.33	1.33	54.0	10.67	AV	0.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.400	41.52	-19.49	74.0	32.48	Peak	273.00	300	Vertical	Pass
1**	1531.400	32.17	-19.49	54.0	21.83	AV	273.00	300	Vertical	Pass
2	2776.300	44.95	-10.68	74.0	29.05	Peak	360.00	300	Vertical	Pass
2**	2776.300	36.17	-10.68	54.0	17.83	AV	360.00	300	Vertical	Pass
3	4336.750	47.75	-5.47	74.0	26.25	Peak	280.00	150	Vertical	Pass
3**	4336.750	38.68	-5.47	54.0	15.32	AV	280.00	150	Vertical	Pass
4	5764.750	103.76	-5.46	--	--	Peak	112.00	400	Vertical	N/A
4**	5764.750	95.85	-5.46	--	--	AV	112.00	400	Vertical	N/A
5	7545.250	54.09	-0.76	74.0	19.91	Peak	360.00	200	Vertical	Pass
5**	7545.250	44.98	-0.76	54.0	9.02	AV	360.00	200	Vertical	Pass
6	12610.350	53.25	1.06	74.0	20.75	Peak	250.00	400	Vertical	Pass
6**	12610.350	43.11	1.06	54.0	10.89	AV	250.00	400	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.600	40.70	-19.79	74.0	33.30	Peak	269.00	100	Horizontal	Pass
1**	1541.600	31.53	-19.79	54.0	22.47	AV	269.00	100	Horizontal	Pass
2	2783.200	44.97	-9.54	74.0	29.03	Peak	325.00	300	Horizontal	Pass
2**	2783.200	37.07	-9.54	54.0	16.93	AV	325.00	300	Horizontal	Pass
3	4325.500	47.56	-6.28	74.0	26.44	Peak	360.00	150	Horizontal	Pass
3**	4325.500	38.34	-6.28	54.0	15.66	AV	360.00	150	Horizontal	Pass
4	5801.000	108.30	-3.24	--	--	Peak	195.00	100	Horizontal	N/A
4**	5801.000	99.71	-3.24	--	--	AV	195.00	100	Horizontal	N/A
5	7545.250	54.21	-0.76	74.0	19.79	Peak	254.00	100	Horizontal	Pass
5**	7545.250	45.42	-0.76	54.0	8.58	AV	254.00	100	Horizontal	Pass
6	12586.838	52.69	1.27	74.0	21.31	Peak	312.00	100	Horizontal	Pass
6**	12586.838	43.41	1.27	54.0	10.59	AV	312.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.100	42.52	-19.26	74.0	31.48	Peak	268.00	400	Vertical	Pass
1**	1544.100	33.09	-19.26	54.0	20.91	AV	268.00	400	Vertical	Pass
2	2783.600	45.45	-10.20	74.0	28.55	Peak	303.00	100	Vertical	Pass
2**	2783.600	36.80	-10.20	54.0	17.20	AV	303.00	100	Vertical	Pass
3	4344.250	46.94	-5.75	74.0	27.06	Peak	360.00	100	Vertical	Pass
3**	4344.250	39.20	-5.75	54.0	14.80	AV	360.00	100	Vertical	Pass
4	5803.000	106.98	-3.76	--	--	Peak	106.00	300	Vertical	N/A
4**	5803.000	97.65	-3.76	--	--	AV	106.00	300	Vertical	N/A
5	7580.500	54.53	-0.05	74.0	19.47	Peak	254.00	200	Vertical	Pass
5**	7580.500	45.99	-0.05	54.0	8.01	AV	254.00	200	Vertical	Pass
6	12333.187	52.84	0.71	74.0	21.16	Peak	72.00	400	Vertical	Pass
6**	12333.187	43.53	0.71	54.0	10.47	AV	72.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.100	41.06	-19.26	74.0	32.94	Peak	235.00	200	Horizontal	Pass
1**	1544.100	32.72	-19.26	54.0	21.28	AV	235.00	200	Horizontal	Pass
2	2780.500	44.08	-10.71	74.0	29.92	Peak	44.00	100	Horizontal	Pass
2**	2780.500	35.69	-10.71	54.0	18.31	AV	44.00	100	Horizontal	Pass
3	4338.750	47.59	-6.06	74.0	26.41	Peak	360.00	150	Horizontal	Pass
3**	4338.750	38.97	-6.06	54.0	15.03	AV	360.00	150	Horizontal	Pass
4	5746.000	109.14	-5.96	--	--	Peak	127.00	400	Horizontal	N/A
4**	5746.000	102.07	-5.96	--	--	AV	127.00	400	Horizontal	N/A
5	7317.750	54.24	-1.63	74.0	19.76	Peak	0.00	200	Horizontal	Pass
5**	7317.750	44.45	-1.63	54.0	9.55	AV	0.00	200	Horizontal	Pass
6	12581.137	52.35	1.32	74.0	21.65	Peak	341.00	200	Horizontal	Pass
6**	12581.137	44.10	1.32	54.0	9.90	AV	341.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.200	41.94	-19.20	74.0	32.06	Peak	285.00	200	Vertical	Pass
1**	1544.200	31.96	-19.20	54.0	22.04	AV	285.00	200	Vertical	Pass
2	2783.500	45.38	-10.15	74.0	28.62	Peak	176.00	200	Vertical	Pass
2**	2783.500	36.04	-10.15	54.0	17.96	AV	176.00	200	Vertical	Pass
3	4354.750	47.91	-5.74	74.0	26.09	Peak	177.00	200	Vertical	Pass
3**	4354.750	39.35	-5.74	54.0	14.65	AV	177.00	200	Vertical	Pass
4	5747.250	106.83	-5.63	--	--	Peak	116.00	400	Vertical	N/A
4**	5747.250	100.13	-5.63	--	--	AV	116.00	400	Vertical	N/A
5	7401.250	53.97	-1.65	74.0	20.03	Peak	36.00	150	Vertical	Pass
5**	7401.250	44.27	-1.65	54.0	9.73	AV	36.00	150	Vertical	Pass
6	12584.700	53.18	1.29	74.0	20.82	Peak	100.00	300	Vertical	Pass
6**	12584.700	43.91	1.29	54.0	10.09	AV	100.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.000	42.27	-19.23	74.0	31.73	Peak	243.00	400	Horizontal	Pass
1**	1532.000	31.94	-19.23	54.0	22.06	AV	243.00	400	Horizontal	Pass
2	2785.600	44.95	-10.09	74.0	29.05	Peak	10.00	400	Horizontal	Pass
2**	2785.600	35.90	-10.09	54.0	18.10	AV	10.00	400	Horizontal	Pass
3	4335.250	47.58	-5.44	74.0	26.42	Peak	245.00	150	Horizontal	Pass
3**	4335.250	38.52	-5.44	54.0	15.48	AV	245.00	150	Horizontal	Pass
4	5787.250	109.90	-4.60	--	--	Peak	132.00	400	Horizontal	N/A
4**	5787.250	101.73	-4.60	--	--	AV	132.00	400	Horizontal	N/A
5	7606.000	55.51	-1.16	74.0	18.49	Peak	189.00	200	Horizontal	Pass
5**	7606.000	44.51	-1.16	54.0	9.49	AV	189.00	200	Horizontal	Pass
6	12356.463	53.07	0.68	74.0	20.93	Peak	360.00	400	Horizontal	Pass
6**	12356.463	43.53	0.68	54.0	10.47	AV	360.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.200	42.02	-19.41	74.0	31.98	Peak	41.00	100	Vertical	Pass
1**	1540.200	33.96	-19.41	54.0	20.04	AV	41.00	100	Vertical	Pass
2	2777.400	46.18	-10.15	74.0	27.82	Peak	77.00	100	Vertical	Pass
2**	2777.400	36.27	-10.15	54.0	17.73	AV	77.00	100	Vertical	Pass
3	3993.750	54.28	-7.47	74.0	19.72	Peak	258.00	100	Vertical	Pass
3**	3993.750	36.42	-7.47	54.0	17.58	AV	258.00	100	Vertical	Pass
4	5781.500	108.47	-4.88	--	--	Peak	108.00	400	Vertical	N/A
4**	5781.500	100.51	-4.88	--	--	AV	108.00	400	Vertical	N/A
5	7579.000	54.44	0.18	74.0	19.56	Peak	314.00	100	Vertical	Pass
5**	7579.000	45.81	0.18	54.0	8.19	AV	314.00	100	Vertical	Pass
6	12577.812	52.74	1.35	74.0	21.26	Peak	212.00	400	Vertical	Pass
6**	12577.812	43.27	1.35	54.0	10.73	AV	212.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.400	40.36	-19.42	74.0	33.64	Peak	276.00	200	Horizontal	Pass
1**	1530.400	31.33	-19.42	54.0	22.67	AV	276.00	200	Horizontal	Pass
2	2753.400	45.49	-11.17	74.0	28.51	Peak	14.00	100	Horizontal	Pass
2**	2753.400	34.52	-11.17	54.0	19.48	AV	14.00	100	Horizontal	Pass
3	3993.500	48.84	-7.46	74.0	25.16	Peak	170.00	200	Horizontal	Pass
3**	3993.500	37.54	-7.46	54.0	16.46	AV	170.00	200	Horizontal	Pass
4	5822.500	109.95	-3.98	--	--	Peak	132.00	100	Horizontal	N/A
4**	5822.500	102.43	-3.98	--	--	AV	132.00	100	Horizontal	N/A
5	7617.750	54.38	-1.26	74.0	19.62	Peak	94.00	100	Horizontal	Pass
5**	7617.750	45.30	-1.26	54.0	8.70	AV	94.00	100	Horizontal	Pass
6	12276.901	53.40	0.52	74.0	20.60	Peak	73.00	200	Horizontal	Pass
6**	12276.901	43.07	0.52	54.0	10.93	AV	73.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.200	43.38	-19.20	74.0	30.62	Peak	280.00	200	Vertical	Pass
1**	1544.200	33.73	-19.20	54.0	20.27	AV	280.00	200	Vertical	Pass
2	2803.000	44.71	-11.32	74.0	29.29	Peak	126.00	300	Vertical	Pass
2**	2803.000	35.31	-11.32	54.0	18.69	AV	126.00	300	Vertical	Pass
3	4140.750	47.59	-6.46	74.0	26.41	Peak	141.00	100	Vertical	Pass
3**	4140.750	37.92	-6.46	54.0	16.08	AV	141.00	100	Vertical	Pass
4	5827.250	109.64	-4.58	--	--	Peak	124.00	100	Vertical	N/A
4**	5827.250	101.86	-4.58	--	--	AV	124.00	100	Vertical	N/A
5	7589.250	54.44	-0.47	74.0	19.56	Peak	0.00	150	Vertical	Pass
5**	7589.250	45.31	-0.47	54.0	8.69	AV	0.00	150	Vertical	Pass
6	12608.451	52.19	1.08	74.0	21.81	Peak	227.00	100	Vertical	Pass
6**	12608.451	43.20	1.08	54.0	10.80	AV	227.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.000	40.40	-19.01	74.0	33.60	Peak	250.00	200	Horizontal	Pass
1**	1529.000	32.04	-19.01	54.0	21.96	AV	250.00	200	Horizontal	Pass
2	2783.400	44.41	-9.95	74.0	29.59	Peak	250.00	300	Horizontal	Pass
2**	2783.400	36.48	-9.95	54.0	17.52	AV	250.00	300	Horizontal	Pass
3	4342.500	48.12	-5.70	74.0	25.88	Peak	54.00	100	Horizontal	Pass
3**	4342.500	38.71	-5.70	54.0	15.29	AV	54.00	100	Horizontal	Pass
4	5764.750	105.50	-5.46	--	--	Peak	130.00	200	Horizontal	N/A
4**	5764.750	98.02	-5.46	--	--	AV	130.00	200	Horizontal	N/A
5	7581.750	54.16	-0.34	74.0	19.84	Peak	286.00	100	Horizontal	Pass
5**	7581.750	45.65	-0.34	54.0	8.35	AV	286.00	100	Horizontal	Pass
6	12671.625	52.87	0.63	74.0	21.13	Peak	334.00	400	Horizontal	Pass
6**	12671.625	43.27	0.63	54.0	10.73	AV	334.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.300	41.80	-19.19	74.0	32.20	Peak	44.00	400	Vertical	Pass
1**	1544.300	31.95	-19.19	54.0	22.05	AV	44.00	400	Vertical	Pass
2	2777.400	45.58	-10.15	74.0	28.42	Peak	195.00	300	Vertical	Pass
2**	2777.400	36.68	-10.15	54.0	17.32	AV	195.00	300	Vertical	Pass
3	3993.750	53.89	-7.47	74.0	20.11	Peak	239.00	150	Vertical	Pass
3**	3993.750	36.96	-7.47	54.0	17.04	AV	239.00	150	Vertical	Pass
4	5760.750	103.81	-5.87	--	--	Peak	109.00	400	Vertical	N/A
4**	5760.750	96.12	-5.87	--	--	AV	109.00	400	Vertical	N/A
5	7598.750	54.40	-0.86	74.0	19.60	Peak	220.00	150	Vertical	Pass
5**	7598.750	45.09	-0.86	54.0	8.91	AV	220.00	150	Vertical	Pass
6	12609.875	52.81	1.07	74.0	21.19	Peak	51.00	300	Vertical	Pass
6**	12609.875	43.70	1.07	54.0	10.30	AV	51.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.500	40.34	-19.43	74.0	33.66	Peak	128.00	400	Horizontal	Pass
1**	1531.500	29.70	-19.43	54.0	24.30	AV	128.00	400	Horizontal	Pass
2	2783.000	45.38	-9.46	74.0	28.62	Peak	146.00	300	Horizontal	Pass
2**	2783.000	37.44	-9.46	54.0	16.56	AV	146.00	300	Horizontal	Pass
3	4342.750	47.66	-5.62	74.0	26.34	Peak	36.00	150	Horizontal	Pass
3**	4342.750	39.49	-5.62	54.0	14.51	AV	36.00	150	Horizontal	Pass
4	5791.250	107.76	-3.87	--	--	Peak	135.00	100	Horizontal	N/A
4**	5791.250	100.23	-3.87	--	--	AV	135.00	100	Horizontal	N/A
5	7578.250	55.01	-0.07	74.0	18.99	Peak	36.00	100	Horizontal	Pass
5**	7578.250	45.78	-0.07	54.0	8.22	AV	36.00	100	Horizontal	Pass
6	12402.775	52.35	0.34	74.0	21.65	Peak	360.00	200	Horizontal	Pass
6**	12402.775	43.09	0.34	54.0	10.91	AV	360.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.500	41.85	-19.37	74.0	32.15	Peak	38.00	100	Vertical	Pass
1**	1534.500	32.57	-19.37	54.0	21.43	AV	38.00	100	Vertical	Pass
2	2790.200	44.98	-10.76	74.0	29.02	Peak	267.00	200	Vertical	Pass
2**	2790.200	35.83	-10.76	54.0	18.17	AV	267.00	200	Vertical	Pass
3	4331.000	47.81	-5.42	74.0	26.19	Peak	208.00	100	Vertical	Pass
3**	4331.000	38.78	-5.42	54.0	15.22	AV	208.00	100	Vertical	Pass
4	5802.500	105.91	-3.49	--	--	Peak	114.00	100	Vertical	N/A
4**	5802.500	97.96	-3.49	--	--	AV	114.00	100	Vertical	N/A
5	7395.750	54.62	-1.71	74.0	19.38	Peak	265.00	100	Vertical	Pass
5**	7395.750	44.34	-1.71	54.0	9.66	AV	265.00	100	Vertical	Pass
6	12398.500	53.17	0.32	74.0	20.83	Peak	309.00	100	Vertical	Pass
6**	12398.500	43.17	0.32	54.0	10.83	AV	309.00	100	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.200	40.95	-19.48	74.0	33.05	Peak	279.00	300	Horizontal	Pass
1**	1533.200	31.36	-19.48	54.0	22.64	AV	279.00	300	Horizontal	Pass
2	2782.600	44.38	-9.86	74.0	29.62	Peak	360.00	400	Horizontal	Pass
2**	2782.600	36.85	-9.86	54.0	17.15	AV	360.00	400	Horizontal	Pass
3	4340.250	47.27	-5.32	74.0	26.73	Peak	52.00	200	Horizontal	Pass
3**	4340.250	39.63	-5.32	54.0	14.37	AV	52.00	200	Horizontal	Pass
4	5794.000	102.80	-4.05	--	--	Peak	127.00	200	Horizontal	N/A
4**	5794.000	94.86	-4.05	--	--	AV	127.00	200	Horizontal	N/A
5	7621.000	54.39	-1.05	74.0	19.61	Peak	127.00	100	Horizontal	Pass
5**	7621.000	45.72	-1.05	54.0	8.28	AV	127.00	100	Horizontal	Pass
6	12579.474	52.93	1.34	74.0	21.07	Peak	131.00	300	Horizontal	Pass
6**	12579.474	43.60	1.34	54.0	10.40	AV	131.00	300	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.900	41.56	-19.22	74.0	32.44	Peak	48.00	100	Vertical	Pass
1**	1539.900	33.24	-19.22	54.0	20.76	AV	48.00	100	Vertical	Pass
2	2766.300	44.86	-11.46	74.0	29.14	Peak	154.00	400	Vertical	Pass
2**	2766.300	34.51	-11.46	54.0	19.49	AV	154.00	400	Vertical	Pass
3	3993.750	54.38	-7.47	74.0	19.62	Peak	204.00	100	Vertical	Pass
3**	3993.750	39.38	-7.47	54.0	14.62	AV	204.00	100	Vertical	Pass
4	5787.500	100.66	-4.35	--	--	Peak	110.00	300	Vertical	N/A
4**	5787.500	92.77	-4.35	--	--	AV	110.00	300	Vertical	N/A
5	7608.000	54.35	-0.40	74.0	19.65	Peak	110.00	200	Vertical	Pass
5**	7608.000	45.28	-0.40	54.0	8.72	AV	110.00	200	Vertical	Pass
6	12244.838	52.97	0.28	74.0	21.03	Peak	92.00	200	Vertical	Pass
6**	12244.838	42.98	0.28	54.0	11.02	AV	92.00	200	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.000	41.15	-19.32	74.0	32.85	Peak	158.00	100	Horizontal	Pass
1**	1544.000	32.85	-19.32	54.0	21.15	AV	158.00	100	Horizontal	Pass
2	2813.300	44.68	-11.31	74.0	29.32	Peak	0.00	100	Horizontal	Pass
2**	2813.300	35.53	-11.31	54.0	18.47	AV	0.00	100	Horizontal	Pass
3	4352.750	47.90	-6.23	74.0	26.10	Peak	57.00	100	Horizontal	Pass
3**	4352.750	38.35	-6.23	54.0	15.65	AV	57.00	100	Horizontal	Pass
4	5741.000	108.52	-5.83	--	--	Peak	136.00	100	Horizontal	N/A
4**	5741.000	99.87	-5.83	--	--	AV	136.00	100	Horizontal	N/A
5	7615.500	53.89	-1.21	74.0	20.11	Peak	57.00	150	Horizontal	Pass
5**	7615.500	45.04	-1.21	54.0	8.96	AV	57.00	150	Horizontal	Pass
6	12582.325	53.19	1.31	74.0	20.81	Peak	273.00	300	Horizontal	Pass
6**	12582.325	43.78	1.31	54.0	10.22	AV	273.00	300	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.300	41.62	-19.40	74.0	32.38	Peak	44.00	300	Vertical	Pass
1**	1535.300	31.28	-19.40	54.0	22.72	AV	44.00	300	Vertical	Pass
2	2784.500	44.90	-10.26	74.0	29.10	Peak	306.00	400	Vertical	Pass
2**	2784.500	36.34	-10.26	54.0	17.66	AV	306.00	400	Vertical	Pass
3	4371.000	47.34	-6.41	74.0	26.66	Peak	0.00	200	Vertical	Pass
3**	4371.000	38.17	-6.41	54.0	15.83	AV	0.00	200	Vertical	Pass
4	5748.750	106.73	-6.01	--	--	Peak	114.00	300	Vertical	N/A
4**	5748.750	97.87	-6.01	--	--	AV	114.00	300	Vertical	N/A
5	7497.000	54.03	-0.60	74.0	19.97	Peak	264.00	200	Vertical	Pass
5**	7497.000	44.80	-0.60	54.0	9.20	AV	264.00	200	Vertical	Pass
6	12433.651	53.06	0.70	74.0	20.94	Peak	86.00	100	Vertical	Pass
6**	12433.651	43.58	0.70	54.0	10.42	AV	86.00	100	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.400	40.77	-19.87	74.0	33.23	Peak	240.00	100	Horizontal	Pass
1**	1541.400	32.02	-19.87	54.0	21.98	AV	240.00	100	Horizontal	Pass
2	2784.000	44.62	-10.22	74.0	29.38	Peak	0.00	300	Horizontal	Pass
2**	2784.000	35.73	-10.22	54.0	18.27	AV	0.00	300	Horizontal	Pass
3	4346.250	47.62	-6.06	74.0	26.38	Peak	351.00	100	Horizontal	Pass
3**	4346.250	39.36	-6.06	54.0	14.64	AV	351.00	100	Horizontal	Pass
4	5786.000	110.49	-4.78	--	--	Peak	126.00	300	Horizontal	N/A
4**	5786.000	101.66	-4.78	--	--	AV	126.00	300	Horizontal	N/A
5	7614.750	54.29	-1.22	74.0	19.71	Peak	295.00	150	Horizontal	Pass
5**	7614.750	44.50	-1.22	54.0	9.50	AV	295.00	150	Horizontal	Pass
6	12578.525	53.44	1.35	74.0	20.56	Peak	191.00	400	Horizontal	Pass
6**	12578.525	43.20	1.35	54.0	10.80	AV	191.00	400	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.800	42.36	-19.34	74.0	31.64	Peak	284.00	100	Vertical	Pass
1**	1539.800	31.66	-19.34	54.0	22.34	AV	284.00	100	Vertical	Pass
2	2783.400	45.38	-9.95	74.0	28.62	Peak	0.00	200	Vertical	Pass
2**	2783.400	36.06	-9.95	54.0	17.94	AV	0.00	200	Vertical	Pass
3	3993.750	56.63	-7.47	74.0	17.37	Peak	244.00	200	Vertical	Pass
3**	3993.750	40.74	-7.47	54.0	13.26	AV	244.00	200	Vertical	Pass
4	5784.000	109.89	-4.63	--	--	Peak	299.00	200	Vertical	N/A
4**	5784.000	100.92	-4.63	--	--	AV	299.00	200	Vertical	N/A
5	7579.250	54.11	0.11	74.0	19.89	Peak	110.00	200	Vertical	Pass
5**	7579.250	45.72	0.11	54.0	8.28	AV	110.00	200	Vertical	Pass
6	12273.575	52.49	0.50	74.0	21.51	Peak	195.00	200	Vertical	Pass
6**	12273.575	43.38	0.50	54.0	10.62	AV	195.00	200	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.900	41.23	-19.10	74.0	32.77	Peak	235.00	300	Horizontal	Pass
1**	1540.900	31.88	-19.10	54.0	22.12	AV	235.00	300	Horizontal	Pass
2	2783.100	45.27	-9.34	74.0	28.73	Peak	265.00	200	Horizontal	Pass
2**	2783.100	37.04	-9.34	54.0	16.96	AV	265.00	200	Horizontal	Pass
3	4349.750	47.84	-5.56	74.0	26.16	Peak	256.00	100	Horizontal	Pass
3**	4349.750	39.58	-5.56	54.0	14.42	AV	256.00	100	Horizontal	Pass
4	5824.000	110.75	-4.34	--	--	Peak	138.00	300	Horizontal	N/A
4**	5824.000	103.17	-4.34	--	--	AV	138.00	300	Horizontal	N/A
5	7572.500	54.35	-0.73	74.0	19.65	Peak	36.00	200	Horizontal	Pass
5**	7572.500	44.68	-0.73	54.0	9.32	AV	36.00	200	Horizontal	Pass
6	12536.250	52.33	1.31	74.0	21.67	Peak	221.00	200	Horizontal	Pass
6**	12536.250	42.54	1.31	54.0	11.46	AV	221.00	200	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.300	41.90	-19.59	74.0	32.10	Peak	268.00	100	Vertical	Pass
1**	1534.300	31.64	-19.59	54.0	22.36	AV	268.00	100	Vertical	Pass
2	2783.700	44.83	-10.20	74.0	29.17	Peak	287.00	100	Vertical	Pass
2**	2783.700	35.91	-10.20	54.0	18.09	AV	287.00	100	Vertical	Pass
3	4361.250	47.50	-6.72	74.0	26.50	Peak	360.00	200	Vertical	Pass
3**	4361.250	38.87	-6.72	54.0	15.13	AV	360.00	200	Vertical	Pass
4	5825.750	110.58	-4.26	--	--	Peak	112.00	200	Vertical	N/A
4**	5825.750	101.68	-4.26	--	--	AV	112.00	200	Vertical	N/A
5	7587.500	54.78	-0.42	74.0	19.22	Peak	360.00	200	Vertical	Pass
5**	7587.500	45.06	-0.42	54.0	8.94	AV	360.00	200	Vertical	Pass
6	12579.951	53.56	1.34	74.0	20.44	Peak	360.00	200	Vertical	Pass
6**	12579.951	43.72	1.34	54.0	10.28	AV	360.00	200	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.600	41.36	-19.50	74.0	32.64	Peak	276.00	400	Horizontal	Pass
1**	1532.600	30.63	-19.50	54.0	23.37	AV	276.00	400	Horizontal	Pass
2	2785.900	45.05	-10.07	74.0	28.95	Peak	55.00	100	Horizontal	Pass
2**	2785.900	36.13	-10.07	54.0	17.87	AV	55.00	100	Horizontal	Pass
3	4340.250	48.14	-5.32	74.0	25.86	Peak	163.00	100	Horizontal	Pass
3**	4340.250	38.97	-5.32	54.0	15.03	AV	163.00	100	Horizontal	Pass
4	5751.500	105.91	-5.88	--	--	Peak	127.00	400	Horizontal	N/A
4**	5751.500	98.07	-5.88	--	--	AV	127.00	400	Horizontal	N/A
5	7584.750	53.97	-0.47	74.0	20.03	Peak	219.00	200	Horizontal	Pass
5**	7584.750	44.99	-0.47	54.0	9.01	AV	219.00	200	Horizontal	Pass
6	12586.838	52.58	1.27	74.0	21.42	Peak	3.00	200	Horizontal	Pass
6**	12586.838	43.98	1.27	54.0	10.02	AV	3.00	200	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.000	41.32	-19.58	74.0	32.68	Peak	274.00	400	Vertical	Pass
1**	1543.000	31.68	-19.58	54.0	22.32	AV	274.00	400	Vertical	Pass
2	2782.800	44.70	-9.70	74.0	29.30	Peak	0.00	100	Vertical	Pass
2**	2782.800	36.25	-9.70	54.0	17.75	AV	0.00	100	Vertical	Pass
3	3993.250	55.44	-7.62	74.0	18.56	Peak	238.00	200	Vertical	Pass
3**	3993.250	39.07	-7.62	54.0	14.93	AV	238.00	200	Vertical	Pass
4	5762.750	106.04	-5.81	--	--	Peak	106.00	300	Vertical	N/A
4**	5762.750	95.64	-5.81	--	--	AV	106.00	300	Vertical	N/A
5	7582.000	53.95	-0.07	74.0	20.05	Peak	14.00	200	Vertical	Pass
5**	7582.000	45.35	-0.07	54.0	8.65	AV	14.00	200	Vertical	Pass
6	12605.838	52.79	1.10	74.0	21.21	Peak	175.00	400	Vertical	Pass
6**	12605.838	43.72	1.10	54.0	10.28	AV	175.00	400	Vertical	Pass

11x40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.100	41.39	-19.74	74.0	32.61	Peak	277.00	400	Horizontal	Pass
1**	1545.100	30.19	-19.74	54.0	23.81	AV	277.00	400	Horizontal	Pass
2	2773.200	44.98	-10.78	74.0	29.02	Peak	352.00	200	Horizontal	Pass
2**	2773.200	35.58	-10.78	54.0	18.42	AV	352.00	200	Horizontal	Pass
3	4371.500	47.69	-6.62	74.0	26.31	Peak	299.00	200	Horizontal	Pass
3**	4371.500	37.95	-6.62	54.0	16.05	AV	299.00	200	Horizontal	Pass
4	5807.750	108.87	-3.45	--	--	Peak	129.00	400	Horizontal	N/A
4**	5807.750	99.45	-3.45	--	--	AV	129.00	400	Horizontal	N/A
5	7498.750	55.20	0.09	74.0	18.80	Peak	129.00	150	Horizontal	Pass
5**	7498.750	45.34	0.09	54.0	8.66	AV	129.00	150	Horizontal	Pass
6	12269.062	52.95	0.47	74.0	21.05	Peak	50.00	300	Horizontal	Pass
6**	12269.062	43.27	0.47	54.0	10.73	AV	50.00	300	Horizontal	Pass

11x40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.300	41.91	-19.32	74.0	32.09	Peak	160.00	200	Vertical	Pass
1**	1530.300	32.29	-19.32	54.0	21.71	AV	160.00	200	Vertical	Pass
2	2789.100	44.84	-10.30	74.0	29.16	Peak	97.00	200	Vertical	Pass
2**	2789.100	36.52	-10.30	54.0	17.48	AV	97.00	200	Vertical	Pass
3	4305.000	47.57	-5.62	74.0	26.43	Peak	360.00	100	Vertical	Pass
3**	4305.000	38.68	-5.62	54.0	15.32	AV	360.00	100	Vertical	Pass
4	5804.500	106.99	-3.56	--	--	Peak	108.00	300	Vertical	N/A
4**	5804.500	97.83	-3.56	--	--	AV	108.00	300	Vertical	N/A
5	7304.000	53.97	-1.76	74.0	20.03	Peak	360.00	100	Vertical	Pass
5**	7304.000	45.49	-1.76	54.0	8.51	AV	360.00	100	Vertical	Pass
6	12248.637	52.54	0.34	74.0	21.46	Peak	202.00	400	Vertical	Pass
6**	12248.637	43.46	0.34	54.0	10.54	AV	202.00	400	Vertical	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.000	41.56	-19.47	74.0	32.44	Peak	277.00	400	Horizontal	Pass
1**	1537.000	30.08	-19.47	54.0	23.92	AV	277.00	400	Horizontal	Pass
2	2785.500	45.25	-10.08	74.0	28.75	Peak	344.00	100	Horizontal	Pass
2**	2785.500	36.40	-10.08	54.0	17.60	AV	344.00	100	Horizontal	Pass
3	4344.000	47.90	-6.04	74.0	26.10	Peak	282.00	200	Horizontal	Pass
3**	4344.000	38.11	-6.04	54.0	15.89	AV	282.00	200	Horizontal	Pass
4	5801.000	103.81	-3.24	--	--	Peak	132.00	200	Horizontal	N/A
4**	5801.000	94.40	-3.24	--	--	AV	132.00	200	Horizontal	N/A
5	7574.250	53.99	-0.79	74.0	20.01	Peak	246.00	200	Horizontal	Pass
5**	7574.250	45.13	-0.79	54.0	8.87	AV	246.00	200	Horizontal	Pass
6	12431.275	52.42	0.67	74.0	21.58	Peak	102.00	100	Horizontal	Pass
6**	12431.275	42.98	0.67	54.0	11.02	AV	102.00	100	Horizontal	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.800	41.95	-19.15	74.0	32.05	Peak	41.00	200	Vertical	Pass
1**	1528.800	33.61	-19.15	54.0	20.39	AV	41.00	200	Vertical	Pass
2	2783.500	44.75	-10.15	74.0	29.25	Peak	140.00	200	Vertical	Pass
2**	2783.500	35.37	-10.15	54.0	18.63	AV	140.00	200	Vertical	Pass
3	3993.500	55.42	-7.46	74.0	18.58	Peak	241.00	100	Vertical	Pass
3**	3993.500	45.32	-7.46	54.0	8.68	AV	241.00	100	Vertical	Pass
4	5784.000	103.50	-4.63	--	--	Peak	110.00	300	Vertical	N/A
4**	5784.000	93.11	-4.63	--	--	AV	110.00	300	Vertical	N/A
5	7598.750	54.40	-0.86	74.0	19.60	Peak	73.00	150	Vertical	Pass
5**	7598.750	46.08	-0.86	54.0	7.92	AV	73.00	150	Vertical	Pass
6	12338.650	52.26	0.72	74.0	21.74	Peak	208.00	100	Vertical	Pass
6**	12338.650	43.99	0.72	54.0	10.01	AV	208.00	100	Vertical	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.600	39.29	-17.19	74.0	34.71	Peak	204.00	400	Horizontal	Pass
1**	1540.600	30.62	-17.19	54.0	23.38	AV	204.00	400	Horizontal	Pass
2	4377.400	50.57	-2.86	74.0	23.43	Peak	360.00	200	Horizontal	Pass
2**	4377.400	42.21	-2.86	54.0	11.79	AV	360.00	200	Horizontal	Pass
3	5723.600	111.98	-1.35	--	--	Peak	90.00	100	Horizontal	N/A
3**	5723.600	105.01	-1.35	--	--	AV	90.00	100	Horizontal	N/A
4	5990.600	60.76	-0.32	68.2	7.44	Peak	79.00	100	Horizontal	Pass
4**	5990.600	48.15	-0.32	--	--	AV	79.00	100	Horizontal	N/A
5	12281.662	52.99	1.79	74.0	21.01	Peak	192.00	100	Horizontal	Pass
5**	12281.662	44.23	1.79	54.0	9.77	AV	192.00	100	Horizontal	Pass
6	15810.750	55.48	2.15	74.0	18.52	Peak	135.00	200	Horizontal	Pass
6**	15810.750	46.25	2.15	54.0	7.75	AV	135.00	200	Horizontal	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.800	39.84	-17.30	74.0	34.16	Peak	264.00	200	Vertical	Pass
1**	1537.800	31.11	-17.30	54.0	22.89	AV	264.00	200	Vertical	Pass
2	3993.600	56.92	-4.50	74.0	17.08	Peak	153.00	200	Vertical	Pass
2**	3993.600	40.43	-4.50	54.0	13.57	AV	153.00	200	Vertical	Pass
3	5716.800	111.89	-1.59	--	--	Peak	69.00	100	Vertical	N/A
3**	5716.800	104.20	-1.59	--	--	AV	69.00	100	Vertical	N/A
4	5990.400	65.52	-0.32	68.2	2.68	Peak	360.00	100	Vertical	Pass
4**	5990.400	55.05	-0.32	--	--	AV	360.00	100	Vertical	N/A
5	12287.126	52.88	1.73	74.0	21.12	Peak	264.00	200	Vertical	Pass
5**	12287.126	43.09	1.73	54.0	10.91	AV	264.00	200	Vertical	Pass
6	15842.513	55.88	1.41	74.0	18.12	Peak	278.00	200	Vertical	Pass
6**	15842.513	46.03	1.41	54.0	7.97	AV	278.00	200	Vertical	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.600	38.92	-17.25	74.0	35.08	Peak	68.00	400	Horizontal	Pass
1**	1541.600	30.45	-17.25	54.0	23.55	AV	68.00	400	Horizontal	Pass
2	4360.400	50.93	-2.65	74.0	23.07	Peak	40.00	200	Horizontal	Pass
2**	4360.400	41.82	-2.65	54.0	12.18	AV	40.00	200	Horizontal	Pass
3	5718.000	112.50	-1.64	--	--	Peak	93.00	200	Horizontal	N/A
3**	5718.000	106.10	-1.64	--	--	AV	93.00	200	Horizontal	N/A
4	5990.200	61.70	-0.32	68.2	6.50	Peak	72.00	100	Horizontal	Pass
4**	5990.200	45.13	-0.32	--	--	AV	72.00	100	Horizontal	N/A
5	12601.650	53.00	1.91	74.0	21.00	Peak	360.00	100	Horizontal	Pass
5**	12601.650	43.60	1.91	54.0	10.40	AV	360.00	100	Horizontal	Pass
6	15645.901	55.84	1.23	74.0	18.16	Peak	292.00	300	Horizontal	Pass
6**	15645.901	45.56	1.23	54.0	8.44	AV	292.00	300	Horizontal	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.000	40.42	-17.27	74.0	33.58	Peak	20.00	100	Vertical	Pass
1**	1532.000	31.81	-17.27	54.0	22.19	AV	20.00	100	Vertical	Pass
2	4386.600	50.38	-3.02	74.0	23.62	Peak	126.00	400	Vertical	Pass
2**	4386.600	42.36	-3.02	54.0	11.64	AV	126.00	400	Vertical	Pass
3	5717.400	110.86	-1.61	--	--	Peak	82.00	200	Vertical	N/A
3**	5717.400	103.16	-1.61	--	--	AV	82.00	200	Vertical	N/A
4	7683.675	49.31	-2.85	74.0	24.69	Peak	346.00	200	Vertical	Pass
4**	7683.675	39.69	-2.85	54.0	14.31	AV	346.00	200	Vertical	Pass
5	11930.338	53.42	1.57	74.0	20.58	Peak	93.00	200	Vertical	Pass
5**	11930.338	43.92	1.57	54.0	10.08	AV	93.00	200	Vertical	Pass
6	16172.738	55.52	1.25	74.0	18.48	Peak	345.00	200	Vertical	Pass
6**	16172.738	45.68	1.25	54.0	8.32	AV	345.00	200	Vertical	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.700	40.70	-17.22	74.0	33.30	Peak	26.00	100	Horizontal	Pass
1**	1539.700	30.86	-17.22	54.0	23.14	AV	26.00	100	Horizontal	Pass
2	4378.000	51.53	-2.88	74.0	22.47	Peak	332.00	200	Horizontal	Pass
2**	4378.000	42.46	-2.88	54.0	11.54	AV	332.00	200	Horizontal	Pass
3	5699.000	108.94	-0.87	--	--	Peak	99.00	150	Horizontal	N/A
3**	5699.000	101.39	-0.87	--	--	AV	99.00	150	Horizontal	N/A
4	7335.513	49.16	-3.35	74.0	24.84	Peak	0.00	100	Horizontal	Pass
4**	7335.513	40.06	-3.35	54.0	13.94	AV	0.00	100	Horizontal	Pass
5	12247.162	52.91	0.99	74.0	21.09	Peak	327.00	150	Horizontal	Pass
5**	12247.162	44.43	0.99	54.0	9.57	AV	327.00	150	Horizontal	Pass
6	15609.150	55.21	1.23	74.0	18.79	Peak	210.00	400	Horizontal	Pass
6**	15609.150	46.34	1.23	54.0	7.66	AV	210.00	400	Horizontal	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.500	39.67	-17.48	74.0	34.33	Peak	163.00	300	Vertical	Pass
1**	1530.500	30.60	-17.48	54.0	23.40	AV	163.00	300	Vertical	Pass
2	3993.600	54.75	-4.50	74.0	19.25	Peak	211.00	300	Vertical	Pass
2**	3993.600	40.34	-4.50	54.0	13.66	AV	211.00	300	Vertical	Pass
3	5701.800	107.90	-0.90	--	--	Peak	83.00	200	Vertical	N/A
3**	5701.800	100.97	-0.90	--	--	AV	83.00	200	Vertical	N/A
4	5990.600	66.91	-0.32	68.2	1.29	Peak	360.00	100	Vertical	Pass
4**	5990.600	48.39	-0.32	--	--	AV	360.00	100	Vertical	N/A
5	12286.838	52.63	1.73	74.0	21.37	Peak	267.00	100	Vertical	Pass
5**	12286.838	43.92	1.73	54.0	10.08	AV	267.00	100	Vertical	Pass
6	15837.000	55.85	1.45	74.0	18.15	Peak	346.00	200	Vertical	Pass
6**	15837.000	46.50	1.45	54.0	7.50	AV	346.00	200	Vertical	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.800	40.56	-17.27	74.0	33.44	Peak	23.00	200	Horizontal	Pass
1**	1541.800	32.29	-17.27	54.0	21.71	AV	23.00	200	Horizontal	Pass
2	4376.200	51.29	-2.94	74.0	22.71	Peak	117.00	100	Horizontal	Pass
2**	4376.200	41.99	-2.94	54.0	12.01	AV	117.00	100	Horizontal	Pass
3	5722.200	112.34	-1.44	--	--	Peak	93.00	150	Horizontal	N/A
3**	5722.200	104.25	-1.44	--	--	AV	93.00	150	Horizontal	N/A
4	7560.625	49.09	-2.98	74.0	24.91	Peak	235.00	300	Horizontal	Pass
4**	7560.625	39.64	-2.98	54.0	14.36	AV	235.00	300	Horizontal	Pass
5	12256.362	52.92	1.01	74.0	21.08	Peak	51.00	200	Horizontal	Pass
5**	12256.362	43.25	1.01	54.0	10.75	AV	51.00	200	Horizontal	Pass
6	16124.174	55.08	0.77	74.0	18.92	Peak	19.00	300	Horizontal	Pass
6**	16124.174	45.44	0.77	54.0	8.56	AV	19.00	300	Horizontal	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.600	39.69	-17.35	74.0	34.31	Peak	140.00	100	Vertical	Pass
1**	1542.600	31.17	-17.35	54.0	22.83	AV	140.00	100	Vertical	Pass
2	3992.800	53.99	-4.60	74.0	20.01	Peak	161.00	400	Vertical	Pass
2**	3992.800	40.26	-4.60	54.0	13.74	AV	161.00	400	Vertical	Pass
3	5722.600	111.06	-1.43	--	--	Peak	80.00	150	Vertical	N/A
3**	5722.600	103.84	-1.43	--	--	AV	80.00	150	Vertical	N/A
4	5990.800	65.47	-0.30	68.2	2.73	Peak	360.00	100	Vertical	Pass
4**	5990.800	53.73	-0.30	--	--	AV	360.00	100	Vertical	N/A
5	12331.112	52.52	1.40	74.0	21.48	Peak	237.00	100	Vertical	Pass
5**	12331.112	45.16	1.40	54.0	8.84	AV	237.00	100	Vertical	Pass
6	15807.863	55.92	2.21	74.0	18.08	Peak	98.00	400	Vertical	Pass
6**	15807.863	46.04	2.21	54.0	7.96	AV	98.00	400	Vertical	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.300	39.61	-17.24	74.0	34.39	Peak	29.00	400	Horizontal	Pass
1**	1539.300	30.28	-17.24	54.0	23.72	AV	29.00	400	Horizontal	Pass
2	4375.400	51.22	-2.99	74.0	22.78	Peak	227.00	300	Horizontal	Pass
2**	4375.400	41.75	-2.99	54.0	12.25	AV	227.00	300	Horizontal	Pass
3	5704.400	108.37	-1.28	--	--	Peak	88.00	150	Horizontal	N/A
3**	5704.400	101.08	-1.28	--	--	AV	88.00	150	Horizontal	N/A
4	7616.112	48.94	-2.88	74.0	25.06	Peak	154.00	200	Horizontal	Pass
4**	7616.112	39.37	-2.88	54.0	14.63	AV	154.00	200	Horizontal	Pass
5	12304.088	52.82	1.40	74.0	21.18	Peak	360.00	150	Horizontal	Pass
5**	12304.088	43.58	1.40	54.0	10.42	AV	360.00	150	Horizontal	Pass
6	15812.325	55.39	2.12	74.0	18.61	Peak	360.00	400	Horizontal	Pass
6**	15812.325	46.12	2.12	54.0	7.88	AV	360.00	400	Horizontal	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.700	41.00	-17.18	74.0	33.00	Peak	124.00	100	Vertical	Pass
1**	1540.700	32.30	-17.18	54.0	21.70	AV	124.00	100	Vertical	Pass
2	4379.200	51.38	-2.98	74.0	22.62	Peak	360.00	300	Vertical	Pass
2**	4379.200	41.74	-2.98	54.0	12.26	AV	360.00	300	Vertical	Pass
3	5717.200	107.81	-1.60	--	--	Peak	68.00	150	Vertical	N/A
3**	5717.200	100.31	-1.60	--	--	AV	68.00	150	Vertical	N/A
4	7330.050	49.09	-3.60	74.0	24.91	Peak	0.00	300	Vertical	Pass
4**	7330.050	40.32	-3.60	54.0	13.68	AV	0.00	300	Vertical	Pass
5	12297.187	52.58	1.53	74.0	21.42	Peak	148.00	200	Vertical	Pass
5**	12297.187	43.54	1.53	54.0	10.46	AV	148.00	200	Vertical	Pass
6	15813.375	56.17	2.09	74.0	17.83	Peak	0.00	300	Vertical	Pass
6**	15813.375	46.74	2.09	54.0	7.26	AV	0.00	300	Vertical	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1624.400	39.45	-17.26	74.0	34.55	Peak	299.00	300	Horizontal	Pass
1**	1624.400	30.17	-17.26	54.0	23.83	AV	299.00	300	Horizontal	Pass
2	4375.600	50.67	-2.97	74.0	23.33	Peak	277.00	100	Horizontal	Pass
2**	4375.600	41.73	-2.97	54.0	12.27	AV	277.00	100	Horizontal	Pass
3	5698.400	105.39	-0.84	--	--	Peak	87.00	200	Horizontal	N/A
3**	5698.400	96.67	-0.84	--	--	AV	87.00	200	Horizontal	N/A
4	7514.050	49.28	-3.70	74.0	24.72	Peak	310.00	100	Horizontal	Pass
4**	7514.050	38.90	-3.70	54.0	15.10	AV	310.00	100	Horizontal	Pass
5	12319.612	53.04	1.42	74.0	20.96	Peak	293.00	150	Horizontal	Pass
5**	12319.612	44.18	1.42	54.0	9.82	AV	293.00	150	Horizontal	Pass
6	16076.137	55.56	1.56	74.0	18.44	Peak	65.00	200	Horizontal	Pass
6**	16076.137	46.29	1.56	54.0	7.71	AV	65.00	200	Horizontal	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.700	40.65	-17.22	74.0	33.35	Peak	128.00	300	Vertical	Pass
1**	1539.700	31.84	-17.22	54.0	22.16	AV	128.00	300	Vertical	Pass
2	4365.800	50.94	-2.91	74.0	23.06	Peak	103.00	300	Vertical	Pass
2**	4365.800	41.88	-2.91	54.0	12.12	AV	103.00	300	Vertical	Pass
3	5666.200	104.51	-1.05	--	--	Peak	80.00	200	Vertical	N/A
3**	5666.200	95.44	-1.05	--	--	AV	80.00	200	Vertical	N/A
4	7330.337	48.79	-3.60	74.0	25.21	Peak	154.00	400	Vertical	Pass
4**	7330.337	40.31	-3.60	54.0	13.69	AV	154.00	400	Vertical	Pass
5	12232.500	53.52	1.23	74.0	20.48	Peak	318.00	200	Vertical	Pass
5**	12232.500	43.20	1.23	54.0	10.80	AV	318.00	200	Vertical	Pass
6	15814.425	55.68	2.07	74.0	18.32	Peak	360.00	200	Vertical	Pass
6**	15814.425	46.39	2.07	54.0	7.61	AV	360.00	200	Vertical	Pass

11x20 (SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.000	38.57	-17.41	74.0	35.43	Peak	311.00	300	Horizontal	Pass
1**	1531.000	29.11	-17.41	54.0	24.89	AV	311.00	300	Horizontal	Pass
2	4382.400	50.17	-2.97	74.0	23.83	Peak	260.00	300	Horizontal	Pass
2**	4382.400	42.47	-2.97	54.0	11.53	AV	260.00	300	Horizontal	Pass
3	5723.600	114.22	-1.35	--	--	Peak	90.00	200	Horizontal	N/A
3**	5723.600	104.74	-1.35	--	--	AV	90.00	200	Horizontal	N/A
4	5990.800	58.98	-0.30	68.2	9.22	Peak	67.00	100	Horizontal	Pass
4**	5990.800	46.14	-0.30	--	--	AV	67.00	100	Horizontal	N/A
5	12686.463	53.02	0.85	74.0	20.98	Peak	23.00	200	Horizontal	Pass
5**	12686.463	43.41	0.85	54.0	10.59	AV	23.00	200	Horizontal	Pass
6	15814.162	55.59	2.08	74.0	18.41	Peak	256.00	200	Horizontal	Pass
6**	15814.162	46.50	2.08	54.0	7.50	AV	256.00	200	Horizontal	Pass

11x20 (SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.400	40.80	-17.22	74.0	33.20	Peak	158.00	200	Vertical	Pass
1**	1534.400	30.59	-17.22	54.0	23.41	AV	158.00	200	Vertical	Pass
2	4287.600	50.89	-3.84	74.0	23.11	Peak	336.00	100	Vertical	Pass
2**	4287.600	40.78	-3.84	54.0	13.22	AV	336.00	100	Vertical	Pass
3	5724.200	112.24	-1.30	--	--	Peak	82.00	150	Vertical	N/A
3**	5724.200	103.09	-1.30	--	--	AV	82.00	150	Vertical	N/A
4	5991.200	64.80	-0.28	68.2	3.40	Peak	336.00	100	Vertical	Pass
4**	5991.200	45.79	-0.28	--	--	AV	336.00	100	Vertical	N/A
5	12244.287	53.03	1.02	74.0	20.97	Peak	132.00	150	Vertical	Pass
5**	12244.287	43.51	1.02	54.0	10.49	AV	132.00	150	Vertical	Pass
6	15819.938	55.48	1.88	74.0	18.52	Peak	191.00	100	Vertical	Pass
6**	15819.938	46.86	1.88	54.0	7.14	AV	191.00	100	Vertical	Pass

11x40 (SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.600	40.78	-17.33	74.0	33.22	Peak	39.00	200	Horizontal	Pass
1**	1531.600	33.80	-17.33	54.0	20.20	AV	39.00	200	Horizontal	Pass
2	4384.400	50.75	-2.90	74.0	23.25	Peak	357.00	100	Horizontal	Pass
2**	4384.400	42.07	-2.90	54.0	11.93	AV	357.00	100	Horizontal	Pass
3	5700.200	109.96	-0.87	--	--	Peak	100.00	100	Horizontal	N/A
3**	5700.200	100.85	-0.87	--	--	AV	100.00	100	Horizontal	N/A
4	7339.250	49.54	-3.51	74.0	24.46	Peak	185.00	200	Horizontal	Pass
4**	7339.250	40.07	-3.51	54.0	13.93	AV	185.00	200	Horizontal	Pass
5	12624.075	52.66	1.63	74.0	21.34	Peak	293.00	100	Horizontal	Pass
5**	12624.075	43.81	1.63	54.0	10.19	AV	293.00	100	Horizontal	Pass
6	16077.450	55.95	1.59	74.0	18.05	Peak	84.00	100	Horizontal	Pass
6**	16077.450	46.22	1.59	54.0	7.78	AV	84.00	100	Horizontal	Pass

11x40 (SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.600	39.41	-17.13	74.0	34.59	Peak	268.00	100	Vertical	Pass
1**	1526.600	28.69	-17.13	54.0	25.31	AV	268.00	100	Vertical	Pass
2	3993.800	60.23	-4.48	74.0	13.77	Peak	160.00	100	Vertical	Pass
2**	3993.800	43.33	-4.48	54.0	10.67	AV	160.00	100	Vertical	Pass
3	5721.000	108.80	-1.45	--	--	Peak	75.00	200	Vertical	N/A
3**	5721.000	99.82	-1.45	--	--	AV	75.00	200	Vertical	N/A
4	5990.400	66.08	-0.32	68.2	2.12	Peak	353.00	100	Vertical	Pass
4**	5990.400	52.75	-0.32	--	--	AV	353.00	100	Vertical	N/A
5	12322.201	52.94	1.42	74.0	21.06	Peak	64.00	200	Vertical	Pass
5**	12322.201	44.06	1.42	54.0	9.94	AV	64.00	200	Vertical	Pass
6	15866.138	55.95	0.77	74.0	18.05	Peak	317.00	300	Vertical	Pass
6**	15866.138	45.81	0.77	54.0	8.19	AV	317.00	300	Vertical	Pass

11x80 (SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.400	40.26	-17.20	74.0	33.74	Peak	209.00	400	Horizontal	Pass
1**	1540.400	32.29	-17.20	54.0	21.71	AV	209.00	400	Horizontal	Pass
2	4380.200	50.96	-3.02	74.0	23.04	Peak	60.00	400	Horizontal	Pass
2**	4380.200	41.98	-3.02	54.0	12.02	AV	60.00	400	Horizontal	Pass
3	5686.400	106.36	-0.99	--	--	Peak	97.00	150	Horizontal	N/A
3**	5686.400	97.36	-0.99	--	--	AV	97.00	150	Horizontal	N/A
4	7564.075	49.11	-3.24	74.0	24.89	Peak	61.00	100	Horizontal	Pass
4**	7564.075	38.93	-3.24	54.0	15.07	AV	61.00	100	Horizontal	Pass
5	11959.950	52.54	0.92	74.0	21.46	Peak	346.00	150	Horizontal	Pass
5**	11959.950	42.57	0.92	54.0	11.43	AV	346.00	150	Horizontal	Pass
6	15791.325	55.45	2.05	74.0	18.55	Peak	282.00	100	Horizontal	Pass
6**	15791.325	45.81	2.05	54.0	8.19	AV	282.00	100	Horizontal	Pass

11x80 (SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.600	38.98	-17.31	74.0	35.02	Peak	134.00	300	Vertical	Pass
1**	1537.600	29.35	-17.31	54.0	24.65	AV	134.00	300	Vertical	Pass
2	3993.000	56.33	-4.58	74.0	17.67	Peak	165.00	100	Vertical	Pass
2**	3993.000	44.51	-4.58	54.0	9.49	AV	165.00	100	Vertical	Pass
3	5671.000	104.63	-0.98	--	--	Peak	76.00	150	Vertical	N/A
3**	5671.000	95.64	-0.98	--	--	AV	76.00	150	Vertical	N/A
4	5990.400	65.60	-0.32	68.2	2.60	Peak	165.00	100	Vertical	Pass
4**	5990.400	56.69	-0.32	--	--	AV	165.00	100	Vertical	N/A
5	12283.675	53.64	1.78	74.0	20.36	Peak	0.00	200	Vertical	Pass
5**	12283.675	43.64	1.78	54.0	10.36	AV	0.00	200	Vertical	Pass
6	15807.075	55.58	2.23	74.0	18.42	Peak	18.00	200	Vertical	Pass
6**	15807.075	46.34	2.23	54.0	7.66	AV	18.00	200	Vertical	Pass

Aux. Antenna

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.000	41.07	-19.09	74.0	32.93	Peak	150.00	400	Horizontal	Pass
1**	1540.000	30.52	-19.09	54.0	23.48	AV	150.00	400	Horizontal	Pass
2	2783.100	43.64	-9.34	74.0	30.36	Peak	141.00	300	Horizontal	Pass
2**	2783.100	35.46	-9.34	54.0	18.54	AV	141.00	300	Horizontal	Pass
3	3993.500	48.35	-7.46	74.0	25.65	Peak	222.00	100	Horizontal	Pass
3**	3993.500	37.45	-7.46	54.0	16.55	AV	222.00	100	Horizontal	Pass
4	5183.750	106.34	-4.21	--	--	Peak	315.00	200	Horizontal	N/A
4**	5183.750	99.22	-4.21	--	--	AV	315.00	200	Horizontal	N/A
5	7335.000	53.29	-1.08	74.0	20.71	Peak	204.00	150	Horizontal	Pass
5**	7335.000	44.24	-1.08	54.0	9.76	AV	204.00	150	Horizontal	Pass
6	12577.575	53.38	1.36	74.0	20.62	Peak	360.00	150	Horizontal	Pass
6**	12577.575	43.46	1.36	54.0	10.54	AV	360.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.500	41.24	-19.53	74.0	32.76	Peak	278.00	200	Vertical	Pass
1**	1530.500	32.69	-19.53	54.0	21.31	AV	278.00	200	Vertical	Pass
2	2782.800	43.92	-9.70	74.0	30.08	Peak	32.00	200	Vertical	Pass
2**	2782.800	35.91	-9.70	54.0	18.09	AV	32.00	200	Vertical	Pass
3	3994.250	52.89	-7.64	74.0	21.11	Peak	245.00	150	Vertical	Pass
3**	3994.250	42.26	-7.64	54.0	11.74	AV	245.00	150	Vertical	Pass
4	5184.000	104.34	-4.16	--	--	Peak	150.00	400	Vertical	N/A
4**	5184.000	96.95	-4.16	--	--	AV	150.00	400	Vertical	N/A
5	7363.750	53.00	-0.81	74.0	21.00	Peak	282.00	200	Vertical	Pass
5**	7363.750	43.49	-0.81	54.0	10.51	AV	282.00	200	Vertical	Pass
6	12446.000	52.68	0.84	74.0	21.32	Peak	124.00	150	Vertical	Pass
6**	12446.000	42.80	0.84	54.0	11.20	AV	124.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.400	40.51	-19.94	74.0	33.49	Peak	156.00	100	Horizontal	Pass
1**	1543.400	31.01	-19.94	54.0	22.99	AV	156.00	100	Horizontal	Pass
2	2782.900	44.42	-9.58	74.0	29.58	Peak	156.00	100	Horizontal	Pass
2**	2782.900	35.36	-9.58	54.0	18.64	AV	156.00	100	Horizontal	Pass
3	3993.750	47.73	-7.47	74.0	26.27	Peak	243.00	150	Horizontal	Pass
3**	3993.750	38.63	-7.47	54.0	15.37	AV	243.00	150	Horizontal	Pass
4	5223.000	106.22	-4.86	--	--	Peak	15.00	200	Horizontal	N/A
4**	5223.000	98.46	-4.86	--	--	AV	15.00	200	Horizontal	N/A
5	7596.500	52.88	-1.32	74.0	21.12	Peak	243.00	100	Horizontal	Pass
5**	7596.500	43.17	-1.32	54.0	10.83	AV	243.00	100	Horizontal	Pass
6	12400.638	52.39	0.31	74.0	21.61	Peak	118.00	200	Horizontal	Pass
6**	12400.638	43.30	0.31	54.0	10.70	AV	118.00	200	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.800	41.45	-19.76	74.0	32.55	Peak	281.00	100	Vertical	Pass
1**	1545.800	29.58	-19.76	54.0	24.42	AV	281.00	100	Vertical	Pass
2	2786.300	43.95	-9.93	74.0	30.05	Peak	306.00	400	Vertical	Pass
2**	2786.300	35.16	-9.93	54.0	18.84	AV	306.00	400	Vertical	Pass
3	3994.000	50.89	-7.53	74.0	23.11	Peak	181.00	200	Vertical	Pass
3**	3994.000	47.09	-7.53	54.0	6.91	AV	181.00	200	Vertical	Pass
4	5223.000	104.34	-4.86	--	--	Peak	292.00	400	Vertical	N/A
4**	5223.000	96.45	-4.86	--	--	AV	292.00	400	Vertical	N/A
5	7544.750	52.72	-1.29	74.0	21.28	Peak	200.00	100	Vertical	Pass
5**	7544.750	43.66	-1.29	54.0	10.34	AV	200.00	100	Vertical	Pass
6	12452.175	53.15	0.87	74.0	20.85	Peak	23.00	300	Vertical	Pass
6**	12452.175	43.34	0.87	54.0	10.66	AV	23.00	300	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.800	40.70	-19.86	74.0	33.30	Peak	160.00	200	Horizontal	Pass
1**	1542.800	30.54	-19.86	54.0	23.46	AV	160.00	200	Horizontal	Pass
2	2783.100	43.66	-9.34	74.0	30.34	Peak	271.00	200	Horizontal	Pass
2**	2783.100	35.83	-9.34	54.0	18.17	AV	271.00	200	Horizontal	Pass
3	4348.250	47.48	-5.63	74.0	26.52	Peak	166.00	200	Horizontal	Pass
3**	4348.250	38.53	-5.63	54.0	15.47	AV	166.00	200	Horizontal	Pass
4	5236.000	106.30	-5.20	--	--	Peak	221.00	200	Horizontal	N/A
4**	5236.000	98.41	-5.20	--	--	AV	221.00	200	Horizontal	N/A
5	7576.000	53.44	-0.45	74.0	20.56	Peak	149.00	200	Horizontal	Pass
5**	7576.000	44.66	-0.45	54.0	9.34	AV	149.00	200	Horizontal	Pass
6	12555.725	53.42	1.56	74.0	20.58	Peak	54.00	200	Horizontal	Pass
6**	12555.725	42.89	1.56	54.0	11.11	AV	54.00	200	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.000	41.43	-19.09	74.0	32.57	Peak	280.00	100	Vertical	Pass
1**	1540.000	33.67	-19.09	54.0	20.33	AV	280.00	100	Vertical	Pass
2	2785.000	43.87	-9.91	74.0	30.13	Peak	70.00	100	Vertical	Pass
2**	2785.000	34.64	-9.91	54.0	19.36	AV	70.00	100	Vertical	Pass
3	3994.000	55.33	-7.53	74.0	18.67	Peak	248.00	100	Vertical	Pass
3**	3994.000	41.78	-7.53	54.0	12.22	AV	248.00	100	Vertical	Pass
4	5237.750	104.42	-5.33	--	--	Peak	286.00	300	Vertical	N/A
4**	5237.750	97.48	-5.33	--	--	AV	286.00	300	Vertical	N/A
5	7590.500	53.02	-0.43	74.0	20.98	Peak	154.00	100	Vertical	Pass
5**	7590.500	44.09	-0.43	54.0	9.91	AV	154.00	100	Vertical	Pass
6	12583.037	52.36	1.31	74.0	21.64	Peak	193.00	400	Vertical	Pass
6**	12583.037	43.75	1.31	54.0	10.25	AV	193.00	400	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.300	40.46	-19.52	74.0	33.54	Peak	285.00	100	Horizontal	Pass
1**	1529.300	30.41	-19.52	54.0	23.59	AV	285.00	100	Horizontal	Pass
2	2783.800	43.67	-10.19	74.0	30.33	Peak	313.00	300	Horizontal	Pass
2**	2783.800	34.75	-10.19	54.0	19.25	AV	313.00	300	Horizontal	Pass
3	4343.500	46.55	-5.91	74.0	27.45	Peak	88.00	100	Horizontal	Pass
3**	4343.500	38.07	-5.91	54.0	15.93	AV	88.00	100	Horizontal	Pass
4	5175.500	106.30	-4.28	--	--	Peak	285.00	300	Horizontal	N/A
4**	5175.500	98.20	-4.28	--	--	AV	285.00	300	Horizontal	N/A
5	7582.750	52.96	0.29	74.0	21.04	Peak	167.00	100	Horizontal	Pass
5**	7582.750	44.40	0.29	54.0	9.60	AV	167.00	100	Horizontal	Pass
6	12302.788	52.85	0.66	74.0	21.15	Peak	171.00	300	Horizontal	Pass
6**	12302.788	43.23	0.66	54.0	10.77	AV	171.00	300	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.600	39.89	-19.79	74.0	34.11	Peak	290.00	300	Vertical	Pass
1**	1541.600	30.71	-19.79	54.0	23.29	AV	290.00	300	Vertical	Pass
2	2776.700	43.37	-10.47	74.0	30.63	Peak	102.00	100	Vertical	Pass
2**	2776.700	35.01	-10.47	54.0	18.99	AV	102.00	100	Vertical	Pass
3	3993.250	54.63	-7.62	74.0	19.37	Peak	231.00	150	Vertical	Pass
3**	3993.250	43.81	-7.62	54.0	10.19	AV	231.00	150	Vertical	Pass
4	5179.000	103.77	-4.08	--	--	Peak	268.00	100	Vertical	N/A
4**	5179.000	96.54	-4.08	--	--	AV	268.00	100	Vertical	N/A
5	7585.750	53.19	0.05	74.0	20.81	Peak	4.00	200	Vertical	Pass
5**	7585.750	44.95	0.05	54.0	9.05	AV	4.00	200	Vertical	Pass
6	12425.099	53.11	0.60	74.0	20.89	Peak	360.00	400	Vertical	Pass
6**	12425.099	43.08	0.60	54.0	10.92	AV	360.00	400	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.700	40.76	-19.67	74.0	33.24	Peak	289.00	300	Horizontal	Pass
1**	1544.700	33.55	-19.67	54.0	20.45	AV	289.00	300	Horizontal	Pass
2	2786.100	43.41	-10.05	74.0	30.59	Peak	151.00	400	Horizontal	Pass
2**	2786.100	35.91	-10.05	54.0	18.09	AV	151.00	400	Horizontal	Pass
3	4341.750	46.64	-5.90	74.0	27.36	Peak	16.00	150	Horizontal	Pass
3**	4341.750	37.56	-5.90	54.0	16.44	AV	16.00	150	Horizontal	Pass
4	5217.250	105.37	-4.73	--	--	Peak	265.00	100	Horizontal	N/A
4**	5217.250	98.36	-4.73	--	--	AV	265.00	100	Horizontal	N/A
5	7600.250	52.60	-1.18	74.0	21.40	Peak	131.00	200	Horizontal	Pass
5**	7600.250	43.14	-1.18	54.0	10.86	AV	131.00	200	Horizontal	Pass
6	12434.600	52.70	0.71	74.0	21.30	Peak	270.00	400	Horizontal	Pass
6**	12434.600	43.80	0.71	54.0	10.20	AV	270.00	400	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.500	41.49	-19.78	74.0	32.51	Peak	291.00	300	Vertical	Pass
1**	1540.500	32.89	-19.78	54.0	21.11	AV	291.00	300	Vertical	Pass
2	2785.700	43.24	-10.09	74.0	30.76	Peak	0.00	300	Vertical	Pass
2**	2785.700	35.04	-10.09	54.0	18.96	AV	0.00	300	Vertical	Pass
3	3993.750	57.04	-7.47	74.0	16.96	Peak	228.00	200	Vertical	Pass
3**	3993.750	40.09	-7.47	54.0	13.91	AV	228.00	200	Vertical	Pass
4	5221.500	104.04	-5.00	--	--	Peak	286.00	400	Vertical	N/A
4**	5221.500	97.41	-5.00	--	--	AV	286.00	400	Vertical	N/A
5	7609.000	52.53	-0.63	74.0	21.47	Peak	344.00	100	Vertical	Pass
5**	7609.000	43.37	-0.63	54.0	10.63	AV	344.00	100	Vertical	Pass
6	12612.487	52.49	1.04	74.0	21.51	Peak	306.00	100	Vertical	Pass
6**	12612.487	44.20	1.04	54.0	9.80	AV	306.00	100	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.400	40.91	-19.31	74.0	33.09	Peak	166.00	300	Horizontal	Pass
1**	1544.400	32.96	-19.31	54.0	21.04	AV	166.00	300	Horizontal	Pass
2	2786.800	43.35	-10.12	74.0	30.65	Peak	352.00	400	Horizontal	Pass
2**	2786.800	34.38	-10.12	54.0	19.62	AV	352.00	400	Horizontal	Pass
3	4340.000	46.77	-5.68	74.0	27.23	Peak	86.00	100	Horizontal	Pass
3**	4340.000	38.18	-5.68	54.0	15.82	AV	86.00	100	Horizontal	Pass
4	5237.500	105.87	-5.08	--	--	Peak	263.00	200	Horizontal	N/A
4**	5237.500	98.45	-5.08	--	--	AV	263.00	200	Horizontal	N/A
5	7327.500	52.75	-1.31	74.0	21.25	Peak	0.00	200	Horizontal	Pass
5**	7327.500	43.40	-1.31	54.0	10.60	AV	0.00	200	Horizontal	Pass
6	12280.463	52.84	0.54	74.0	21.16	Peak	360.00	100	Horizontal	Pass
6**	12280.463	43.37	0.54	54.0	10.63	AV	360.00	100	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.200	40.90	-19.20	74.0	33.10	Peak	286.00	300	Vertical	Pass
1**	1544.200	34.08	-19.20	54.0	19.92	AV	286.00	300	Vertical	Pass
2	2784.900	43.51	-9.85	74.0	30.49	Peak	259.00	400	Vertical	Pass
2**	2784.900	34.81	-9.85	54.0	19.19	AV	259.00	400	Vertical	Pass
3	3993.750	51.82	-7.47	74.0	22.18	Peak	207.00	100	Vertical	Pass
3**	3993.750	39.58	-7.47	54.0	14.42	AV	207.00	100	Vertical	Pass
4	5242.500	104.16	-5.17	--	--	Peak	283.00	100	Vertical	N/A
4**	5242.500	96.44	-5.17	--	--	AV	283.00	100	Vertical	N/A
5	7631.000	52.83	-1.52	74.0	21.17	Peak	129.00	150	Vertical	Pass
5**	7631.000	44.17	-1.52	54.0	9.83	AV	129.00	150	Vertical	Pass
6	12304.213	52.71	0.66	74.0	21.29	Peak	137.00	400	Vertical	Pass
6**	12304.213	44.20	0.66	54.0	9.80	AV	137.00	400	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.100	41.85	-19.44	74.0	32.15	Peak	257.00	300	Horizontal	Pass
1**	1533.100	30.91	-19.44	54.0	23.09	AV	257.00	300	Horizontal	Pass
2	2783.000	43.88	-9.46	74.0	30.12	Peak	32.00	400	Horizontal	Pass
2**	2783.000	35.52	-9.46	54.0	18.48	AV	32.00	400	Horizontal	Pass
3	4340.000	47.71	-5.68	74.0	26.29	Peak	0.00	150	Horizontal	Pass
3**	4340.000	37.80	-5.68	54.0	16.20	AV	0.00	150	Horizontal	Pass
4	5187.000	103.58	-4.37	--	--	Peak	287.00	200	Horizontal	N/A
4**	5187.000	94.78	-4.37	--	--	AV	287.00	200	Horizontal	N/A
5	7379.500	52.73	-1.95	74.0	21.27	Peak	18.00	150	Horizontal	Pass
5**	7379.500	42.16	-1.95	54.0	11.84	AV	18.00	150	Horizontal	Pass
6	12287.350	52.63	0.58	74.0	21.37	Peak	256.00	200	Horizontal	Pass
6**	12287.350	43.71	0.58	54.0	10.29	AV	256.00	200	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.100	41.19	-19.67	74.0	32.81	Peak	283.00	100	Vertical	Pass
1**	1543.100	34.53	-19.67	54.0	19.47	AV	283.00	100	Vertical	Pass
2	2784.700	45.83	-9.94	74.0	28.17	Peak	149.00	300	Vertical	Pass
2**	2784.700	34.48	-9.94	54.0	19.52	AV	149.00	300	Vertical	Pass
3	3993.500	49.66	-7.46	74.0	24.34	Peak	156.00	100	Vertical	Pass
3**	3993.500	37.61	-7.46	54.0	16.39	AV	156.00	100	Vertical	Pass
4	5198.000	100.42	-4.55	--	--	Peak	289.00	400	Vertical	N/A
4**	5198.000	92.24	-4.55	--	--	AV	289.00	400	Vertical	N/A
5	7587.500	52.53	-0.42	74.0	21.47	Peak	346.00	150	Vertical	Pass
5**	7587.500	43.75	-0.42	54.0	10.25	AV	346.00	150	Vertical	Pass
6	12425.575	52.77	0.60	74.0	21.23	Peak	276.00	100	Vertical	Pass
6**	12425.575	43.89	0.60	54.0	10.11	AV	276.00	100	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.300	40.80	-19.39	74.0	33.20	Peak	256.00	400	Horizontal	Pass
1**	1538.300	30.62	-19.39	54.0	23.38	AV	256.00	400	Horizontal	Pass
2	2784.100	43.56	-10.28	74.0	30.44	Peak	147.00	100	Horizontal	Pass
2**	2784.100	34.73	-10.28	54.0	19.27	AV	147.00	100	Horizontal	Pass
3	3993.500	48.17	-7.46	74.0	25.83	Peak	210.00	200	Horizontal	Pass
3**	3993.500	36.88	-7.46	54.0	17.12	AV	210.00	200	Horizontal	Pass
4	5235.500	102.58	-5.10	--	--	Peak	192.00	200	Horizontal	N/A
4**	5235.500	95.69	-5.10	--	--	AV	192.00	200	Horizontal	N/A
5	7609.000	52.85	-0.63	74.0	21.15	Peak	326.00	100	Horizontal	Pass
5**	7609.000	43.60	-0.63	54.0	10.40	AV	326.00	100	Horizontal	Pass
6	12431.275	52.50	0.67	74.0	21.50	Peak	244.00	300	Horizontal	Pass
6**	12431.275	43.41	0.67	54.0	10.59	AV	244.00	300	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.300	40.92	-19.61	74.0	33.08	Peak	285.00	100	Vertical	Pass
1**	1540.300	32.24	-19.61	54.0	21.76	AV	285.00	100	Vertical	Pass
2	2785.300	43.61	-10.06	74.0	30.39	Peak	146.00	400	Vertical	Pass
2**	2785.300	35.30	-10.06	54.0	18.70	AV	146.00	400	Vertical	Pass
3	3993.000	51.91	-7.83	74.0	22.09	Peak	178.00	200	Vertical	Pass
3**	3993.000	35.84	-7.83	54.0	18.16	AV	178.00	200	Vertical	Pass
4	5221.750	102.12	-5.05	--	--	Peak	290.00	100	Vertical	N/A
4**	5221.750	93.61	-5.05	--	--	AV	290.00	100	Vertical	N/A
5	7663.750	53.03	-1.35	74.0	20.97	Peak	233.00	200	Vertical	Pass
5**	7663.750	43.50	-1.35	54.0	10.50	AV	233.00	200	Vertical	Pass
6	12584.463	52.42	1.29	74.0	21.58	Peak	209.00	400	Vertical	Pass
6**	12584.463	43.89	1.29	54.0	10.11	AV	209.00	400	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.400	41.48	-19.69	74.0	32.52	Peak	246.00	200	Horizontal	Pass
1**	1532.400	31.87	-19.69	54.0	22.13	AV	246.00	200	Horizontal	Pass
2	2783.100	43.78	-9.34	74.0	30.22	Peak	192.00	300	Horizontal	Pass
2**	2783.100	35.76	-9.34	54.0	18.24	AV	192.00	300	Horizontal	Pass
3	3993.750	48.39	-7.47	74.0	25.61	Peak	227.00	150	Horizontal	Pass
3**	3993.750	37.89	-7.47	54.0	16.11	AV	227.00	150	Horizontal	Pass
4	5177.500	106.29	-4.44	--	--	Peak	286.00	300	Horizontal	N/A
4**	5177.500	98.48	-4.44	--	--	AV	286.00	300	Horizontal	N/A
5	7320.750	52.42	-1.58	74.0	21.58	Peak	360.00	150	Horizontal	Pass
5**	7320.750	43.15	-1.58	54.0	10.85	AV	360.00	150	Horizontal	Pass
6	12376.412	53.18	0.51	74.0	20.82	Peak	99.00	200	Horizontal	Pass
6**	12376.412	43.53	0.51	54.0	10.47	AV	99.00	200	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.000	41.91	-19.58	74.0	32.09	Peak	291.00	400	Vertical	Pass
1**	1543.000	33.40	-19.58	54.0	20.60	AV	291.00	400	Vertical	Pass
2	2784.800	43.51	-9.79	74.0	30.49	Peak	307.00	300	Vertical	Pass
2**	2784.800	34.54	-9.79	54.0	19.46	AV	307.00	300	Vertical	Pass
3	3993.000	51.83	-7.83	74.0	22.17	Peak	166.00	200	Vertical	Pass
3**	3993.000	36.25	-7.83	54.0	17.75	AV	166.00	200	Vertical	Pass
4	5185.000	103.98	-4.21	--	--	Peak	129.00	300	Vertical	N/A
4**	5185.000	95.95	-4.21	--	--	AV	129.00	300	Vertical	N/A
5	7582.750	53.30	0.29	74.0	20.70	Peak	92.00	100	Vertical	Pass
5**	7582.750	44.11	0.29	54.0	9.89	AV	92.00	100	Vertical	Pass
6	12584.225	53.20	1.30	74.0	20.80	Peak	268.00	400	Vertical	Pass
6**	12584.225	44.05	1.30	54.0	9.95	AV	268.00	400	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.700	41.20	-19.60	74.0	32.80	Peak	245.00	200	Horizontal	Pass
1**	1543.700	31.43	-19.60	54.0	22.57	AV	245.00	200	Horizontal	Pass
2	2783.300	43.24	-9.74	74.0	30.76	Peak	174.00	400	Horizontal	Pass
2**	2783.300	35.49	-9.74	54.0	18.51	AV	174.00	400	Horizontal	Pass
3	4307.000	46.71	-5.60	74.0	27.29	Peak	194.00	100	Horizontal	Pass
3**	4307.000	37.20	-5.60	54.0	16.80	AV	194.00	100	Horizontal	Pass
4	5222.500	105.35	-4.97	--	--	Peak	5.00	300	Horizontal	N/A
4**	5222.500	97.84	-4.97	--	--	AV	5.00	300	Horizontal	N/A
5	7607.750	53.13	-0.60	74.0	20.87	Peak	175.00	200	Horizontal	Pass
5**	7607.750	43.39	-0.60	54.0	10.61	AV	175.00	200	Horizontal	Pass
6	12299.700	52.58	0.65	74.0	21.42	Peak	338.00	100	Horizontal	Pass
6**	12299.700	43.64	0.65	54.0	10.36	AV	338.00	100	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.200	41.36	-19.45	74.0	32.64	Peak	292.00	100	Vertical	Pass
1**	1537.200	33.27	-19.45	54.0	20.73	AV	292.00	100	Vertical	Pass
2	2770.500	43.24	-11.56	74.0	30.76	Peak	15.00	400	Vertical	Pass
2**	2770.500	33.98	-11.56	54.0	20.02	AV	15.00	400	Vertical	Pass
3	3993.500	55.09	-7.46	74.0	18.91	Peak	232.00	200	Vertical	Pass
3**	3993.500	45.76	-7.46	54.0	8.24	AV	232.00	200	Vertical	Pass
4	5224.250	104.05	-5.02	--	--	Peak	269.00	200	Vertical	N/A
4**	5224.250	96.49	-5.02	--	--	AV	269.00	200	Vertical	N/A
5	7329.250	52.98	-1.43	74.0	21.02	Peak	80.00	200	Vertical	Pass
5**	7329.250	42.88	-1.43	54.0	11.12	AV	80.00	200	Vertical	Pass
6	12274.050	52.64	0.50	74.0	21.36	Peak	87.00	400	Vertical	Pass
6**	12274.050	43.79	0.50	54.0	10.21	AV	87.00	400	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.800	40.76	-19.15	74.0	33.24	Peak	247.00	300	Horizontal	Pass
1**	1528.800	32.18	-19.15	54.0	21.82	AV	247.00	300	Horizontal	Pass
2	2783.000	44.03	-9.46	74.0	29.97	Peak	356.00	100	Horizontal	Pass
2**	2783.000	35.12	-9.46	54.0	18.88	AV	356.00	100	Horizontal	Pass
3	4357.500	46.55	-6.31	74.0	27.45	Peak	0.00	100	Horizontal	Pass
3**	4357.500	37.79	-6.31	54.0	16.21	AV	0.00	100	Horizontal	Pass
4	5244.000	104.99	-5.25	--	--	Peak	267.00	100	Horizontal	N/A
4**	5244.000	98.47	-5.25	--	--	AV	267.00	100	Horizontal	N/A
5	7612.750	53.07	-0.52	74.0	20.93	Peak	109.00	150	Horizontal	Pass
5**	7612.750	44.18	-0.52	54.0	9.82	AV	109.00	150	Horizontal	Pass
6	12400.874	52.58	0.32	74.0	21.42	Peak	341.00	300	Horizontal	Pass
6**	12400.874	43.78	0.32	54.0	10.22	AV	341.00	300	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.400	41.40	-19.94	74.0	32.60	Peak	289.00	200	Vertical	Pass
1**	1543.400	32.33	-19.94	54.0	21.67	AV	289.00	200	Vertical	Pass
2	2784.800	43.41	-9.79	74.0	30.59	Peak	325.00	400	Vertical	Pass
2**	2784.800	34.58	-9.79	54.0	19.42	AV	325.00	400	Vertical	Pass
3	3993.500	54.98	-7.46	74.0	19.02	Peak	229.00	100	Vertical	Pass
3**	3993.500	41.34	-7.46	54.0	12.66	AV	229.00	100	Vertical	Pass
4	5243.750	103.87	-5.28	--	--	Peak	287.00	100	Vertical	N/A
4**	5243.750	95.94	-5.28	--	--	AV	287.00	100	Vertical	N/A
5	7580.500	52.86	-0.05	74.0	21.14	Peak	134.00	100	Vertical	Pass
5**	7580.500	44.37	-0.05	54.0	9.63	AV	134.00	100	Vertical	Pass
6	12458.350	53.14	0.82	74.0	20.86	Peak	76.00	200	Vertical	Pass
6**	12458.350	43.23	0.82	54.0	10.77	AV	76.00	200	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.400	41.45	-19.87	74.0	32.55	Peak	254.00	100	Horizontal	Pass
1**	1541.400	32.87	-19.87	54.0	21.13	AV	254.00	100	Horizontal	Pass
2	2782.600	43.98	-9.86	74.0	30.02	Peak	344.00	300	Horizontal	Pass
2**	2782.600	34.72	-9.86	54.0	19.28	AV	344.00	300	Horizontal	Pass
3	4355.000	46.22	-6.04	74.0	27.78	Peak	197.00	100	Horizontal	Pass
3**	4355.000	38.25	-6.04	54.0	15.75	AV	197.00	100	Horizontal	Pass
4	5200.500	104.25	-4.67	--	--	Peak	299.00	200	Horizontal	N/A
4**	5200.500	96.35	-4.67	--	--	AV	299.00	200	Horizontal	N/A
5	7608.750	52.77	-0.29	74.0	21.23	Peak	217.00	100	Horizontal	Pass
5**	7608.750	43.62	-0.29	54.0	10.38	AV	217.00	100	Horizontal	Pass
6	12250.063	53.60	0.36	74.0	20.40	Peak	42.00	300	Horizontal	Pass
6**	12250.063	43.37	0.36	54.0	10.63	AV	42.00	300	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.100	41.53	-19.62	74.0	32.47	Peak	288.00	300	Vertical	Pass
1**	1542.100	31.97	-19.62	54.0	22.03	AV	288.00	300	Vertical	Pass
2	2786.000	43.63	-10.07	74.0	30.37	Peak	341.00	200	Vertical	Pass
2**	2786.000	34.61	-10.07	54.0	19.39	AV	341.00	200	Vertical	Pass
3	3993.500	51.94	-7.46	74.0	22.06	Peak	202.00	100	Vertical	Pass
3**	3993.500	41.94	-7.46	54.0	12.06	AV	202.00	100	Vertical	Pass
4	5186.000	100.56	-4.51	--	--	Peak	126.00	400	Vertical	N/A
4**	5186.000	92.66	-4.51	--	--	AV	126.00	400	Vertical	N/A
5	7690.500	53.24	-0.82	74.0	20.76	Peak	300.00	200	Vertical	Pass
5**	7690.500	43.42	-0.82	54.0	10.58	AV	300.00	200	Vertical	Pass
6	12291.151	52.35	0.60	74.0	21.65	Peak	147.00	200	Vertical	Pass
6**	12291.151	42.81	0.60	54.0	11.19	AV	147.00	200	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.200	41.14	-19.48	74.0	32.86	Peak	254.00	200	Horizontal	Pass
1**	1533.200	32.03	-19.48	54.0	21.97	AV	254.00	200	Horizontal	Pass
2	2779.300	43.58	-10.51	74.0	30.42	Peak	74.00	100	Horizontal	Pass
2**	2779.300	34.63	-10.51	54.0	19.37	AV	74.00	100	Horizontal	Pass
3	3993.750	47.53	-7.47	74.0	26.47	Peak	285.00	200	Horizontal	Pass
3**	3993.750	35.81	-7.47	54.0	18.19	AV	285.00	200	Horizontal	Pass
4	5222.500	102.98	-4.97	--	--	Peak	264.00	300	Horizontal	N/A
4**	5222.500	94.97	-4.97	--	--	AV	264.00	300	Horizontal	N/A
5	7331.000	53.35	-1.41	74.0	20.65	Peak	0.00	150	Horizontal	Pass
5**	7331.000	43.41	-1.41	54.0	10.59	AV	0.00	150	Horizontal	Pass
6	12371.425	52.38	0.55	74.0	21.62	Peak	130.00	300	Horizontal	Pass
6**	12371.425	43.09	0.55	54.0	10.91	AV	130.00	300	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.000	41.42	-19.73	74.0	32.58	Peak	282.00	200	Vertical	Pass
1**	1545.000	31.38	-19.73	54.0	22.62	AV	282.00	200	Vertical	Pass
2	2758.900	43.67	-11.48	74.0	30.33	Peak	55.00	200	Vertical	Pass
2**	2758.900	34.12	-11.48	54.0	19.88	AV	55.00	200	Vertical	Pass
3	3993.500	56.99	-7.46	74.0	17.01	Peak	234.00	150	Vertical	Pass
3**	3993.500	44.32	-7.46	54.0	9.68	AV	234.00	150	Vertical	Pass
4	5226.250	101.60	-5.00	--	--	Peak	271.00	400	Vertical	N/A
4**	5226.250	94.10	-5.00	--	--	AV	271.00	400	Vertical	N/A
5	7328.250	53.88	-1.37	74.0	20.12	Peak	326.00	150	Vertical	Pass
5**	7328.250	44.46	-1.37	54.0	9.54	AV	326.00	150	Vertical	Pass
6	12303.500	52.23	0.66	74.0	21.77	Peak	54.00	400	Vertical	Pass
6**	12303.500	43.40	0.66	54.0	10.60	AV	54.00	400	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.900	41.06	-19.44	74.0	32.94	Peak	253.00	400	Horizontal	Pass
1**	1546.900	30.69	-19.44	54.0	23.31	AV	253.00	400	Horizontal	Pass
2	2782.500	43.28	-9.89	74.0	30.72	Peak	308.00	400	Horizontal	Pass
2**	2782.500	35.52	-9.89	54.0	18.48	AV	308.00	400	Horizontal	Pass
3	4340.250	47.49	-5.32	74.0	26.51	Peak	211.00	100	Horizontal	Pass
3**	4340.250	38.24	-5.32	54.0	15.76	AV	211.00	100	Horizontal	Pass
4	5199.250	99.80	-4.31	--	--	Peak	192.00	300	Horizontal	N/A
4**	5199.250	90.94	-4.31	--	--	AV	192.00	300	Horizontal	N/A
5	7691.500	53.08	-0.66	74.0	20.92	Peak	116.00	150	Horizontal	Pass
5**	7691.500	43.66	-0.66	54.0	10.34	AV	116.00	150	Horizontal	Pass
6	12403.013	52.85	0.34	74.0	21.15	Peak	14.00	200	Horizontal	Pass
6**	12403.013	42.97	0.34	54.0	11.03	AV	14.00	200	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.900	41.68	-19.77	74.0	32.32	Peak	297.00	400	Vertical	Pass
1**	1545.900	28.19	-19.77	54.0	25.81	AV	297.00	400	Vertical	Pass
2	2782.000	43.03	-10.30	74.0	30.97	Peak	153.00	400	Vertical	Pass
2**	2782.000	34.63	-10.30	54.0	19.37	AV	153.00	400	Vertical	Pass
3	3993.750	54.65	-7.47	74.0	19.35	Peak	167.00	150	Vertical	Pass
3**	3993.750	39.35	-7.47	54.0	14.65	AV	167.00	150	Vertical	Pass
4	5219.250	97.52	-4.96	--	--	Peak	283.00	400	Vertical	N/A
4**	5219.250	89.39	-4.96	--	--	AV	283.00	400	Vertical	N/A
5	7615.250	53.43	-0.78	74.0	20.57	Peak	49.00	150	Vertical	Pass
5**	7615.250	43.36	-0.78	54.0	10.64	AV	49.00	150	Vertical	Pass
6	12430.562	52.97	0.66	74.0	21.03	Peak	111.00	300	Vertical	Pass
6**	12430.562	42.91	0.66	54.0	11.09	AV	111.00	300	Vertical	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.300	40.69	-19.19	74.0	33.31	Peak	244.00	400	Horizontal	Pass
1**	1544.300	31.83	-19.19	54.0	22.17	AV	244.00	400	Horizontal	Pass
2	2786.700	43.34	-10.02	74.0	30.66	Peak	182.00	300	Horizontal	Pass
2**	2786.700	34.35	-10.02	54.0	19.65	AV	182.00	300	Horizontal	Pass
3	3993.750	47.61	-7.47	74.0	26.39	Peak	147.00	100	Horizontal	Pass
3**	3993.750	38.47	-7.47	54.0	15.53	AV	147.00	100	Horizontal	Pass
4	5179.000	106.48	-4.08	--	--	Peak	285.00	200	Horizontal	N/A
4**	5179.000	97.84	-4.08	--	--	AV	285.00	200	Horizontal	N/A
5	7655.750	53.09	-1.46	74.0	20.91	Peak	360.00	150	Horizontal	Pass
5**	7655.750	43.80	-1.46	54.0	10.20	AV	360.00	150	Horizontal	Pass
6	12579.474	52.50	1.34	74.0	21.50	Peak	6.00	100	Horizontal	Pass
6**	12579.474	43.90	1.34	54.0	10.10	AV	6.00	100	Horizontal	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.000	40.78	-19.31	74.0	33.22	Peak	290.00	100	Vertical	Pass
1**	1541.000	32.49	-19.31	54.0	21.51	AV	290.00	100	Vertical	Pass
2	2785.000	43.25	-9.91	74.0	30.75	Peak	210.00	400	Vertical	Pass
2**	2785.000	34.64	-9.91	54.0	19.36	AV	210.00	400	Vertical	Pass
3	3994.250	53.50	-7.64	74.0	20.50	Peak	232.00	150	Vertical	Pass
3**	3994.250	36.56	-7.64	54.0	17.44	AV	232.00	150	Vertical	Pass
4	5180.750	104.13	-4.20	--	--	Peak	116.00	100	Vertical	N/A
4**	5180.750	95.63	-4.20	--	--	AV	116.00	100	Vertical	N/A
5	7580.000	52.97	-0.28	74.0	21.03	Peak	40.00	150	Vertical	Pass
5**	7580.000	43.96	-0.28	54.0	10.04	AV	40.00	150	Vertical	Pass
6	12398.262	53.08	0.32	74.0	20.92	Peak	169.00	400	Vertical	Pass
6**	12398.262	43.36	0.32	54.0	10.64	AV	169.00	400	Vertical	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.000	41.21	-19.40	74.0	32.79	Peak	159.00	200	Horizontal	Pass
1**	1533.000	29.86	-19.40	54.0	24.14	AV	159.00	200	Horizontal	Pass
2	2783.200	43.36	-9.54	74.0	30.64	Peak	99.00	400	Horizontal	Pass
2**	2783.200	35.48	-9.54	54.0	18.52	AV	99.00	400	Horizontal	Pass
3	4372.000	47.73	-6.79	74.0	26.27	Peak	153.00	100	Horizontal	Pass
3**	4372.000	37.24	-6.79	54.0	16.76	AV	153.00	100	Horizontal	Pass
4	5221.000	106.34	-4.85	--	--	Peak	285.00	100	Horizontal	N/A
4**	5221.000	98.49	-4.85	--	--	AV	285.00	100	Horizontal	N/A
5	7543.250	52.54	-1.20	74.0	21.46	Peak	247.00	100	Horizontal	Pass
5**	7543.250	43.22	-1.20	54.0	10.78	AV	247.00	100	Horizontal	Pass
6	12590.875	52.54	1.23	74.0	21.46	Peak	116.00	400	Horizontal	Pass
6**	12590.875	43.16	1.23	54.0	10.84	AV	116.00	400	Horizontal	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.400	41.32	-19.31	74.0	32.68	Peak	279.00	300	Vertical	Pass
1**	1544.400	30.91	-19.31	54.0	23.09	AV	279.00	300	Vertical	Pass
2	2784.900	43.70	-9.85	74.0	30.30	Peak	0.00	100	Vertical	Pass
2**	2784.900	35.29	-9.85	54.0	18.71	AV	0.00	100	Vertical	Pass
3	3994.000	51.95	-7.53	74.0	22.05	Peak	154.00	200	Vertical	Pass
3**	3994.000	41.01	-7.53	54.0	12.99	AV	154.00	200	Vertical	Pass
4	5223.750	104.52	-5.10	--	--	Peak	268.00	300	Vertical	N/A
4**	5223.750	97.25	-5.10	--	--	AV	268.00	300	Vertical	N/A
5	7695.000	53.02	-0.95	74.0	20.98	Peak	117.00	100	Vertical	Pass
5**	7695.000	43.87	-0.95	54.0	10.13	AV	117.00	100	Vertical	Pass
6	12365.963	53.07	0.60	74.0	20.93	Peak	229.00	200	Vertical	Pass
6**	12365.963	43.59	0.60	54.0	10.41	AV	229.00	200	Vertical	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.200	40.88	-19.27	74.0	33.12	Peak	248.00	300	Horizontal	Pass
1**	1528.200	30.55	-19.27	54.0	23.45	AV	248.00	300	Horizontal	Pass
2	2787.800	44.04	-10.53	74.0	29.96	Peak	97.00	400	Horizontal	Pass
2**	2787.800	34.58	-10.53	54.0	19.42	AV	97.00	400	Horizontal	Pass
3	4332.250	46.94	-5.32	74.0	27.06	Peak	52.00	100	Horizontal	Pass
3**	4332.250	38.43	-5.32	54.0	15.57	AV	52.00	100	Horizontal	Pass
4	5239.500	106.59	-5.04	--	--	Peak	267.00	400	Horizontal	N/A
4**	5239.500	98.78	-5.04	--	--	AV	267.00	400	Horizontal	N/A
5	7575.750	52.67	-0.53	74.0	21.33	Peak	170.00	150	Horizontal	Pass
5**	7575.750	43.80	-0.53	54.0	10.20	AV	170.00	150	Horizontal	Pass
6	12428.188	53.08	0.63	74.0	20.92	Peak	106.00	100	Horizontal	Pass
6**	12428.188	43.50	0.63	54.0	10.50	AV	106.00	100	Horizontal	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.700	41.00	-19.67	74.0	33.00	Peak	280.00	400	Vertical	Pass
1**	1544.700	32.05	-19.67	54.0	21.95	AV	280.00	400	Vertical	Pass
2	2786.800	43.22	-10.12	74.0	30.78	Peak	352.00	400	Vertical	Pass
2**	2786.800	34.87	-10.12	54.0	19.13	AV	352.00	400	Vertical	Pass
3	3993.750	51.96	-7.47	74.0	22.04	Peak	151.00	200	Vertical	Pass
3**	3993.750	37.97	-7.47	54.0	16.03	AV	151.00	200	Vertical	Pass
4	5239.000	104.28	-5.48	--	--	Peak	285.00	100	Vertical	N/A
4**	5239.000	97.13	-5.48	--	--	AV	285.00	100	Vertical	N/A
5	7582.000	53.03	-0.07	74.0	20.97	Peak	151.00	200	Vertical	Pass
5**	7582.000	43.98	-0.07	54.0	10.02	AV	151.00	200	Vertical	Pass
6	12302.075	52.93	0.66	74.0	21.07	Peak	284.00	100	Vertical	Pass
6**	12302.075	43.26	0.66	54.0	10.74	AV	284.00	100	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.200	41.39	-19.35	74.0	32.61	Peak	247.00	400	Horizontal	Pass
1**	1538.200	30.26	-19.35	54.0	23.74	AV	247.00	400	Horizontal	Pass
2	2783.100	44.69	-9.34	74.0	29.31	Peak	0.00	100	Horizontal	Pass
2**	2783.100	36.07	-9.34	54.0	17.93	AV	0.00	100	Horizontal	Pass
3	3993.500	46.79	-7.46	74.0	27.21	Peak	210.00	200	Horizontal	Pass
3**	3993.500	38.13	-7.46	54.0	15.87	AV	210.00	200	Horizontal	Pass
4	5177.500	104.14	-4.44	--	--	Peak	286.00	300	Horizontal	N/A
4**	5177.500	94.96	-4.44	--	--	AV	286.00	300	Horizontal	N/A
5	7579.000	52.43	0.18	74.0	21.57	Peak	56.00	100	Horizontal	Pass
5**	7579.000	44.46	0.18	54.0	9.54	AV	56.00	100	Horizontal	Pass
6	12454.075	52.63	0.86	74.0	21.37	Peak	178.00	300	Horizontal	Pass
6**	12454.075	43.63	0.86	54.0	10.37	AV	178.00	300	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.700	41.54	-19.60	74.0	32.46	Peak	288.00	200	Vertical	Pass
1**	1543.700	33.47	-19.60	54.0	20.53	AV	288.00	200	Vertical	Pass
2	2783.100	43.26	-9.34	74.0	30.74	Peak	16.00	200	Vertical	Pass
2**	2783.100	35.93	-9.34	54.0	18.07	AV	16.00	200	Vertical	Pass
3	3993.750	55.75	-7.47	74.0	18.25	Peak	233.00	200	Vertical	Pass
3**	3993.750	36.90	-7.47	54.0	17.10	AV	233.00	200	Vertical	Pass
4	5184.250	100.84	-4.20	--	--	Peak	121.00	300	Vertical	N/A
4**	5184.250	93.18	-4.20	--	--	AV	121.00	300	Vertical	N/A
5	7330.500	53.55	-1.35	74.0	20.45	Peak	159.00	200	Vertical	Pass
5**	7330.500	43.66	-1.35	54.0	10.34	AV	159.00	200	Vertical	Pass
6	12421.300	52.68	0.55	74.0	21.32	Peak	17.00	100	Vertical	Pass
6**	12421.300	42.97	0.55	54.0	11.03	AV	17.00	100	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.500	41.18	-19.76	74.0	32.82	Peak	254.00	300	Horizontal	Pass
1**	1529.500	33.97	-19.76	54.0	20.03	AV	254.00	300	Horizontal	Pass
2	2784.800	43.41	-9.79	74.0	30.59	Peak	219.00	400	Horizontal	Pass
2**	2784.800	35.14	-9.79	54.0	18.86	AV	219.00	400	Horizontal	Pass
3	3993.750	47.32	-7.47	74.0	26.68	Peak	223.00	200	Horizontal	Pass
3**	3993.750	38.41	-7.47	54.0	15.59	AV	223.00	200	Horizontal	Pass
4	5238.500	103.17	-5.23	--	--	Peak	203.00	200	Horizontal	N/A
4**	5238.500	95.11	-5.23	--	--	AV	203.00	200	Horizontal	N/A
5	7327.250	52.91	-1.39	74.0	21.09	Peak	243.00	200	Horizontal	Pass
5**	7327.250	44.16	-1.39	54.0	9.84	AV	243.00	200	Horizontal	Pass
6	12547.174	52.82	1.55	74.0	21.18	Peak	58.00	300	Horizontal	Pass
6**	12547.174	43.13	1.55	54.0	10.87	AV	58.00	300	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.400	40.68	-19.31	74.0	33.32	Peak	282.00	200	Vertical	Pass
1**	1544.400	32.08	-19.31	54.0	21.92	AV	282.00	200	Vertical	Pass
2	2784.900	43.33	-9.85	74.0	30.67	Peak	229.00	100	Vertical	Pass
2**	2784.900	35.48	-9.85	54.0	18.52	AV	229.00	100	Vertical	Pass
3	3993.500	52.72	-7.46	74.0	21.28	Peak	173.00	150	Vertical	Pass
3**	3993.500	40.55	-7.46	54.0	13.45	AV	173.00	150	Vertical	Pass
4	5240.000	102.46	-5.21	--	--	Peak	287.00	300	Vertical	N/A
4**	5240.000	92.94	-5.21	--	--	AV	287.00	300	Vertical	N/A
5	7585.750	52.96	0.05	74.0	21.04	Peak	78.00	200	Vertical	Pass
5**	7585.750	43.39	0.05	54.0	10.61	AV	78.00	200	Vertical	Pass
6	12304.925	52.61	0.66	74.0	21.39	Peak	335.00	300	Vertical	Pass
6**	12304.925	43.39	0.66	54.0	10.61	AV	335.00	300	Vertical	Pass

11x80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.500	41.11	-19.60	74.0	32.89	Peak	252.00	100	Horizontal	Pass
1**	1532.500	29.77	-19.60	54.0	24.23	AV	252.00	100	Horizontal	Pass
2	2788.800	44.20	-10.25	74.0	29.80	Peak	215.00	300	Horizontal	Pass
2**	2788.800	34.56	-10.25	54.0	19.44	AV	215.00	300	Horizontal	Pass
3	3993.500	47.11	-7.46	74.0	26.89	Peak	211.00	100	Horizontal	Pass
3**	3993.500	36.19	-7.46	54.0	17.81	AV	211.00	100	Horizontal	Pass
4	5217.500	99.67	-4.66	--	--	Peak	193.00	100	Horizontal	N/A
4**	5217.500	90.38	-4.66	--	--	AV	193.00	100	Horizontal	N/A
5	7607.500	53.42	-0.84	74.0	20.58	Peak	174.00	200	Horizontal	Pass
5**	7607.500	43.72	-0.84	54.0	10.28	AV	174.00	200	Horizontal	Pass
6	12331.525	52.85	0.71	74.0	21.15	Peak	123.00	200	Horizontal	Pass
6**	12331.525	43.78	0.71	54.0	10.22	AV	123.00	200	Horizontal	Pass

11x80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.200	41.87	-19.79	74.0	32.13	Peak	290.00	200	Vertical	Pass
1**	1546.200	28.29	-19.79	54.0	25.71	AV	290.00	200	Vertical	Pass
2	2802.800	44.26	-11.45	74.0	29.74	Peak	24.00	100	Vertical	Pass
2**	2802.800	33.60	-11.45	54.0	20.40	AV	24.00	100	Vertical	Pass
3	3993.500	49.09	-7.46	74.0	24.91	Peak	268.00	150	Vertical	Pass
3**	3993.500	37.16	-7.46	54.0	16.84	AV	268.00	150	Vertical	Pass
4	5222.750	97.34	-4.85	--	--	Peak	135.00	100	Vertical	N/A
4**	5222.750	89.27	-4.85	--	--	AV	135.00	100	Vertical	N/A
5	7687.500	52.64	-1.44	74.0	21.36	Peak	268.00	200	Vertical	Pass
5**	7687.500	43.21	-1.44	54.0	10.79	AV	268.00	200	Vertical	Pass
6	12582.088	52.76	1.32	74.0	21.24	Peak	34.00	400	Vertical	Pass
6**	12582.088	44.19	1.32	54.0	9.81	AV	34.00	400	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.500	40.09	-19.16	74.0	33.91	Peak	281.00	100	Horizontal	Pass
1**	1526.500	28.93	-19.16	54.0	25.07	AV	281.00	100	Horizontal	Pass
2	2784.700	43.73	-9.94	74.0	30.27	Peak	64.00	300	Horizontal	Pass
2**	2784.700	35.24	-9.94	54.0	18.76	AV	64.00	300	Horizontal	Pass
3	3923.000	46.56	-7.51	74.0	27.44	Peak	191.00	150	Horizontal	Pass
3**	3923.000	36.56	-7.51	54.0	17.44	AV	191.00	150	Horizontal	Pass
4	5264.500	106.72	-4.70	--	--	Peak	267.00	200	Horizontal	N/A
4**	5264.500	99.58	-4.70	--	--	AV	267.00	200	Horizontal	N/A
5	7583.250	52.98	-0.08	74.0	21.02	Peak	20.00	150	Horizontal	Pass
5**	7583.250	44.17	-0.08	54.0	9.83	AV	20.00	150	Horizontal	Pass
6	12420.588	52.61	0.55	74.0	21.39	Peak	133.00	400	Horizontal	Pass
6**	12420.588	43.91	0.55	54.0	10.09	AV	133.00	400	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.200	41.61	-19.76	74.0	32.39	Peak	286.00	400	Vertical	Pass
1**	1543.200	33.63	-19.76	54.0	20.37	AV	286.00	400	Vertical	Pass
2	2753.000	43.60	-11.26	74.0	30.40	Peak	6.00	400	Vertical	Pass
2**	2753.000	33.20	-11.26	54.0	20.80	AV	6.00	400	Vertical	Pass
3	3993.500	50.24	-7.46	74.0	23.76	Peak	142.00	200	Vertical	Pass
3**	3993.500	38.43	-7.46	54.0	15.57	AV	142.00	200	Vertical	Pass
4	5264.500	105.89	-4.70	--	--	Peak	283.00	300	Vertical	N/A
4**	5264.500	98.58	-4.70	--	--	AV	283.00	300	Vertical	N/A
5	7589.250	53.19	-0.47	74.0	20.81	Peak	142.00	200	Vertical	Pass
5**	7589.250	43.95	-0.47	54.0	10.05	AV	142.00	200	Vertical	Pass
6	12397.550	52.52	0.33	74.0	21.48	Peak	170.00	400	Vertical	Pass
6**	12397.550	43.52	0.33	54.0	10.48	AV	170.00	400	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.400	40.60	-19.36	74.0	33.40	Peak	250.00	400	Horizontal	Pass
1**	1535.400	30.43	-19.36	54.0	23.57	AV	250.00	400	Horizontal	Pass
2	2778.200	43.10	-10.94	74.0	30.90	Peak	54.00	300	Horizontal	Pass
2**	2778.200	34.00	-10.94	54.0	20.00	AV	54.00	300	Horizontal	Pass
3	4344.750	46.64	-5.88	74.0	27.36	Peak	61.00	150	Horizontal	Pass
3**	4344.750	37.48	-5.88	54.0	16.52	AV	61.00	150	Horizontal	Pass
4	5297.250	107.06	-4.95	--	--	Peak	288.00	400	Horizontal	N/A
4**	5297.250	100.38	-4.95	--	--	AV	288.00	400	Horizontal	N/A
5	7328.250	52.70	-1.37	74.0	21.30	Peak	98.00	150	Horizontal	Pass
5**	7328.250	43.92	-1.37	54.0	10.08	AV	98.00	150	Horizontal	Pass
6	12438.400	52.85	0.75	74.0	21.15	Peak	24.00	300	Horizontal	Pass
6**	12438.400	43.49	0.75	54.0	10.51	AV	24.00	300	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.000	43.03	-19.32	74.0	30.97	Peak	290.00	200	Vertical	Pass
1**	1544.000	33.87	-19.32	54.0	20.13	AV	290.00	200	Vertical	Pass
2	2787.100	43.75	-10.33	74.0	30.25	Peak	360.00	200	Vertical	Pass
2**	2787.100	34.83	-10.33	54.0	19.17	AV	360.00	200	Vertical	Pass
3	3993.250	54.87	-7.62	74.0	19.13	Peak	228.00	150	Vertical	Pass
3**	3993.250	42.34	-7.62	54.0	11.66	AV	228.00	150	Vertical	Pass
4	5302.750	107.10	-5.17	--	--	Peak	286.00	200	Vertical	N/A
4**	5302.750	99.81	-5.17	--	--	AV	286.00	200	Vertical	N/A
5	7572.250	52.94	-0.55	74.0	21.06	Peak	18.00	200	Vertical	Pass
5**	7572.250	43.72	-0.55	54.0	10.28	AV	18.00	200	Vertical	Pass
6	12364.775	52.93	0.61	74.0	21.07	Peak	320.00	300	Vertical	Pass
6**	12364.775	42.77	0.61	54.0	11.23	AV	320.00	300	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.300	40.33	-19.40	74.0	33.67	Peak	276.00	100	Horizontal	Pass
1**	1535.300	30.89	-19.40	54.0	23.11	AV	276.00	100	Horizontal	Pass
2	2789.600	42.85	-11.22	74.0	31.15	Peak	330.00	100	Horizontal	Pass
2**	2789.600	33.03	-11.22	54.0	20.97	AV	330.00	100	Horizontal	Pass
3	4349.750	46.94	-5.56	74.0	27.06	Peak	182.00	150	Horizontal	Pass
3**	4349.750	38.01	-5.56	54.0	15.99	AV	182.00	150	Horizontal	Pass
4	5323.500	107.54	-5.18	--	--	Peak	0.00	300	Horizontal	N/A
4**	5323.500	100.71	-5.18	--	--	AV	0.00	300	Horizontal	N/A
5	7574.250	52.89	-0.79	74.0	21.11	Peak	27.00	100	Horizontal	Pass
5**	7574.250	43.77	-0.79	54.0	10.23	AV	27.00	100	Horizontal	Pass
6	12554.776	52.30	1.57	74.0	21.70	Peak	189.00	400	Horizontal	Pass
6**	12554.776	42.48	1.57	54.0	11.52	AV	189.00	400	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.900	41.29	-19.10	74.0	32.71	Peak	283.00	100	Vertical	Pass
1**	1540.900	33.39	-19.10	54.0	20.61	AV	283.00	100	Vertical	Pass
2	2786.200	43.41	-9.99	74.0	30.59	Peak	212.00	100	Vertical	Pass
2**	2786.200	35.47	-9.99	54.0	18.53	AV	212.00	100	Vertical	Pass
3	3993.750	48.92	-7.47	74.0	25.08	Peak	130.00	200	Vertical	Pass
3**	3993.750	39.63	-7.47	54.0	14.37	AV	130.00	200	Vertical	Pass
4	5317.250	107.18	-4.58	--	--	Peak	285.00	300	Vertical	N/A
4**	5317.250	99.82	-4.58	--	--	AV	285.00	300	Vertical	N/A
5	7361.500	53.28	-0.36	74.0	20.72	Peak	305.00	200	Vertical	Pass
5**	7361.500	43.53	-0.36	54.0	10.47	AV	305.00	200	Vertical	Pass
6	12278.325	52.48	0.53	74.0	21.52	Peak	108.00	100	Vertical	Pass
6**	12278.325	43.12	0.53	54.0	10.88	AV	108.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.200	40.15	-19.50	74.0	33.85	Peak	254.00	400	Horizontal	Pass
1**	1532.200	30.83	-19.50	54.0	23.17	AV	254.00	400	Horizontal	Pass
2	2886.600	43.29	-11.28	74.0	30.71	Peak	182.00	300	Horizontal	Pass
2**	2886.600	33.48	-11.28	54.0	20.52	AV	182.00	300	Horizontal	Pass
3	4354.750	46.56	-5.74	74.0	27.44	Peak	0.00	100	Horizontal	Pass
3**	4354.750	37.68	-5.74	54.0	16.32	AV	0.00	100	Horizontal	Pass
4	5257.750	106.29	-5.39	--	--	Peak	192.00	300	Horizontal	N/A
4**	5257.750	98.28	-5.39	--	--	AV	192.00	300	Horizontal	N/A
5	7571.250	53.63	-0.79	74.0	20.37	Peak	135.00	150	Horizontal	Pass
5**	7571.250	43.66	-0.79	54.0	10.34	AV	135.00	150	Horizontal	Pass
6	12578.050	52.93	1.35	74.0	21.07	Peak	7.00	200	Horizontal	Pass
6**	12578.050	44.23	1.35	54.0	9.77	AV	7.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.100	41.37	-19.62	74.0	32.63	Peak	292.00	400	Vertical	Pass
1**	1542.100	33.82	-19.62	54.0	20.18	AV	292.00	400	Vertical	Pass
2	2772.100	43.65	-11.29	74.0	30.35	Peak	193.00	100	Vertical	Pass
2**	2772.100	33.92	-11.29	54.0	20.08	AV	193.00	100	Vertical	Pass
3	3993.250	55.85	-7.62	74.0	18.15	Peak	231.00	100	Vertical	Pass
3**	3993.250	37.41	-7.62	54.0	16.59	AV	231.00	100	Vertical	Pass
4	5262.250	105.01	-4.91	--	--	Peak	268.00	400	Vertical	N/A
4**	5262.250	97.35	-4.91	--	--	AV	268.00	400	Vertical	N/A
5	7301.750	52.74	-1.74	74.0	21.26	Peak	231.00	100	Vertical	Pass
5**	7301.750	43.16	-1.74	54.0	10.84	AV	231.00	100	Vertical	Pass
6	12581.375	52.18	1.32	74.0	21.82	Peak	333.00	100	Vertical	Pass
6**	12581.375	43.54	1.32	54.0	10.46	AV	333.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.800	40.49	-19.39	74.0	33.51	Peak	279.00	200	Horizontal	Pass
1**	1546.800	29.78	-19.39	54.0	24.22	AV	279.00	200	Horizontal	Pass
2	2783.100	45.46	-9.34	74.0	28.54	Peak	189.00	400	Horizontal	Pass
2**	2783.100	35.67	-9.34	54.0	18.33	AV	189.00	400	Horizontal	Pass
3	4335.750	46.76	-6.00	74.0	27.24	Peak	0.00	200	Horizontal	Pass
3**	4335.750	36.89	-6.00	54.0	17.11	AV	0.00	200	Horizontal	Pass
4	5302.500	106.88	-5.15	--	--	Peak	264.00	100	Horizontal	N/A
4**	5302.500	100.03	-5.15	--	--	AV	264.00	100	Horizontal	N/A
5	7334.000	52.39	-1.50	74.0	21.61	Peak	35.00	150	Horizontal	Pass
5**	7334.000	43.62	-1.50	54.0	10.38	AV	35.00	150	Horizontal	Pass
6	12429.375	52.47	0.65	74.0	21.53	Peak	0.00	200	Horizontal	Pass
6**	12429.375	43.48	0.65	54.0	10.52	AV	0.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.100	41.32	-19.67	74.0	32.68	Peak	296.00	200	Vertical	Pass
1**	1543.100	32.93	-19.67	54.0	21.07	AV	296.00	200	Vertical	Pass
2	2811.300	43.50	-12.35	74.0	30.50	Peak	323.00	400	Vertical	Pass
2**	2811.300	33.57	-12.35	54.0	20.43	AV	323.00	400	Vertical	Pass
3	3993.500	53.06	-7.46	74.0	20.94	Peak	172.00	150	Vertical	Pass
3**	3993.500	43.95	-7.46	54.0	10.05	AV	172.00	150	Vertical	Pass
4	5296.000	107.32	-4.96	--	--	Peak	269.00	100	Vertical	N/A
4**	5296.000	98.75	-4.96	--	--	AV	269.00	100	Vertical	N/A
5	7578.750	53.57	0.13	74.0	20.43	Peak	211.00	100	Vertical	Pass
5**	7578.750	44.31	0.13	54.0	9.69	AV	211.00	100	Vertical	Pass
6	12609.875	52.55	1.07	74.0	21.45	Peak	219.00	200	Vertical	Pass
6**	12609.875	43.72	1.07	54.0	10.28	AV	219.00	200	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.300	40.36	-19.64	74.0	33.64	Peak	282.00	300	Horizontal	Pass
1**	1533.300	30.36	-19.64	54.0	23.64	AV	282.00	300	Horizontal	Pass
2	2786.300	43.35	-9.93	74.0	30.65	Peak	139.00	400	Horizontal	Pass
2**	2786.300	35.44	-9.93	54.0	18.56	AV	139.00	400	Horizontal	Pass
3	3993.750	47.62	-7.47	74.0	26.38	Peak	222.00	200	Horizontal	Pass
3**	3993.750	37.47	-7.47	54.0	16.53	AV	222.00	200	Horizontal	Pass
4	5317.250	107.81	-4.58	--	--	Peak	202.00	200	Horizontal	N/A
4**	5317.250	101.11	-4.58	--	--	AV	202.00	200	Horizontal	N/A
5	7614.500	52.39	-1.08	74.0	21.61	Peak	24.00	200	Horizontal	Pass
5**	7614.500	43.40	-1.08	54.0	10.60	AV	24.00	200	Horizontal	Pass
6	12611.775	52.57	1.05	74.0	21.43	Peak	20.00	100	Horizontal	Pass
6**	12611.775	43.72	1.05	54.0	10.28	AV	20.00	100	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.900	41.68	-19.10	74.0	32.32	Peak	288.00	100	Vertical	Pass
1**	1540.900	33.39	-19.10	54.0	20.61	AV	288.00	100	Vertical	Pass
2	2783.600	44.31	-10.20	74.0	29.69	Peak	342.00	100	Vertical	Pass
2**	2783.600	34.42	-10.20	54.0	19.58	AV	342.00	100	Vertical	Pass
3	3993.500	55.71	-7.46	74.0	18.29	Peak	164.00	200	Vertical	Pass
3**	3993.500	37.05	-7.46	54.0	16.95	AV	164.00	200	Vertical	Pass
4	5316.750	106.55	-5.18	--	--	Peak	284.00	300	Vertical	N/A
4**	5316.750	98.70	-5.18	--	--	AV	284.00	300	Vertical	N/A
5	7371.500	53.09	-0.84	74.0	20.91	Peak	87.00	200	Vertical	Pass
5**	7371.500	43.67	-0.84	54.0	10.33	AV	87.00	200	Vertical	Pass
6	12289.013	52.27	0.59	74.0	21.73	Peak	30.00	400	Vertical	Pass
6**	12289.013	43.67	0.59	54.0	10.33	AV	30.00	400	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.600	40.82	-19.90	74.0	33.18	Peak	274.00	200	Horizontal	Pass
1**	1536.600	31.06	-19.90	54.0	22.94	AV	274.00	200	Horizontal	Pass
2	2783.100	43.73	-9.34	74.0	30.27	Peak	106.00	100	Horizontal	Pass
2**	2783.100	35.43	-9.34	54.0	18.57	AV	106.00	100	Horizontal	Pass
3	4325.250	47.89	-6.20	74.0	26.11	Peak	287.00	150	Horizontal	Pass
3**	4325.250	38.09	-6.20	54.0	15.91	AV	287.00	150	Horizontal	Pass
4	5280.000	105.40	-4.49	--	--	Peak	268.00	300	Horizontal	N/A
4**	5280.000	97.27	-4.49	--	--	AV	268.00	300	Horizontal	N/A
5	7583.000	53.36	0.28	74.0	20.64	Peak	171.00	200	Horizontal	Pass
5**	7583.000	44.67	0.28	54.0	9.33	AV	171.00	200	Horizontal	Pass
6	12608.687	52.13	1.08	74.0	21.87	Peak	291.00	400	Horizontal	Pass
6**	12608.687	43.33	1.08	54.0	10.67	AV	291.00	400	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.700	40.63	-19.75	74.0	33.37	Peak	279.00	300	Vertical	Pass
1**	1541.700	31.30	-19.75	54.0	22.70	AV	279.00	300	Vertical	Pass
2	2783.100	44.50	-9.34	74.0	29.50	Peak	60.00	200	Vertical	Pass
2**	2783.100	35.09	-9.34	54.0	18.91	AV	60.00	200	Vertical	Pass
3	3993.250	53.59	-7.62	74.0	20.41	Peak	230.00	150	Vertical	Pass
3**	3993.250	35.64	-7.62	54.0	18.36	AV	230.00	150	Vertical	Pass
4	5277.000	105.02	-4.18	--	--	Peak	288.00	200	Vertical	N/A
4**	5277.000	96.18	-4.18	--	--	AV	288.00	200	Vertical	N/A
5	7570.750	53.42	-0.74	74.0	20.58	Peak	116.00	200	Vertical	Pass
5**	7570.750	43.91	-0.74	54.0	10.09	AV	116.00	200	Vertical	Pass
6	12555.963	52.70	1.56	74.0	21.30	Peak	66.00	300	Vertical	Pass
6**	12555.963	42.70	1.56	54.0	11.30	AV	66.00	300	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.100	40.76	-19.36	74.0	33.24	Peak	283.00	200	Horizontal	Pass
1**	1532.100	29.86	-19.36	54.0	24.14	AV	283.00	200	Horizontal	Pass
2	2786.700	43.51	-10.02	74.0	30.49	Peak	360.00	100	Horizontal	Pass
2**	2786.700	34.63	-10.02	54.0	19.37	AV	360.00	100	Horizontal	Pass
3	4352.750	47.04	-6.23	74.0	26.96	Peak	360.00	100	Horizontal	Pass
3**	4352.750	37.84	-6.23	54.0	16.16	AV	360.00	100	Horizontal	Pass
4	5317.750	105.30	-5.30	--	--	Peak	270.00	300	Horizontal	N/A
4**	5317.750	97.75	-5.30	--	--	AV	270.00	300	Horizontal	N/A
5	7583.750	52.80	-0.21	74.0	21.20	Peak	214.00	200	Horizontal	Pass
5**	7583.750	44.08	-0.21	54.0	9.92	AV	214.00	200	Horizontal	Pass
6	12439.113	52.43	0.76	74.0	21.57	Peak	190.00	200	Horizontal	Pass
6**	12439.113	43.49	0.76	54.0	10.51	AV	190.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.200	41.39	-19.76	74.0	32.61	Peak	286.00	100	Vertical	Pass
1**	1543.200	33.18	-19.76	54.0	20.82	AV	286.00	100	Vertical	Pass
2	2783.000	43.80	-9.46	74.0	30.20	Peak	161.00	100	Vertical	Pass
2**	2783.000	35.50	-9.46	54.0	18.50	AV	161.00	100	Vertical	Pass
3	3994.250	51.88	-7.64	74.0	22.12	Peak	225.00	150	Vertical	Pass
3**	3994.250	40.07	-7.64	54.0	13.93	AV	225.00	150	Vertical	Pass
4	5306.000	103.69	-5.20	--	--	Peak	283.00	300	Vertical	N/A
4**	5306.000	95.99	-5.20	--	--	AV	283.00	300	Vertical	N/A
5	7365.000	52.66	-0.72	74.0	21.34	Peak	343.00	200	Vertical	Pass
5**	7365.000	44.51	-0.72	54.0	9.49	AV	343.00	200	Vertical	Pass
6	12580.425	52.72	1.33	74.0	21.28	Peak	233.00	400	Vertical	Pass
6**	12580.425	43.94	1.33	54.0	10.06	AV	233.00	400	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.700	40.45	-19.60	74.0	33.55	Peak	162.00	100	Horizontal	Pass
1**	1543.700	31.83	-19.60	54.0	22.17	AV	162.00	100	Horizontal	Pass
2	2785.400	43.20	-10.07	74.0	30.80	Peak	198.00	300	Horizontal	Pass
2**	2785.400	35.80	-10.07	54.0	18.20	AV	198.00	300	Horizontal	Pass
3	4344.250	46.40	-5.75	74.0	27.60	Peak	268.00	200	Horizontal	Pass
3**	4344.250	37.76	-5.75	54.0	16.24	AV	268.00	200	Horizontal	Pass
4	5261.500	106.14	-4.89	--	--	Peak	192.00	200	Horizontal	N/A
4**	5261.500	98.56	-4.89	--	--	AV	192.00	200	Horizontal	N/A
5	7365.500	52.76	-0.68	74.0	21.24	Peak	192.00	200	Horizontal	Pass
5**	7365.500	43.74	-0.68	54.0	10.26	AV	192.00	200	Horizontal	Pass
6	12614.625	51.99	1.03	74.0	22.01	Peak	43.00	400	Horizontal	Pass
6**	12614.625	43.33	1.03	54.0	10.67	AV	43.00	400	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.600	40.65	-19.75	74.0	33.35	Peak	290.00	100	Vertical	Pass
1**	1545.600	29.63	-19.75	54.0	24.37	AV	290.00	100	Vertical	Pass
2	2783.400	43.90	-9.95	74.0	30.10	Peak	290.00	100	Vertical	Pass
2**	2783.400	34.55	-9.95	54.0	19.45	AV	290.00	100	Vertical	Pass
3	3993.000	52.67	-7.83	74.0	21.33	Peak	224.00	200	Vertical	Pass
3**	3993.000	42.04	-7.83	54.0	11.96	AV	224.00	200	Vertical	Pass
4	5262.250	106.03	-4.91	--	--	Peak	285.00	400	Vertical	N/A
4**	5262.250	99.04	-4.91	--	--	AV	285.00	400	Vertical	N/A
5	7349.500	52.27	-1.09	74.0	21.73	Peak	164.00	200	Vertical	Pass
5**	7349.500	43.45	-1.09	54.0	10.55	AV	164.00	200	Vertical	Pass
6	12577.575	52.41	1.36	74.0	21.59	Peak	155.00	400	Vertical	Pass
6**	12577.575	43.24	1.36	54.0	10.76	AV	155.00	400	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.200	40.74	-19.35	74.0	33.26	Peak	153.00	300	Horizontal	Pass
1**	1538.200	30.20	-19.35	54.0	23.80	AV	153.00	300	Horizontal	Pass
2	2783.900	43.21	-10.19	74.0	30.79	Peak	331.00	300	Horizontal	Pass
2**	2783.900	35.08	-10.19	54.0	18.92	AV	331.00	300	Horizontal	Pass
3	3993.500	47.89	-7.46	74.0	26.11	Peak	165.00	100	Horizontal	Pass
3**	3993.500	36.14	-7.46	54.0	17.86	AV	165.00	100	Horizontal	Pass
4	5297.500	106.62	-5.14	--	--	Peak	204.00	200	Horizontal	N/A
4**	5297.500	100.30	-5.14	--	--	AV	204.00	200	Horizontal	N/A
5	7587.250	52.99	-0.72	74.0	21.01	Peak	123.00	200	Horizontal	Pass
5**	7587.250	43.53	-0.72	54.0	10.47	AV	123.00	200	Horizontal	Pass
6	12303.974	52.50	0.66	74.0	21.50	Peak	51.00	400	Horizontal	Pass
6**	12303.974	43.26	0.66	54.0	10.74	AV	51.00	400	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.000	42.24	-19.01	74.0	31.76	Peak	282.00	400	Vertical	Pass
1**	1529.000	30.99	-19.01	54.0	23.01	AV	282.00	400	Vertical	Pass
2	2783.000	44.04	-9.46	74.0	29.96	Peak	105.00	100	Vertical	Pass
2**	2783.000	36.25	-9.46	54.0	17.75	AV	105.00	100	Vertical	Pass
3	3993.750	57.73	-7.47	74.0	16.27	Peak	224.00	100	Vertical	Pass
3**	3993.750	45.26	-7.47	54.0	8.74	AV	224.00	100	Vertical	Pass
4	5296.750	106.61	-5.26	--	--	Peak	285.00	200	Vertical	N/A
4**	5296.750	99.29	-5.26	--	--	AV	285.00	200	Vertical	N/A
5	7580.250	52.88	0.18	74.0	21.12	Peak	89.00	200	Vertical	Pass
5**	7580.250	45.23	0.18	54.0	8.77	AV	89.00	200	Vertical	Pass
6	12405.625	53.17	0.37	74.0	20.83	Peak	294.00	100	Vertical	Pass
6**	12405.625	42.59	0.37	54.0	11.41	AV	294.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.800	40.39	-19.32	74.0	33.61	Peak	158.00	400	Horizontal	Pass
1**	1532.800	31.09	-19.32	54.0	22.91	AV	158.00	400	Horizontal	Pass
2	2776.700	43.72	-10.47	74.0	30.28	Peak	334.00	100	Horizontal	Pass
2**	2776.700	34.42	-10.47	54.0	19.58	AV	334.00	100	Horizontal	Pass
3	3994.000	46.60	-7.53	74.0	27.40	Peak	230.00	150	Horizontal	Pass
3**	3994.000	36.46	-7.53	54.0	17.54	AV	230.00	150	Horizontal	Pass
4	5321.500	107.69	-4.95	--	--	Peak	268.00	400	Horizontal	N/A
4**	5321.500	100.24	-4.95	--	--	AV	268.00	400	Horizontal	N/A
5	7639.500	52.80	-1.27	74.0	21.20	Peak	133.00	100	Horizontal	Pass
5**	7639.500	43.29	-1.27	54.0	10.71	AV	133.00	100	Horizontal	Pass
6	12424.388	53.22	0.59	74.0	20.78	Peak	172.00	400	Horizontal	Pass
6**	12424.388	43.18	0.59	54.0	10.82	AV	172.00	400	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.000	41.39	-19.31	74.0	32.61	Peak	288.00	400	Vertical	Pass
1**	1541.000	31.44	-19.31	54.0	22.56	AV	288.00	400	Vertical	Pass
2	2777.600	43.97	-10.12	74.0	30.03	Peak	217.00	200	Vertical	Pass
2**	2777.600	34.44	-10.12	54.0	19.56	AV	217.00	200	Vertical	Pass
3	3993.750	55.58	-7.47	74.0	18.42	Peak	232.00	200	Vertical	Pass
3**	3993.750	37.98	-7.47	54.0	16.02	AV	232.00	200	Vertical	Pass
4	5317.500	105.88	-4.93	--	--	Peak	269.00	100	Vertical	N/A
4**	5317.500	98.12	-4.93	--	--	AV	269.00	100	Vertical	N/A
5	7337.250	53.06	-1.39	74.0	20.94	Peak	137.00	200	Vertical	Pass
5**	7337.250	44.84	-1.39	54.0	9.16	AV	137.00	200	Vertical	Pass
6	12652.862	52.63	0.71	74.0	21.37	Peak	201.00	400	Vertical	Pass
6**	12652.862	41.83	0.71	54.0	12.17	AV	201.00	400	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.700	40.31	-19.31	74.0	33.69	Peak	249.00	300	Horizontal	Pass
1**	1531.700	30.57	-19.31	54.0	23.43	AV	249.00	300	Horizontal	Pass
2	2790.500	43.33	-10.76	74.0	30.67	Peak	275.00	400	Horizontal	Pass
2**	2790.500	34.11	-10.76	54.0	19.89	AV	275.00	400	Horizontal	Pass
3	3993.750	47.59	-7.47	74.0	26.41	Peak	307.00	150	Horizontal	Pass
3**	3993.750	36.69	-7.47	54.0	17.31	AV	307.00	150	Horizontal	Pass
4	5275.500	106.00	-4.12	--	--	Peak	190.00	300	Horizontal	N/A
4**	5275.500	97.34	-4.12	--	--	AV	190.00	300	Horizontal	N/A
5	7577.000	52.59	-0.36	74.0	21.41	Peak	288.00	200	Horizontal	Pass
5**	7577.000	43.99	-0.36	54.0	10.01	AV	288.00	200	Horizontal	Pass
6	12357.412	52.60	0.67	74.0	21.40	Peak	196.00	100	Horizontal	Pass
6**	12357.412	43.16	0.67	54.0	10.84	AV	196.00	100	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.200	40.99	-19.76	74.0	33.01	Peak	296.00	100	Vertical	Pass
1**	1543.200	32.07	-19.76	54.0	21.93	AV	296.00	100	Vertical	Pass
2	2782.400	44.16	-9.91	74.0	29.84	Peak	304.00	100	Vertical	Pass
2**	2782.400	34.66	-9.91	54.0	19.34	AV	304.00	100	Vertical	Pass
3	3994.000	50.81	-7.53	74.0	23.19	Peak	243.00	150	Vertical	Pass
3**	3994.000	39.11	-7.53	54.0	14.89	AV	243.00	150	Vertical	Pass
4	5275.500	104.11	-4.12	--	--	Peak	283.00	100	Vertical	N/A
4**	5275.500	95.63	-4.12	--	--	AV	283.00	100	Vertical	N/A
5	7530.250	52.91	-1.74	74.0	21.09	Peak	104.00	100	Vertical	Pass
5**	7530.250	44.22	-1.74	54.0	9.78	AV	104.00	100	Vertical	Pass
6	12548.600	52.23	1.58	74.0	21.77	Peak	67.00	200	Vertical	Pass
6**	12548.600	43.27	1.58	54.0	10.73	AV	67.00	200	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.500	40.50	-19.60	74.0	33.50	Peak	253.00	400	Horizontal	Pass
1**	1532.500	31.14	-19.60	54.0	22.86	AV	253.00	400	Horizontal	Pass
2	2777.100	43.35	-10.30	74.0	30.65	Peak	190.00	300	Horizontal	Pass
2**	2777.100	34.71	-10.30	54.0	19.29	AV	190.00	300	Horizontal	Pass
3	3993.750	47.08	-7.47	74.0	26.92	Peak	151.00	200	Horizontal	Pass
3**	3993.750	36.04	-7.47	54.0	17.96	AV	151.00	200	Horizontal	Pass
4	5321.500	105.92	-4.95	--	--	Peak	208.00	200	Horizontal	N/A
4**	5321.500	98.33	-4.95	--	--	AV	208.00	200	Horizontal	N/A
5	7604.500	53.05	-0.83	74.0	20.95	Peak	248.00	200	Horizontal	Pass
5**	7604.500	43.53	-0.83	54.0	10.47	AV	248.00	200	Horizontal	Pass
6	12582.088	52.40	1.32	74.0	21.60	Peak	164.00	300	Horizontal	Pass
6**	12582.088	43.28	1.32	54.0	10.72	AV	164.00	300	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.700	41.03	-19.39	74.0	32.97	Peak	282.00	300	Vertical	Pass
1**	1540.700	33.19	-19.39	54.0	20.81	AV	282.00	300	Vertical	Pass
2	2785.400	43.71	-10.07	74.0	30.29	Peak	291.00	400	Vertical	Pass
2**	2785.400	34.23	-10.07	54.0	19.77	AV	291.00	400	Vertical	Pass
3	3993.250	50.28	-7.62	74.0	23.72	Peak	199.00	100	Vertical	Pass
3**	3993.250	38.27	-7.62	54.0	15.73	AV	199.00	100	Vertical	Pass
4	5320.000	104.16	-5.08	--	--	Peak	282.00	100	Vertical	N/A
4**	5320.000	96.00	-5.08	--	--	AV	282.00	100	Vertical	N/A
5	7574.500	52.54	-0.57	74.0	21.46	Peak	37.00	100	Vertical	Pass
5**	7574.500	43.38	-0.57	54.0	10.62	AV	37.00	100	Vertical	Pass
6	12333.901	53.44	0.71	74.0	20.56	Peak	205.00	100	Vertical	Pass
6**	12333.901	43.68	0.71	54.0	10.32	AV	205.00	100	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.400	40.42	-19.31	74.0	33.58	Peak	245.00	200	Horizontal	Pass
1**	1544.400	31.54	-19.31	54.0	22.46	AV	245.00	200	Horizontal	Pass
2	2791.100	44.55	-10.50	74.0	29.45	Peak	263.00	200	Horizontal	Pass
2**	2791.100	35.45	-10.50	54.0	18.55	AV	263.00	200	Horizontal	Pass
3	4358.000	47.25	-6.45	74.0	26.75	Peak	0.00	150	Horizontal	Pass
3**	4358.000	37.73	-6.45	54.0	16.27	AV	0.00	150	Horizontal	Pass
4	5285.250	100.90	-4.54	--	--	Peak	203.00	300	Horizontal	N/A
4**	5285.250	92.37	-4.54	--	--	AV	203.00	300	Horizontal	N/A
5	7587.250	52.93	-0.72	74.0	21.07	Peak	203.00	200	Horizontal	Pass
5**	7587.250	43.44	-0.72	54.0	10.56	AV	203.00	200	Horizontal	Pass
6	12341.026	52.18	0.72	74.0	21.82	Peak	305.00	200	Horizontal	Pass
6**	12341.026	43.51	0.72	54.0	10.49	AV	305.00	200	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.000	41.49	-19.58	74.0	32.51	Peak	277.00	400	Vertical	Pass
1**	1543.000	32.17	-19.58	54.0	21.83	AV	277.00	400	Vertical	Pass
2	2785.100	43.17	-9.97	74.0	30.83	Peak	233.00	200	Vertical	Pass
2**	2785.100	34.78	-9.97	54.0	19.22	AV	233.00	200	Vertical	Pass
3	3994.250	52.17	-7.64	74.0	21.83	Peak	225.00	200	Vertical	Pass
3**	3994.250	38.97	-7.64	54.0	15.03	AV	225.00	200	Vertical	Pass
4	5308.500	100.15	-5.01	--	--	Peak	285.00	100	Vertical	N/A
4**	5308.500	91.76	-5.01	--	--	AV	285.00	100	Vertical	N/A
5	7583.250	52.85	-0.08	74.0	21.15	Peak	344.00	100	Vertical	Pass
5**	7583.250	44.27	-0.08	54.0	9.73	AV	344.00	100	Vertical	Pass
6	12543.612	52.57	1.47	74.0	21.43	Peak	139.00	400	Vertical	Pass
6**	12543.612	43.40	1.47	54.0	10.60	AV	139.00	400	Vertical	Pass

11x20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.000	40.39	-19.35	74.0	33.61	Peak	250.00	200	Horizontal	Pass
1**	1549.000	27.27	-19.35	54.0	26.73	AV	250.00	200	Horizontal	Pass
2	2774.700	43.56	-10.94	74.0	30.44	Peak	224.00	300	Horizontal	Pass
2**	2774.700	34.62	-10.94	54.0	19.38	AV	224.00	300	Horizontal	Pass
3	3993.500	48.61	-7.46	74.0	25.39	Peak	211.00	150	Horizontal	Pass
3**	3993.500	36.97	-7.46	54.0	17.03	AV	211.00	150	Horizontal	Pass
4	5256.000	106.72	-5.36	--	--	Peak	268.00	400	Horizontal	N/A
4**	5256.000	99.07	-5.36	--	--	AV	268.00	400	Horizontal	N/A
5	7582.250	54.24	-0.05	74.0	19.76	Peak	115.00	100	Horizontal	Pass
5**	7582.250	44.15	-0.05	54.0	9.85	AV	115.00	100	Horizontal	Pass
6	12580.901	52.59	1.33	74.0	21.41	Peak	355.00	400	Horizontal	Pass
6**	12580.901	43.96	1.33	54.0	10.04	AV	355.00	400	Horizontal	Pass

11x20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.100	41.43	-19.67	74.0	32.57	Peak	296.00	300	Vertical	Pass
1**	1543.100	33.82	-19.67	54.0	20.18	AV	296.00	300	Vertical	Pass
2	2783.000	43.52	-9.46	74.0	30.48	Peak	253.00	200	Vertical	Pass
2**	2783.000	35.26	-9.46	54.0	18.74	AV	253.00	200	Vertical	Pass
3	3993.500	55.16	-7.46	74.0	18.84	Peak	166.00	100	Vertical	Pass
3**	3993.500	36.97	-7.46	54.0	17.03	AV	166.00	100	Vertical	Pass
4	5256.000	106.87	-5.36	--	--	Peak	285.00	400	Vertical	N/A
4**	5256.000	97.46	-5.36	--	--	AV	285.00	400	Vertical	N/A
5	7603.250	52.91	-0.79	74.0	21.09	Peak	146.00	200	Vertical	Pass
5**	7603.250	44.19	-0.79	54.0	9.81	AV	146.00	200	Vertical	Pass
6	12516.062	52.62	0.86	74.0	21.38	Peak	291.00	400	Vertical	Pass
6**	12516.062	42.02	0.86	54.0	11.98	AV	291.00	400	Vertical	Pass

11x20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.600	41.09	-19.37	74.0	32.91	Peak	156.00	200	Horizontal	Pass
1**	1531.600	29.97	-19.37	54.0	24.03	AV	156.00	200	Horizontal	Pass
2	2868.800	43.29	-11.53	74.0	30.71	Peak	65.00	400	Horizontal	Pass
2**	2868.800	33.83	-11.53	54.0	20.17	AV	65.00	400	Horizontal	Pass
3	4352.750	46.34	-6.23	74.0	27.66	Peak	191.00	150	Horizontal	Pass
3**	4352.750	37.36	-6.23	54.0	16.64	AV	191.00	150	Horizontal	Pass
4	5298.500	107.39	-5.28	--	--	Peak	0.00	100	Horizontal	N/A
4**	5298.500	99.62	-5.28	--	--	AV	0.00	100	Horizontal	N/A
5	7366.750	52.82	-0.68	74.0	21.18	Peak	76.00	200	Horizontal	Pass
5**	7366.750	43.42	-0.68	54.0	10.58	AV	76.00	200	Horizontal	Pass
6	12611.775	52.78	1.05	74.0	21.22	Peak	258.00	300	Horizontal	Pass
6**	12611.775	43.29	1.05	54.0	10.71	AV	258.00	300	Horizontal	Pass

11x20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.000	41.46	-19.65	74.0	32.54	Peak	274.00	400	Vertical	Pass
1**	1542.000	30.37	-19.65	54.0	23.63	AV	274.00	400	Vertical	Pass
2	2777.600	43.24	-10.12	74.0	30.76	Peak	319.00	400	Vertical	Pass
2**	2777.600	34.92	-10.12	54.0	19.08	AV	319.00	400	Vertical	Pass
3	3993.500	56.20	-7.46	74.0	17.80	Peak	229.00	200	Vertical	Pass
3**	3993.500	37.20	-7.46	54.0	16.80	AV	229.00	200	Vertical	Pass
4	5297.000	106.67	-5.14	--	--	Peak	268.00	200	Vertical	N/A
4**	5297.000	99.26	-5.14	--	--	AV	268.00	200	Vertical	N/A
5	7372.000	53.53	-1.03	74.0	20.47	Peak	97.00	100	Vertical	Pass
5**	7372.000	43.01	-1.03	54.0	10.99	AV	97.00	100	Vertical	Pass
6	12579.000	52.66	1.34	74.0	21.34	Peak	93.00	400	Vertical	Pass
6**	12579.000	43.42	1.34	54.0	10.58	AV	93.00	400	Vertical	Pass

11x20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.100	40.24	-19.28	74.0	33.76	Peak	247.00	400	Horizontal	Pass
1**	1528.100	31.59	-19.28	54.0	22.41	AV	247.00	400	Horizontal	Pass
2	2782.900	43.71	-9.58	74.0	30.29	Peak	134.00	400	Horizontal	Pass
2**	2782.900	35.06	-9.58	54.0	18.94	AV	134.00	400	Horizontal	Pass
3	4356.500	47.25	-6.27	74.0	26.75	Peak	0.00	200	Horizontal	Pass
3**	4356.500	37.38	-6.27	54.0	16.62	AV	0.00	200	Horizontal	Pass
4	5322.000	108.45	-5.32	--	--	Peak	269.00	400	Horizontal	N/A
4**	5322.000	100.40	-5.32	--	--	AV	269.00	400	Horizontal	N/A
5	7582.750	52.81	0.29	74.0	21.19	Peak	41.00	100	Horizontal	Pass
5**	7582.750	45.10	0.29	54.0	8.90	AV	41.00	100	Horizontal	Pass
6	12601.800	52.48	1.14	74.0	21.52	Peak	225.00	100	Horizontal	Pass
6**	12601.800	42.70	1.14	54.0	11.30	AV	225.00	100	Horizontal	Pass

11x20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.200	41.36	-19.72	74.0	32.64	Peak	290.00	200	Vertical	Pass
1**	1541.200	34.68	-19.72	54.0	19.32	AV	290.00	200	Vertical	Pass
2	2837.500	43.97	-11.70	74.0	30.03	Peak	299.00	100	Vertical	Pass
2**	2837.500	33.85	-11.70	54.0	20.15	AV	299.00	100	Vertical	Pass
3	3993.750	56.08	-7.47	74.0	17.92	Peak	173.00	200	Vertical	Pass
3**	3993.750	38.73	-7.47	54.0	15.27	AV	173.00	200	Vertical	Pass
4	5322.750	107.51	-5.11	--	--	Peak	268.00	400	Vertical	N/A
4**	5322.750	99.05	-5.11	--	--	AV	268.00	400	Vertical	N/A
5	7590.750	53.16	-0.86	74.0	20.84	Peak	345.00	150	Vertical	Pass
5**	7590.750	44.64	-0.86	54.0	9.36	AV	345.00	150	Vertical	Pass
6	12582.325	53.30	1.31	74.0	20.70	Peak	284.00	100	Vertical	Pass
6**	12582.325	44.66	1.31	54.0	9.34	AV	284.00	100	Vertical	Pass

11x40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.900	41.11	-19.04	74.0	32.89	Peak	159.00	100	Horizontal	Pass
1**	1528.900	31.29	-19.04	54.0	22.71	AV	159.00	100	Horizontal	Pass
2	2783.400	43.46	-9.95	74.0	30.54	Peak	238.00	400	Horizontal	Pass
2**	2783.400	35.44	-9.95	54.0	18.56	AV	238.00	400	Horizontal	Pass
3	4127.750	46.36	-6.55	74.0	27.64	Peak	326.00	150	Horizontal	Pass
3**	4127.750	37.39	-6.55	54.0	16.61	AV	326.00	150	Horizontal	Pass
4	5274.750	106.78	-4.35	--	--	Peak	269.00	100	Horizontal	N/A
4**	5274.750	97.04	-4.35	--	--	AV	269.00	100	Horizontal	N/A
5	7401.750	53.04	-1.78	74.0	20.96	Peak	288.00	200	Horizontal	Pass
5**	7401.750	42.32	-1.78	54.0	11.68	AV	288.00	200	Horizontal	Pass
6	12580.187	52.51	1.33	74.0	21.49	Peak	177.00	300	Horizontal	Pass
6**	12580.187	43.72	1.33	54.0	10.28	AV	177.00	300	Horizontal	Pass

11x40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.200	41.44	-19.41	74.0	32.56	Peak	277.00	200	Vertical	Pass
1**	1540.200	31.44	-19.41	54.0	22.56	AV	277.00	200	Vertical	Pass
2	2784.100	43.75	-10.28	74.0	30.25	Peak	360.00	400	Vertical	Pass
2**	2784.100	34.01	-10.28	54.0	19.99	AV	360.00	400	Vertical	Pass
3	3993.500	54.13	-7.46	74.0	19.87	Peak	169.00	200	Vertical	Pass
3**	3993.500	44.37	-7.46	54.0	9.63	AV	169.00	200	Vertical	Pass
4	5260.750	105.42	-4.91	--	--	Peak	284.00	300	Vertical	N/A
4**	5260.750	94.22	-4.91	--	--	AV	284.00	300	Vertical	N/A
5	7326.500	53.41	-1.47	74.0	20.59	Peak	169.00	150	Vertical	Pass
5**	7326.500	43.93	-1.47	54.0	10.07	AV	169.00	150	Vertical	Pass
6	12611.063	52.37	1.06	74.0	21.63	Peak	12.00	400	Vertical	Pass
6**	12611.063	43.74	1.06	54.0	10.26	AV	12.00	400	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.800	40.71	-19.81	74.0	33.29	Peak	159.00	100	Horizontal	Pass
1**	1527.800	33.26	-19.81	54.0	20.74	AV	159.00	100	Horizontal	Pass
2	2784.000	43.81	-10.22	74.0	30.19	Peak	53.00	400	Horizontal	Pass
2**	2784.000	34.02	-10.22	54.0	19.98	AV	53.00	400	Horizontal	Pass
3	4338.500	46.68	-6.36	74.0	27.32	Peak	60.00	150	Horizontal	Pass
3**	4338.500	38.07	-6.36	54.0	15.93	AV	60.00	150	Horizontal	Pass
4	5317.250	105.55	-4.58	--	--	Peak	260.00	200	Horizontal	N/A
4**	5317.250	98.27	-4.58	--	--	AV	260.00	200	Horizontal	N/A
5	7498.750	53.07	0.09	74.0	20.93	Peak	281.00	150	Horizontal	Pass
5**	7498.750	44.67	0.09	54.0	9.33	AV	281.00	150	Horizontal	Pass
6	12437.213	52.35	0.74	74.0	21.65	Peak	330.00	300	Horizontal	Pass
6**	12437.213	43.02	0.74	54.0	10.98	AV	330.00	300	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.900	41.52	-19.71	74.0	32.48	Peak	289.00	400	Vertical	Pass
1**	1544.900	31.61	-19.71	54.0	22.39	AV	289.00	400	Vertical	Pass
2	2786.700	43.42	-10.02	74.0	30.58	Peak	53.00	200	Vertical	Pass
2**	2786.700	34.71	-10.02	54.0	19.29	AV	53.00	200	Vertical	Pass
3	3994.000	53.13	-7.53	74.0	20.87	Peak	230.00	200	Vertical	Pass
3**	3994.000	36.45	-7.53	54.0	17.55	AV	230.00	200	Vertical	Pass
4	5320.250	104.09	-4.86	--	--	Peak	269.00	200	Vertical	N/A
4**	5320.250	95.07	-4.86	--	--	AV	269.00	200	Vertical	N/A
5	7580.250	52.66	0.18	74.0	21.34	Peak	19.00	200	Vertical	Pass
5**	7580.250	43.79	0.18	54.0	10.21	AV	19.00	200	Vertical	Pass
6	12547.174	52.09	1.55	74.0	21.91	Peak	145.00	200	Vertical	Pass
6**	12547.174	43.77	1.55	54.0	10.23	AV	145.00	200	Vertical	Pass

11x80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.600	40.38	-19.36	74.0	33.62	Peak	158.00	300	Horizontal	Pass
1**	1528.600	30.18	-19.36	54.0	23.82	AV	158.00	300	Horizontal	Pass
2	2783.100	43.23	-9.34	74.0	30.77	Peak	351.00	400	Horizontal	Pass
2**	2783.100	35.69	-9.34	54.0	18.31	AV	351.00	400	Horizontal	Pass
3	4346.500	47.27	-6.19	74.0	26.73	Peak	85.00	200	Horizontal	Pass
3**	4346.500	37.29	-6.19	54.0	16.71	AV	85.00	200	Horizontal	Pass
4	5207.750	100.83	-4.38	--	--	Peak	263.00	200	Horizontal	N/A
4**	5207.750	89.90	-4.38	--	--	AV	263.00	200	Horizontal	N/A
5	7350.750	52.60	-1.00	74.0	21.40	Peak	263.00	100	Horizontal	Pass
5**	7350.750	43.76	-1.00	54.0	10.24	AV	263.00	100	Horizontal	Pass
6	12514.638	52.26	0.83	74.0	21.74	Peak	0.00	200	Horizontal	Pass
6**	12514.638	43.05	0.83	54.0	10.95	AV	0.00	200	Horizontal	Pass

11x80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.300	41.53	-19.39	74.0	32.47	Peak	285.00	400	Vertical	Pass
1**	1538.300	31.51	-19.39	54.0	22.49	AV	285.00	400	Vertical	Pass
2	2788.300	43.62	-10.64	74.0	30.38	Peak	113.00	400	Vertical	Pass
2**	2788.300	34.04	-10.64	54.0	19.96	AV	113.00	400	Vertical	Pass
3	3994.000	51.26	-7.53	74.0	22.74	Peak	153.00	150	Vertical	Pass
3**	3994.000	40.13	-7.53	54.0	13.87	AV	153.00	150	Vertical	Pass
4	5222.000	97.61	-5.01	--	--	Peak	287.00	400	Vertical	N/A
4**	5222.000	88.51	-5.01	--	--	AV	287.00	400	Vertical	N/A
5	7542.500	52.71	-1.06	74.0	21.29	Peak	287.00	100	Vertical	Pass
5**	7542.500	43.68	-1.06	54.0	10.32	AV	287.00	100	Vertical	Pass
6	12303.500	52.63	0.66	74.0	21.37	Peak	289.00	100	Vertical	Pass
6**	12303.500	44.26	0.66	54.0	9.74	AV	289.00	100	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.900	40.53	-19.19	74.0	33.47	Peak	251.00	400	Horizontal	Pass
1**	1531.900	31.81	-19.19	54.0	22.19	AV	251.00	400	Horizontal	Pass
2	2786.300	43.72	-9.93	74.0	30.28	Peak	154.00	100	Horizontal	Pass
2**	2786.300	35.31	-9.93	54.0	18.69	AV	154.00	100	Horizontal	Pass
3	4325.250	46.21	-6.20	74.0	27.79	Peak	58.00	100	Horizontal	Pass
3**	4325.250	37.81	-6.20	54.0	16.19	AV	58.00	100	Horizontal	Pass
4	5496.250	108.80	-3.48	--	--	Peak	287.00	200	Horizontal	N/A
4**	5496.250	102.26	-3.48	--	--	AV	287.00	200	Horizontal	N/A
5	7575.500	52.95	-0.54	74.0	21.05	Peak	97.00	100	Horizontal	Pass
5**	7575.500	44.19	-0.54	54.0	9.81	AV	97.00	100	Horizontal	Pass
6	12440.776	52.60	0.78	74.0	21.40	Peak	222.00	100	Horizontal	Pass
6**	12440.776	42.36	0.78	54.0	11.64	AV	222.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.200	41.33	-19.20	74.0	32.67	Peak	276.00	200	Vertical	Pass
1**	1544.200	32.29	-19.20	54.0	21.71	AV	276.00	200	Vertical	Pass
2	2782.700	43.93	-9.82	74.0	30.07	Peak	181.00	200	Vertical	Pass
2**	2782.700	34.63	-9.82	54.0	19.37	AV	181.00	200	Vertical	Pass
3	3993.750	56.69	-7.47	74.0	17.31	Peak	229.00	200	Vertical	Pass
3**	3993.750	40.81	-7.47	54.0	13.19	AV	229.00	200	Vertical	Pass
4	5497.500	108.70	-3.33	--	--	Peak	267.00	100	Vertical	N/A
4**	5497.500	101.34	-3.33	--	--	AV	267.00	100	Vertical	N/A
5	7580.500	52.88	-0.05	74.0	21.12	Peak	56.00	150	Vertical	Pass
5**	7580.500	43.72	-0.05	54.0	10.28	AV	56.00	150	Vertical	Pass
6	12525.088	52.75	1.06	74.0	21.25	Peak	169.00	300	Vertical	Pass
6**	12525.088	43.40	1.06	54.0	10.60	AV	169.00	300	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.900	40.37	-19.26	74.0	33.63	Peak	283.00	100	Horizontal	Pass
1**	1537.900	30.52	-19.26	54.0	23.48	AV	283.00	100	Horizontal	Pass
2	2783.800	43.29	-10.19	74.0	30.71	Peak	320.00	400	Horizontal	Pass
2**	2783.800	34.46	-10.19	54.0	19.54	AV	320.00	400	Horizontal	Pass
3	4331.000	47.25	-5.42	74.0	26.75	Peak	344.00	150	Horizontal	Pass
3**	4331.000	38.24	-5.42	54.0	15.76	AV	344.00	150	Horizontal	Pass
4	5575.500	108.58	-4.76	--	--	Peak	268.00	100	Horizontal	N/A
4**	5575.500	101.11	-4.76	--	--	AV	268.00	100	Horizontal	N/A
5	7337.250	53.30	-1.39	74.0	20.70	Peak	191.00	100	Horizontal	Pass
5**	7337.250	43.55	-1.39	54.0	10.45	AV	191.00	100	Horizontal	Pass
6	12392.088	52.20	0.37	74.0	21.80	Peak	65.00	100	Horizontal	Pass
6**	12392.088	42.29	0.37	54.0	11.71	AV	65.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.000	39.38	-19.40	74.0	34.62	Peak	60.00	100	Vertical	Pass
1**	1533.000	29.40	-19.40	54.0	24.60	AV	60.00	100	Vertical	Pass
2	2803.800	43.11	-11.61	74.0	30.89	Peak	229.00	100	Vertical	Pass
2**	2803.800	33.53	-11.61	54.0	20.47	AV	229.00	100	Vertical	Pass
3	3994.000	50.43	-7.53	74.0	23.57	Peak	180.00	200	Vertical	Pass
3**	3994.000	36.08	-7.53	54.0	17.92	AV	180.00	200	Vertical	Pass
4	5581.000	106.80	-4.53	--	--	Peak	283.00	200	Vertical	N/A
4**	5581.000	99.28	-4.53	--	--	AV	283.00	200	Vertical	N/A
5	7583.000	52.75	0.28	74.0	21.25	Peak	220.00	150	Vertical	Pass
5**	7583.000	44.23	0.28	54.0	9.77	AV	220.00	150	Vertical	Pass
6	12546.938	52.39	1.54	74.0	21.61	Peak	139.00	300	Vertical	Pass
6**	12546.938	43.01	1.54	54.0	10.99	AV	139.00	300	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.700	39.82	-19.60	74.0	34.18	Peak	155.00	200	Horizontal	Pass
1**	1543.700	28.75	-19.60	54.0	25.25	AV	155.00	200	Horizontal	Pass
2	2782.800	43.58	-9.70	74.0	30.42	Peak	255.00	100	Horizontal	Pass
2**	2782.800	35.18	-9.70	54.0	18.82	AV	255.00	100	Horizontal	Pass
3	4343.000	46.58	-5.75	74.0	27.42	Peak	171.00	200	Horizontal	Pass
3**	4343.000	38.17	-5.75	54.0	15.83	AV	171.00	200	Horizontal	Pass
4	5695.250	107.80	-4.96	--	--	Peak	305.00	200	Horizontal	N/A
4**	5695.250	100.48	-4.96	--	--	AV	305.00	200	Horizontal	N/A
5	7604.000	53.21	-0.97	74.0	20.79	Peak	20.00	150	Horizontal	Pass
5**	7604.000	43.61	-0.97	54.0	10.39	AV	20.00	150	Horizontal	Pass
6	12586.125	52.47	1.28	74.0	21.53	Peak	82.00	400	Horizontal	Pass
6**	12586.125	43.07	1.28	54.0	10.93	AV	82.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.200	40.08	-19.72	74.0	33.92	Peak	47.00	400	Vertical	Pass
1**	1541.200	29.02	-19.72	54.0	24.98	AV	47.00	400	Vertical	Pass
2	2783.100	44.06	-9.34	74.0	29.94	Peak	108.00	200	Vertical	Pass
2**	2783.100	35.26	-9.34	54.0	18.74	AV	108.00	200	Vertical	Pass
3	3993.750	51.91	-7.47	74.0	22.09	Peak	228.00	100	Vertical	Pass
3**	3993.750	41.67	-7.47	54.0	12.33	AV	228.00	100	Vertical	Pass
4	5696.000	107.04	-4.89	--	--	Peak	75.00	400	Vertical	N/A
4**	5696.000	100.00	-4.89	--	--	AV	75.00	400	Vertical	N/A
5	7475.000	53.12	-1.10	74.0	20.88	Peak	306.00	150	Vertical	Pass
5**	7475.000	42.71	-1.10	54.0	11.29	AV	306.00	150	Vertical	Pass
6	12609.875	52.88	1.07	74.0	21.12	Peak	152.00	300	Vertical	Pass
6**	12609.875	43.22	1.07	54.0	10.78	AV	152.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.100	37.04	-19.43	74.0	36.96	Peak	34.00	200	Horizontal	Pass
1**	1560.100	27.56	-19.43	54.0	26.44	AV	34.00	200	Horizontal	Pass
2	2782.400	43.58	-9.91	74.0	30.42	Peak	235.00	100	Horizontal	Pass
2**	2782.400	34.48	-9.91	54.0	19.52	AV	235.00	100	Horizontal	Pass
3	4350.000	47.31	-5.73	74.0	26.69	Peak	155.00	200	Horizontal	Pass
3**	4350.000	37.71	-5.73	54.0	16.29	AV	155.00	200	Horizontal	Pass
4	5496.750	109.46	-3.59	--	--	Peak	269.00	200	Horizontal	N/A
4**	5496.750	101.40	-3.59	--	--	AV	269.00	200	Horizontal	N/A
5	7368.750	52.81	-0.60	74.0	21.19	Peak	0.00	150	Horizontal	Pass
5**	7368.750	43.68	-0.60	54.0	10.32	AV	0.00	150	Horizontal	Pass
6	12612.963	52.99	1.04	74.0	21.01	Peak	273.00	100	Horizontal	Pass
6**	12612.963	42.98	1.04	54.0	11.02	AV	273.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.500	39.08	-19.43	74.0	34.92	Peak	138.00	100	Vertical	Pass
1**	1544.500	30.31	-19.43	54.0	23.69	AV	138.00	100	Vertical	Pass
2	2782.800	43.85	-9.70	74.0	30.15	Peak	0.00	300	Vertical	Pass
2**	2782.800	35.41	-9.70	54.0	18.59	AV	0.00	300	Vertical	Pass
3	3993.750	52.58	-7.47	74.0	21.42	Peak	247.00	150	Vertical	Pass
3**	3993.750	35.55	-7.47	54.0	18.45	AV	247.00	150	Vertical	Pass
4	5498.500	107.73	-3.70	--	--	Peak	286.00	300	Vertical	N/A
4**	5498.500	101.11	-3.70	--	--	AV	286.00	300	Vertical	N/A
5	7394.250	52.78	-1.26	74.0	21.22	Peak	324.00	200	Vertical	Pass
5**	7394.250	43.78	-1.26	54.0	10.22	AV	324.00	200	Vertical	Pass
6	12341.262	52.12	0.72	74.0	21.88	Peak	348.00	100	Vertical	Pass
6**	12341.262	43.44	0.72	54.0	10.56	AV	348.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.500	40.39	-20.35	74.0	33.61	Peak	160.00	150	Horizontal	Pass
1**	1114.500	29.60	-20.35	54.0	24.40	AV	160.00	150	Horizontal	Pass
2	2788.400	43.64	-10.54	74.0	30.36	Peak	80.00	400	Horizontal	Pass
2**	2788.400	34.62	-10.54	54.0	19.38	AV	80.00	400	Horizontal	Pass
3	3994.000	48.37	-7.53	74.0	25.63	Peak	212.00	100	Horizontal	Pass
3**	3994.000	36.83	-7.53	54.0	17.17	AV	212.00	100	Horizontal	Pass
4	5581.500	108.01	-4.67	--	--	Peak	269.00	300	Horizontal	N/A
4**	5581.500	101.09	-4.67	--	--	AV	269.00	300	Horizontal	N/A
5	7370.250	52.93	-0.71	74.0	21.07	Peak	1.00	200	Horizontal	Pass
5**	7370.250	43.45	-0.71	54.0	10.55	AV	1.00	200	Horizontal	Pass
6	12547.888	52.68	1.56	74.0	21.32	Peak	114.00	300	Horizontal	Pass
6**	12547.888	42.50	1.56	54.0	11.50	AV	114.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.400	42.21	-19.47	74.0	31.79	Peak	293.00	200	Vertical	Pass
1**	1534.400	31.74	-19.47	54.0	22.26	AV	293.00	200	Vertical	Pass
2	2786.900	43.05	-10.22	74.0	30.95	Peak	329.00	300	Vertical	Pass
2**	2786.900	34.76	-10.22	54.0	19.24	AV	329.00	300	Vertical	Pass
3	3994.000	51.09	-7.53	74.0	22.91	Peak	136.00	150	Vertical	Pass
3**	3994.000	35.60	-7.53	54.0	18.40	AV	136.00	150	Vertical	Pass
4	5578.750	106.47	-4.67	--	--	Peak	97.00	400	Vertical	N/A
4**	5578.750	98.54	-4.67	--	--	AV	97.00	400	Vertical	N/A
5	5990.250	64.33	-5.21	68.2	3.87	Peak	231.00	150	Vertical	Pass
5**	5990.250	48.08	-5.21	--	--	AV	231.00	150	Vertical	N/A
6	12429.612	53.06	0.65	74.0	20.94	Peak	332.00	200	Vertical	Pass
6**	12429.612	43.14	0.65	54.0	10.86	AV	332.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.900	40.15	-19.10	74.0	33.85	Peak	164.00	200	Horizontal	Pass
1**	1540.900	32.69	-19.10	54.0	21.31	AV	164.00	200	Horizontal	Pass
2	2776.400	43.62	-10.63	74.0	30.38	Peak	65.00	200	Horizontal	Pass
2**	2776.400	35.02	-10.63	54.0	18.98	AV	65.00	200	Horizontal	Pass
3	4337.250	47.49	-5.45	74.0	26.51	Peak	0.00	200	Horizontal	Pass
3**	4337.250	38.40	-5.45	54.0	15.60	AV	0.00	200	Horizontal	Pass
4	5701.000	108.13	-5.85	--	--	Peak	263.00	300	Horizontal	N/A
4**	5701.000	99.16	-5.85	--	--	AV	263.00	300	Horizontal	N/A
5	7585.750	53.15	0.05	74.0	20.85	Peak	222.00	150	Horizontal	Pass
5**	7585.750	44.19	0.05	54.0	9.81	AV	222.00	150	Horizontal	Pass
6	12578.050	52.14	1.35	74.0	21.86	Peak	258.00	300	Horizontal	Pass
6**	12578.050	43.90	1.35	54.0	10.10	AV	258.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.900	41.98	-19.72	74.0	32.02	Peak	285.00	100	Vertical	Pass
1**	1542.900	29.57	-19.72	54.0	24.43	AV	285.00	100	Vertical	Pass
2	2786.000	43.45	-10.07	74.0	30.55	Peak	285.00	400	Vertical	Pass
2**	2786.000	34.64	-10.07	54.0	19.36	AV	285.00	400	Vertical	Pass
3	3993.250	52.50	-7.62	74.0	21.50	Peak	173.00	200	Vertical	Pass
3**	3993.250	39.76	-7.62	54.0	14.24	AV	173.00	200	Vertical	Pass
4	5702.750	106.46	-5.24	--	--	Peak	269.00	200	Vertical	N/A
4**	5702.750	99.49	-5.24	--	--	AV	269.00	200	Vertical	N/A
5	5990.250	62.68	-5.21	68.2	5.52	Peak	97.00	150	Vertical	Pass
5**	5990.250	51.99	-5.21	--	--	AV	97.00	150	Vertical	N/A
6	12610.113	52.18	1.06	74.0	21.82	Peak	44.00	400	Vertical	Pass
6**	12610.113	43.74	1.06	54.0	10.26	AV	44.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.300	39.87	-19.39	74.0	34.13	Peak	168.00	200	Horizontal	Pass
1**	1538.300	30.54	-19.39	54.0	23.46	AV	168.00	200	Horizontal	Pass
2	2782.000	45.23	-10.30	74.0	28.77	Peak	128.00	100	Horizontal	Pass
2**	2782.000	34.06	-10.30	54.0	19.94	AV	128.00	100	Horizontal	Pass
3	4344.500	46.84	-5.33	74.0	27.16	Peak	0.00	100	Horizontal	Pass
3**	4344.500	38.94	-5.33	54.0	15.06	AV	0.00	100	Horizontal	Pass
4	5516.250	106.50	-4.31	--	--	Peak	268.00	400	Horizontal	N/A
4**	5516.250	99.01	-4.31	--	--	AV	268.00	400	Horizontal	N/A
5	7585.750	52.81	0.05	74.0	21.19	Peak	268.00	100	Horizontal	Pass
5**	7585.750	44.36	0.05	54.0	9.64	AV	268.00	100	Horizontal	Pass
6	12548.600	52.87	1.58	74.0	21.13	Peak	181.00	400	Horizontal	Pass
6**	12548.600	44.71	1.58	54.0	9.29	AV	181.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.400	42.57	-20.54	74.0	31.43	Peak	290.00	150	Vertical	Pass
1**	1120.400	32.93	-20.54	54.0	21.07	AV	290.00	150	Vertical	Pass
2	2791.200	43.77	-10.47	74.0	30.23	Peak	200.00	300	Vertical	Pass
2**	2791.200	34.51	-10.47	54.0	19.49	AV	200.00	300	Vertical	Pass
3	3994.250	52.53	-7.64	74.0	21.47	Peak	229.00	150	Vertical	Pass
3**	3994.250	40.59	-7.64	54.0	13.41	AV	229.00	150	Vertical	Pass
4	5501.250	105.42	-3.87	--	--	Peak	268.00	100	Vertical	N/A
4**	5501.250	97.24	-3.87	--	--	AV	268.00	100	Vertical	N/A
5	5990.500	61.83	-5.16	68.2	6.37	Peak	344.00	150	Vertical	Pass
5**	5990.500	50.65	-5.16	--	--	AV	344.00	150	Vertical	N/A
6	12586.599	52.77	1.27	74.0	21.23	Peak	349.00	100	Vertical	Pass
6**	12586.599	43.85	1.27	54.0	10.15	AV	349.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.100	38.47	-19.36	74.0	35.53	Peak	280.00	400	Horizontal	Pass
1**	1532.100	29.38	-19.36	54.0	24.62	AV	280.00	400	Horizontal	Pass
2	2867.100	43.19	-11.29	74.0	30.81	Peak	159.00	400	Horizontal	Pass
2**	2867.100	33.18	-11.29	54.0	20.82	AV	159.00	400	Horizontal	Pass
3	4308.000	47.42	-6.08	74.0	26.58	Peak	360.00	150	Horizontal	Pass
3**	4308.000	37.31	-6.08	54.0	16.69	AV	360.00	150	Horizontal	Pass
4	5581.750	106.23	-4.79	--	--	Peak	269.00	300	Horizontal	N/A
4**	5581.750	98.79	-4.79	--	--	AV	269.00	300	Horizontal	N/A
5	5990.000	59.75	-5.20	68.2	8.45	Peak	77.00	150	Horizontal	Pass
5**	5990.000	40.11	-5.20	--	--	AV	77.00	150	Horizontal	N/A
6	12304.925	52.89	0.66	74.0	21.11	Peak	88.00	200	Horizontal	Pass
6**	12304.925	43.93	0.66	54.0	10.07	AV	88.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.400	40.09	-19.46	74.0	33.91	Peak	296.00	300	Vertical	Pass
1**	1538.400	28.20	-19.46	54.0	25.80	AV	296.00	300	Vertical	Pass
2	2787.100	43.33	-10.33	74.0	30.67	Peak	125.00	150	Vertical	Pass
2**	2787.100	34.44	-10.33	54.0	19.56	AV	125.00	150	Vertical	Pass
3	3993.750	55.31	-7.47	74.0	18.69	Peak	224.00	150	Vertical	Pass
3**	3993.750	44.84	-7.47	54.0	9.16	AV	224.00	150	Vertical	Pass
4	5594.500	104.09	-4.61	--	--	Peak	264.00	200	Vertical	N/A
4**	5594.500	97.40	-4.61	--	--	AV	264.00	200	Vertical	N/A
5	5990.500	63.49	-5.16	68.2	4.71	Peak	244.00	150	Vertical	Pass
5**	5990.500	52.61	-5.16	--	--	AV	244.00	150	Vertical	N/A
6	12574.488	52.80	1.39	74.0	21.20	Peak	339.00	400	Vertical	Pass
6**	12574.488	43.75	1.39	54.0	10.25	AV	339.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.300	39.82	-19.91	74.0	34.18	Peak	247.00	300	Horizontal	Pass
1**	1541.300	29.91	-19.91	54.0	24.09	AV	247.00	300	Horizontal	Pass
2	2786.500	43.46	-9.82	74.0	30.54	Peak	219.00	400	Horizontal	Pass
2**	2786.500	34.53	-9.82	54.0	19.47	AV	219.00	400	Horizontal	Pass
3	4345.250	46.74	-5.90	74.0	27.26	Peak	262.00	100	Horizontal	Pass
3**	4345.250	37.94	-5.90	54.0	16.06	AV	262.00	100	Horizontal	Pass
4	5676.000	105.93	-4.88	--	--	Peak	262.00	100	Horizontal	N/A
4**	5676.000	98.36	-4.88	--	--	AV	262.00	100	Horizontal	N/A
5	5990.750	59.58	-4.93	68.2	8.62	Peak	103.00	150	Horizontal	Pass
5**	5990.750	44.39	-4.93	--	--	AV	103.00	150	Horizontal	N/A
6	12580.425	52.59	1.33	74.0	21.41	Peak	287.00	400	Horizontal	Pass
6**	12580.425	43.60	1.33	54.0	10.40	AV	287.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.500	37.69	-19.49	74.0	36.31	Peak	193.00	300	Vertical	Pass
1**	1537.500	28.17	-19.49	54.0	25.83	AV	193.00	300	Vertical	Pass
2	2789.300	43.17	-10.85	74.0	30.83	Peak	159.00	200	Vertical	Pass
2**	2789.300	34.14	-10.85	54.0	19.86	AV	159.00	200	Vertical	Pass
3	3993.500	47.75	-7.46	74.0	26.25	Peak	99.00	150	Vertical	Pass
3**	3993.500	38.23	-7.46	54.0	15.77	AV	99.00	150	Vertical	Pass
4	5680.500	104.59	-4.73	--	--	Peak	269.00	400	Vertical	N/A
4**	5680.500	96.16	-4.73	--	--	AV	269.00	400	Vertical	N/A
5	5990.250	64.21	-5.21	68.2	3.99	Peak	175.00	150	Vertical	Pass
5**	5990.250	50.07	-5.21	--	--	AV	175.00	150	Vertical	N/A
6	12542.900	52.89	1.45	74.0	21.11	Peak	26.00	400	Vertical	Pass
6**	12542.900	42.93	1.45	54.0	11.07	AV	26.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.900	39.22	-19.71	74.0	34.78	Peak	321.00	300	Horizontal	Pass
1**	1544.900	29.74	-19.71	54.0	24.26	AV	321.00	300	Horizontal	Pass
2	2806.800	43.36	-11.46	74.0	30.64	Peak	57.00	200	Horizontal	Pass
2**	2806.800	34.21	-11.46	54.0	19.79	AV	57.00	200	Horizontal	Pass
3	4339.500	47.24	-5.47	74.0	26.76	Peak	345.00	150	Horizontal	Pass
3**	4339.500	38.29	-5.47	54.0	15.71	AV	345.00	150	Horizontal	Pass
4	5501.750	108.65	-3.72	--	--	Peak	268.00	100	Horizontal	N/A
4**	5501.750	102.70	-3.72	--	--	AV	268.00	100	Horizontal	N/A
5	7583.000	52.99	0.28	74.0	21.01	Peak	57.00	150	Horizontal	Pass
5**	7583.000	44.14	0.28	54.0	9.86	AV	57.00	150	Horizontal	Pass
6	12421.775	52.55	0.56	74.0	21.45	Peak	219.00	300	Horizontal	Pass
6**	12421.775	43.69	0.56	54.0	10.31	AV	219.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.800	41.35	-19.19	74.0	32.65	Peak	294.00	300	Vertical	Pass
1**	1540.800	29.81	-19.19	54.0	24.19	AV	294.00	300	Vertical	Pass
2	2788.000	43.51	-10.64	74.0	30.49	Peak	17.00	300	Vertical	Pass
2**	2788.000	34.84	-10.64	54.0	19.16	AV	17.00	300	Vertical	Pass
3	3994.250	52.22	-7.64	74.0	21.78	Peak	223.00	100	Vertical	Pass
3**	3994.250	37.91	-7.64	54.0	16.09	AV	223.00	100	Vertical	Pass
4	5497.000	108.76	-3.70	--	--	Peak	283.00	200	Vertical	N/A
4**	5497.000	101.44	-3.70	--	--	AV	283.00	200	Vertical	N/A
5	5990.250	63.57	-5.21	68.2	4.63	Peak	104.00	150	Vertical	Pass
5**	5990.250	51.49	-5.21	--	--	AV	104.00	150	Vertical	N/A
6	12436.263	52.92	0.73	74.0	21.08	Peak	72.00	300	Vertical	Pass
6**	12436.263	43.21	0.73	54.0	10.79	AV	72.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.200	38.68	-19.20	74.0	35.32	Peak	312.00	400	Horizontal	Pass
1**	1544.200	28.24	-19.20	54.0	25.76	AV	312.00	400	Horizontal	Pass
2	2782.400	43.62	-9.91	74.0	30.38	Peak	101.00	300	Horizontal	Pass
2**	2782.400	35.41	-9.91	54.0	18.59	AV	101.00	300	Horizontal	Pass
3	4354.000	46.93	-6.16	74.0	27.07	Peak	0.00	150	Horizontal	Pass
3**	4354.000	37.71	-6.16	54.0	16.29	AV	0.00	150	Horizontal	Pass
4	5577.500	108.20	-4.72	--	--	Peak	261.00	300	Horizontal	N/A
4**	5577.500	100.41	-4.72	--	--	AV	261.00	300	Horizontal	N/A
5	5990.000	62.38	-5.20	68.2	5.82	Peak	99.00	150	Horizontal	Pass
5**	5990.000	39.94	-5.20	--	--	AV	99.00	150	Horizontal	N/A
6	12578.525	52.32	1.35	74.0	21.68	Peak	0.00	300	Horizontal	Pass
6**	12578.525	43.49	1.35	54.0	10.51	AV	0.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.200	41.52	-19.20	74.0	32.48	Peak	281.00	200	Vertical	Pass
1**	1544.200	35.17	-19.20	54.0	18.83	AV	281.00	200	Vertical	Pass
2	2785.300	43.21	-10.06	74.0	30.79	Peak	217.00	300	Vertical	Pass
2**	2785.300	34.23	-10.06	54.0	19.77	AV	217.00	300	Vertical	Pass
3	3993.250	56.53	-7.62	74.0	17.47	Peak	228.00	150	Vertical	Pass
3**	3993.250	39.16	-7.62	54.0	14.84	AV	228.00	150	Vertical	Pass
4	5582.250	106.41	-4.81	--	--	Peak	266.00	100	Vertical	N/A
4**	5582.250	99.86	-4.81	--	--	AV	266.00	100	Vertical	N/A
5	5990.500	63.24	-5.16	68.2	4.96	Peak	189.00	150	Vertical	Pass
5**	5990.500	51.78	-5.16	--	--	AV	189.00	150	Vertical	N/A
6	12395.175	53.09	0.35	74.0	20.91	Peak	187.00	200	Vertical	Pass
6**	12395.175	43.30	0.35	54.0	10.70	AV	187.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.200	39.36	-19.20	74.0	34.64	Peak	55.00	200	Horizontal	Pass
1**	1544.200	30.53	-19.20	54.0	23.47	AV	55.00	200	Horizontal	Pass
2	2838.600	43.45	-11.66	74.0	30.55	Peak	73.00	400	Horizontal	Pass
2**	2838.600	34.01	-11.66	54.0	19.99	AV	73.00	400	Horizontal	Pass
3	4345.500	46.65	-5.75	74.0	27.35	Peak	0.00	150	Horizontal	Pass
3**	4345.500	37.58	-5.75	54.0	16.42	AV	0.00	150	Horizontal	Pass
4	5702.500	107.30	-5.26	--	--	Peak	267.00	400	Horizontal	N/A
4**	5702.500	100.14	-5.26	--	--	AV	267.00	400	Horizontal	N/A
5	5990.750	59.36	-4.93	68.2	8.84	Peak	91.00	150	Horizontal	Pass
5**	5990.750	41.83	-4.93	--	--	AV	91.00	150	Horizontal	N/A
6	12280.700	52.97	0.54	74.0	21.03	Peak	309.00	400	Horizontal	Pass
6**	12280.700	43.45	0.54	54.0	10.55	AV	309.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.900	41.51	-19.72	74.0	32.49	Peak	294.00	200	Vertical	Pass
1**	1542.900	33.15	-19.72	54.0	20.85	AV	294.00	200	Vertical	Pass
2	2783.100	44.47	-9.34	74.0	29.53	Peak	313.00	300	Vertical	Pass
2**	2783.100	35.32	-9.34	54.0	18.68	AV	313.00	300	Vertical	Pass
3	3993.500	52.45	-7.46	74.0	21.55	Peak	228.00	150	Vertical	Pass
3**	3993.500	36.57	-7.46	54.0	17.43	AV	228.00	150	Vertical	Pass
4	5698.500	106.37	-4.86	--	--	Peak	93.00	400	Vertical	N/A
4**	5698.500	99.42	-4.86	--	--	AV	93.00	400	Vertical	N/A
5	5990.750	63.63	-4.93	68.2	4.57	Peak	0.00	150	Vertical	Pass
5**	5990.750	53.67	-4.93	--	--	AV	0.00	150	Vertical	N/A
6	12549.075	52.79	1.59	74.0	21.21	Peak	146.00	300	Vertical	Pass
6**	12549.075	44.02	1.59	54.0	9.98	AV	146.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.100	39.08	-19.18	74.0	34.92	Peak	66.00	200	Horizontal	Pass
1**	1529.100	31.24	-19.18	54.0	22.76	AV	66.00	200	Horizontal	Pass
2	2786.600	44.59	-9.92	74.0	29.41	Peak	0.00	200	Horizontal	Pass
2**	2786.600	35.61	-9.92	54.0	18.39	AV	0.00	200	Horizontal	Pass
3	4340.250	47.67	-5.32	74.0	26.33	Peak	360.00	100	Horizontal	Pass
3**	4340.250	38.23	-5.32	54.0	15.77	AV	360.00	100	Horizontal	Pass
4	5506.500	106.49	-3.94	--	--	Peak	270.00	100	Horizontal	N/A
4**	5506.500	98.91	-3.94	--	--	AV	270.00	100	Horizontal	N/A
5	5991.000	59.00	-4.88	68.2	9.20	Peak	98.00	150	Horizontal	Pass
5**	5991.000	43.86	-4.88	--	--	AV	98.00	150	Horizontal	N/A
6	12333.662	53.81	0.71	74.0	20.19	Peak	268.00	400	Horizontal	Pass
6**	12333.662	42.63	0.71	54.0	11.37	AV	268.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.400	39.55	-19.75	74.0	34.45	Peak	52.00	300	Vertical	Pass
1**	1545.400	30.50	-19.75	54.0	23.50	AV	52.00	300	Vertical	Pass
2	2783.200	44.18	-9.54	74.0	29.82	Peak	280.00	400	Vertical	Pass
2**	2783.200	34.82	-9.54	54.0	19.18	AV	280.00	400	Vertical	Pass
3	3993.500	54.89	-7.46	74.0	19.11	Peak	228.00	100	Vertical	Pass
3**	3993.500	36.52	-7.46	54.0	17.48	AV	228.00	100	Vertical	Pass
4	5498.000	105.23	-3.39	--	--	Peak	267.00	300	Vertical	N/A
4**	5498.000	98.45	-3.39	--	--	AV	267.00	300	Vertical	N/A
5	5990.500	64.46	-5.16	68.2	3.74	Peak	0.00	150	Vertical	Pass
5**	5990.500	52.12	-5.16	--	--	AV	0.00	150	Vertical	N/A
6	12569.975	52.07	1.43	74.0	21.93	Peak	243.00	400	Vertical	Pass
6**	12569.975	42.72	1.43	54.0	11.28	AV	243.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.200	36.86	-19.69	74.0	37.14	Peak	245.00	300	Horizontal	Pass
1**	1542.200	27.43	-19.69	54.0	26.57	AV	245.00	300	Horizontal	Pass
2	2782.400	43.09	-9.91	74.0	30.91	Peak	236.00	200	Horizontal	Pass
2**	2782.400	35.74	-9.91	54.0	18.26	AV	236.00	200	Horizontal	Pass
3	4329.000	46.75	-6.19	74.0	27.25	Peak	285.00	200	Horizontal	Pass
3**	4329.000	37.11	-6.19	54.0	16.89	AV	285.00	200	Horizontal	Pass
4	5584.250	105.75	-4.60	--	--	Peak	266.00	200	Horizontal	N/A
4**	5584.250	98.28	-4.60	--	--	AV	266.00	200	Horizontal	N/A
5	7586.000	52.61	-0.09	74.0	21.39	Peak	131.00	100	Horizontal	Pass
5**	7586.000	44.49	-0.09	54.0	9.51	AV	131.00	100	Horizontal	Pass
6	12608.213	52.50	1.08	74.0	21.50	Peak	160.00	400	Horizontal	Pass
6**	12608.213	43.08	1.08	54.0	10.92	AV	160.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.500	38.39	-19.43	74.0	35.61	Peak	316.00	400	Vertical	Pass
1**	1544.500	27.76	-19.43	54.0	26.24	AV	316.00	400	Vertical	Pass
2	2785.600	43.44	-10.09	74.0	30.56	Peak	226.00	100	Vertical	Pass
2**	2785.600	34.53	-10.09	54.0	19.47	AV	226.00	100	Vertical	Pass
3	3993.750	54.54	-7.47	74.0	19.46	Peak	168.00	150	Vertical	Pass
3**	3993.750	43.58	-7.47	54.0	10.42	AV	168.00	150	Vertical	Pass
4	5599.750	105.05	-4.24	--	--	Peak	285.00	300	Vertical	N/A
4**	5599.750	96.72	-4.24	--	--	AV	285.00	300	Vertical	N/A
5	5990.750	63.41	-4.93	68.2	4.79	Peak	0.00	150	Vertical	Pass
5**	5990.750	52.88	-4.93	--	--	AV	0.00	150	Vertical	N/A
6	12278.088	52.06	0.53	74.0	21.94	Peak	35.00	200	Vertical	Pass
6**	12278.088	43.25	0.53	54.0	10.75	AV	35.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.700	39.36	-19.67	74.0	34.64	Peak	159.00	300	Horizontal	Pass
1**	1544.700	28.80	-19.67	54.0	25.20	AV	159.00	300	Horizontal	Pass
2	2886.300	43.63	-11.36	74.0	30.37	Peak	222.00	400	Horizontal	Pass
2**	2886.300	33.61	-11.36	54.0	20.39	AV	222.00	400	Horizontal	Pass
3	4344.500	46.61	-5.33	74.0	27.39	Peak	116.00	150	Horizontal	Pass
3**	4344.500	38.28	-5.33	54.0	15.72	AV	116.00	150	Horizontal	Pass
4	5675.250	105.74	-5.27	--	--	Peak	250.00	100	Horizontal	N/A
4**	5675.250	97.25	-5.27	--	--	AV	250.00	100	Horizontal	N/A
5	5990.750	61.15	-4.93	68.2	7.05	Peak	97.00	150	Horizontal	Pass
5**	5990.750	44.27	-4.93	--	--	AV	97.00	150	Horizontal	N/A
6	12437.687	52.54	0.74	74.0	21.46	Peak	235.00	400	Horizontal	Pass
6**	12437.687	43.34	0.74	54.0	10.66	AV	235.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.700	41.93	-19.50	74.0	32.07	Peak	284.00	100	Vertical	Pass
1**	1546.700	31.49	-19.50	54.0	22.51	AV	284.00	100	Vertical	Pass
2	2786.000	43.54	-10.07	74.0	30.46	Peak	258.00	300	Vertical	Pass
2**	2786.000	34.81	-10.07	54.0	19.19	AV	258.00	300	Vertical	Pass
3	3994.000	53.98	-7.53	74.0	20.02	Peak	245.00	200	Vertical	Pass
3**	3994.000	37.49	-7.53	54.0	16.51	AV	245.00	200	Vertical	Pass
4	5674.750	104.53	-4.99	--	--	Peak	284.00	300	Vertical	N/A
4**	5674.750	96.88	-4.99	--	--	AV	284.00	300	Vertical	N/A
5	5990.500	64.47	-5.16	68.2	3.73	Peak	226.00	150	Vertical	Pass
5**	5990.500	51.33	-5.16	--	--	AV	226.00	150	Vertical	N/A
6	12614.625	52.15	1.03	74.0	21.85	Peak	70.00	300	Vertical	Pass
6**	12614.625	43.64	1.03	54.0	10.36	AV	70.00	300	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.400	39.26	-19.80	74.0	34.74	Peak	193.00	100	Horizontal	Pass
1**	1540.400	30.25	-19.80	54.0	23.75	AV	193.00	100	Horizontal	Pass
2	2864.200	43.60	-11.40	74.0	30.40	Peak	24.00	200	Horizontal	Pass
2**	2864.200	34.30	-11.40	54.0	19.70	AV	24.00	200	Horizontal	Pass
3	3993.750	47.10	-7.47	74.0	26.90	Peak	211.00	150	Horizontal	Pass
3**	3993.750	35.70	-7.47	54.0	18.30	AV	211.00	150	Horizontal	Pass
4	5514.250	101.63	-4.33	--	--	Peak	268.00	300	Horizontal	N/A
4**	5514.250	94.19	-4.33	--	--	AV	268.00	300	Horizontal	N/A
5	7543.750	52.51	-1.18	74.0	21.49	Peak	249.00	100	Horizontal	Pass
5**	7543.750	43.31	-1.18	54.0	10.69	AV	249.00	100	Horizontal	Pass
6	12366.913	52.49	0.59	74.0	21.51	Peak	195.00	300	Horizontal	Pass
6**	12366.913	43.24	0.59	54.0	10.76	AV	195.00	300	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.200	37.42	-19.50	74.0	36.58	Peak	276.00	400	Vertical	Pass
1**	1532.200	27.89	-19.50	54.0	26.11	AV	276.00	400	Vertical	Pass
2	2783.100	43.71	-9.34	74.0	30.29	Peak	267.00	300	Vertical	Pass
2**	2783.100	35.71	-9.34	54.0	18.29	AV	267.00	300	Vertical	Pass
3	3994.000	55.61	-7.53	74.0	18.39	Peak	227.00	150	Vertical	Pass
3**	3994.000	36.18	-7.53	54.0	17.82	AV	227.00	150	Vertical	Pass
4	5506.750	100.02	-3.92	--	--	Peak	285.00	400	Vertical	N/A
4**	5506.750	91.04	-3.92	--	--	AV	285.00	400	Vertical	N/A
5	5990.750	64.46	-4.93	68.2	3.74	Peak	227.00	150	Vertical	Pass
5**	5990.750	51.83	-4.93	--	--	AV	227.00	150	Vertical	N/A
6	12547.174	52.36	1.55	74.0	21.64	Peak	203.00	400	Vertical	Pass
6**	12547.174	42.61	1.55	54.0	11.39	AV	203.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.200	36.80	-19.27	74.0	37.20	Peak	151.00	100	Horizontal	Pass
1**	1528.200	27.89	-19.27	54.0	26.11	AV	151.00	100	Horizontal	Pass
2	2783.300	43.57	-9.74	74.0	30.43	Peak	291.00	400	Horizontal	Pass
2**	2783.300	34.84	-9.74	54.0	19.16	AV	291.00	400	Horizontal	Pass
3	4339.500	47.33	-5.47	74.0	26.67	Peak	169.00	100	Horizontal	Pass
3**	4339.500	37.71	-5.47	54.0	16.29	AV	169.00	100	Horizontal	Pass
4	5612.750	102.04	-4.04	--	--	Peak	267.00	200	Horizontal	N/A
4**	5612.750	94.28	-4.04	--	--	AV	267.00	200	Horizontal	N/A
5	5990.750	58.56	-4.93	68.2	9.64	Peak	286.00	150	Horizontal	Pass
5**	5990.750	45.22	-4.93	--	--	AV	286.00	150	Horizontal	N/A
6	12275.713	52.66	0.51	74.0	21.34	Peak	20.00	100	Horizontal	Pass
6**	12275.713	42.61	0.51	54.0	11.39	AV	20.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.700	38.59	-19.26	74.0	35.41	Peak	151.00	200	Vertical	Pass
1**	1528.700	29.26	-19.26	54.0	24.74	AV	151.00	200	Vertical	Pass
2	2807.100	43.84	-11.62	74.0	30.16	Peak	187.00	300	Vertical	Pass
2**	2807.100	34.04	-11.62	54.0	19.96	AV	187.00	300	Vertical	Pass
3	3994.000	55.71	-7.53	74.0	18.29	Peak	230.00	100	Vertical	Pass
3**	3994.000	41.28	-7.53	54.0	12.72	AV	230.00	100	Vertical	Pass
4	5623.000	99.68	-4.90	--	--	Peak	268.00	400	Vertical	N/A
4**	5623.000	91.56	-4.90	--	--	AV	268.00	400	Vertical	N/A
5	5990.500	66.09	-5.16	68.2	2.11	Peak	230.00	150	Vertical	Pass
5**	5990.500	54.48	-5.16	--	--	AV	230.00	150	Vertical	N/A
6	12579.951	52.87	1.34	74.0	21.13	Peak	328.00	300	Vertical	Pass
6**	12579.951	43.38	1.34	54.0	10.62	AV	328.00	300	Vertical	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.100	37.04	-19.65	74.0	36.96	Peak	148.00	400	Horizontal	Pass
1**	1531.100	27.69	-19.65	54.0	26.31	AV	148.00	400	Horizontal	Pass
2	2783.500	42.82	-10.15	74.0	31.18	Peak	148.00	400	Horizontal	Pass
2**	2783.500	34.63	-10.15	54.0	19.37	AV	148.00	400	Horizontal	Pass
3	3993.750	46.62	-7.47	74.0	27.38	Peak	230.00	200	Horizontal	Pass
3**	3993.750	36.88	-7.47	54.0	17.12	AV	230.00	200	Horizontal	Pass
4	5497.500	108.84	-3.33	--	--	Peak	249.00	100	Horizontal	N/A
4**	5497.500	101.28	-3.33	--	--	AV	249.00	100	Horizontal	N/A
5	7624.000	52.70	-0.87	74.0	21.30	Peak	249.00	150	Horizontal	Pass
5**	7624.000	43.64	-0.87	54.0	10.36	AV	249.00	150	Horizontal	Pass
6	12586.125	52.30	1.28	74.0	21.70	Peak	61.00	300	Horizontal	Pass
6**	12586.125	43.54	1.28	54.0	10.46	AV	61.00	300	Horizontal	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.400	38.40	-19.96	74.0	35.60	Peak	53.00	100	Vertical	Pass
1**	1542.400	28.12	-19.96	54.0	25.88	AV	53.00	100	Vertical	Pass
2	2762.700	43.47	-11.00	74.0	30.53	Peak	97.00	400	Vertical	Pass
2**	2762.700	33.80	-11.00	54.0	20.20	AV	97.00	400	Vertical	Pass
3	3993.500	56.15	-7.46	74.0	17.85	Peak	232.00	150	Vertical	Pass
3**	3993.500	45.31	-7.46	54.0	8.69	AV	232.00	150	Vertical	Pass
4	5497.750	108.04	-3.32	--	--	Peak	96.00	100	Vertical	N/A
4**	5497.750	100.94	-3.32	--	--	AV	96.00	100	Vertical	N/A
5	5990.750	63.40	-4.93	68.2	4.80	Peak	0.00	150	Vertical	Pass
5**	5990.750	52.09	-4.93	--	--	AV	0.00	150	Vertical	N/A
6	12402.062	52.62	0.33	74.0	21.38	Peak	360.00	400	Vertical	Pass
6**	12402.062	43.46	0.33	54.0	10.54	AV	360.00	400	Vertical	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.900	40.38	-19.10	74.0	33.62	Peak	255.00	100	Horizontal	Pass
1**	1540.900	30.57	-19.10	54.0	23.43	AV	255.00	100	Horizontal	Pass
2	2782.700	43.37	-9.82	74.0	30.63	Peak	75.00	300	Horizontal	Pass
2**	2782.700	34.69	-9.82	54.0	19.31	AV	75.00	300	Horizontal	Pass
3	4333.500	46.77	-5.47	74.0	27.23	Peak	210.00	150	Horizontal	Pass
3**	4333.500	38.14	-5.47	54.0	15.86	AV	210.00	150	Horizontal	Pass
4	5584.250	109.13	-4.60	--	--	Peak	268.00	400	Horizontal	N/A
4**	5584.250	101.73	-4.60	--	--	AV	268.00	400	Horizontal	N/A
5	7577.750	53.32	-0.00	74.0	20.68	Peak	172.00	100	Horizontal	Pass
5**	7577.750	44.12	-0.00	54.0	9.88	AV	172.00	100	Horizontal	Pass
6	12273.100	52.75	0.50	74.0	21.25	Peak	74.00	200	Horizontal	Pass
6**	12273.100	42.83	0.50	54.0	11.17	AV	74.00	200	Horizontal	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.200	37.07	-19.69	74.0	36.93	Peak	196.00	100	Vertical	Pass
1**	1542.200	27.38	-19.69	54.0	26.62	AV	196.00	100	Vertical	Pass
2	2782.300	43.59	-9.93	74.0	30.41	Peak	358.00	300	Vertical	Pass
2**	2782.300	36.38	-9.93	54.0	17.62	AV	358.00	300	Vertical	Pass
3	3993.750	50.45	-7.47	74.0	23.55	Peak	243.00	100	Vertical	Pass
3**	3993.750	40.71	-7.47	54.0	13.29	AV	243.00	100	Vertical	Pass
4	5583.500	106.39	-4.69	--	--	Peak	86.00	400	Vertical	N/A
4**	5583.500	99.59	-4.69	--	--	AV	86.00	400	Vertical	N/A
5	5990.750	64.46	-4.93	68.2	3.74	Peak	0.00	150	Vertical	Pass
5**	5990.750	53.99	-4.93	--	--	AV	0.00	150	Vertical	N/A
6	12553.825	52.85	1.57	74.0	21.15	Peak	73.00	300	Vertical	Pass
6**	12553.825	42.94	1.57	54.0	11.06	AV	73.00	300	Vertical	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.600	39.05	-19.63	74.0	34.95	Peak	248.00	200	Horizontal	Pass
1**	1530.600	28.35	-19.63	54.0	25.65	AV	248.00	200	Horizontal	Pass
2	2787.600	43.26	-10.49	74.0	30.74	Peak	115.00	100	Horizontal	Pass
2**	2787.600	34.94	-10.49	54.0	19.06	AV	115.00	100	Horizontal	Pass
3	4332.000	47.97	-5.51	74.0	26.03	Peak	41.00	150	Horizontal	Pass
3**	4332.000	37.93	-5.51	54.0	16.07	AV	41.00	150	Horizontal	Pass
4	5698.250	108.05	-5.02	--	--	Peak	345.00	400	Horizontal	N/A
4**	5698.250	100.22	-5.02	--	--	AV	345.00	400	Horizontal	N/A
5	7613.250	52.56	-0.98	74.0	21.44	Peak	251.00	150	Horizontal	Pass
5**	7613.250	42.77	-0.98	54.0	11.23	AV	251.00	150	Horizontal	Pass
6	12588.975	52.73	1.25	74.0	21.27	Peak	343.00	200	Horizontal	Pass
6**	12588.975	43.28	1.25	54.0	10.72	AV	343.00	200	Horizontal	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.600	39.56	-19.79	74.0	34.44	Peak	48.00	100	Vertical	Pass
1**	1541.600	31.88	-19.79	54.0	22.12	AV	48.00	100	Vertical	Pass
2	2783.300	43.40	-9.74	74.0	30.60	Peak	189.00	300	Vertical	Pass
2**	2783.300	35.44	-9.74	54.0	18.56	AV	189.00	300	Vertical	Pass
3	3993.500	50.42	-7.46	74.0	23.58	Peak	175.00	200	Vertical	Pass
3**	3993.500	38.77	-7.46	54.0	15.23	AV	175.00	200	Vertical	Pass
4	5695.750	107.26	-4.90	--	--	Peak	81.00	100	Vertical	N/A
4**	5695.750	98.40	-4.90	--	--	AV	81.00	100	Vertical	N/A
5	5990.750	64.97	-4.93	68.2	3.23	Peak	231.00	150	Vertical	Pass
5**	5990.750	46.38	-4.93	--	--	AV	231.00	150	Vertical	N/A
6	12422.250	52.46	0.57	74.0	21.54	Peak	53.00	100	Vertical	Pass
6**	12422.250	42.46	0.57	54.0	11.54	AV	53.00	100	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.900	40.40	-19.19	74.0	33.60	Peak	249.00	300	Horizontal	Pass
1**	1531.900	30.80	-19.19	54.0	23.20	AV	249.00	300	Horizontal	Pass
2	2782.900	43.80	-9.58	74.0	30.20	Peak	187.00	300	Horizontal	Pass
2**	2782.900	35.20	-9.58	54.0	18.80	AV	187.00	300	Horizontal	Pass
3	4378.500	47.31	-6.45	74.0	26.69	Peak	301.00	150	Horizontal	Pass
3**	4378.500	37.68	-6.45	54.0	16.32	AV	301.00	150	Horizontal	Pass
4	5507.000	107.87	-3.88	--	--	Peak	262.00	200	Horizontal	N/A
4**	5507.000	99.26	-3.88	--	--	AV	262.00	200	Horizontal	N/A
5	7579.000	52.82	0.18	74.0	21.18	Peak	90.00	200	Horizontal	Pass
5**	7579.000	44.17	0.18	54.0	9.83	AV	90.00	200	Horizontal	Pass
6	12397.075	53.76	0.33	74.0	20.24	Peak	329.00	400	Horizontal	Pass
6**	12397.075	43.57	0.33	54.0	10.43	AV	329.00	400	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.500	42.58	-19.70	74.0	31.42	Peak	273.00	400	Vertical	Pass
1**	1546.500	33.08	-19.70	54.0	20.92	AV	273.00	400	Vertical	Pass
2	2782.800	43.18	-9.70	74.0	30.82	Peak	6.00	200	Vertical	Pass
2**	2782.800	35.80	-9.70	54.0	18.20	AV	6.00	200	Vertical	Pass
3	3993.500	55.39	-7.46	74.0	18.61	Peak	225.00	200	Vertical	Pass
3**	3993.500	40.24	-7.46	54.0	13.76	AV	225.00	200	Vertical	Pass
4	5499.000	106.51	-3.80	--	--	Peak	263.00	200	Vertical	N/A
4**	5499.000	97.60	-3.80	--	--	AV	263.00	200	Vertical	N/A
5	5990.500	62.64	-5.16	68.2	5.56	Peak	111.00	150	Vertical	Pass
5**	5990.500	49.60	-5.16	--	--	AV	111.00	150	Vertical	N/A
6	12621.038	52.71	0.97	74.0	21.29	Peak	175.00	300	Vertical	Pass
6**	12621.038	42.10	0.97	54.0	11.90	AV	175.00	300	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.400	39.71	-19.80	74.0	34.29	Peak	156.00	400	Horizontal	Pass
1**	1546.400	27.88	-19.80	54.0	26.12	AV	156.00	400	Horizontal	Pass
2	2783.100	43.57	-9.34	74.0	30.43	Peak	23.00	200	Horizontal	Pass
2**	2783.100	36.13	-9.34	54.0	17.87	AV	23.00	200	Horizontal	Pass
3	4341.250	47.32	-5.70	74.0	26.68	Peak	1.00	200	Horizontal	Pass
3**	4341.250	37.80	-5.70	54.0	16.20	AV	1.00	200	Horizontal	Pass
4	5588.500	107.57	-4.79	--	--	Peak	269.00	400	Horizontal	N/A
4**	5588.500	98.51	-4.79	--	--	AV	269.00	400	Horizontal	N/A
5	7582.750	52.69	0.29	74.0	21.31	Peak	39.00	100	Horizontal	Pass
5**	7582.750	44.30	0.29	54.0	9.70	AV	39.00	100	Horizontal	Pass
6	12580.425	52.31	1.33	74.0	21.69	Peak	159.00	100	Horizontal	Pass
6**	12580.425	43.08	1.33	54.0	10.92	AV	159.00	100	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.800	37.89	-19.69	74.0	36.11	Peak	196.00	400	Vertical	Pass
1**	1544.800	27.34	-19.69	54.0	26.66	AV	196.00	400	Vertical	Pass
2	2786.500	43.98	-9.82	74.0	30.02	Peak	339.00	200	Vertical	Pass
2**	2786.500	34.96	-9.82	54.0	19.04	AV	339.00	200	Vertical	Pass
3	3993.500	55.12	-7.46	74.0	18.88	Peak	223.00	150	Vertical	Pass
3**	3993.500	36.80	-7.46	54.0	17.20	AV	223.00	150	Vertical	Pass
4	5587.500	105.39	-4.91	--	--	Peak	283.00	200	Vertical	N/A
4**	5587.500	96.14	-4.91	--	--	AV	283.00	200	Vertical	N/A
5	5990.000	62.64	-5.20	68.2	5.56	Peak	107.00	150	Vertical	Pass
5**	5990.000	47.45	-5.20	--	--	AV	107.00	150	Vertical	N/A
6	12336.987	52.89	0.71	74.0	21.11	Peak	321.00	100	Vertical	Pass
6**	12336.987	44.54	0.71	54.0	9.46	AV	321.00	100	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.500	40.22	-19.16	74.0	33.78	Peak	81.00	200	Horizontal	Pass
1**	1526.500	29.66	-19.16	54.0	24.34	AV	81.00	200	Horizontal	Pass
2	2788.700	43.88	-10.28	74.0	30.12	Peak	160.00	400	Horizontal	Pass
2**	2788.700	34.85	-10.28	54.0	19.15	AV	160.00	400	Horizontal	Pass
3	4292.500	46.06	-6.55	74.0	27.94	Peak	23.00	100	Horizontal	Pass
3**	4292.500	36.55	-6.55	54.0	17.45	AV	23.00	100	Horizontal	Pass
4	5681.500	107.09	-4.73	--	--	Peak	194.00	400	Horizontal	N/A
4**	5681.500	98.00	-4.73	--	--	AV	194.00	400	Horizontal	N/A
5	5990.750	59.48	-4.93	68.2	8.72	Peak	100.00	150	Horizontal	Pass
5**	5990.750	45.04	-4.93	--	--	AV	100.00	150	Horizontal	N/A
6	12332.713	52.47	0.71	74.0	21.53	Peak	320.00	300	Horizontal	Pass
6**	12332.713	43.21	0.71	54.0	10.79	AV	320.00	300	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.300	36.84	-19.77	74.0	37.16	Peak	185.00	400	Vertical	Pass
1**	1539.300	27.36	-19.77	54.0	26.64	AV	185.00	400	Vertical	Pass
2	2777.200	43.64	-10.26	74.0	30.36	Peak	16.00	400	Vertical	Pass
2**	2777.200	34.84	-10.26	54.0	19.16	AV	16.00	400	Vertical	Pass
3	3993.250	52.62	-7.62	74.0	21.38	Peak	172.00	100	Vertical	Pass
3**	3993.250	36.97	-7.62	54.0	17.03	AV	172.00	100	Vertical	Pass
4	5679.250	106.87	-4.73	--	--	Peak	287.00	200	Vertical	N/A
4**	5679.250	97.31	-4.73	--	--	AV	287.00	200	Vertical	N/A
5	5990.000	62.73	-5.20	68.2	5.47	Peak	0.00	150	Vertical	Pass
5**	5990.000	48.66	-5.20	--	--	AV	0.00	150	Vertical	N/A
6	12463.813	52.77	0.78	74.0	21.23	Peak	168.00	300	Vertical	Pass
6**	12463.813	42.30	0.78	54.0	11.70	AV	168.00	300	Vertical	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.700	41.18	-19.70	74.0	32.82	Peak	234.00	200	Horizontal	Pass
1**	1530.700	31.73	-19.70	54.0	22.27	AV	234.00	200	Horizontal	Pass
2	2773.300	44.09	-10.58	74.0	29.91	Peak	62.00	300	Horizontal	Pass
2**	2773.300	34.75	-10.58	54.0	19.25	AV	62.00	300	Horizontal	Pass
3	3993.750	48.08	-7.47	74.0	25.92	Peak	168.00	200	Horizontal	Pass
3**	3993.750	36.30	-7.47	54.0	17.70	AV	168.00	200	Horizontal	Pass
4	5516.250	103.41	-4.31	--	--	Peak	306.00	200	Horizontal	N/A
4**	5516.250	94.33	-4.31	--	--	AV	306.00	200	Horizontal	N/A
5	5990.750	60.57	-4.93	68.2	7.63	Peak	129.00	150	Horizontal	Pass
5**	5990.750	44.39	-4.93	--	--	AV	129.00	150	Horizontal	N/A
6	12539.813	52.73	1.39	74.0	21.27	Peak	282.00	200	Horizontal	Pass
6**	12539.813	42.42	1.39	54.0	11.58	AV	282.00	200	Horizontal	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.400	41.04	-19.80	74.0	32.96	Peak	36.00	200	Vertical	Pass
1**	1540.400	30.31	-19.80	54.0	23.69	AV	36.00	200	Vertical	Pass
2	2784.800	44.52	-9.79	74.0	29.48	Peak	321.00	100	Vertical	Pass
2**	2784.800	35.51	-9.79	54.0	18.49	AV	321.00	100	Vertical	Pass
3	3993.250	53.85	-7.62	74.0	20.15	Peak	185.00	150	Vertical	Pass
3**	3993.250	41.63	-7.62	54.0	12.37	AV	185.00	150	Vertical	Pass
4	5520.000	100.87	-4.87	--	--	Peak	297.00	400	Vertical	N/A
4**	5520.000	93.24	-4.87	--	--	AV	297.00	400	Vertical	N/A
5	5990.250	62.88	-5.21	68.2	5.32	Peak	185.00	150	Vertical	Pass
5**	5990.250	39.77	-5.21	--	--	AV	185.00	150	Vertical	N/A
6	12521.763	52.44	0.99	74.0	21.56	Peak	62.00	400	Vertical	Pass
6**	12521.763	42.50	0.99	54.0	11.50	AV	62.00	400	Vertical	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.700	39.09	-19.75	74.0	34.91	Peak	309.00	200	Horizontal	Pass
1**	1541.700	29.11	-19.75	54.0	24.89	AV	309.00	200	Horizontal	Pass
2	2782.400	44.42	-9.91	74.0	29.58	Peak	264.00	100	Horizontal	Pass
2**	2782.400	35.11	-9.91	54.0	18.89	AV	264.00	100	Horizontal	Pass
3	4356.750	46.57	-6.10	74.0	27.43	Peak	17.00	150	Horizontal	Pass
3**	4356.750	37.77	-6.10	54.0	16.23	AV	17.00	150	Horizontal	Pass
4	5614.500	103.91	-4.13	--	--	Peak	281.00	400	Horizontal	N/A
4**	5614.500	94.18	-4.13	--	--	AV	281.00	400	Horizontal	N/A
5	7583.000	52.92	0.28	74.0	21.08	Peak	360.00	150	Horizontal	Pass
5**	7583.000	45.18	0.28	54.0	8.82	AV	360.00	150	Horizontal	Pass
6	12514.400	52.66	0.83	74.0	21.34	Peak	218.00	100	Horizontal	Pass
6**	12514.400	42.34	0.83	54.0	11.66	AV	218.00	100	Horizontal	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.400	40.84	-19.46	74.0	33.16	Peak	273.00	200	Vertical	Pass
1**	1538.400	31.10	-19.46	54.0	22.90	AV	273.00	200	Vertical	Pass
2	2782.600	43.97	-9.86	74.0	30.03	Peak	360.00	400	Vertical	Pass
2**	2782.600	35.29	-9.86	54.0	18.71	AV	360.00	400	Vertical	Pass
3	3993.500	55.28	-7.46	74.0	18.72	Peak	186.00	200	Vertical	Pass
3**	3993.500	45.48	-7.46	54.0	8.52	AV	186.00	200	Vertical	Pass
4	5588.000	101.16	-4.69	--	--	Peak	298.00	100	Vertical	N/A
4**	5588.000	91.63	-4.69	--	--	AV	298.00	100	Vertical	N/A
5	5990.500	62.57	-5.16	68.2	5.63	Peak	241.00	150	Vertical	Pass
5**	5990.500	52.38	-5.16	--	--	AV	241.00	150	Vertical	N/A
6	12301.838	52.32	0.66	74.0	21.68	Peak	110.00	300	Vertical	Pass
6**	12301.838	42.98	0.66	54.0	11.02	AV	110.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.600	37.43	-19.83	74.0	36.57	Peak	244.00	300	Horizontal	Pass
1**	1529.600	27.70	-19.83	54.0	26.30	AV	244.00	300	Horizontal	Pass
2	2804.000	43.35	-11.48	74.0	30.65	Peak	294.00	300	Horizontal	Pass
2**	2804.000	33.80	-11.48	54.0	20.20	AV	294.00	300	Horizontal	Pass
3	4335.750	46.76	-6.00	74.0	27.24	Peak	360.00	100	Horizontal	Pass
3**	4335.750	37.48	-6.00	54.0	16.52	AV	360.00	100	Horizontal	Pass
4	5748.000	106.97	-5.91	--	--	Peak	272.00	200	Horizontal	N/A
4**	5748.000	100.03	-5.91	--	--	AV	272.00	200	Horizontal	N/A
5	5990.500	62.56	-5.16	68.2	5.64	Peak	115.00	150	Horizontal	Pass
5**	5990.500	52.22	-5.16	--	--	AV	115.00	150	Horizontal	N/A
6	12583.037	52.47	1.31	74.0	21.53	Peak	310.00	200	Horizontal	Pass
6**	12583.037	44.30	1.31	54.0	9.70	AV	310.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.000	38.27	-19.58	74.0	35.73	Peak	176.00	300	Vertical	Pass
1**	1543.000	29.76	-19.58	54.0	24.24	AV	176.00	300	Vertical	Pass
2	2783.100	43.80	-9.34	74.0	30.20	Peak	140.00	400	Vertical	Pass
2**	2783.100	35.60	-9.34	54.0	18.40	AV	140.00	400	Vertical	Pass
3	3994.000	47.94	-7.53	74.0	26.06	Peak	233.00	150	Vertical	Pass
3**	3994.000	36.87	-7.53	54.0	17.13	AV	233.00	150	Vertical	Pass
4	5748.500	106.46	-5.92	--	--	Peak	292.00	400	Vertical	N/A
4**	5748.500	98.14	-5.92	--	--	AV	292.00	400	Vertical	N/A
5	5990.750	62.12	-4.93	68.2	6.08	Peak	292.00	150	Vertical	Pass
5**	5990.750	50.33	-4.93	--	--	AV	292.00	150	Vertical	N/A
6	12579.000	52.82	1.34	74.0	21.18	Peak	135.00	100	Vertical	Pass
6**	12579.000	44.08	1.34	54.0	9.92	AV	135.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.300	37.45	-19.61	74.0	36.55	Peak	247.00	300	Horizontal	Pass
1**	1540.300	28.26	-19.61	54.0	25.74	AV	247.00	300	Horizontal	Pass
2	2782.400	44.05	-9.91	74.0	29.95	Peak	87.00	400	Horizontal	Pass
2**	2782.400	34.86	-9.91	54.0	19.14	AV	87.00	400	Horizontal	Pass
3	3993.750	48.85	-7.47	74.0	25.15	Peak	172.00	100	Horizontal	Pass
3**	3993.750	36.60	-7.47	54.0	17.40	AV	172.00	100	Horizontal	Pass
4	5788.750	108.31	-4.45	--	--	Peak	284.00	200	Horizontal	N/A
4**	5788.750	100.89	-4.45	--	--	AV	284.00	200	Horizontal	N/A
5	7587.750	53.35	-0.44	74.0	20.65	Peak	340.00	200	Horizontal	Pass
5**	7587.750	43.62	-0.44	54.0	10.38	AV	340.00	200	Horizontal	Pass
6	12298.276	53.33	0.64	74.0	20.67	Peak	251.00	100	Horizontal	Pass
6**	12298.276	43.85	0.64	54.0	10.15	AV	251.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.800	37.85	-19.32	74.0	36.15	Peak	178.00	400	Vertical	Pass
1**	1532.800	29.03	-19.32	54.0	24.97	AV	178.00	400	Vertical	Pass
2	2782.800	43.64	-9.70	74.0	30.36	Peak	73.00	300	Vertical	Pass
2**	2782.800	35.83	-9.70	54.0	18.17	AV	73.00	300	Vertical	Pass
3	3994.000	52.68	-7.53	74.0	21.32	Peak	188.00	150	Vertical	Pass
3**	3994.000	41.34	-7.53	54.0	12.66	AV	188.00	150	Vertical	Pass
4	5786.750	107.63	-4.41	--	--	Peak	299.00	400	Vertical	N/A
4**	5786.750	100.23	-4.41	--	--	AV	299.00	400	Vertical	N/A
5	5990.500	64.19	-5.16	68.2	4.01	Peak	131.00	150	Vertical	Pass
5**	5990.500	52.24	-5.16	--	--	AV	131.00	150	Vertical	N/A
6	12549.550	52.85	1.60	74.0	21.15	Peak	6.00	200	Vertical	Pass
6**	12549.550	43.17	1.60	54.0	10.83	AV	6.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.200	37.89	-19.40	74.0	36.11	Peak	239.00	200	Horizontal	Pass
1**	1527.200	27.25	-19.40	54.0	26.75	AV	239.00	200	Horizontal	Pass
2	2869.400	43.58	-11.96	74.0	30.42	Peak	115.00	300	Horizontal	Pass
2**	2869.400	33.41	-11.96	54.0	20.59	AV	115.00	300	Horizontal	Pass
3	4341.000	46.92	-5.65	74.0	27.08	Peak	285.00	150	Horizontal	Pass
3**	4341.000	37.79	-5.65	54.0	16.21	AV	285.00	150	Horizontal	Pass
4	5823.250	108.36	-4.34	--	--	Peak	285.00	100	Horizontal	N/A
4**	5823.250	100.83	-4.34	--	--	AV	285.00	100	Horizontal	N/A
5	7582.000	53.32	-0.07	74.0	20.68	Peak	91.00	100	Horizontal	Pass
5**	7582.000	44.30	-0.07	54.0	9.70	AV	91.00	100	Horizontal	Pass
6	12308.725	52.33	0.67	74.0	21.67	Peak	39.00	400	Horizontal	Pass
6**	12308.725	42.69	0.67	54.0	11.31	AV	39.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.300	38.44	-19.83	74.0	35.56	Peak	179.00	200	Vertical	Pass
1**	1542.300	28.51	-19.83	54.0	25.49	AV	179.00	200	Vertical	Pass
2	2750.700	43.52	-11.55	74.0	30.48	Peak	268.00	200	Vertical	Pass
2**	2750.700	34.73	-11.55	54.0	19.27	AV	268.00	200	Vertical	Pass
3	3993.500	55.34	-7.46	74.0	18.66	Peak	195.00	100	Vertical	Pass
3**	3993.500	40.82	-7.46	54.0	13.18	AV	195.00	100	Vertical	Pass
4	5822.000	108.24	-4.21	--	--	Peak	291.00	300	Vertical	N/A
4**	5822.000	101.98	-4.21	--	--	AV	291.00	300	Vertical	N/A
5	5990.750	62.76	-4.93	68.2	5.44	Peak	17.00	150	Vertical	Pass
5**	5990.750	52.88	-4.93	--	--	AV	17.00	150	Vertical	N/A
6	12243.174	52.79	0.26	74.0	21.21	Peak	132.00	400	Vertical	Pass
6**	12243.174	43.05	0.26	54.0	10.95	AV	132.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.000	37.71	-19.68	74.0	36.29	Peak	32.00	200	Horizontal	Pass
1**	1530.000	27.49	-19.68	54.0	26.51	AV	32.00	200	Horizontal	Pass
2	2788.900	43.45	-10.21	74.0	30.55	Peak	59.00	300	Horizontal	Pass
2**	2788.900	34.22	-10.21	54.0	19.78	AV	59.00	300	Horizontal	Pass
3	3993.750	47.76	-7.47	74.0	26.24	Peak	242.00	100	Horizontal	Pass
3**	3993.750	35.94	-7.47	54.0	18.06	AV	242.00	100	Horizontal	Pass
4	5747.250	107.44	-5.63	--	--	Peak	280.00	400	Horizontal	N/A
4**	5747.250	99.92	-5.63	--	--	AV	280.00	400	Horizontal	N/A
5	7613.000	53.13	-0.93	74.0	20.87	Peak	129.00	100	Horizontal	Pass
5**	7613.000	43.32	-0.93	54.0	10.68	AV	129.00	100	Horizontal	Pass
6	12612.013	52.75	1.05	74.0	21.25	Peak	346.00	300	Horizontal	Pass
6**	12612.013	43.80	1.05	54.0	10.20	AV	346.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.300	37.82	-19.59	74.0	36.18	Peak	188.00	200	Vertical	Pass
1**	1534.300	27.70	-19.59	54.0	26.30	AV	188.00	200	Vertical	Pass
2	2778.900	43.67	-10.36	74.0	30.33	Peak	353.00	300	Vertical	Pass
2**	2778.900	34.87	-10.36	54.0	19.13	AV	353.00	300	Vertical	Pass
3	3993.500	54.74	-7.46	74.0	19.26	Peak	249.00	150	Vertical	Pass
3**	3993.500	44.35	-7.46	54.0	9.65	AV	249.00	150	Vertical	Pass
4	5747.500	105.84	-5.73	--	--	Peak	305.00	200	Vertical	N/A
4**	5747.500	99.08	-5.73	--	--	AV	305.00	200	Vertical	N/A
5	5989.750	62.05	-5.05	68.2	6.15	Peak	249.00	150	Vertical	Pass
5**	5989.750	40.26	-5.05	--	--	AV	249.00	150	Vertical	N/A
6	12613.437	53.59	1.04	74.0	20.41	Peak	346.00	100	Vertical	Pass
6**	12613.437	43.96	1.04	54.0	10.04	AV	346.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.100	40.45	-19.62	74.0	33.55	Peak	161.00	300	Horizontal	Pass
1**	1542.100	31.86	-19.62	54.0	22.14	AV	161.00	300	Horizontal	Pass
2	2777.400	43.80	-10.15	74.0	30.20	Peak	360.00	300	Horizontal	Pass
2**	2777.400	34.88	-10.15	54.0	19.12	AV	360.00	300	Horizontal	Pass
3	4340.500	47.29	-6.10	74.0	26.71	Peak	78.00	200	Horizontal	Pass
3**	4340.500	37.66	-6.10	54.0	16.34	AV	78.00	200	Horizontal	Pass
4	5787.750	108.30	-3.97	--	--	Peak	313.00	200	Horizontal	N/A
4**	5787.750	101.19	-3.97	--	--	AV	313.00	200	Horizontal	N/A
5	7617.250	53.32	-1.19	74.0	20.68	Peak	350.00	100	Horizontal	Pass
5**	7617.250	43.10	-1.19	54.0	10.90	AV	350.00	100	Horizontal	Pass
6	12427.000	52.39	0.62	74.0	21.61	Peak	10.00	100	Horizontal	Pass
6**	12427.000	43.99	0.62	54.0	10.01	AV	10.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.000	38.35	-19.31	74.0	35.65	Peak	177.00	100	Vertical	Pass
1**	1541.000	29.13	-19.31	54.0	24.87	AV	177.00	100	Vertical	Pass
2	2802.100	44.51	-11.35	74.0	29.49	Peak	298.00	100	Vertical	Pass
2**	2802.100	33.40	-11.35	54.0	20.60	AV	298.00	100	Vertical	Pass
3	3993.750	50.46	-7.47	74.0	23.54	Peak	261.00	100	Vertical	Pass
3**	3993.750	38.01	-7.47	54.0	15.99	AV	261.00	100	Vertical	Pass
4	5788.000	107.30	-4.34	--	--	Peak	297.00	100	Vertical	N/A
4**	5788.000	100.26	-4.34	--	--	AV	297.00	100	Vertical	N/A
5	5990.000	64.61	-5.20	68.2	3.59	Peak	242.00	150	Vertical	Pass
5**	5990.000	50.48	-5.20	--	--	AV	242.00	150	Vertical	N/A
6	12551.687	52.94	1.59	74.0	21.06	Peak	74.00	300	Vertical	Pass
6**	12551.687	44.08	1.59	54.0	9.92	AV	74.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.700	37.20	-19.41	74.0	36.80	Peak	65.00	200	Horizontal	Pass
1**	1532.700	28.00	-19.41	54.0	26.00	AV	65.00	200	Horizontal	Pass
2	2786.500	43.75	-9.82	74.0	30.25	Peak	348.00	400	Horizontal	Pass
2**	2786.500	35.26	-9.82	54.0	18.74	AV	348.00	400	Horizontal	Pass
3	4345.500	46.59	-5.75	74.0	27.41	Peak	96.00	100	Horizontal	Pass
3**	4345.500	37.62	-5.75	54.0	16.38	AV	96.00	100	Horizontal	Pass
4	5828.250	108.99	-4.19	--	--	Peak	287.00	400	Horizontal	N/A
4**	5828.250	100.74	-4.19	--	--	AV	287.00	400	Horizontal	N/A
5	5990.250	61.41	-5.21	68.2	6.79	Peak	116.00	150	Horizontal	Pass
5**	5990.250	46.20	-5.21	--	--	AV	116.00	150	Horizontal	N/A
6	12399.925	52.14	0.31	74.0	21.86	Peak	137.00	200	Horizontal	Pass
6**	12399.925	42.88	0.31	54.0	11.12	AV	137.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.200	38.84	-19.69	74.0	35.16	Peak	177.00	400	Vertical	Pass
1**	1542.200	29.11	-19.69	54.0	24.89	AV	177.00	400	Vertical	Pass
2	2776.400	43.47	-10.63	74.0	30.53	Peak	62.00	400	Vertical	Pass
2**	2776.400	34.93	-10.63	54.0	19.07	AV	62.00	400	Vertical	Pass
3	3993.500	53.55	-7.46	74.0	20.45	Peak	262.00	200	Vertical	Pass
3**	3993.500	36.46	-7.46	54.0	17.54	AV	262.00	200	Vertical	Pass
4	5823.500	107.73	-4.39	--	--	Peak	281.00	100	Vertical	N/A
4**	5823.500	100.63	-4.39	--	--	AV	281.00	100	Vertical	N/A
5	5990.500	63.72	-5.16	68.2	4.48	Peak	131.00	150	Vertical	Pass
5**	5990.500	44.10	-5.16	--	--	AV	131.00	150	Vertical	N/A
6	12609.637	52.68	1.07	74.0	21.32	Peak	306.00	100	Vertical	Pass
6**	12609.637	44.25	1.07	54.0	9.75	AV	306.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.200	37.24	-19.75	74.0	36.76	Peak	106.00	300	Horizontal	Pass
1**	1573.200	27.50	-19.75	54.0	26.50	AV	106.00	300	Horizontal	Pass
2	2785.700	43.75	-10.09	74.0	30.25	Peak	346.00	300	Horizontal	Pass
2**	2785.700	35.09	-10.09	54.0	18.91	AV	346.00	300	Horizontal	Pass
3	4342.250	47.47	-5.69	74.0	26.53	Peak	126.00	150	Horizontal	Pass
3**	4342.250	37.96	-5.69	54.0	16.04	AV	126.00	150	Horizontal	Pass
4	5760.000	104.43	-5.74	--	--	Peak	278.00	400	Horizontal	N/A
4**	5760.000	96.77	-5.74	--	--	AV	278.00	400	Horizontal	N/A
5	7351.250	53.05	-1.17	74.0	20.95	Peak	278.00	200	Horizontal	Pass
5**	7351.250	44.48	-1.17	54.0	9.52	AV	278.00	200	Horizontal	Pass
6	12423.437	52.98	0.58	74.0	21.02	Peak	41.00	300	Horizontal	Pass
6**	12423.437	43.23	0.58	54.0	10.77	AV	41.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.300	39.08	-19.85	74.0	34.92	Peak	180.00	400	Vertical	Pass
1**	1543.300	29.16	-19.85	54.0	24.84	AV	180.00	400	Vertical	Pass
2	2776.300	43.73	-10.68	74.0	30.27	Peak	46.00	300	Vertical	Pass
2**	2776.300	35.43	-10.68	54.0	18.57	AV	46.00	300	Vertical	Pass
3	3993.750	54.93	-7.47	74.0	19.07	Peak	186.00	100	Vertical	Pass
3**	3993.750	38.99	-7.47	54.0	15.01	AV	186.00	100	Vertical	Pass
4	5762.750	104.33	-5.81	--	--	Peak	299.00	400	Vertical	N/A
4**	5762.750	95.82	-5.81	--	--	AV	299.00	400	Vertical	N/A
5	5990.750	62.54	-4.93	68.2	5.66	Peak	129.00	150	Vertical	Pass
5**	5990.750	49.87	-4.93	--	--	AV	129.00	150	Vertical	N/A
6	12369.762	52.97	0.57	74.0	21.03	Peak	293.00	200	Vertical	Pass
6**	12369.762	43.48	0.57	54.0	10.52	AV	293.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1548.100	37.69	-19.48	74.0	36.31	Peak	166.00	200	Horizontal	Pass
1**	1548.100	27.17	-19.48	54.0	26.83	AV	166.00	200	Horizontal	Pass
2	2782.300	43.67	-9.93	74.0	30.33	Peak	43.00	200	Horizontal	Pass
2**	2782.300	35.31	-9.93	54.0	18.69	AV	43.00	200	Horizontal	Pass
3	4293.500	47.44	-6.62	74.0	26.56	Peak	360.00	200	Horizontal	Pass
3**	4293.500	36.57	-6.62	54.0	17.43	AV	360.00	200	Horizontal	Pass
4	5793.500	106.50	-3.94	--	--	Peak	279.00	300	Horizontal	N/A
4**	5793.500	99.21	-3.94	--	--	AV	279.00	300	Horizontal	N/A
5	7328.750	52.46	-1.68	74.0	21.54	Peak	279.00	150	Horizontal	Pass
5**	7328.750	44.52	-1.68	54.0	9.48	AV	279.00	150	Horizontal	Pass
6	12546.700	53.01	1.54	74.0	20.99	Peak	118.00	400	Horizontal	Pass
6**	12546.700	43.24	1.54	54.0	10.76	AV	118.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.200	38.14	-19.45	74.0	35.86	Peak	175.00	300	Vertical	Pass
1**	1537.200	28.02	-19.45	54.0	25.98	AV	175.00	300	Vertical	Pass
2	2783.400	43.53	-9.95	74.0	30.47	Peak	50.00	400	Vertical	Pass
2**	2783.400	35.18	-9.95	54.0	18.82	AV	50.00	400	Vertical	Pass
3	3993.750	53.27	-7.47	74.0	20.73	Peak	253.00	200	Vertical	Pass
3**	3993.750	41.98	-7.47	54.0	12.02	AV	253.00	200	Vertical	Pass
4	5799.750	106.07	-3.54	--	--	Peak	293.00	400	Vertical	N/A
4**	5799.750	97.27	-3.54	--	--	AV	293.00	400	Vertical	N/A
5	5990.750	63.64	-4.93	68.2	4.56	Peak	360.00	150	Vertical	Pass
5**	5990.750	47.73	-4.93	--	--	AV	360.00	150	Vertical	N/A
6	12452.175	52.67	0.87	74.0	21.33	Peak	166.00	300	Vertical	Pass
6**	12452.175	43.62	0.87	54.0	10.38	AV	166.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.700	40.58	-19.39	74.0	33.42	Peak	160.00	300	Horizontal	Pass
1**	1540.700	29.88	-19.39	54.0	24.12	AV	160.00	300	Horizontal	Pass
2	2784.600	44.04	-10.10	74.0	29.96	Peak	324.00	300	Horizontal	Pass
2**	2784.600	34.90	-10.10	54.0	19.10	AV	324.00	300	Horizontal	Pass
3	4342.750	46.94	-5.62	74.0	27.06	Peak	16.00	150	Horizontal	Pass
3**	4342.750	38.82	-5.62	54.0	15.18	AV	16.00	150	Horizontal	Pass
4	5748.750	106.47	-6.01	--	--	Peak	312.00	400	Horizontal	N/A
4**	5748.750	99.41	-6.01	--	--	AV	312.00	400	Horizontal	N/A
5	7328.250	52.99	-1.37	74.0	21.01	Peak	312.00	150	Horizontal	Pass
5**	7328.250	44.33	-1.37	54.0	9.67	AV	312.00	150	Horizontal	Pass
6	12581.613	52.95	1.32	74.0	21.05	Peak	227.00	100	Horizontal	Pass
6**	12581.613	44.40	1.32	54.0	9.60	AV	227.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.100	41.46	-19.26	74.0	32.54	Peak	38.00	400	Vertical	Pass
1**	1544.100	33.90	-19.26	54.0	20.10	AV	38.00	400	Vertical	Pass
2	2783.500	43.97	-10.15	74.0	30.03	Peak	360.00	300	Vertical	Pass
2**	2783.500	34.90	-10.15	54.0	19.10	AV	360.00	300	Vertical	Pass
3	3993.250	53.75	-7.62	74.0	20.25	Peak	240.00	100	Vertical	Pass
3**	3993.250	42.07	-7.62	54.0	11.93	AV	240.00	100	Vertical	Pass
4	5748.500	105.73	-5.92	--	--	Peak	296.00	400	Vertical	N/A
4**	5748.500	98.07	-5.92	--	--	AV	296.00	400	Vertical	N/A
5	7586.750	53.22	-0.45	74.0	20.78	Peak	127.00	100	Vertical	Pass
5**	7586.750	45.00	-0.45	54.0	9.00	AV	127.00	100	Vertical	Pass
6	12617.475	52.76	1.00	74.0	21.24	Peak	120.00	400	Vertical	Pass
6**	12617.475	42.45	1.00	54.0	11.55	AV	120.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.900	40.25	-19.41	74.0	33.75	Peak	155.00	300	Horizontal	Pass
1**	1547.900	27.73	-19.41	54.0	26.27	AV	155.00	300	Horizontal	Pass
2	2783.400	43.83	-9.95	74.0	30.17	Peak	264.00	400	Horizontal	Pass
2**	2783.400	35.02	-9.95	54.0	18.98	AV	264.00	400	Horizontal	Pass
3	3993.500	47.29	-7.46	74.0	26.71	Peak	185.00	150	Horizontal	Pass
3**	3993.500	37.68	-7.46	54.0	16.32	AV	185.00	150	Horizontal	Pass
4	5788.250	107.74	-4.55	--	--	Peak	278.00	300	Horizontal	N/A
4**	5788.250	101.44	-4.55	--	--	AV	278.00	300	Horizontal	N/A
5	7500.000	53.32	-0.57	74.0	20.68	Peak	204.00	200	Horizontal	Pass
5**	7500.000	43.40	-0.57	54.0	10.60	AV	204.00	200	Horizontal	Pass
6	12480.675	52.58	0.66	74.0	21.42	Peak	326.00	400	Horizontal	Pass
6**	12480.675	42.08	0.66	54.0	11.92	AV	326.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.200	41.31	-19.37	74.0	32.69	Peak	284.00	400	Vertical	Pass
1**	1536.200	31.68	-19.37	54.0	22.32	AV	284.00	400	Vertical	Pass
2	2782.700	43.88	-9.82	74.0	30.12	Peak	124.00	200	Vertical	Pass
2**	2782.700	35.07	-9.82	54.0	18.93	AV	124.00	200	Vertical	Pass
3	3993.250	52.29	-7.62	74.0	21.71	Peak	177.00	150	Vertical	Pass
3**	3993.250	40.41	-7.62	54.0	13.59	AV	177.00	150	Vertical	Pass
4	5789.000	107.34	-4.55	--	--	Peak	295.00	400	Vertical	N/A
4**	5789.000	100.23	-4.55	--	--	AV	295.00	400	Vertical	N/A
5	7585.750	53.39	0.05	74.0	20.61	Peak	76.00	100	Vertical	Pass
5**	7585.750	43.84	0.05	54.0	10.16	AV	76.00	100	Vertical	Pass
6	12336.513	53.11	0.71	74.0	20.89	Peak	305.00	200	Vertical	Pass
6**	12336.513	43.32	0.71	54.0	10.68	AV	305.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.600	40.44	-19.37	74.0	33.56	Peak	158.00	400	Horizontal	Pass
1**	1531.600	31.73	-19.37	54.0	22.27	AV	158.00	400	Horizontal	Pass
2	2779.400	43.58	-10.52	74.0	30.42	Peak	122.00	400	Horizontal	Pass
2**	2779.400	34.37	-10.52	54.0	19.63	AV	122.00	400	Horizontal	Pass
3	3993.750	50.01	-7.47	74.0	23.99	Peak	243.00	100	Horizontal	Pass
3**	3993.750	38.16	-7.47	54.0	15.84	AV	243.00	100	Horizontal	Pass
4	5826.500	108.40	-4.41	--	--	Peak	280.00	400	Horizontal	N/A
4**	5826.500	100.79	-4.41	--	--	AV	280.00	400	Horizontal	N/A
5	7472.000	53.28	-1.00	74.0	20.72	Peak	52.00	150	Horizontal	Pass
5**	7472.000	43.39	-1.00	54.0	10.61	AV	52.00	150	Horizontal	Pass
6	12324.400	52.46	0.69	74.0	21.54	Peak	350.00	200	Horizontal	Pass
6**	12324.400	42.50	0.69	54.0	11.50	AV	350.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.300	41.78	-19.32	74.0	32.22	Peak	275.00	100	Vertical	Pass
1**	1528.300	32.85	-19.32	54.0	21.15	AV	275.00	100	Vertical	Pass
2	2733.600	43.62	-11.36	74.0	30.38	Peak	51.00	300	Vertical	Pass
2**	2733.600	33.70	-11.36	54.0	20.30	AV	51.00	300	Vertical	Pass
3	3994.250	52.86	-7.64	74.0	21.14	Peak	188.00	100	Vertical	Pass
3**	3994.250	37.30	-7.64	54.0	16.70	AV	188.00	100	Vertical	Pass
4	5822.500	107.08	-3.98	--	--	Peak	301.00	100	Vertical	N/A
4**	5822.500	99.39	-3.98	--	--	AV	301.00	100	Vertical	N/A
5	7605.750	53.75	-0.98	74.0	20.25	Peak	35.00	150	Vertical	Pass
5**	7605.750	43.36	-0.98	54.0	10.64	AV	35.00	150	Vertical	Pass
6	12579.237	53.20	1.34	74.0	20.80	Peak	71.00	400	Vertical	Pass
6**	12579.237	43.17	1.34	54.0	10.83	AV	71.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.200	40.53	-19.20	74.0	33.47	Peak	275.00	100	Horizontal	Pass
1**	1544.200	30.83	-19.20	54.0	23.17	AV	275.00	100	Horizontal	Pass
2	2786.500	43.70	-9.82	74.0	30.30	Peak	360.00	400	Horizontal	Pass
2**	2786.500	35.26	-9.82	54.0	18.74	AV	360.00	400	Horizontal	Pass
3	4340.750	46.56	-6.40	74.0	27.44	Peak	35.00	150	Horizontal	Pass
3**	4340.750	37.61	-6.40	54.0	16.39	AV	35.00	150	Horizontal	Pass
4	5750.000	105.19	-5.85	--	--	Peak	271.00	200	Horizontal	N/A
4**	5750.000	97.56	-5.85	--	--	AV	271.00	200	Horizontal	N/A
5	7654.750	52.71	-0.64	74.0	21.29	Peak	195.00	150	Horizontal	Pass
5**	7654.750	43.77	-0.64	54.0	10.23	AV	195.00	150	Horizontal	Pass
6	12548.600	52.64	1.58	74.0	21.36	Peak	87.00	200	Horizontal	Pass
6**	12548.600	43.47	1.58	54.0	10.53	AV	87.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.100	42.36	-19.26	74.0	31.64	Peak	275.00	200	Vertical	Pass
1**	1544.100	33.53	-19.26	54.0	20.47	AV	275.00	200	Vertical	Pass
2	2784.800	44.39	-9.79	74.0	29.61	Peak	169.00	300	Vertical	Pass
2**	2784.800	35.32	-9.79	54.0	18.68	AV	169.00	300	Vertical	Pass
3	3993.500	54.93	-7.46	74.0	19.07	Peak	192.00	150	Vertical	Pass
3**	3993.500	39.33	-7.46	54.0	14.67	AV	192.00	150	Vertical	Pass
4	5750.250	104.08	-5.66	--	--	Peak	285.00	100	Vertical	N/A
4**	5750.250	96.64	-5.66	--	--	AV	285.00	100	Vertical	N/A
5	7586.000	53.66	-0.09	74.0	20.34	Peak	324.00	100	Vertical	Pass
5**	7586.000	44.33	-0.09	54.0	9.67	AV	324.00	100	Vertical	Pass
6	12604.412	52.51	1.11	74.0	21.49	Peak	58.00	400	Vertical	Pass
6**	12604.412	43.20	1.11	54.0	10.80	AV	58.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.300	40.63	-19.91	74.0	33.37	Peak	166.00	200	Horizontal	Pass
1**	1541.300	32.25	-19.91	54.0	21.75	AV	166.00	200	Horizontal	Pass
2	2783.200	44.08	-9.54	74.0	29.92	Peak	24.00	100	Horizontal	Pass
2**	2783.200	35.60	-9.54	54.0	18.40	AV	24.00	100	Horizontal	Pass
3	3993.750	48.34	-7.47	74.0	25.66	Peak	225.00	200	Horizontal	Pass
3**	3993.750	38.03	-7.47	54.0	15.97	AV	225.00	200	Horizontal	Pass
4	5803.000	108.09	-3.76	--	--	Peak	283.00	100	Horizontal	N/A
4**	5803.000	99.47	-3.76	--	--	AV	283.00	100	Horizontal	N/A
5	7690.750	52.82	-0.97	74.0	21.18	Peak	340.00	200	Horizontal	Pass
5**	7690.750	42.91	-0.97	54.0	11.09	AV	340.00	200	Horizontal	Pass
6	12579.474	52.56	1.34	74.0	21.44	Peak	76.00	400	Horizontal	Pass
6**	12579.474	43.79	1.34	54.0	10.21	AV	76.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.300	41.18	-19.50	74.0	32.82	Peak	268.00	200	Vertical	Pass
1**	1536.300	31.07	-19.50	54.0	22.93	AV	268.00	200	Vertical	Pass
2	2809.100	43.42	-11.24	74.0	30.58	Peak	180.00	100	Vertical	Pass
2**	2809.100	34.09	-11.24	54.0	19.91	AV	180.00	100	Vertical	Pass
3	3994.000	56.30	-7.53	74.0	17.70	Peak	243.00	150	Vertical	Pass
3**	3994.000	44.77	-7.53	54.0	9.23	AV	243.00	150	Vertical	Pass
4	5802.500	106.10	-3.49	--	--	Peak	300.00	100	Vertical	N/A
4**	5802.500	97.47	-3.49	--	--	AV	300.00	100	Vertical	N/A
5	5991.000	61.38	-4.88	68.2	6.82	Peak	281.00	150	Vertical	Pass
5**	5991.000	44.12	-4.88	--	--	AV	281.00	150	Vertical	N/A
6	12580.901	52.77	1.33	74.0	21.23	Peak	163.00	400	Vertical	Pass
6**	12580.901	44.33	1.33	54.0	9.67	AV	163.00	400	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.600	39.98	-19.79	74.0	34.02	Peak	155.00	300	Horizontal	Pass
1**	1541.600	29.88	-19.79	54.0	24.12	AV	155.00	300	Horizontal	Pass
2	2783.100	43.96	-9.34	74.0	30.04	Peak	129.00	400	Horizontal	Pass
2**	2783.100	35.57	-9.34	54.0	18.43	AV	129.00	400	Horizontal	Pass
3	3993.500	48.24	-7.46	74.0	25.76	Peak	237.00	200	Horizontal	Pass
3**	3993.500	37.00	-7.46	54.0	17.00	AV	237.00	200	Horizontal	Pass
4	5798.750	102.13	-3.39	--	--	Peak	276.00	300	Horizontal	N/A
4**	5798.750	94.76	-3.39	--	--	AV	276.00	300	Horizontal	N/A
5	7690.750	52.97	-0.97	74.0	21.03	Peak	56.00	100	Horizontal	Pass
5**	7690.750	43.49	-0.97	54.0	10.51	AV	56.00	100	Horizontal	Pass
6	12622.224	52.89	0.96	74.0	21.11	Peak	241.00	300	Horizontal	Pass
6**	12622.224	42.55	0.96	54.0	11.45	AV	241.00	300	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1548.500	42.36	-19.74	74.0	31.64	Peak	274.00	200	Vertical	Pass
1**	1548.500	27.72	-19.74	54.0	26.28	AV	274.00	200	Vertical	Pass
2	2786.400	44.02	-9.88	74.0	29.98	Peak	0.00	400	Vertical	Pass
2**	2786.400	35.39	-9.88	54.0	18.61	AV	0.00	400	Vertical	Pass
3	3993.500	52.13	-7.46	74.0	21.87	Peak	165.00	150	Vertical	Pass
3**	3993.500	38.36	-7.46	54.0	15.64	AV	165.00	150	Vertical	Pass
4	5798.750	100.50	-3.39	--	--	Peak	296.00	400	Vertical	N/A
4**	5798.750	93.60	-3.39	--	--	AV	296.00	400	Vertical	N/A
5	5990.750	62.82	-4.93	68.2	5.38	Peak	259.00	150	Vertical	Pass
5**	5990.750	48.93	-4.93	--	--	AV	259.00	150	Vertical	N/A
6	12616.526	52.67	1.01	74.0	21.33	Peak	11.00	100	Vertical	Pass
6**	12616.526	43.64	1.01	54.0	10.36	AV	11.00	100	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.200	39.39	-19.41	74.0	34.61	Peak	248.00	100	Horizontal	Pass
1**	1540.200	29.92	-19.41	54.0	24.08	AV	248.00	100	Horizontal	Pass
2	2786.700	43.99	-10.02	74.0	30.01	Peak	100.00	400	Horizontal	Pass
2**	2786.700	34.66	-10.02	54.0	19.34	AV	100.00	400	Horizontal	Pass
3	4354.500	46.60	-5.92	74.0	27.40	Peak	305.00	200	Horizontal	Pass
3**	4354.500	38.08	-5.92	54.0	15.92	AV	305.00	200	Horizontal	Pass
4	5747.250	106.99	-5.63	--	--	Peak	267.00	400	Horizontal	N/A
4**	5747.250	99.60	-5.63	--	--	AV	267.00	400	Horizontal	N/A
5	7580.500	52.68	-0.05	74.0	21.32	Peak	0.00	150	Horizontal	Pass
5**	7580.500	44.96	-0.05	54.0	9.04	AV	0.00	150	Horizontal	Pass
6	12576.625	52.79	1.37	74.0	21.21	Peak	56.00	100	Horizontal	Pass
6**	12576.625	43.67	1.37	54.0	10.33	AV	56.00	100	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.100	41.26	-19.18	74.0	32.74	Peak	285.00	400	Vertical	Pass
1**	1529.100	30.86	-19.18	54.0	23.14	AV	285.00	400	Vertical	Pass
2	2782.900	43.26	-9.58	74.0	30.74	Peak	354.00	200	Vertical	Pass
2**	2782.900	35.39	-9.58	54.0	18.61	AV	354.00	200	Vertical	Pass
3	3993.750	56.20	-7.47	74.0	17.80	Peak	232.00	150	Vertical	Pass
3**	3993.750	39.98	-7.47	54.0	14.02	AV	232.00	150	Vertical	Pass
4	5745.250	106.68	-5.85	--	--	Peak	287.00	300	Vertical	N/A
4**	5745.250	96.74	-5.85	--	--	AV	287.00	300	Vertical	N/A
5	5990.750	61.37	-4.93	68.2	6.83	Peak	100.00	150	Vertical	Pass
5**	5990.750	45.14	-4.93	--	--	AV	100.00	150	Vertical	N/A
6	12306.588	53.45	0.67	74.0	20.55	Peak	208.00	300	Vertical	Pass
6**	12306.588	43.96	0.67	54.0	10.04	AV	208.00	300	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.600	39.40	-19.83	74.0	34.60	Peak	160.00	400	Horizontal	Pass
1**	1529.600	28.96	-19.83	54.0	25.04	AV	160.00	400	Horizontal	Pass
2	2786.100	43.73	-10.05	74.0	30.27	Peak	293.00	400	Horizontal	Pass
2**	2786.100	34.78	-10.05	54.0	19.22	AV	293.00	400	Horizontal	Pass
3	4349.750	46.82	-5.56	74.0	27.18	Peak	2.00	200	Horizontal	Pass
3**	4349.750	38.11	-5.56	54.0	15.89	AV	2.00	200	Horizontal	Pass
4	5788.000	108.85	-4.34	--	--	Peak	304.00	100	Horizontal	N/A
4**	5788.000	100.65	-4.34	--	--	AV	304.00	100	Horizontal	N/A
5	7583.000	53.79	0.28	74.0	20.21	Peak	76.00	100	Horizontal	Pass
5**	7583.000	44.98	0.28	54.0	9.02	AV	76.00	100	Horizontal	Pass
6	12432.463	52.26	0.68	74.0	21.74	Peak	323.00	300	Horizontal	Pass
6**	12432.463	44.26	0.68	54.0	9.74	AV	323.00	300	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.300	41.03	-19.59	74.0	32.97	Peak	285.00	300	Vertical	Pass
1**	1534.300	30.70	-19.59	54.0	23.30	AV	285.00	300	Vertical	Pass
2	2786.000	43.71	-10.07	74.0	30.29	Peak	328.00	200	Vertical	Pass
2**	2786.000	34.85	-10.07	54.0	19.15	AV	328.00	200	Vertical	Pass
3	3993.250	54.80	-7.62	74.0	19.20	Peak	178.00	150	Vertical	Pass
3**	3993.250	42.91	-7.62	54.0	11.09	AV	178.00	150	Vertical	Pass
4	5784.000	107.63	-4.63	--	--	Peak	271.00	400	Vertical	N/A
4**	5784.000	99.66	-4.63	--	--	AV	271.00	400	Vertical	N/A
5	7576.500	52.72	-0.53	74.0	21.28	Peak	122.00	200	Vertical	Pass
5**	7576.500	43.87	-0.53	54.0	10.13	AV	122.00	200	Vertical	Pass
6	12637.901	52.61	0.83	74.0	21.39	Peak	250.00	300	Vertical	Pass
6**	12637.901	43.25	0.83	54.0	10.75	AV	250.00	300	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.600	39.41	-19.90	74.0	34.59	Peak	195.00	400	Horizontal	Pass
1**	1536.600	28.13	-19.90	54.0	25.87	AV	195.00	400	Horizontal	Pass
2	2782.200	43.64	-10.01	74.0	30.36	Peak	255.00	200	Horizontal	Pass
2**	2782.200	34.72	-10.01	54.0	19.28	AV	255.00	200	Horizontal	Pass
3	4345.750	47.45	-5.67	74.0	26.55	Peak	119.00	200	Horizontal	Pass
3**	4345.750	37.92	-5.67	54.0	16.08	AV	119.00	200	Horizontal	Pass
4	5821.250	109.12	-4.13	--	--	Peak	270.00	400	Horizontal	N/A
4**	5821.250	100.71	-4.13	--	--	AV	270.00	400	Horizontal	N/A
5	7691.500	53.56	-0.66	74.0	20.44	Peak	44.00	200	Horizontal	Pass
5**	7691.500	43.55	-0.66	54.0	10.45	AV	44.00	200	Horizontal	Pass
6	12280.225	52.59	0.54	74.0	21.41	Peak	337.00	100	Horizontal	Pass
6**	12280.225	42.95	0.54	54.0	11.05	AV	337.00	100	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.000	41.85	-19.32	74.0	32.15	Peak	285.00	300	Vertical	Pass
1**	1544.000	32.55	-19.32	54.0	21.45	AV	285.00	300	Vertical	Pass
2	2833.800	44.23	-11.49	74.0	29.77	Peak	242.00	100	Vertical	Pass
2**	2833.800	33.61	-11.49	54.0	20.39	AV	242.00	100	Vertical	Pass
3	3993.500	56.43	-7.46	74.0	17.57	Peak	234.00	150	Vertical	Pass
3**	3993.500	40.51	-7.46	54.0	13.49	AV	234.00	150	Vertical	Pass
4	5823.750	108.69	-4.37	--	--	Peak	271.00	400	Vertical	N/A
4**	5823.750	99.60	-4.37	--	--	AV	271.00	400	Vertical	N/A
5	7582.750	52.94	0.29	74.0	21.06	Peak	50.00	200	Vertical	Pass
5**	7582.750	44.44	0.29	54.0	9.56	AV	50.00	200	Vertical	Pass
6	12341.975	52.82	0.72	74.0	21.18	Peak	59.00	300	Vertical	Pass
6**	12341.975	43.18	0.72	54.0	10.82	AV	59.00	300	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.600	39.67	-19.60	74.0	34.33	Peak	151.00	400	Horizontal	Pass
1**	1539.600	29.12	-19.60	54.0	24.88	AV	151.00	400	Horizontal	Pass
2	2782.500	43.70	-9.89	74.0	30.30	Peak	194.00	300	Horizontal	Pass
2**	2782.500	36.42	-9.89	54.0	17.58	AV	194.00	300	Horizontal	Pass
3	4346.000	47.02	-5.86	74.0	26.98	Peak	114.00	100	Horizontal	Pass
3**	4346.000	37.95	-5.86	54.0	16.05	AV	114.00	100	Horizontal	Pass
4	5760.250	105.42	-5.81	--	--	Peak	268.00	300	Horizontal	N/A
4**	5760.250	96.59	-5.81	--	--	AV	268.00	300	Horizontal	N/A
5	7364.750	53.02	-0.73	74.0	20.98	Peak	287.00	150	Horizontal	Pass
5**	7364.750	43.78	-0.73	54.0	10.22	AV	287.00	150	Horizontal	Pass
6	12298.988	52.26	0.65	74.0	21.74	Peak	232.00	200	Horizontal	Pass
6**	12298.988	42.87	0.65	54.0	11.13	AV	232.00	200	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.900	42.30	-19.71	74.0	31.70	Peak	276.00	300	Vertical	Pass
1**	1544.900	31.04	-19.71	54.0	22.96	AV	276.00	300	Vertical	Pass
2	2782.300	43.69	-9.93	74.0	30.31	Peak	215.00	200	Vertical	Pass
2**	2782.300	35.47	-9.93	54.0	18.53	AV	215.00	200	Vertical	Pass
3	3993.250	53.44	-7.62	74.0	20.56	Peak	244.00	200	Vertical	Pass
3**	3993.250	37.35	-7.62	54.0	16.65	AV	244.00	200	Vertical	Pass
4	5760.750	105.78	-5.87	--	--	Peak	299.00	400	Vertical	N/A
4**	5760.750	97.31	-5.87	--	--	AV	299.00	400	Vertical	N/A
5	5990.250	59.73	-5.21	68.2	8.47	Peak	133.00	150	Vertical	Pass
5**	5990.250	47.00	-5.21	--	--	AV	133.00	150	Vertical	N/A
6	12391.137	52.50	0.38	74.0	21.50	Peak	263.00	400	Vertical	Pass
6**	12391.137	42.79	0.38	54.0	11.21	AV	263.00	400	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.300	40.82	-19.59	74.0	33.18	Peak	139.00	100	Horizontal	Pass
1**	1534.300	30.72	-19.59	54.0	23.28	AV	139.00	100	Horizontal	Pass
2	2783.500	43.71	-10.15	74.0	30.29	Peak	334.00	400	Horizontal	Pass
2**	2783.500	34.81	-10.15	54.0	19.19	AV	334.00	400	Horizontal	Pass
3	3993.250	47.96	-7.62	74.0	26.04	Peak	234.00	200	Horizontal	Pass
3**	3993.250	35.90	-7.62	54.0	18.10	AV	234.00	200	Horizontal	Pass
4	5798.500	106.76	-3.49	--	--	Peak	290.00	200	Horizontal	N/A
4**	5798.500	98.84	-3.49	--	--	AV	290.00	200	Horizontal	N/A
5	7475.500	53.20	-0.74	74.0	20.80	Peak	174.00	200	Horizontal	Pass
5**	7475.500	44.07	-0.74	54.0	9.93	AV	174.00	200	Horizontal	Pass
6	12301.362	53.34	0.66	74.0	20.66	Peak	116.00	300	Horizontal	Pass
6**	12301.362	43.06	0.66	54.0	10.94	AV	116.00	300	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.400	40.75	-19.31	74.0	33.25	Peak	273.00	300	Vertical	Pass
1**	1544.400	32.18	-19.31	54.0	21.82	AV	273.00	300	Vertical	Pass
2	2784.700	44.29	-9.94	74.0	29.71	Peak	190.00	200	Vertical	Pass
2**	2784.700	35.44	-9.94	54.0	18.56	AV	190.00	200	Vertical	Pass
3	3993.000	49.90	-7.83	74.0	24.10	Peak	257.00	150	Vertical	Pass
3**	3993.000	35.90	-7.83	54.0	18.10	AV	257.00	150	Vertical	Pass
4	5801.500	105.08	-3.37	--	--	Peak	294.00	300	Vertical	N/A
4**	5801.500	98.47	-3.37	--	--	AV	294.00	300	Vertical	N/A
5	5990.000	60.39	-5.20	68.2	7.81	Peak	257.00	150	Vertical	Pass
5**	5990.000	44.05	-5.20	--	--	AV	257.00	150	Vertical	N/A
6	12582.325	53.39	1.31	74.0	20.61	Peak	308.00	400	Vertical	Pass
6**	12582.325	44.15	1.31	54.0	9.85	AV	308.00	400	Vertical	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.000	41.19	-19.65	74.0	32.81	Peak	155.00	100	Horizontal	Pass
1**	1542.000	31.59	-19.65	54.0	22.41	AV	155.00	100	Horizontal	Pass
2	2779.600	43.86	-10.54	74.0	30.14	Peak	6.00	100	Horizontal	Pass
2**	2779.600	34.41	-10.54	54.0	19.59	AV	6.00	100	Horizontal	Pass
3	4339.750	46.61	-5.84	74.0	27.39	Peak	55.00	150	Horizontal	Pass
3**	4339.750	38.07	-5.84	54.0	15.93	AV	55.00	150	Horizontal	Pass
4	5795.250	103.75	-3.65	--	--	Peak	283.00	300	Horizontal	N/A
4**	5795.250	93.99	-3.65	--	--	AV	283.00	300	Horizontal	N/A
5	7617.000	53.19	-1.03	74.0	20.81	Peak	360.00	200	Horizontal	Pass
5**	7617.000	43.20	-1.03	54.0	10.80	AV	360.00	200	Horizontal	Pass
6	12365.725	52.70	0.60	74.0	21.30	Peak	236.00	100	Horizontal	Pass
6**	12365.725	43.80	0.60	54.0	10.20	AV	236.00	100	Horizontal	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.900	40.75	-19.26	74.0	33.25	Peak	276.00	100	Vertical	Pass
1**	1537.900	32.20	-19.26	54.0	21.80	AV	276.00	100	Vertical	Pass
2	2783.700	43.64	-10.20	74.0	30.36	Peak	62.00	300	Vertical	Pass
2**	2783.700	34.44	-10.20	54.0	19.56	AV	62.00	300	Vertical	Pass
3	3993.250	55.92	-7.62	74.0	18.08	Peak	251.00	200	Vertical	Pass
3**	3993.250	42.15	-7.62	54.0	11.85	AV	251.00	200	Vertical	Pass
4	5798.000	101.90	-3.52	--	--	Peak	289.00	100	Vertical	N/A
4**	5798.000	92.28	-3.52	--	--	AV	289.00	100	Vertical	N/A
5	5990.250	61.58	-5.21	68.2	6.62	Peak	360.00	150	Vertical	Pass
5**	5990.250	47.12	-5.21	--	--	AV	360.00	150	Vertical	N/A
6	12402.775	52.30	0.34	74.0	21.70	Peak	264.00	200	Vertical	Pass
6**	12402.775	43.67	0.34	54.0	10.33	AV	264.00	200	Vertical	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.400	40.99	-17.24	74.0	33.01	Peak	104.00	200	Horizontal	Pass
1**	1539.400	33.15	-17.24	54.0	20.85	AV	104.00	200	Horizontal	Pass
2	4285.200	50.97	-3.25	74.0	23.03	Peak	0.00	400	Horizontal	Pass
2**	4285.200	42.55	-3.25	54.0	11.45	AV	0.00	400	Horizontal	Pass
3	5722.400	111.73	-1.43	--	--	Peak	271.00	200	Horizontal	N/A
3**	5722.400	103.68	-1.43	--	--	AV	271.00	200	Horizontal	N/A
4	7453.388	49.66	-3.90	74.0	24.34	Peak	178.00	200	Horizontal	Pass
4**	7453.388	40.64	-3.90	54.0	13.36	AV	178.00	200	Horizontal	Pass
5	12254.349	54.19	0.98	74.0	19.81	Peak	13.00	100	Horizontal	Pass
5**	12254.349	43.79	0.98	54.0	10.21	AV	13.00	100	Horizontal	Pass
6	16096.874	55.84	1.28	74.0	18.16	Peak	136.00	300	Horizontal	Pass
6**	16096.874	46.52	1.28	54.0	7.48	AV	136.00	300	Horizontal	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1685.000	43.06	-17.12	74.0	30.94	Peak	324.00	100	Vertical	Pass
1**	1685.000	34.37	-17.12	54.0	19.63	AV	324.00	100	Vertical	Pass
2	3994.000	56.62	-4.45	74.0	17.38	Peak	209.00	100	Vertical	Pass
2**	3994.000	40.93	-4.45	54.0	13.07	AV	209.00	100	Vertical	Pass
3	5717.000	110.30	-1.59	--	--	Peak	253.00	100	Vertical	N/A
3**	5717.000	102.96	-1.59	--	--	AV	253.00	100	Vertical	N/A
4	5990.600	65.56	-0.32	68.2	2.64	Peak	330.00	100	Vertical	Pass
4**	5990.600	51.10	-0.32	--	--	AV	330.00	100	Vertical	N/A
5	11211.013	53.74	-0.21	74.0	20.26	Peak	249.00	100	Vertical	Pass
5**	11211.013	43.36	-0.21	54.0	10.64	AV	249.00	100	Vertical	Pass
6	15799.463	56.75	2.32	74.0	17.25	Peak	54.00	300	Vertical	Pass
6**	15799.463	46.92	2.32	54.0	7.08	AV	54.00	300	Vertical	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.200	40.34	-17.22	74.0	33.66	Peak	66.00	300	Horizontal	Pass
1**	1534.200	31.41	-17.22	54.0	22.59	AV	66.00	300	Horizontal	Pass
2	4382.000	51.25	-3.00	74.0	22.75	Peak	8.00	400	Horizontal	Pass
2**	4382.000	42.10	-3.00	54.0	11.90	AV	8.00	400	Horizontal	Pass
3	5725.000	110.46	-1.24	--	--	Peak	243.00	150	Horizontal	N/A
3**	5725.000	102.53	-1.24	--	--	AV	243.00	150	Horizontal	N/A
4	5990.400	63.67	-0.32	68.2	4.53	Peak	80.00	100	Horizontal	Pass
4**	5990.400	50.40	-0.32	--	--	AV	80.00	100	Horizontal	N/A
5	11938.388	52.71	1.69	74.0	21.29	Peak	60.00	150	Horizontal	Pass
5**	11938.388	43.28	1.69	54.0	10.72	AV	60.00	150	Horizontal	Pass
6	15626.474	55.47	1.72	74.0	18.53	Peak	255.00	300	Horizontal	Pass
6**	15626.474	46.73	1.72	54.0	7.27	AV	255.00	300	Horizontal	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1679.200	43.63	-17.22	74.0	30.37	Peak	134.00	100	Vertical	Pass
1**	1679.200	33.05	-17.22	54.0	20.95	AV	134.00	100	Vertical	Pass
2	4369.400	51.01	-2.72	74.0	22.99	Peak	335.00	100	Vertical	Pass
2**	4369.400	43.11	-2.72	54.0	10.89	AV	335.00	100	Vertical	Pass
3	5721.000	110.17	-1.45	--	--	Peak	250.00	200	Vertical	N/A
3**	5721.000	102.45	-1.45	--	--	AV	250.00	200	Vertical	N/A
4	5990.400	64.64	-0.32	68.2	3.56	Peak	360.00	100	Vertical	Pass
4**	5990.400	51.48	-0.32	--	--	AV	360.00	100	Vertical	N/A
5	12286.838	53.37	1.73	74.0	20.63	Peak	331.00	200	Vertical	Pass
5**	12286.838	44.87	1.73	54.0	9.13	AV	331.00	200	Vertical	Pass
6	15631.725	56.11	1.65	74.0	17.89	Peak	305.00	200	Vertical	Pass
6**	15631.725	45.92	1.65	54.0	8.08	AV	305.00	200	Vertical	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.100	41.73	-17.40	74.0	32.27	Peak	80.00	200	Horizontal	Pass
1**	1531.100	31.83	-17.40	54.0	22.17	AV	80.00	200	Horizontal	Pass
2	4374.200	50.93	-3.14	74.0	23.07	Peak	127.00	100	Horizontal	Pass
2**	4374.200	42.61	-3.14	54.0	11.39	AV	127.00	100	Horizontal	Pass
3	5702.400	108.28	-0.99	--	--	Peak	245.00	150	Horizontal	N/A
3**	5702.400	100.46	-0.99	--	--	AV	245.00	150	Horizontal	N/A
4	5989.800	64.52	-0.32	68.2	3.68	Peak	83.00	100	Horizontal	Pass
4**	5989.800	45.65	-0.32	--	--	AV	83.00	100	Horizontal	N/A
5	12236.237	54.07	1.14	74.0	19.93	Peak	31.00	150	Horizontal	Pass
5**	12236.237	43.98	1.14	54.0	10.02	AV	31.00	150	Horizontal	Pass
6	15812.850	55.59	2.11	74.0	18.41	Peak	102.00	400	Horizontal	Pass
6**	15812.850	46.27	2.11	54.0	7.73	AV	102.00	400	Horizontal	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.700	40.82	-17.22	74.0	33.18	Peak	257.00	400	Vertical	Pass
1**	1533.700	32.51	-17.22	54.0	21.49	AV	257.00	400	Vertical	Pass
2	4362.600	50.91	-2.63	74.0	23.09	Peak	222.00	100	Vertical	Pass
2**	4362.600	41.87	-2.63	54.0	12.13	AV	222.00	100	Vertical	Pass
3	5699.400	107.33	-0.88	--	--	Peak	258.00	200	Vertical	N/A
3**	5699.400	99.83	-0.88	--	--	AV	258.00	200	Vertical	N/A
4	7340.112	48.99	-3.52	74.0	25.01	Peak	153.00	200	Vertical	Pass
4**	7340.112	41.09	-3.52	54.0	12.91	AV	153.00	200	Vertical	Pass
5	12646.500	52.84	1.05	74.0	21.16	Peak	36.00	200	Vertical	Pass
5**	12646.500	42.64	1.05	54.0	11.36	AV	36.00	200	Vertical	Pass
6	15814.425	56.15	2.07	74.0	17.85	Peak	257.00	100	Vertical	Pass
6**	15814.425	47.03	2.07	54.0	6.97	AV	257.00	100	Vertical	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.300	41.02	-17.51	74.0	32.98	Peak	89.00	300	Horizontal	Pass
1**	1530.300	32.44	-17.51	54.0	21.56	AV	89.00	300	Horizontal	Pass
2	4375.800	50.90	-2.96	74.0	23.10	Peak	296.00	200	Horizontal	Pass
2**	4375.800	42.76	-2.96	54.0	11.24	AV	296.00	200	Horizontal	Pass
3	5724.200	110.60	-1.30	--	--	Peak	245.00	200	Horizontal	N/A
3**	5724.200	102.69	-1.30	--	--	AV	245.00	200	Horizontal	N/A
4	5990.200	62.69	-0.32	68.2	5.51	Peak	70.00	100	Horizontal	Pass
4**	5990.200	46.83	-0.32	--	--	AV	70.00	100	Horizontal	N/A
5	12415.638	53.60	1.41	74.0	20.40	Peak	171.00	100	Horizontal	Pass
5**	12415.638	43.19	1.41	54.0	10.81	AV	171.00	100	Horizontal	Pass
6	15880.313	56.11	0.25	74.0	17.89	Peak	293.00	400	Horizontal	Pass
6**	15880.313	45.34	0.25	54.0	8.66	AV	293.00	400	Horizontal	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.500	40.07	-17.23	74.0	33.93	Peak	204.00	200	Vertical	Pass
1**	1539.500	31.81	-17.23	54.0	22.19	AV	204.00	200	Vertical	Pass
2	4383.800	50.80	-2.88	74.0	23.20	Peak	168.00	300	Vertical	Pass
2**	4383.800	42.35	-2.88	54.0	11.65	AV	168.00	300	Vertical	Pass
3	5723.000	109.40	-1.41	--	--	Peak	265.00	150	Vertical	N/A
3**	5723.000	101.54	-1.41	--	--	AV	265.00	150	Vertical	N/A
4	7333.212	50.04	-3.52	74.0	23.96	Peak	4.00	100	Vertical	Pass
4**	7333.212	40.61	-3.52	54.0	13.39	AV	4.00	100	Vertical	Pass
5	12498.437	53.40	1.65	74.0	20.60	Peak	149.00	150	Vertical	Pass
5**	12498.437	43.48	1.65	54.0	10.52	AV	149.00	150	Vertical	Pass
6	15791.325	55.92	2.05	74.0	18.08	Peak	110.00	100	Vertical	Pass
6**	15791.325	47.03	2.05	54.0	6.97	AV	110.00	100	Vertical	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.800	41.69	-17.18	74.0	32.31	Peak	205.00	100	Horizontal	Pass
1**	1540.800	34.06	-17.18	54.0	19.94	AV	205.00	100	Horizontal	Pass
2	4377.400	50.58	-2.86	74.0	23.42	Peak	360.00	200	Horizontal	Pass
2**	4377.400	41.60	-2.86	54.0	12.40	AV	360.00	200	Horizontal	Pass
3	5701.000	108.65	-0.86	--	--	Peak	251.00	100	Horizontal	N/A
3**	5701.000	101.12	-0.86	--	--	AV	251.00	100	Horizontal	N/A
4	7364.263	49.32	-4.01	74.0	24.68	Peak	39.00	200	Horizontal	Pass
4**	7364.263	39.99	-4.01	54.0	14.01	AV	39.00	200	Horizontal	Pass
5	12284.250	53.29	1.78	74.0	20.71	Peak	171.00	100	Horizontal	Pass
5**	12284.250	44.36	1.78	54.0	9.64	AV	171.00	100	Horizontal	Pass
6	16174.312	55.68	1.30	74.0	18.32	Peak	126.00	400	Horizontal	Pass
6**	16174.312	46.20	1.30	54.0	7.80	AV	126.00	400	Horizontal	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.700	40.93	-17.26	74.0	33.07	Peak	251.00	400	Vertical	Pass
1**	1541.700	30.85	-17.26	54.0	23.15	AV	251.00	400	Vertical	Pass
2	4384.200	50.79	-2.88	74.0	23.21	Peak	256.00	300	Vertical	Pass
2**	4384.200	41.74	-2.88	54.0	12.26	AV	256.00	300	Vertical	Pass
3	5700.800	107.27	-0.86	--	--	Peak	256.00	150	Vertical	N/A
3**	5700.800	99.33	-0.86	--	--	AV	256.00	150	Vertical	N/A
4	5990.200	66.17	-0.32	68.2	2.03	Peak	360.00	100	Vertical	Pass
4**	5990.200	56.54	-0.32	--	--	AV	360.00	100	Vertical	N/A
5	11434.687	52.80	-0.08	74.0	21.20	Peak	308.00	100	Vertical	Pass
5**	11434.687	42.26	-0.08	54.0	11.74	AV	308.00	100	Vertical	Pass
6	15803.400	56.50	2.29	74.0	17.50	Peak	165.00	300	Vertical	Pass
6**	15803.400	47.18	2.29	54.0	6.82	AV	165.00	300	Vertical	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.600	41.35	-17.22	74.0	32.65	Peak	39.00	400	Horizontal	Pass
1**	1532.600	32.35	-17.22	54.0	21.65	AV	39.00	400	Horizontal	Pass
2	4387.200	50.33	-2.99	74.0	23.67	Peak	77.00	100	Horizontal	Pass
2**	4387.200	42.30	-2.99	54.0	11.70	AV	77.00	100	Horizontal	Pass
3	5674.200	103.49	-1.10	--	--	Peak	243.00	100	Horizontal	N/A
3**	5674.200	95.64	-1.10	--	--	AV	243.00	100	Horizontal	N/A
4	7350.175	49.67	-3.87	74.0	24.33	Peak	345.00	300	Horizontal	Pass
4**	7350.175	39.96	-3.87	54.0	14.04	AV	345.00	300	Horizontal	Pass
5	12309.550	53.42	1.37	74.0	20.58	Peak	345.00	200	Horizontal	Pass
5**	12309.550	43.66	1.37	54.0	10.34	AV	345.00	200	Horizontal	Pass
6	15492.600	56.02	1.00	74.0	17.98	Peak	97.00	100	Horizontal	Pass
6**	15492.600	46.82	1.00	54.0	7.18	AV	97.00	100	Horizontal	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.900	40.76	-17.18	74.0	33.24	Peak	258.00	200	Vertical	Pass
1**	1540.900	33.37	-17.18	54.0	20.63	AV	258.00	200	Vertical	Pass
2	4379.600	51.39	-3.01	74.0	22.61	Peak	41.00	300	Vertical	Pass
2**	4379.600	41.91	-3.01	54.0	12.09	AV	41.00	300	Vertical	Pass
3	5673.200	102.52	-1.08	--	--	Peak	264.00	100	Vertical	N/A
3**	5673.200	94.93	-1.08	--	--	AV	264.00	100	Vertical	N/A
4	5990.200	66.34	-0.32	68.2	1.86	Peak	360.00	100	Vertical	Pass
4**	5990.200	45.57	-0.32	--	--	AV	360.00	100	Vertical	N/A
5	11952.187	52.67	1.30	74.0	21.33	Peak	18.00	200	Vertical	Pass
5**	11952.187	43.47	1.30	54.0	10.53	AV	18.00	200	Vertical	Pass
6	15502.576	55.40	1.22	74.0	18.60	Peak	115.00	400	Vertical	Pass
6**	15502.576	45.69	1.22	54.0	8.31	AV	115.00	400	Vertical	Pass

11x20 (SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.300	41.99	-17.32	74.0	32.01	Peak	218.00	100	Horizontal	Pass
1**	1536.300	31.10	-17.32	54.0	22.90	AV	218.00	100	Horizontal	Pass
2	4365.000	50.61	-2.83	74.0	23.39	Peak	356.00	400	Horizontal	Pass
2**	4365.000	41.91	-2.83	54.0	12.09	AV	356.00	400	Horizontal	Pass
3	5722.200	110.83	-1.44	--	--	Peak	249.00	150	Horizontal	N/A
3**	5722.200	103.06	-1.44	--	--	AV	249.00	150	Horizontal	N/A
4	7336.088	50.04	-3.40	74.0	23.96	Peak	28.00	200	Horizontal	Pass
4**	7336.088	40.87	-3.40	54.0	13.13	AV	28.00	200	Horizontal	Pass
5	12275.912	52.97	1.65	74.0	21.03	Peak	327.00	150	Horizontal	Pass
5**	12275.912	43.72	1.65	54.0	10.28	AV	327.00	150	Horizontal	Pass
6	15855.112	56.76	1.19	74.0	17.24	Peak	304.00	400	Horizontal	Pass
6**	15855.112	46.76	1.19	54.0	7.24	AV	304.00	400	Horizontal	Pass

11x20 (SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.200	41.30	-17.26	74.0	32.70	Peak	251.00	400	Vertical	Pass
1**	1535.200	31.58	-17.26	54.0	22.42	AV	251.00	400	Vertical	Pass
2	4271.400	50.64	-3.66	74.0	23.36	Peak	159.00	300	Vertical	Pass
2**	4271.400	41.01	-3.66	54.0	12.99	AV	159.00	300	Vertical	Pass
3	5717.200	110.27	-1.60	--	--	Peak	80.00	100	Vertical	N/A
3**	5717.200	101.46	-1.60	--	--	AV	80.00	100	Vertical	N/A
4	7330.050	49.96	-3.60	74.0	24.04	Peak	0.00	200	Vertical	Pass
4**	7330.050	40.31	-3.60	54.0	13.69	AV	0.00	200	Vertical	Pass
5	12285.400	53.51	1.77	74.0	20.49	Peak	50.00	150	Vertical	Pass
5**	12285.400	44.12	1.77	54.0	9.88	AV	50.00	150	Vertical	Pass
6	16087.425	56.03	1.48	74.0	17.97	Peak	332.00	100	Vertical	Pass
6**	16087.425	46.22	1.48	54.0	7.78	AV	332.00	100	Vertical	Pass

11ax40 (SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.800	42.39	-17.18	74.0	31.61	Peak	214.00	400	Horizontal	Pass
1**	1540.800	32.29	-17.18	54.0	21.71	AV	214.00	400	Horizontal	Pass
2	4373.400	51.14	-3.24	74.0	22.86	Peak	357.00	200	Horizontal	Pass
2**	4373.400	41.56	-3.24	54.0	12.44	AV	357.00	200	Horizontal	Pass
3	5702.200	108.85	-0.96	--	--	Peak	250.00	200	Horizontal	N/A
3**	5702.200	99.83	-0.96	--	--	AV	250.00	200	Horizontal	N/A
4	7393.013	48.71	-4.18	74.0	25.29	Peak	105.00	100	Horizontal	Pass
4**	7393.013	39.93	-4.18	54.0	14.07	AV	105.00	100	Horizontal	Pass
5	12630.400	53.15	1.42	74.0	20.85	Peak	49.00	100	Horizontal	Pass
5**	12630.400	43.54	1.42	54.0	10.46	AV	49.00	100	Horizontal	Pass
6	15832.800	55.60	1.47	74.0	18.40	Peak	274.00	300	Horizontal	Pass
6**	15832.800	46.19	1.47	54.0	7.81	AV	274.00	300	Horizontal	Pass

11ax40 (SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.200	40.97	-17.20	74.0	33.03	Peak	263.00	400	Vertical	Pass
1**	1540.200	33.00	-17.20	54.0	21.00	AV	263.00	400	Vertical	Pass
2	4384.200	50.46	-2.88	74.0	23.54	Peak	230.00	200	Vertical	Pass
2**	4384.200	42.27	-2.88	54.0	11.73	AV	230.00	200	Vertical	Pass
3	5698.000	108.05	-0.83	--	--	Peak	79.00	150	Vertical	N/A
3**	5698.000	99.23	-0.83	--	--	AV	79.00	150	Vertical	N/A
4	7727.088	48.87	-3.44	74.0	25.13	Peak	114.00	100	Vertical	Pass
4**	7727.088	38.70	-3.44	54.0	15.30	AV	114.00	100	Vertical	Pass
5	12249.175	53.59	0.96	74.0	20.41	Peak	167.00	150	Vertical	Pass
5**	12249.175	43.53	0.96	54.0	10.47	AV	167.00	150	Vertical	Pass
6	16190.850	55.57	1.58	74.0	18.43	Peak	360.00	200	Vertical	Pass
6**	16190.850	45.28	1.58	54.0	8.72	AV	360.00	200	Vertical	Pass

11x80 (SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.400	40.91	-17.28	74.0	33.09	Peak	25.00	400	Horizontal	Pass
1**	1538.400	31.43	-17.28	54.0	22.57	AV	25.00	400	Horizontal	Pass
2	4359.000	50.64	-2.68	74.0	23.36	Peak	104.00	300	Horizontal	Pass
2**	4359.000	41.05	-2.68	54.0	12.95	AV	104.00	300	Horizontal	Pass
3	5679.400	104.89	-0.85	--	--	Peak	242.00	200	Horizontal	N/A
3**	5679.400	95.15	-0.85	--	--	AV	242.00	200	Horizontal	N/A
4	5990.200	65.08	-0.32	68.2	3.12	Peak	82.00	100	Horizontal	Pass
4**	5990.200	47.39	-0.32	--	--	AV	82.00	100	Horizontal	N/A
5	12244.862	54.34	1.02	74.0	19.66	Peak	182.00	150	Horizontal	Pass
5**	12244.862	43.54	1.02	54.0	10.46	AV	182.00	150	Horizontal	Pass
6	15808.125	55.73	2.20	74.0	18.27	Peak	223.00	400	Horizontal	Pass
6**	15808.125	46.03	2.20	54.0	7.97	AV	223.00	400	Horizontal	Pass

11x80 (SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.200	41.21	-17.22	74.0	32.79	Peak	152.00	400	Vertical	Pass
1**	1534.200	31.89	-17.22	54.0	22.11	AV	152.00	400	Vertical	Pass
2	4356.600	50.24	-2.39	74.0	23.76	Peak	301.00	200	Vertical	Pass
2**	4356.600	42.42	-2.39	54.0	11.58	AV	301.00	200	Vertical	Pass
3	5667.400	104.65	-1.05	--	--	Peak	258.00	200	Vertical	N/A
3**	5667.400	94.45	-1.05	--	--	AV	258.00	200	Vertical	N/A
4	7353.337	48.88	-3.88	74.0	25.12	Peak	0.00	200	Vertical	Pass
4**	7353.337	40.06	-3.88	54.0	13.94	AV	0.00	200	Vertical	Pass
5	12276.775	52.32	1.68	74.0	21.68	Peak	209.00	100	Vertical	Pass
5**	12276.775	43.23	1.68	54.0	10.77	AV	209.00	100	Vertical	Pass
6	15835.950	56.25	1.45	74.0	17.75	Peak	151.00	300	Vertical	Pass
6**	15835.950	46.22	1.45	54.0	7.78	AV	151.00	300	Vertical	Pass

MIMO

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.900	41.43	-19.10	74.0	32.57	Peak	124.00	100	Horizontal	Pass
1**	1540.900	31.47	-19.10	54.0	22.53	AV	124.00	100	Horizontal	Pass
2	2774.100	44.13	-11.29	74.0	29.87	Peak	248.00	400	Horizontal	Pass
2**	2774.100	34.11	-11.29	54.0	19.89	AV	248.00	400	Horizontal	Pass
3	3993.750	49.29	-7.47	74.0	24.71	Peak	185.00	100	Horizontal	Pass
3**	3993.750	38.27	-7.47	54.0	15.73	AV	185.00	100	Horizontal	Pass
4	5183.000	106.57	-4.29	--	--	Peak	16.00	100	Horizontal	N/A
4**	5183.000	99.23	-4.29	--	--	AV	16.00	100	Horizontal	N/A
5	7583.250	54.25	-0.08	74.0	19.75	Peak	360.00	200	Horizontal	Pass
5**	7583.250	44.26	-0.08	54.0	9.74	AV	360.00	200	Horizontal	Pass
6	12579.951	53.42	1.34	74.0	20.58	Peak	94.00	300	Horizontal	Pass
6**	12579.951	44.00	1.34	54.0	10.00	AV	94.00	300	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.700	42.45	-19.60	74.0	31.55	Peak	274.00	400	Vertical	Pass
1**	1543.700	32.71	-19.60	54.0	21.29	AV	274.00	400	Vertical	Pass
2	2782.500	44.31	-9.89	74.0	29.69	Peak	294.00	200	Vertical	Pass
2**	2782.500	34.95	-9.89	54.0	19.05	AV	294.00	200	Vertical	Pass
3	4332.250	47.50	-5.32	74.0	26.50	Peak	167.00	150	Vertical	Pass
3**	4332.250	39.10	-5.32	54.0	14.90	AV	167.00	150	Vertical	Pass
4	5183.500	106.46	-4.39	--	--	Peak	167.00	400	Vertical	N/A
4**	5183.500	98.22	-4.39	--	--	AV	167.00	400	Vertical	N/A
5	7334.500	53.15	-1.22	74.0	20.85	Peak	148.00	200	Vertical	Pass
5**	7334.500	43.96	-1.22	54.0	10.04	AV	148.00	200	Vertical	Pass
6	12330.338	52.36	0.70	74.0	21.64	Peak	254.00	100	Vertical	Pass
6**	12330.338	42.58	0.70	54.0	11.42	AV	254.00	100	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.000	40.35	-19.01	74.0	33.65	Peak	127.00	100	Horizontal	Pass
1**	1529.000	31.51	-19.01	54.0	22.49	AV	127.00	100	Horizontal	Pass
2	2785.800	44.00	-10.08	74.0	30.00	Peak	3.00	200	Horizontal	Pass
2**	2785.800	35.54	-10.08	54.0	18.46	AV	3.00	200	Horizontal	Pass
3	4376.750	46.74	-6.50	74.0	27.26	Peak	231.00	100	Horizontal	Pass
3**	4376.750	38.20	-6.50	54.0	15.80	AV	231.00	100	Horizontal	Pass
4	5221.000	107.24	-4.85	--	--	Peak	36.00	300	Horizontal	N/A
4**	5221.000	99.35	-4.85	--	--	AV	36.00	300	Horizontal	N/A
5	7333.000	53.07	-1.24	74.0	20.93	Peak	172.00	200	Horizontal	Pass
5**	7333.000	44.02	-1.24	54.0	9.98	AV	172.00	200	Horizontal	Pass
6	12642.650	52.70	0.79	74.0	21.30	Peak	44.00	200	Horizontal	Pass
6**	12642.650	42.83	0.79	54.0	11.17	AV	44.00	200	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.900	41.56	-19.71	74.0	32.44	Peak	277.00	200	Vertical	Pass
1**	1544.900	32.22	-19.71	54.0	21.78	AV	277.00	200	Vertical	Pass
2	2784.900	44.13	-9.85	74.0	29.87	Peak	259.00	400	Vertical	Pass
2**	2784.900	35.86	-9.85	54.0	18.14	AV	259.00	400	Vertical	Pass
3	3993.750	55.91	-7.47	74.0	18.09	Peak	246.00	200	Vertical	Pass
3**	3993.750	36.96	-7.47	54.0	17.04	AV	246.00	200	Vertical	Pass
4	5221.750	105.48	-5.05	--	--	Peak	302.00	300	Vertical	N/A
4**	5221.750	99.22	-5.05	--	--	AV	302.00	300	Vertical	N/A
5	7589.500	53.12	-0.68	74.0	20.88	Peak	358.00	150	Vertical	Pass
5**	7589.500	44.88	-0.68	54.0	9.12	AV	358.00	150	Vertical	Pass
6	12367.625	52.90	0.58	74.0	21.10	Peak	53.00	300	Vertical	Pass
6**	12367.625	43.28	0.58	54.0	10.72	AV	53.00	300	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.200	39.72	-19.20	74.0	34.28	Peak	60.00	200	Horizontal	Pass
1**	1526.200	30.71	-19.20	54.0	23.29	AV	60.00	200	Horizontal	Pass
2	2789.800	43.07	-11.02	74.0	30.93	Peak	161.00	200	Horizontal	Pass
2**	2789.800	34.10	-11.02	54.0	19.90	AV	161.00	200	Horizontal	Pass
3	4344.250	46.97	-5.75	74.0	27.03	Peak	334.00	200	Horizontal	Pass
3**	4344.250	38.00	-5.75	54.0	16.00	AV	334.00	200	Horizontal	Pass
4	5235.750	106.56	-5.02	--	--	Peak	33.00	300	Horizontal	N/A
4**	5235.750	98.99	-5.02	--	--	AV	33.00	300	Horizontal	N/A
5	7330.500	53.41	-1.35	74.0	20.59	Peak	90.00	100	Horizontal	Pass
5**	7330.500	43.56	-1.35	54.0	10.44	AV	90.00	100	Horizontal	Pass
6	12552.162	52.70	1.59	74.0	21.30	Peak	321.00	200	Horizontal	Pass
6**	12552.162	43.13	1.59	54.0	10.87	AV	321.00	200	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.500	42.13	-19.86	74.0	31.87	Peak	284.00	100	Vertical	Pass
1**	1543.500	32.39	-19.86	54.0	21.61	AV	284.00	100	Vertical	Pass
2	2781.400	43.77	-11.02	74.0	30.23	Peak	202.00	100	Vertical	Pass
2**	2781.400	34.20	-11.02	54.0	19.80	AV	202.00	100	Vertical	Pass
3	4351.000	47.11	-6.17	74.0	26.89	Peak	271.00	200	Vertical	Pass
3**	4351.000	37.10	-6.17	54.0	16.90	AV	271.00	200	Vertical	Pass
4	5236.000	105.27	-5.20	--	--	Peak	289.00	200	Vertical	N/A
4**	5236.000	98.54	-5.20	--	--	AV	289.00	200	Vertical	N/A
5	7579.000	52.91	0.18	74.0	21.09	Peak	360.00	150	Vertical	Pass
5**	7579.000	44.08	0.18	54.0	9.92	AV	360.00	150	Vertical	Pass
6	12431.275	53.47	0.67	74.0	20.53	Peak	152.00	200	Vertical	Pass
6**	12431.275	43.64	0.67	54.0	10.36	AV	152.00	200	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.700	40.69	-19.39	74.0	33.31	Peak	190.00	200	Horizontal	Pass
1**	1540.700	31.60	-19.39	54.0	22.40	AV	190.00	200	Horizontal	Pass
2	2785.300	44.35	-10.06	74.0	29.65	Peak	136.00	200	Horizontal	Pass
2**	2785.300	34.87	-10.06	54.0	19.13	AV	136.00	200	Horizontal	Pass
3	4331.500	46.83	-5.73	74.0	27.17	Peak	0.00	200	Horizontal	Pass
3**	4331.500	37.98	-5.73	54.0	16.02	AV	0.00	200	Horizontal	Pass
4	5195.250	104.43	-4.81	--	--	Peak	224.00	200	Horizontal	N/A
4**	5195.250	96.45	-4.81	--	--	AV	224.00	200	Horizontal	N/A
5	7417.000	53.15	-2.21	74.0	20.85	Peak	336.00	150	Horizontal	Pass
5**	7417.000	42.96	-2.21	54.0	11.04	AV	336.00	150	Horizontal	Pass
6	12586.362	52.20	1.28	74.0	21.80	Peak	79.00	100	Horizontal	Pass
6**	12586.362	44.17	1.28	54.0	9.83	AV	79.00	100	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.900	41.69	-19.10	74.0	32.31	Peak	278.00	200	Vertical	Pass
1**	1540.900	35.07	-19.10	54.0	18.93	AV	278.00	200	Vertical	Pass
2	2783.000	44.12	-9.46	74.0	29.88	Peak	24.00	200	Vertical	Pass
2**	2783.000	36.16	-9.46	54.0	17.84	AV	24.00	200	Vertical	Pass
3	3993.500	54.67	-7.46	74.0	19.33	Peak	202.00	200	Vertical	Pass
3**	3993.500	37.63	-7.46	54.0	16.37	AV	202.00	200	Vertical	Pass
4	5187.250	103.98	-4.30	--	--	Peak	202.00	300	Vertical	N/A
4**	5187.250	95.97	-4.30	--	--	AV	202.00	300	Vertical	N/A
5	5990.750	63.09	-4.93	68.2	5.11	Peak	258.00	150	Vertical	Pass
5**	5990.750	47.15	-4.93	--	--	AV	258.00	150	Vertical	N/A
6	12429.138	53.46	0.65	74.0	20.54	Peak	156.00	200	Vertical	Pass
6**	12429.138	43.61	0.65	54.0	10.39	AV	156.00	200	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.400	39.91	-19.36	74.0	34.09	Peak	70.00	300	Horizontal	Pass
1**	1528.400	31.02	-19.36	54.0	22.98	AV	70.00	300	Horizontal	Pass
2	2785.300	44.36	-10.06	74.0	29.64	Peak	299.00	300	Horizontal	Pass
2**	2785.300	34.56	-10.06	54.0	19.44	AV	299.00	300	Horizontal	Pass
3	4341.250	47.15	-5.70	74.0	26.85	Peak	126.00	150	Horizontal	Pass
3**	4341.250	38.45	-5.70	54.0	15.55	AV	126.00	150	Horizontal	Pass
4	5223.750	104.64	-5.10	--	--	Peak	261.00	300	Horizontal	N/A
4**	5223.750	95.78	-5.10	--	--	AV	261.00	300	Horizontal	N/A
5	7545.500	53.45	-0.58	74.0	20.55	Peak	360.00	100	Horizontal	Pass
5**	7545.500	44.34	-0.58	54.0	9.66	AV	360.00	100	Horizontal	Pass
6	12427.237	53.26	0.62	74.0	20.74	Peak	284.00	200	Horizontal	Pass
6**	12427.237	43.41	0.62	54.0	10.59	AV	284.00	200	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.000	42.62	-19.65	74.0	31.38	Peak	283.00	200	Vertical	Pass
1**	1542.000	34.30	-19.65	54.0	19.70	AV	283.00	200	Vertical	Pass
2	2782.500	44.34	-9.89	74.0	29.66	Peak	273.00	300	Vertical	Pass
2**	2782.500	34.99	-9.89	54.0	19.01	AV	273.00	300	Vertical	Pass
3	3922.500	47.29	-7.66	74.0	26.71	Peak	260.00	200	Vertical	Pass
3**	3922.500	36.99	-7.66	54.0	17.01	AV	260.00	200	Vertical	Pass
4	5239.500	104.17	-5.04	--	--	Peak	204.00	200	Vertical	N/A
4**	5239.500	96.23	-5.04	--	--	AV	204.00	200	Vertical	N/A
5	7584.750	52.80	-0.47	74.0	21.20	Peak	240.00	100	Vertical	Pass
5**	7584.750	44.56	-0.47	54.0	9.44	AV	240.00	100	Vertical	Pass
6	12586.599	52.67	1.27	74.0	21.33	Peak	34.00	100	Vertical	Pass
6**	12586.599	43.87	1.27	54.0	10.13	AV	34.00	100	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.600	40.13	-19.79	74.0	33.87	Peak	246.00	300	Horizontal	Pass
1**	1541.600	31.84	-19.79	54.0	22.16	AV	246.00	300	Horizontal	Pass
2	2790.800	43.46	-10.80	74.0	30.54	Peak	68.00	200	Horizontal	Pass
2**	2790.800	34.73	-10.80	54.0	19.27	AV	68.00	200	Horizontal	Pass
3	4325.000	47.19	-6.10	74.0	26.81	Peak	360.00	150	Horizontal	Pass
3**	4325.000	38.08	-6.10	54.0	15.92	AV	360.00	150	Horizontal	Pass
4	5175.750	107.16	-4.20	--	--	Peak	204.00	200	Horizontal	N/A
4**	5175.750	98.47	-4.20	--	--	AV	204.00	200	Horizontal	N/A
5	7320.750	53.59	-1.58	74.0	20.41	Peak	33.00	150	Horizontal	Pass
5**	7320.750	43.78	-1.58	54.0	10.22	AV	33.00	150	Horizontal	Pass
6	12578.525	52.82	1.35	74.0	21.18	Peak	347.00	200	Horizontal	Pass
6**	12578.525	44.23	1.35	54.0	9.77	AV	347.00	200	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.200	40.81	-19.75	74.0	33.19	Peak	280.00	100	Vertical	Pass
1**	1545.200	30.87	-19.75	54.0	23.13	AV	280.00	100	Vertical	Pass
2	2786.900	43.88	-10.22	74.0	30.12	Peak	130.00	300	Vertical	Pass
2**	2786.900	35.03	-10.22	54.0	18.97	AV	130.00	300	Vertical	Pass
3	3993.250	54.00	-7.62	74.0	20.00	Peak	258.00	100	Vertical	Pass
3**	3993.250	44.13	-7.62	54.0	9.87	AV	258.00	100	Vertical	Pass
4	5181.750	106.20	-4.18	--	--	Peak	164.00	100	Vertical	N/A
4**	5181.750	99.00	-4.18	--	--	AV	164.00	100	Vertical	N/A
5	5990.500	61.72	-5.16	68.2	6.48	Peak	258.00	150	Vertical	Pass
5**	5990.500	51.40	-5.16	--	--	AV	258.00	150	Vertical	N/A
6	12583.037	53.05	1.31	74.0	20.95	Peak	354.00	200	Vertical	Pass
6**	12583.037	44.17	1.31	54.0	9.83	AV	354.00	200	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.100	40.87	-19.28	74.0	33.13	Peak	66.00	200	Horizontal	Pass
1**	1528.100	29.99	-19.28	54.0	24.01	AV	66.00	200	Horizontal	Pass
2	2782.800	43.92	-9.70	74.0	30.08	Peak	39.00	300	Horizontal	Pass
2**	2782.800	35.26	-9.70	54.0	18.74	AV	39.00	300	Horizontal	Pass
3	4338.000	47.17	-5.95	74.0	26.83	Peak	33.00	200	Horizontal	Pass
3**	4338.000	38.30	-5.95	54.0	15.70	AV	33.00	200	Horizontal	Pass
4	5222.750	107.10	-4.85	--	--	Peak	33.00	400	Horizontal	N/A
4**	5222.750	99.46	-4.85	--	--	AV	33.00	400	Horizontal	N/A
5	7465.250	53.15	-1.05	74.0	20.85	Peak	360.00	200	Horizontal	Pass
5**	7465.250	44.27	-1.05	54.0	9.73	AV	360.00	200	Horizontal	Pass
6	12612.250	52.95	1.05	74.0	21.05	Peak	188.00	300	Horizontal	Pass
6**	12612.250	43.49	1.05	54.0	10.51	AV	188.00	300	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.400	41.56	-19.94	74.0	32.44	Peak	285.00	200	Vertical	Pass
1**	1543.400	32.30	-19.94	54.0	21.70	AV	285.00	200	Vertical	Pass
2	2750.100	43.94	-11.62	74.0	30.06	Peak	223.00	200	Vertical	Pass
2**	2750.100	34.67	-11.62	54.0	19.33	AV	223.00	200	Vertical	Pass
3	4342.500	46.73	-5.70	74.0	27.27	Peak	72.00	150	Vertical	Pass
3**	4342.500	38.90	-5.70	54.0	15.10	AV	72.00	150	Vertical	Pass
4	5222.500	105.10	-4.97	--	--	Peak	299.00	400	Vertical	N/A
4**	5222.500	97.60	-4.97	--	--	AV	299.00	400	Vertical	N/A
5	7585.750	53.67	0.05	74.0	20.33	Peak	360.00	100	Vertical	Pass
5**	7585.750	44.23	0.05	54.0	9.77	AV	360.00	100	Vertical	Pass
6	12556.200	53.07	1.55	74.0	20.93	Peak	340.00	400	Vertical	Pass
6**	12556.200	43.00	1.55	54.0	11.00	AV	340.00	400	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.800	39.71	-19.19	74.0	34.29	Peak	239.00	200	Horizontal	Pass
1**	1540.800	31.12	-19.19	54.0	22.88	AV	239.00	200	Horizontal	Pass
2	2783.300	43.80	-9.74	74.0	30.20	Peak	256.00	100	Horizontal	Pass
2**	2783.300	35.65	-9.74	54.0	18.35	AV	256.00	100	Horizontal	Pass
3	4339.500	47.12	-5.47	74.0	26.88	Peak	205.00	150	Horizontal	Pass
3**	4339.500	37.99	-5.47	54.0	16.01	AV	205.00	150	Horizontal	Pass
4	5235.750	107.07	-5.02	--	--	Peak	186.00	400	Horizontal	N/A
4**	5235.750	98.93	-5.02	--	--	AV	186.00	400	Horizontal	N/A
5	7580.000	52.86	-0.28	74.0	21.14	Peak	360.00	100	Horizontal	Pass
5**	7580.000	44.25	-0.28	54.0	9.75	AV	360.00	100	Horizontal	Pass
6	12335.799	53.14	0.71	74.0	20.86	Peak	146.00	400	Horizontal	Pass
6**	12335.799	42.77	0.71	54.0	11.23	AV	146.00	400	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.000	41.90	-19.31	74.0	32.10	Peak	271.00	400	Vertical	Pass
1**	1541.000	31.73	-19.31	54.0	22.27	AV	271.00	400	Vertical	Pass
2	2782.300	44.17	-9.93	74.0	29.83	Peak	171.00	100	Vertical	Pass
2**	2782.300	36.16	-9.93	54.0	17.84	AV	171.00	100	Vertical	Pass
3	3993.500	54.99	-7.46	74.0	19.01	Peak	239.00	100	Vertical	Pass
3**	3993.500	40.30	-7.46	54.0	13.70	AV	239.00	100	Vertical	Pass
4	5236.000	106.59	-5.20	--	--	Peak	296.00	300	Vertical	N/A
4**	5236.000	97.98	-5.20	--	--	AV	296.00	300	Vertical	N/A
5	5990.500	59.97	-5.16	68.2	8.23	Peak	258.00	150	Vertical	Pass
5**	5990.500	41.70	-5.16	--	--	AV	258.00	150	Vertical	N/A
6	12457.875	52.41	0.83	74.0	21.59	Peak	288.00	200	Vertical	Pass
6**	12457.875	43.71	0.83	54.0	10.29	AV	288.00	200	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.600	40.04	-19.36	74.0	33.96	Peak	60.00	300	Horizontal	Pass
1**	1528.600	32.01	-19.36	54.0	21.99	AV	60.00	300	Horizontal	Pass
2	2837.100	43.86	-11.64	74.0	30.14	Peak	7.00	200	Horizontal	Pass
2**	2837.100	35.12	-11.64	54.0	18.88	AV	7.00	200	Horizontal	Pass
3	4331.250	46.62	-5.50	74.0	27.38	Peak	244.00	200	Horizontal	Pass
3**	4331.250	38.97	-5.50	54.0	15.03	AV	244.00	200	Horizontal	Pass
4	5179.250	104.42	-4.06	--	--	Peak	17.00	300	Horizontal	N/A
4**	5179.250	96.37	-4.06	--	--	AV	17.00	300	Horizontal	N/A
5	7538.750	52.86	-1.44	74.0	21.14	Peak	151.00	200	Horizontal	Pass
5**	7538.750	44.78	-1.44	54.0	9.22	AV	151.00	200	Horizontal	Pass
6	12583.037	52.76	1.31	74.0	21.24	Peak	112.00	200	Horizontal	Pass
6**	12583.037	44.31	1.31	54.0	9.69	AV	112.00	200	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.300	42.03	-19.83	74.0	31.97	Peak	276.00	100	Vertical	Pass
1**	1542.300	31.90	-19.83	54.0	22.10	AV	276.00	100	Vertical	Pass
2	2781.900	43.82	-10.44	74.0	30.18	Peak	161.00	100	Vertical	Pass
2**	2781.900	34.42	-10.44	54.0	19.58	AV	161.00	100	Vertical	Pass
3	4333.750	47.09	-5.64	74.0	26.91	Peak	56.00	200	Vertical	Pass
3**	4333.750	38.31	-5.64	54.0	15.69	AV	56.00	200	Vertical	Pass
4	5180.000	102.84	-4.34	--	--	Peak	153.00	200	Vertical	N/A
4**	5180.000	94.86	-4.34	--	--	AV	153.00	200	Vertical	N/A
5	7619.250	53.37	-1.24	74.0	20.63	Peak	247.00	100	Vertical	Pass
5**	7619.250	43.95	-1.24	54.0	10.05	AV	247.00	100	Vertical	Pass
6	12576.151	53.48	1.37	74.0	20.52	Peak	58.00	100	Vertical	Pass
6**	12576.151	43.35	1.37	54.0	10.65	AV	58.00	100	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.900	40.19	-19.63	74.0	33.81	Peak	66.00	300	Horizontal	Pass
1**	1527.900	29.38	-19.63	54.0	24.62	AV	66.00	300	Horizontal	Pass
2	2867.700	43.41	-11.31	74.0	30.59	Peak	235.00	200	Horizontal	Pass
2**	2867.700	33.92	-11.31	54.0	20.08	AV	235.00	200	Horizontal	Pass
3	4328.000	46.57	-6.11	74.0	27.43	Peak	70.00	100	Horizontal	Pass
3**	4328.000	37.37	-6.11	54.0	16.63	AV	70.00	100	Horizontal	Pass
4	5221.000	104.44	-4.85	--	--	Peak	33.00	300	Horizontal	N/A
4**	5221.000	97.94	-4.85	--	--	AV	33.00	300	Horizontal	N/A
5	7457.250	53.17	-1.40	74.0	20.83	Peak	164.00	150	Horizontal	Pass
5**	7457.250	43.81	-1.40	54.0	10.19	AV	164.00	150	Horizontal	Pass
6	12642.175	52.98	0.79	74.0	21.02	Peak	8.00	100	Horizontal	Pass
6**	12642.175	43.03	0.79	54.0	10.97	AV	8.00	100	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.300	41.54	-19.68	74.0	32.46	Peak	288.00	200	Vertical	Pass
1**	1547.300	29.16	-19.68	54.0	24.84	AV	288.00	200	Vertical	Pass
2	2787.600	43.24	-10.49	74.0	30.76	Peak	354.00	300	Vertical	Pass
2**	2787.600	34.31	-10.49	54.0	19.69	AV	354.00	300	Vertical	Pass
3	4376.750	46.54	-6.50	74.0	27.46	Peak	111.00	100	Vertical	Pass
3**	4376.750	37.54	-6.50	54.0	16.46	AV	111.00	100	Vertical	Pass
4	5221.000	102.71	-4.85	--	--	Peak	299.00	400	Vertical	N/A
4**	5221.000	95.11	-4.85	--	--	AV	299.00	400	Vertical	N/A
5	7584.750	52.77	-0.47	74.0	21.23	Peak	1.00	100	Vertical	Pass
5**	7584.750	44.07	-0.47	54.0	9.93	AV	1.00	100	Vertical	Pass
6	12442.912	52.91	0.81	74.0	21.09	Peak	170.00	400	Vertical	Pass
6**	12442.912	42.42	0.81	54.0	11.58	AV	170.00	400	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.400	40.16	-19.52	74.0	33.84	Peak	64.00	100	Horizontal	Pass
1**	1527.400	30.76	-19.52	54.0	23.24	AV	64.00	100	Horizontal	Pass
2	2786.100	43.77	-10.05	74.0	30.23	Peak	198.00	100	Horizontal	Pass
2**	2786.100	35.49	-10.05	54.0	18.51	AV	198.00	100	Horizontal	Pass
3	4339.750	46.87	-5.84	74.0	27.13	Peak	250.00	100	Horizontal	Pass
3**	4339.750	38.16	-5.84	54.0	15.84	AV	250.00	100	Horizontal	Pass
4	5217.250	99.96	-4.73	--	--	Peak	211.00	200	Horizontal	N/A
4**	5217.250	91.55	-4.73	--	--	AV	211.00	200	Horizontal	N/A
5	5990.750	59.66	-4.93	68.2	8.54	Peak	250.00	150	Horizontal	Pass
5**	5990.750	42.60	-4.93	--	--	AV	250.00	150	Horizontal	N/A
6	12582.563	52.53	1.31	74.0	21.47	Peak	223.00	400	Horizontal	Pass
6**	12582.563	44.18	1.31	54.0	9.82	AV	223.00	400	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.600	41.82	-19.79	74.0	32.18	Peak	279.00	200	Vertical	Pass
1**	1541.600	31.81	-19.79	54.0	22.19	AV	279.00	200	Vertical	Pass
2	2788.800	44.47	-10.25	74.0	29.53	Peak	84.00	100	Vertical	Pass
2**	2788.800	34.65	-10.25	54.0	19.35	AV	84.00	100	Vertical	Pass
3	4220.000	46.97	-7.18	74.0	27.03	Peak	16.00	100	Vertical	Pass
3**	4220.000	36.70	-7.18	54.0	17.30	AV	16.00	100	Vertical	Pass
4	5220.250	98.88	-4.89	--	--	Peak	301.00	200	Vertical	N/A
4**	5220.250	90.92	-4.89	--	--	AV	301.00	200	Vertical	N/A
5	7318.750	52.80	-1.63	74.0	21.20	Peak	169.00	100	Vertical	Pass
5**	7318.750	43.52	-1.63	54.0	10.48	AV	169.00	100	Vertical	Pass
6	12572.826	53.35	1.40	74.0	20.65	Peak	351.00	200	Vertical	Pass
6**	12572.826	44.14	1.40	54.0	9.86	AV	351.00	200	Vertical	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.000	40.63	-19.01	74.0	33.37	Peak	55.00	300	Horizontal	Pass
1**	1529.000	29.96	-19.01	54.0	24.04	AV	55.00	300	Horizontal	Pass
2	2782.900	44.61	-9.58	74.0	29.39	Peak	9.00	200	Horizontal	Pass
2**	2782.900	36.15	-9.58	54.0	17.85	AV	9.00	200	Horizontal	Pass
3	4353.000	47.23	-5.64	74.0	26.77	Peak	189.00	200	Horizontal	Pass
3**	4353.000	38.10	-5.64	54.0	15.90	AV	189.00	200	Horizontal	Pass
4	5176.750	107.56	-4.42	--	--	Peak	266.00	100	Horizontal	N/A
4**	5176.750	99.29	-4.42	--	--	AV	266.00	100	Horizontal	N/A
5	7700.500	53.62	-1.21	74.0	20.38	Peak	33.00	150	Horizontal	Pass
5**	7700.500	43.24	-1.21	54.0	10.76	AV	33.00	150	Horizontal	Pass
6	12578.288	52.96	1.35	74.0	21.04	Peak	233.00	300	Horizontal	Pass
6**	12578.288	44.04	1.35	54.0	9.96	AV	233.00	300	Horizontal	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.300	41.37	-19.75	74.0	32.63	Peak	272.00	300	Vertical	Pass
1**	1545.300	29.37	-19.75	54.0	24.63	AV	272.00	300	Vertical	Pass
2	2774.400	43.38	-11.08	74.0	30.62	Peak	236.00	300	Vertical	Pass
2**	2774.400	34.69	-11.08	54.0	19.31	AV	236.00	300	Vertical	Pass
3	3993.750	53.18	-7.47	74.0	20.82	Peak	258.00	100	Vertical	Pass
3**	3993.750	37.13	-7.47	54.0	16.87	AV	258.00	100	Vertical	Pass
4	5182.000	106.68	-4.28	--	--	Peak	164.00	400	Vertical	N/A
4**	5182.000	97.59	-4.28	--	--	AV	164.00	400	Vertical	N/A
5	5990.250	60.23	-5.21	68.2	7.97	Peak	360.00	150	Vertical	Pass
5**	5990.250	49.21	-5.21	--	--	AV	360.00	150	Vertical	N/A
6	12370.475	52.71	0.56	74.0	21.29	Peak	351.00	400	Vertical	Pass
6**	12370.475	42.89	0.56	54.0	11.11	AV	351.00	400	Vertical	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.000	41.05	-19.29	74.0	32.95	Peak	239.00	100	Horizontal	Pass
1**	1538.000	31.15	-19.29	54.0	22.85	AV	239.00	100	Horizontal	Pass
2	2783.000	43.85	-9.46	74.0	30.15	Peak	159.00	300	Horizontal	Pass
2**	2783.000	35.54	-9.46	54.0	18.46	AV	159.00	300	Horizontal	Pass
3	3993.500	46.95	-7.46	74.0	27.05	Peak	254.00	100	Horizontal	Pass
3**	3993.500	36.05	-7.46	54.0	17.95	AV	254.00	100	Horizontal	Pass
4	5216.750	108.07	-4.86	--	--	Peak	194.00	400	Horizontal	N/A
4**	5216.750	99.20	-4.86	--	--	AV	194.00	400	Horizontal	N/A
5	7369.250	54.06	-0.69	74.0	19.94	Peak	97.00	200	Horizontal	Pass
5**	7369.250	43.53	-0.69	54.0	10.47	AV	97.00	200	Horizontal	Pass
6	12541.000	53.04	1.41	74.0	20.96	Peak	93.00	100	Horizontal	Pass
6**	12541.000	42.55	1.41	54.0	11.45	AV	93.00	100	Horizontal	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.100	42.22	-19.78	74.0	31.78	Peak	275.00	400	Vertical	Pass
1**	1546.100	31.81	-19.78	54.0	22.19	AV	275.00	400	Vertical	Pass
2	2782.200	44.05	-10.01	74.0	29.95	Peak	209.00	400	Vertical	Pass
2**	2782.200	34.99	-10.01	54.0	19.01	AV	209.00	400	Vertical	Pass
3	4323.250	47.38	-6.71	74.0	26.62	Peak	149.00	200	Vertical	Pass
3**	4323.250	36.98	-6.71	54.0	17.02	AV	149.00	200	Vertical	Pass
4	5224.750	104.93	-5.09	--	--	Peak	301.00	400	Vertical	N/A
4**	5224.750	95.89	-5.09	--	--	AV	301.00	400	Vertical	N/A
5	7576.000	53.64	-0.45	74.0	20.36	Peak	301.00	100	Vertical	Pass
5**	7576.000	43.71	-0.45	54.0	10.29	AV	301.00	100	Vertical	Pass
6	12423.912	52.67	0.58	74.0	21.33	Peak	134.00	200	Vertical	Pass
6**	12423.912	42.76	0.58	54.0	11.24	AV	134.00	200	Vertical	Pass