



Aux. Antenna

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	57.15	0.55	74.0	16.85	Peak	303.00	150	Horizontal	Pass
1**	5149.675	46.23	0.55	54.0	7.77	AV	303.00	150	Horizontal	Pass
2	5150.000	55.15	0.44	74.0	18.85	Peak	266.00	100	Horizontal	Pass
2**	5150.000	46.41	0.44	54.0	7.59	AV	266.00	100	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.22	0.88	74.0	17.78	Peak	278.00	200	Horizontal	Pass
1**	5350.000	45.80	0.88	54.0	8.20	AV	278.00	200	Horizontal	Pass
2	5374.567	57.20	1.52	74.0	16.80	Peak	268.00	100	Horizontal	Pass
2**	5374.567	45.86	1.52	54.0	8.14	AV	268.00	100	Horizontal	Pass
3	5384.834	55.96	2.22	74.0	18.04	Peak	22.00	150	Horizontal	Pass
3**	5384.834	46.35	2.22	54.0	7.65	AV	22.00	150	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.400	56.74	0.34	74.0	17.26	Peak	218.00	300	Horizontal	Pass
1**	5147.400	46.33	0.34	54.0	7.67	AV	218.00	300	Horizontal	Pass
2	5150.000	56.58	0.44	74.0	17.42	Peak	299.00	150	Horizontal	Pass
2**	5150.000	46.42	0.44	54.0	7.58	AV	299.00	150	Horizontal	Pass
3	5146.750	55.82	0.32	74.0	18.18	Peak	303.00	400	Horizontal	Pass
3**	5146.750	46.80	0.32	54.0	7.20	AV	303.00	400	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.27	0.88	74.0	18.73	Peak	307.00	400	Horizontal	Pass
1**	5350.000	45.70	0.88	54.0	8.30	AV	307.00	400	Horizontal	Pass
2	5383.917	57.71	1.97	74.0	16.29	Peak	66.00	200	Horizontal	Pass
2**	5383.917	45.93	1.97	54.0	8.07	AV	66.00	200	Horizontal	Pass
3	5387.950	55.98	1.99	74.0	18.02	Peak	355.00	100	Horizontal	Pass
3**	5387.950	46.42	1.99	54.0	7.58	AV	355.00	100	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	61.80	0.32	74.0	12.20	Peak	14.00	100	Horizontal	Pass
1**	5146.750	50.45	0.32	54.0	3.55	AV	14.00	100	Horizontal	Pass
2	5150.000	61.59	0.44	74.0	12.41	Peak	215.00	300	Horizontal	Pass
2**	5150.000	51.18	0.44	54.0	2.82	AV	215.00	300	Horizontal	Pass
3	5149.675	61.28	0.55	74.0	12.72	Peak	304.00	150	Horizontal	Pass
3**	5149.675	51.52	0.55	54.0	2.48	AV	304.00	150	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.99	0.88	74.0	17.01	Peak	271.00	200	Horizontal	Pass
1**	5350.000	46.36	0.88	54.0	7.64	AV	271.00	200	Horizontal	Pass
2	5353.117	58.78	0.51	74.0	15.22	Peak	210.00	400	Horizontal	Pass
2**	5353.117	46.01	0.51	54.0	7.99	AV	210.00	400	Horizontal	Pass
3	5350.183	56.06	0.78	74.0	17.94	Peak	266.00	150	Horizontal	Pass
3**	5350.183	46.49	0.78	54.0	7.51	AV	266.00	150	Horizontal	Pass

U-NII-1 11ac20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	58.18	0.19	74.0	15.82	Peak	300.00	400	Horizontal	Pass
1**	5146.425	45.99	0.19	54.0	8.01	AV	300.00	400	Horizontal	Pass
2	5150.000	56.11	0.44	74.0	17.89	Peak	300.00	300	Horizontal	Pass
2**	5150.000	46.79	0.44	54.0	7.21	AV	300.00	300	Horizontal	Pass
3	5146.750	55.70	0.32	74.0	18.30	Peak	308.00	100	Horizontal	Pass
3**	5146.750	47.08	0.32	54.0	6.92	AV	308.00	100	Horizontal	Pass


U-NII-1 11ac20 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.25	0.88	74.0	17.75	Peak	281.00	150	Horizontal	Pass
1**	5350.000	45.59	0.88	54.0	8.41	AV	281.00	150	Horizontal	Pass
2	5380.433	57.10	1.94	74.0	16.90	Peak	203.00	100	Horizontal	Pass
2**	5380.433	46.10	1.94	54.0	7.90	AV	203.00	100	Horizontal	Pass
3	5389.967	56.57	2.35	74.0	17.43	Peak	23.00	150	Horizontal	Pass
3**	5389.967	46.64	2.35	54.0	7.36	AV	23.00	150	Horizontal	Pass




U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	61.28	0.17	74.0	12.72	Peak	300.00	150	Horizontal	Pass
1**	5148.700	50.41	0.17	54.0	3.59	AV	300.00	150	Horizontal	Pass
2	5150.000	60.17	0.44	74.0	13.83	Peak	305.00	100	Horizontal	Pass
2**	5150.000	51.30	0.44	54.0	2.70	AV	305.00	100	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.65	0.88	74.0	17.35	Peak	267.00	100	Horizontal	Pass
1**	5350.000	46.71	0.88	54.0	7.29	AV	267.00	100	Horizontal	Pass
2	5380.067	57.96	1.87	74.0	16.04	Peak	281.00	100	Horizontal	Pass
2**	5380.067	46.12	1.87	54.0	7.88	AV	281.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.800	62.07	0.15	74.0	11.93	Peak	304.00	200	Horizontal	Pass
1**	5144.800	52.01	0.15	54.0	1.99	AV	304.00	200	Horizontal	Pass
2	5150.000	59.75	0.44	74.0	14.25	Peak	304.00	200	Horizontal	Pass
2**	5150.000	51.65	0.44	54.0	2.35	AV	304.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.20	0.88	74.0	16.80	Peak	3.00	150	Horizontal	Pass
1**	5350.000	46.88	0.88	54.0	7.12	AV	3.00	150	Horizontal	Pass
2	5363.933	58.41	0.64	74.0	15.59	Peak	272.00	150	Horizontal	Pass
2**	5363.933	45.77	0.64	54.0	8.23	AV	272.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	57.09	0.34	74.0	16.91	Peak	11.00	100	Horizontal	Pass
1**	5147.725	46.41	0.34	54.0	7.59	AV	11.00	100	Horizontal	Pass
2	5150.000	56.41	0.44	74.0	17.59	Peak	301.00	150	Horizontal	Pass
2**	5150.000	46.52	0.44	54.0	7.48	AV	301.00	150	Horizontal	Pass
3	5145.775	54.50	0.08	74.0	19.50	Peak	297.00	400	Horizontal	Pass
3**	5145.775	46.96	0.08	54.0	7.04	AV	297.00	400	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.36	0.88	74.0	18.64	Peak	206.00	300	Horizontal	Pass
1**	5350.000	45.95	0.88	54.0	8.05	AV	206.00	300	Horizontal	Pass
2	5392.350	57.63	1.74	74.0	16.37	Peak	27.00	300	Horizontal	Pass
2**	5392.350	45.71	1.74	54.0	8.29	AV	27.00	300	Horizontal	Pass
3	5389.050	55.90	2.16	74.0	18.10	Peak	147.00	150	Horizontal	Pass
3**	5389.050	46.33	2.16	54.0	7.67	AV	147.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.49	0.44	74.0	11.51	Peak	208.00	100	Horizontal	Pass
1**	5150.000	49.61	0.44	54.0	4.39	AV	208.00	100	Horizontal	Pass
2	5146.750	60.13	0.32	74.0	13.87	Peak	295.00	150	Horizontal	Pass
2**	5146.750	51.22	0.32	54.0	2.78	AV	295.00	150	Horizontal	Pass


U-NII-1 11ax40 (SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.65	0.88	74.0	16.35	Peak	267.00	200	Horizontal	Pass
1**	5350.000	46.56	0.88	54.0	7.44	AV	267.00	200	Horizontal	Pass
2	5389.600	58.35	2.01	74.0	15.65	Peak	267.00	150	Horizontal	Pass
2**	5389.600	45.95	2.01	54.0	8.05	AV	267.00	150	Horizontal	Pass




U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	62.04	0.32	74.0	11.96	Peak	308.00	100	Horizontal	Pass
1**	5146.750	50.28	0.32	54.0	3.72	AV	308.00	100	Horizontal	Pass
2	5150.000	59.29	0.44	74.0	14.71	Peak	304.00	150	Horizontal	Pass
2**	5150.000	50.23	0.44	54.0	3.77	AV	304.00	150	Horizontal	Pass
3	5149.675	59.25	0.55	74.0	14.75	Peak	300.00	100	Horizontal	Pass
3**	5149.675	51.30	0.55	54.0	2.70	AV	300.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.30	0.88	74.0	18.70	Peak	207.00	150	Horizontal	Pass
1**	5350.000	45.94	0.88	54.0	8.06	AV	207.00	150	Horizontal	Pass
2	5353.850	57.15	0.95	74.0	16.85	Peak	204.00	100	Horizontal	Pass
2**	5353.850	45.93	0.95	54.0	8.07	AV	204.00	100	Horizontal	Pass
3	5350.183	56.25	0.78	74.0	17.75	Peak	3.00	150	Horizontal	Pass
3**	5350.183	46.22	0.78	54.0	7.78	AV	3.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	59.21	3.88	74.0	14.79	Peak	268.00	150	Horizontal	Pass
1**	5148.050	47.49	3.88	54.0	6.51	AV	268.00	150	Horizontal	Pass
2	5149.675	57.63	3.93	74.0	16.37	Peak	1.00	200	Horizontal	Pass
2**	5149.675	47.69	3.93	54.0	6.31	AV	1.00	200	Horizontal	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.82	4.22	74.0	15.18	Peak	31.00	200	Horizontal	Pass
1**	5350.000	47.55	4.22	54.0	6.45	AV	31.00	200	Horizontal	Pass
2	5360.175	59.85	4.83	74.0	14.15	Peak	0.00	200	Horizontal	Pass
2**	5360.175	48.16	4.83	54.0	5.84	AV	0.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5094.425	58.77	4.54	74.0	15.23	Peak	4.00	100	Horizontal	Pass
1**	5094.425	47.67	4.54	54.0	6.33	AV	4.00	100	Horizontal	Pass
2	5149.675	57.58	3.93	74.0	16.42	Peak	94.00	200	Horizontal	Pass
2**	5149.675	47.27	3.93	54.0	6.73	AV	94.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.06	4.22	74.0	16.94	Peak	196.00	200	Horizontal	Pass
1**	5350.000	47.53	4.22	54.0	6.47	AV	196.00	200	Horizontal	Pass
2	5457.635	59.61	5.63	74.0	14.39	Peak	39.00	200	Horizontal	Pass
2**	5457.635	48.32	5.63	54.0	5.68	AV	39.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5069.075	58.76	4.17	74.0	15.24	Peak	86.00	100	Horizontal	Pass
1**	5069.075	47.12	4.17	54.0	6.88	AV	86.00	100	Horizontal	Pass
2	5149.675	56.95	3.93	74.0	17.05	Peak	275.00	100	Horizontal	Pass
2**	5149.675	47.31	3.93	54.0	6.69	AV	275.00	100	Horizontal	Pass


U-NII-1 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.76	4.22	74.0	16.24	Peak	355.00	150	Horizontal	Pass
1**	5350.000	47.56	4.22	54.0	6.44	AV	355.00	150	Horizontal	Pass
2	5450.375	60.37	5.47	74.0	13.63	Peak	263.00	200	Horizontal	Pass
2**	5450.375	48.32	5.47	54.0	5.68	AV	263.00	200	Horizontal	Pass




U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4646.250	55.43	0.05	74.0	18.57	Peak	61.00	100	Horizontal	Pass
1**	4646.250	43.42	0.05	54.0	10.58	AV	61.00	100	Horizontal	Pass
2	5150.000	54.33	0.44	74.0	19.67	Peak	272.00	150	Horizontal	Pass
2**	5150.000	44.37	0.44	54.0	9.63	AV	272.00	150	Horizontal	Pass
3	5149.675	53.93	0.55	74.0	20.07	Peak	210.00	150	Horizontal	Pass
3**	5149.675	44.72	0.55	54.0	9.28	AV	210.00	150	Horizontal	Pass

U-NII-2A 11a High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.02	0.88	74.0	13.98	Peak	207.00	400	Horizontal	Pass
1**	5350.000	50.35	0.88	54.0	3.65	AV	207.00	400	Horizontal	Pass
2	5352.383	62.20	0.67	74.0	11.80	Peak	270.00	150	Horizontal	Pass
2**	5352.383	49.04	0.67	54.0	4.96	AV	270.00	150	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4748.950	55.53	0.41	74.0	18.47	Peak	328.00	150	Horizontal	Pass
1**	4748.950	44.01	0.41	54.0	9.99	AV	328.00	150	Horizontal	Pass
2	5150.000	53.36	0.44	74.0	20.64	Peak	360.00	400	Horizontal	Pass
2**	5150.000	44.29	0.44	54.0	9.71	AV	360.00	400	Horizontal	Pass
3	4950.125	54.31	2.04	74.0	19.69	Peak	110.00	300	Horizontal	Pass
3**	4950.125	44.79	2.04	54.0	9.21	AV	110.00	300	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.71	0.88	74.0	13.29	Peak	274.00	200	Horizontal	Pass
1**	5350.000	50.30	0.88	54.0	3.70	AV	274.00	200	Horizontal	Pass
2	5351.467	62.15	0.57	74.0	11.85	Peak	274.00	150	Horizontal	Pass
2**	5351.467	49.44	0.57	54.0	4.56	AV	274.00	150	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5070.050	55.78	0.22	74.0	18.22	Peak	86.00	200	Horizontal	Pass
1**	5070.050	43.92	0.22	54.0	10.08	AV	86.00	200	Horizontal	Pass
2	5150.000	54.64	0.44	74.0	19.36	Peak	304.00	300	Horizontal	Pass
2**	5150.000	45.03	0.44	54.0	8.97	AV	304.00	300	Horizontal	Pass
3	5149.675	55.31	0.55	74.0	18.69	Peak	270.00	150	Horizontal	Pass
3**	5149.675	45.36	0.55	54.0	8.64	AV	270.00	150	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.27	0.88	74.0	11.73	Peak	268.00	300	Horizontal	Pass
1**	5350.000	51.93	0.88	54.0	2.07	AV	268.00	300	Horizontal	Pass
2	5358.983	63.87	0.84	74.0	10.13	Peak	300.00	150	Horizontal	Pass
2**	5358.983	50.09	0.84	54.0	3.91	AV	300.00	150	Horizontal	Pass

U-NII-2A 11ac20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4981.650	55.55	1.36	74.0	18.45	Peak	304.00	100	Horizontal	Pass
1**	4981.650	44.04	1.36	54.0	9.96	AV	304.00	100	Horizontal	Pass
2	5150.000	53.53	0.44	74.0	20.47	Peak	312.00	100	Horizontal	Pass
2**	5150.000	44.22	0.44	54.0	9.78	AV	312.00	100	Horizontal	Pass
3	4758.050	54.12	0.73	74.0	19.88	Peak	78.00	150	Horizontal	Pass
3**	4758.050	44.96	0.73	54.0	9.04	AV	78.00	150	Horizontal	Pass


U-NII-2A 11ac20 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.08	0.88	74.0	13.92	Peak	6.00	200	Horizontal	Pass
1**	5350.000	49.92	0.88	54.0	4.08	AV	6.00	200	Horizontal	Pass
2	5351.467	60.53	0.57	74.0	13.47	Peak	274.00	150	Horizontal	Pass
2**	5351.467	49.20	0.57	54.0	4.80	AV	274.00	150	Horizontal	Pass
3	5350.550	59.24	0.62	74.0	14.76	Peak	277.00	300	Horizontal	Pass
3**	5350.550	50.19	0.62	54.0	3.81	AV	277.00	300	Horizontal	Pass




U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.150	55.66	0.14	74.0	18.34	Peak	300.00	100	Horizontal	Pass
1**	5144.150	44.48	0.14	54.0	9.52	AV	300.00	100	Horizontal	Pass
2	5150.000	54.26	0.44	74.0	19.74	Peak	114.00	150	Horizontal	Pass
2**	5150.000	45.36	0.44	54.0	8.64	AV	114.00	150	Horizontal	Pass
3	5149.675	54.56	0.55	74.0	19.44	Peak	300.00	150	Horizontal	Pass
3**	5149.675	45.42	0.55	54.0	8.58	AV	300.00	150	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.10	0.88	74.0	10.90	Peak	210.00	300	Horizontal	Pass
1**	5350.000	52.10	0.88	54.0	1.90	AV	210.00	300	Horizontal	Pass
2	5366.867	63.89	0.93	74.0	10.11	Peak	276.00	150	Horizontal	Pass
2**	5366.867	49.29	0.93	54.0	4.71	AV	276.00	150	Horizontal	Pass
3	5350.183	62.70	0.78	74.0	11.30	Peak	276.00	200	Horizontal	Pass
3**	5350.183	52.33	0.78	54.0	1.67	AV	276.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5001.150	55.38	1.06	74.0	18.62	Peak	238.00	400	Horizontal	Pass
1**	5001.150	44.11	1.06	54.0	9.89	AV	238.00	400	Horizontal	Pass
2	5150.000	54.28	0.44	74.0	19.72	Peak	351.00	150	Horizontal	Pass
2**	5150.000	44.29	0.44	54.0	9.71	AV	351.00	150	Horizontal	Pass
3	4876.025	53.80	-0.33	74.0	20.20	Peak	282.00	200	Horizontal	Pass
3**	4876.025	44.80	-0.33	54.0	9.20	AV	282.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.31	0.88	74.0	11.69	Peak	207.00	100	Horizontal	Pass
1**	5350.000	52.55	0.88	54.0	1.45	AV	207.00	100	Horizontal	Pass
2	5359.350	63.31	0.60	74.0	10.69	Peak	269.00	150	Horizontal	Pass
2**	5359.350	52.00	0.60	54.0	2.00	AV	269.00	150	Horizontal	Pass
3	5350.183	61.58	0.78	74.0	12.42	Peak	207.00	200	Horizontal	Pass
3**	5350.183	52.87	0.78	54.0	1.13	AV	207.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4746.025	55.89	0.38	74.0	18.11	Peak	254.00	150	Horizontal	Pass
1**	4746.025	43.87	0.38	54.0	10.13	AV	254.00	150	Horizontal	Pass
2	5150.000	53.80	0.44	74.0	20.20	Peak	275.00	300	Horizontal	Pass
2**	5150.000	44.15	0.44	54.0	9.85	AV	275.00	300	Horizontal	Pass
3	4984.250	55.20	1.72	74.0	18.80	Peak	92.00	200	Horizontal	Pass
3**	4984.250	44.68	1.72	54.0	9.32	AV	92.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.06	0.88	74.0	12.94	Peak	204.00	100	Horizontal	Pass
1**	5350.000	51.07	0.88	54.0	2.93	AV	204.00	100	Horizontal	Pass
2	5350.183	61.67	0.78	74.0	12.33	Peak	271.00	150	Horizontal	Pass
2**	5350.183	50.74	0.78	54.0	3.26	AV	271.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.375	56.69	0.33	74.0	17.31	Peak	309.00	200	Horizontal	Pass
1**	5148.375	45.40	0.33	54.0	8.60	AV	309.00	200	Horizontal	Pass
2	5150.000	54.99	0.44	74.0	19.01	Peak	273.00	150	Horizontal	Pass
2**	5150.000	45.18	0.44	54.0	8.82	AV	273.00	150	Horizontal	Pass
3	5149.675	55.03	0.55	74.0	18.97	Peak	309.00	400	Horizontal	Pass
3**	5149.675	45.54	0.55	54.0	8.46	AV	309.00	400	Horizontal	Pass


U-NII-2A 11ax40 (SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.03	0.88	74.0	10.97	Peak	145.00	400	Horizontal	Pass
1**	5350.000	52.43	0.88	54.0	1.57	AV	145.00	400	Horizontal	Pass
2	5350.917	63.31	0.62	74.0	10.69	Peak	306.00	150	Horizontal	Pass
2**	5350.917	51.83	0.62	54.0	2.17	AV	306.00	150	Horizontal	Pass




U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.900	55.75	-0.21	74.0	18.25	Peak	360.00	100	Horizontal	Pass
1**	5140.900	43.73	-0.21	54.0	10.27	AV	360.00	100	Horizontal	Pass
2	5150.000	54.26	0.44	74.0	19.74	Peak	214.00	150	Horizontal	Pass
2**	5150.000	44.37	0.44	54.0	9.63	AV	214.00	150	Horizontal	Pass
3	4984.250	54.18	1.72	74.0	19.82	Peak	113.00	300	Horizontal	Pass
3**	4984.250	44.90	1.72	54.0	9.10	AV	113.00	300	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.27	0.88	74.0	12.73	Peak	266.00	300	Horizontal	Pass
1**	5350.000	51.87	0.88	54.0	2.13	AV	266.00	300	Horizontal	Pass
2	5352.567	63.07	0.73	74.0	10.93	Peak	270.00	400	Horizontal	Pass
2**	5352.567	51.70	0.73	54.0	2.30	AV	270.00	400	Horizontal	Pass
3	5354.033	61.11	0.86	74.0	12.89	Peak	270.00	200	Horizontal	Pass
3**	5354.033	51.97	0.86	54.0	2.03	AV	270.00	200	Horizontal	Pass

U-NII-2A 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4967.025	59.01	4.01	74.0	14.99	Peak	110.00	100	Horizontal	Pass
1**	4967.025	46.80	4.01	54.0	7.20	AV	110.00	100	Horizontal	Pass
2	5149.675	56.49	3.93	74.0	17.51	Peak	235.00	100	Horizontal	Pass
2**	5149.675	47.48	3.93	54.0	6.52	AV	235.00	100	Horizontal	Pass

U-NII-2A 11ax20 (RU26) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.76	4.22	74.0	16.24	Peak	137.00	150	Horizontal	Pass
1**	5350.000	47.64	4.22	54.0	6.36	AV	137.00	150	Horizontal	Pass
2	5449.055	60.30	5.45	74.0	13.70	Peak	221.00	150	Horizontal	Pass
2**	5449.055	48.44	5.45	54.0	5.56	AV	221.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5098.000	58.99	4.63	74.0	15.01	Peak	288.00	100	Horizontal	Pass
1**	5098.000	47.72	4.63	54.0	6.28	AV	288.00	100	Horizontal	Pass
2	5149.675	56.40	3.93	74.0	17.60	Peak	119.00	150	Horizontal	Pass
2**	5149.675	47.25	3.93	54.0	6.75	AV	119.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.23	4.22	74.0	16.77	Peak	242.00	100	Horizontal	Pass
1**	5350.000	47.58	4.22	54.0	6.42	AV	242.00	100	Horizontal	Pass
2	5447.130	59.82	5.37	74.0	14.18	Peak	49.00	200	Horizontal	Pass
2**	5447.130	48.57	5.37	54.0	5.43	AV	49.00	200	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5116.525	58.73	4.10	74.0	15.27	Peak	323.00	150	Horizontal	Pass
1**	5116.525	47.17	4.10	54.0	6.83	AV	323.00	150	Horizontal	Pass
2	5149.675	56.73	3.93	74.0	17.27	Peak	98.00	150	Horizontal	Pass
2**	5149.675	47.12	3.93	54.0	6.88	AV	98.00	150	Horizontal	Pass


U-NII-2A 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.63	4.21	74.0	16.37	Peak	198.00	200	Horizontal	Pass
1**	5350.055	47.51	4.21	54.0	6.49	AV	198.00	200	Horizontal	Pass
2	5456.480	60.02	5.68	74.0	13.98	Peak	0.00	200	Horizontal	Pass
2**	5456.480	48.38	5.68	54.0	5.62	AV	0.00	200	Horizontal	Pass




U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.200	61.25	1.29	74.0	12.75	Peak	265.00	200	Horizontal	Pass
1**	5459.200	49.46	1.29	54.0	4.54	AV	265.00	200	Horizontal	Pass
2	5460.000	59.74	1.37	74.0	14.26	Peak	274.00	400	Horizontal	Pass
2**	5460.000	49.68	1.37	54.0	4.32	AV	274.00	400	Horizontal	Pass
3	5469.800	64.57	1.02	68.2	3.63	Peak	271.00	150	Horizontal	Pass
3**	5469.800	52.61	1.02	--	--	AV	271.00	150	Horizontal	N/A
4	5470.000	63.33	1.09	68.2	4.87	Peak	210.00	200	Horizontal	Pass
4**	5470.000	52.87	1.09	--	--	AV	210.00	200	Horizontal	N/A
5	5459.000	59.62	1.31	74.0	14.38	Peak	62.00	150	Horizontal	Pass
5**	5459.000	49.75	1.31	54.0	4.25	AV	62.00	150	Horizontal	Pass

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.96	-0.08	68.2	5.24	Peak	274.00	150	Horizontal	Pass
2	5727.084	63.57	0.20	68.2	4.63	Peak	272.00	150	Horizontal	Pass

U-NII-2C 11n20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.600	62.31	1.23	74.0	11.69	Peak	269.00	300	Horizontal	Pass
1**	5459.600	49.90	1.23	54.0	4.10	AV	269.00	300	Horizontal	Pass
2	5460.000	60.70	1.37	74.0	13.30	Peak	272.00	300	Horizontal	Pass
2**	5460.000	49.99	1.37	54.0	4.01	AV	272.00	300	Horizontal	Pass
3	5468.400	63.69	1.46	68.2	4.51	Peak	275.00	150	Horizontal	Pass
3**	5468.400	52.99	1.46	--	---	AV	275.00	150	Horizontal	N/A
4	5470.000	63.25	1.09	68.2	4.95	Peak	207.00	100	Horizontal	Pass
4**	5470.000	53.31	1.09	--	--	AV	207.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.70	-0.08	68.2	5.50	Peak	273.00	400	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.000	61.22	1.14	74.0	12.78	Peak	267.00	150	Horizontal	Pass
1**	5456.000	48.70	1.14	54.0	5.30	AV	267.00	150	Horizontal	Pass
2	5460.000	59.97	1.37	74.0	14.03	Peak	267.00	400	Horizontal	Pass
2**	5460.000	49.65	1.37	54.0	4.35	AV	267.00	400	Horizontal	Pass
3	5468.000	66.32	1.34	68.2	1.88	Peak	267.00	300	Horizontal	Pass
3**	5468.000	53.13	1.34	--	--	AV	267.00	300	Horizontal	N/A
4	5470.000	65.40	1.09	68.2	2.80	Peak	278.00	150	Horizontal	Pass
4**	5470.000	53.62	1.09	--	--	AV	278.00	150	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.14	-0.08	68.2	12.06	Peak	300.00	150	Horizontal	Pass
2	5796.250	58.12	2.30	68.2	10.08	Peak	270.00	300	Horizontal	Pass

U-NII-2C 11ac20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.400	62.37	1.26	74.0	11.63	Peak	272.00	200	Horizontal	Pass
1**	5459.400	49.81	1.26	54.0	4.19	AV	272.00	200	Horizontal	Pass
2	5460.000	59.68	1.37	74.0	14.32	Peak	275.00	400	Horizontal	Pass
2**	5460.000	49.90	1.37	54.0	4.10	AV	275.00	400	Horizontal	Pass
3	5468.600	66.06	1.43	68.2	2.14	Peak	272.00	150	Horizontal	Pass
3**	5468.600	53.13	1.43	--	--	AV	272.00	150	Horizontal	N/A
4	5470.000	63.86	1.09	68.2	4.34	Peak	304.00	300	Horizontal	Pass
4**	5470.000	52.97	1.09	--	---	AV	304.00	300	Horizontal	N/A
5	5459.800	60.56	1.28	74.0	13.44	Peak	266.00	150	Horizontal	Pass
5**	5459.800	50.18	1.28	54.0	3.82	AV	266.00	150	Horizontal	Pass


U-NII-2C 11ac20 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.84	-0.08	68.2	5.36	Peak	270.00	150	Horizontal	Pass
2	5725.416	63.87	-0.29	68.2	4.33	Peak	270.00	300	Horizontal	Pass




U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.000	61.81	1.46	74.0	12.19	Peak	303.00	200	Horizontal	Pass
1**	5457.000	49.25	1.46	54.0	4.75	AV	303.00	200	Horizontal	Pass
2	5460.000	59.56	1.37	74.0	14.44	Peak	276.00	150	Horizontal	Pass
2**	5460.000	49.59	1.37	54.0	4.41	AV	276.00	150	Horizontal	Pass
3	5468.600	66.59	1.43	68.2	1.61	Peak	270.00	100	Horizontal	Pass
3**	5468.600	53.34	1.43	--	--	AV	270.00	100	Horizontal	N/A
4	5470.000	66.67	1.09	68.2	1.53	Peak	273.00	300	Horizontal	Pass
4**	5470.000	53.66	1.09	--	--	AV	273.00	300	Horizontal	N/A
5	5459.600	59.97	1.23	74.0	14.03	Peak	270.00	400	Horizontal	Pass
5**	5459.600	49.65	1.23	54.0	4.35	AV	270.00	400	Horizontal	Pass

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.36	-0.08	68.2	10.84	Peak	271.00	150	Horizontal	Pass
2	5726.458	58.29	0.26	68.2	9.91	Peak	271.00	150	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.600	60.04	1.13	74.0	13.96	Peak	270.00	150	Horizontal	Pass
1**	5453.600	47.15	1.13	54.0	6.85	AV	270.00	150	Horizontal	Pass
2	5460.000	57.56	1.37	74.0	16.44	Peak	307.00	150	Horizontal	Pass
2**	5460.000	48.23	1.37	54.0	5.77	AV	307.00	150	Horizontal	Pass
3	5469.600	61.21	0.87	68.2	6.99	Peak	273.00	150	Horizontal	Pass
3**	5469.600	49.62	0.87	--	--	AV	273.00	150	Horizontal	N/A
4	5470.000	59.24	1.09	68.2	8.96	Peak	270.00	150	Horizontal	Pass
4**	5470.000	50.10	1.09	--	--	AV	270.00	150	Horizontal	N/A
5	5458.800	57.22	1.32	74.0	16.78	Peak	276.00	150	Horizontal	Pass
5**	5458.800	48.39	1.32	54.0	5.61	AV	276.00	150	Horizontal	Pass

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.51	-0.08	68.2	13.69	Peak	167.00	150	Horizontal	Pass
2	5794.375	57.14	2.10	68.2	11.06	Peak	356.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.000	60.98	0.86	74.0	13.02	Peak	272.00	200	Horizontal	Pass
1**	5453.000	47.58	0.86	54.0	6.42	AV	272.00	200	Horizontal	Pass
2	5460.000	59.71	1.37	74.0	14.29	Peak	269.00	100	Horizontal	Pass
2**	5460.000	50.08	1.37	54.0	3.92	AV	269.00	100	Horizontal	Pass
3	5467.200	64.33	1.34	68.2	3.87	Peak	269.00	100	Horizontal	Pass
3**	5467.200	52.30	1.34	--	--	AV	269.00	100	Horizontal	N/A
4	5470.000	62.88	1.09	68.2	5.32	Peak	275.00	100	Horizontal	Pass
4**	5470.000	53.27	1.09	--	--	AV	275.00	100	Horizontal	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.99	-0.08	68.2	6.21	Peak	269.00	200	Horizontal	Pass
2	5725.625	63.30	-0.18	68.2	4.90	Peak	269.00	100	Horizontal	Pass

U-NII-2C 11ax40 (SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.400	64.17	1.26	74.0	9.83	Peak	268.00	150	Horizontal	Pass
1**	5459.400	52.49	1.26	54.0	1.51	AV	268.00	150	Horizontal	Pass
2	5460.000	61.68	1.37	74.0	12.32	Peak	268.00	150	Horizontal	Pass
2**	5460.000	52.76	1.37	54.0	1.24	AV	268.00	150	Horizontal	Pass
3	5468.200	66.60	1.49	68.2	1.60	Peak	268.00	100	Horizontal	Pass
3**	5468.200	54.32	1.49	--	--	AV	268.00	100	Horizontal	N/A
4	5470.000	63.69	1.09	68.2	4.51	Peak	268.00	200	Horizontal	Pass
4**	5470.000	54.44	1.09	--	--	AV	268.00	200	Horizontal	N/A


U-NII-2C 11ax40 (SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.86	-0.08	68.2	11.34	Peak	267.00	150	Horizontal	Pass
2	5728.125	58.54	-0.22	68.2	9.66	Peak	275.00	200	Horizontal	Pass




U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.800	59.33	1.28	74.0	14.67	Peak	310.00	150	Horizontal	Pass
1**	5459.800	48.47	1.28	54.0	5.53	AV	310.00	150	Horizontal	Pass
2	5460.000	58.11	1.37	74.0	15.89	Peak	152.00	100	Horizontal	Pass
2**	5460.000	48.55	1.37	54.0	5.45	AV	152.00	100	Horizontal	Pass
3	5467.200	61.26	1.34	68.2	6.94	Peak	271.00	100	Horizontal	Pass
3**	5467.200	50.01	1.34	--	--	AV	271.00	100	Horizontal	N/A
4	5470.000	60.38	1.09	68.2	7.82	Peak	210.00	150	Horizontal	Pass
4**	5470.000	50.34	1.09	--	--	AV	210.00	150	Horizontal	N/A
5	5459.400	58.26	1.26	74.0	15.74	Peak	64.00	150	Horizontal	Pass
5**	5459.400	48.73	1.26	54.0	5.27	AV	64.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.08	-0.08	68.2	14.12	Peak	122.00	100	Horizontal	Pass
2	5802.083	57.59	2.34	68.2	10.61	Peak	58.00	100	Horizontal	Pass

U-NII-2C 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.520	60.16	5.59	74.0	13.84	Peak	290.00	100	Horizontal	Pass
1**	5454.520	48.28	5.59	54.0	5.72	AV	290.00	100	Horizontal	Pass
2	5459.980	57.84	5.37	74.0	16.16	Peak	266.00	100	Horizontal	Pass
2**	5459.980	48.29	5.37	54.0	5.71	AV	266.00	100	Horizontal	Pass
3	5461.780	59.21	5.39	68.2	8.99	Peak	133.00	150	Horizontal	Pass
3**	5461.780	48.32	5.39	--	--	AV	133.00	150	Horizontal	N/A
4	5469.940	58.01	5.05	68.2	10.19	Peak	350.00	150	Horizontal	Pass
4**	5469.940	48.19	5.05	--	--	AV	350.00	150	Horizontal	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.31	4.76	68.2	10.89	Peak	110.00	200	Horizontal	Pass
2	5844.625	60.48	6.32	68.2	7.72	Peak	150.00	100	Horizontal	Pass

U-NII-2C 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.560	59.62	5.58	74.0	14.38	Peak	140.00	100	Horizontal	Pass
1**	5444.560	48.63	5.58	54.0	5.37	AV	140.00	100	Horizontal	Pass
2	5459.980	57.75	5.37	74.0	16.25	Peak	35.00	200	Horizontal	Pass
2**	5459.980	48.28	5.37	54.0	5.72	AV	35.00	200	Horizontal	Pass
3	5461.000	59.34	5.43	68.2	8.86	Peak	97.00	100	Horizontal	Pass
3**	5461.000	48.58	5.43	--	--	AV	97.00	100	Horizontal	N/A
4	5469.940	57.48	5.05	68.2	10.72	Peak	205.00	150	Horizontal	Pass
4**	5469.940	48.12	5.05	--	--	AV	205.00	150	Horizontal	N/A

U-NII-2C 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.70	4.76	68.2	9.50	Peak	251.00	100	Horizontal	Pass
2	5836.375	60.68	6.05	68.2	7.52	Peak	111.00	150	Horizontal	Pass

U-NII-2C 11ax80 (RU26) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5449.240	59.72	5.46	74.0	14.28	Peak	142.00	200	Horizontal	Pass
1**	5449.240	48.42	5.46	54.0	5.58	AV	142.00	200	Horizontal	Pass
2	5459.980	59.18	5.37	74.0	14.82	Peak	155.00	150	Horizontal	Pass
2**	5459.980	48.36	5.37	54.0	5.64	AV	155.00	150	Horizontal	Pass
3	5462.800	59.28	5.26	68.2	8.92	Peak	199.00	100	Horizontal	Pass
3**	5462.800	48.20	5.26	--	--	AV	199.00	100	Horizontal	N/A
4	5469.940	58.06	5.05	68.2	10.14	Peak	134.00	150	Horizontal	Pass
4**	5469.940	48.20	5.05	--	--	AV	134.00	150	Horizontal	N/A


U-NII-2C 11ax80 (RU26) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.15	4.76	68.2	10.05	Peak	89.00	100	Horizontal	Pass
2	5844.375	60.78	6.32	68.2	7.42	Peak	0.00	100	Horizontal	Pass




U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.750	56.78	0.93	68.2	11.42	Peak	238.00	200	Horizontal	Pass
2	5650.000	53.63	-0.21	68.2	14.57	Peak	73.00	100	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.75	0.01	68.2	14.45	Peak	66.00	100	Horizontal	Pass
2	5990.250	59.28	0.95	68.2	8.92	Peak	119.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5608.125	56.91	1.05	68.2	11.29	Peak	298.00	200	Horizontal	Pass
2	5650.000	54.49	-0.21	68.2	13.71	Peak	210.00	150	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.71	0.01	68.2	14.49	Peak	360.00	150	Horizontal	Pass
2	5990.500	58.91	1.00	68.2	9.29	Peak	292.00	150	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5625.833	56.54	0.85	68.2	11.66	Peak	92.00	200	Horizontal	Pass
2	5650.000	54.80	-0.21	68.2	13.40	Peak	98.00	150	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.05	0.01	68.2	14.15	Peak	0.00	100	Horizontal	Pass
2	5990.500	58.16	1.00	68.2	10.04	Peak	80.00	200	Horizontal	Pass

U-NII-3 11ac20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5604.167	56.48	1.08	68.2	11.72	Peak	272.00	100	Horizontal	Pass
2	5650.000	54.23	-0.21	68.2	13.97	Peak	360.00	200	Horizontal	Pass


U-NII-3 11ac20 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.63	0.01	68.2	13.57	Peak	360.00	200	Horizontal	Pass
2	5990.500	61.37	1.00	68.2	6.83	Peak	115.00	150	Horizontal	Pass




U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.375	56.56	1.06	68.2	11.64	Peak	199.00	200	Horizontal	Pass
2	5650.000	55.09	-0.21	68.2	13.11	Peak	148.00	150	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.94	0.01	68.2	14.26	Peak	360.00	150	Horizontal	Pass
2	5990.500	61.20	1.00	68.2	7.00	Peak	98.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5607.084	57.11	1.11	68.2	11.09	Peak	272.00	150	Horizontal	Pass
2	5650.000	54.82	-0.21	68.2	13.38	Peak	269.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.68	0.01	68.2	13.52	Peak	83.00	100	Horizontal	Pass
2	5990.500	59.60	1.00	68.2	8.60	Peak	293.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5601.250	57.18	1.22	68.2	11.02	Peak	0.00	100	Horizontal	Pass
2	5650.000	54.12	-0.21	68.2	14.08	Peak	353.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.68	0.01	68.2	13.52	Peak	329.00	200	Horizontal	Pass
2	5990.500	60.22	1.00	68.2	7.98	Peak	109.00	100	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5624.584	56.40	1.14	68.2	11.80	Peak	269.00	150	Horizontal	Pass
2	5650.000	54.92	-0.21	68.2	13.28	Peak	214.00	100	Horizontal	Pass


U-NII-3 11ax40 (SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.82	0.01	68.2	14.38	Peak	203.00	100	Horizontal	Pass
2	5990.500	61.01	1.00	68.2	7.19	Peak	112.00	200	Horizontal	Pass




U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5601.041	56.82	1.22	68.2	11.38	Peak	360.00	100	Horizontal	Pass
2	5650.000	54.19	-0.21	68.2	14.01	Peak	148.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.11	0.01	68.2	14.09	Peak	34.00	150	Horizontal	Pass
2	5990.250	60.44	0.95	68.2	7.76	Peak	109.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5600.500	58.86	4.26	68.2	9.34	Peak	354.00	100	Horizontal	Pass
2	5650.000	57.04	4.48	68.2	11.16	Peak	96.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.99	4.55	68.3	10.31	Peak	38.00	100	Horizontal	Pass
2	5990.250	63.54	5.68	68.2	4.66	Peak	74.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.687	58.68	4.07	68.2	9.52	Peak	125.00	100	Horizontal	Pass
2	5650.000	58.40	4.48	68.2	9.80	Peak	37.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.52	4.55	68.3	9.78	Peak	215.00	150	Horizontal	Pass
2	5990.475	63.73	5.68	68.2	4.47	Peak	74.00	100	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.813	58.68	4.33	68.2	9.52	Peak	107.00	200	Horizontal	Pass
2	5650.000	57.85	4.48	68.2	10.35	Peak	325.00	100	Horizontal	Pass


U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.29	4.55	68.3	11.01	Peak	10.00	100	Horizontal	Pass
2	5990.475	65.55	5.68	68.2	2.65	Peak	62.00	200	Horizontal	Pass




U-NII-2C & U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.620	59.74	5.63	74.0	14.26	Peak	272.00	200	Horizontal	Pass
1**	5453.620	48.63	5.63	54.0	5.37	AV	272.00	200	Horizontal	Pass
2	5459.980	57.99	5.37	74.0	16.01	Peak	321.00	100	Horizontal	Pass
2**	5459.980	48.06	5.37	54.0	5.94	AV	321.00	100	Horizontal	Pass
3	5461.780	59.04	5.39	68.2	9.16	Peak	0.00	150	Horizontal	Pass
3**	5461.780	48.35	5.39	--	--	AV	0.00	150	Horizontal	N/A
4	5469.940	57.28	5.05	68.2	10.92	Peak	272.00	100	Horizontal	Pass
4**	5469.940	48.01	5.05	--	--	AV	272.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.18	4.55	68.3	10.12	Peak	307.00	150	Horizontal	Pass
2	5957.700	61.38	6.24	68.2	6.82	Peak	31.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.600	59.53	5.35	74.0	14.47	Peak	65.00	100	Horizontal	Pass
1**	5446.600	48.13	5.35	54.0	5.87	AV	65.00	100	Horizontal	Pass
2	5459.980	57.90	5.37	74.0	16.10	Peak	65.00	100	Horizontal	Pass
2**	5459.980	48.14	5.37	54.0	5.86	AV	65.00	100	Horizontal	Pass
3	5460.640	59.47	5.41	68.2	8.73	Peak	144.00	100	Horizontal	Pass
3**	5460.640	48.26	5.41	--	--	AV	144.00	100	Horizontal	N/A
4	5469.940	57.75	5.05	68.2	10.45	Peak	247.00	200	Horizontal	Pass
4**	5469.940	47.95	5.05	--	--	AV	247.00	200	Horizontal	N/A

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.31	4.55	68.3	10.99	Peak	71.00	150	Horizontal	Pass
2	5953.200	61.26	6.38	68.2	6.94	Peak	313.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5449.240	59.85	5.46	74.0	14.15	Peak	162.00	200	Horizontal	Pass
1**	5449.240	48.33	5.46	54.0	5.67	AV	162.00	200	Horizontal	Pass
2	5459.980	57.53	5.37	74.0	16.47	Peak	289.00	200	Horizontal	Pass
2**	5459.980	48.13	5.37	54.0	5.87	AV	289.00	200	Horizontal	Pass
3	5461.780	59.66	5.39	68.2	8.54	Peak	142.00	150	Horizontal	Pass
3**	5461.780	48.48	5.39	--	--	AV	142.00	150	Horizontal	N/A
4	5469.940	58.46	5.05	68.2	9.74	Peak	310.00	100	Horizontal	Pass
4**	5469.940	47.98	5.05	--	--	AV	310.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.73	4.55	68.3	10.57	Peak	332.00	200	Horizontal	Pass
2	5953.725	62.14	6.40	68.2	6.06	Peak	286.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ac20 144 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5396.260	60.18	4.31	74.0	13.82	Peak	239.00	150	Horizontal	Pass
1**	5396.260	47.13	4.31	54.0	6.87	AV	239.00	150	Horizontal	Pass
2	5459.980	58.36	5.37	74.0	15.64	Peak	51.00	150	Horizontal	Pass
2**	5459.980	48.23	5.37	54.0	5.77	AV	51.00	150	Horizontal	Pass
3	5460.160	59.71	5.38	68.2	8.49	Peak	269.00	100	Horizontal	Pass
3**	5460.160	48.06	5.38	--	--	AV	269.00	100	Horizontal	N/A
4	5469.940	57.35	5.05	68.2	10.85	Peak	200.00	100	Horizontal	Pass
4**	5469.940	48.13	5.05	--	--	AV	200.00	100	Horizontal	N/A


U-NII-2C & U-NII-3 11ac20 144 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.02	4.55	68.3	10.28	Peak	41.00	150	Horizontal	Pass
2	5949.900	61.36	5.98	68.2	6.84	Peak	39.00	100	Horizontal	Pass




U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5366.920	59.66	4.63	74.0	14.34	Peak	266.00	100	Horizontal	Pass
1**	5366.920	47.57	4.63	54.0	6.43	AV	266.00	100	Horizontal	Pass
2	5459.980	57.97	5.37	74.0	16.03	Peak	203.00	200	Horizontal	Pass
2**	5459.980	48.17	5.37	54.0	5.83	AV	203.00	200	Horizontal	Pass
3	5463.580	59.70	5.17	68.2	8.50	Peak	355.00	150	Horizontal	Pass
3**	5463.580	48.30	5.17	--	--	AV	355.00	150	Horizontal	N/A
4	5469.940	57.90	5.05	68.2	10.30	Peak	260.00	100	Horizontal	Pass
4**	5469.940	48.08	5.05	--	--	AV	260.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.63	4.55	68.3	10.67	Peak	346.00	200	Horizontal	Pass
2	5970.675	61.78	6.61	68.2	6.42	Peak	184.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.320	59.88	5.60	74.0	14.12	Peak	23.00	200	Horizontal	Pass
1**	5444.320	48.56	5.60	54.0	5.44	AV	23.00	200	Horizontal	Pass
2	5459.980	57.97	5.37	74.0	16.03	Peak	149.00	200	Horizontal	Pass
2**	5459.980	47.99	5.37	54.0	6.01	AV	149.00	200	Horizontal	Pass
3	5468.260	59.10	4.91	68.2	9.10	Peak	166.00	100	Horizontal	Pass
3**	5468.260	47.82	4.91	--	--	AV	166.00	100	Horizontal	N/A
4	5469.940	57.09	5.05	68.2	11.11	Peak	198.00	150	Horizontal	Pass
4**	5469.940	48.25	5.05	--	--	AV	198.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.03	4.55	68.3	10.27	Peak	340.00	200	Horizontal	Pass
2	5965.050	61.41	6.49	68.2	6.79	Peak	230.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.440	59.69	5.64	74.0	14.31	Peak	12.00	100	Horizontal	Pass
1**	5453.440	48.77	5.64	54.0	5.23	AV	12.00	100	Horizontal	Pass
2	5459.980	58.30	5.37	74.0	15.70	Peak	274.00	150	Horizontal	Pass
2**	5459.980	48.25	5.37	54.0	5.75	AV	274.00	150	Horizontal	Pass
3	5465.020	59.52	5.19	68.2	8.68	Peak	144.00	150	Horizontal	Pass
3**	5465.020	48.13	5.19	--	--	AV	144.00	150	Horizontal	N/A
4	5469.940	57.60	5.05	68.2	10.60	Peak	340.00	100	Horizontal	Pass
4**	5469.940	48.31	5.05	--	--	AV	340.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11x20 (SU) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.35	4.55	68.3	10.95	Peak	270.00	200	Horizontal	Pass
2	5960.775	60.90	6.49	68.2	7.30	Peak	42.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11x40 (SU) 142 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.340	59.69	5.53	74.0	14.31	Peak	345.00	100	Horizontal	Pass
1**	5451.340	48.98	5.53	54.0	5.02	AV	345.00	100	Horizontal	Pass
2	5459.980	58.06	5.37	74.0	15.94	Peak	333.00	150	Horizontal	Pass
2**	5459.980	48.34	5.37	54.0	5.66	AV	333.00	150	Horizontal	Pass
3	5469.460	59.25	5.02	68.2	8.95	Peak	30.00	100	Horizontal	Pass
3**	5469.460	47.92	5.02	--	--	AV	30.00	100	Horizontal	N/A
4	5469.940	58.26	5.05	68.2	9.94	Peak	214.00	150	Horizontal	Pass
4**	5469.940	47.88	5.05	--	--	AV	214.00	150	Horizontal	N/A


U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.59	4.55	68.3	10.71	Peak	170.00	200	Horizontal	Pass
2	5962.500	61.28	6.33	68.2	6.92	Peak	205.00	200	Horizontal	Pass




U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5385.760	59.79	4.66	74.0	14.21	Peak	273.00	150	Horizontal	Pass
1**	5385.760	47.72	4.66	54.0	6.28	AV	273.00	150	Horizontal	Pass
2	5459.980	57.70	5.37	74.0	16.30	Peak	298.00	200	Horizontal	Pass
2**	5459.980	48.40	5.37	54.0	5.60	AV	298.00	200	Horizontal	Pass
3	5463.700	59.45	5.17	68.2	8.75	Peak	249.00	200	Horizontal	Pass
3**	5463.700	47.95	5.17	--	--	AV	249.00	200	Horizontal	N/A
4	5469.940	57.06	5.05	68.2	11.14	Peak	0.00	200	Horizontal	Pass
4**	5469.940	48.07	5.05	--	--	AV	0.00	200	Horizontal	N/A

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.79	4.55	68.3	10.51	Peak	228.00	200	Horizontal	Pass
2	5959.800	61.17	6.36	68.2	7.03	Peak	202.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.160	59.91	5.51	74.0	14.09	Peak	73.00	100	Horizontal	Pass
1**	5445.160	48.38	5.51	54.0	5.62	AV	73.00	100	Horizontal	Pass
2	5459.980	57.96	5.37	74.0	16.04	Peak	172.00	200	Horizontal	Pass
2**	5459.980	48.16	5.37	54.0	5.84	AV	172.00	200	Horizontal	Pass
3	5468.800	59.65	4.96	68.2	8.55	Peak	121.00	100	Horizontal	Pass
3**	5468.800	48.11	4.96	--	--	AV	121.00	100	Horizontal	N/A
4	5469.940	58.16	5.05	68.2	10.04	Peak	33.00	200	Horizontal	Pass
4**	5469.940	48.19	5.05	--	--	AV	33.00	200	Horizontal	N/A

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.13	4.55	68.3	10.17	Peak	104.00	150	Horizontal	Pass
2	5990.250	64.72	5.68	68.2	3.48	Peak	72.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5362.420	59.60	4.86	74.0	14.40	Peak	173.00	200	Horizontal	Pass
1**	5362.420	47.74	4.86	54.0	6.26	AV	173.00	200	Horizontal	Pass
2	5459.980	57.34	5.37	74.0	16.66	Peak	260.00	200	Horizontal	Pass
2**	5459.980	48.05	5.37	54.0	5.95	AV	260.00	200	Horizontal	Pass
3	5464.420	58.97	5.18	68.2	9.23	Peak	322.00	200	Horizontal	Pass
3**	5464.420	48.10	5.18	--	--	AV	322.00	200	Horizontal	N/A
4	5469.940	58.00	5.05	68.2	10.20	Peak	299.00	150	Horizontal	Pass
4**	5469.940	48.20	5.05	--	--	AV	299.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.88	4.55	68.3	10.42	Peak	135.00	150	Horizontal	Pass
2	5990.475	64.56	5.68	68.2	3.64	Peak	63.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5367.940	60.39	4.52	74.0	13.61	Peak	136.00	100	Horizontal	Pass
1**	5367.940	47.69	4.52	54.0	6.31	AV	136.00	100	Horizontal	Pass
2	5459.980	57.92	5.37	74.0	16.08	Peak	165.00	200	Horizontal	Pass
2**	5459.980	48.31	5.37	54.0	5.69	AV	165.00	200	Horizontal	Pass
3	5461.780	59.08	5.39	68.2	9.12	Peak	118.00	150	Horizontal	Pass
3**	5461.780	48.29	5.39	--	--	AV	118.00	150	Horizontal	N/A
4	5469.940	58.39	5.05	68.2	9.81	Peak	125.00	100	Horizontal	Pass
4**	5469.940	48.27	5.05	--	--	AV	125.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.40	4.55	68.3	10.90	Peak	211.00	200	Horizontal	Pass
2	5990.100	64.24	5.68	68.2	3.96	Peak	80.00	200	Horizontal	Pass




**MIMO**

**U-NII-1 11n20 Low Channel**




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.275	55.85	0.90	74.0	18.15	Peak	70.00	150	Horizontal	Pass
1**	4996.275	44.25	0.90	54.0	9.75	AV	70.00	150	Horizontal	Pass
2	5150.000	54.43	0.44	74.0	19.57	Peak	310.00	150	Horizontal	Pass
2**	5150.000	45.35	0.44	54.0	8.65	AV	310.00	150	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.04	0.88	74.0	18.96	Peak	144.00	200	Horizontal	Pass
1**	5350.000	44.50	0.88	54.0	9.50	AV	144.00	200	Horizontal	Pass
2	5392.717	57.88	1.84	74.0	16.12	Peak	0.00	200	Horizontal	Pass
2**	5392.717	45.44	1.84	54.0	8.56	AV	0.00	200	Horizontal	Pass
3	5389.967	56.31	2.35	74.0	17.69	Peak	84.00	150	Horizontal	Pass
3**	5389.967	45.88	2.35	54.0	8.12	AV	84.00	150	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	57.19	0.34	74.0	16.81	Peak	28.00	200	Horizontal	Pass
1**	5147.725	47.05	0.34	54.0	6.95	AV	28.00	200	Horizontal	Pass
2	5150.000	55.61	0.44	74.0	18.39	Peak	88.00	150	Horizontal	Pass
2**	5150.000	47.74	0.44	54.0	6.26	AV	88.00	150	Horizontal	Pass
3	5149.350	55.49	0.41	74.0	18.51	Peak	88.00	150	Horizontal	Pass
3**	5149.350	47.96	0.41	54.0	6.04	AV	88.00	150	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.91	0.88	74.0	19.09	Peak	264.00	200	Horizontal	Pass
1**	5350.000	44.59	0.88	54.0	9.41	AV	264.00	200	Horizontal	Pass
2	5385.200	57.52	2.05	74.0	16.48	Peak	5.00	200	Horizontal	Pass
2**	5385.200	45.57	2.05	54.0	8.43	AV	5.00	200	Horizontal	Pass
3	5390.150	55.66	2.09	74.0	18.34	Peak	134.00	150	Horizontal	Pass
3**	5390.150	45.79	2.09	54.0	8.21	AV	134.00	150	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	55.56	0.55	74.0	18.44	Peak	173.00	100	Horizontal	Pass
1**	5149.675	44.86	0.55	54.0	9.14	AV	173.00	100	Horizontal	Pass
2	5150.000	54.89	0.44	74.0	19.11	Peak	85.00	100	Horizontal	Pass
2**	5150.000	44.91	0.44	54.0	9.09	AV	85.00	100	Horizontal	Pass
3	5149.350	53.85	0.41	74.0	20.15	Peak	294.00	150	Horizontal	Pass
3**	5149.350	45.18	0.41	54.0	8.82	AV	294.00	150	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.46	0.88	74.0	18.54	Peak	3.00	150	Horizontal	Pass
1**	5350.000	44.67	0.88	54.0	9.33	AV	3.00	150	Horizontal	Pass
2	5385.750	57.42	1.83	74.0	16.58	Peak	307.00	100	Horizontal	Pass
2**	5385.750	45.32	1.83	54.0	8.68	AV	307.00	100	Horizontal	Pass
3	5389.967	56.34	2.35	74.0	17.66	Peak	129.00	150	Horizontal	Pass
3**	5389.967	46.02	2.35	54.0	7.98	AV	129.00	150	Horizontal	Pass

U-NII-1 11ac40 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	58.15	0.15	74.0	15.85	Peak	175.00	150	Horizontal	Pass
1**	5149.025	46.58	0.15	54.0	7.42	AV	175.00	150	Horizontal	Pass
2	5150.000	56.68	0.44	74.0	17.32	Peak	207.00	200	Horizontal	Pass
2**	5150.000	47.54	0.44	54.0	6.46	AV	207.00	200	Horizontal	Pass
3	5149.350	57.30	0.41	74.0	16.70	Peak	93.00	150	Horizontal	Pass
3**	5149.350	48.24	0.41	54.0	5.76	AV	93.00	150	Horizontal	Pass


U-NII-1 11ac40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.36	0.88	74.0	18.64	Peak	305.00	100	Horizontal	Pass
1**	5350.000	44.76	0.88	54.0	9.24	AV	305.00	100	Horizontal	Pass
2	5382.450	57.44	1.96	74.0	16.56	Peak	250.00	100	Horizontal	Pass
2**	5382.450	45.46	1.96	54.0	8.54	AV	250.00	100	Horizontal	Pass
3	5389.967	55.83	2.35	74.0	18.17	Peak	5.00	150	Horizontal	Pass
3**	5389.967	45.88	2.35	54.0	8.12	AV	5.00	150	Horizontal	Pass




U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	62.59	0.34	74.0	11.41	Peak	117.00	200	Horizontal	Pass
1**	5147.725	51.74	0.34	54.0	2.26	AV	117.00	200	Horizontal	Pass
2	5150.000	61.89	0.44	74.0	12.11	Peak	89.00	150	Horizontal	Pass
2**	5150.000	52.72	0.44	54.0	1.28	AV	89.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.16	0.88	74.0	17.84	Peak	120.00	200	Horizontal	Pass
1**	5350.000	44.92	0.88	54.0	9.08	AV	120.00	200	Horizontal	Pass
2	5389.783	57.30	2.19	74.0	16.70	Peak	101.00	100	Horizontal	Pass
2**	5389.783	45.86	2.19	54.0	8.14	AV	101.00	100	Horizontal	Pass
3	5389.967	56.42	2.35	74.0	17.58	Peak	208.00	150	Horizontal	Pass
3**	5389.967	46.12	2.35	54.0	7.88	AV	208.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4758.375	55.50	0.74	74.0	18.50	Peak	234.00	200	Horizontal	Pass
1**	4758.375	44.30	0.74	54.0	9.70	AV	234.00	200	Horizontal	Pass
2	5150.000	54.15	0.44	74.0	19.85	Peak	128.00	150	Horizontal	Pass
2**	5150.000	45.12	0.44	54.0	8.88	AV	128.00	150	Horizontal	Pass
3	5147.400	54.40	0.34	74.0	19.60	Peak	194.00	150	Horizontal	Pass
3**	5147.400	45.14	0.34	54.0	8.86	AV	194.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.55	0.88	74.0	19.45	Peak	147.00	200	Horizontal	Pass
1**	5350.000	44.62	0.88	54.0	9.38	AV	147.00	200	Horizontal	Pass
2	5389.967	57.06	2.35	74.0	16.94	Peak	23.00	200	Horizontal	Pass
2**	5389.967	45.92	2.35	54.0	8.08	AV	23.00	200	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	56.70	0.46	74.0	17.30	Peak	175.00	150	Horizontal	Pass
1**	5148.050	46.86	0.46	54.0	7.14	AV	175.00	150	Horizontal	Pass
2	5150.000	55.48	0.44	74.0	18.52	Peak	90.00	200	Horizontal	Pass
2**	5150.000	47.38	0.44	54.0	6.62	AV	90.00	200	Horizontal	Pass
3	5149.675	55.72	0.55	74.0	18.28	Peak	98.00	150	Horizontal	Pass
3**	5149.675	47.65	0.55	54.0	6.35	AV	98.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.42	0.88	74.0	17.58	Peak	81.00	150	Horizontal	Pass
1**	5350.000	44.64	0.88	54.0	9.36	AV	81.00	150	Horizontal	Pass
2	5380.983	57.41	1.50	74.0	16.59	Peak	0.00	200	Horizontal	Pass
2**	5380.983	45.22	1.50	54.0	8.78	AV	0.00	200	Horizontal	Pass
3	5384.650	56.01	2.15	74.0	17.99	Peak	266.00	150	Horizontal	Pass
3**	5384.650	45.89	2.15	54.0	8.11	AV	266.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	62.01	0.34	74.0	11.99	Peak	90.00	200	Horizontal	Pass
1**	5147.725	51.40	0.34	54.0	2.60	AV	90.00	200	Horizontal	Pass
2	5150.000	61.51	0.44	74.0	12.49	Peak	175.00	100	Horizontal	Pass
2**	5150.000	52.53	0.44	54.0	1.47	AV	175.00	100	Horizontal	Pass


U-NII-1 11ax80 (SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.00	0.88	74.0	19.00	Peak	124.00	100	Horizontal	Pass
1**	5350.000	45.03	0.88	54.0	8.97	AV	124.00	100	Horizontal	Pass
2	5432.683	57.22	1.03	74.0	16.78	Peak	314.00	200	Horizontal	Pass
2**	5432.683	44.46	1.03	54.0	9.54	AV	314.00	200	Horizontal	Pass
3	5389.967	56.45	2.35	74.0	17.55	Peak	26.00	150	Horizontal	Pass
3**	5389.967	46.02	2.35	54.0	7.98	AV	26.00	150	Horizontal	Pass




U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5097.025	59.51	4.56	74.0	14.49	Peak	348.00	150	Vertical	Pass
1**	5097.025	47.57	4.56	54.0	6.43	AV	348.00	150	Vertical	Pass
2	5149.675	56.89	3.93	74.0	17.11	Peak	308.00	150	Vertical	Pass
2**	5149.675	47.42	3.93	54.0	6.58	AV	308.00	150	Vertical	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.06	4.22	74.0	15.94	Peak	122.00	200	Vertical	Pass
1**	5350.000	47.77	4.22	54.0	6.23	AV	122.00	200	Vertical	Pass
2	5363.695	60.84	4.70	74.0	13.16	Peak	260.00	150	Vertical	Pass
2**	5363.695	47.88	4.70	54.0	6.12	AV	260.00	150	Vertical	Pass

U-NII-1 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5055.425	59.41	4.14	74.0	14.59	Peak	72.00	100	Vertical	Pass
1**	5055.425	47.28	4.14	54.0	6.72	AV	72.00	100	Vertical	Pass
2	5149.675	56.79	3.93	74.0	17.21	Peak	311.00	200	Vertical	Pass
2**	5149.675	47.38	3.93	54.0	6.62	AV	311.00	200	Vertical	Pass

U-NII-1 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.08	4.21	74.0	16.92	Peak	140.00	150	Vertical	Pass
1**	5350.055	47.74	4.21	54.0	6.26	AV	140.00	150	Vertical	Pass
2	5454.390	60.12	5.60	74.0	13.88	Peak	360.00	150	Vertical	Pass
2**	5454.390	48.61	5.60	54.0	5.39	AV	360.00	150	Vertical	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.27	4.21	74.0	16.73	Peak	359.00	150	Vertical	Pass
1**	5350.055	47.64	4.21	54.0	6.36	AV	359.00	150	Vertical	Pass
2	5447.625	60.08	5.40	74.0	13.92	Peak	237.00	150	Vertical	Pass
2**	5447.625	48.51	5.40	54.0	5.49	AV	237.00	150	Vertical	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5143.175	58.90	4.20	74.0	15.10	Peak	360.00	150	Vertical	Pass
1**	5143.175	47.33	4.20	54.0	6.67	AV	360.00	150	Vertical	Pass
2	5149.675	56.59	3.93	74.0	17.41	Peak	39.00	100	Vertical	Pass
2**	5149.675	47.36	3.93	54.0	6.64	AV	39.00	100	Vertical	Pass

U-NII-2A 11n20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4951.425	55.46	1.90	74.0	18.54	Peak	174.00	200	Horizontal	Pass
1**	4951.425	44.53	1.90	54.0	9.47	AV	174.00	200	Horizontal	Pass
2	5150.000	53.91	0.44	74.0	20.09	Peak	278.00	100	Horizontal	Pass
2**	5150.000	44.20	0.44	54.0	9.80	AV	278.00	100	Horizontal	Pass
3	4950.450	54.52	1.74	74.0	19.48	Peak	73.00	150	Horizontal	Pass
3**	4950.450	45.05	1.74	54.0	8.95	AV	73.00	150	Horizontal	Pass


U-NII-2A 11n20 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.65	0.88	74.0	16.35	Peak	92.00	200	Horizontal	Pass
1**	5350.000	46.51	0.88	54.0	7.49	AV	92.00	200	Horizontal	Pass
2	5354.400	57.82	0.72	74.0	16.18	Peak	119.00	100	Horizontal	Pass
2**	5354.400	45.55	0.72	54.0	8.45	AV	119.00	100	Horizontal	Pass
3	5350.367	57.31	0.66	74.0	16.69	Peak	231.00	150	Horizontal	Pass
3**	5350.367	46.67	0.66	54.0	7.33	AV	231.00	150	Horizontal	Pass




U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4989.125	55.50	1.20	74.0	18.50	Peak	281.00	150	Horizontal	Pass
1**	4989.125	43.73	1.20	54.0	10.27	AV	281.00	150	Horizontal	Pass
2	5150.000	53.92	0.44	74.0	20.08	Peak	155.00	100	Horizontal	Pass
2**	5150.000	44.22	0.44	54.0	9.78	AV	155.00	100	Horizontal	Pass
3	4951.425	54.74	1.90	74.0	19.26	Peak	316.00	150	Horizontal	Pass
3**	4951.425	45.04	1.90	54.0	8.96	AV	316.00	150	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.96	0.88	74.0	14.04	Peak	272.00	100	Horizontal	Pass
1**	5350.000	50.74	0.88	54.0	3.26	AV	272.00	100	Horizontal	Pass
2	5350.550	60.85	0.62	74.0	13.15	Peak	123.00	150	Horizontal	Pass
2**	5350.550	50.09	0.62	54.0	3.91	AV	123.00	150	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5085.325	55.33	0.17	74.0	18.67	Peak	141.00	150	Horizontal	Pass
1**	5085.325	44.11	0.17	54.0	9.89	AV	141.00	150	Horizontal	Pass
2	5150.000	53.52	0.44	74.0	20.48	Peak	20.00	200	Horizontal	Pass
2**	5150.000	43.97	0.44	54.0	10.03	AV	20.00	200	Horizontal	Pass
3	4950.775	54.65	1.88	74.0	19.35	Peak	208.00	150	Horizontal	Pass
3**	4950.775	44.85	1.88	54.0	9.15	AV	208.00	150	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.87	0.88	74.0	17.13	Peak	145.00	200	Horizontal	Pass
1**	5350.000	47.28	0.88	54.0	6.72	AV	145.00	200	Horizontal	Pass
2	5350.367	58.42	0.66	74.0	15.58	Peak	121.00	100	Horizontal	Pass
2**	5350.367	46.64	0.66	54.0	7.36	AV	121.00	100	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.575	55.55	-0.41	74.0	18.45	Peak	161.00	200	Horizontal	Pass
1**	5127.575	43.53	-0.41	54.0	10.47	AV	161.00	200	Horizontal	Pass
2	5150.000	53.87	0.44	74.0	20.13	Peak	215.00	150	Horizontal	Pass
2**	5150.000	44.23	0.44	54.0	9.77	AV	215.00	150	Horizontal	Pass
3	4960.200	53.51	1.79	74.0	20.49	Peak	235.00	150	Horizontal	Pass
3**	4960.200	44.68	1.79	54.0	9.32	AV	235.00	150	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.85	0.88	74.0	12.15	Peak	274.00	200	Horizontal	Pass
1**	5350.000	51.54	0.88	54.0	2.46	AV	274.00	200	Horizontal	Pass
2	5352.016	63.90	0.59	74.0	10.10	Peak	120.00	150	Horizontal	Pass
2**	5352.016	51.35	0.59	54.0	2.65	AV	120.00	150	Horizontal	Pass
3	5350.367	61.48	0.66	74.0	12.52	Peak	120.00	150	Horizontal	Pass
3**	5350.367	51.83	0.66	54.0	2.17	AV	120.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.900	55.82	1.14	74.0	18.18	Peak	202.00	200	Horizontal	Pass
1**	4997.900	43.97	1.14	54.0	10.03	AV	202.00	200	Horizontal	Pass
2	5150.000	55.42	0.44	74.0	18.58	Peak	49.00	100	Horizontal	Pass
2**	5150.000	44.52	0.44	54.0	9.48	AV	49.00	100	Horizontal	Pass
3	4950.125	53.97	2.04	74.0	20.03	Peak	49.00	150	Horizontal	Pass
3**	4950.125	45.02	2.04	54.0	8.98	AV	49.00	150	Horizontal	Pass


U-NII-2A 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.65	0.88	74.0	15.35	Peak	173.00	200	Horizontal	Pass
1**	5350.000	48.78	0.88	54.0	5.22	AV	173.00	200	Horizontal	Pass
2	5351.100	59.63	0.57	74.0	14.37	Peak	122.00	150	Horizontal	Pass
2**	5351.100	48.38	0.57	54.0	5.62	AV	122.00	150	Horizontal	Pass




U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4993.025	55.85	1.14	74.0	18.15	Peak	132.00	200	Horizontal	Pass
1**	4993.025	43.64	1.14	54.0	10.36	AV	132.00	200	Horizontal	Pass
2	5150.000	53.51	0.44	74.0	20.49	Peak	224.00	100	Horizontal	Pass
2**	5150.000	44.07	0.44	54.0	9.93	AV	224.00	100	Horizontal	Pass
3	4945.900	53.80	1.66	74.0	20.20	Peak	169.00	150	Horizontal	Pass
3**	4945.900	44.85	1.66	54.0	9.15	AV	169.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.54	0.88	74.0	17.46	Peak	298.00	200	Horizontal	Pass
1**	5350.000	46.40	0.88	54.0	7.60	AV	298.00	200	Horizontal	Pass
2	5390.150	57.70	2.09	74.0	16.30	Peak	37.00	100	Horizontal	Pass
2**	5390.150	45.87	2.09	54.0	8.13	AV	37.00	100	Horizontal	Pass
3	5350.733	56.16	0.63	74.0	17.84	Peak	266.00	150	Horizontal	Pass
3**	5350.733	46.45	0.63	54.0	7.55	AV	266.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4752.850	55.67	0.93	74.0	18.33	Peak	270.00	200	Horizontal	Pass
1**	4752.850	44.34	0.93	54.0	9.66	AV	270.00	200	Horizontal	Pass
2	5150.000	54.09	0.44	74.0	19.91	Peak	295.00	150	Horizontal	Pass
2**	5150.000	44.44	0.44	54.0	9.56	AV	295.00	150	Horizontal	Pass
3	4951.100	54.32	2.00	74.0	19.68	Peak	330.00	150	Horizontal	Pass
3**	4951.100	44.87	2.00	54.0	9.13	AV	330.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.82	0.88	74.0	12.18	Peak	170.00	150	Horizontal	Pass
1**	5350.000	50.44	0.88	54.0	3.56	AV	170.00	150	Horizontal	Pass
2	5350.917	59.93	0.62	74.0	14.07	Peak	86.00	150	Horizontal	Pass
2**	5350.917	50.85	0.62	54.0	3.15	AV	86.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4557.200	55.45	0.28	74.0	18.55	Peak	2.00	150	Horizontal	Pass
1**	4557.200	43.82	0.28	54.0	10.18	AV	2.00	150	Horizontal	Pass
2	5150.000	53.29	0.44	74.0	20.71	Peak	113.00	150	Horizontal	Pass
2**	5150.000	44.12	0.44	54.0	9.88	AV	113.00	150	Horizontal	Pass
3	4951.100	53.92	2.00	74.0	20.08	Peak	312.00	150	Horizontal	Pass
3**	4951.100	44.82	2.00	54.0	9.18	AV	312.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.46	0.88	74.0	13.54	Peak	269.00	100	Horizontal	Pass
1**	5350.000	50.44	0.88	54.0	3.56	AV	269.00	100	Horizontal	Pass
2	5357.150	61.65	0.62	74.0	12.35	Peak	7.00	150	Horizontal	Pass
2**	5357.150	50.09	0.62	54.0	3.91	AV	7.00	150	Horizontal	Pass
3	5351.650	59.86	0.61	74.0	14.14	Peak	269.00	150	Horizontal	Pass
3**	5351.650	50.61	0.61	54.0	3.39	AV	269.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4964.425	59.33	3.93	74.0	14.67	Peak	212.00	150	Vertical	Pass
1**	4964.425	46.93	3.93	54.0	7.07	AV	212.00	150	Vertical	Pass
2	5149.675	58.99	3.93	74.0	15.01	Peak	111.00	200	Vertical	Pass
2**	5149.675	47.26	3.93	54.0	6.74	AV	111.00	200	Vertical	Pass


U-NII-2A 11ax20 (RU26) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.51	4.21	74.0	16.49	Peak	258.00	150	Vertical	Pass
1**	5350.055	47.75	4.21	54.0	6.25	AV	258.00	150	Vertical	Pass
2	5457.415	59.87	5.67	74.0	14.13	Peak	13.00	100	Vertical	Pass
2**	5457.415	48.81	5.67	54.0	5.19	AV	13.00	100	Vertical	Pass




U-NII-2A 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4989.125	59.64	4.19	74.0	14.36	Peak	28.00	100	Vertical	Pass
1**	4989.125	47.21	4.19	54.0	6.79	AV	28.00	100	Vertical	Pass
2	5149.675	57.54	3.93	74.0	16.46	Peak	187.00	100	Vertical	Pass
2**	5149.675	47.48	3.93	54.0	6.52	AV	187.00	100	Vertical	Pass

U-NII-2A 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.86	4.21	74.0	16.14	Peak	282.00	100	Vertical	Pass
1**	5350.055	47.60	4.21	54.0	6.40	AV	282.00	100	Vertical	Pass
2	5437.120	60.56	4.72	74.0	13.44	Peak	6.00	150	Vertical	Pass
2**	5437.120	48.16	4.72	54.0	5.84	AV	6.00	150	Vertical	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5101.250	58.99	4.55	74.0	15.01	Peak	151.00	100	Vertical	Pass
1**	5101.250	47.53	4.55	54.0	6.47	AV	151.00	100	Vertical	Pass
2	5149.675	57.09	3.93	74.0	16.91	Peak	49.00	150	Vertical	Pass
2**	5149.675	47.48	3.93	54.0	6.52	AV	49.00	150	Vertical	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.48	4.22	74.0	16.52	Peak	73.00	150	Vertical	Pass
1**	5350.000	47.82	4.22	54.0	6.18	AV	73.00	150	Vertical	Pass
2	5451.310	60.25	5.53	74.0	13.75	Peak	326.00	150	Vertical	Pass
2**	5451.310	48.52	5.53	54.0	5.48	AV	326.00	150	Vertical	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5384.200	58.25	2.02	74.0	15.75	Peak	162.00	200	Horizontal	Pass
1**	5384.200	45.37	2.02	54.0	8.63	AV	162.00	200	Horizontal	Pass
2	5460.000	55.44	1.37	74.0	18.56	Peak	6.00	100	Horizontal	Pass
2**	5460.000	45.25	1.37	54.0	8.75	AV	6.00	100	Horizontal	Pass
3	5469.600	59.47	0.87	68.2	8.73	Peak	270.00	150	Horizontal	Pass
3**	5469.600	46.33	0.87	--	--	AV	270.00	150	Horizontal	N/A
4	5470.000	57.12	1.09	68.2	11.08	Peak	273.00	200	Horizontal	Pass
4**	5470.000	46.99	1.09	--	--	AV	273.00	200	Horizontal	N/A
5	5387.600	55.61	2.11	74.0	18.39	Peak	320.00	150	Horizontal	Pass
5**	5387.600	45.74	2.11	54.0	8.26	AV	320.00	150	Horizontal	Pass

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.88	-0.08	68.2	7.32	Peak	122.00	200	Horizontal	Pass

U-NII-2C 11n40 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.400	60.25	1.23	74.0	13.75	Peak	270.00	100	Horizontal	Pass
1**	5458.400	47.36	1.23	54.0	6.64	AV	270.00	100	Horizontal	Pass
2	5460.000	59.49	1.37	74.0	14.51	Peak	270.00	200	Horizontal	Pass
2**	5460.000	48.11	1.37	54.0	5.89	AV	270.00	200	Horizontal	Pass
3	5469.800	63.24	1.02	68.2	4.96	Peak	270.00	200	Horizontal	Pass
3**	5469.800	51.49	1.02	--	--	AV	270.00	200	Horizontal	N/A
4	5470.000	61.87	1.09	68.2	6.33	Peak	267.00	100	Horizontal	Pass
4**	5470.000	52.13	1.09	--	--	AV	267.00	100	Horizontal	N/A
5	5459.400	59.00	1.26	74.0	15.00	Peak	65.00	150	Horizontal	Pass
5**	5459.400	48.13	1.26	54.0	5.87	AV	65.00	150	Horizontal	Pass


U-NII-2C 11n40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.89	-0.08	68.2	9.31	Peak	68.00	100	Horizontal	Pass




U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5392.200	56.88	1.71	74.0	17.12	Peak	270.00	150	Horizontal	Pass
1**	5392.200	45.18	1.71	54.0	8.82	AV	270.00	150	Horizontal	Pass
2	5460.000	55.66	1.37	74.0	18.34	Peak	89.00	100	Horizontal	Pass
2**	5460.000	44.97	1.37	54.0	9.03	AV	89.00	100	Horizontal	Pass
3	5468.600	58.45	1.43	68.2	9.75	Peak	152.00	200	Horizontal	Pass
3**	5468.600	46.32	1.43	--	--	AV	152.00	200	Horizontal	N/A
4	5470.000	57.07	1.09	68.2	11.13	Peak	270.00	200	Horizontal	Pass
4**	5470.000	46.60	1.09	--	--	AV	270.00	200	Horizontal	N/A
5	5389.800	55.98	2.21	74.0	18.02	Peak	298.00	150	Horizontal	Pass
5**	5389.800	45.81	2.21	54.0	8.19	AV	298.00	150	Horizontal	Pass

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.95	-0.08	68.2	6.25	Peak	323.00	100	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.600	59.29	1.23	74.0	14.71	Peak	269.00	200	Horizontal	Pass
1**	5459.600	47.52	1.23	54.0	6.48	AV	269.00	200	Horizontal	Pass
2	5460.000	57.12	1.37	74.0	16.88	Peak	269.00	200	Horizontal	Pass
2**	5460.000	47.93	1.37	54.0	6.07	AV	269.00	200	Horizontal	Pass
3	5469.600	63.71	0.87	68.2	4.49	Peak	146.00	200	Horizontal	Pass
3**	5469.600	51.13	0.87	--	--	AV	146.00	200	Horizontal	N/A
4	5470.000	62.30	1.09	68.2	5.90	Peak	272.00	100	Horizontal	Pass
4**	5470.000	51.59	1.09	--	--	AV	272.00	100	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.08	-0.08	68.2	12.12	Peak	70.00	100	Horizontal	Pass
2	5726.458	57.35	0.26	68.2	10.85	Peak	70.00	100	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.000	58.50	1.31	74.0	15.50	Peak	245.00	200	Horizontal	Pass
1**	5459.000	46.63	1.31	54.0	7.37	AV	245.00	200	Horizontal	Pass
2	5460.000	57.02	1.37	74.0	16.98	Peak	148.00	200	Horizontal	Pass
2**	5460.000	46.69	1.37	54.0	7.31	AV	148.00	200	Horizontal	Pass
3	5466.800	59.52	1.53	68.2	8.68	Peak	120.00	150	Horizontal	Pass
3**	5466.800	47.85	1.53	--	--	AV	120.00	150	Horizontal	N/A
4	5470.000	57.99	1.09	68.2	10.21	Peak	144.00	100	Horizontal	Pass
4**	5470.000	47.72	1.09	--	--	AV	144.00	100	Horizontal	N/A
5	5459.800	57.25	1.28	74.0	16.75	Peak	296.00	150	Horizontal	Pass
5**	5459.800	46.81	1.28	54.0	7.19	AV	296.00	150	Horizontal	Pass

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.14	-0.08	68.2	14.06	Peak	47.00	200	Horizontal	Pass
2	5801.041	57.19	2.26	68.2	11.01	Peak	313.00	100	Horizontal	Pass

U-NII-2C 11ax20 (SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5389.400	57.29	2.02	74.0	16.71	Peak	74.00	100	Horizontal	Pass
1**	5389.400	45.47	2.02	54.0	8.53	AV	74.00	100	Horizontal	Pass
2	5460.000	55.16	1.37	74.0	18.84	Peak	287.00	150	Horizontal	Pass
2**	5460.000	45.28	1.37	54.0	8.72	AV	287.00	150	Horizontal	Pass
3	5468.000	57.47	1.34	68.2	10.73	Peak	265.00	150	Horizontal	Pass
3**	5468.000	46.19	1.34	--	--	AV	265.00	150	Horizontal	N/A
4	5470.000	57.05	1.09	68.2	11.15	Peak	278.00	100	Horizontal	Pass
4**	5470.000	46.14	1.09	--	--	AV	278.00	100	Horizontal	N/A
5	5390.000	55.79	2.31	74.0	18.21	Peak	145.00	150	Horizontal	Pass
5**	5390.000	45.83	2.31	54.0	8.17	AV	145.00	150	Horizontal	Pass


U-NII-2C 11ax20 (SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.30	-0.08	68.2	3.90	Peak	90.00	200	Horizontal	Pass
2	5725.834	64.80	-0.12	68.2	3.40	Peak	85.00	100	Horizontal	Pass




U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.800	57.24	1.28	74.0	16.76	Peak	202.00	200	Horizontal	Pass
1**	5459.800	46.30	1.28	54.0	7.70	AV	202.00	200	Horizontal	Pass
2	5460.000	56.52	1.37	74.0	17.48	Peak	266.00	150	Horizontal	Pass
2**	5460.000	46.62	1.37	54.0	7.38	AV	266.00	150	Horizontal	Pass
3	5468.800	62.70	1.29	68.2	5.50	Peak	149.00	100	Horizontal	Pass
3**	5468.800	50.01	1.29	--	--	AV	149.00	100	Horizontal	N/A
4	5470.000	59.66	1.09	68.2	8.54	Peak	67.00	150	Horizontal	Pass
4**	5470.000	50.17	1.09	--	--	AV	67.00	150	Horizontal	N/A

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.42	-0.08	68.2	12.78	Peak	167.00	150	Horizontal	Pass
2	5726.250	58.52	0.06	68.2	9.68	Peak	250.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.600	57.95	0.86	74.0	16.05	Peak	121.00	100	Horizontal	Pass
1**	5451.600	45.12	0.86	54.0	8.88	AV	121.00	100	Horizontal	Pass
2	5460.000	57.08	1.37	74.0	16.92	Peak	5.00	200	Horizontal	Pass
2**	5460.000	47.16	1.37	54.0	6.84	AV	5.00	200	Horizontal	Pass
3	5461.600	60.50	1.62	68.2	7.70	Peak	268.00	150	Horizontal	Pass
3**	5461.600	47.73	1.62	--	--	AV	268.00	150	Horizontal	N/A
4	5470.000	59.06	1.09	68.2	9.14	Peak	62.00	150	Horizontal	Pass
4**	5470.000	48.33	1.09	--	--	AV	62.00	150	Horizontal	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.65	-0.08	68.2	14.55	Peak	76.00	100	Horizontal	Pass
2	5802.083	57.00	2.34	68.2	11.20	Peak	35.00	150	Horizontal	Pass

U-NII-2C 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.320	60.70	5.65	74.0	13.30	Peak	30.00	100	Vertical	Pass
1**	5453.320	48.69	5.65	54.0	5.31	AV	30.00	100	Vertical	Pass
2	5459.980	59.10	5.37	74.0	14.90	Peak	59.00	200	Vertical	Pass
2**	5459.980	48.58	5.37	54.0	5.42	AV	59.00	200	Vertical	Pass
3	5467.360	59.49	4.92	68.2	8.71	Peak	5.00	100	Vertical	Pass
3**	5467.360	48.12	4.92	--	--	AV	5.00	100	Vertical	N/A
4	5469.940	59.32	5.05	68.2	8.88	Peak	81.00	200	Vertical	Pass
4**	5469.940	48.31	5.05	--	--	AV	81.00	200	Vertical	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.90	4.76	68.2	10.30	Peak	130.00	200	Vertical	Pass
2	5839.187	60.49	6.32	68.2	7.71	Peak	148.00	100	Vertical	Pass

U-NII-2C 11ax40 (RU26) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.240	60.31	5.59	74.0	13.69	Peak	230.00	150	Vertical	Pass
1**	5455.240	48.52	5.59	54.0	5.48	AV	230.00	150	Vertical	Pass
2	5459.980	58.26	5.37	74.0	15.74	Peak	247.00	100	Vertical	Pass
2**	5459.980	48.71	5.37	54.0	5.29	AV	247.00	100	Vertical	Pass
3	5469.100	59.20	4.98	68.2	9.00	Peak	323.00	150	Vertical	Pass
3**	5469.100	48.08	4.98	--	--	AV	323.00	150	Vertical	N/A
4	5469.940	58.58	5.05	68.2	9.62	Peak	342.00	150	Vertical	Pass
4**	5469.940	48.43	5.05	--	--	AV	342.00	150	Vertical	N/A


U-NII-2C 11ax40 (RU26) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.33	4.76	68.2	9.87	Peak	301.00	150	Vertical	Pass
2	5843.250	60.90	6.31	68.2	7.30	Peak	331.00	100	Vertical	Pass




U-NII-2C 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5364.340	60.13	4.72	74.0	13.87	Peak	221.00	200	Vertical	Pass
1**	5364.340	47.89	4.72	54.0	6.11	AV	221.00	200	Vertical	Pass
2	5459.980	58.07	5.37	74.0	15.93	Peak	289.00	100	Vertical	Pass
2**	5459.980	48.35	5.37	54.0	5.65	AV	289.00	100	Vertical	Pass
3	5462.860	59.64	5.25	68.2	8.56	Peak	44.00	100	Vertical	Pass
3**	5462.860	48.35	5.25	--	--	AV	44.00	100	Vertical	N/A
4	5469.940	58.14	5.05	68.2	10.06	Peak	249.00	100	Vertical	Pass
4**	5469.940	48.28	5.05	--	--	AV	249.00	100	Vertical	N/A

U-NII-2C 11ax80 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.58	4.77	68.2	10.62	Peak	73.00	200	Vertical	Pass
2	5839.063	60.49	6.32	68.2	7.71	Peak	22.00	100	Vertical	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.125	56.49	1.17	68.2	11.71	Peak	280.00	100	Horizontal	Pass
2	5650.000	54.77	-0.21	68.2	13.43	Peak	39.00	150	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.33	0.01	68.2	12.87	Peak	113.00	150	Horizontal	Pass
2	5990.250	60.34	0.95	68.2	7.86	Peak	115.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5618.334	57.45	1.08	68.2	10.75	Peak	64.00	100	Horizontal	Pass
2	5650.000	54.48	-0.21	68.2	13.72	Peak	309.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.05	0.01	68.2	14.15	Peak	349.00	150	Horizontal	Pass
2	5990.250	60.20	0.95	68.2	8.00	Peak	116.00	150	Horizontal	Pass

U-NII-3 11ac20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5606.250	56.75	1.17	68.2	11.45	Peak	296.00	150	Horizontal	Pass
2	5650.000	53.68	-0.21	68.2	14.52	Peak	296.00	100	Horizontal	Pass


U-NII-3 11ac20 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.43	0.01	68.2	14.77	Peak	151.00	200	Horizontal	Pass
2	5990.500	60.55	1.00	68.2	7.65	Peak	95.00	200	Horizontal	Pass




U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5608.333	56.64	1.11	68.2	11.56	Peak	167.00	100	Horizontal	Pass
2	5650.000	53.93	-0.21	68.2	14.27	Peak	51.00	100	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.97	0.01	68.2	13.23	Peak	291.00	100	Horizontal	Pass
2	5990.750	60.27	0.80	68.2	7.93	Peak	106.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.584	56.28	0.91	68.2	11.92	Peak	85.00	150	Horizontal	Pass
2	5650.000	54.67	-0.21	68.2	13.53	Peak	13.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.15	0.01	68.2	14.05	Peak	231.00	100	Horizontal	Pass
2	5990.250	59.11	0.95	68.2	9.09	Peak	116.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.250	56.57	-0.00	68.2	11.63	Peak	145.00	200	Horizontal	Pass
2	5650.000	55.12	-0.21	68.2	13.08	Peak	347.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.42	0.01	68.2	13.78	Peak	137.00	100	Horizontal	Pass
2	5990.750	58.66	0.80	68.2	9.54	Peak	107.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5602.500	56.67	0.98	68.2	11.53	Peak	206.00	200	Horizontal	Pass
2	5650.000	54.16	-0.21	68.2	14.04	Peak	14.00	200	Horizontal	Pass


U-NII-3 11ax40 (SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.21	0.01	68.2	13.99	Peak	308.00	100	Horizontal	Pass
2	5990.750	59.70	0.80	68.2	8.50	Peak	106.00	100	Horizontal	Pass




U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5615.416	56.84	1.11	68.2	11.36	Peak	90.00	200	Horizontal	Pass
2	5650.000	53.90	-0.21	68.2	14.30	Peak	350.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.30	0.01	68.2	13.90	Peak	0.00	200	Horizontal	Pass
2	5991.000	59.09	0.68	68.2	9.11	Peak	107.00	200	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.625	60.14	4.15	68.2	8.06	Peak	207.00	200	Vertical	Pass
2	5650.000	58.27	4.48	68.2	9.93	Peak	135.00	100	Vertical	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.48	4.55	68.3	9.82	Peak	175.00	100	Vertical	Pass
2	5990.175	63.42	5.68	68.2	4.78	Peak	157.00	100	Vertical	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.687	58.96	4.46	68.2	9.24	Peak	162.00	100	Vertical	Pass
2	5650.000	58.18	4.48	68.2	10.02	Peak	197.00	100	Vertical	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.54	4.55	68.3	9.76	Peak	263.00	100	Vertical	Pass
2	5990.250	64.68	5.68	68.2	3.52	Peak	0.00	150	Vertical	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.000	58.77	4.39	68.2	9.43	Peak	314.00	100	Vertical	Pass
2	5650.000	56.88	4.48	68.2	11.32	Peak	190.00	100	Vertical	Pass


U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.76	4.55	68.3	9.54	Peak	341.00	150	Vertical	Pass
2	5990.475	63.87	5.68	68.2	4.33	Peak	0.00	100	Vertical	Pass




U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5366.980	60.15	4.63	74.0	13.85	Peak	337.00	200	Vertical	Pass
1**	5366.980	47.67	4.63	54.0	6.33	AV	337.00	200	Vertical	Pass
2	5459.980	57.25	5.37	74.0	16.75	Peak	360.00	200	Vertical	Pass
2**	5459.980	48.18	5.37	54.0	5.82	AV	360.00	200	Vertical	Pass
3	5462.200	59.68	5.34	68.2	8.52	Peak	64.00	100	Vertical	Pass
3**	5462.200	48.13	5.34	--	--	AV	64.00	100	Vertical	N/A
4	5469.940	59.74	5.05	68.2	8.46	Peak	44.00	150	Vertical	Pass
4**	5469.940	48.22	5.05	--	--	AV	44.00	150	Vertical	N/A

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.03	4.55	68.3	10.27	Peak	30.00	200	Vertical	Pass
2	5990.400	61.99	5.68	68.2	6.21	Peak	0.00	100	Vertical	Pass

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.580	60.29	5.46	74.0	13.71	Peak	45.00	150	Vertical	Pass
1**	5445.580	48.66	5.46	54.0	5.34	AV	45.00	150	Vertical	Pass
2	5459.980	58.33	5.37	74.0	15.67	Peak	279.00	200	Vertical	Pass
2**	5459.980	48.51	5.37	54.0	5.49	AV	279.00	200	Vertical	Pass
3	5462.500	59.61	5.30	68.2	8.59	Peak	123.00	200	Vertical	Pass
3**	5462.500	48.05	5.30	--	--	AV	123.00	200	Vertical	N/A
4	5469.940	57.58	5.05	68.2	10.62	Peak	196.00	100	Vertical	Pass
4**	5469.940	48.16	5.05	--	--	AV	196.00	100	Vertical	N/A

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.32	4.55	68.3	9.98	Peak	107.00	150	Vertical	Pass
2	5990.775	61.70	5.69	68.2	6.50	Peak	155.00	100	Vertical	Pass

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5443.900	59.49	5.52	74.0	14.51	Peak	42.00	200	Vertical	Pass
1**	5443.900	48.62	5.52	54.0	5.38	AV	42.00	200	Vertical	Pass
2	5459.980	58.25	5.37	74.0	15.75	Peak	231.00	200	Vertical	Pass
2**	5459.980	48.50	5.37	54.0	5.50	AV	231.00	200	Vertical	Pass
3	5465.080	59.47	5.19	68.2	8.73	Peak	318.00	100	Vertical	Pass
3**	5465.080	48.03	5.19	--	--	AV	318.00	100	Vertical	N/A
4	5469.940	57.39	5.05	68.2	10.81	Peak	253.00	100	Vertical	Pass
4**	5469.940	48.23	5.05	--	--	AV	253.00	100	Vertical	N/A

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.72	4.55	68.3	10.58	Peak	63.00	150	Vertical	Pass
2	5990.325	62.91	5.68	68.2	5.29	Peak	324.00	100	Vertical	Pass

U-NII-2C & U-NII-3 11ac40 142 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.220	60.13	5.60	74.0	13.87	Peak	173.00	150	Vertical	Pass
1**	5454.220	48.52	5.60	54.0	5.48	AV	173.00	150	Vertical	Pass
2	5459.980	57.92	5.37	74.0	16.08	Peak	0.00	100	Vertical	Pass
2**	5459.980	48.12	5.37	54.0	5.88	AV	0.00	100	Vertical	Pass
3	5464.720	59.49	5.19	68.2	8.71	Peak	44.00	200	Vertical	Pass
3**	5464.720	47.97	5.19	--	--	AV	44.00	200	Vertical	N/A
4	5469.940	58.40	5.05	68.2	9.80	Peak	1.00	200	Vertical	Pass
4**	5469.940	48.19	5.05	--	--	AV	1.00	200	Vertical	N/A


U-NII-2C & U-NII-3 11ac40 142 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.82	4.55	68.3	9.48	Peak	20.00	200	Vertical	Pass
2	5990.475	64.73	5.68	68.2	3.47	Peak	214.00	150	Vertical	Pass




U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.220	59.54	5.50	74.0	14.46	Peak	258.00	200	Vertical	Pass
1**	5445.220	48.54	5.50	54.0	5.46	AV	258.00	200	Vertical	Pass
2	5459.980	57.48	5.37	74.0	16.52	Peak	311.00	150	Vertical	Pass
2**	5459.980	48.14	5.37	54.0	5.86	AV	311.00	150	Vertical	Pass
3	5468.140	59.38	4.90	68.2	8.82	Peak	2.00	100	Vertical	Pass
3**	5468.140	47.81	4.90	--	--	AV	2.00	100	Vertical	N/A
4	5469.940	58.11	5.05	68.2	10.09	Peak	305.00	150	Vertical	Pass
4**	5469.940	48.12	5.05	--	--	AV	305.00	150	Vertical	N/A

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.36	4.55	68.3	9.94	Peak	292.00	150	Vertical	Pass
2	5990.325	65.39	5.68	68.2	2.81	Peak	215.00	150	Vertical	Pass

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.720	60.39	5.35	74.0	13.61	Peak	54.00	150	Vertical	Pass
1**	5446.720	48.31	5.35	54.0	5.69	AV	54.00	150	Vertical	Pass
2	5459.980	58.00	5.37	74.0	16.00	Peak	31.00	100	Vertical	Pass
2**	5459.980	48.12	5.37	54.0	5.88	AV	31.00	100	Vertical	Pass
3	5464.360	59.30	5.18	68.2	8.90	Peak	282.00	150	Vertical	Pass
3**	5464.360	48.01	5.18	--	--	AV	282.00	150	Vertical	N/A
4	5469.940	58.62	5.05	68.2	9.58	Peak	317.00	200	Vertical	Pass
4**	5469.940	48.10	5.05	--	--	AV	317.00	200	Vertical	N/A

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.60	4.55	68.3	10.70	Peak	241.00	200	Vertical	Pass
2	5990.400	64.76	5.68	68.2	3.44	Peak	359.00	100	Vertical	Pass

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.100	60.48	5.61	74.0	13.52	Peak	0.00	150	Vertical	Pass
1**	5454.100	48.45	5.61	54.0	5.55	AV	0.00	150	Vertical	Pass
2	5459.980	58.02	5.37	74.0	15.98	Peak	236.00	100	Vertical	Pass
2**	5459.980	48.25	5.37	54.0	5.75	AV	236.00	100	Vertical	Pass
3	5466.340	59.49	5.09	68.2	8.71	Peak	39.00	200	Vertical	Pass
3**	5466.340	47.93	5.09	--	--	AV	39.00	200	Vertical	N/A
4	5469.940	57.73	5.05	68.2	10.47	Peak	96.00	100	Vertical	Pass
4**	5469.940	48.15	5.05	--	--	AV	96.00	100	Vertical	N/A

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.66	4.55	68.3	10.64	Peak	229.00	150	Vertical	Pass
2	5990.250	63.53	5.68	68.2	4.67	Peak	212.00	200	Vertical	Pass

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5429.980	59.59	4.27	74.0	14.41	Peak	138.00	200	Vertical	Pass
1**	5429.980	47.63	4.27	54.0	6.37	AV	138.00	200	Vertical	Pass
2	5459.980	58.25	5.37	74.0	15.75	Peak	47.00	150	Vertical	Pass
2**	5459.980	48.25	5.37	54.0	5.75	AV	47.00	150	Vertical	Pass
3	5464.240	59.66	5.18	68.2	8.54	Peak	121.00	150	Vertical	Pass
3**	5464.240	48.04	5.18	--	--	AV	121.00	150	Vertical	N/A
4	5469.940	57.99	5.05	68.2	10.21	Peak	210.00	200	Vertical	Pass
4**	5469.940	47.97	5.05	--	--	AV	210.00	200	Vertical	N/A


U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.89	4.55	68.3	10.41	Peak	86.00	200	Vertical	Pass
2	5990.100	64.03	5.68	68.2	4.17	Peak	81.00	100	Vertical	Pass




U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.580	59.81	5.46	74.0	14.19	Peak	153.00	100	Vertical	Pass
1**	5445.580	48.62	5.46	54.0	5.38	AV	153.00	100	Vertical	Pass
2	5459.980	58.18	5.37	74.0	15.82	Peak	338.00	100	Vertical	Pass
2**	5459.980	48.84	5.37	54.0	5.16	AV	338.00	100	Vertical	Pass
3	5463.220	59.83	5.20	68.2	8.37	Peak	153.00	100	Vertical	Pass
3**	5463.220	48.63	5.20	--	--	AV	153.00	100	Vertical	N/A
4	5469.940	57.84	5.05	68.2	10.36	Peak	360.00	150	Vertical	Pass
4**	5469.940	48.46	5.05	--	--	AV	360.00	150	Vertical	N/A

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.99	4.55	68.3	10.31	Peak	74.00	150	Vertical	Pass
2	5990.325	62.70	5.68	68.2	5.50	Peak	156.00	150	Vertical	Pass

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5448.520	60.15	5.44	74.0	13.85	Peak	360.00	150	Vertical	Pass
1**	5448.520	48.41	5.44	54.0	5.59	AV	360.00	150	Vertical	Pass
2	5459.980	58.05	5.37	74.0	15.95	Peak	360.00	100	Vertical	Pass
2**	5459.980	48.45	5.37	54.0	5.55	AV	360.00	100	Vertical	Pass
3	5460.220	59.53	5.39	68.2	8.67	Peak	262.00	200	Vertical	Pass
3**	5460.220	48.18	5.39	--	--	AV	262.00	200	Vertical	N/A
4	5469.940	58.26	5.05	68.2	9.94	Peak	338.00	100	Vertical	Pass
4**	5469.940	48.24	5.05	--	--	AV	338.00	100	Vertical	N/A

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.20	4.55	68.3	10.10	Peak	5.00	150	Vertical	Pass
2	5990.250	64.67	5.68	68.2	3.53	Peak	154.00	200	Vertical	Pass

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.900	60.08	5.66	74.0	13.92	Peak	279.00	200	Vertical	Pass
1**	5452.900	48.60	5.66	54.0	5.40	AV	279.00	200	Vertical	Pass
2	5459.980	57.81	5.37	74.0	16.19	Peak	274.00	200	Vertical	Pass
2**	5459.980	48.23	5.37	54.0	5.77	AV	274.00	200	Vertical	Pass
3	5467.540	59.16	4.89	68.2	9.04	Peak	276.00	100	Vertical	Pass
3**	5467.540	48.21	4.89	--	--	AV	276.00	100	Vertical	N/A
4	5469.940	57.34	5.05	68.2	10.86	Peak	48.00	200	Vertical	Pass
4**	5469.940	48.19	5.05	--	--	AV	48.00	200	Vertical	N/A

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.30	4.55	68.3	10.00	Peak	56.00	150	Vertical	Pass
2	5990.625	63.28	5.68	68.2	4.92	Peak	3.00	200	Vertical	Pass

## **ANNEX B TEST SETUP PHOTOS**

Please refer the document “BL-SZ2330183-AR.PDF”.

## **ANNEX C EUT EXTERNAL PHOTOS**

Please refer the document “BL-SZ2330183-AW.PDF”.

## **ANNEX D EUT INTERNAL PHOTOS**

Please refer the document “BL-SZ2330183-AI.PDF”.

## Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--