

RF

TEST REPORT

ISSUED BY
Shenzhen BALUN Technology Co., Ltd.



FOR
LAPTOP

ISSUED TO
E&S International Enterprises, Inc.

7801 Hayvenhurst Avenue, Van Nuys, CA 91406



Tested by: Julie Zhu

Julie Zhu

Date Jan. 21, 2022

Approved by: Liao Jianmin

Liao Jianmin
(Technical Director)

Date Jan. 21, 2022

Report No.: BL-SZ21C0938-604

EUT Name: LAPTOP

Model Name: VWNC51518-BK (refer section 2.4)

Brand Name: VAIO

Test Standard: 47 CFR Part 15 Subpart E
(refer section 3.1)

FCC ID: 2AYPE-VWNC51518

Test Conclusion: Pass

Test Date: Dec. 28, 2021 ~ Jan. 13, 2022

Date of Issue: Jan. 21, 2022

NOTE: This test report of test results only related to testing samples, which can be duplicated completely for the legal use with the approval of the applicant; it shall not be reproduced except in full, without the written approval of Shenzhen BALUN Technology Co., Ltd. Any objections should be raised within thirty days from the date of issue. To validate the report, please contact us.

Revision History

<u>Version</u>	<u>Issue Date</u>	<u>Revisions Content</u>
<u>Rev. 01</u>	<u>Jan. 21, 2022</u>	<u>Initial Issue</u>

TABLE OF CONTENTS

1	ADMINISTRATIVE DATA (GENERAL INFORMATION)	4
1.1	Identification of the Testing Laboratory	4
1.2	Identification of the Responsible Testing Location	4
1.3	Laboratory Condition	4
1.4	Announce	4
2	PRODUCT INFORMATION	5
2.1	Applicant Information	5
2.2	Manufacturer Information	5
2.3	Factory Information	5
2.4	General Description for Equipment under Test (EUT)	5
2.5	Technical Information	6
2.6	Additional Instructions	8
2.7	Channel List	13
3	SUMMARY OF TEST RESULTS.....	16
3.1	Test Standards.....	16
3.2	Verdict.....	16
4	GENERAL TEST CONFIGURATIONS.....	17
4.1	Test Environments	17
4.2	Test Equipment List	17
4.3	Test Software List	17
4.4	Measurement Uncertainty	18
4.5	Description of Test Setup.....	18
5	TEST ITEMS.....	21
5.1	RF Output Power	21
5.2	Emission Bandwidth and 6 dB Bandwidth.....	22
5.3	Power Spectral density (PSD).....	23
5.4	Conducted Emission	24

5.5	Radiated Spurious Emissions and Band Edge (Restricted-band).....	25
ANNEX A	TEST RESULT	30
A.1	RF Output Power	30
A.2	Emission Bandwidth & 99% Bandwidth	50
A.3	6 dB Bandwidth	58
A.4	Power Spectral Density	60
A.5	Conducted Emissions	80
A.6	Radiated Spurious Emissions and Band Edge (Restricted-band).....	82
ANNEX B	TEST SETUP PHOTOS	539
ANNEX C	EUT EXTERNAL PHOTOS	539
ANNEX D	EUT INTERNAL PHOTOS	539

1 ADMINISTRATIVE DATA (GENERAL INFORMATION)

1.1 Identification of the Testing Laboratory

Company Name	Shenzhen BALUN Technology Co., Ltd.
Address	Block B, 1st FL, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Phone Number	+86 755 6685 0100

1.2 Identification of the Responsible Testing Location

Test Location	Shenzhen BALUN Technology Co., Ltd.
Address	Block B, 1st FL, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Accreditation Certificate	The laboratory is a testing organization accredited by FCC as a accredited testing laboratory. The designation number is CN1196.
Description	All measurement facilities used to collect the measurement data are located at Block B, FL 1, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China 518055

1.3 Laboratory Condition

Ambient Temperature	20°C to 25°C
Ambient Relative Humidity	45% to 55%
Ambient Pressure	100 kPa to 102 kPa

1.4 Announce

- (1) The test report reference to the report template version v4.6.
- (2) The test report is invalid if not marked with the signatures of the persons responsible for preparing and approving the test report.
- (3) The test report is invalid if there is any evidence and/or falsification.
- (4) The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein.
- (5) This document may not be altered or revised in any way unless done so by BALUN and all revisions are duly noted in the revisions section.
- (6) Content of the test report, in part or in full, cannot be used for publicity and/or promotional purposes without prior written approval from the laboratory.
- (7) The laboratory is only responsible for the data released by the laboratory, except for the part provided by the applicant.

2 PRODUCT INFORMATION

2.1 Applicant Information

Applicant	E&S International Enterprises, Inc.
Address	7801 Hayvenhurst Avenue, Van Nuys, CA 91406

2.2 Manufacturer Information

Manufacturer	E&S International Enterprises, Inc.
Address	7801 Hayvenhurst Avenue, Van Nuys, CA 91406

2.3 Factory Information

Factory	Shenzhen Bmorn Technology Co., Ltd
Address	6001, 6th Floor, West Building, Hengfang Veterans Industrial City, No.3012, Xingye Road, Yongfeng Community, Xixiang Street, Baoan District, Shenzhen, Guangdong Province, P.R. China

2.4 General Description for Equipment under Test (EUT)

EUT Name	LAPTOP
Model Name Under Test	VWNC51518-BK
Series Model Name	VWNC51518-SL, VWNC51518, N15TP6
Description of Model name differentiation	All models are same with electrical parameters and internal circuit structure, but only different on shell color and model name.
Hardware Version	EM_TG528_V2.0
Software Version	21H2
Dimensions (Approx.)	N/A
Weight (Approx.)	N/A

2.5 Technical Information

Network and Wireless connectivity	Bluetooth (BR+EDR+BLE) 2.4G WIFI 802.11b, 802.11g, 802.11n(HT20/40), 802.11ax(HE20/40) 5G WIFI 802.11a, 802.11n(HT20/40), 802.11ac(VHT20/40/80), 802.11ax(HE20/40/80), U-NII-1/2A/2C/3
-----------------------------------	--

The requirement for the following technical information of the EUT was tested in this report:

Frequency Range	U-NII-1: 5150 MHz to 5250 MHz, U-NII-2A: 5250 MHz to 5350 MHz, U-NII-2C: 5470 MHz to 5725 MHz, U-NII-3: 5725 MHz to 5850 MHz				
Product Type	<input type="checkbox"/> Mobile <input checked="" type="checkbox"/> Portable <input type="checkbox"/> Fix Location				
Modulation technology	OFDM, OFDMA				
Modulation Type	1024QAM, 256QAM, 64QAM, 16QAM, BPSK, QPSK				
Product Type	Portable for FCC standard				
Transfer Rate (Mbps) (Single RF path)	802.11a: 54/ 48/ 36/ 24/ 18/ 12/ 9/ 6 Mbps 802.11n: up to 150 Mbps 802.11ac: up to VHT-MCS9 802.11ax: up to 600 Mbps				
Channel Bandwidth	802.11a: 20 MHz 802.11n: 20 MHz, 40 MHz 802.11ac: 20 MHz, 40 MHz, 80 MHz 802.11ax: 20 MHz, 40 MHz, 80 MHz				
Maximum Output Power	U-NII-1: 20.95 dBm U-NII-2A: 20.79 dBm U-NII-2C: 19.87 dBm U-NII-3: 20.26 dBm				
Antenna System (eg., MIMO, Smart Antenna)	Cyclic Delay Diversity (CDD)				
Categorization as Correlated or Completely Uncorrelated	Correlated				
Antenna Type	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%; background-color: #e6f2ff;">Main Antenna</td> <td rowspan="2" style="text-align: center;">PIFA Antenna</td> </tr> <tr> <td style="background-color: #e6f2ff;">Aux. Antenna</td> </tr> </table>	Main Antenna	PIFA Antenna	Aux. Antenna	
Main Antenna	PIFA Antenna				
Aux. Antenna					
Antenna Gain	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%; background-color: #e6f2ff;">Main Antenna</td> <td>2.1 dBi (In test items related to antenna gain, the final results reflect this figure. This value is provided by the applicant.)</td> </tr> <tr> <td style="background-color: #e6f2ff;">Aux. Antenna</td> <td>1.95 dBi (In test items related to antenna gain, the final results reflect this figure. This value is provided by the applicant.)</td> </tr> </table>	Main Antenna	2.1 dBi (In test items related to antenna gain, the final results reflect this figure. This value is provided by the applicant.)	Aux. Antenna	1.95 dBi (In test items related to antenna gain, the final results reflect this figure. This value is provided by the applicant.)
Main Antenna	2.1 dBi (In test items related to antenna gain, the final results reflect this figure. This value is provided by the applicant.)				
Aux. Antenna	1.95 dBi (In test items related to antenna gain, the final results reflect this figure. This value is provided by the applicant.)				
Total directional gain	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%; background-color: #e6f2ff;">For power spectral density(PSD) measurements</td> <td> 5.1 dBi Formulas: Directional gain = GANT + Array Gain, <i>Array Gain</i> = $10 \log(NANT/NSS)$ dB. NSS =2, GANT set equal to the gain of the antenna having the highest gain. </td> </tr> <tr> <td style="background-color: #e6f2ff;">For power measurements</td> <td> 2.1 dBi Formulas: Directional gain = GANT + Array Gain, <i>Array Gain</i> = </td> </tr> </table>	For power spectral density(PSD) measurements	5.1 dBi Formulas: Directional gain = GANT + Array Gain, <i>Array Gain</i> = $10 \log(NANT/NSS)$ dB. NSS =2, GANT set equal to the gain of the antenna having the highest gain.	For power measurements	2.1 dBi Formulas: Directional gain = GANT + Array Gain, <i>Array Gain</i> =
For power spectral density(PSD) measurements	5.1 dBi Formulas: Directional gain = GANT + Array Gain, <i>Array Gain</i> = $10 \log(NANT/NSS)$ dB. NSS =2, GANT set equal to the gain of the antenna having the highest gain.				
For power measurements	2.1 dBi Formulas: Directional gain = GANT + Array Gain, <i>Array Gain</i> =				

		0.
About the Product		The equipment is LAPTOP, intended for used with information technology equipment.

2.6 Additional Instructions

EUT Software Settings:

Mode	<input checked="" type="checkbox"/> Special software is used. The software provided by client to enable the EUT under transmission condition continuously at specific channel frequencies individually.
------	--

During testing, Channel and Power Controlling Software provided by the customer was used to control the operating channel as well as the output power level. The RF output power selection is for the setting of RF output power expected by the customer and is going to be fixed on the firmware of the final end product.

Test Software Version	DRTU
-----------------------	------

U-NII-1 (5150 - 5250 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO-Main Antenna	MIMO-Aux. Antenna
11a	CH36	5180	18.00	18.00	--	--
11a	CH44	5220	20.00	20.00	--	--
11a	CH48	5240	20.00	20.00	--	--
11n (HT20)	CH36	5180	18.00	18.00	16.00	16.00
11n (HT20)	CH44	5220	20.00	20.00	18.00	18.00
11n (HT20)	CH48	5240	20.00	20.00	18.00	18.00
11n (HT40)	CH38	5190	17.50	17.50	15.25	15.25
11n (HT40)	CH46	5230	19.00	20.00	17.50	17.50
11ac (VHT20)	CH36	5180	18.00	18.00	16.00	16.00
11ac (VHT20)	CH44	5220	20.00	20.00	18.00	18.00
11ac (VHT20)	CH48	5240	20.00	20.00	18.00	18.00
11ac (VHT40)	CH38	5190	17.50	17.50	15.25	15.25
11ac (VHT40)	CH46	5230	19.00	20.00	17.50	17.50
11ac (VHT80)	CH42	5210	17.50	18.00	15.00	15.00
11ax (HE20) (SU)	CH36	5180	18.00	18.00	16.00	16.00
11ax (HE20) (SU)	CH44	5220	20.00	20.00	18.00	18.00
11ax (HE20) (SU)	CH48	5240	20.00	20.00	18.00	18.00
11ax (HE40) (SU)	CH38	5190	17.50	17.50	15.25	15.25
11ax (HE40) (SU)	CH46	5230	19.00	20.00	17.50	17.50
11ax (HE80) (SU)	CH42	5210	17.50	18.00	15.00	15.00
11ax (HE20) (RU26)	CH36	5180	14.50	14.00	9.50	8.00
11ax (HE20) (RU26)	CH44	5220	14.50	14.00	9.50	8.00
11ax (HE20) (RU26)	CH48	5240	14.00	14.00	9.50	8.50
11ax (HE40) (RU26)	CH38	5190	14.50	14.00	9.50	8.50
11ax (HE40) (RU26)	CH46	5230	14.00	13.50	9.50	8.50
11ax (HE80) (RU26)	CH42	5210	15.00	14.00	9.50	8.50

U-NII-2A (5250 - 5350 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO-Main Antenna	MIMO-Aux. Antenna
11a	CH52	5260	20.00	20.00	--	--
11a	CH60	5300	19.00	19.00	--	--
11a	CH64	5320	16.75	16.75	--	--
11n (HT20)	CH52	5260	20.00	20.00	17.75	17.75
11n (HT20)	CH60	5300	19.00	19.00	16.00	16.00
11n (HT20)	CH64	5320	16.75	16.75	15.25	15.25
11n (HT40)	CH54	5270	19.50	19.75	16.50	16.50
11n (HT40)	CH62	5310	16.00	16.00	14.50	14.50
11ac (VHT20)	CH52	5260	20.00	20.00	17.75	17.75
11ac (VHT20)	CH60	5300	19.00	19.00	16.00	16.00
11ac (VHT20)	CH64	5320	16.75	16.75	15.25	15.25
11ac (VHT40)	CH54	5270	19.50	19.75	16.50	16.50
11ac (VHT40)	CH62	5310	16.00	16.00	14.50	14.50
11ac (VHT80)	CH58	5290	17.00	16.75	13.50	13.50
11ax (HE20) (SU)	CH52	5260	20.00	20.00	17.75	17.75
11ax (HE20) (SU)	CH60	5300	19.00	19.00	16.00	16.00
11ax (HE20) (SU)	CH64	5320	16.75	16.75	15.25	15.25
11ax (HE40) (SU)	CH54	5270	19.50	19.75	16.50	16.50
11ax (HE40) (SU)	CH62	5310	16.00	16.00	14.50	14.50
11ax (HE80) (SU)	CH58	5290	17.00	16.75	13.50	13.50
11ax (HE20) (RU26)	CH52	5260	14.00	14.50	9.50	8.50
11ax (HE20) (RU26)	CH60	5300	13.50	13.50	9.50	8.50
11ax (HE20) (RU26)	CH64	5320	13.00	13.50	9.00	8.00
11ax (HE40) (RU26)	CH54	5270	14.00	14.00	9.50	8.50
11ax (HE40) (RU26)	CH62	5310	13.00	13.00	9.00	8.00
11ax (HE80) (RU26)	CH58	5290	14.00	14.00	9.00	8.00

U-NII-2C (5470 - 5725 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO-Main Antenna	MIMO-Aux. Antenna
11a	CH100	5500	17.25	17.00	--	--
11a	CH116	5580	20.00	20.00	--	--
11a	CH140	5700	17.25	17.25	--	--
11n (HT20)	CH100	5500	17.25	17.00	15.75	15.75
11n (HT20)	CH116	5580	20.00	20.00	18.00	18.00
11n (HT20)	CH140	5700	17.25	17.25	16.00	16.00
11n (HT40)	CH102	5510	17.25	17.00	15.75	15.75
11n (HT40)	CH118	5590	20.00	20.00	18.00	18.00
11n (HT40)	CH134	5670	18.50	18.50	17.75	17.75
11ac (VHT20)	CH100	5500	17.25	17.00	15.75	15.75
11ac (VHT20)	CH116	5580	20.00	20.00	18.00	18.00
11ac (VHT20)	CH140	5700	17.25	17.25	16.00	16.00
11ac (VHT40)	CH102	5510	17.25	17.00	15.75	15.75
11ac (VHT40)	CH118	5590	20.00	20.00	18.00	18.00
11ac (VHT40)	CH134	5670	18.50	18.50	17.75	17.75
11ac (VHT80)	CH106	5530	17.25	17.25	15.00	15.00
11ac (VHT80)	CH122	5610	19.00	19.00	18.00	18.00
11ax (HE20) (SU)	CH100	5500	17.25	17.00	15.75	15.75
11ax (HE20) (SU)	CH116	5580	20.00	20.00	18.00	18.00
11ax (HE20) (SU)	CH140	5700	17.25	17.25	16.00	16.00
11ax (HE40) (SU)	CH102	5510	17.25	17.00	15.75	15.75
11ax (HE40) (SU)	CH118	5590	20.00	20.00	18.00	18.00
11ax (HE40) (SU)	CH134	5670	18.50	18.50	17.75	17.75
11ax (HE80) (SU)	CH106	5530	17.25	17.25	15.00	15.00
11ax (HE80) (SU)	CH122	5610	19.00	19.00	18.00	18.00
11ax (HE20) (RU26)	CH100	5500	12.50	13.50	9.50	8.50
11ax (HE20) (RU26)	CH116	5580	12.50	14.00	9.00	9.00
11ax (HE20) (RU26)	CH140	5700	13.50	14.50	10.00	9.50
11ax (HE40) (RU26)	CH102	5510	12.50	13.50	9.50	9.00
11ax (HE40) (RU26)	CH118	5590	12.50	14.00	9.00	8.50
11ax (HE40) (RU26)	CH134	5670	13.00	14.50	9.50	9.00
11ax (HE80) (RU26)	CH106	5530	12.50	13.50	9.50	9.00
11ax (HE80) (RU26)	CH122	5610	12.50	14.00	9.00	9.00

U-NII-3 (5725 - 5850 MHz) Power level setup in software						
Mode	Channel	Frequency (MHz)	Soft Set			
			Main Antenna	Aux. Antenna	MIMO-Main Antenna	MIMO-Aux. Antenna
11a	CH149	5745	20.00	20.00	--	--
11a	CH157	5785	20.00	20.00	--	--
11a	CH165	5825	20.00	20.00	--	--
11n (HT20)	CH149	5745	20.00	20.00	17.50	17.50
11n (HT20)	CH157	5785	20.00	20.00	17.50	17.50
11n (HT20)	CH165	5825	20.00	20.00	17.50	17.50
11n (HT40)	CH151	5755	20.00	20.00	18.00	18.00
11n (HT40)	CH159	5795	20.00	20.00	18.00	18.00
11ac (VHT20)	CH149	5745	20.00	20.00	17.50	17.50
11ac (VHT20)	CH157	5785	20.00	20.00	17.50	17.50
11ac (VHT20)	CH165	5825	20.00	20.00	17.50	17.50
11ac (VHT40)	CH151	5755	20.00	20.00	18.00	18.00
11ac (VHT40)	CH159	5795	20.00	20.00	18.00	18.00
11ac (VHT80)	CH155	5775	18.50	18.50	17.25	17.25
11ax (HE20) (SU)	CH149	5745	20.00	20.00	17.50	17.50
11ax (HE20) (SU)	CH157	5785	20.00	20.00	17.50	17.50
11ax (HE20) (SU)	CH165	5825	20.00	20.00	17.50	17.50
11ax (HE40) (SU)	CH151	5755	20.00	20.00	18.00	18.00
11ax (HE40) (SU)	CH159	5795	20.00	20.00	18.00	18.00
11ax (HE80) (SU)	CH155	5775	18.50	18.50	17.25	17.25
11ax (HE20) (RU26)	CH149	5745	13.00	14.50	9.50	9.50
11ax (HE20) (RU26)	CH157	5785	13.00	14.00	9.50	9.50
11ax (HE20) (RU26)	CH165	5825	12.00	13.50	9.50	9.00
11ax (HE40) (RU26)	CH151	5755	13.00	14.50	10.00	9.50
11ax (HE40) (RU26)	CH159	5795	12.00	14.00	9.50	9.50
11ax (HE80) (RU26)	CH155	5775	13.50	15.00	9.50	10.00

Run Software:

2.7 Channel List

20 MHz		40 MHz		80 MHz	
Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)
36	5180	38	5190	42	5210
40	5200	46	5230	58	5290
44	5220	54	5270	106	5530
48	5240	62	5310	122	5610
52	5260	102	5510	155	5775
56	5280	110	5550		
60	5300	118	5590		
64	5320	126	5630		
100	5500	134	5670		
104	5520	151	5755		
108	5540	159	5795		
112	5560				
116	5580				
120	5600				
124	5620				
128	5640				
132	5660				
136	5680				
140	5700				
149	5745				
153	5765				
157	5785				
161	5805				
165	5825				

The Lowest frequency, the middle frequency and the highest frequency of channel were selected to perform the test, and the selected channel see below:

For 802.11a/n(HT20)/ac(VHT20)/ax(HE20)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
36	Low	5180	52	Low	5260
44	Mid	5220	60	Mid	5300
48	High	5240	64	High	5320

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
100	Low	5500	149	Low	5745
116	Mid	5580	157	Mid	5785
140	High	5700	165	High	5825

For 802.11n(HT40)/ac(VHT40)/ax(HE40)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
38	Low	5190	54	Low	5270
46	High	5230	62	High	5310

U-NII-2C (5150 - 5250 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
102	Low	5510	151	Low	5755
118	Mid	5590	159	High	5795
134	High	5670			

For 802.11ac(VHT80)/ax(HE80)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
42	Mid	5210	58	Mid	5290

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
106	Low	5530	155	Mid	5775
122	High	5610			

Note: Preliminary tests were performed in different data rate in above table to find the worst radiated emission. The data rate shown in the table below is the worst-case rate with respect to the specific test item. Investigation has been done on all the possible configurations for searching the worst cases. The following table is a list of the test modes shown in this test report.

Test Items	Mode	Data Rate	Modulation Type	U-NII-1	U-NII-2A	U-NII-2C	U-NII-3
				Channel	Channel	Channel	Channel
RF Output Power	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
Emission Bandwidth & 99% Occupied Bandwidth	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151

	11ac(80 MHz)	29.3		42	58	122/106	155
	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
6 dB bandwidth	11a	6	BPSK	N/A	N/A	N/A	165/157/149
	11n(20 MHz)	6.5		N/A	N/A	N/A	165/157/149
	11n(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(20 MHz)	6.5		N/A	N/A	N/A	165/157/149
	11ac(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(80 MHz)	29.3		N/A	N/A	N/A	155
	11ax(20 MHz)	4		N/A	N/A	N/A	165/157/149
	11ax(40 MHz)	8		N/A	N/A	N/A	159/151
	11ax(80 MHz)	17		N/A	N/A	N/A	155
Power Spectral Density	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
Radiated Spurious Emissions	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
Band Edge (Restricted -band)	11a	6	BPSK	48/36	64/52	140/100	165/149
	11n(20 MHz)	6.5		48/36	64/52	140/100	165/149
	11n(40 MHz)	13.5		46/38	62/54	134/102	159/151
	11ac(20 MHz)	6.5		48/36	64/52	140/100	165/149
	11ac(40 MHz)	13.5		46/38	62/54	134/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ax(20 MHz)	4		48/36	64/52	140/100	165/149
	11ax(40 MHz)	8		46/38	62/54	134/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155

3 SUMMARY OF TEST RESULTS

3.1 Test Standards

No.	Identity	Document Title
1	47 CFR Part 15 Subpart E	Unlicensed National Information Infrastructure Devices
2	KDB Publication 789033 D02v02r01	Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices Part 15, Subpart E
3	KDB Publication 662911 D01v02r01	Emissions Testing of Transmitters with Multiple Outputs in the Same Band (e.g., MIMO, Smart Antenna, etc)
4	ANSI C63.10-2013	American National Standard for Testing Unlicensed Wireless Devices

3.2 Verdict

No.	Description	FCC Part No.	Test Result	Verdict
1	Antenna Requirement	15.203	--	Pass ^{Note1}
2	RF Output Power	15.407(a)	ANNEX A.1	Pass
3	Emission Bandwidth & 99% Occupied Bandwidth	15.407(a)	ANNEX A.2	Pass
4	6 dB bandwidth	15.407(e)	ANNEX A.3	Pass
5	Power Spectral Density	15.407(a)	ANNEX A.4	Pass
6	Conducted Emission	15.207	ANNEX A.5	Pass
7	Radiated Spurious Emissions and Band Edge (Restricted-band)	15.407(b)	ANNEX A.6	Pass
8	Receiver Spurious Emissions	--	--	N/A ^{Note2}

Note¹: The EUT has a permanently and irreplaceable attached antenna, which complies with the requirement FCC 15.203.

Note²: Only radio communication receivers operating in stand-alone mode within the U-NII-30-960 MHz, as well as scanner receivers, are subject to Industry Canada requirements, so this test is not applicable.

Note³: Under all normal operating conditions specified in the user manual, frequency stability can keep radiation within the operating frequency band.

4 GENERAL TEST CONFIGURATIONS

4.1 Test Environments

During the measurement, the normal environmental conditions were within the listed ranges:

Relative Humidity	45% to 55%	
Atmospheric Pressure	100 kPa to 102 kPa	
Temperature	NT (Normal Temperature)	+22°C to +25°C
	LT (Low Temperature)	-10°C
	HT (High Temperature)	+45°C
Working Voltage of the EUT	NV (Normal Voltage)	11.55 V
	LV (Low Voltage)	10.80 V
	HV (High Voltage)	13.20 V

4.2 Test Equipment List

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
Spectrum Analyzer	ROHDE&SCHWARZ	FSV-40	101544	2021.04.01	2022.03.31
Bluetooth Signaling Unit	ROHDE&SCHWARZ	CMW500	142028	2021.06.01	2022.05.31
Spectrum Analyzer	ROHDE&SCHWARZ	FSV-30	103118	2021.06.01	2022.05.31
Vector Signal Generator	ROHDE&SCHWARZ	SMBV100A	260592	2021.01.27	2022.01.26
Signal Generator	ROHDE&SCHWARZ	SMB100A	177746	2021.06.01	2022.05.31
Switch Unit with OSP-B157	ROHDE&SCHWARZ	OSP120	101270	2021.06.01	2022.05.31
Power Sensor	KEYSIGHT	U2063XA	MY58000247	2021.05.08	2022.05.07
EMI Receiver	KEYSIGHT	N9038A	MY53220118	2021.06.01	2022.05.31
EMI Receiver	ROHDE&SCHWARZ	ESRP	101036	2021.06.01	2022.05.31
LISN	SCHWARZBECK	NSLK 8127	8127-687	2021.06.01	2022.05.31
Test Antenna-Loop(9 kHz-30 MHz)	SCHWARZBECK	FMZB 1519	1519-037	2021.04.16	2024.04.15
Test Antenna-Bi-Log(30 MHz-3 GHz)	SCHWARZBECK	VULB 9163	9163-624	2021.08.20	2024.08.19
Test Antenna-Horn(1-18 GHz)	SCHWARZBECK	BBHA 9120D	9120D-1917	2019.07.02	2022.07.01
Test Antenna-Horn (18-40 GHz)	A-INFO	LB-180400KF	J211060273	2021.07.02	2023.07.01
Anechoic Chamber	RAINFORD	9m*6m*6m	N/A	2017.02.21	2022.02.20
Anechoic Chamber	EMC Electronic Co., Ltd	20.10*11.60*7.35m	N/A	2019.08.08	2022.08.07
Shielded Enclosure	ChangNing	CN-130701	130703	--	--

4.3 Test Software List

Description	Manufacturer	Software Version	Serial No.	Applicable test Setup
BL410R	BALUN	V2.1.1.488	N/A	The section 4.5.1
BL410E	BALUN	V19.8.28.435	N/A	The section 4.5.2&4.5.3&4.5.4&4.5.5

4.4 Measurement Uncertainty


The following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2.

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Parameters	Uncertainty
Occupied Channel Bandwidth	2.8%
RF output power, conducted	1.28 dB
Power Spectral Density, conducted	1.30 dB
Unwanted Emissions, conducted	1.84 dB
All emissions, radiated	5.36 dB
Temperature	0.82°C
Humidity	4.1%


4.5 Description of Test Setup

4.5.1 For Antenna Port Test




(Diagram 1)

4.5.2 For AC Power Supply Port Test




(Diagram 2)

4.5.3 For Radiated Test (Below 30 MHz)




(Diagram 3)

4.5.4 For Radiated Test (30 MHz-1 GHz)



(Diagram 4)

4.5.5 For Radiated Test (Above 1 GHz)



(Diagram 5)

5 TEST ITEMS

5.1 RF Output Power

5.1.1 Test Limit

FCC §15.407(a)

The maximum conducted output power should not exceed:

Frequency Band (MHz)	Limit
5150-5250	250 mW
5250-5350	250 mW or 11 dBm + 10log B, whichever is less.
5470-5725	250 mW or 11 dBm + 10log B, whichever is less.
5725-5850	1 W

Note: Where "B" is the 26 dB emissions bandwidth in MHz.

5.1.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.1.3 Test Procedure

The maximum peak conducted output power may be measured using a broadband Average RF power meter. The power meter shall have a video bandwidth that is greater than or equal to the emission bandwidth and utilize a fast-responding diode detector.

The E.I.R.P used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.1.4 Test Result

Please refer to ANNEX A.1.

5.2 Emission Bandwidth and 6 dB Bandwidth

5.2.1 Limit

FCC §15.407(a)

Within the 5.725-5.85 GHz band, the minimum 6 dB bandwidth of U-NII devices shall be at least 500 kHz.

5.2.2 Test Setup

The test setup photo please refer to 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.2.3 Test Procedure

Emission bandwidth

1. Set RBW = approximately 1% of the emission bandwidth.
2. Set VBW $\geq 3 \times$ RBW,
3. Detector = Peak.
4. Trace mode = Max hold.
5. Measure the maximum width of the emission that is 26 dB down from the peak of the emission.

Occupied Bandwidth

1. Set Span = 1.5 times to 5.0 times the OBW
2. Set RBW = 1% to 5% of the OBW.
3. Set VBW $\geq 3 \times$ RBW, Detector = Peak.
4. Trace mode = Max hold.
5. Use the 99% power bandwidth function of the instrument.

6 dB bandwidth

1. Set RBW = 100 kHz, VBW = 300 kHz.
2. Detector = Peak. Trace mode = Max hold.
3. Allow the trace to stabilize.
4. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

5.2.4 Test Result

Please refer to ANNEX A.2 and ANNEX A.3.

5.3 Power Spectral density (PSD)

5.3.1 Limit

FCC §15.407(a)

The maximum power spectral density should not exceed:

Frequency Band (MHz)	Limit
5150-5250	11 dBm/MHz
5250-5350	11 dBm/MHz
5470-5725	11 dBm/MHz
5725-5850	30 dBm/500kHz

5.3.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.3.3 Test Procedure

Set the spectrum analyzer or EMI receiver span to view the entire emission bandwidth.

1. Set RBW = 510 kHz/1 MHz, VBW $\geq 3 \times$ RBW, Sweep time = Auto, Detector = RMS.
2. Allow the sweeps to continue until the trace stabilizes.
3. Use the peak marker function to determine the maximum amplitude level.
4. The E.I.R.P spectral density used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.3.4 Test Result

Please refer to ANNEX A.4.

5.4 Conducted Emission

5.4.1 Limit

FCC §15.207

For an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency within the U-NII-150 kHz to 30 MHz shall not exceed the limits in the following table, as measured using a 50 μ H/50 Ω line impedance stabilization network (LISN).

Frequency range (MHz)	Conducted Limit (dB μ V)	
	Quai-peak	Average
0.15 - 0.50	66 to 56	56 to 46
0.50 - 5	56	46
0.50 - 30	60	50

5.4.2 Test Setup

The section 4.5.2 (Diagram 2) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.4.3 Test Procedure

The maximum conducted interference is searched using Peak (PK), if the emission levels more than the AV and QP limits, and that have narrow margins from the AV and QP limits will be re-measured with AV and QP detectors. Tests for both L phase and N phase lines of the power mains connected to the EUT are performed. Refer to recorded points and plots below.

5.4.4 Test Result

Please refer to ANNEX A.5.

5.5 Radiated Spurious Emissions and Band Edge (Restricted-band)

5.5.1 Limit

FCC §15.209 & 15.407(b)

Frequency (MHz)	Field Strength (µV/m)	Measurement Distance (m)
0.009 - 0.490	2400/F(kHz)	300
0.490 - 1.705	24000/F(kHz)	30
1.705 - 30.0	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3

Note¹: The Limit for radiated test was performed according to FCC Part 15C

Note²: The tighter limit applies at the band edge.

Un-restricted band emissions	
Out Operating Band (MHz)	Limit
5150 - 5250	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5250 - 5350	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5470 - 5725	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5725 - 5850	<p>All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.</p>

Note: The following formula is used to convert the equipment isotropic radiated power (eirp) to field strength.

5.5.2 Test Setup

The section 4.5.3-4.5.5 (Diagram 3 - Diagram 5) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.5.3 Test Procedure

Since the emission limits are specified in terms of radiated field strength levels, measurements performed to demonstrate compliance have traditionally relied on a radiated test configuration. Radiated measurements remain the principal method for demonstrating compliance to the specified limits; however antenna-port conducted measurements are also now acceptable to demonstrate compliance (see below for details). When radiated measurements are utilized, test site requirements and procedures for maximizing and measuring radiated emissions that are described in ANSI C63.10 shall be followed.

Antenna-port conducted measurements may also be used as an alternative to radiated measurements for demonstrating compliance in the restricted frequency bands. If conducted measurements are performed, then proper impedance matching must be ensured and an additional radiated test for cabinet/case spurious emissions is required.

General Procedure for conducted measurements in restricted bands

- a) Measure the conducted output power (in dBm) using the detector specified (see guidance regarding measurement procedures for determining quasi-peak, peak, and average conducted output power, respectively).
- b) Add the maximum transmit antenna gain (in dBi) to the measured output power level to determine the EIRP level (see guidance on determining the applicable antenna gain)
- c) Add the appropriate maximum ground reflection factor to the EIRP level (6 dB for frequencies \leq 30 MHz, 4.7 dB for frequencies between 30 MHz and 1000 MHz, inclusive and 0 dB for frequencies $>$ 1000 MHz).
- d) For devices with multiple antenna-ports, measure the power of each individual chain and sum the EIRP of all chains in linear terms (e.g., Watts, mW).
- e) Convert the resultant EIRP level to an equivalent electric field strength using the following relationship:

$$E = \text{EIRP} - 20\log D + 104.8$$

where:

E = electric field strength in dB μ V/m,

EIRP = equivalent isotropic radiated power in dBm

D = specified measurement distance in meters.

- f) Compare the resultant electric field strength level to the applicable limit.
- g) Perform radiated spurious emission test.

Quasi-Peak measurement procedure

The specifications for measurements using the CISPR quasi-peak detector can be found in Publication 16 of the International Special Committee on Radio Frequency Interference (CISPR) of the International Electrotechnical Commission.

As an alternative to CISPR quasi-peak measurement, compliance can be demonstrated to the applicable emission limits using a peak detector.

Peak power measurement procedure

Peak emission levels are measured by setting the instrument as follows:

- a) RBW = as specified in Table 1.

- b) $VBW \geq 3 \times RBW$.
- c) Detector = Peak.
- d) Sweep time = auto.
- e) Trace mode = max hold.
- f) Allow sweeps to continue until the trace stabilizes. (Note that the required measurement time may be longer for low duty cycle applications).

Table 1—RBW as a function of frequency

Frequency	RBW
9-150 kHz	200-300 Hz
0.15-30 MHz	9-10 kHz
30-1000 MHz	100-120 kHz
> 1000 MHz	1 MHz

If the peak-detected amplitude can be shown to comply with the average limit, then it is not necessary to perform a separate average measurement.

Trace averaging across on and off times of the EUT transmissions followed by duty cycle correction

If continuous transmission of the EUT (i.e., duty cycle ≥ 98 percent) cannot be achieved and the duty cycle is constant (i.e., duty cycle variations are less than ± 2 percent), then the following procedure shall be used:

- a) The EUT shall be configured to operate at the maximum achievable duty cycle.
- b) Measure the duty cycle, x , of the transmitter output signal as described in section 6.0.
- c) $RBW = 1$ MHz (unless otherwise specified).
- d) $VBW \geq 3 \times RBW$.
- e) Detector = RMS, if $\text{span}/(\# \text{ of points in sweep}) \leq (RBW/2)$. Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak.
- f) Averaging type = power (i.e., RMS).
 - 1) As an alternative, the detector and averaging type may be set for linear voltage averaging.
 - 2) Some instruments require linear display mode in order to use linear voltage averaging. Log or dB averaging shall not be used.
- g) Sweep time = auto.
- h) Perform a trace average of at least 100 traces.
- i) A correction factor shall be added to the measurement results prior to comparing to the emission limit in order to compute the emission level that would have been measured had the test been performed at 100 percent duty cycle. The correction factor is computed as follows:
 - 1) If power averaging (RMS) mode was used in step f), then the applicable correction factor is $10 \log(1/x)$, where x is the duty cycle.
 - 2) If linear voltage averaging mode was used in step f), then the applicable correction factor is $20 \log(1/x)$, where x is the duty cycle.

3) If a specific emission is demonstrated to be continuous (≥ 98 percent duty cycle) rather than turning on and off with the transmit cycle, then no duty cycle correction is required for that emission.

NOTE: Reduction of the measured emission amplitude levels to account for operational duty factor is not permitted. Compliance is based on emission levels occurring during transmission - not on an average across on and off times of the transmitter.

Determining the applicable transmit antenna gain

A conducted power measurement will determine the maximum output power associated with a restricted band emission; however, in order to determine the associated EIRP level, the gain of the transmitting antenna (in dBi) must be added to the measured output power (in dBm).

Since the out-of-band characteristics of the EUT transmit antenna will often be unknown, the use of a conservative antenna gain value is necessary. Thus, when determining the EIRP based on the measured conducted power, the upper bound on antenna gain for a device with a single RF output shall be selected as the maximum in-band gain of the antenna across all operating bands, or 2 dBi, whichever is greater. However, for devices that operate in multiple frequency bands while using the same transmit antenna, the highest gain of the antenna within the operating band nearest in frequency to the restricted band emission being measured may be used in lieu of the overall highest gain when the emission is at a frequency that is within 20 percent of the nearest band edge frequency, but in no case shall a value less than 2 dBi be used.

See KDB 662911 for guidance on calculating the additional array gain term when determining the effective antenna gain for a EUT with multiple outputs occupying the same or overlapping frequency ranges in the same band.

Radiated spurious emission test

An additional consideration when performing conducted measurements of restricted band emissions is that unwanted emissions radiating from the EUT cabinet, control circuits, power leads, or intermediate circuit elements will likely go undetected in a conducted measurement configuration. To address this concern, a radiated test shall be performed to ensure that emissions emanating from the EUT cabinet (rather than the antenna port) also comply with the applicable limits.

For these cabinet radiated spurious emission measurements the EUT transmit antenna may be replaced with a termination matching the nominal impedance of the antenna. Procedures for performing radiated measurements are specified in ANSI C63.10. All detected emissions shall comply with the applicable limits.

The measurement frequency range is from 30 MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360° , and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The power of the EUT transmitting frequency should be ignored.

All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Use the following spectrum analyzer settings:

Span = wide enough to fully capture the emission being measured

RBW = 1 MHz for $f \geq 1$ GHz, 100 kHz for $f < 1$ GHz

VBW \geq RBW

Sweep = auto

Detector function = peak

Trace = max hold

5.5.4 Test Result

Please refer to ANNEX A.6.

ANNEX A TEST RESULT

A.1 RF Output Power

Note 1: For FCC standard, if transmitting antennas of directional gain greater than 6 dBi are used, all band maximum conducted output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Conducted Power

Main Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH36	18.64	73.13	250	Pass
11a	CH44	20.15	103.54	250	Pass
11a	CH48	20.39	109.43	250	Pass
11n (HT20)	CH36	18.57	71.98	250	Pass
11n (HT20)	CH44	19.98	99.60	250	Pass
11n (HT20)	CH48	20.28	106.72	250	Pass
11n (HT40)	CH38	18.28	67.23	250	Pass
11n (HT40)	CH46	19.99	99.66	250	Pass
11ac (VHT20)	CH36	18.57	71.98	250	Pass
11ac (VHT20)	CH44	20.16	103.81	250	Pass
11ac (VHT20)	CH48	20.55	113.56	250	Pass
11ac (VHT40)	CH38	18.26	66.92	250	Pass
11ac (VHT40)	CH46	19.97	99.21	250	Pass
11ac (VHT80)	CH42	18.12	64.81	250	Pass
11ax (HE20) (SU)	CH36	18.35	68.32	250	Pass
11ax (HE20) (SU)	CH44	19.87	96.96	250	Pass
11ax (HE20) (SU)	CH48	19.70	93.23	250	Pass
11ax (HE40) (SU)	CH38	17.91	61.85	250	Pass
11ax (HE40) (SU)	CH46	19.52	89.61	250	Pass
11ax (HE80) (SU)	CH42	17.99	63.02	250	Pass
11ax (HE20) (RU26)	CH36	12.58	18.10	250	Pass
11ax (HE20) (RU26)	CH44	12.86	19.30	250	Pass
11ax (HE20) (RU26)	CH48	12.31	17.00	250	Pass
11ax (HE40) (RU26)	CH38	12.93	19.65	250	Pass
11ax (HE40) (RU26)	CH46	12.96	19.79	250	Pass
11ax (HE80) (RU26)	CH42	12.83	19.21	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH52	19.94	98.66	250	Pass
11a	CH60	19.73	94.00	250	Pass
11a	CH64	17.79	60.13	250	Pass
11n (HT20)	CH52	20.12	102.86	250	Pass
11n (HT20)	CH60	19.76	94.68	250	Pass
11n (HT20)	CH64	17.74	59.46	250	Pass
11n (HT40)	CH54	16.53	44.93	250	Pass
11n (HT40)	CH62	16.87	48.59	250	Pass
11ac (VHT20)	CH52	16.26	42.29	250	Pass
11ac (VHT20)	CH60	16.52	44.90	250	Pass
11ac (VHT20)	CH64	16.82	48.11	250	Pass
11ac (VHT40)	CH54	16.59	45.56	250	Pass
11ac (VHT40)	CH62	16.90	48.93	250	Pass
11ac (VHT80)	CH58	17.00	50.08	250	Pass
11ax (HE20) (SU)	CH52	16.14	41.07	250	Pass
11ax (HE20) (SU)	CH60	16.32	42.81	250	Pass
11ax (HE20) (SU)	CH64	16.60	45.66	250	Pass
11ax (HE40) (SU)	CH54	16.25	42.20	250	Pass
11ax (HE40) (SU)	CH62	16.54	45.12	250	Pass
11ax (HE80) (SU)	CH58	16.69	46.72	250	Pass
11ax (HE20) (RU26)	CH52	12.46	17.60	250	Pass
11ax (HE20) (RU26)	CH60	12.94	19.66	250	Pass
11ax (HE20) (RU26)	CH64	12.69	18.56	250	Pass
11ax (HE40) (RU26)	CH54	12.68	18.55	250	Pass
11ax (HE40) (RU26)	CH62	12.59	18.17	250	Pass
11ax (HE80) (RU26)	CH58	12.58	18.13	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH100	16.64	46.14	250	Pass
11a	CH116	16.72	47.00	250	Pass
11a	CH140	15.98	39.64	250	Pass
11n (HT20)	CH100	16.54	45.11	250	Pass
11n (HT20)	CH116	16.61	45.84	250	Pass
11n (HT20)	CH140	15.86	38.57	250	Pass
11n (HT40)	CH102	16.86	48.48	250	Pass
11n (HT40)	CH118	16.74	47.16	250	Pass
11n (HT40)	CH134	16.49	44.52	250	Pass
11ac (VHT20)	CH100	16.53	45.00	250	Pass
11ac (VHT20)	CH116	16.57	45.42	250	Pass
11ac (VHT20)	CH140	15.84	38.39	250	Pass
11ac (VHT40)	CH102	16.74	47.16	250	Pass
11ac (VHT40)	CH118	16.74	47.16	250	Pass
11ac (VHT40)	CH134	16.47	44.31	250	Pass
11ac (VHT80)	CH106	16.83	48.16	250	Pass
11ac (VHT80)	CH122	16.83	48.16	250	Pass
11ax (HE20) (SU)	CH100	16.36	43.21	250	Pass
11ax (HE20) (SU)	CH116	16.39	43.51	250	Pass
11ax (HE20) (SU)	CH140	15.62	36.44	250	Pass
11ax (HE40) (SU)	CH102	16.53	45.01	250	Pass
11ax (HE40) (SU)	CH118	16.41	43.79	250	Pass
11ax (HE40) (SU)	CH134	16.14	41.15	250	Pass
11ax (HE80) (SU)	CH106	16.54	45.13	250	Pass
11ax (HE80) (SU)	CH122	16.60	45.76	250	Pass
11ax (HE20) (RU26)	CH100	12.61	18.22	250	Pass
11ax (HE20) (RU26)	CH116	12.81	19.08	250	Pass
11ax (HE20) (RU26)	CH140	12.85	19.26	250	Pass
11ax (HE40) (RU26)	CH102	12.80	19.07	250	Pass
11ax (HE40) (RU26)	CH118	12.95	19.74	250	Pass
11ax (HE40) (RU26)	CH134	12.96	19.79	250	Pass
11ax (HE80) (RU26)	CH106	12.58	18.13	250	Pass
11ax (HE80) (RU26)	CH122	12.98	19.88	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH149	16.38	43.46	1000	Pass
11a	CH157	15.95	39.37	1000	Pass
11a	CH165	16.76	47.44	1000	Pass
11n (HT20)	CH149	16.28	42.49	1000	Pass
11n (HT20)	CH157	15.85	38.48	1000	Pass
11n (HT20)	CH165	16.65	46.26	1000	Pass
11n (HT40)	CH151	16.46	44.21	1000	Pass
11n (HT40)	CH159	16.34	43.01	1000	Pass
11ac (VHT20)	CH149	16.27	42.39	1000	Pass
11ac (VHT20)	CH157	15.84	38.39	1000	Pass
11ac (VHT20)	CH165	16.65	46.26	1000	Pass
11ac (VHT40)	CH151	16.44	44.01	1000	Pass
11ac (VHT40)	CH159	16.40	43.61	1000	Pass
11ac (VHT80)	CH155	16.18	41.46	1000	Pass
11ax (HE20) (SU)	CH149	16.05	40.23	1000	Pass
11ax (HE20) (SU)	CH157	15.58	36.11	1000	Pass
11ax (HE20) (SU)	CH165	16.50	44.62	1000	Pass
11ax (HE40) (SU)	CH151	16.10	40.77	1000	Pass
11ax (HE40) (SU)	CH159	16.07	40.49	1000	Pass
11ax (HE80) (SU)	CH155	15.88	38.77	1000	Pass
11ax (HE20) (RU26)	CH149	12.61	18.22	1000	Pass
11ax (HE20) (RU26)	CH157	12.62	18.26	1000	Pass
11ax (HE20) (RU26)	CH165	12.76	18.86	1000	Pass
11ax (HE40) (RU26)	CH151	12.68	18.55	1000	Pass
11ax (HE40) (RU26)	CH159	12.75	18.85	1000	Pass
11ax (HE80) (RU26)	CH155	12.71	18.68	1000	Pass

Aux. Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH36	19.05	80.37	250	Pass
11a	CH44	20.56	113.79	250	Pass
11a	CH48	20.91	123.34	250	Pass
11n (HT20)	CH36	19.47	88.56	250	Pass
11n (HT20)	CH44	20.44	110.72	250	Pass
11n (HT20)	CH48	20.81	120.57	250	Pass
11n (HT40)	CH38	18.90	77.54	250	Pass
11n (HT40)	CH46	20.88	122.33	250	Pass
11ac (VHT20)	CH36	19.43	87.75	250	Pass
11ac (VHT20)	CH44	20.35	108.45	250	Pass
11ac (VHT20)	CH48	20.58	114.35	250	Pass
11ac (VHT40)	CH38	18.78	75.43	250	Pass
11ac (VHT40)	CH46	20.95	124.32	250	Pass
11ac (VHT80)	CH42	19.26	84.27	250	Pass
11ax (HE20) (SU)	CH36	19.18	82.71	250	Pass
11ax (HE20) (SU)	CH44	20.17	103.89	250	Pass
11ax (HE20) (SU)	CH48	20.27	106.31	250	Pass
11ax (HE40) (SU)	CH38	18.51	71.02	250	Pass
11ax (HE40) (SU)	CH46	20.23	105.53	250	Pass
11ax (HE80) (SU)	CH42	18.94	78.43	250	Pass
11ax (HE20) (RU26)	CH36	13.03	20.07	250	Pass
11ax (HE20) (RU26)	CH44	13.03	20.07	250	Pass
11ax (HE20) (RU26)	CH48	12.77	18.90	250	Pass
11ax (HE40) (RU26)	CH38	12.89	19.47	250	Pass
11ax (HE40) (RU26)	CH46	12.98	19.88	250	Pass
11ax (HE80) (RU26)	CH42	12.78	18.99	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH52	19.98	99.57	250	Pass
11a	CH60	19.43	87.72	250	Pass
11a	CH64	17.52	56.51	250	Pass
11n (HT20)	CH52	20.55	113.56	250	Pass
11n (HT20)	CH60	20.00	100.05	250	Pass
11n (HT20)	CH64	18.10	64.60	250	Pass
11n (HT40)	CH54	20.79	119.82	250	Pass
11n (HT40)	CH62	17.44	55.40	250	Pass
11ac (VHT20)	CH52	20.71	117.83	250	Pass
11ac (VHT20)	CH60	20.01	100.29	250	Pass
11ac (VHT20)	CH64	18.08	64.30	250	Pass
11ac (VHT40)	CH54	20.00	99.89	250	Pass
11ac (VHT40)	CH62	16.68	46.51	250	Pass
11ac (VHT80)	CH58	17.66	58.30	250	Pass
11ax (HE20) (SU)	CH52	20.37	108.79	250	Pass
11ax (HE20) (SU)	CH60	19.86	96.73	250	Pass
11ax (HE20) (SU)	CH64	17.86	61.03	250	Pass
11ax (HE40) (SU)	CH54	19.74	94.27	250	Pass
11ax (HE40) (SU)	CH62	17.12	51.57	250	Pass
11ax (HE80) (SU)	CH58	17.39	54.89	250	Pass
11ax (HE20) (RU26)	CH52	12.64	18.35	250	Pass
11ax (HE20) (RU26)	CH60	12.74	18.77	250	Pass
11ax (HE20) (RU26)	CH64	12.99	19.89	250	Pass
11ax (HE40) (RU26)	CH54	12.86	19.34	250	Pass
11ax (HE40) (RU26)	CH62	12.66	18.47	250	Pass
11ax (HE80) (RU26)	CH58	12.56	18.05	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH100	17.93	62.10	250	Pass
11a	CH116	19.64	92.07	250	Pass
11a	CH140	17.27	53.35	250	Pass
11n (HT20)	CH100	17.14	51.79	250	Pass
11n (HT20)	CH116	18.71	74.34	250	Pass
11n (HT20)	CH140	16.48	44.49	250	Pass
11n (HT40)	CH102	18.00	63.03	250	Pass
11n (HT40)	CH118	19.75	94.31	250	Pass
11n (HT40)	CH134	17.78	59.92	250	Pass
11ac (VHT20)	CH100	17.71	59.05	250	Pass
11ac (VHT20)	CH116	19.40	87.14	250	Pass
11ac (VHT20)	CH140	17.37	54.61	250	Pass
11ac (VHT40)	CH102	17.96	62.45	250	Pass
11ac (VHT40)	CH118	19.87	96.95	250	Pass
11ac (VHT40)	CH134	19.07	80.64	250	Pass
11ac (VHT80)	CH106	18.35	68.34	250	Pass
11ac (VHT80)	CH122	19.85	96.53	250	Pass
11ax (HE20) (SU)	CH100	17.50	56.18	250	Pass
11ax (HE20) (SU)	CH116	19.44	87.82	250	Pass
11ax (HE20) (SU)	CH140	17.16	51.95	250	Pass
11ax (HE40) (SU)	CH102	17.67	58.53	250	Pass
11ax (HE40) (SU)	CH118	19.56	90.44	250	Pass
11ax (HE40) (SU)	CH134	18.70	74.19	250	Pass
11ax (HE80) (SU)	CH106	18.05	63.90	250	Pass
11ax (HE80) (SU)	CH122	19.74	94.30	250	Pass
11ax (HE20) (RU26)	CH100	13.12	20.49	250	Pass
11ax (HE20) (RU26)	CH116	12.56	18.01	250	Pass
11ax (HE20) (RU26)	CH140	12.55	17.97	250	Pass
11ax (HE40) (RU26)	CH102	12.88	19.42	250	Pass
11ax (HE40) (RU26)	CH118	13.02	20.06	250	Pass
11ax (HE40) (RU26)	CH134	12.90	19.51	250	Pass
11ax (HE80) (RU26)	CH106	12.66	18.47	250	Pass
11ax (HE80) (RU26)	CH122	12.66	18.47	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH149	19.75	94.43	1000	Pass
11a	CH157	18.93	78.18	1000	Pass
11a	CH165	20.10	102.36	1000	Pass
11n (HT20)	CH149	19.58	90.83	1000	Pass
11n (HT20)	CH157	18.95	78.57	1000	Pass
11n (HT20)	CH165	20.26	106.23	1000	Pass
11n (HT40)	CH151	19.43	87.61	1000	Pass
11n (HT40)	CH159	19.67	92.58	1000	Pass
11ac (VHT20)	CH149	19.61	91.46	1000	Pass
11ac (VHT20)	CH157	19.05	80.40	1000	Pass
11ac (VHT20)	CH165	19.98	99.60	1000	Pass
11ac (VHT40)	CH151	19.46	88.21	1000	Pass
11ac (VHT40)	CH159	19.55	90.06	1000	Pass
11ac (VHT80)	CH155	18.50	70.74	1000	Pass
11ax (HE20) (SU)	CH149	19.45	88.02	1000	Pass
11ax (HE20) (SU)	CH157	18.94	78.27	1000	Pass
11ax (HE20) (SU)	CH165	19.84	96.29	1000	Pass
11ax (HE40) (SU)	CH151	19.04	80.23	1000	Pass
11ax (HE40) (SU)	CH159	19.42	87.57	1000	Pass
11ax (HE80) (SU)	CH155	18.15	65.39	1000	Pass
11ax (HE20) (RU26)	CH149	12.86	19.30	1000	Pass
11ax (HE20) (RU26)	CH157	12.71	18.65	1000	Pass
11ax (HE20) (RU26)	CH165	12.73	18.73	1000	Pass
11ax (HE40) (RU26)	CH151	12.58	18.13	1000	Pass
11ax (HE40) (RU26)	CH159	12.99	19.92	1000	Pass
11ax (HE80) (RU26)	CH155	12.97	19.84	1000	Pass

MIMO-Main Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH36	13.62	23.03	250	Pass
11n (HT20)	CH44	13.88	24.45	250	Pass
11n (HT20)	CH48	14.05	25.42	250	Pass
11n (HT40)	CH38	13.94	24.75	250	Pass
11n (HT40)	CH46	13.66	23.20	250	Pass
11ac (VHT20)	CH36	13.54	22.61	250	Pass
11ac (VHT20)	CH44	13.89	24.50	250	Pass
11ac (VHT20)	CH48	14.04	25.37	250	Pass
11ac (VHT40)	CH38	13.93	24.69	250	Pass
11ac (VHT40)	CH46	13.58	22.78	250	Pass
11ac (VHT80)	CH42	13.89	24.47	250	Pass
11ax (HE20) (SU)	CH36	13.43	22.01	250	Pass
11ax (HE20) (SU)	CH44	13.71	23.47	250	Pass
11ax (HE20) (SU)	CH48	13.88	24.41	250	Pass
11ax (HE40) (SU)	CH38	13.58	22.82	250	Pass
11ax (HE40) (SU)	CH46	13.28	21.30	250	Pass
11ax (HE80) (SU)	CH42	13.58	22.83	250	Pass
11ax (HE20) (RU26)	CH36	9.80	9.54	250	Pass
11ax (HE20) (RU26)	CH44	9.77	9.47	250	Pass
11ax (HE20) (RU26)	CH48	9.92	9.81	250	Pass
11ax (HE40) (RU26)	CH38	9.95	9.89	250	Pass
11ax (HE40) (RU26)	CH46	9.94	9.87	250	Pass
11ax (HE80) (RU26)	CH42	9.45	8.82	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH52	13.82	24.11	250	Pass
11n (HT20)	CH60	13.92	24.67	250	Pass
11n (HT20)	CH64	13.91	24.62	250	Pass
11n (HT40)	CH54	13.69	23.36	250	Pass
11n (HT40)	CH62	14.05	25.38	250	Pass
11ac (VHT20)	CH52	13.87	24.39	250	Pass
11ac (VHT20)	CH60	13.93	24.73	250	Pass
11ac (VHT20)	CH64	13.89	24.50	250	Pass
11ac (VHT40)	CH54	13.68	23.31	250	Pass
11ac (VHT40)	CH62	14.09	25.62	250	Pass
11ac (VHT80)	CH58	14.28	26.77	250	Pass
11ax (HE20) (SU)	CH52	13.69	23.37	250	Pass
11ax (HE20) (SU)	CH60	13.69	23.37	250	Pass
11ax (HE20) (SU)	CH64	13.62	22.99	250	Pass
11ax (HE40) (SU)	CH54	13.36	21.69	250	Pass
11ax (HE40) (SU)	CH62	14.00	25.14	250	Pass
11ax (HE80) (SU)	CH58	13.48	22.31	250	Pass
11ax (HE20) (RU26)	CH52	9.55	9.01	250	Pass
11ax (HE20) (RU26)	CH60	9.61	9.13	250	Pass
11ax (HE20) (RU26)	CH64	9.86	9.67	250	Pass
11ax (HE40) (RU26)	CH54	9.93	9.85	250	Pass
11ax (HE40) (RU26)	CH62	9.78	9.51	250	Pass
11ax (HE80) (RU26)	CH58	9.79	9.54	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH100	13.44	22.09	250	Pass
11n (HT20)	CH116	13.45	22.14	250	Pass
11n (HT20)	CH140	13.52	22.50	250	Pass
11n (HT40)	CH102	14.50	28.15	250	Pass
11n (HT40)	CH118	14.62	28.94	250	Pass
11n (HT40)	CH134	14.60	28.81	250	Pass
11ac (VHT20)	CH100	13.37	21.74	250	Pass
11ac (VHT20)	CH116	13.45	22.14	250	Pass
11ac (VHT20)	CH140	13.50	22.40	250	Pass
11ac (VHT40)	CH102	14.49	28.09	250	Pass
11ac (VHT40)	CH118	14.65	29.14	250	Pass
11ac (VHT40)	CH134	14.61	28.88	250	Pass
11ac (VHT80)	CH106	14.71	29.56	250	Pass
11ac (VHT80)	CH122	14.66	29.22	250	Pass
11ax (HE20) (SU)	CH100	13.16	20.68	250	Pass
11ax (HE20) (SU)	CH116	13.25	21.11	250	Pass
11ax (HE20) (SU)	CH140	13.30	21.36	250	Pass
11ax (HE40) (SU)	CH102	14.19	26.26	250	Pass
11ax (HE40) (SU)	CH118	14.26	26.69	250	Pass
11ax (HE40) (SU)	CH134	14.26	26.69	250	Pass
11ax (HE80) (SU)	CH106	14.39	27.51	250	Pass
11ax (HE80) (SU)	CH122	14.35	27.26	250	Pass
11ax (HE20) (RU26)	CH100	9.91	9.79	250	Pass
11ax (HE20) (RU26)	CH116	9.61	9.13	250	Pass
11ax (HE20) (RU26)	CH140	9.65	9.22	250	Pass
11ax (HE40) (RU26)	CH102	9.89	9.76	250	Pass
11ax (HE40) (RU26)	CH118	9.62	9.17	250	Pass
11ax (HE40) (RU26)	CH134	9.57	9.06	250	Pass
11ax (HE80) (RU26)	CH106	9.79	9.54	250	Pass
11ax (HE80) (RU26)	CH122	9.59	9.11	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH149	13.48	22.30	1000	Pass
11n (HT20)	CH157	13.60	22.92	1000	Pass
11n (HT20)	CH165	13.35	21.64	1000	Pass
11n (HT40)	CH151	14.70	29.48	1000	Pass
11n (HT40)	CH159	14.80	30.17	1000	Pass
11ac (VHT20)	CH149	13.50	22.40	1000	Pass
11ac (VHT20)	CH157	13.61	22.97	1000	Pass
11ac (VHT20)	CH165	13.33	21.54	1000	Pass
11ac (VHT40)	CH151	14.68	29.35	1000	Pass
11ac (VHT40)	CH159	14.78	30.03	1000	Pass
11ac (VHT80)	CH155	14.92	31.02	1000	Pass
11ax (HE20) (SU)	CH149	13.24	21.07	1000	Pass
11ax (HE20) (SU)	CH157	13.37	21.71	1000	Pass
11ax (HE20) (SU)	CH165	13.11	20.44	1000	Pass
11ax (HE40) (SU)	CH151	14.27	26.75	1000	Pass
11ax (HE40) (SU)	CH159	14.44	27.82	1000	Pass
11ax (HE80) (SU)	CH155	14.68	29.41	1000	Pass
11ax (HE20) (RU26)	CH149	9.49	8.88	1000	Pass
11ax (HE20) (RU26)	CH157	9.47	8.84	1000	Pass
11ax (HE20) (RU26)	CH165	10.00	9.99	1000	Pass
11ax (HE40) (RU26)	CH151	9.92	9.83	1000	Pass
11ax (HE40) (RU26)	CH159	10.02	10.05	1000	Pass
11ax (HE80) (RU26)	CH155	9.52	8.96	1000	Pass

MIMO-Aux. Antenna

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH36	13.59	22.87	250	Pass
11n (HT20)	CH44	13.28	21.29	250	Pass
11n (HT20)	CH48	14.03	25.31	250	Pass
11n (HT40)	CH38	14.25	26.58	250	Pass
11n (HT40)	CH46	14.09	25.62	250	Pass
11ac (VHT20)	CH36	13.60	22.92	250	Pass
11ac (VHT20)	CH44	13.27	21.24	250	Pass
11ac (VHT20)	CH48	13.98	25.02	250	Pass
11ac (VHT40)	CH38	14.21	26.34	250	Pass
11ac (VHT40)	CH46	14.03	25.27	250	Pass
11ac (VHT80)	CH42	14.24	26.53	250	Pass
11ax (HE20) (SU)	CH36	13.33	21.51	250	Pass
11ax (HE20) (SU)	CH44	13.03	20.07	250	Pass
11ax (HE20) (SU)	CH48	13.71	23.47	250	Pass
11ax (HE40) (SU)	CH38	13.88	24.45	250	Pass
11ax (HE40) (SU)	CH46	13.83	24.17	250	Pass
11ax (HE80) (SU)	CH42	13.98	25.03	250	Pass
11ax (HE20) (RU26)	CH36	9.55	9.01	250	Pass
11ax (HE20) (RU26)	CH44	9.77	9.47	250	Pass
11ax (HE20) (RU26)	CH48	9.85	9.65	250	Pass
11ax (HE40) (RU26)	CH38	9.97	9.94	250	Pass
11ax (HE40) (RU26)	CH46	9.74	9.43	250	Pass
11ax (HE80) (RU26)	CH42	9.64	9.21	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH52	13.35	21.64	250	Pass
11n (HT20)	CH60	13.42	21.99	250	Pass
11n (HT20)	CH64	13.92	24.67	250	Pass
11n (HT40)	CH54	14.28	26.76	250	Pass
11n (HT40)	CH62	13.82	24.07	250	Pass
11ac (VHT20)	CH52	13.35	21.64	250	Pass
11ac (VHT20)	CH60	13.15	20.67	250	Pass
11ac (VHT20)	CH64	13.98	25.02	250	Pass
11ac (VHT40)	CH54	14.21	26.34	250	Pass
11ac (VHT40)	CH62	13.79	23.91	250	Pass
11ac (VHT80)	CH58	14.15	25.98	250	Pass
11ax (HE20) (SU)	CH52	13.51	22.42	250	Pass
11ax (HE20) (SU)	CH60	13.85	24.24	250	Pass
11ax (HE20) (SU)	CH64	13.77	23.80	250	Pass
11ax (HE40) (SU)	CH54	14.00	25.14	250	Pass
11ax (HE40) (SU)	CH62	13.47	22.25	250	Pass
11ax (HE80) (SU)	CH58	13.85	24.29	250	Pass
11ax (HE20) (RU26)	CH52	9.95	9.88	250	Pass
11ax (HE20) (RU26)	CH60	9.62	9.15	250	Pass
11ax (HE20) (RU26)	CH64	9.75	9.43	250	Pass
11ax (HE40) (RU26)	CH54	9.77	9.49	250	Pass
11ax (HE40) (RU26)	CH62	9.51	8.94	250	Pass
11ax (HE80) (RU26)	CH58	9.46	8.84	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH100	13.85	24.28	250	Pass
11n (HT20)	CH116	13.64	23.13	250	Pass
11n (HT20)	CH140	13.58	22.82	250	Pass
11n (HT40)	CH102	14.14	25.91	250	Pass
11n (HT40)	CH118	15.03	31.81	250	Pass
11n (HT40)	CH134	14.93	31.08	250	Pass
11ac (VHT20)	CH100	13.94	24.79	250	Pass
11ac (VHT20)	CH116	13.61	22.97	250	Pass
11ac (VHT20)	CH140	13.52	22.50	250	Pass
11ac (VHT40)	CH102	14.13	25.85	250	Pass
11ac (VHT40)	CH118	15.03	31.81	250	Pass
11ac (VHT40)	CH134	14.87	30.66	250	Pass
11ac (VHT80)	CH106	14.49	28.10	250	Pass
11ac (VHT80)	CH122	15.20	33.09	250	Pass
11ax (HE20) (SU)	CH100	13.71	23.47	250	Pass
11ax (HE20) (SU)	CH116	13.49	22.31	250	Pass
11ax (HE20) (SU)	CH140	13.31	21.41	250	Pass
11ax (HE40) (SU)	CH102	13.79	23.95	250	Pass
11ax (HE40) (SU)	CH118	14.70	29.54	250	Pass
11ax (HE40) (SU)	CH134	14.50	28.21	250	Pass
11ax (HE80) (SU)	CH106	14.30	26.95	250	Pass
11ax (HE80) (SU)	CH122	14.95	31.30	250	Pass
11ax (HE20) (RU26)	CH100	9.23	8.37	250	Pass
11ax (HE20) (RU26)	CH116	9.64	9.20	250	Pass
11ax (HE20) (RU26)	CH140	9.39	8.68	250	Pass
11ax (HE40) (RU26)	CH102	9.84	9.65	250	Pass
11ax (HE40) (RU26)	CH118	9.27	8.46	250	Pass
11ax (HE40) (RU26)	CH134	9.27	8.46	250	Pass
11ax (HE80) (RU26)	CH106	9.79	9.54	250	Pass
11ax (HE80) (RU26)	CH122	9.53	8.98	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH149	13.29	21.34	1000	Pass
11n (HT20)	CH157	13.43	22.04	1000	Pass
11n (HT20)	CH165	13.41	21.94	1000	Pass
11n (HT40)	CH151	14.50	28.15	1000	Pass
11n (HT40)	CH159	14.83	30.38	1000	Pass
11ac (VHT20)	CH149	13.21	20.95	1000	Pass
11ac (VHT20)	CH157	13.37	21.74	1000	Pass
11ac (VHT20)	CH165	13.50	22.40	1000	Pass
11ac (VHT40)	CH151	14.48	28.02	1000	Pass
11ac (VHT40)	CH159	14.78	30.03	1000	Pass
11ac (VHT80)	CH155	14.82	30.32	1000	Pass
11ax (HE20) (SU)	CH149	13.00	19.93	1000	Pass
11ax (HE20) (SU)	CH157	13.23	21.02	1000	Pass
11ax (HE20) (SU)	CH165	13.27	21.21	1000	Pass
11ax (HE40) (SU)	CH151	14.11	25.78	1000	Pass
11ax (HE40) (SU)	CH159	14.52	28.34	1000	Pass
11ax (HE80) (SU)	CH155	14.58	28.74	1000	Pass
11ax (HE20) (RU26)	CH149	9.55	9.01	1000	Pass
11ax (HE20) (RU26)	CH157	9.14	8.20	1000	Pass
11ax (HE20) (RU26)	CH165	9.66	9.24	1000	Pass
11ax (HE40) (RU26)	CH151	9.61	9.15	1000	Pass
11ax (HE40) (RU26)	CH159	9.87	9.71	1000	Pass
11ax (HE80) (RU26)	CH155	9.50	8.92	1000	Pass

MIMO

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH36	16.62	45.90	250	Pass
11n (HT20)	CH44	16.60	45.74	250	Pass
11n (HT20)	CH48	17.05	50.73	250	Pass
11n (HT40)	CH38	17.10	51.33	250	Pass
11n (HT40)	CH46	16.89	48.82	250	Pass
11ac (VHT20)	CH36	16.58	45.53	250	Pass
11ac (VHT20)	CH44	16.60	45.75	250	Pass
11ac (VHT20)	CH48	17.02	50.38	250	Pass
11ac (VHT40)	CH38	17.08	51.03	250	Pass
11ac (VHT40)	CH46	16.82	48.05	250	Pass
11ac (VHT80)	CH42	17.08	51.00	250	Pass
11ax (HE20) (SU)	CH36	16.39	43.51	250	Pass
11ax (HE20) (SU)	CH44	16.39	43.54	250	Pass
11ax (HE20) (SU)	CH48	16.80	47.88	250	Pass
11ax (HE40) (SU)	CH38	16.75	47.28	250	Pass
11ax (HE40) (SU)	CH46	16.58	45.47	250	Pass
11ax (HE80) (SU)	CH42	16.80	47.86	250	Pass
11ax (HE20) (RU26)	CH36	12.68	18.55	250	Pass
11ax (HE20) (RU26)	CH44	12.78	18.95	250	Pass
11ax (HE20) (RU26)	CH48	12.89	19.46	250	Pass
11ax (HE40) (RU26)	CH38	12.97	19.83	250	Pass
11ax (HE40) (RU26)	CH46	12.86	19.30	250	Pass
11ax (HE80) (RU26)	CH42	12.56	18.04	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH52	16.60	45.75	250	Pass
11n (HT20)	CH60	16.69	46.66	250	Pass
11n (HT20)	CH64	16.93	49.29	250	Pass
11n (HT40)	CH54	17.00	50.13	250	Pass
11n (HT40)	CH62	16.94	49.46	250	Pass
11ac (VHT20)	CH52	16.63	46.03	250	Pass
11ac (VHT20)	CH60	16.57	45.40	250	Pass
11ac (VHT20)	CH64	16.95	49.52	250	Pass
11ac (VHT40)	CH54	16.96	49.65	250	Pass
11ac (VHT40)	CH62	16.95	49.53	250	Pass
11ac (VHT80)	CH58	17.22	52.75	250	Pass
11ax (HE20) (SU)	CH52	16.61	45.78	250	Pass
11ax (HE20) (SU)	CH60	16.78	47.61	250	Pass
11ax (HE20) (SU)	CH64	16.70	46.79	250	Pass
11ax (HE40) (SU)	CH54	16.71	46.83	250	Pass
11ax (HE40) (SU)	CH62	16.76	47.39	250	Pass
11ax (HE80) (SU)	CH58	16.68	46.60	250	Pass
11ax (HE20) (RU26)	CH52	12.76	18.88	250	Pass
11ax (HE20) (RU26)	CH60	12.62	18.29	250	Pass
11ax (HE20) (RU26)	CH64	12.81	19.10	250	Pass
11ax (HE40) (RU26)	CH54	12.86	19.34	250	Pass
11ax (HE40) (RU26)	CH62	12.66	18.45	250	Pass
11ax (HE80) (RU26)	CH58	12.64	18.38	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH100	16.66	46.37	250	Pass
11n (HT20)	CH116	16.56	45.28	250	Pass
11n (HT20)	CH140	16.56	45.32	250	Pass
11n (HT40)	CH102	17.33	54.07	250	Pass
11n (HT40)	CH118	17.84	60.75	250	Pass
11n (HT40)	CH134	17.77	59.89	250	Pass
11ac (VHT20)	CH100	16.68	46.53	250	Pass
11ac (VHT20)	CH116	16.54	45.12	250	Pass
11ac (VHT20)	CH140	16.52	44.90	250	Pass
11ac (VHT40)	CH102	17.32	53.94	250	Pass
11ac (VHT40)	CH118	17.85	60.95	250	Pass
11ac (VHT40)	CH134	17.75	59.53	250	Pass
11ac (VHT80)	CH106	17.61	57.66	250	Pass
11ac (VHT80)	CH122	17.95	62.31	250	Pass
11ax (HE20) (SU)	CH100	16.45	44.15	250	Pass
11ax (HE20) (SU)	CH116	16.38	43.43	250	Pass
11ax (HE20) (SU)	CH140	16.31	42.77	250	Pass
11ax (HE40) (SU)	CH102	17.01	50.22	250	Pass
11ax (HE40) (SU)	CH118	17.50	56.23	250	Pass
11ax (HE40) (SU)	CH134	17.40	54.90	250	Pass
11ax (HE80) (SU)	CH106	17.36	54.46	250	Pass
11ax (HE80) (SU)	CH122	17.68	58.55	250	Pass
11ax (HE20) (RU26)	CH100	12.59	18.15	250	Pass
11ax (HE20) (RU26)	CH116	12.63	18.33	250	Pass
11ax (HE20) (RU26)	CH140	12.53	17.90	250	Pass
11ax (HE40) (RU26)	CH102	12.88	19.40	250	Pass
11ax (HE40) (RU26)	CH118	12.46	17.63	250	Pass
11ax (HE40) (RU26)	CH134	12.44	17.52	250	Pass
11ax (HE80) (RU26)	CH106	12.81	19.08	250	Pass
11ax (HE80) (RU26)	CH122	12.58	18.09	250	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11n (HT20)	CH149	16.40	43.64	1000	Pass
11n (HT20)	CH157	16.53	44.96	1000	Pass
11n (HT20)	CH165	16.39	43.58	1000	Pass
11n (HT40)	CH151	17.61	57.63	1000	Pass
11n (HT40)	CH159	17.82	60.54	1000	Pass
11ac (VHT20)	CH149	16.37	43.35	1000	Pass
11ac (VHT20)	CH157	16.50	44.71	1000	Pass
11ac (VHT20)	CH165	16.43	43.94	1000	Pass
11ac (VHT40)	CH151	17.59	57.37	1000	Pass
11ac (VHT40)	CH159	17.79	60.06	1000	Pass
11ac (VHT80)	CH155	17.88	61.34	1000	Pass
11ax (HE20) (SU)	CH149	16.13	41.00	1000	Pass
11ax (HE20) (SU)	CH157	16.31	42.72	1000	Pass
11ax (HE20) (SU)	CH165	16.20	41.66	1000	Pass
11ax (HE40) (SU)	CH151	17.20	52.54	1000	Pass
11ax (HE40) (SU)	CH159	17.49	56.16	1000	Pass
11ax (HE80) (SU)	CH155	17.65	58.15	1000	Pass
11ax (HE20) (RU26)	CH149	12.53	17.89	1000	Pass
11ax (HE20) (RU26)	CH157	12.31	17.04	1000	Pass
11ax (HE20) (RU26)	CH165	12.84	19.23	1000	Pass
11ax (HE40) (RU26)	CH151	12.78	18.97	1000	Pass
11ax (HE40) (RU26)	CH159	12.96	19.77	1000	Pass
11ax (HE80) (RU26)	CH155	12.53	17.89	1000	Pass

A.2 Emission Bandwidth & 99% Bandwidth

Note: Test plots please refer to the document "Annex No.: BL-SZ21C0938-604 Data Part 1.pdf".

Test Data

Main Antenna

U-NII-1 (5150 - 5250 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH36	23.75	16.73
11a	CH44	23.95	16.75
11a	CH48	24.06	16.77
11n (HT20)	CH36	24.38	17.74
11n (HT20)	CH44	24.26	17.79
11n (HT20)	CH48	24.44	17.78
11n (HT40)	CH38	43.11	36.07
11n (HT40)	CH46	44.21	36.07
11ac (VHT20)	CH36	24.07	17.76
11ac (VHT20)	CH44	24.37	17.78
11ac (VHT20)	CH48	24.82	17.83
11ac (VHT40)	CH38	43.85	36.08
11ac (VHT40)	CH46	44.54	37.50
11ac (VHT80)	CH42	90.15	75.22
11ax (HE20) (SU)	CH36	23.53	18.91
11ax (HE20) (SU)	CH44	25.02	18.91
11ax (HE20) (SU)	CH48	23.67	18.92
11ax (HE40) (SU)	CH38	44.31	37.52
11ax (HE40) (SU)	CH46	43.01	37.45
11ax (HE80) (SU)	CH42	83.44	76.70

U-NII-2A (5250 - 5350 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH52	24.03	16.72
11a	CH60	23.72	16.68
11a	CH64	23.60	16.68
11n (HT20)	CH52	24.69	17.79
11n (HT20)	CH60	24.08	17.71
11n (HT20)	CH64	24.08	17.72
11n (HT40)	CH54	43.56	36.07
11n (HT40)	CH62	43.68	36.03
11ac (VHT20)	CH52	24.07	17.77
11ac (VHT20)	CH60	24.23	17.72
11ac (VHT20)	CH64	24.03	17.76
11ac (VHT40)	CH54	44.15	36.08
11ac (VHT40)	CH62	43.30	36.02
11ac (VHT80)	CH58	88.03	75.26
11ax (HE20) (SU)	CH52	24.06	18.91
11ax (HE20) (SU)	CH60	23.28	18.88
11ax (HE20) (SU)	CH64	23.52	18.89
11ax (HE40) (SU)	CH54	43.03	37.50
11ax (HE40) (SU)	CH62	42.40	37.48
11ax (HE80) (SU)	CH58	84.14	76.93

U-NII-2C (5470 - 5725 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH100	23.65	16.67
11a	CH116	23.28	16.65
11a	CH140	23.24	16.66
11n (HT20)	CH100	24.41	17.72
11n (HT20)	CH116	23.64	17.75
11n (HT20)	CH140	24.01	17.73
11n (HT40)	CH102	43.28	36.06
11n (HT40)	CH118	43.46	36.06
11n (HT40)	CH134	43.20	36.06
11ac (VHT20)	CH100	23.77	17.74
11ac (VHT20)	CH116	23.84	17.75
11ac (VHT20)	CH140	23.60	17.73
11ac (VHT40)	CH102	43.04	36.05
11ac (VHT40)	CH118	43.24	36.11
11ac (VHT40)	CH134	42.91	36.05
11ac (VHT80)	CH106	87.09	75.16
11ac (VHT80)	CH122	88.50	75.16
11ax (HE20) (SU)	CH100	23.47	18.90
11ax (HE20) (SU)	CH116	23.55	18.89
11ax (HE20) (SU)	CH140	23.79	18.89
11ax (HE40) (SU)	CH102	43.03	37.55
11ax (HE40) (SU)	CH118	42.70	37.54
11ax (HE40) (SU)	CH134	43.60	37.54
11ax (HE80) (SU)	CH106	84.55	76.58
11ax (HE80) (SU)	CH122	83.63	76.73

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH149	23.51	16.65
11a	CH157	23.31	16.68
11a	CH165	23.65	16.67
11n (HT20)	CH149	23.89	17.72
11n (HT20)	CH157	23.76	17.77
11n (HT20)	CH165	23.54	17.71
11n (HT40)	CH151	43.27	36.00
11n (HT40)	CH159	43.89	36.10
11ac (VHT20)	CH149	23.65	17.71
11ac (VHT20)	CH157	24.30	17.75
11ac (VHT20)	CH165	23.67	17.71
11ac (VHT40)	CH151	43.18	36.02
11ac (VHT40)	CH159	43.76	36.10
11ac (VHT80)	CH155	89.85	75.29
11ax (HE20) (SU)	CH149	24.14	18.89
11ax (HE20) (SU)	CH157	23.54	18.91
11ax (HE20) (SU)	CH165	23.29	18.90
11ax (HE40) (SU)	CH151	42.53	37.47
11ax (HE40) (SU)	CH159	43.24	37.53
11ax (HE80) (SU)	CH155	84.73	76.82

Aux. Antenna

U-NII-1 (5150 - 5250 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH36	31.86	17.48
11a	CH44	23.70	16.72
11a	CH48	23.39	16.67
11n (HT20)	CH36	24.00	17.74
11n (HT20)	CH44	24.03	17.71
11n (HT20)	CH48	23.96	17.74
11n (HT40)	CH38	43.73	36.11
11n (HT40)	CH46	43.91	36.04
11ac (VHT20)	CH36	24.02	17.78
11ac (VHT20)	CH44	24.08	17.77
11ac (VHT20)	CH48	24.03	17.73
11ac (VHT40)	CH38	44.11	36.09
11ac (VHT40)	CH46	43.96	36.07
11ac (VHT80)	CH42	89.56	75.22
11ax (HE20) (SU)	CH36	23.62	18.91
11ax (HE20) (SU)	CH44	23.66	18.89
11ax (HE20) (SU)	CH48	23.47	18.89
11ax (HE40) (SU)	CH38	43.36	37.54
11ax (HE40) (SU)	CH46	43.35	37.47
11ax (HE80) (SU)	CH42	84.54	76.78

U-NII-2A (5250 - 5350 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH52	23.77	16.69
11a	CH60	23.30	16.63
11a	CH64	23.81	16.66
11n (HT20)	CH52	24.21	17.78
11n (HT20)	CH60	24.10	17.75
11n (HT20)	CH64	23.94	17.74
11n (HT40)	CH54	44.78	36.19
11n (HT40)	CH62	43.81	36.04
11ac (VHT20)	CH52	24.25	17.76
11ac (VHT20)	CH60	23.79	17.74
11ac (VHT20)	CH64	23.93	17.73
11ac (VHT40)	CH54	44.57	36.16
11ac (VHT40)	CH62	43.66	36.06
11ac (VHT80)	CH58	86.65	75.32
11ax (HE20) (SU)	CH52	23.68	18.91
11ax (HE20) (SU)	CH60	24.10	18.91
11ax (HE20) (SU)	CH64	23.63	18.91
11ax (HE40) (SU)	CH54	43.53	37.59
11ax (HE40) (SU)	CH62	43.18	37.52
11ax (HE80) (SU)	CH58	82.95	76.82

U-NII-2C (5470 - 5725 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH100	23.52	16.69
11a	CH116	23.65	16.70
11a	CH140	23.73	16.72
11n (HT20)	CH100	23.79	17.74
11n (HT20)	CH116	24.01	17.74
11n (HT20)	CH140	23.92	17.76
11n (HT40)	CH102	43.65	36.04
11n (HT40)	CH118	45.03	36.13
11n (HT40)	CH134	43.22	36.05
11ac (VHT20)	CH100	25.24	17.90
11ac (VHT20)	CH116	24.34	17.75
11ac (VHT20)	CH140	24.08	17.75
11ac (VHT40)	CH102	43.81	36.05
11ac (VHT40)	CH118	44.29	36.09
11ac (VHT40)	CH134	42.96	36.06
11ac (VHT80)	CH106	87.95	75.23
11ac (VHT80)	CH122	87.59	75.28
11ax (HE20) (SU)	CH100	23.81	18.91
11ax (HE20) (SU)	CH116	24.71	18.89
11ax (HE20) (SU)	CH140	23.34	18.90
11ax (HE40) (SU)	CH102	43.48	37.48
11ax (HE40) (SU)	CH118	43.92	37.51
11ax (HE40) (SU)	CH134	42.47	37.52
11ax (HE80) (SU)	CH106	84.04	76.65
11ax (HE80) (SU)	CH122	83.60	76.85

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH149	24.18	16.74
11a	CH157	23.67	16.73
11a	CH165	23.95	16.74
11n (HT20)	CH149	24.53	17.79
11n (HT20)	CH157	24.31	17.80
11n (HT20)	CH165	24.60	17.82
11n (HT40)	CH151	45.01	36.12
11n (HT40)	CH159	44.97	36.18
11ac (VHT20)	CH149	24.46	17.81
11ac (VHT20)	CH157	24.68	17.78
11ac (VHT20)	CH165	24.43	17.78
11ac (VHT40)	CH151	44.44	36.10
11ac (VHT40)	CH159	44.58	36.17
11ac (VHT80)	CH155	87.93	75.34
11ax (HE20) (SU)	CH149	24.41	18.91
11ax (HE20) (SU)	CH157	23.62	18.92
11ax (HE20) (SU)	CH165	24.44	18.92
11ax (HE40) (SU)	CH151	42.91	37.52
11ax (HE40) (SU)	CH159	43.77	37.58
11ax (HE80) (SU)	CH155	83.55	76.80

A.3 6 dB Bandwidth

Note: Test plots please refer to the document "Annex No.: BL-SZ21C0938-604 Data Part 2.pdf".

Test Data

Main Antenna

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	6 dB Bandwidth (MHz)	Limit (kHz)	Verdict
11a	CH149	15.20	500.00	Pass
11a	CH157	15.20	500.00	Pass
11a	CH165	15.20	500.00	Pass
11n (HT20)	CH149	15.20	500.00	Pass
11n (HT20)	CH157	15.15	500.00	Pass
11n (HT20)	CH165	15.20	500.00	Pass
11n (HT40)	CH151	35.20	500.00	Pass
11n (HT40)	CH159	35.20	500.00	Pass
11ac (VHT20)	CH149	15.15	500.00	Pass
11ac (VHT20)	CH157	15.20	500.00	Pass
11ac (VHT20)	CH165	15.20	500.00	Pass
11ac (VHT40)	CH151	35.15	500.00	Pass
11ac (VHT40)	CH159	33.95	500.00	Pass
11ac (VHT80)	CH155	75.15	500.00	Pass
11ax (HE20) (SU)	CH149	16.85	500.00	Pass
11ax (HE20) (SU)	CH157	16.65	500.00	Pass
11ax (HE20) (SU)	CH165	15.20	500.00	Pass
11ax (HE40) (SU)	CH151	35.80	500.00	Pass
11ax (HE40) (SU)	CH159	35.85	500.00	Pass
11ax (HE80) (SU)	CH155	75.15	500.00	Pass

Aux. Antenna

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	6 dB Bandwidth (MHz)	Limit (kHz)	Verdict
11a	CH149	15.20	500.00	Pass
11a	CH157	15.20	500.00	Pass
11a	CH165	15.20	500.00	Pass
11n (HT20)	CH149	15.20	500.00	Pass
11n (HT20)	CH157	15.20	500.00	Pass
11n (HT20)	CH165	15.05	500.00	Pass
11n (HT40)	CH151	35.15	500.00	Pass
11n (HT40)	CH159	35.15	500.00	Pass
11ac (VHT20)	CH149	15.10	500.00	Pass
11ac (VHT20)	CH157	15.10	500.00	Pass
11ac (VHT20)	CH165	15.10	500.00	Pass
11ac (VHT40)	CH151	35.20	500.00	Pass
11ac (VHT40)	CH159	33.90	500.00	Pass
11ac (VHT80)	CH155	75.10	500.00	Pass
11ax (HE20) (SU)	CH149	16.05	500.00	Pass
11ax (HE20) (SU)	CH157	16.15	500.00	Pass
11ax (HE20) (SU)	CH165	17.50	500.00	Pass
11ax (HE40) (SU)	CH151	36.15	500.00	Pass
11ax (HE40) (SU)	CH159	35.50	500.00	Pass
11ax (HE80) (SU)	CH155	73.95	500.00	Pass

A.4 Power Spectral Density

Note ¹: Test plots please refer to the document “Annex No.: BL-SZ21C0938-604 Data Part 3.pdf”.

Note ²: The RBW used in U-NII-3 is 1 MHz, and the PSD factor is: $10 \cdot \log(500 \text{ kHz/RBW}) = -3 \text{ dBm}$.

Test Data

Main Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH36	7.55	11.00	Pass
11a	CH44	9.21	11.00	Pass
11a	CH48	9.40	11.00	Pass
11n (HT20)	CH36	7.41	11.00	Pass
11n (HT20)	CH44	8.91	11.00	Pass
11n (HT20)	CH48	9.30	11.00	Pass
11n (HT40)	CH38	3.62	11.00	Pass
11n (HT40)	CH46	5.32	11.00	Pass
11ac (VHT20)	CH36	7.27	11.00	Pass
11ac (VHT20)	CH44	9.04	11.00	Pass
11ac (VHT20)	CH48	9.35	11.00	Pass
11ac (VHT40)	CH38	3.70	11.00	Pass
11ac (VHT40)	CH46	4.90	11.00	Pass
11ac (VHT80)	CH42	0.67	11.00	Pass
11ax (HE20) (SU)	CH36	7.09	11.00	Pass
11ax (HE20) (SU)	CH44	8.71	11.00	Pass
11ax (HE20) (SU)	CH48	8.52	11.00	Pass
11ax (HE40) (SU)	CH38	3.33	11.00	Pass
11ax (HE40) (SU)	CH46	4.79	11.00	Pass
11ax (HE80) (SU)	CH42	0.45	11.00	Pass
11ax (HE20) (RU26)	CH36	9.68	11.00	Pass
11ax (HE20) (RU26)	CH44	9.88	11.00	Pass
11ax (HE20) (RU26)	CH48	9.17	11.00	Pass
11ax (HE40) (RU26)	CH38	10.03	11.00	Pass
11ax (HE40) (RU26)	CH46	9.93	11.00	Pass
11ax (HE80) (RU26)	CH42	10.13	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH52	9.07	11.00	Pass
11a	CH60	8.83	11.00	Pass
11a	CH64	6.81	11.00	Pass
11n (HT20)	CH52	9.04	11.00	Pass
11n (HT20)	CH60	8.58	11.00	Pass
11n (HT20)	CH64	6.55	11.00	Pass
11n (HT40)	CH54	1.99	11.00	Pass
11n (HT40)	CH62	2.28	11.00	Pass
11ac (VHT20)	CH52	5.26	11.00	Pass
11ac (VHT20)	CH60	5.46	11.00	Pass
11ac (VHT20)	CH64	5.63	11.00	Pass
11ac (VHT40)	CH54	2.05	11.00	Pass
11ac (VHT40)	CH62	2.29	11.00	Pass
11ac (VHT80)	CH58	-0.66	11.00	Pass
11ax (HE20) (SU)	CH52	4.86	11.00	Pass
11ax (HE20) (SU)	CH60	5.13	11.00	Pass
11ax (HE20) (SU)	CH64	5.25	11.00	Pass
11ax (HE40) (SU)	CH54	1.62	11.00	Pass
11ax (HE40) (SU)	CH62	1.82	11.00	Pass
11ax (HE80) (SU)	CH58	-1.06	11.00	Pass
11ax (HE20) (RU26)	CH52	9.59	11.00	Pass
11ax (HE20) (RU26)	CH60	9.88	11.00	Pass
11ax (HE20) (RU26)	CH64	9.72	11.00	Pass
11ax (HE40) (RU26)	CH54	9.45	11.00	Pass
11ax (HE40) (RU26)	CH62	9.50	11.00	Pass
11ax (HE80) (RU26)	CH58	7.96	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH100	5.84	11.00	Pass
11a	CH116	5.92	11.00	Pass
11a	CH140	5.07	11.00	Pass
11n (HT20)	CH100	5.43	11.00	Pass
11n (HT20)	CH116	5.64	11.00	Pass
11n (HT20)	CH140	4.77	11.00	Pass
11n (HT40)	CH102	2.36	11.00	Pass
11n (HT40)	CH118	2.31	11.00	Pass
11n (HT40)	CH134	2.16	11.00	Pass
11ac (VHT20)	CH100	5.43	11.00	Pass
11ac (VHT20)	CH116	5.63	11.00	Pass
11ac (VHT20)	CH140	4.79	11.00	Pass
11ac (VHT40)	CH102	2.32	11.00	Pass
11ac (VHT40)	CH118	2.32	11.00	Pass
11ac (VHT40)	CH134	2.08	11.00	Pass
11ac (VHT80)	CH106	-0.68	11.00	Pass
11ac (VHT80)	CH122	-0.50	11.00	Pass
11ax (HE20) (SU)	CH100	5.09	11.00	Pass
11ax (HE20) (SU)	CH116	5.22	11.00	Pass
11ax (HE20) (SU)	CH140	4.36	11.00	Pass
11ax (HE40) (SU)	CH102	1.81	11.00	Pass
11ax (HE40) (SU)	CH118	1.81	11.00	Pass
11ax (HE40) (SU)	CH134	1.70	11.00	Pass
11ax (HE80) (SU)	CH106	-0.99	11.00	Pass
11ax (HE80) (SU)	CH122	-0.86	11.00	Pass
11ax (HE20) (RU26)	CH100	10.24	11.00	Pass
11ax (HE20) (RU26)	CH116	10.05	11.00	Pass
11ax (HE20) (RU26)	CH140	10.04	11.00	Pass
11ax (HE40) (RU26)	CH102	9.78	11.00	Pass
11ax (HE40) (RU26)	CH118	9.99	11.00	Pass
11ax (HE40) (RU26)	CH134	9.72	11.00	Pass
11ax (HE80) (RU26)	CH106	9.80	11.00	Pass
11ax (HE80) (RU26)	CH122	10.03	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11a	CH149	2.53	30.00	Pass
11a	CH157	2.31	30.00	Pass
11a	CH165	2.92	30.00	Pass
11n (HT20)	CH149	2.26	30.00	Pass
11n (HT20)	CH157	2.03	30.00	Pass
11n (HT20)	CH165	2.64	30.00	Pass
11n (HT40)	CH151	-0.68	30.00	Pass
11n (HT40)	CH159	-0.70	30.00	Pass
11ac (VHT20)	CH149	2.21	30.00	Pass
11ac (VHT20)	CH157	1.97	30.00	Pass
11ac (VHT20)	CH165	2.64	30.00	Pass
11ac (VHT40)	CH151	-0.71	30.00	Pass
11ac (VHT40)	CH159	-0.64	30.00	Pass
11ac (VHT80)	CH155	-3.67	30.00	Pass
11ax (HE20) (SU)	CH149	1.89	30.00	Pass
11ax (HE20) (SU)	CH157	1.63	30.00	Pass
11ax (HE20) (SU)	CH165	2.31	30.00	Pass
11ax (HE40) (SU)	CH151	-1.17	30.00	Pass
11ax (HE40) (SU)	CH159	-1.06	30.00	Pass
11ax (HE80) (SU)	CH155	-4.01	30.00	Pass
11ax (HE20) (RU26)	CH149	6.96	30.00	Pass
11ax (HE20) (RU26)	CH157	7.00	30.00	Pass
11ax (HE20) (RU26)	CH165	7.34	30.00	Pass
11ax (HE40) (RU26)	CH151	6.97	30.00	Pass
11ax (HE40) (RU26)	CH159	7.13	30.00	Pass
11ax (HE80) (RU26)	CH155	7.41	30.00	Pass

Aux. Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH36	8.03	11.00	Pass
11a	CH44	9.71	11.00	Pass
11a	CH48	9.88	11.00	Pass
11n (HT20)	CH36	8.27	11.00	Pass
11n (HT20)	CH44	9.35	11.00	Pass
11n (HT20)	CH48	9.55	11.00	Pass
11n (HT40)	CH38	4.33	11.00	Pass
11n (HT40)	CH46	6.34	11.00	Pass
11ac (VHT20)	CH36	8.27	11.00	Pass
11ac (VHT20)	CH44	9.37	11.00	Pass
11ac (VHT20)	CH48	9.41	11.00	Pass
11ac (VHT40)	CH38	4.24	11.00	Pass
11ac (VHT40)	CH46	6.44	11.00	Pass
11ac (VHT80)	CH42	1.96	11.00	Pass
11ax (HE20) (SU)	CH36	7.86	11.00	Pass
11ax (HE20) (SU)	CH44	8.93	11.00	Pass
11ax (HE20) (SU)	CH48	8.92	11.00	Pass
11ax (HE40) (SU)	CH38	3.81	11.00	Pass
11ax (HE40) (SU)	CH46	5.47	11.00	Pass
11ax (HE80) (SU)	CH42	1.57	11.00	Pass
11ax (HE20) (RU26)	CH36	10.17	11.00	Pass
11ax (HE20) (RU26)	CH44	10.08	11.00	Pass
11ax (HE20) (RU26)	CH48	9.80	11.00	Pass
11ax (HE40) (RU26)	CH38	9.82	11.00	Pass
11ax (HE40) (RU26)	CH46	9.78	11.00	Pass
11ax (HE80) (RU26)	CH42	10.07	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH52	9.30	11.00	Pass
11a	CH60	8.53	11.00	Pass
11a	CH64	6.78	11.00	Pass
11n (HT20)	CH52	9.48	11.00	Pass
11n (HT20)	CH60	8.91	11.00	Pass
11n (HT20)	CH64	6.91	11.00	Pass
11n (HT40)	CH54	6.37	11.00	Pass
11n (HT40)	CH62	3.00	11.00	Pass
11ac (VHT20)	CH52	9.70	11.00	Pass
11ac (VHT20)	CH60	9.04	11.00	Pass
11ac (VHT20)	CH64	7.02	11.00	Pass
11ac (VHT40)	CH54	5.90	11.00	Pass
11ac (VHT40)	CH62	2.48	11.00	Pass
11ac (VHT80)	CH58	0.50	11.00	Pass
11ax (HE20) (SU)	CH52	9.19	11.00	Pass
11ax (HE20) (SU)	CH60	8.62	11.00	Pass
11ax (HE20) (SU)	CH64	6.60	11.00	Pass
11ax (HE40) (SU)	CH54	5.41	11.00	Pass
11ax (HE40) (SU)	CH62	2.50	11.00	Pass
11ax (HE80) (SU)	CH58	0.11	11.00	Pass
11ax (HE20) (RU26)	CH52	9.72	11.00	Pass
11ax (HE20) (RU26)	CH60	9.76	11.00	Pass
11ax (HE20) (RU26)	CH64	10.05	11.00	Pass
11ax (HE40) (RU26)	CH54	9.74	11.00	Pass
11ax (HE40) (RU26)	CH62	9.65	11.00	Pass
11ax (HE80) (RU26)	CH58	9.26	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH100	7.10	11.00	Pass
11a	CH116	8.86	11.00	Pass
11a	CH140	6.37	11.00	Pass
11n (HT20)	CH100	6.32	11.00	Pass
11n (HT20)	CH116	8.13	11.00	Pass
11n (HT20)	CH140	5.66	11.00	Pass
11n (HT40)	CH102	3.54	11.00	Pass
11n (HT40)	CH118	5.50	11.00	Pass
11n (HT40)	CH134	4.61	11.00	Pass
11ac (VHT20)	CH100	6.68	11.00	Pass
11ac (VHT20)	CH116	8.30	11.00	Pass
11ac (VHT20)	CH140	6.24	11.00	Pass
11ac (VHT40)	CH102	3.47	11.00	Pass
11ac (VHT40)	CH118	5.46	11.00	Pass
11ac (VHT40)	CH134	4.71	11.00	Pass
11ac (VHT80)	CH106	0.72	11.00	Pass
11ac (VHT80)	CH122	2.47	11.00	Pass
11ax (HE20) (SU)	CH100	6.26	11.00	Pass
11ax (HE20) (SU)	CH116	8.22	11.00	Pass
11ax (HE20) (SU)	CH140	5.88	11.00	Pass
11ax (HE40) (SU)	CH102	3.00	11.00	Pass
11ax (HE40) (SU)	CH118	4.96	11.00	Pass
11ax (HE40) (SU)	CH134	4.23	11.00	Pass
11ax (HE80) (SU)	CH106	0.42	11.00	Pass
11ax (HE80) (SU)	CH122	2.23	11.00	Pass
11ax (HE20) (RU26)	CH100	9.73	11.00	Pass
11ax (HE20) (RU26)	CH116	9.74	11.00	Pass
11ax (HE20) (RU26)	CH140	9.69	11.00	Pass
11ax (HE40) (RU26)	CH102	9.96	11.00	Pass
11ax (HE40) (RU26)	CH118	10.13	11.00	Pass
11ax (HE40) (RU26)	CH134	10.35	11.00	Pass
11ax (HE80) (RU26)	CH106	9.75	11.00	Pass
11ax (HE80) (RU26)	CH122	9.56	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11a	CH149	5.94	30.00	Pass
11a	CH157	5.32	30.00	Pass
11a	CH165	6.37	30.00	Pass
11n (HT20)	CH149	5.53	30.00	Pass
11n (HT20)	CH157	5.20	30.00	Pass
11n (HT20)	CH165	6.26	30.00	Pass
11n (HT40)	CH151	2.21	30.00	Pass
11n (HT40)	CH159	2.72	30.00	Pass
11ac (VHT20)	CH149	5.59	30.00	Pass
11ac (VHT20)	CH157	5.24	30.00	Pass
11ac (VHT20)	CH165	6.04	30.00	Pass
11ac (VHT40)	CH151	2.18	30.00	Pass
11ac (VHT40)	CH159	2.46	30.00	Pass
11ac (VHT80)	CH155	-1.69	30.00	Pass
11ax (HE20) (SU)	CH149	5.17	30.00	Pass
11ax (HE20) (SU)	CH157	4.93	30.00	Pass
11ax (HE20) (SU)	CH165	5.64	30.00	Pass
11ax (HE40) (SU)	CH151	1.58	30.00	Pass
11ax (HE40) (SU)	CH159	2.29	30.00	Pass
11ax (HE80) (SU)	CH155	-1.97	30.00	Pass
11ax (HE20) (RU26)	CH149	7.15	30.00	Pass
11ax (HE20) (RU26)	CH157	7.14	30.00	Pass
11ax (HE20) (RU26)	CH165	7.01	30.00	Pass
11ax (HE40) (RU26)	CH151	6.91	30.00	Pass
11ax (HE40) (RU26)	CH159	6.97	30.00	Pass
11ax (HE80) (RU26)	CH155	7.59	30.00	Pass

MIMO-Main Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH36	2.85	11.00	Pass
11n (HT20)	CH44	2.80	11.00	Pass
11n (HT20)	CH48	2.80	11.00	Pass
11n (HT40)	CH38	-0.66	11.00	Pass
11n (HT40)	CH46	-0.50	11.00	Pass
11ac (VHT20)	CH36	2.90	11.00	Pass
11ac (VHT20)	CH44	2.80	11.00	Pass
11ac (VHT20)	CH48	2.85	11.00	Pass
11ac (VHT40)	CH38	-0.61	11.00	Pass
11ac (VHT40)	CH46	-0.47	11.00	Pass
11ac (VHT80)	CH42	-3.49	11.00	Pass
11ax (HE20) (SU)	CH36	2.50	11.00	Pass
11ax (HE20) (SU)	CH44	2.37	11.00	Pass
11ax (HE20) (SU)	CH48	2.46	11.00	Pass
11ax (HE40) (SU)	CH38	-1.15	11.00	Pass
11ax (HE40) (SU)	CH46	-1.02	11.00	Pass
11ax (HE80) (SU)	CH42	-3.84	11.00	Pass
11ax (HE20) (RU26)	CH36	6.88	11.00	Pass
11ax (HE20) (RU26)	CH44	6.88	11.00	Pass
11ax (HE20) (RU26)	CH48	6.97	11.00	Pass
11ax (HE40) (RU26)	CH38	7.19	11.00	Pass
11ax (HE40) (RU26)	CH46	6.95	11.00	Pass
11ax (HE80) (RU26)	CH42	6.75	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH52	2.74	11.00	Pass
11n (HT20)	CH60	2.95	11.00	Pass
11n (HT20)	CH64	3.14	11.00	Pass
11n (HT40)	CH54	-0.51	11.00	Pass
11n (HT40)	CH62	-0.28	11.00	Pass
11ac (VHT20)	CH52	2.85	11.00	Pass
11ac (VHT20)	CH60	2.97	11.00	Pass
11ac (VHT20)	CH64	3.23	11.00	Pass
11ac (VHT40)	CH54	-0.54	11.00	Pass
11ac (VHT40)	CH62	-0.26	11.00	Pass
11ac (VHT80)	CH58	-3.11	11.00	Pass
11ax (HE20) (SU)	CH52	2.41	11.00	Pass
11ax (HE20) (SU)	CH60	2.60	11.00	Pass
11ax (HE20) (SU)	CH64	2.79	11.00	Pass
11ax (HE40) (SU)	CH54	-1.04	11.00	Pass
11ax (HE40) (SU)	CH62	-0.78	11.00	Pass
11ax (HE80) (SU)	CH58	-3.59	11.00	Pass
11ax (HE20) (RU26)	CH52	6.68	11.00	Pass
11ax (HE20) (RU26)	CH60	6.63	11.00	Pass
11ax (HE20) (RU26)	CH64	0.99	11.00	Pass
11ax (HE40) (RU26)	CH54	6.80	11.00	Pass
11ax (HE40) (RU26)	CH62	6.64	11.00	Pass
11ax (HE80) (RU26)	CH58	6.78	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH100	2.99	11.00	Pass
11n (HT20)	CH116	3.14	11.00	Pass
11n (HT20)	CH140	2.23	11.00	Pass
11n (HT40)	CH102	-0.35	11.00	Pass
11n (HT40)	CH118	-0.32	11.00	Pass
11n (HT40)	CH134	-0.55	11.00	Pass
11ac (VHT20)	CH100	3.04	11.00	Pass
11ac (VHT20)	CH116	3.15	11.00	Pass
11ac (VHT20)	CH140	2.26	11.00	Pass
11ac (VHT40)	CH102	-0.38	11.00	Pass
11ac (VHT40)	CH118	-0.35	11.00	Pass
11ac (VHT40)	CH134	-0.59	11.00	Pass
11ac (VHT80)	CH106	-3.23	11.00	Pass
11ac (VHT80)	CH122	-3.09	11.00	Pass
11ax (HE20) (SU)	CH100	2.65	11.00	Pass
11ax (HE20) (SU)	CH116	2.74	11.00	Pass
11ax (HE20) (SU)	CH140	1.82	11.00	Pass
11ax (HE40) (SU)	CH102	-0.86	11.00	Pass
11ax (HE40) (SU)	CH118	-0.80	11.00	Pass
11ax (HE40) (SU)	CH134	-1.02	11.00	Pass
11ax (HE80) (SU)	CH106	-3.53	11.00	Pass
11ax (HE80) (SU)	CH122	-3.46	11.00	Pass
11ax (HE20) (RU26)	CH100	7.03	11.00	Pass
11ax (HE20) (RU26)	CH116	6.88	11.00	Pass
11ax (HE20) (RU26)	CH140	6.82	11.00	Pass
11ax (HE40) (RU26)	CH102	7.01	11.00	Pass
11ax (HE40) (RU26)	CH118	6.69	11.00	Pass
11ax (HE40) (RU26)	CH134	6.44	11.00	Pass
11ax (HE80) (RU26)	CH106	6.96	11.00	Pass
11ax (HE80) (RU26)	CH122	6.73	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11n (HT20)	CH149	-0.12	30.00	Pass
11n (HT20)	CH157	-0.42	30.00	Pass
11n (HT20)	CH165	0.12	30.00	Pass
11n (HT40)	CH151	-3.44	30.00	Pass
11n (HT40)	CH159	-3.33	30.00	Pass
11ac (VHT20)	CH149	-0.14	30.00	Pass
11ac (VHT20)	CH157	-0.42	30.00	Pass
11ac (VHT20)	CH165	0.17	30.00	Pass
11ac (VHT40)	CH151	-3.45	30.00	Pass
11ac (VHT40)	CH159	-3.36	30.00	Pass
11ac (VHT80)	CH155	-6.31	30.00	Pass
11ax (HE20) (SU)	CH149	-0.56	30.00	Pass
11ax (HE20) (SU)	CH157	-0.84	30.00	Pass
11ax (HE20) (SU)	CH165	-0.23	30.00	Pass
11ax (HE40) (SU)	CH151	-3.95	30.00	Pass
11ax (HE40) (SU)	CH159	-3.69	30.00	Pass
11ax (HE80) (SU)	CH155	-6.73	30.00	Pass
11ax (HE20) (RU26)	CH149	3.85	30.00	Pass
11ax (HE20) (RU26)	CH157	3.88	30.00	Pass
11ax (HE20) (RU26)	CH165	4.52	30.00	Pass
11ax (HE40) (RU26)	CH151	4.28	30.00	Pass
11ax (HE40) (RU26)	CH159	4.33	30.00	Pass
11ax (HE80) (RU26)	CH155	4.07	30.00	Pass

MIMO-Aux. Antenna

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH36	3.23	11.00	Pass
11n (HT20)	CH44	2.90	11.00	Pass
11n (HT20)	CH48	1.60	11.00	Pass
11n (HT40)	CH38	0.30	11.00	Pass
11n (HT40)	CH46	0.32	11.00	Pass
11ac (VHT20)	CH36	3.27	11.00	Pass
11ac (VHT20)	CH44	2.90	11.00	Pass
11ac (VHT20)	CH48	1.58	11.00	Pass
11ac (VHT40)	CH38	0.28	11.00	Pass
11ac (VHT40)	CH46	0.32	11.00	Pass
11ac (VHT80)	CH42	-2.48	11.00	Pass
11ax (HE20) (SU)	CH36	2.86	11.00	Pass
11ax (HE20) (SU)	CH44	2.57	11.00	Pass
11ax (HE20) (SU)	CH48	1.27	11.00	Pass
11ax (HE40) (SU)	CH38	-0.15	11.00	Pass
11ax (HE40) (SU)	CH46	-0.07	11.00	Pass
11ax (HE80) (SU)	CH42	-2.89	11.00	Pass
11ax (HE20) (RU26)	CH36	6.67	11.00	Pass
11ax (HE20) (RU26)	CH44	6.95	11.00	Pass
11ax (HE20) (RU26)	CH48	6.87	11.00	Pass
11ax (HE40) (RU26)	CH38	7.13	11.00	Pass
11ax (HE40) (RU26)	CH46	6.79	11.00	Pass
11ax (HE80) (RU26)	CH42	7.08	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH52	1.85	11.00	Pass
11n (HT20)	CH60	3.24	11.00	Pass
11n (HT20)	CH64	3.31	11.00	Pass
11n (HT40)	CH54	0.37	11.00	Pass
11n (HT40)	CH62	0.59	11.00	Pass
11ac (VHT20)	CH52	1.90	11.00	Pass
11ac (VHT20)	CH60	3.23	11.00	Pass
11ac (VHT20)	CH64	3.27	11.00	Pass
11ac (VHT40)	CH54	0.39	11.00	Pass
11ac (VHT40)	CH62	0.57	11.00	Pass
11ac (VHT80)	CH58	-2.28	11.00	Pass
11ax (HE20) (SU)	CH52	1.49	11.00	Pass
11ax (HE20) (SU)	CH60	2.82	11.00	Pass
11ax (HE20) (SU)	CH64	2.96	11.00	Pass
11ax (HE40) (SU)	CH54	-0.02	11.00	Pass
11ax (HE40) (SU)	CH62	0.09	11.00	Pass
11ax (HE80) (SU)	CH58	-2.64	11.00	Pass
11ax (HE20) (RU26)	CH52	7.00	11.00	Pass
11ax (HE20) (RU26)	CH60	6.76	11.00	Pass
11ax (HE20) (RU26)	CH64	6.81	11.00	Pass
11ax (HE40) (RU26)	CH54	6.79	11.00	Pass
11ax (HE40) (RU26)	CH62	6.39	11.00	Pass
11ax (HE80) (RU26)	CH58	6.05	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH100	2.97	11.00	Pass
11n (HT20)	CH116	2.62	11.00	Pass
11n (HT20)	CH140	1.86	11.00	Pass
11n (HT40)	CH102	0.40	11.00	Pass
11n (HT40)	CH118	0.34	11.00	Pass
11n (HT40)	CH134	0.17	11.00	Pass
11ac (VHT20)	CH100	2.62	11.00	Pass
11ac (VHT20)	CH116	2.50	11.00	Pass
11ac (VHT20)	CH140	1.86	11.00	Pass
11ac (VHT40)	CH102	0.39	11.00	Pass
11ac (VHT40)	CH118	0.37	11.00	Pass
11ac (VHT40)	CH134	0.27	11.00	Pass
11ac (VHT80)	CH106	-2.66	11.00	Pass
11ac (VHT80)	CH122	-2.34	11.00	Pass
11ax (HE20) (SU)	CH100	2.33	11.00	Pass
11ax (HE20) (SU)	CH116	2.15	11.00	Pass
11ax (HE20) (SU)	CH140	1.49	11.00	Pass
11ax (HE40) (SU)	CH102	0.21	11.00	Pass
11ax (HE40) (SU)	CH118	-0.13	11.00	Pass
11ax (HE40) (SU)	CH134	-0.22	11.00	Pass
11ax (HE80) (SU)	CH106	-3.00	11.00	Pass
11ax (HE80) (SU)	CH122	-2.72	11.00	Pass
11ax (HE20) (RU26)	CH100	6.41	11.00	Pass
11ax (HE20) (RU26)	CH116	6.91	11.00	Pass
11ax (HE20) (RU26)	CH140	6.75	11.00	Pass
11ax (HE40) (RU26)	CH102	7.12	11.00	Pass
11ax (HE40) (RU26)	CH118	6.40	11.00	Pass
11ax (HE40) (RU26)	CH134	6.19	11.00	Pass
11ax (HE80) (RU26)	CH106	6.98	11.00	Pass
11ax (HE80) (RU26)	CH122	6.64	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11n (HT20)	CH149	-1.04	30.00	Pass
11n (HT20)	CH157	-1.44	30.00	Pass
11n (HT20)	CH165	-0.47	30.00	Pass
11n (HT40)	CH151	-3.24	30.00	Pass
11n (HT40)	CH159	-2.94	30.00	Pass
11ac (VHT20)	CH149	-1.02	30.00	Pass
11ac (VHT20)	CH157	-1.40	30.00	Pass
11ac (VHT20)	CH165	-0.42	30.00	Pass
11ac (VHT40)	CH151	-3.23	30.00	Pass
11ac (VHT40)	CH159	-3.00	30.00	Pass
11ac (VHT80)	CH155	-6.16	30.00	Pass
11ax (HE20) (SU)	CH149	-1.48	30.00	Pass
11ax (HE20) (SU)	CH157	-1.74	30.00	Pass
11ax (HE20) (SU)	CH165	-0.80	30.00	Pass
11ax (HE40) (SU)	CH151	-3.69	30.00	Pass
11ax (HE40) (SU)	CH159	-3.41	30.00	Pass
11ax (HE80) (SU)	CH155	-6.46	30.00	Pass
11ax (HE20) (RU26)	CH149	3.72	30.00	Pass
11ax (HE20) (RU26)	CH157	3.52	30.00	Pass
11ax (HE20) (RU26)	CH165	4.04	30.00	Pass
11ax (HE40) (RU26)	CH151	3.84	30.00	Pass
11ax (HE40) (RU26)	CH159	4.27	30.00	Pass
11ax (HE80) (RU26)	CH155	4.21	30.00	Pass

MIMO

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH36	6.06	11.00	Pass
11n (HT20)	CH44	5.86	11.00	Pass
11n (HT20)	CH48	5.25	11.00	Pass
11n (HT40)	CH38	2.86	11.00	Pass
11n (HT40)	CH46	2.94	11.00	Pass
11ac (VHT20)	CH36	6.09	11.00	Pass
11ac (VHT20)	CH44	5.86	11.00	Pass
11ac (VHT20)	CH48	5.27	11.00	Pass
11ac (VHT40)	CH38	2.87	11.00	Pass
11ac (VHT40)	CH46	2.95	11.00	Pass
11ac (VHT80)	CH42	0.05	11.00	Pass
11ax (HE20) (SU)	CH36	5.70	11.00	Pass
11ax (HE20) (SU)	CH44	5.48	11.00	Pass
11ax (HE20) (SU)	CH48	4.92	11.00	Pass
11ax (HE40) (SU)	CH38	2.39	11.00	Pass
11ax (HE40) (SU)	CH46	2.49	11.00	Pass
11ax (HE80) (SU)	CH42	-0.33	11.00	Pass
11ax (HE20) (RU26)	CH36	9.79	11.00	Pass
11ax (HE20) (RU26)	CH44	9.92	11.00	Pass
11ax (HE20) (RU26)	CH48	9.93	11.00	Pass
11ax (HE40) (RU26)	CH38	10.17	11.00	Pass
11ax (HE40) (RU26)	CH46	9.88	11.00	Pass
11ax (HE80) (RU26)	CH42	9.93	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH52	5.33	11.00	Pass
11n (HT20)	CH60	6.11	11.00	Pass
11n (HT20)	CH64	6.23	11.00	Pass
11n (HT40)	CH54	2.96	11.00	Pass
11n (HT40)	CH62	3.19	11.00	Pass
11ac (VHT20)	CH52	5.41	11.00	Pass
11ac (VHT20)	CH60	6.11	11.00	Pass
11ac (VHT20)	CH64	6.26	11.00	Pass
11ac (VHT40)	CH54	2.96	11.00	Pass
11ac (VHT40)	CH62	3.19	11.00	Pass
11ac (VHT80)	CH58	0.33	11.00	Pass
11ax (HE20) (SU)	CH52	4.99	11.00	Pass
11ax (HE20) (SU)	CH60	5.72	11.00	Pass
11ax (HE20) (SU)	CH64	5.89	11.00	Pass
11ax (HE40) (SU)	CH54	2.51	11.00	Pass
11ax (HE40) (SU)	CH62	2.69	11.00	Pass
11ax (HE80) (SU)	CH58	-0.08	11.00	Pass
11ax (HE20) (RU26)	CH52	9.85	11.00	Pass
11ax (HE20) (RU26)	CH60	9.71	11.00	Pass
11ax (HE20) (RU26)	CH64	7.82	11.00	Pass
11ax (HE40) (RU26)	CH54	9.80	11.00	Pass
11ax (HE40) (RU26)	CH62	9.53	11.00	Pass
11ax (HE80) (RU26)	CH58	9.44	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11n (HT20)	CH100	5.99	11.00	Pass
11n (HT20)	CH116	5.90	11.00	Pass
11n (HT20)	CH140	5.06	11.00	Pass
11n (HT40)	CH102	3.05	11.00	Pass
11n (HT40)	CH118	3.03	11.00	Pass
11n (HT40)	CH134	2.83	11.00	Pass
11ac (VHT20)	CH100	5.85	11.00	Pass
11ac (VHT20)	CH116	5.85	11.00	Pass
11ac (VHT20)	CH140	5.08	11.00	Pass
11ac (VHT40)	CH102	3.03	11.00	Pass
11ac (VHT40)	CH118	3.04	11.00	Pass
11ac (VHT40)	CH134	2.87	11.00	Pass
11ac (VHT80)	CH106	0.08	11.00	Pass
11ac (VHT80)	CH122	0.32	11.00	Pass
11ax (HE20) (SU)	CH100	5.50	11.00	Pass
11ax (HE20) (SU)	CH116	5.46	11.00	Pass
11ax (HE20) (SU)	CH140	4.67	11.00	Pass
11ax (HE40) (SU)	CH102	2.72	11.00	Pass
11ax (HE40) (SU)	CH118	2.56	11.00	Pass
11ax (HE40) (SU)	CH134	2.41	11.00	Pass
11ax (HE80) (SU)	CH106	-0.25	11.00	Pass
11ax (HE80) (SU)	CH122	-0.06	11.00	Pass
11ax (HE20) (RU26)	CH100	9.74	11.00	Pass
11ax (HE20) (RU26)	CH116	9.90	11.00	Pass
11ax (HE20) (RU26)	CH140	9.80	11.00	Pass
11ax (HE40) (RU26)	CH102	10.07	11.00	Pass
11ax (HE40) (RU26)	CH118	9.56	11.00	Pass
11ax (HE40) (RU26)	CH134	9.32	11.00	Pass
11ax (HE80) (RU26)	CH106	9.98	11.00	Pass
11ax (HE80) (RU26)	CH122	9.70	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11n (HT20)	CH149	2.45	30.00	Pass
11n (HT20)	CH157	2.11	30.00	Pass
11n (HT20)	CH165	2.85	30.00	Pass
11n (HT40)	CH151	-0.32	30.00	Pass
11n (HT40)	CH159	-0.12	30.00	Pass
11ac (VHT20)	CH149	2.45	30.00	Pass
11ac (VHT20)	CH157	2.13	30.00	Pass
11ac (VHT20)	CH165	2.90	30.00	Pass
11ac (VHT40)	CH151	-0.33	30.00	Pass
11ac (VHT40)	CH159	-0.17	30.00	Pass
11ac (VHT80)	CH155	-3.22	30.00	Pass
11ax (HE20) (SU)	CH149	2.02	30.00	Pass
11ax (HE20) (SU)	CH157	1.75	30.00	Pass
11ax (HE20) (SU)	CH165	2.51	30.00	Pass
11ax (HE40) (SU)	CH151	-0.81	30.00	Pass
11ax (HE40) (SU)	CH159	-0.54	30.00	Pass
11ax (HE80) (SU)	CH155	-3.58	30.00	Pass
11ax (HE20) (RU26)	CH149	6.79	30.00	Pass
11ax (HE20) (RU26)	CH157	6.71	30.00	Pass
11ax (HE20) (RU26)	CH165	7.29	30.00	Pass
11ax (HE40) (RU26)	CH151	7.08	30.00	Pass
11ax (HE40) (RU26)	CH159	7.31	30.00	Pass
11ax (HE80) (RU26)	CH155	7.15	30.00	Pass


A.5 Conducted Emissions

Note¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.
 Note²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.190	53.69	10.96	64.04	-10.35	Peak	L	Pass
1**	0.190	34.14	10.96	54.04	-19.90	AV	L	Pass
2	0.200	52.42	10.96	63.61	-11.19	Peak	L	Pass
2**	0.200	43.64	10.96	53.61	-9.97	AV	L	Pass
3	0.254	49.41	10.92	61.63	-12.22	Peak	L	Pass
3**	0.254	30.11	10.92	51.63	-21.52	AV	L	Pass
4	0.446	42.28	10.91	56.95	-14.67	Peak	L	Pass
4**	0.446	32.87	10.91	46.95	-14.08	AV	L	Pass
5	4.876	44.72	10.68	56.00	-11.28	Peak	L	Pass
5**	4.876	28.36	10.68	46.00	-17.64	AV	L	Pass
6	19.638	41.53	10.71	60.00	-18.47	Peak	L	Pass
6**	19.638	30.07	10.71	50.00	-19.93	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.196	52.19	10.96	63.78	-11.59	Peak	N	Pass
1**	0.196	31.53	10.96	53.78	-22.25	AV	N	Pass
2	0.260	48.66	10.91	61.43	-12.77	Peak	N	Pass
2**	0.260	36.07	10.91	51.43	-15.36	AV	N	Pass
3	0.326	46.45	10.89	59.55	-13.10	Peak	N	Pass
3**	0.326	35.64	10.89	49.55	-13.91	AV	N	Pass
4	0.448	44.03	10.91	56.91	-12.88	Peak	N	Pass
4**	0.448	33.21	10.91	46.91	-13.70	AV	N	Pass
5	5.020	40.78	10.68	60.00	-19.22	Peak	N	Pass
5**	5.020	27.83	10.68	50.00	-22.17	AV	N	Pass
6	19.574	40.08	10.71	60.00	-19.92	Peak	N	Pass
6**	19.574	29.20	10.71	50.00	-20.80	AV	N	Pass

A.6 Radiated Spurious Emissions and Band Edge (Restricted-band)

Test Data

Note 1: The symbol of "--" in the table which means not application.


Note 2: For the test data above 1 GHz, According the ANSI C63.4, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.


Note 5: For Multiple transmitter output, the quantity $10 \log(NANT)$ dB is added to each spectrum value before comparing to the emission limit. When testing out-of-band and spurious emissions against relative emission limits, tests may be performed on each output individually without summing or adding $10 \log(NANT)$ if the measurements are made relative to the in-band emissions on the individual outputs.

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	110.005	22.58	-27.99	33.5	-10.92	Peak	360.00	200	Horizontal	Pass
2	195.344	22.58	-27.99	33.5	-10.92	Peak	360.00	200	Horizontal	Pass
3	286.501	23.47	-25.38	36.0	-12.53	Peak	215.00	200	Horizontal	Pass
4	401.417	31.15	-22.36	36.0	-4.85	Peak	275.00	200	Horizontal	Pass
5	452.087	31.92	-21.58	36.0	-4.08	Peak	270.00	200	Horizontal	Pass
6	841.687	29.64	-13.77	36.0	-6.36	Peak	80.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	92.064	23.32	-29.23	33.5	-10.18	Peak	265.00	200	Vertical	Pass
2	129.643	24.80	-31.16	33.5	-8.70	Peak	360.00	100	Vertical	Pass
3	195.344	24.61	-27.99	33.5	-8.89	Peak	360.00	200	Vertical	Pass
4	453.784	28.43	-21.44	36.0	-7.57	Peak	251.00	100	Vertical	Pass
5	558.760	25.46	-19.31	36.0	-10.54	Peak	201.00	100	Vertical	Pass
6	840.475	31.38	-13.85	36.0	-4.62	Peak	189.00	200	Vertical	Pass

Note: The spurious above 18G is noise only, do not show on the report.

Main Antenna

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.000	48.18	-17.93	68.2	-20.02	Peak	300.00	150	Horizontal	Pass
1**	1554.000	36.02	-17.93	54.0	-17.98	AV	300.00	150	Horizontal	Pass
2	4253.750	47.74	-4.91	68.2	-20.46	Peak	21.00	150	Horizontal	Pass
2**	4253.750	38.54	-4.91	54.0	-15.46	AV	21.00	150	Horizontal	Pass
3	5184.000	104.37	-2.21	--	--	Peak	117.00	150	Horizontal	N/A
3**	5184.000	96.99	-2.21	--	--	AV	117.00	150	Horizontal	N/A
4	7450.500	52.15	0.71	68.2	-16.05	Peak	0.00	150	Horizontal	Pass
4**	7450.500	43.23	0.71	54.0	-10.77	AV	0.00	150	Horizontal	Pass
5	11216.938	48.57	-4.11	68.2	-19.63	Peak	250.00	150	Horizontal	Pass
5**	11216.938	39.68	-4.11	54.0	-14.32	AV	250.00	150	Horizontal	Pass
6	15948.826	51.91	-0.25	68.2	-16.29	Peak	268.00	150	Horizontal	Pass
6**	15948.826	41.54	-0.25	54.0	-12.46	AV	268.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.700	54.01	-17.44	68.2	-14.19	Peak	188.00	150	Vertical	Pass
1**	1586.700	37.83	-17.44	54.0	-16.17	AV	188.00	150	Vertical	Pass
2	2834.500	46.13	-11.35	68.2	-22.07	Peak	215.00	150	Vertical	Pass
2**	2834.500	33.68	-11.35	54.0	-20.32	AV	215.00	150	Vertical	Pass
3	3993.750	48.24	-6.27	68.2	-19.96	Peak	170.00	150	Vertical	Pass
3**	3993.750	38.63	-6.27	54.0	-15.37	AV	170.00	150	Vertical	Pass
4	5182.750	105.85	-2.08	--	--	Peak	89.00	150	Vertical	N/A
4**	5182.750	98.73	-2.08	--	--	AV	89.00	150	Vertical	N/A
5	11805.225	49.19	-3.50	68.2	-19.01	Peak	313.00	150	Vertical	Pass
5**	11805.225	40.59	-3.50	54.0	-13.41	AV	313.00	150	Vertical	Pass
6	16053.037	51.97	-0.15	68.2	-16.23	Peak	29.00	150	Vertical	Pass
6**	16053.037	43.09	-0.15	54.0	-10.91	AV	29.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.900	46.88	-18.18	68.2	-21.32	Peak	276.00	150	Horizontal	Pass
1**	1154.900	32.44	-18.18	54.0	-21.56	AV	276.00	150	Horizontal	Pass
2	4278.500	47.58	-4.72	68.2	-20.62	Peak	350.00	150	Horizontal	Pass
2**	4278.500	38.55	-4.72	54.0	-15.45	AV	350.00	150	Horizontal	Pass
3	5218.750	105.06	-3.47	--	--	Peak	261.00	150	Horizontal	N/A
3**	5218.750	97.14	-3.47	--	--	AV	261.00	150	Horizontal	N/A
4	7464.750	52.73	0.83	68.2	-15.47	Peak	148.00	150	Horizontal	Pass
4**	7464.750	43.67	0.83	54.0	-10.33	AV	148.00	150	Horizontal	Pass
5	11816.388	49.71	-3.43	68.2	-18.49	Peak	0.00	150	Horizontal	Pass
5**	11816.388	40.36	-3.43	54.0	-13.64	AV	0.00	150	Horizontal	Pass
6	15799.463	51.44	-0.72	68.2	-16.76	Peak	190.00	150	Horizontal	Pass
6**	15799.463	42.13	-0.72	54.0	-11.87	AV	190.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.500	53.63	-17.37	68.2	-14.57	Peak	181.00	150	Vertical	Pass
1**	1604.500	38.59	-17.37	54.0	-15.41	AV	181.00	150	Vertical	Pass
2	2829.500	46.70	-11.51	68.2	-21.50	Peak	222.00	150	Vertical	Pass
2**	2829.500	33.38	-11.51	54.0	-20.62	AV	222.00	150	Vertical	Pass
3	3994.750	48.83	-6.31	68.2	-19.37	Peak	164.00	150	Vertical	Pass
3**	3994.750	38.67	-6.31	54.0	-15.33	AV	164.00	150	Vertical	Pass
4	5222.250	108.21	-3.43	--	--	Peak	92.00	150	Vertical	N/A
4**	5222.250	100.43	-3.43	--	--	AV	92.00	150	Vertical	N/A
5	11788.363	49.54	-3.64	68.2	-18.66	Peak	73.00	150	Vertical	Pass
5**	11788.363	40.11	-3.64	54.0	-13.89	AV	73.00	150	Vertical	Pass
6	15708.112	51.69	-0.07	68.2	-16.51	Peak	150.00	150	Vertical	Pass
6**	15708.112	42.40	-0.07	54.0	-11.60	AV	150.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.000	46.83	-17.48	68.2	-21.37	Peak	121.00	150	Horizontal	Pass
1**	1585.000	35.87	-17.48	54.0	-18.13	AV	121.00	150	Horizontal	Pass
2	4284.500	47.86	-4.72	68.2	-20.34	Peak	309.00	150	Horizontal	Pass
2**	4284.500	38.26	-4.72	54.0	-15.74	AV	309.00	150	Horizontal	Pass
3	5238.750	103.63	-3.22	--	--	Peak	269.00	150	Horizontal	N/A
3**	5238.750	95.50	-3.22	--	--	AV	269.00	150	Horizontal	N/A
4	7444.500	52.39	0.43	68.2	-15.81	Peak	9.00	150	Horizontal	Pass
4**	7444.500	43.30	0.43	54.0	-10.70	AV	9.00	150	Horizontal	Pass
5	12446.713	49.12	-2.20	68.2	-19.08	Peak	51.00	150	Horizontal	Pass
5**	12446.713	40.38	-2.20	54.0	-13.62	AV	51.00	150	Horizontal	Pass
6	15959.588	51.82	-0.22	68.2	-16.38	Peak	338.00	150	Horizontal	Pass
6**	15959.588	41.84	-0.22	54.0	-12.16	AV	338.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.000	54.02	-17.47	68.2	-14.18	Peak	183.00	150	Horizontal	Pass
1**	1576.000	40.45	-17.47	54.0	-13.55	AV	183.00	150	Horizontal	Pass
2	3992.000	48.90	-6.24	68.2	-19.30	Peak	171.00	150	Horizontal	Pass
2**	3992.000	38.20	-6.24	54.0	-15.80	AV	171.00	150	Horizontal	Pass
3	5236.500	108.86	-3.30	--	--	Peak	100.00	150	Horizontal	N/A
3**	5236.500	101.41	-3.30	--	--	AV	100.00	150	Horizontal	N/A
4	7441.500	52.49	0.39	68.2	-15.71	Peak	130.00	150	Horizontal	Pass
4**	7441.500	43.24	0.39	54.0	-10.76	AV	130.00	150	Horizontal	Pass
5	11436.387	49.56	-3.96	68.2	-18.64	Peak	176.00	150	Horizontal	Pass
5**	11436.387	39.89	-3.96	54.0	-14.11	AV	176.00	150	Horizontal	Pass
6	15840.938	51.82	-0.76	68.2	-16.38	Peak	160.00	150	Horizontal	Pass
6**	15840.938	41.42	-0.76	54.0	-12.58	AV	160.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.800	47.28	-17.75	68.2	-20.92	Peak	300.00	150	Horizontal	Pass
1**	1590.800	36.57	-17.75	54.0	-17.43	AV	300.00	150	Horizontal	Pass
2	4221.000	47.26	-5.53	68.2	-20.94	Peak	360.00	150	Horizontal	Pass
2**	4221.000	36.90	-5.53	54.0	-17.10	AV	360.00	150	Horizontal	Pass
3	5183.750	104.28	-2.18	--	--	Peak	260.00	150	Horizontal	N/A
3**	5183.750	96.77	-2.18	--	--	AV	260.00	150	Horizontal	N/A
4	7536.500	53.35	0.65	68.2	-14.85	Peak	130.00	150	Horizontal	Pass
4**	7536.500	43.10	0.65	54.0	-10.90	AV	130.00	150	Horizontal	Pass
5	12450.513	49.74	-2.16	68.2	-18.46	Peak	174.00	150	Horizontal	Pass
5**	12450.513	40.91	-2.16	54.0	-13.09	AV	174.00	150	Horizontal	Pass
6	15545.362	51.28	-0.55	68.2	-16.92	Peak	228.00	150	Horizontal	Pass
6**	15545.362	41.38	-0.55	54.0	-12.62	AV	228.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.000	53.22	-17.56	68.2	-14.98	Peak	178.00	150	Vertical	Pass
1**	1595.000	40.07	-17.56	54.0	-13.93	AV	178.00	150	Vertical	Pass
2	3991.750	48.40	-6.24	68.2	-19.80	Peak	160.00	150	Vertical	Pass
2**	3991.750	39.29	-6.24	54.0	-14.71	AV	160.00	150	Vertical	Pass
3	5183.500	105.81	-2.15	--	--	Peak	88.00	150	Vertical	N/A
3**	5183.500	98.61	-2.15	--	--	AV	88.00	150	Vertical	N/A
4	7476.750	53.09	0.39	68.2	-15.11	Peak	347.00	150	Vertical	Pass
4**	7476.750	43.36	0.39	54.0	-10.64	AV	347.00	150	Vertical	Pass
5	11813.775	49.42	-3.44	68.2	-18.78	Peak	360.00	150	Vertical	Pass
5**	11813.775	40.56	-3.44	54.0	-13.44	AV	360.00	150	Vertical	Pass
6	15814.688	51.30	-0.73	68.2	-16.90	Peak	298.00	150	Vertical	Pass
6**	15814.688	42.14	-0.73	54.0	-11.86	AV	298.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.800	46.25	-17.57	68.2	-21.95	Peak	283.00	150	Horizontal	Pass
1**	1571.800	31.19	-17.57	54.0	-22.81	AV	283.00	150	Horizontal	Pass
2	4150.000	47.77	-6.09	68.2	-20.43	Peak	275.00	150	Horizontal	Pass
2**	4150.000	38.76	-6.09	54.0	-15.24	AV	275.00	150	Horizontal	Pass
3	5222.000	103.08	-3.42	--	--	Peak	122.00	150	Horizontal	N/A
3**	5222.000	96.25	-3.42	--	--	AV	122.00	150	Horizontal	N/A
4	7510.250	54.00	0.54	68.2	-14.20	Peak	258.00	150	Horizontal	Pass
4**	7510.250	45.59	0.54	54.0	-8.41	AV	258.00	150	Horizontal	Pass
5	11690.750	49.14	-4.25	68.2	-19.06	Peak	154.00	150	Horizontal	Pass
5**	11690.750	39.43	-4.25	54.0	-14.57	AV	154.00	150	Horizontal	Pass
6	15567.938	51.46	-0.79	68.2	-16.74	Peak	78.00	150	Horizontal	Pass
6**	15567.938	41.72	-0.79	54.0	-12.28	AV	78.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.000	50.27	-17.73	68.2	-17.93	Peak	178.00	150	Vertical	Pass
1**	1550.000	37.20	-17.73	54.0	-16.80	AV	178.00	150	Vertical	Pass
2	2828.600	46.05	-11.56	68.2	-22.15	Peak	215.00	150	Vertical	Pass
2**	2828.600	33.43	-11.56	54.0	-20.57	AV	215.00	150	Vertical	Pass
3	3991.500	49.50	-6.25	68.2	-18.70	Peak	167.00	150	Vertical	Pass
3**	3991.500	38.51	-6.25	54.0	-15.49	AV	167.00	150	Vertical	Pass
4	5221.500	108.53	-3.38	--	--	Peak	282.00	150	Vertical	N/A
4**	5221.500	101.74	-3.38	--	--	AV	282.00	150	Vertical	N/A
5	11815.912	49.35	-3.43	68.2	-18.85	Peak	154.00	150	Vertical	Pass
5**	11815.912	40.22	-3.43	54.0	-13.78	AV	154.00	150	Vertical	Pass
6	15557.175	51.34	-0.63	68.2	-16.86	Peak	353.00	150	Vertical	Pass
6**	15557.175	41.54	-0.63	54.0	-12.46	AV	353.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.500	47.12	-17.82	68.2	-21.08	Peak	124.00	150	Horizontal	Pass
1**	1198.500	35.15	-17.82	54.0	-18.85	AV	124.00	150	Horizontal	Pass
2	4014.250	47.08	-5.65	68.2	-21.12	Peak	91.00	150	Horizontal	Pass
2**	4014.250	37.70	-5.65	54.0	-16.30	AV	91.00	150	Horizontal	Pass
3	5241.000	103.96	-3.32	--	--	Peak	241.00	150	Horizontal	N/A
3**	5241.000	95.44	-3.32	--	--	AV	241.00	150	Horizontal	N/A
4	7510.250	52.52	0.54	68.2	-15.68	Peak	34.00	150	Horizontal	Pass
4**	7510.250	43.13	0.54	54.0	-10.87	AV	34.00	150	Horizontal	Pass
5	11710.224	49.29	-4.15	68.2	-18.91	Peak	29.00	150	Horizontal	Pass
5**	11710.224	40.32	-4.15	54.0	-13.68	AV	29.00	150	Horizontal	Pass
6	16048.838	51.95	-0.10	68.2	-16.25	Peak	1.00	150	Horizontal	Pass
6**	16048.838	43.11	-0.10	54.0	-10.89	AV	1.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.600	52.99	-17.60	68.2	-15.21	Peak	190.00	150	Vertical	Pass
1**	1596.600	38.49	-17.60	54.0	-15.51	AV	190.00	150	Vertical	Pass
2	3999.750	47.74	-5.90	68.2	-20.46	Peak	168.00	150	Vertical	Pass
2**	3999.750	39.98	-5.90	54.0	-14.02	AV	168.00	150	Vertical	Pass
3	5238.500	109.30	-3.22	--	--	Peak	282.00	150	Vertical	N/A
3**	5238.500	101.65	-3.22	--	--	AV	282.00	150	Vertical	N/A
4	7515.500	52.65	0.88	68.2	-15.55	Peak	306.00	150	Vertical	Pass
4**	7515.500	43.96	0.88	54.0	-10.04	AV	306.00	150	Vertical	Pass
5	12442.438	49.81	-2.27	68.2	-18.39	Peak	98.00	150	Vertical	Pass
5**	12442.438	40.70	-2.27	54.0	-13.30	AV	98.00	150	Vertical	Pass
6	16029.938	52.25	-0.12	68.2	-15.95	Peak	176.00	150	Vertical	Pass
6**	16029.938	42.43	-0.12	54.0	-11.57	AV	176.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.600	46.98	-18.24	68.2	-21.22	Peak	119.00	150	Horizontal	Pass
1**	1157.600	33.83	-18.24	54.0	-20.17	AV	119.00	150	Horizontal	Pass
2	4298.000	47.62	-4.61	68.2	-20.58	Peak	61.00	150	Horizontal	Pass
2**	4298.000	38.40	-4.61	54.0	-15.60	AV	61.00	150	Horizontal	Pass
3	5183.750	101.56	-2.18	--	--	Peak	110.00	150	Horizontal	N/A
3**	5183.750	93.77	-2.18	--	--	AV	110.00	150	Horizontal	N/A
4	7450.250	52.96	0.68	68.2	-15.24	Peak	225.00	150	Horizontal	Pass
4**	7450.250	43.99	0.68	54.0	-10.01	AV	225.00	150	Horizontal	Pass
5	11811.401	49.59	-3.46	68.2	-18.61	Peak	360.00	150	Horizontal	Pass
5**	11811.401	40.25	-3.46	54.0	-13.75	AV	360.00	150	Horizontal	Pass
6	15716.775	51.12	-0.25	68.2	-17.08	Peak	168.00	150	Horizontal	Pass
6**	15716.775	42.79	-0.25	54.0	-11.21	AV	168.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.400	51.72	-17.66	68.2	-16.48	Peak	357.00	150	Vertical	Pass
1**	1601.400	38.34	-17.66	54.0	-15.66	AV	357.00	150	Vertical	Pass
2	3989.750	50.04	-6.24	68.2	-18.16	Peak	183.00	150	Vertical	Pass
2**	3989.750	37.77	-6.24	54.0	-16.23	AV	183.00	150	Vertical	Pass
3	5197.000	105.03	-3.25	--	--	Peak	290.00	150	Vertical	N/A
3**	5197.000	97.48	-3.25	--	--	AV	290.00	150	Vertical	N/A
4	7455.500	52.33	1.16	68.2	-15.87	Peak	307.00	150	Vertical	Pass
4**	7455.500	44.20	1.16	54.0	-9.80	AV	307.00	150	Vertical	Pass
5	12285.213	49.39	-2.58	68.2	-18.81	Peak	0.00	150	Vertical	Pass
5**	12285.213	40.65	-2.58	54.0	-13.35	AV	0.00	150	Vertical	Pass
6	15784.500	51.39	-0.79	68.2	-16.81	Peak	162.00	150	Vertical	Pass
6**	15784.500	42.07	-0.79	54.0	-11.93	AV	162.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.400	46.34	-18.22	68.2	-21.86	Peak	124.00	150	Horizontal	Pass
1**	1155.400	36.42	-18.22	54.0	-17.58	AV	124.00	150	Horizontal	Pass
2	4133.750	47.46	-5.61	68.2	-20.74	Peak	91.00	150	Horizontal	Pass
2**	4133.750	37.16	-5.61	54.0	-16.84	AV	91.00	150	Horizontal	Pass
3	5218.500	100.46	-3.47	--	--	Peak	250.00	150	Horizontal	N/A
3**	5218.500	93.01	-3.47	--	--	AV	250.00	150	Horizontal	N/A
4	7532.500	52.51	0.63	68.2	-15.69	Peak	74.00	150	Horizontal	Pass
4**	7532.500	43.03	0.63	54.0	-10.97	AV	74.00	150	Horizontal	Pass
5	11789.787	49.68	-3.63	68.2	-18.52	Peak	360.00	150	Horizontal	Pass
5**	11789.787	40.87	-3.63	54.0	-13.13	AV	360.00	150	Horizontal	Pass
6	16134.674	51.77	-0.62	68.2	-16.43	Peak	304.00	150	Horizontal	Pass
6**	16134.674	42.01	-0.62	54.0	-11.99	AV	304.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.600	52.96	-17.46	68.2	-15.24	Peak	174.00	150	Vertical	Pass
1**	1574.600	39.01	-17.46	54.0	-14.99	AV	174.00	150	Vertical	Pass
2	3997.250	48.41	-6.11	68.2	-19.79	Peak	183.00	150	Vertical	Pass
2**	3997.250	39.50	-6.11	54.0	-14.50	AV	183.00	150	Vertical	Pass
3	5239.250	106.71	-3.22	--	--	Peak	290.00	150	Vertical	N/A
3**	5239.250	99.30	-3.22	--	--	AV	290.00	150	Vertical	N/A
4	7516.500	53.34	0.93	68.2	-14.86	Peak	140.00	150	Vertical	Pass
4**	7516.500	43.74	0.93	54.0	-10.26	AV	140.00	150	Vertical	Pass
5	12450.037	50.11	-2.15	68.2	-18.09	Peak	0.00	150	Vertical	Pass
5**	12450.037	40.83	-2.15	54.0	-13.17	AV	0.00	150	Vertical	Pass
6	16055.925	52.06	-0.20	68.2	-16.14	Peak	208.00	150	Vertical	Pass
6**	16055.925	42.43	-0.20	54.0	-11.57	AV	208.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.300	47.09	-18.25	68.2	-21.11	Peak	121.00	150	Horizontal	Pass
1**	1156.300	31.52	-18.25	54.0	-22.48	AV	121.00	150	Horizontal	Pass
2	4065.250	46.51	-5.96	68.2	-21.69	Peak	120.00	150	Horizontal	Pass
2**	4065.250	36.93	-5.96	54.0	-17.07	AV	120.00	150	Horizontal	Pass
3	5177.500	104.33	-2.47	--	--	Peak	111.00	150	Horizontal	N/A
3**	5177.500	96.91	-2.47	--	--	AV	111.00	150	Horizontal	N/A
4	7464.750	52.90	0.83	68.2	-15.30	Peak	13.00	150	Horizontal	Pass
4**	7464.750	43.90	0.83	54.0	-10.10	AV	13.00	150	Horizontal	Pass
5	11446.362	49.71	-3.90	68.2	-18.49	Peak	242.00	150	Horizontal	Pass
5**	11446.362	39.74	-3.90	54.0	-14.26	AV	242.00	150	Horizontal	Pass
6	15969.037	51.82	-0.20	68.2	-16.38	Peak	17.00	150	Horizontal	Pass
6**	15969.037	41.45	-0.20	54.0	-12.55	AV	17.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.400	52.03	-17.61	68.2	-16.17	Peak	192.00	150	Vertical	Pass
1**	1567.400	38.08	-17.61	54.0	-15.92	AV	192.00	150	Vertical	Pass
2	3983.500	48.68	-6.07	68.2	-19.52	Peak	167.00	150	Vertical	Pass
2**	3983.500	38.21	-6.07	54.0	-15.79	AV	167.00	150	Vertical	Pass
3	5183.750	108.22	-2.18	--	--	Peak	290.00	150	Vertical	N/A
3**	5183.750	100.29	-2.18	--	--	AV	290.00	150	Vertical	N/A
4	7522.750	52.67	0.93	68.2	-15.53	Peak	333.00	150	Vertical	Pass
4**	7522.750	43.02	0.93	54.0	-10.98	AV	333.00	150	Vertical	Pass
5	12301.362	49.90	-2.45	68.2	-18.30	Peak	350.00	150	Vertical	Pass
5**	12301.362	40.62	-2.45	54.0	-13.38	AV	350.00	150	Vertical	Pass
6	15841.463	51.36	-0.76	68.2	-16.84	Peak	260.00	150	Vertical	Pass
6**	15841.463	41.80	-0.76	54.0	-12.20	AV	260.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.900	47.29	-18.25	68.2	-20.91	Peak	122.00	150	Horizontal	Pass
1**	1155.900	34.23	-18.25	54.0	-19.77	AV	122.00	150	Horizontal	Pass
2	4077.750	46.87	-5.87	68.2	-21.33	Peak	61.00	150	Horizontal	Pass
2**	4077.750	37.02	-5.87	54.0	-16.98	AV	61.00	150	Horizontal	Pass
3	5217.500	103.52	-3.47	--	--	Peak	241.00	150	Horizontal	N/A
3**	5217.500	95.89	-3.47	--	--	AV	241.00	150	Horizontal	N/A
4	7448.250	52.46	0.46	68.2	-15.74	Peak	267.00	150	Horizontal	Pass
4**	7448.250	43.81	0.46	54.0	-10.19	AV	267.00	150	Horizontal	Pass
5	12297.326	49.69	-2.46	68.2	-18.51	Peak	85.00	150	Horizontal	Pass
5**	12297.326	40.92	-2.46	54.0	-13.08	AV	85.00	150	Horizontal	Pass
6	15951.974	52.55	-0.23	68.2	-15.65	Peak	0.00	150	Horizontal	Pass
6**	15951.974	42.37	-0.23	54.0	-11.63	AV	0.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.000	52.40	-17.56	68.2	-15.80	Peak	185.00	150	Vertical	Pass
1**	1595.000	38.91	-17.56	54.0	-15.09	AV	185.00	150	Vertical	Pass
2	3998.500	47.83	-5.99	68.2	-20.37	Peak	167.00	150	Vertical	Pass
2**	3998.500	38.39	-5.99	54.0	-15.61	AV	167.00	150	Vertical	Pass
3	5218.500	108.08	-3.47	--	--	Peak	282.00	150	Vertical	N/A
3**	5218.500	100.41	-3.47	--	--	AV	282.00	150	Vertical	N/A
4	7516.000	52.38	0.93	68.2	-15.82	Peak	76.00	150	Vertical	Pass
4**	7516.000	43.76	0.93	54.0	-10.24	AV	76.00	150	Vertical	Pass
5	12203.750	49.31	-2.98	68.2	-18.89	Peak	213.00	150	Vertical	Pass
5**	12203.750	40.72	-2.98	54.0	-13.28	AV	213.00	150	Vertical	Pass
6	16037.287	51.93	-0.11	68.2	-16.27	Peak	3.00	150	Vertical	Pass
6**	16037.287	42.21	-0.11	54.0	-11.79	AV	3.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.500	47.67	-18.24	68.2	-20.53	Peak	122.00	150	Horizontal	Pass
1**	1157.500	34.91	-18.24	54.0	-19.09	AV	122.00	150	Horizontal	Pass
2	3980.000	47.10	-6.05	68.2	-21.10	Peak	150.00	150	Horizontal	Pass
2**	3980.000	38.32	-6.05	54.0	-15.68	AV	150.00	150	Horizontal	Pass
3	5238.000	103.21	-3.23	--	--	Peak	241.00	150	Horizontal	N/A
3**	5238.000	96.40	-3.23	--	--	AV	241.00	150	Horizontal	N/A
4	7450.250	52.58	0.68	68.2	-15.62	Peak	241.00	150	Horizontal	Pass
4**	7450.250	43.59	0.68	54.0	-10.41	AV	241.00	150	Horizontal	Pass
5	11218.600	49.84	-4.12	68.2	-18.36	Peak	112.00	150	Horizontal	Pass
5**	11218.600	40.22	-4.12	54.0	-13.78	AV	112.00	150	Horizontal	Pass
6	16181.401	51.95	-0.45	68.2	-16.25	Peak	329.00	150	Horizontal	Pass
6**	16181.401	42.50	-0.45	54.0	-11.50	AV	329.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.800	51.48	-17.62	68.2	-16.72	Peak	181.00	150	Vertical	Pass
1**	1568.800	40.12	-17.62	54.0	-13.88	AV	181.00	150	Vertical	Pass
2	3982.750	47.88	-6.10	68.2	-20.32	Peak	184.00	150	Vertical	Pass
2**	3982.750	39.20	-6.10	54.0	-14.80	AV	184.00	150	Vertical	Pass
3	5235.250	108.33	-3.29	--	--	Peak	292.00	150	Vertical	N/A
3**	5235.250	100.99	-3.29	--	--	AV	292.00	150	Vertical	N/A
4	7504.750	53.15	-0.26	68.2	-15.05	Peak	201.00	150	Vertical	Pass
4**	7504.750	43.61	-0.26	54.0	-10.39	AV	201.00	150	Vertical	Pass
5	11812.112	49.13	-3.45	68.2	-19.07	Peak	53.00	150	Vertical	Pass
5**	11812.112	40.29	-3.45	54.0	-13.71	AV	53.00	150	Vertical	Pass
6	15711.000	51.39	-0.13	68.2	-16.81	Peak	329.00	150	Vertical	Pass
6**	15711.000	42.64	-0.13	54.0	-11.36	AV	329.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.000	47.04	-18.26	68.2	-21.16	Peak	117.00	150	Horizontal	Pass
1**	1156.000	33.65	-18.26	54.0	-20.35	AV	117.00	150	Horizontal	Pass
2	4246.500	47.36	-5.09	68.2	-20.84	Peak	225.00	150	Horizontal	Pass
2**	4246.500	38.23	-5.09	54.0	-15.77	AV	225.00	150	Horizontal	Pass
3	5178.750	101.49	-2.25	--	--	Peak	118.00	150	Horizontal	N/A
3**	5178.750	92.72	-2.25	--	--	AV	118.00	150	Horizontal	N/A
4	7510.500	53.19	0.53	68.2	-15.01	Peak	0.00	150	Horizontal	Pass
4**	7510.500	43.73	0.53	54.0	-10.27	AV	0.00	150	Horizontal	Pass
5	11768.887	49.39	-3.81	68.2	-18.81	Peak	333.00	150	Horizontal	Pass
5**	11768.887	39.07	-3.81	54.0	-14.93	AV	333.00	150	Horizontal	Pass
6	15706.537	51.14	-0.03	68.2	-17.06	Peak	353.00	150	Horizontal	Pass
6**	15706.537	42.46	-0.03	54.0	-11.54	AV	353.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.500	52.48	-17.45	68.2	-15.72	Peak	186.00	150	Vertical	Pass
1**	1586.500	38.88	-17.45	54.0	-15.12	AV	186.00	150	Vertical	Pass
2	3990.500	48.84	-6.25	68.2	-19.36	Peak	160.00	150	Vertical	Pass
2**	3990.500	38.45	-6.25	54.0	-15.55	AV	160.00	150	Vertical	Pass
3	5186.750	105.07	-2.43	--	--	Peak	292.00	150	Vertical	N/A
3**	5186.750	96.66	-2.43	--	--	AV	292.00	150	Vertical	N/A
4	7452.250	52.84	0.92	68.2	-15.36	Peak	260.00	150	Vertical	Pass
4**	7452.250	43.89	0.92	54.0	-10.11	AV	260.00	150	Vertical	Pass
5	11688.375	50.09	-4.26	68.2	-18.11	Peak	264.00	150	Vertical	Pass
5**	11688.375	40.56	-4.26	54.0	-13.44	AV	264.00	150	Vertical	Pass
6	15550.612	51.50	-0.53	68.2	-16.70	Peak	295.00	150	Vertical	Pass
6**	15550.612	42.19	-0.53	54.0	-11.81	AV	295.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1193.600	46.40	-17.92	68.2	-21.80	Peak	116.00	150	Horizontal	Pass
1**	1193.600	31.85	-17.92	54.0	-22.15	AV	116.00	150	Horizontal	Pass
2	4254.000	48.05	-4.88	68.2	-20.15	Peak	227.00	150	Horizontal	Pass
2**	4254.000	38.22	-4.88	54.0	-15.78	AV	227.00	150	Horizontal	Pass
3	5219.750	100.40	-3.44	--	--	Peak	252.00	150	Horizontal	N/A
3**	5219.750	92.88	-3.44	--	--	AV	252.00	150	Horizontal	N/A
4	7512.250	52.25	0.52	68.2	-15.95	Peak	127.00	150	Horizontal	Pass
4**	7512.250	43.73	0.52	54.0	-10.27	AV	127.00	150	Horizontal	Pass
5	12302.550	49.97	-2.45	68.2	-18.23	Peak	0.00	150	Horizontal	Pass
5**	12302.550	41.09	-2.45	54.0	-12.91	AV	0.00	150	Horizontal	Pass
6	15698.138	51.27	0.05	68.2	-16.93	Peak	171.00	150	Horizontal	Pass
6**	15698.138	42.17	0.05	54.0	-11.83	AV	171.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.300	52.01	-17.56	68.2	-16.19	Peak	187.00	150	Vertical	Pass
1**	1573.300	36.36	-17.56	54.0	-17.64	AV	187.00	150	Vertical	Pass
2	3989.750	48.62	-6.24	68.2	-19.58	Peak	185.00	150	Vertical	Pass
2**	3989.750	37.75	-6.24	54.0	-16.25	AV	185.00	150	Vertical	Pass
3	5239.500	107.17	-3.22	--	--	Peak	293.00	150	Vertical	N/A
3**	5239.500	99.74	-3.22	--	--	AV	293.00	150	Vertical	N/A
4	7455.250	52.87	1.16	68.2	-15.33	Peak	269.00	150	Vertical	Pass
4**	7455.250	44.58	1.16	54.0	-9.42	AV	269.00	150	Vertical	Pass
5	11800.713	49.32	-3.53	68.2	-18.88	Peak	59.00	150	Vertical	Pass
5**	11800.713	40.58	-3.53	54.0	-13.42	AV	59.00	150	Vertical	Pass
6	15480.001	52.60	-0.56	68.2	-15.60	Peak	77.00	150	Vertical	Pass
6**	15480.001	41.54	-0.56	54.0	-12.46	AV	77.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.100	47.61	-18.08	68.2	-20.59	Peak	108.00	150	Horizontal	Pass
1**	1160.100	30.83	-18.08	54.0	-23.17	AV	108.00	150	Horizontal	Pass
2	4294.000	47.96	-4.49	68.2	-20.24	Peak	193.00	150	Horizontal	Pass
2**	4294.000	38.53	-4.49	54.0	-15.47	AV	193.00	150	Horizontal	Pass
3	5185.000	97.93	-2.33	--	--	Peak	120.00	150	Horizontal	N/A
3**	5185.000	90.39	-2.33	--	--	AV	120.00	150	Horizontal	N/A
4	7514.250	52.13	0.77	68.2	-16.07	Peak	103.00	150	Horizontal	Pass
4**	7514.250	43.45	0.77	54.0	-10.55	AV	103.00	150	Horizontal	Pass
5	12405.862	49.70	-2.82	68.2	-18.50	Peak	294.00	150	Horizontal	Pass
5**	12405.862	39.06	-2.82	54.0	-14.94	AV	294.00	150	Horizontal	Pass
6	15945.938	51.12	-0.31	68.2	-17.08	Peak	43.00	150	Horizontal	Pass
6**	15945.938	41.37	-0.31	54.0	-12.63	AV	43.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.000	51.81	-17.42	68.2	-16.39	Peak	181.00	150	Vertical	Pass
1**	1587.000	39.62	-17.42	54.0	-14.38	AV	181.00	150	Vertical	Pass
2	3983.250	47.75	-6.08	68.2	-20.45	Peak	187.00	150	Vertical	Pass
2**	3983.250	37.97	-6.08	54.0	-16.03	AV	187.00	150	Vertical	Pass
3	5216.000	102.26	-3.43	--	--	Peak	295.00	150	Vertical	N/A
3**	5216.000	93.85	-3.43	--	--	AV	295.00	150	Vertical	N/A
4	7459.500	52.55	1.14	68.2	-15.65	Peak	311.00	150	Vertical	Pass
4**	7459.500	44.06	1.14	54.0	-9.94	AV	311.00	150	Vertical	Pass
5	11807.600	50.02	-3.48	68.2	-18.18	Peak	319.00	150	Vertical	Pass
5**	11807.600	39.25	-3.48	54.0	-14.75	AV	319.00	150	Vertical	Pass
6	16140.188	51.41	-0.57	68.2	-16.79	Peak	29.00	150	Vertical	Pass
6**	16140.188	41.77	-0.57	54.0	-12.23	AV	29.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.500	47.08	-18.25	68.2	-21.12	Peak	267.00	150	Horizontal	Pass
1**	1156.500	35.14	-18.25	54.0	-18.86	AV	267.00	150	Horizontal	Pass
2	4280.500	48.18	-4.75	68.2	-20.02	Peak	144.00	150	Horizontal	Pass
2**	4280.500	38.29	-4.75	54.0	-15.71	AV	144.00	150	Horizontal	Pass
3	5182.500	104.59	-2.10	--	--	Peak	119.00	150	Horizontal	N/A
3**	5182.500	97.35	-2.10	--	--	AV	119.00	150	Horizontal	N/A
4	7457.000	53.18	1.14	68.2	-15.02	Peak	184.00	150	Horizontal	Pass
4**	7457.000	43.87	1.14	54.0	-10.13	AV	184.00	150	Horizontal	Pass
5	11800.950	49.45	-3.53	68.2	-18.75	Peak	194.00	150	Horizontal	Pass
5**	11800.950	40.81	-3.53	54.0	-13.19	AV	194.00	150	Horizontal	Pass
6	15709.950	51.62	-0.11	68.2	-16.58	Peak	293.00	150	Horizontal	Pass
6**	15709.950	43.56	-0.11	54.0	-10.44	AV	293.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1589.900	51.30	-17.64	68.2	-16.90	Peak	182.00	150	Vertical	Pass
1**	1589.900	38.09	-17.64	54.0	-15.91	AV	182.00	150	Vertical	Pass
2	3981.750	48.66	-6.09	68.2	-19.54	Peak	185.00	150	Vertical	Pass
2**	3981.750	38.26	-6.09	54.0	-15.74	AV	185.00	150	Vertical	Pass
3	5176.250	108.83	-2.63	--	--	Peak	291.00	150	Vertical	N/A
3**	5176.250	100.70	-2.63	--	--	AV	291.00	150	Vertical	N/A
4	7516.750	52.15	0.93	68.2	-16.05	Peak	176.00	150	Vertical	Pass
4**	7516.750	43.38	0.93	54.0	-10.62	AV	176.00	150	Vertical	Pass
5	11803.800	49.54	-3.51	68.2	-18.66	Peak	0.00	150	Vertical	Pass
5**	11803.800	40.43	-3.51	54.0	-13.57	AV	0.00	150	Vertical	Pass
6	15702.862	51.31	0.04	68.2	-16.89	Peak	308.00	150	Vertical	Pass
6**	15702.862	42.05	0.04	54.0	-11.95	AV	308.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1168.900	48.13	-18.32	68.2	-20.07	Peak	125.00	150	Horizontal	Pass
1**	1168.900	34.19	-18.32	54.0	-19.81	AV	125.00	150	Horizontal	Pass
2	4307.500	47.98	-4.16	68.2	-20.22	Peak	21.00	150	Horizontal	Pass
2**	4307.500	39.39	-4.16	54.0	-14.61	AV	21.00	150	Horizontal	Pass
3	5222.750	104.41	-3.46	--	--	Peak	129.00	150	Horizontal	N/A
3**	5222.750	96.63	-3.46	--	--	AV	129.00	150	Horizontal	N/A
4	7488.250	52.47	-0.24	68.2	-15.73	Peak	360.00	150	Horizontal	Pass
4**	7488.250	43.01	-0.24	54.0	-10.99	AV	360.00	150	Horizontal	Pass
5	12205.650	49.72	-2.98	68.2	-18.48	Peak	1.00	150	Horizontal	Pass
5**	12205.650	40.18	-2.98	54.0	-13.82	AV	1.00	150	Horizontal	Pass
6	15826.763	52.14	-0.74	68.2	-16.06	Peak	350.00	150	Horizontal	Pass
6**	15826.763	42.39	-0.74	54.0	-11.61	AV	350.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.700	50.80	-17.60	68.2	-17.40	Peak	180.00	150	Vertical	Pass
1**	1572.700	37.03	-17.60	54.0	-16.97	AV	180.00	150	Vertical	Pass
2	3997.000	48.52	-6.13	68.2	-19.68	Peak	166.00	150	Vertical	Pass
2**	3997.000	39.82	-6.13	54.0	-14.18	AV	166.00	150	Vertical	Pass
3	5217.250	109.14	-3.46	--	--	Peak	291.00	150	Vertical	N/A
3**	5217.250	101.04	-3.46	--	--	AV	291.00	150	Vertical	N/A
4	7451.750	53.37	0.86	68.2	-14.83	Peak	332.00	150	Vertical	Pass
4**	7451.750	43.89	0.86	54.0	-10.11	AV	332.00	150	Vertical	Pass
5	12298.750	49.72	-2.45	68.2	-18.48	Peak	0.00	150	Vertical	Pass
5**	12298.750	40.17	-2.45	54.0	-13.83	AV	0.00	150	Vertical	Pass
6	16060.650	51.69	-0.29	68.2	-16.51	Peak	53.00	150	Vertical	Pass
6**	16060.650	42.67	-0.29	54.0	-11.33	AV	53.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.000	47.43	-18.25	68.2	-20.77	Peak	118.00	150	Horizontal	Pass
1**	1157.000	34.62	-18.25	54.0	-19.38	AV	118.00	150	Horizontal	Pass
2	4223.750	47.11	-5.47	68.2	-21.09	Peak	44.00	150	Horizontal	Pass
2**	4223.750	37.46	-5.47	54.0	-16.54	AV	44.00	150	Horizontal	Pass
3	5243.500	105.05	-3.60	--	--	Peak	125.00	150	Horizontal	N/A
3**	5243.500	95.71	-3.60	--	--	AV	125.00	150	Horizontal	N/A
4	7512.750	52.76	0.58	68.2	-15.44	Peak	76.00	150	Horizontal	Pass
4**	7512.750	43.66	0.58	54.0	-10.34	AV	76.00	150	Horizontal	Pass
5	12304.925	49.83	-2.47	68.2	-18.37	Peak	103.00	150	Horizontal	Pass
5**	12304.925	40.30	-2.47	54.0	-13.70	AV	103.00	150	Horizontal	Pass
6	15945.413	51.37	-0.32	68.2	-16.83	Peak	353.00	150	Horizontal	Pass
6**	15945.413	42.45	-0.32	54.0	-11.55	AV	353.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.500	51.35	-17.54	68.2	-16.85	Peak	183.00	150	Vertical	Pass
1**	1593.500	43.04	-17.54	54.0	-10.96	AV	183.00	150	Vertical	Pass
2	3981.500	47.97	-6.07	68.2	-20.23	Peak	166.00	150	Vertical	Pass
2**	3981.500	38.49	-6.07	54.0	-15.51	AV	166.00	150	Vertical	Pass
3	5238.500	109.71	-3.22	--	--	Peak	298.00	150	Vertical	N/A
3**	5238.500	100.92	-3.22	--	--	AV	298.00	150	Vertical	N/A
4	7462.500	53.04	1.09	68.2	-15.16	Peak	249.00	150	Vertical	Pass
4**	7462.500	43.90	1.09	54.0	-10.10	AV	249.00	150	Vertical	Pass
5	12070.038	48.98	-3.49	68.2	-19.22	Peak	204.00	150	Vertical	Pass
5**	12070.038	38.67	-3.49	54.0	-15.33	AV	204.00	150	Vertical	Pass
6	15471.075	51.74	-0.44	68.2	-16.46	Peak	321.00	150	Vertical	Pass
6**	15471.075	41.85	-0.44	54.0	-12.15	AV	321.00	150	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.300	47.55	-18.21	68.2	-20.65	Peak	165.00	150	Horizontal	Pass
1**	1155.300	33.85	-18.21	54.0	-20.15	AV	165.00	150	Horizontal	Pass
2	4121.500	47.49	-5.89	68.2	-20.71	Peak	110.00	150	Horizontal	Pass
2**	4121.500	36.58	-5.89	54.0	-17.42	AV	110.00	150	Horizontal	Pass
3	5179.000	103.01	-2.24	--	--	Peak	119.00	150	Horizontal	N/A
3**	5179.000	93.55	-2.24	--	--	AV	119.00	150	Horizontal	N/A
4	7441.750	52.70	0.41	68.2	-15.50	Peak	126.00	150	Horizontal	Pass
4**	7441.750	43.92	0.41	54.0	-10.08	AV	126.00	150	Horizontal	Pass
5	12421.300	49.30	-2.59	68.2	-18.90	Peak	275.00	150	Horizontal	Pass
5**	12421.300	40.31	-2.59	54.0	-13.69	AV	275.00	150	Horizontal	Pass
6	15812.850	51.70	-0.73	68.2	-16.50	Peak	92.00	150	Horizontal	Pass
6**	15812.850	42.01	-0.73	54.0	-11.99	AV	92.00	150	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.900	51.88	-17.55	68.2	-16.32	Peak	346.00	150	Vertical	Pass
1**	1569.900	40.32	-17.55	54.0	-13.68	AV	346.00	150	Vertical	Pass
2	3984.750	48.89	-6.06	68.2	-19.31	Peak	355.00	150	Vertical	Pass
2**	3984.750	38.73	-6.06	54.0	-15.27	AV	355.00	150	Vertical	Pass
3	5196.000	106.37	-3.17	--	--	Peak	306.00	150	Vertical	N/A
3**	5196.000	96.47	-3.17	--	--	AV	306.00	150	Vertical	N/A
4	7513.250	53.18	0.65	68.2	-15.02	Peak	266.00	150	Vertical	Pass
4**	7513.250	44.35	0.65	54.0	-9.65	AV	266.00	150	Vertical	Pass
5	11691.938	49.90	-4.24	68.2	-18.30	Peak	294.00	150	Vertical	Pass
5**	11691.938	39.80	-4.24	54.0	-14.20	AV	294.00	150	Vertical	Pass
6	15952.238	51.39	-0.23	68.2	-16.81	Peak	193.00	150	Vertical	Pass
6**	15952.238	42.32	-0.23	54.0	-11.68	AV	193.00	150	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.500	47.44	-18.16	68.2	-20.76	Peak	266.00	150	Horizontal	Pass
1**	1154.500	34.76	-18.16	54.0	-19.24	AV	266.00	150	Horizontal	Pass
2	4260.500	47.43	-4.46	68.2	-20.77	Peak	335.00	150	Horizontal	Pass
2**	4260.500	38.48	-4.46	54.0	-15.52	AV	335.00	150	Horizontal	Pass
3	5226.000	102.01	-3.64	--	--	Peak	249.00	150	Horizontal	N/A
3**	5226.000	92.48	-3.64	--	--	AV	249.00	150	Horizontal	N/A
4	7463.250	52.96	1.04	68.2	-15.24	Peak	159.00	150	Horizontal	Pass
4**	7463.250	43.88	1.04	54.0	-10.12	AV	159.00	150	Horizontal	Pass
5	10722.700	49.87	-4.85	68.2	-18.33	Peak	258.00	150	Horizontal	Pass
5**	10722.700	39.77	-4.85	54.0	-14.23	AV	258.00	150	Horizontal	Pass
6	15941.213	52.03	-0.40	68.2	-16.17	Peak	191.00	150	Horizontal	Pass
6**	15941.213	42.93	-0.40	54.0	-11.07	AV	191.00	150	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.300	51.55	-17.55	68.2	-16.65	Peak	185.00	150	Vertical	Pass
1**	1566.300	36.85	-17.55	54.0	-17.15	AV	185.00	150	Vertical	Pass
2	3999.750	47.96	-5.90	68.2	-20.24	Peak	176.00	150	Vertical	Pass
2**	3999.750	39.51	-5.90	54.0	-14.49	AV	176.00	150	Vertical	Pass
3	5240.750	107.64	-3.28	--	--	Peak	299.00	150	Vertical	N/A
3**	5240.750	99.28	-3.28	--	--	AV	299.00	150	Vertical	N/A
4	7455.750	53.96	1.15	68.2	-14.24	Peak	200.00	150	Vertical	Pass
4**	7455.750	44.64	1.15	54.0	-9.36	AV	200.00	150	Vertical	Pass
5	11438.287	49.69	-3.95	68.2	-18.51	Peak	229.00	150	Vertical	Pass
5**	11438.287	39.98	-3.95	54.0	-14.02	AV	229.00	150	Vertical	Pass
6	16143.863	51.61	-0.53	68.2	-16.59	Peak	8.00	150	Vertical	Pass
6**	16143.863	42.97	-0.53	54.0	-11.03	AV	8.00	150	Vertical	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.100	47.06	-18.25	68.2	-21.14	Peak	132.00	150	Horizontal	Pass
1**	1157.100	36.97	-18.25	54.0	-17.03	AV	132.00	150	Horizontal	Pass
2	4212.500	47.30	-5.68	68.2	-20.90	Peak	136.00	150	Horizontal	Pass
2**	4212.500	38.31	-5.68	54.0	-15.69	AV	136.00	150	Horizontal	Pass
3	5189.500	99.10	-2.65	--	--	Peak	119.00	150	Horizontal	N/A
3**	5189.500	89.31	-2.65	--	--	AV	119.00	150	Horizontal	N/A
4	7462.250	53.72	1.10	68.2	-14.48	Peak	102.00	150	Horizontal	Pass
4**	7462.250	43.22	1.10	54.0	-10.78	AV	102.00	150	Horizontal	Pass
5	11799.287	49.48	-3.54	68.2	-18.72	Peak	297.00	150	Horizontal	Pass
5**	11799.287	40.52	-3.54	54.0	-13.48	AV	297.00	150	Horizontal	Pass
6	15831.224	52.44	-0.75	68.2	-15.76	Peak	53.00	150	Horizontal	Pass
6**	15831.224	42.40	-0.75	54.0	-11.60	AV	53.00	150	Horizontal	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.400	52.22	-17.94	68.2	-15.98	Peak	341.00	150	Vertical	Pass
1**	1554.400	37.32	-17.94	54.0	-16.68	AV	341.00	150	Vertical	Pass
2	4295.750	48.77	-4.43	68.2	-19.43	Peak	110.00	150	Vertical	Pass
2**	4295.750	39.16	-4.43	54.0	-14.84	AV	110.00	150	Vertical	Pass
3	5235.250	102.70	-3.29	--	--	Peak	289.00	150	Vertical	N/A
3**	5235.250	94.69	-3.29	--	--	AV	289.00	150	Vertical	N/A
4	7456.500	53.11	1.14	68.2	-15.09	Peak	151.00	150	Vertical	Pass
4**	7456.500	44.89	1.14	54.0	-9.11	AV	151.00	150	Vertical	Pass
5	11802.375	49.24	-3.52	68.2	-18.96	Peak	111.00	150	Vertical	Pass
5**	11802.375	40.21	-3.52	54.0	-13.79	AV	111.00	150	Vertical	Pass
6	16156.463	52.46	-0.46	68.2	-15.74	Peak	180.00	150	Vertical	Pass
6**	16156.463	43.36	-0.46	54.0	-10.64	AV	180.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.400	48.06	-18.15	68.2	-20.14	Peak	266.00	150	Horizontal	Pass
1**	1154.400	35.79	-18.15	54.0	-18.21	AV	266.00	150	Horizontal	Pass
2	2836.900	43.42	-11.12	68.2	-24.78	Peak	318.00	150	Horizontal	Pass
2**	2836.900	33.01	-11.12	54.0	-20.99	AV	318.00	150	Horizontal	Pass
3	3935.500	46.75	-5.70	68.2	-21.45	Peak	0.00	150	Horizontal	Pass
3**	3935.500	36.76	-5.70	54.0	-17.24	AV	0.00	150	Horizontal	Pass
4	5262.500	102.63	-3.72	--	--	Peak	110.00	150	Horizontal	N/A
4**	5262.500	94.94	-3.72	--	--	AV	110.00	150	Horizontal	N/A
5	11787.412	49.33	-3.65	68.2	-18.87	Peak	253.00	150	Horizontal	Pass
5**	11787.412	41.70	-3.65	54.0	-12.30	AV	253.00	150	Horizontal	Pass
6	15755.625	51.81	-0.92	68.2	-16.39	Peak	277.00	150	Horizontal	Pass
6**	15755.625	41.09	-0.92	54.0	-12.91	AV	277.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1616.900	52.46	-17.30	68.2	-15.74	Peak	186.00	150	Vertical	Pass
1**	1616.900	40.09	-17.30	54.0	-13.91	AV	186.00	150	Vertical	Pass
2	2825.700	45.37	-11.31	68.2	-22.83	Peak	214.00	150	Vertical	Pass
2**	2825.700	33.93	-11.31	54.0	-20.07	AV	214.00	150	Vertical	Pass
3	3990.500	49.45	-6.25	68.2	-18.75	Peak	169.00	150	Vertical	Pass
3**	3990.500	38.36	-6.25	54.0	-15.64	AV	169.00	150	Vertical	Pass
4	5262.250	108.94	-3.75	--	--	Peak	293.00	150	Vertical	N/A
4**	5262.250	101.82	-3.75	--	--	AV	293.00	150	Vertical	N/A
5	11781.238	49.40	-3.70	68.2	-18.80	Peak	150.00	150	Vertical	Pass
5**	11781.238	40.03	-3.70	54.0	-13.97	AV	150.00	150	Vertical	Pass
6	15819.675	51.29	-0.73	68.2	-16.91	Peak	183.00	150	Vertical	Pass
6**	15819.675	42.41	-0.73	54.0	-11.59	AV	183.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.600	47.81	-18.16	68.2	-20.39	Peak	103.00	150	Horizontal	Pass
1**	1154.600	32.11	-18.16	54.0	-21.89	AV	103.00	150	Horizontal	Pass
2	2837.000	43.07	-11.12	68.2	-25.13	Peak	317.00	150	Horizontal	Pass
2**	2837.000	32.50	-11.12	54.0	-21.50	AV	317.00	150	Horizontal	Pass
3	3928.500	46.62	-5.72	68.2	-21.58	Peak	146.00	150	Horizontal	Pass
3**	3928.500	36.80	-5.72	54.0	-17.20	AV	146.00	150	Horizontal	Pass
4	5301.750	102.89	-3.65	--	--	Peak	112.00	150	Horizontal	N/A
4**	5301.750	95.27	-3.65	--	--	AV	112.00	150	Horizontal	N/A
5	11785.037	49.31	-3.67	68.2	-18.89	Peak	76.00	150	Horizontal	Pass
5**	11785.037	39.83	-3.67	54.0	-14.17	AV	76.00	150	Horizontal	Pass
6	15818.100	52.16	-0.73	68.2	-16.04	Peak	126.00	150	Horizontal	Pass
6**	15818.100	42.56	-0.73	54.0	-11.44	AV	126.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.900	51.95	-17.45	68.2	-16.25	Peak	164.00	150	Vertical	Pass
1**	1574.900	40.30	-17.45	54.0	-13.70	AV	164.00	150	Vertical	Pass
2	2829.100	46.57	-11.53	68.2	-21.63	Peak	211.00	150	Vertical	Pass
2**	2829.100	32.86	-11.53	54.0	-21.14	AV	211.00	150	Vertical	Pass
3	3986.500	48.61	-6.23	68.2	-19.59	Peak	161.00	150	Vertical	Pass
3**	3986.500	39.11	-6.23	54.0	-14.89	AV	161.00	150	Vertical	Pass
4	5297.500	108.66	-3.50	--	--	Peak	292.00	150	Vertical	N/A
4**	5297.500	100.73	-3.50	--	--	AV	292.00	150	Vertical	N/A
5	11789.787	49.62	-3.63	68.2	-18.58	Peak	17.00	150	Vertical	Pass
5**	11789.787	40.42	-3.63	54.0	-13.58	AV	17.00	150	Vertical	Pass
6	16180.612	53.71	-0.45	68.2	-14.49	Peak	197.00	150	Vertical	Pass
6**	16180.612	43.82	-0.45	54.0	-10.18	AV	197.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.200	47.87	-18.24	68.2	-20.33	Peak	115.00	150	Horizontal	Pass
1**	1157.200	33.77	-18.24	54.0	-20.23	AV	115.00	150	Horizontal	Pass
2	2775.600	42.57	-10.92	68.2	-25.63	Peak	176.00	150	Horizontal	Pass
2**	2775.600	33.45	-10.92	54.0	-20.55	AV	176.00	150	Horizontal	Pass
3	4154.000	47.15	-6.15	68.2	-21.05	Peak	299.00	150	Horizontal	Pass
3**	4154.000	38.08	-6.15	54.0	-15.92	AV	299.00	150	Horizontal	Pass
4	5318.500	100.77	-3.51	--	--	Peak	119.00	150	Horizontal	N/A
4**	5318.500	93.45	-3.51	--	--	AV	119.00	150	Horizontal	N/A
5	11790.737	49.31	-3.62	68.2	-18.89	Peak	0.00	150	Horizontal	Pass
5**	11790.737	40.76	-3.62	54.0	-13.24	AV	0.00	150	Horizontal	Pass
6	16038.338	52.22	-0.11	68.2	-15.98	Peak	276.00	150	Horizontal	Pass
6**	16038.338	42.63	-0.11	54.0	-11.37	AV	276.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.400	51.31	-17.65	68.2	-16.89	Peak	171.00	150	Vertical	Pass
1**	1568.400	41.68	-17.65	54.0	-12.32	AV	171.00	150	Vertical	Pass
2	2832.500	45.16	-11.30	68.2	-23.04	Peak	211.00	150	Vertical	Pass
2**	2832.500	34.46	-11.30	54.0	-19.54	AV	211.00	150	Vertical	Pass
3	3997.500	48.62	-6.08	68.2	-19.58	Peak	167.00	150	Vertical	Pass
3**	3997.500	38.92	-6.08	54.0	-15.08	AV	167.00	150	Vertical	Pass
4	5317.000	107.66	-3.32	--	--	Peak	274.00	150	Vertical	N/A
4**	5317.000	100.37	-3.32	--	--	AV	274.00	150	Vertical	N/A
5	11796.675	50.27	-3.56	68.2	-17.93	Peak	59.00	150	Vertical	Pass
5**	11796.675	41.31	-3.56	54.0	-12.69	AV	59.00	150	Vertical	Pass
6	15833.588	51.47	-0.75	68.2	-16.73	Peak	158.00	150	Vertical	Pass
6**	15833.588	41.82	-0.75	54.0	-12.18	AV	158.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.700	48.57	-18.17	68.2	-19.63	Peak	277.00	150	Horizontal	Pass
1**	1154.700	36.27	-18.17	54.0	-17.73	AV	277.00	150	Horizontal	Pass
2	2833.000	42.28	-11.28	68.2	-25.92	Peak	314.00	150	Horizontal	Pass
2**	2833.000	33.03	-11.28	54.0	-20.97	AV	314.00	150	Horizontal	Pass
3	4082.750	46.98	-5.75	68.2	-21.22	Peak	255.00	150	Horizontal	Pass
3**	4082.750	37.67	-5.75	54.0	-16.33	AV	255.00	150	Horizontal	Pass
4	5258.750	103.36	-3.78	--	--	Peak	120.00	150	Horizontal	N/A
4**	5258.750	95.17	-3.78	--	--	AV	120.00	150	Horizontal	N/A
5	11787.888	49.95	-3.64	68.2	-18.25	Peak	0.00	150	Horizontal	Pass
5**	11787.888	40.28	-3.64	54.0	-13.72	AV	0.00	150	Horizontal	Pass
6	15465.825	51.55	-0.36	68.2	-16.65	Peak	181.00	150	Horizontal	Pass
6**	15465.825	42.61	-0.36	54.0	-11.39	AV	181.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.300	51.74	-17.75	68.2	-16.46	Peak	169.00	150	Vertical	Pass
1**	1559.300	38.51	-17.75	54.0	-15.49	AV	169.00	150	Vertical	Pass
2	2829.000	45.45	-11.54	68.2	-22.75	Peak	214.00	150	Vertical	Pass
2**	2829.000	32.99	-11.54	54.0	-21.01	AV	214.00	150	Vertical	Pass
3	3987.000	48.62	-6.24	68.2	-19.58	Peak	168.00	150	Vertical	Pass
3**	3987.000	37.55	-6.24	54.0	-16.45	AV	168.00	150	Vertical	Pass
4	5263.500	108.55	-3.62	--	--	Peak	291.00	150	Vertical	N/A
4**	5263.500	101.74	-3.62	--	--	AV	291.00	150	Vertical	N/A
5	11301.724	49.47	-4.02	68.2	-18.73	Peak	331.00	150	Vertical	Pass
5**	11301.724	40.01	-4.02	54.0	-13.99	AV	331.00	150	Vertical	Pass
6	15706.800	51.03	-0.04	68.2	-17.17	Peak	358.00	150	Vertical	Pass
6**	15706.800	42.67	-0.04	54.0	-11.33	AV	358.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.600	49.46	-18.16	68.2	-18.74	Peak	273.00	150	Horizontal	Pass
1**	1154.600	32.84	-18.16	54.0	-21.16	AV	273.00	150	Horizontal	Pass
2	2833.100	43.94	-11.29	68.2	-24.26	Peak	314.00	150	Horizontal	Pass
2**	2833.100	33.89	-11.29	54.0	-20.11	AV	314.00	150	Horizontal	Pass
3	3830.750	45.94	-5.89	68.2	-22.26	Peak	80.00	150	Horizontal	Pass
3**	3830.750	36.48	-5.89	54.0	-17.52	AV	80.00	150	Horizontal	Pass
4	5302.750	102.51	-3.64	--	--	Peak	154.00	150	Horizontal	N/A
4**	5302.750	94.76	-3.64	--	--	AV	154.00	150	Horizontal	N/A
5	11819.950	49.15	-3.40	68.2	-19.05	Peak	270.00	150	Horizontal	Pass
5**	11819.950	39.86	-3.40	54.0	-14.14	AV	270.00	150	Horizontal	Pass
6	15546.150	51.72	-0.55	68.2	-16.48	Peak	293.00	150	Horizontal	Pass
6**	15546.150	42.71	-0.55	54.0	-11.29	AV	293.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.300	50.05	-17.55	68.2	-18.15	Peak	170.00	150	Vertical	Pass
1**	1571.300	37.36	-17.55	54.0	-16.64	AV	170.00	150	Vertical	Pass
2	2832.300	46.62	-11.31	68.2	-21.58	Peak	312.00	150	Vertical	Pass
2**	2832.300	36.05	-11.31	54.0	-17.95	AV	312.00	150	Vertical	Pass
3	3993.250	48.99	-6.25	68.2	-19.21	Peak	166.00	150	Vertical	Pass
3**	3993.250	39.36	-6.25	54.0	-14.64	AV	166.00	150	Vertical	Pass
4	5298.750	108.72	-3.58	--	--	Peak	284.00	150	Vertical	N/A
4**	5298.750	100.40	-3.58	--	--	AV	284.00	150	Vertical	N/A
5	11790.975	49.51	-3.61	68.2	-18.69	Peak	260.00	150	Vertical	Pass
5**	11790.975	40.36	-3.61	54.0	-13.64	AV	260.00	150	Vertical	Pass
6	15465.562	51.92	-0.36	68.2	-16.28	Peak	66.00	150	Vertical	Pass
6**	15465.562	41.76	-0.36	54.0	-12.24	AV	66.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.000	47.62	-18.19	68.2	-20.58	Peak	263.00	150	Horizontal	Pass
1**	1155.000	34.99	-18.19	54.0	-19.01	AV	263.00	150	Horizontal	Pass
2	2825.100	44.39	-11.32	68.2	-23.81	Peak	314.00	150	Horizontal	Pass
2**	2825.100	32.73	-11.32	54.0	-21.27	AV	314.00	150	Horizontal	Pass
3	4136.000	46.99	-5.55	68.2	-21.21	Peak	186.00	150	Horizontal	Pass
3**	4136.000	37.47	-5.55	54.0	-16.53	AV	186.00	150	Horizontal	Pass
4	5316.500	100.56	-3.33	--	--	Peak	70.00	150	Horizontal	N/A
4**	5316.500	92.96	-3.33	--	--	AV	70.00	150	Horizontal	N/A
5	11800.713	49.79	-3.53	68.2	-18.41	Peak	294.00	150	Horizontal	Pass
5**	11800.713	40.79	-3.53	54.0	-13.21	AV	294.00	150	Horizontal	Pass
6	15708.112	51.36	-0.07	68.2	-16.84	Peak	254.00	150	Horizontal	Pass
6**	15708.112	42.12	-0.07	54.0	-11.88	AV	254.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.000	50.09	-17.85	68.2	-18.11	Peak	157.00	150	Vertical	Pass
1**	1553.000	36.51	-17.85	54.0	-17.49	AV	157.00	150	Vertical	Pass
2	2839.500	46.09	-11.22	68.2	-22.11	Peak	209.00	150	Vertical	Pass
2**	2839.500	32.56	-11.22	54.0	-21.44	AV	209.00	150	Vertical	Pass
3	3985.750	48.09	-6.16	68.2	-20.11	Peak	178.00	150	Vertical	Pass
3**	3985.750	40.11	-6.16	54.0	-13.89	AV	178.00	150	Vertical	Pass
4	5318.000	107.15	-3.44	--	--	Peak	276.00	150	Vertical	N/A
4**	5318.000	100.42	-3.44	--	--	AV	276.00	150	Vertical	N/A
5	11789.787	50.29	-3.63	68.2	-17.91	Peak	259.00	150	Vertical	Pass
5**	11789.787	40.24	-3.63	54.0	-13.76	AV	259.00	150	Vertical	Pass
6	15549.038	51.75	-0.53	68.2	-16.45	Peak	360.00	150	Vertical	Pass
6**	15549.038	43.02	-0.53	54.0	-10.98	AV	360.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.000	47.75	-18.24	68.2	-20.45	Peak	267.00	150	Horizontal	Pass
1**	1158.000	32.04	-18.24	54.0	-21.96	AV	267.00	150	Horizontal	Pass
2	2830.300	42.99	-11.47	68.2	-25.21	Peak	322.00	150	Horizontal	Pass
2**	2830.300	32.73	-11.47	54.0	-21.27	AV	322.00	150	Horizontal	Pass
3	3996.500	45.95	-6.18	68.2	-22.25	Peak	217.00	150	Horizontal	Pass
3**	3996.500	36.49	-6.18	54.0	-17.51	AV	217.00	150	Horizontal	Pass
4	5277.000	100.22	-3.43	--	--	Peak	28.00	150	Horizontal	N/A
4**	5277.000	91.74	-3.43	--	--	AV	28.00	150	Horizontal	N/A
5	11690.276	49.49	-4.25	68.2	-18.71	Peak	1.00	150	Horizontal	Pass
5**	11690.276	39.55	-4.25	54.0	-14.45	AV	1.00	150	Horizontal	Pass
6	15826.237	51.71	-0.74	68.2	-16.49	Peak	173.00	150	Horizontal	Pass
6**	15826.237	42.09	-0.74	54.0	-11.91	AV	173.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.100	51.02	-17.97	68.2	-17.18	Peak	164.00	150	Vertical	Pass
1**	1555.100	33.69	-17.97	54.0	-20.31	AV	164.00	150	Vertical	Pass
2	2835.500	46.23	-11.30	68.2	-21.97	Peak	214.00	150	Vertical	Pass
2**	2835.500	32.39	-11.30	54.0	-21.61	AV	214.00	150	Vertical	Pass
3	3990.750	48.69	-6.25	68.2	-19.51	Peak	198.00	150	Vertical	Pass
3**	3990.750	38.60	-6.25	54.0	-15.40	AV	198.00	150	Vertical	Pass
4	5274.750	106.05	-3.11	--	--	Peak	286.00	150	Vertical	N/A
4**	5274.750	99.30	-3.11	--	--	AV	286.00	150	Vertical	N/A
5	11789.312	49.60	-3.63	68.2	-18.60	Peak	123.00	150	Vertical	Pass
5**	11789.312	40.34	-3.63	54.0	-13.66	AV	123.00	150	Vertical	Pass
6	15708.637	52.32	-0.08	68.2	-15.88	Peak	357.00	150	Vertical	Pass
6**	15708.637	42.38	-0.08	54.0	-11.62	AV	357.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.000	47.85	-18.26	68.2	-20.35	Peak	262.00	150	Horizontal	Pass
1**	1156.000	33.93	-18.26	54.0	-20.07	AV	262.00	150	Horizontal	Pass
2	2834.200	43.36	-11.34	68.2	-24.84	Peak	317.00	150	Horizontal	Pass
2**	2834.200	32.75	-11.34	54.0	-21.25	AV	317.00	150	Horizontal	Pass
3	4005.750	46.28	-5.69	68.2	-21.92	Peak	360.00	150	Horizontal	Pass
3**	4005.750	38.14	-5.69	54.0	-15.86	AV	360.00	150	Horizontal	Pass
4	5302.250	97.07	-3.65	--	--	Peak	119.00	150	Horizontal	N/A
4**	5302.250	89.09	-3.65	--	--	AV	119.00	150	Horizontal	N/A
5	11215.750	49.09	-4.11	68.2	-19.11	Peak	118.00	150	Horizontal	Pass
5**	11215.750	40.73	-4.11	54.0	-13.27	AV	118.00	150	Horizontal	Pass
6	15713.362	51.76	-0.18	68.2	-16.44	Peak	360.00	150	Horizontal	Pass
6**	15713.362	42.02	-0.18	54.0	-11.98	AV	360.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.900	50.41	-17.77	68.2	-17.79	Peak	167.00	150	Vertical	Pass
1**	1558.900	38.47	-17.77	54.0	-15.53	AV	167.00	150	Vertical	Pass
2	2824.700	48.90	-11.33	68.2	-19.30	Peak	209.00	150	Vertical	Pass
2**	2824.700	33.59	-11.33	54.0	-20.41	AV	209.00	150	Vertical	Pass
3	3984.500	47.41	-6.03	68.2	-20.79	Peak	193.00	150	Vertical	Pass
3**	3984.500	40.05	-6.03	54.0	-13.95	AV	193.00	150	Vertical	Pass
4	5303.500	103.64	-3.63	--	--	Peak	284.00	150	Vertical	N/A
4**	5303.500	96.48	-3.63	--	--	AV	284.00	150	Vertical	N/A
5	11792.400	50.12	-3.60	68.2	-18.08	Peak	218.00	150	Vertical	Pass
5**	11792.400	40.56	-3.60	54.0	-13.44	AV	218.00	150	Vertical	Pass
6	15787.125	51.21	-0.77	68.2	-16.99	Peak	196.00	150	Vertical	Pass
6**	15787.125	41.74	-0.77	54.0	-12.26	AV	196.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.200	47.62	-18.14	68.2	-20.58	Peak	273.00	150	Horizontal	Pass
1**	1154.200	36.21	-18.14	54.0	-17.79	AV	273.00	150	Horizontal	Pass
2	2827.800	43.01	-11.48	68.2	-25.19	Peak	317.00	150	Horizontal	Pass
2**	2827.800	32.82	-11.48	54.0	-21.18	AV	317.00	150	Horizontal	Pass
3	4132.750	47.15	-5.66	68.2	-21.05	Peak	294.00	150	Horizontal	Pass
3**	4132.750	37.35	-5.66	54.0	-16.65	AV	294.00	150	Horizontal	Pass
4	5259.250	102.45	-3.65	--	--	Peak	114.00	150	Horizontal	N/A
4**	5259.250	95.08	-3.65	--	--	AV	114.00	150	Horizontal	N/A
5	11318.112	48.93	-4.18	68.2	-19.27	Peak	321.00	150	Horizontal	Pass
5**	11318.112	40.52	-4.18	54.0	-13.48	AV	321.00	150	Horizontal	Pass
6	16029.674	52.17	-0.12	68.2	-16.03	Peak	75.00	150	Horizontal	Pass
6**	16029.674	43.26	-0.12	54.0	-10.74	AV	75.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.200	49.74	-17.53	68.2	-18.46	Peak	337.00	150	Vertical	Pass
1**	1570.200	40.00	-17.53	54.0	-14.00	AV	337.00	150	Vertical	Pass
2	2834.600	45.48	-11.36	68.2	-22.72	Peak	209.00	150	Vertical	Pass
2**	2834.600	34.16	-11.36	54.0	-19.84	AV	209.00	150	Vertical	Pass
3	3991.000	47.84	-6.25	68.2	-20.36	Peak	196.00	150	Vertical	Pass
3**	3991.000	38.91	-6.25	54.0	-15.09	AV	196.00	150	Vertical	Pass
4	5259.000	108.66	-3.71	--	--	Peak	296.00	150	Vertical	N/A
4**	5259.000	101.18	-3.71	--	--	AV	296.00	150	Vertical	N/A
5	11788.838	49.30	-3.63	68.2	-18.90	Peak	270.00	150	Vertical	Pass
5**	11788.838	40.04	-3.63	54.0	-13.96	AV	270.00	150	Vertical	Pass
6	15948.562	51.67	-0.26	68.2	-16.53	Peak	210.00	150	Vertical	Pass
6**	15948.562	42.89	-0.26	54.0	-11.11	AV	210.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.400	47.11	-18.22	68.2	-21.09	Peak	260.00	150	Horizontal	Pass
1**	1153.400	37.33	-18.22	54.0	-16.67	AV	260.00	150	Horizontal	Pass
2	2829.300	43.64	-11.52	68.2	-24.56	Peak	320.00	150	Horizontal	Pass
2**	2829.300	32.79	-11.52	54.0	-21.21	AV	320.00	150	Horizontal	Pass
3	3917.750	46.14	-6.42	68.2	-22.06	Peak	0.00	150	Horizontal	Pass
3**	3917.750	36.18	-6.42	54.0	-17.82	AV	0.00	150	Horizontal	Pass
4	5298.000	103.34	-3.52	--	--	Peak	151.00	150	Horizontal	N/A
4**	5298.000	94.89	-3.52	--	--	AV	151.00	150	Horizontal	N/A
5	11185.112	50.18	-4.16	68.2	-18.02	Peak	353.00	150	Horizontal	Pass
5**	11185.112	40.16	-4.16	54.0	-13.84	AV	353.00	150	Horizontal	Pass
6	16026.263	52.21	-0.12	68.2	-15.99	Peak	67.00	150	Horizontal	Pass
6**	16026.263	42.97	-0.12	54.0	-11.03	AV	67.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.600	49.70	-17.75	68.2	-18.50	Peak	163.00	150	Vertical	Pass
1**	1549.600	36.80	-17.75	54.0	-17.20	AV	163.00	150	Vertical	Pass
2	2826.800	45.38	-11.35	68.2	-22.82	Peak	210.00	150	Vertical	Pass
2**	2826.800	33.65	-11.35	54.0	-20.35	AV	210.00	150	Vertical	Pass
3	3998.500	48.41	-5.99	68.2	-19.79	Peak	171.00	150	Vertical	Pass
3**	3998.500	39.18	-5.99	54.0	-14.82	AV	171.00	150	Vertical	Pass
4	5303.500	108.79	-3.63	--	--	Peak	286.00	150	Vertical	N/A
4**	5303.500	101.28	-3.63	--	--	AV	286.00	150	Vertical	N/A
5	11225.962	49.73	-4.15	68.2	-18.47	Peak	31.00	150	Vertical	Pass
5**	11225.962	39.20	-4.15	54.0	-14.80	AV	31.00	150	Vertical	Pass
6	16166.438	53.03	-0.46	68.2	-15.17	Peak	230.00	150	Vertical	Pass
6**	16166.438	43.01	-0.46	54.0	-10.99	AV	230.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1151.400	47.35	-18.44	68.2	-20.85	Peak	264.00	150	Horizontal	Pass
1**	1151.400	34.74	-18.44	54.0	-19.26	AV	264.00	150	Horizontal	Pass
2	2821.300	42.97	-11.36	68.2	-25.23	Peak	312.00	150	Horizontal	Pass
2**	2821.300	34.05	-11.36	54.0	-19.95	AV	312.00	150	Horizontal	Pass
3	4150.500	46.99	-6.08	68.2	-21.21	Peak	36.00	150	Horizontal	Pass
3**	4150.500	37.30	-6.08	54.0	-16.70	AV	36.00	150	Horizontal	Pass
4	5323.500	101.16	-3.33	--	--	Peak	114.00	150	Horizontal	N/A
4**	5323.500	93.11	-3.33	--	--	AV	114.00	150	Horizontal	N/A
5	11458.713	49.61	-3.95	68.2	-18.59	Peak	18.00	150	Horizontal	Pass
5**	11458.713	39.58	-3.95	54.0	-14.42	AV	18.00	150	Horizontal	Pass
6	15710.213	51.69	-0.11	68.2	-16.51	Peak	108.00	150	Horizontal	Pass
6**	15710.213	42.07	-0.11	54.0	-11.93	AV	108.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.600	50.22	-17.62	68.2	-17.98	Peak	164.00	150	Vertical	Pass
1**	1567.600	40.35	-17.62	54.0	-13.65	AV	164.00	150	Vertical	Pass
2	2839.600	46.96	-11.21	68.2	-21.24	Peak	209.00	150	Vertical	Pass
2**	2839.600	33.02	-11.21	54.0	-20.98	AV	209.00	150	Vertical	Pass
3	3991.750	48.47	-6.24	68.2	-19.73	Peak	169.00	150	Vertical	Pass
3**	3991.750	38.19	-6.24	54.0	-15.81	AV	169.00	150	Vertical	Pass
4	5316.750	107.25	-3.30	--	--	Peak	269.00	150	Vertical	N/A
4**	5316.750	100.44	-3.30	--	--	AV	269.00	150	Vertical	N/A
5	11775.776	49.74	-3.75	68.2	-18.46	Peak	319.00	150	Vertical	Pass
5**	11775.776	40.26	-3.75	54.0	-13.74	AV	319.00	150	Vertical	Pass
6	15461.888	51.86	-0.30	68.2	-16.34	Peak	246.00	150	Vertical	Pass
6**	15461.888	41.84	-0.30	54.0	-12.16	AV	246.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.800	48.29	-18.18	68.2	-19.91	Peak	118.00	150	Horizontal	Pass
1**	1154.800	35.96	-18.18	54.0	-18.04	AV	118.00	150	Horizontal	Pass
2	2829.100	43.76	-11.53	68.2	-24.44	Peak	313.00	150	Horizontal	Pass
2**	2829.100	32.45	-11.53	54.0	-21.55	AV	313.00	150	Horizontal	Pass
3	4167.750	46.82	-5.78	68.2	-21.38	Peak	289.00	150	Horizontal	Pass
3**	4167.750	37.41	-5.78	54.0	-16.59	AV	289.00	150	Horizontal	Pass
4	5264.250	100.28	-3.63	--	--	Peak	117.00	150	Horizontal	N/A
4**	5264.250	92.33	-3.63	--	--	AV	117.00	150	Horizontal	N/A
5	11379.387	49.46	-4.32	68.2	-18.74	Peak	280.00	150	Horizontal	Pass
5**	11379.387	39.47	-4.32	54.0	-14.53	AV	280.00	150	Horizontal	Pass
6	15562.687	51.81	-0.71	68.2	-16.39	Peak	242.00	150	Horizontal	Pass
6**	15562.687	42.57	-0.71	54.0	-11.43	AV	242.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.700	50.26	-17.49	68.2	-17.94	Peak	165.00	150	Vertical	Pass
1**	1505.700	36.33	-17.49	54.0	-17.67	AV	165.00	150	Vertical	Pass
2	2831.800	45.86	-11.36	68.2	-22.34	Peak	212.00	150	Vertical	Pass
2**	2831.800	33.16	-11.36	54.0	-20.84	AV	212.00	150	Vertical	Pass
3	3990.000	47.83	-6.24	68.2	-20.37	Peak	176.00	150	Vertical	Pass
3**	3990.000	39.41	-6.24	54.0	-14.59	AV	176.00	150	Vertical	Pass
4	5262.500	106.40	-3.72	--	--	Peak	291.00	150	Vertical	Pass
4**	5262.500	97.75	-3.72	--	--	AV	291.00	150	Vertical	N/A
5	11799.050	49.43	-3.54	68.2	-18.77	Peak	23.00	150	Vertical	Pass
5**	11799.050	40.24	-3.54	54.0	-13.76	AV	23.00	150	Vertical	Pass
6	15465.300	51.80	-0.35	68.2	-16.40	Peak	360.00	150	Vertical	Pass
6**	15465.300	41.79	-0.35	54.0	-12.21	AV	360.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.800	47.85	-18.24	68.2	-20.35	Peak	266.00	150	Horizontal	Pass
1**	1157.800	32.83	-18.24	54.0	-21.17	AV	266.00	150	Horizontal	Pass
2	2824.100	43.00	-11.33	68.2	-25.20	Peak	312.00	150	Horizontal	Pass
2**	2824.100	33.65	-11.33	54.0	-20.35	AV	312.00	150	Horizontal	Pass
3	3993.500	46.31	-6.26	68.2	-21.89	Peak	13.00	150	Horizontal	Pass
3**	3993.500	36.88	-6.26	54.0	-17.12	AV	13.00	150	Horizontal	Pass
4	5315.250	96.59	-3.51	--	--	Peak	153.00	150	Horizontal	N/A
4**	5315.250	88.96	-3.51	--	--	AV	153.00	150	Horizontal	N/A
5	11318.587	49.13	-4.18	68.2	-19.07	Peak	179.00	150	Horizontal	Pass
5**	11318.587	39.30	-4.18	54.0	-14.70	AV	179.00	150	Horizontal	Pass
6	15722.812	52.46	-0.38	68.2	-15.74	Peak	35.00	150	Horizontal	Pass
6**	15722.812	41.83	-0.38	54.0	-12.17	AV	35.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.200	49.72	-17.57	68.2	-18.48	Peak	345.00	150	Vertical	Pass
1**	1573.200	37.13	-17.57	54.0	-16.87	AV	345.00	150	Vertical	Pass
2	2829.400	45.03	-11.52	68.2	-23.17	Peak	207.00	150	Vertical	Pass
2**	2829.400	33.87	-11.52	54.0	-20.13	AV	207.00	150	Vertical	Pass
3	3983.750	49.23	-6.06	68.2	-18.97	Peak	193.00	150	Vertical	Pass
3**	3983.750	37.16	-6.06	54.0	-16.84	AV	193.00	150	Vertical	Pass
4	5320.250	103.53	-3.45	--	--	Peak	276.00	150	Vertical	N/A
4**	5320.250	95.54	-3.45	--	--	AV	276.00	150	Vertical	N/A
5	12299.225	49.74	-2.44	68.2	-18.46	Peak	13.00	150	Vertical	Pass
5**	12299.225	40.10	-2.44	54.0	-13.90	AV	13.00	150	Vertical	Pass
6	15724.125	50.86	-0.40	68.2	-17.34	Peak	302.00	150	Vertical	Pass
6**	15724.125	42.26	-0.40	54.0	-11.74	AV	302.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.300	47.07	-18.24	68.2	-21.13	Peak	270.00	150	Horizontal	Pass
1**	1158.300	35.43	-18.24	54.0	-18.57	AV	270.00	150	Horizontal	Pass
2	2835.700	42.86	-11.27	68.2	-25.34	Peak	312.00	150	Horizontal	Pass
2**	2835.700	32.46	-11.27	54.0	-21.54	AV	312.00	150	Horizontal	Pass
3	4051.000	47.00	-5.92	68.2	-21.20	Peak	227.00	150	Horizontal	Pass
3**	4051.000	37.07	-5.92	54.0	-16.93	AV	227.00	150	Horizontal	Pass
4	5293.250	94.78	-3.22	--	--	Peak	235.00	150	Horizontal	N/A
4**	5293.250	86.06	-3.22	--	--	AV	235.00	150	Horizontal	N/A
5	11458.475	49.56	-3.94	68.2	-18.64	Peak	56.00	150	Horizontal	Pass
5**	11458.475	40.03	-3.94	54.0	-13.97	AV	56.00	150	Horizontal	Pass
6	15944.362	52.06	-0.34	68.2	-16.14	Peak	23.00	150	Horizontal	Pass
6**	15944.362	42.72	-0.34	54.0	-11.28	AV	23.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.300	50.04	-17.55	68.2	-18.16	Peak	163.00	150	Vertical	Pass
1**	1566.300	35.94	-17.55	54.0	-18.06	AV	163.00	150	Vertical	Pass
2	2832.500	45.52	-11.30	68.2	-22.68	Peak	210.00	150	Vertical	Pass
2**	2832.500	33.26	-11.30	54.0	-20.74	AV	210.00	150	Vertical	Pass
3	3995.250	48.81	-6.31	68.2	-19.39	Peak	36.00	150	Vertical	Pass
3**	3995.250	38.29	-6.31	54.0	-15.71	AV	36.00	150	Vertical	Pass
4	5298.250	100.69	-3.54	--	--	Peak	111.00	150	Vertical	N/A
4**	5298.250	92.05	-3.54	--	--	AV	111.00	150	Vertical	N/A
5	11786.225	49.62	-3.66	68.2	-18.58	Peak	157.00	150	Vertical	Pass
5**	11786.225	40.57	-3.66	54.0	-13.43	AV	157.00	150	Vertical	Pass
6	15934.387	51.68	-0.53	68.2	-16.52	Peak	252.00	150	Vertical	Pass
6**	15934.387	42.64	-0.53	54.0	-11.36	AV	252.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.700	47.58	-18.24	68.2	-20.62	Peak	275.00	150	Horizontal	Pass
1**	1157.700	33.32	-18.24	54.0	-20.68	AV	275.00	150	Horizontal	Pass
2	2827.500	43.73	-11.44	68.2	-24.47	Peak	317.00	150	Horizontal	Pass
2**	2827.500	32.55	-11.44	54.0	-21.45	AV	317.00	150	Horizontal	Pass
3	4033.500	46.47	-6.40	68.2	-21.73	Peak	261.00	150	Horizontal	Pass
3**	4033.500	36.73	-6.40	54.0	-17.27	AV	261.00	150	Horizontal	Pass
4	5261.500	103.91	-3.81	--	-98.09	Peak	202.00	150	Horizontal	Pass
4**	5261.500	94.88	-3.81	--	94.88	AV	202.00	150	Horizontal	N/A
5	12042.963	49.75	-3.36	68.2	-18.45	Peak	27.00	150	Horizontal	Pass
5**	12042.963	39.66	-3.36	54.0	-14.34	AV	27.00	150	Horizontal	Pass
6	15457.688	51.93	-0.24	68.2	-16.27	Peak	9.00	150	Horizontal	Pass
6**	15457.688	42.61	-0.24	54.0	-11.39	AV	9.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.900	49.69	-17.75	68.2	-18.51	Peak	162.00	150	Vertical	Pass
1**	1560.900	36.53	-17.75	54.0	-17.47	AV	162.00	150	Vertical	Pass
2	2838.500	46.47	-11.20	68.2	-21.73	Peak	209.00	150	Vertical	Pass
2**	2838.500	32.88	-11.20	54.0	-21.12	AV	209.00	150	Vertical	Pass
3	3992.000	47.96	-6.24	68.2	-20.24	Peak	176.00	150	Vertical	Pass
3**	3992.000	38.37	-6.24	54.0	-15.63	AV	176.00	150	Vertical	Pass
4	5264.000	110.85	-3.61	--	--	Peak	94.00	150	Vertical	N/A
4**	5264.000	101.03	-3.61	--	--	AV	94.00	150	Vertical	N/A
5	11324.287	50.69	-4.24	68.2	-17.51	Peak	35.00	150	Vertical	Pass
5**	11324.287	39.80	-4.24	54.0	-14.20	AV	35.00	150	Vertical	Pass
6	15770.849	51.74	-0.85	68.2	-16.46	Peak	37.00	150	Vertical	Pass
6**	15770.849	41.59	-0.85	54.0	-12.41	AV	37.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.300	47.13	-18.24	68.2	-21.07	Peak	276.00	150	Horizontal	Pass
1**	1157.300	34.91	-18.24	54.0	-19.09	AV	276.00	150	Horizontal	Pass
2	2828.000	45.23	-11.50	68.2	-22.97	Peak	318.00	150	Horizontal	Pass
2**	2828.000	33.05	-11.50	54.0	-20.95	AV	318.00	150	Horizontal	Pass
3	4112.500	46.76	-5.81	68.2	-21.44	Peak	128.00	150	Horizontal	Pass
3**	4112.500	37.18	-5.81	54.0	-16.82	AV	128.00	150	Horizontal	Pass
4	5296.000	101.37	-3.53	--	--	Peak	316.00	150	Horizontal	N/A
4**	5296.000	93.72	-3.53	--	--	AV	316.00	150	Horizontal	N/A
5	11797.862	49.42	-3.55	68.2	-18.78	Peak	257.00	150	Horizontal	Pass
5**	11797.862	40.19	-3.55	54.0	-13.81	AV	257.00	150	Horizontal	Pass
6	15473.438	52.64	-0.47	68.2	-15.56	Peak	220.00	150	Horizontal	Pass
6**	15473.438	42.81	-0.47	54.0	-11.19	AV	220.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.500	50.96	-17.47	68.2	-17.24	Peak	170.00	150	Vertical	Pass
1**	1505.500	33.72	-17.47	54.0	-20.28	AV	170.00	150	Vertical	Pass
2	2832.200	45.08	-11.32	68.2	-23.12	Peak	212.00	150	Vertical	Pass
2**	2832.200	34.94	-11.32	54.0	-19.06	AV	212.00	150	Vertical	Pass
3	3989.500	48.04	-6.24	68.2	-20.16	Peak	166.00	150	Vertical	Pass
3**	3989.500	37.86	-6.24	54.0	-16.14	AV	166.00	150	Vertical	Pass
4	5304.250	107.86	-3.59	--	--	Peak	107.00	150	Vertical	N/A
4**	5304.250	99.77	-3.59	--	--	AV	107.00	150	Vertical	N/A
5	11326.900	49.31	-4.26	68.2	-18.89	Peak	172.00	150	Vertical	Pass
5**	11326.900	39.23	-4.26	54.0	-14.77	AV	172.00	150	Vertical	Pass
6	16051.724	52.12	-0.13	68.2	-16.08	Peak	264.00	150	Vertical	Pass
6**	16051.724	42.41	-0.13	54.0	-11.59	AV	264.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1152.400	47.42	-18.38	68.2	-20.78	Peak	261.00	150	Horizontal	Pass
1**	1152.400	30.94	-18.38	54.0	-23.06	AV	261.00	150	Horizontal	Pass
2	2838.800	42.77	-11.22	68.2	-25.43	Peak	87.00	150	Horizontal	Pass
2**	2838.800	33.77	-11.22	54.0	-20.23	AV	87.00	150	Horizontal	Pass
3	4117.500	46.55	-5.83	68.2	-21.65	Peak	114.00	150	Horizontal	Pass
3**	4117.500	37.14	-5.83	54.0	-16.86	AV	114.00	150	Horizontal	Pass
4	5317.750	100.07	-3.41	--	--	Peak	236.00	150	Horizontal	N/A
4**	5317.750	91.60	-3.41	--	--	AV	236.00	150	Horizontal	N/A
5	11188.200	49.59	-4.13	68.2	-18.61	Peak	342.00	150	Horizontal	Pass
5**	11188.200	39.96	-4.13	54.0	-14.04	AV	342.00	150	Horizontal	Pass
6	15823.612	51.77	-0.74	68.2	-16.43	Peak	206.00	150	Horizontal	Pass
6**	15823.612	42.80	-0.74	54.0	-11.20	AV	206.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.400	50.75	-17.76	68.2	-17.45	Peak	337.00	150	Vertical	Pass
1**	1549.400	36.40	-17.76	54.0	-17.60	AV	337.00	150	Vertical	Pass
2	2832.300	46.80	-11.31	68.2	-21.40	Peak	210.00	150	Vertical	Pass
2**	2832.300	34.58	-11.31	54.0	-19.42	AV	210.00	150	Vertical	Pass
3	3982.500	48.36	-6.11	68.2	-19.84	Peak	161.00	150	Vertical	Pass
3**	3982.500	38.31	-6.11	54.0	-15.69	AV	161.00	150	Vertical	Pass
4	5316.250	105.45	-3.37	--	--	Peak	97.00	150	Vertical	N/A
4**	5316.250	97.44	-3.37	--	--	AV	97.00	150	Vertical	N/A
5	11230.238	49.56	-4.16	68.2	-18.64	Peak	5.00	150	Vertical	Pass
5**	11230.238	39.90	-4.16	54.0	-14.10	AV	5.00	150	Vertical	Pass
6	15859.838	51.43	-0.85	68.2	-16.77	Peak	176.00	150	Vertical	Pass
6**	15859.838	41.11	-0.85	54.0	-12.89	AV	176.00	150	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.400	48.10	-18.25	68.2	-20.10	Peak	263.00	150	Horizontal	Pass
1**	1156.400	34.59	-18.25	54.0	-19.41	AV	263.00	150	Horizontal	Pass
2	2828.400	43.13	-11.55	68.2	-25.07	Peak	315.00	150	Horizontal	Pass
2**	2828.400	33.06	-11.55	54.0	-20.94	AV	315.00	150	Horizontal	Pass
3	4019.750	46.55	-6.13	68.2	-21.65	Peak	197.00	150	Horizontal	Pass
3**	4019.750	36.95	-6.13	54.0	-17.05	AV	197.00	150	Horizontal	Pass
4	5276.500	100.46	-3.45	--	--	Peak	318.00	150	Horizontal	N/A
4**	5276.500	91.63	-3.45	--	--	AV	318.00	150	Horizontal	N/A
5	11441.849	49.61	-3.93	68.2	-18.59	Peak	149.00	150	Horizontal	Pass
5**	11441.849	40.03	-3.93	54.0	-13.97	AV	149.00	150	Horizontal	Pass
6	16061.963	52.29	-0.31	68.2	-15.91	Peak	308.00	150	Horizontal	Pass
6**	16061.963	42.65	-0.31	54.0	-11.35	AV	308.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.000	49.44	-17.88	68.2	-18.76	Peak	161.00	150	Vertical	Pass
1**	1557.000	35.44	-17.88	54.0	-18.56	AV	161.00	150	Vertical	Pass
2	2827.400	46.76	-11.42	68.2	-21.44	Peak	209.00	150	Vertical	Pass
2**	2827.400	32.87	-11.42	54.0	-21.13	AV	209.00	150	Vertical	Pass
3	3984.500	48.18	-6.03	68.2	-20.02	Peak	171.00	150	Vertical	Pass
3**	3984.500	38.41	-6.03	54.0	-15.59	AV	171.00	150	Vertical	Pass
4	5258.750	106.57	-3.78	--	--	Peak	95.00	150	Vertical	N/A
4**	5258.750	98.17	-3.78	--	--	AV	95.00	150	Vertical	N/A
5	11779.575	49.48	-3.72	68.2	-18.72	Peak	118.00	150	Vertical	Pass
5**	11779.575	40.02	-3.72	54.0	-13.98	AV	118.00	150	Vertical	Pass
6	16052.513	52.14	-0.14	68.2	-16.06	Peak	238.00	150	Vertical	Pass
6**	16052.513	42.38	-0.14	54.0	-11.62	AV	238.00	150	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.200	47.37	-18.26	68.2	-20.83	Peak	118.00	150	Horizontal	Pass
1**	1156.200	36.11	-18.26	54.0	-17.89	AV	118.00	150	Horizontal	Pass
2	2820.400	42.88	-11.38	68.2	-25.32	Peak	170.00	150	Horizontal	Pass
2**	2820.400	33.19	-11.38	54.0	-20.81	AV	170.00	150	Horizontal	Pass
3	4008.500	46.29	-5.70	68.2	-21.91	Peak	360.00	150	Horizontal	Pass
3**	4008.500	37.01	-5.70	54.0	-16.99	AV	360.00	150	Horizontal	Pass
4	5306.000	98.14	-3.34	--	--	Peak	265.00	150	Horizontal	N/A
4**	5306.000	87.25	-3.34	--	--	AV	265.00	150	Horizontal	N/A
5	11629.475	48.85	-4.33	68.2	-19.35	Peak	24.00	150	Horizontal	Pass
5**	11629.475	39.21	-4.33	54.0	-14.79	AV	24.00	150	Horizontal	Pass
6	15844.612	51.19	-0.76	68.2	-17.01	Peak	214.00	150	Horizontal	Pass
6**	15844.612	42.15	-0.76	54.0	-11.85	AV	214.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.700	49.80	-17.51	68.2	-18.40	Peak	360.00	150	Vertical	Pass
1**	1588.700	37.08	-17.51	54.0	-16.92	AV	360.00	150	Vertical	Pass
2	2827.000	44.75	-11.37	68.2	-23.45	Peak	212.00	150	Vertical	Pass
2**	2827.000	32.86	-11.37	54.0	-21.14	AV	212.00	150	Vertical	Pass
3	3988.750	50.03	-6.24	68.2	-18.17	Peak	171.00	150	Vertical	Pass
3**	3988.750	38.09	-6.24	54.0	-15.91	AV	171.00	150	Vertical	Pass
4	5314.000	103.39	-3.65	--	--	Peak	105.00	150	Vertical	N/A
4**	5314.000	95.13	-3.65	--	--	AV	105.00	150	Vertical	N/A
5	11792.162	49.74	-3.60	68.2	-18.46	Peak	226.00	150	Vertical	Pass
5**	11792.162	41.13	-3.60	54.0	-12.87	AV	226.00	150	Vertical	Pass
6	15807.863	50.99	-0.72	68.2	-17.21	Peak	222.00	150	Vertical	Pass
6**	15807.863	42.59	-0.72	54.0	-11.41	AV	222.00	150	Vertical	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.200	48.82	-18.26	68.2	-19.38	Peak	266.00	150	Horizontal	Pass
1**	1156.200	31.63	-18.26	54.0	-22.37	AV	266.00	150	Horizontal	Pass
2	2829.500	42.99	-11.51	68.2	-25.21	Peak	318.00	150	Horizontal	Pass
2**	2829.500	33.12	-11.51	54.0	-20.88	AV	318.00	150	Horizontal	Pass
3	4006.500	46.67	-5.70	68.2	-21.53	Peak	267.00	150	Horizontal	Pass
3**	4006.500	37.08	-5.70	54.0	-16.92	AV	267.00	150	Horizontal	Pass
4	5304.000	95.72	-3.62	--	--	Peak	28.00	150	Horizontal	N/A
4**	5304.000	85.98	-3.62	--	--	AV	28.00	150	Horizontal	N/A
5	11804.987	50.07	-3.50	68.2	-18.13	Peak	137.00	150	Horizontal	Pass
5**	11804.987	40.71	-3.50	54.0	-13.29	AV	137.00	150	Horizontal	Pass
6	15538.275	52.19	-0.60	68.2	-16.01	Peak	37.00	150	Horizontal	Pass
6**	15538.275	42.09	-0.60	54.0	-11.91	AV	37.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.000	50.81	-17.89	68.2	-17.39	Peak	328.00	150	Vertical	Pass
1**	1541.000	39.31	-17.89	54.0	-14.69	AV	328.00	150	Vertical	Pass
2	2833.200	45.36	-11.29	68.2	-22.84	Peak	207.00	150	Vertical	Pass
2**	2833.200	33.10	-11.29	54.0	-20.90	AV	207.00	150	Vertical	Pass
3	3982.000	48.23	-6.10	68.2	-19.97	Peak	180.00	150	Vertical	Pass
3**	3982.000	38.81	-6.10	54.0	-15.19	AV	180.00	150	Vertical	Pass
4	5312.250	102.83	-3.75	--	--	Peak	281.00	150	Vertical	N/A
4**	5312.250	92.70	-3.75	--	--	AV	281.00	150	Vertical	N/A
5	11181.075	49.05	-4.19	68.2	-19.15	Peak	74.00	150	Vertical	Pass
5**	11181.075	40.22	-4.19	54.0	-13.78	AV	74.00	150	Vertical	Pass
6	16052.250	51.99	-0.14	68.2	-16.21	Peak	244.00	150	Vertical	Pass
6**	16052.250	42.96	-0.14	54.0	-11.04	AV	244.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.500	47.72	-18.25	68.2	-20.48	Peak	263.00	150	Horizontal	Pass
1**	1156.500	34.82	-18.25	54.0	-19.18	AV	263.00	150	Horizontal	Pass
2	2831.000	42.77	-11.43	68.2	-25.43	Peak	236.00	150	Horizontal	Pass
2**	2831.000	32.79	-11.43	54.0	-21.21	AV	236.00	150	Horizontal	Pass
3	4040.000	46.86	-6.13	68.2	-21.34	Peak	349.00	150	Horizontal	Pass
3**	4040.000	37.07	-6.13	54.0	-16.93	AV	349.00	150	Horizontal	Pass
4	5498.000	101.53	-3.35	--	--	Peak	124.00	150	Horizontal	N/A
4**	5498.000	93.98	-3.35	--	--	AV	124.00	150	Horizontal	N/A
5	11800.001	49.15	-3.53	68.2	-19.05	Peak	46.00	150	Horizontal	Pass
5**	11800.001	41.11	-3.53	54.0	-12.89	AV	46.00	150	Horizontal	Pass
6	16149.375	52.30	-0.47	68.2	-15.90	Peak	266.00	150	Horizontal	Pass
6**	16149.375	44.10	-0.47	54.0	-9.90	AV	266.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.700	51.01	-17.54	68.2	-17.19	Peak	10.00	150	Vertical	Pass
1**	1545.700	41.27	-17.54	54.0	-12.73	AV	10.00	150	Vertical	Pass
2	2820.900	45.69	-11.37	68.2	-22.51	Peak	210.00	150	Vertical	Pass
2**	2820.900	35.00	-11.37	54.0	-19.00	AV	210.00	150	Vertical	Pass
3	3993.750	47.91	-6.27	68.2	-20.29	Peak	171.00	150	Vertical	Pass
3**	3993.750	38.15	-6.27	54.0	-15.85	AV	171.00	150	Vertical	Pass
4	5498.250	106.39	-3.34	--	--	Peak	256.00	150	Vertical	N/A
4**	5498.250	99.33	-3.34	--	--	AV	256.00	150	Vertical	N/A
5	11808.550	49.35	-3.48	68.2	-18.85	Peak	331.00	150	Vertical	Pass
5**	11808.550	39.90	-3.48	54.0	-14.10	AV	331.00	150	Vertical	Pass
6	15544.838	52.04	-0.55	68.2	-16.16	Peak	89.00	150	Vertical	Pass
6**	15544.838	42.01	-0.55	54.0	-11.99	AV	89.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.600	49.14	-17.72	68.2	-19.06	Peak	31.00	150	Vertical	Pass
1**	1536.600	37.37	-17.72	54.0	-16.63	AV	31.00	150	Vertical	Pass
2	2836.500	47.94	-11.17	68.2	-20.26	Peak	205.00	150	Vertical	Pass
2**	2836.500	33.48	-11.17	54.0	-20.52	AV	205.00	150	Vertical	Pass
3	3992.250	49.30	-6.24	68.2	-18.90	Peak	163.00	150	Vertical	Pass
3**	3992.250	38.59	-6.24	54.0	-15.41	AV	163.00	150	Vertical	Pass
4	5583.750	109.16	-2.90	--	-144.84	Peak	254.00	150	Vertical	N/A
4**	5583.750	100.91	-2.90	--	100.91	AV	254.00	150	Vertical	N/A
5	11203.162	49.80	-4.06	68.2	-18.40	Peak	157.00	150	Vertical	Pass
5**	11203.162	40.21	-4.06	54.0	-13.79	AV	157.00	150	Vertical	Pass
6	15526.725	51.87	-0.67	68.2	-16.33	Peak	230.00	150	Vertical	Pass
6**	15526.725	41.95	-0.67	54.0	-12.05	AV	230.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.600	47.16	-18.25	68.2	-21.04	Peak	270.00	150	Horizontal	Pass
1**	1156.600	36.29	-18.25	54.0	-17.71	AV	270.00	150	Horizontal	Pass
2	2835.900	44.54	-11.25	68.2	-23.66	Peak	317.00	150	Horizontal	Pass
2**	2835.900	32.18	-11.25	54.0	-21.82	AV	317.00	150	Horizontal	Pass
3	4098.250	46.41	-5.95	68.2	-21.79	Peak	119.00	150	Horizontal	Pass
3**	4098.250	37.40	-5.95	54.0	-16.60	AV	119.00	150	Horizontal	Pass
4	5578.250	104.15	-2.88	--	--	Peak	268.00	150	Horizontal	N/A
4**	5578.250	96.53	-2.88	--	--	AV	268.00	150	Horizontal	N/A
5	11202.450	49.21	-4.06	68.2	-18.99	Peak	76.00	150	Horizontal	Pass
5**	11202.450	40.05	-4.06	54.0	-13.95	AV	76.00	150	Horizontal	Pass
6	15724.387	51.59	-0.41	68.2	-16.61	Peak	233.00	150	Horizontal	Pass
6**	15724.387	42.11	-0.41	54.0	-11.89	AV	233.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.400	47.27	-18.05	68.2	-20.93	Peak	121.00	150	Horizontal	Pass
1**	1160.400	33.47	-18.05	54.0	-20.53	AV	121.00	150	Horizontal	Pass
2	2821.300	43.87	-11.36	68.2	-24.33	Peak	315.00	150	Horizontal	Pass
2**	2821.300	33.94	-11.36	54.0	-20.06	AV	315.00	150	Horizontal	Pass
3	4230.250	47.87	-5.16	68.2	-20.33	Peak	207.00	150	Horizontal	Pass
3**	4230.250	37.52	-5.16	54.0	-16.48	AV	207.00	150	Horizontal	Pass
4	5702.000	100.01	-2.88	--	--	Peak	59.00	150	Horizontal	N/A
4**	5702.000	92.17	-2.88	--	--	AV	59.00	150	Horizontal	N/A
5	11808.787	49.96	-3.48	68.2	-18.24	Peak	318.00	150	Horizontal	Pass
5**	11808.787	40.88	-3.48	54.0	-13.12	AV	318.00	150	Horizontal	Pass
6	16180.875	52.19	-0.45	68.2	-16.01	Peak	18.00	150	Horizontal	Pass
6**	16180.875	42.86	-0.45	54.0	-11.14	AV	18.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.000	51.02	-17.61	68.2	-17.18	Peak	166.00	150	Vertical	Pass
1**	1569.000	36.78	-17.61	54.0	-17.22	AV	166.00	150	Vertical	Pass
2	2833.000	46.55	-11.28	68.2	-21.65	Peak	210.00	150	Vertical	Pass
2**	2833.000	33.84	-11.28	54.0	-20.16	AV	210.00	150	Vertical	Pass
3	3995.500	48.05	-6.28	68.2	-20.15	Peak	160.00	150	Vertical	Pass
3**	3995.500	38.90	-6.28	54.0	-15.10	AV	160.00	150	Vertical	Pass
4	5696.500	104.94	-2.81	--	--	Peak	236.00	150	Vertical	N/A
4**	5696.500	97.24	-2.81	--	--	AV	236.00	150	Vertical	N/A
5	11786.700	49.39	-3.65	68.2	-18.81	Peak	112.00	150	Vertical	Pass
5**	11786.700	40.70	-3.65	54.0	-13.30	AV	112.00	150	Vertical	Pass
6	15465.562	51.85	-0.36	68.2	-16.35	Peak	28.00	150	Vertical	Pass
6**	15465.562	43.33	-0.36	54.0	-10.67	AV	28.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.600	47.85	-18.16	68.2	-20.35	Peak	279.00	150	Horizontal	Pass
1**	1154.600	35.66	-18.16	54.0	-18.34	AV	279.00	150	Horizontal	Pass
2	2827.500	44.04	-11.44	68.2	-24.16	Peak	315.00	150	Horizontal	Pass
2**	2827.500	33.58	-11.44	54.0	-20.42	AV	315.00	150	Horizontal	Pass
3	4113.750	47.70	-5.93	68.2	-20.50	Peak	307.00	150	Horizontal	Pass
3**	4113.750	36.96	-5.93	54.0	-17.04	AV	307.00	150	Horizontal	Pass
4	5496.500	101.99	-3.22	--	--	Peak	115.00	150	Horizontal	N/A
4**	5496.500	94.11	-3.22	--	--	AV	115.00	150	Horizontal	N/A
5	11211.000	49.66	-4.09	68.2	-18.54	Peak	173.00	150	Horizontal	Pass
5**	11211.000	39.07	-4.09	54.0	-14.93	AV	173.00	150	Horizontal	Pass
6	15532.763	51.46	-0.63	68.2	-16.74	Peak	156.00	150	Horizontal	Pass
6**	15532.763	41.53	-0.63	54.0	-12.47	AV	156.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.900	49.27	-17.84	68.2	-18.93	Peak	10.00	150	Vertical	Pass
1**	1552.900	36.41	-17.84	54.0	-17.59	AV	10.00	150	Vertical	Pass
2	2825.900	45.27	-11.30	68.2	-22.93	Peak	205.00	150	Vertical	Pass
2**	2825.900	34.61	-11.30	54.0	-19.39	AV	205.00	150	Vertical	Pass
3	3995.000	49.65	-6.33	68.2	-18.55	Peak	159.00	150	Vertical	Pass
3**	3995.000	37.63	-6.33	54.0	-16.37	AV	159.00	150	Vertical	Pass
4	5501.250	106.32	-3.16	--	--	Peak	250.00	150	Vertical	N/A
4**	5501.250	98.65	-3.16	--	--	AV	250.00	150	Vertical	N/A
5	11794.775	49.49	-3.58	68.2	-18.71	Peak	43.00	150	Vertical	Pass
5**	11794.775	40.74	-3.58	54.0	-13.26	AV	43.00	150	Vertical	Pass
6	15839.100	51.95	-0.75	68.2	-16.25	Peak	224.00	150	Vertical	Pass
6**	15839.100	42.12	-0.75	54.0	-11.88	AV	224.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.300	46.99	-18.15	68.2	-21.21	Peak	273.00	150	Horizontal	Pass
1**	1159.300	33.60	-18.15	54.0	-20.40	AV	273.00	150	Horizontal	Pass
2	2833.800	43.67	-11.32	68.2	-24.53	Peak	329.00	150	Horizontal	Pass
2**	2833.800	33.96	-11.32	54.0	-20.04	AV	329.00	150	Horizontal	Pass
3	4210.750	47.96	-5.46	68.2	-20.24	Peak	175.00	150	Horizontal	Pass
3**	4210.750	38.03	-5.46	54.0	-15.97	AV	175.00	150	Horizontal	Pass
4	5577.500	103.68	-2.89	--	--	Peak	267.00	150	Horizontal	N/A
4**	5577.500	96.25	-2.89	--	--	AV	267.00	150	Horizontal	N/A
5	11429.026	49.71	-4.02	68.2	-18.49	Peak	272.00	150	Horizontal	Pass
5**	11429.026	40.28	-4.02	54.0	-13.72	AV	272.00	150	Horizontal	Pass
6	15805.763	51.14	-0.72	68.2	-17.06	Peak	126.00	150	Horizontal	Pass
6**	15805.763	42.89	-0.72	54.0	-11.11	AV	126.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.800	48.96	-17.45	68.2	-19.24	Peak	173.00	150	Vertical	Pass
1**	1574.800	35.55	-17.45	54.0	-18.45	AV	173.00	150	Vertical	Pass
2	2838.700	45.57	-11.21	68.2	-22.63	Peak	205.00	150	Vertical	Pass
2**	2838.700	33.21	-11.21	54.0	-20.79	AV	205.00	150	Vertical	Pass
3	3985.000	48.78	-6.08	68.2	-19.42	Peak	165.00	150	Vertical	Pass
3**	3985.000	37.73	-6.08	54.0	-16.27	AV	165.00	150	Vertical	Pass
4	5575.750	108.34	-2.96	--	--	Peak	273.00	150	Vertical	N/A
4**	5575.750	100.70	-2.96	--	--	AV	273.00	150	Vertical	N/A
5	11182.500	49.29	-4.18	68.2	-18.91	Peak	43.00	150	Vertical	Pass
5**	11182.500	40.12	-4.18	54.0	-13.88	AV	43.00	150	Vertical	Pass
6	15712.050	51.30	-0.15	68.2	-16.90	Peak	198.00	150	Vertical	Pass
6**	15712.050	42.06	-0.15	54.0	-11.94	AV	198.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.800	47.27	-18.16	68.2	-20.93	Peak	284.00	150	Horizontal	Pass
1**	1153.800	31.52	-18.16	54.0	-22.48	AV	284.00	150	Horizontal	Pass
2	2795.300	42.36	-11.19	68.2	-25.84	Peak	226.00	150	Horizontal	Pass
2**	2795.300	33.31	-11.19	54.0	-20.69	AV	226.00	150	Horizontal	Pass
3	4000.500	45.96	-5.87	68.2	-22.24	Peak	111.00	150	Horizontal	Pass
3**	4000.500	37.11	-5.87	54.0	-16.89	AV	111.00	150	Horizontal	Pass
4	5697.250	99.84	-2.85	--	--	Peak	258.00	150	Horizontal	N/A
4**	5697.250	92.86	-2.85	--	--	AV	258.00	150	Horizontal	N/A
5	11310.987	49.19	-4.11	68.2	-19.01	Peak	0.00	150	Horizontal	Pass
5**	11310.987	40.01	-4.11	54.0	-13.99	AV	0.00	150	Horizontal	Pass
6	16028.888	52.14	-0.12	68.2	-16.06	Peak	174.00	150	Horizontal	Pass
6**	16028.888	42.28	-0.12	54.0	-11.72	AV	174.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.600	49.55	-17.62	68.2	-18.65	Peak	170.00	150	Vertical	Pass
1**	1567.600	38.66	-17.62	54.0	-15.34	AV	170.00	150	Vertical	Pass
2	2835.800	45.77	-11.26	68.2	-22.43	Peak	206.00	150	Vertical	Pass
2**	2835.800	32.79	-11.26	54.0	-21.21	AV	206.00	150	Vertical	Pass
3	3994.250	49.48	-6.29	68.2	-18.72	Peak	167.00	150	Vertical	Pass
3**	3994.250	37.97	-6.29	54.0	-16.03	AV	167.00	150	Vertical	Pass
4	5695.750	104.65	-2.78	--	--	Peak	235.00	150	Vertical	N/A
4**	5695.750	96.15	-2.78	--	--	AV	235.00	150	Vertical	N/A
5	11170.150	49.31	-4.27	68.2	-18.89	Peak	19.00	150	Vertical	Pass
5**	11170.150	39.94	-4.27	54.0	-14.06	AV	19.00	150	Vertical	Pass
6	15786.599	51.35	-0.78	68.2	-16.85	Peak	360.00	150	Vertical	Pass
6**	15786.599	42.10	-0.78	54.0	-11.90	AV	360.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.900	49.71	-18.14	68.2	-18.49	Peak	268.00	150	Horizontal	Pass
1**	1153.900	34.14	-18.14	54.0	-19.86	AV	268.00	150	Horizontal	Pass
2	2778.600	42.48	-11.04	68.2	-25.72	Peak	318.00	150	Horizontal	Pass
2**	2778.600	32.57	-11.04	54.0	-21.43	AV	318.00	150	Horizontal	Pass
3	4191.000	47.52	-5.11	68.2	-20.68	Peak	129.00	150	Horizontal	Pass
3**	4191.000	37.97	-5.11	54.0	-16.03	AV	129.00	150	Horizontal	Pass
4	5519.500	98.39	-2.96	--	--	Peak	38.00	150	Horizontal	N/A
4**	5519.500	90.21	-2.96	--	--	AV	38.00	150	Horizontal	N/A
5	11451.825	49.67	-3.89	68.2	-18.53	Peak	216.00	150	Horizontal	Pass
5**	11451.825	40.06	-3.89	54.0	-13.94	AV	216.00	150	Horizontal	Pass
6	15701.812	51.56	0.06	68.2	-16.64	Peak	78.00	150	Horizontal	Pass
6**	15701.812	42.90	0.06	54.0	-11.10	AV	78.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.900	50.09	-17.55	68.2	-18.11	Peak	342.00	150	Vertical	Pass
1**	1569.900	38.55	-17.55	54.0	-15.45	AV	342.00	150	Vertical	Pass
2	2835.900	45.99	-11.25	68.2	-22.21	Peak	214.00	150	Vertical	Pass
2**	2835.900	33.05	-11.25	54.0	-20.95	AV	214.00	150	Vertical	Pass
3	3989.500	48.04	-6.24	68.2	-20.16	Peak	167.00	150	Vertical	Pass
3**	3989.500	38.91	-6.24	54.0	-15.09	AV	167.00	150	Vertical	Pass
4	5519.250	103.52	-2.96	--	--	Peak	248.00	150	Vertical	N/A
4**	5519.250	95.24	-2.96	--	--	AV	248.00	150	Vertical	N/A
5	11792.874	49.30	-3.60	68.2	-18.90	Peak	225.00	150	Vertical	Pass
5**	11792.874	40.00	-3.60	54.0	-14.00	AV	225.00	150	Vertical	Pass
6	15691.837	51.73	-0.13	68.2	-16.47	Peak	126.00	150	Vertical	Pass
6**	15691.837	42.37	-0.13	54.0	-11.63	AV	126.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.000	47.84	-18.26	68.2	-20.36	Peak	106.00	150	Horizontal	Pass
1**	1156.000	35.80	-18.26	54.0	-18.20	AV	106.00	150	Horizontal	Pass
2	2836.700	42.38	-11.15	68.2	-25.82	Peak	317.00	150	Horizontal	Pass
2**	2836.700	32.46	-11.15	54.0	-21.54	AV	317.00	150	Horizontal	Pass
3	4138.250	47.12	-5.70	68.2	-21.08	Peak	119.00	150	Horizontal	Pass
3**	4138.250	37.72	-5.70	54.0	-16.28	AV	119.00	150	Horizontal	Pass
4	5580.250	101.24	-2.66	--	--	Peak	269.00	150	Horizontal	N/A
4**	5580.250	93.11	-2.66	--	--	AV	269.00	150	Horizontal	N/A
5	11230.474	49.26	-4.16	68.2	-18.94	Peak	34.00	150	Horizontal	Pass
5**	11230.474	39.02	-4.16	54.0	-14.98	AV	34.00	150	Horizontal	Pass
6	15839.100	51.72	-0.75	68.2	-16.48	Peak	196.00	150	Horizontal	Pass
6**	15839.100	42.19	-0.75	54.0	-11.81	AV	196.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.900	49.80	-17.97	68.2	-18.40	Peak	336.00	150	Vertical	Pass
1**	1555.900	40.23	-17.97	54.0	-13.77	AV	336.00	150	Vertical	Pass
2	2833.100	46.19	-11.29	68.2	-22.01	Peak	204.00	150	Vertical	Pass
2**	2833.100	32.86	-11.29	54.0	-21.14	AV	204.00	150	Vertical	Pass
3	3999.250	50.44	-5.92	68.2	-17.76	Peak	170.00	150	Vertical	Pass
3**	3999.250	39.43	-5.92	54.0	-14.57	AV	170.00	150	Vertical	Pass
4	5583.000	105.65	-2.86	--	--	Peak	252.00	150	Vertical	N/A
4**	5583.000	98.19	-2.86	--	--	AV	252.00	150	Vertical	N/A
5	11780.525	49.16	-3.71	68.2	-19.04	Peak	179.00	150	Vertical	Pass
5**	11780.525	39.69	-3.71	54.0	-14.31	AV	179.00	150	Vertical	Pass
6	15549.563	51.03	-0.52	68.2	-17.17	Peak	360.00	150	Vertical	Pass
6**	15549.563	42.32	-0.52	54.0	-11.68	AV	360.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.900	48.10	-18.14	68.2	-20.10	Peak	263.00	150	Horizontal	Pass
1**	1153.900	34.71	-18.14	54.0	-19.29	AV	263.00	150	Horizontal	Pass
2	2837.500	43.19	-11.14	68.2	-25.01	Peak	226.00	150	Horizontal	Pass
2**	2837.500	32.25	-11.14	54.0	-21.75	AV	226.00	150	Horizontal	Pass
3	4074.000	46.34	-5.85	68.2	-21.86	Peak	256.00	150	Horizontal	Pass
3**	4074.000	37.39	-5.85	54.0	-16.61	AV	256.00	150	Horizontal	Pass
4	5660.500	99.34	-3.36	--	--	Peak	266.00	150	Horizontal	N/A
4**	5660.500	90.96	-3.36	--	--	AV	266.00	150	Horizontal	N/A
5	11136.187	49.49	-4.45	68.2	-18.71	Peak	267.00	150	Horizontal	Pass
5**	11136.187	39.31	-4.45	54.0	-14.69	AV	267.00	150	Horizontal	Pass
6	15549.563	51.80	-0.52	68.2	-16.40	Peak	133.00	150	Horizontal	Pass
6**	15549.563	42.34	-0.52	54.0	-11.66	AV	133.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.000	49.23	-17.36	68.2	-18.97	Peak	175.00	150	Vertical	Pass
1**	1496.000	32.46	-17.36	54.0	-21.54	AV	175.00	150	Vertical	Pass
2	2825.500	46.45	-11.31	68.2	-21.75	Peak	204.00	150	Vertical	Pass
2**	2825.500	32.80	-11.31	54.0	-21.20	AV	204.00	150	Vertical	Pass
3	3989.000	48.37	-6.24	68.2	-19.83	Peak	166.00	150	Vertical	Pass
3**	3989.000	39.76	-6.24	54.0	-14.24	AV	166.00	150	Vertical	Pass
4	5663.000	103.01	-3.27	--	--	Peak	200.00	150	Vertical	N/A
4**	5663.000	95.56	-3.27	--	--	AV	200.00	150	Vertical	N/A
5	11459.662	49.46	-3.95	68.2	-18.74	Peak	142.00	150	Vertical	Pass
5**	11459.662	41.06	-3.95	54.0	-12.94	AV	142.00	150	Vertical	Pass
6	15539.849	51.22	-0.59	68.2	-16.98	Peak	45.00	150	Vertical	Pass
6**	15539.849	42.54	-0.59	54.0	-11.46	AV	45.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.100	48.66	-18.25	68.2	-19.54	Peak	260.00	150	Horizontal	Pass
1**	1157.100	34.02	-18.25	54.0	-19.98	AV	260.00	150	Horizontal	Pass
2	2831.400	42.85	-11.39	68.2	-25.35	Peak	228.00	150	Horizontal	Pass
2**	2831.400	33.60	-11.39	54.0	-20.40	AV	228.00	150	Horizontal	Pass
3	3744.250	46.58	-6.98	68.2	-21.62	Peak	240.00	150	Horizontal	Pass
3**	3744.250	36.12	-6.98	54.0	-17.88	AV	240.00	150	Horizontal	Pass
4	5496.000	100.68	-3.13	--	--	Peak	36.00	150	Horizontal	N/A
4**	5496.000	93.64	-3.13	--	--	AV	36.00	150	Horizontal	N/A
5	11206.963	49.63	-4.07	68.2	-18.57	Peak	0.00	150	Horizontal	Pass
5**	11206.963	40.85	-4.07	54.0	-13.15	AV	0.00	150	Horizontal	Pass
6	15703.650	51.97	0.03	68.2	-16.23	Peak	92.00	150	Horizontal	Pass
6**	15703.650	43.18	0.03	54.0	-10.82	AV	92.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.000	49.25	-17.97	68.2	-18.95	Peak	335.00	150	Vertical	Pass
1**	1555.000	36.62	-17.97	54.0	-17.38	AV	335.00	150	Vertical	Pass
2	2832.500	44.80	-11.30	68.2	-23.40	Peak	205.00	150	Vertical	Pass
2**	2832.500	34.48	-11.30	54.0	-19.52	AV	205.00	150	Vertical	Pass
3	3994.000	49.26	-6.28	68.2	-18.94	Peak	168.00	150	Vertical	Pass
3**	3994.000	40.63	-6.28	54.0	-13.37	AV	168.00	150	Vertical	Pass
4	5496.750	105.54	-3.26	--	--	Peak	259.00	150	Vertical	N/A
4**	5496.750	98.00	-3.26	--	--	AV	259.00	150	Vertical	N/A
5	11785.513	49.11	-3.66	68.2	-19.09	Peak	35.00	150	Vertical	Pass
5**	11785.513	40.92	-3.66	54.0	-13.08	AV	35.00	150	Vertical	Pass
6	15452.963	51.42	-0.17	68.2	-16.78	Peak	158.00	150	Vertical	Pass
6**	15452.963	42.26	-0.17	54.0	-11.74	AV	158.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.900	47.01	-18.07	68.2	-21.19	Peak	278.00	150	Horizontal	Pass
1**	1160.900	32.36	-18.07	54.0	-21.64	AV	278.00	150	Horizontal	Pass
2	2824.500	42.70	-11.33	68.2	-25.50	Peak	318.00	150	Horizontal	Pass
2**	2824.500	33.38	-11.33	54.0	-20.62	AV	318.00	150	Horizontal	Pass
3	3995.500	46.53	-6.28	68.2	-21.67	Peak	146.00	150	Horizontal	Pass
3**	3995.500	36.84	-6.28	54.0	-17.16	AV	146.00	150	Horizontal	Pass
4	5583.000	103.14	-2.86	--	--	Peak	269.00	150	Horizontal	N/A
4**	5583.000	95.56	-2.86	--	--	AV	269.00	150	Horizontal	N/A
5	11788.363	49.53	-3.64	68.2	-18.67	Peak	81.00	150	Horizontal	Pass
5**	11788.363	40.93	-3.64	54.0	-13.07	AV	81.00	150	Horizontal	Pass
6	15535.126	51.77	-0.62	68.2	-16.43	Peak	340.00	150	Horizontal	Pass
6**	15535.126	41.99	-0.62	54.0	-12.01	AV	340.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.200	49.37	-17.29	68.2	-18.83	Peak	155.00	150	Vertical	Pass
1**	1499.200	36.17	-17.29	54.0	-17.83	AV	155.00	150	Vertical	Pass
2	2828.900	45.27	-11.54	68.2	-22.93	Peak	210.00	150	Vertical	Pass
2**	2828.900	33.36	-11.54	54.0	-20.64	AV	210.00	150	Vertical	Pass
3	3993.000	49.34	-6.24	68.2	-18.86	Peak	176.00	150	Vertical	Pass
3**	3993.000	38.21	-6.24	54.0	-15.79	AV	176.00	150	Vertical	Pass
4	5577.000	108.60	-2.89	--	--	Peak	251.00	150	Vertical	N/A
4**	5577.000	101.27	-2.89	--	--	AV	251.00	150	Vertical	N/A
5	11784.088	49.66	-3.68	68.2	-18.54	Peak	217.00	150	Vertical	Pass
5**	11784.088	40.83	-3.68	54.0	-13.17	AV	217.00	150	Vertical	Pass
6	15813.638	51.84	-0.73	68.2	-16.36	Peak	354.00	150	Vertical	Pass
6**	15813.638	42.08	-0.73	54.0	-11.92	AV	354.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.400	47.37	-18.22	68.2	-20.83	Peak	119.00	150	Horizontal	Pass
1**	1155.400	35.54	-18.22	54.0	-18.46	AV	119.00	150	Horizontal	Pass
2	2808.300	42.92	-10.95	68.2	-25.28	Peak	295.00	150	Horizontal	Pass
2**	2808.300	33.50	-10.95	54.0	-20.50	AV	295.00	150	Horizontal	Pass
3	4176.750	47.15	-5.31	68.2	-21.05	Peak	13.00	150	Horizontal	Pass
3**	4176.750	38.33	-5.31	54.0	-15.67	AV	13.00	150	Horizontal	Pass
4	5697.500	99.60	-2.87	--	--	Peak	45.00	150	Horizontal	N/A
4**	5697.500	92.04	-2.87	--	--	AV	45.00	150	Horizontal	N/A
5	11463.224	49.51	-3.99	68.2	-18.69	Peak	24.00	150	Horizontal	Pass
5**	11463.224	39.42	-3.99	54.0	-14.58	AV	24.00	150	Horizontal	Pass
6	15714.675	52.03	-0.20	68.2	-16.17	Peak	260.00	150	Horizontal	Pass
6**	15714.675	42.11	-0.20	54.0	-11.89	AV	260.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.700	53.05	-17.48	68.2	-15.15	Peak	185.00	150	Vertical	Pass
1**	1576.700	39.11	-17.48	54.0	-14.89	AV	185.00	150	Vertical	Pass
2	2835.200	45.04	-11.34	68.2	-23.16	Peak	200.00	150	Vertical	Pass
2**	2835.200	33.86	-11.34	54.0	-20.14	AV	200.00	150	Vertical	Pass
3	3992.750	48.60	-6.23	68.2	-19.60	Peak	175.00	150	Vertical	Pass
3**	3992.750	38.93	-6.23	54.0	-15.07	AV	175.00	150	Vertical	Pass
4	5697.750	104.81	-2.89	--	--	Peak	183.00	150	Vertical	N/A
4**	5697.750	96.95	-2.89	--	--	AV	183.00	150	Vertical	N/A
5	11789.312	50.10	-3.63	68.2	-18.10	Peak	139.00	150	Vertical	Pass
5**	11789.312	40.97	-3.63	54.0	-13.03	AV	139.00	150	Vertical	Pass
6	15960.901	52.47	-0.21	68.2	-15.73	Peak	242.00	150	Vertical	Pass
6**	15960.901	42.68	-0.21	54.0	-11.32	AV	242.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.100	49.98	-18.26	68.2	-18.22	Peak	276.00	150	Horizontal	Pass
1**	1156.100	35.98	-18.26	54.0	-18.02	AV	276.00	150	Horizontal	Pass
2	2824.400	42.58	-11.33	68.2	-25.62	Peak	318.00	150	Horizontal	Pass
2**	2824.400	32.83	-11.33	54.0	-21.17	AV	318.00	150	Horizontal	Pass
3	4006.750	46.79	-5.71	68.2	-21.41	Peak	254.00	150	Horizontal	Pass
3**	4006.750	36.95	-5.71	54.0	-17.05	AV	254.00	150	Horizontal	Pass
4	5501.250	97.99	-3.16	--	--	Peak	122.00	150	Horizontal	N/A
4**	5501.250	89.16	-3.16	--	--	AV	122.00	150	Horizontal	N/A
5	11377.963	49.28	-4.33	68.2	-18.92	Peak	275.00	150	Horizontal	Pass
5**	11377.963	39.68	-4.33	54.0	-14.32	AV	275.00	150	Horizontal	Pass
6	16037.026	52.05	-0.11	68.2	-16.15	Peak	172.00	150	Horizontal	Pass
6**	16037.026	42.28	-0.11	54.0	-11.72	AV	172.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.600	50.37	-17.64	68.2	-17.83	Peak	163.00	150	Vertical	Pass
1**	1564.600	37.83	-17.64	54.0	-16.17	AV	163.00	150	Vertical	Pass
2	2827.500	46.67	-11.44	68.2	-21.53	Peak	209.00	150	Vertical	Pass
2**	2827.500	33.09	-11.44	54.0	-20.91	AV	209.00	150	Vertical	Pass
3	3983.500	48.05	-6.07	68.2	-20.15	Peak	191.00	150	Vertical	Pass
3**	3983.500	37.80	-6.07	54.0	-16.20	AV	191.00	150	Vertical	Pass
4	5515.750	104.75	-3.17	--	--	Peak	257.00	150	Vertical	N/A
4**	5515.750	96.50	-3.17	--	--	AV	257.00	150	Vertical	N/A
5	11430.925	49.91	-4.00	68.2	-18.29	Peak	78.00	150	Vertical	Pass
5**	11430.925	39.93	-4.00	54.0	-14.07	AV	78.00	150	Vertical	Pass
6	16056.974	52.01	-0.22	68.2	-16.19	Peak	186.00	150	Vertical	Pass
6**	16056.974	42.58	-0.22	54.0	-11.42	AV	186.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.600	49.24	-18.16	68.2	-18.96	Peak	273.00	150	Horizontal	Pass
1**	1154.600	34.55	-18.16	54.0	-19.45	AV	273.00	150	Horizontal	Pass
2	2838.800	44.09	-11.22	68.2	-24.11	Peak	313.00	150	Horizontal	Pass
2**	2838.800	32.89	-11.22	54.0	-21.11	AV	313.00	150	Horizontal	Pass
3	4121.000	46.86	-5.94	68.2	-21.34	Peak	51.00	150	Horizontal	Pass
3**	4121.000	37.04	-5.94	54.0	-16.96	AV	51.00	150	Horizontal	Pass
4	5595.500	100.32	-3.14	--	--	Peak	271.00	150	Horizontal	N/A
4**	5595.500	92.48	-3.14	--	--	AV	271.00	150	Horizontal	N/A
5	11785.275	50.42	-3.66	68.2	-17.78	Peak	0.00	150	Horizontal	Pass
5**	11785.275	40.45	-3.66	54.0	-13.55	AV	0.00	150	Horizontal	Pass
6	15722.287	51.68	-0.36	68.2	-16.52	Peak	326.00	150	Horizontal	Pass
6**	15722.287	42.34	-0.36	54.0	-11.66	AV	326.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.200	52.10	-17.67	68.2	-16.10	Peak	163.00	150	Vertical	Pass
1**	1564.200	39.07	-17.67	54.0	-14.93	AV	163.00	150	Vertical	Pass
2	2820.500	45.80	-11.37	68.2	-22.40	Peak	207.00	150	Vertical	Pass
2**	2820.500	33.17	-11.37	54.0	-20.83	AV	207.00	150	Vertical	Pass
3	3985.500	48.31	-6.13	68.2	-19.89	Peak	190.00	150	Vertical	Pass
3**	3985.500	37.89	-6.13	54.0	-16.11	AV	190.00	150	Vertical	Pass
4	5599.250	105.59	-2.97	--	--	Peak	247.00	150	Vertical	N/A
4**	5599.250	97.90	-2.97	--	--	AV	247.00	150	Vertical	N/A
5	11800.237	49.82	-3.53	68.2	-18.38	Peak	309.00	150	Vertical	Pass
5**	11800.237	40.34	-3.53	54.0	-13.66	AV	309.00	150	Vertical	Pass
6	15824.400	51.07	-0.74	68.2	-17.13	Peak	324.00	150	Vertical	Pass
6**	15824.400	42.37	-0.74	54.0	-11.63	AV	324.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.100	48.44	-18.13	68.2	-19.76	Peak	273.00	150	Horizontal	Pass
1**	1154.100	34.97	-18.13	54.0	-19.03	AV	273.00	150	Horizontal	Pass
2	2829.300	43.13	-11.52	68.2	-25.07	Peak	322.00	150	Horizontal	Pass
2**	2829.300	32.66	-11.52	54.0	-21.34	AV	322.00	150	Horizontal	Pass
3	4256.000	48.13	-4.80	68.2	-20.07	Peak	320.00	150	Horizontal	Pass
3**	4256.000	39.21	-4.80	54.0	-14.79	AV	320.00	150	Horizontal	Pass
4	5679.500	98.42	-3.24	--	--	Peak	272.00	150	Horizontal	N/A
4**	5679.500	90.45	-3.24	--	--	AV	272.00	150	Horizontal	N/A
5	11304.337	49.83	-4.05	68.2	-18.37	Peak	354.00	150	Horizontal	Pass
5**	11304.337	40.03	-4.05	54.0	-13.97	AV	354.00	150	Horizontal	Pass
6	15939.112	51.99	-0.44	68.2	-16.21	Peak	232.00	150	Horizontal	Pass
6**	15939.112	42.56	-0.44	54.0	-11.44	AV	232.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.100	49.65	-17.69	68.2	-18.55	Peak	167.00	150	Vertical	Pass
1**	1551.100	37.72	-17.69	54.0	-16.28	AV	167.00	150	Vertical	Pass
2	2834.200	43.82	-11.34	68.2	-24.38	Peak	204.00	150	Vertical	Pass
2**	2834.200	33.83	-11.34	54.0	-20.17	AV	204.00	150	Vertical	Pass
3	3997.500	48.34	-6.08	68.2	-19.86	Peak	175.00	150	Vertical	Pass
3**	3997.500	40.37	-6.08	54.0	-13.63	AV	175.00	150	Vertical	Pass
4	5682.500	103.13	-3.04	--	--	Peak	247.00	150	Vertical	N/A
4**	5682.500	95.35	-3.04	--	--	AV	247.00	150	Vertical	N/A
5	11098.662	49.64	-4.54	68.2	-18.56	Peak	0.00	150	Vertical	Pass
5**	11098.662	39.45	-4.54	54.0	-14.55	AV	0.00	150	Vertical	Pass
6	15941.737	52.42	-0.39	68.2	-15.78	Peak	9.00	150	Vertical	Pass
6**	15941.737	42.51	-0.39	54.0	-11.49	AV	9.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.300	48.41	-18.24	68.2	-19.79	Peak	286.00	150	Horizontal	Pass
1**	1158.300	35.35	-18.24	54.0	-18.65	AV	286.00	150	Horizontal	Pass
2	2826.900	42.92	-11.36	68.2	-25.28	Peak	234.00	150	Horizontal	Pass
2**	2826.900	33.03	-11.36	54.0	-20.97	AV	234.00	150	Horizontal	Pass
3	4186.000	47.61	-4.77	68.2	-20.59	Peak	68.00	150	Horizontal	Pass
3**	4186.000	39.41	-4.77	54.0	-14.59	AV	68.00	150	Horizontal	Pass
4	5506.500	95.19	-3.21	--	--	Peak	117.00	150	Horizontal	N/A
4**	5506.500	87.24	-3.21	--	--	AV	117.00	150	Horizontal	N/A
5	11794.775	49.70	-3.58	68.2	-18.50	Peak	81.00	150	Horizontal	Pass
5**	11794.775	41.07	-3.58	54.0	-12.93	AV	81.00	150	Horizontal	Pass
6	15476.588	52.00	-0.51	68.2	-16.20	Peak	0.00	150	Horizontal	Pass
6**	15476.588	43.10	-0.51	54.0	-10.90	AV	0.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.500	50.52	-17.88	68.2	-17.68	Peak	167.00	150	Vertical	Pass
1**	1540.500	38.28	-17.88	54.0	-15.72	AV	167.00	150	Vertical	Pass
2	2825.200	44.77	-11.32	68.2	-23.43	Peak	215.00	150	Vertical	Pass
2**	2825.200	32.76	-11.32	54.0	-21.24	AV	215.00	150	Vertical	Pass
3	3984.000	49.23	-6.05	68.2	-18.97	Peak	181.00	150	Vertical	Pass
3**	3984.000	39.10	-6.05	54.0	-14.90	AV	181.00	150	Vertical	Pass
4	5513.750	102.74	-3.14	--	--	Peak	245.00	150	Vertical	N/A
4**	5513.750	94.16	-3.14	--	--	AV	245.00	150	Vertical	N/A
5	11212.425	49.59	-4.09	68.2	-18.61	Peak	209.00	150	Vertical	Pass
5**	11212.425	40.82	-4.09	54.0	-13.18	AV	209.00	150	Vertical	Pass
6	15481.312	51.46	-0.58	68.2	-16.74	Peak	310.00	150	Vertical	Pass
6**	15481.312	42.42	-0.58	54.0	-11.58	AV	310.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.400	48.12	-18.22	68.2	-20.08	Peak	273.00	150	Horizontal	Pass
1**	1155.400	36.90	-18.22	54.0	-17.10	AV	273.00	150	Horizontal	Pass
2	2719.700	43.34	-11.72	68.2	-24.86	Peak	310.00	150	Horizontal	Pass
2**	2719.700	32.14	-11.72	54.0	-21.86	AV	310.00	150	Horizontal	Pass
3	4151.000	47.04	-6.05	68.2	-21.16	Peak	68.00	150	Horizontal	Pass
3**	4151.000	37.98	-6.05	54.0	-16.02	AV	68.00	150	Horizontal	Pass
4	5627.250	97.24	-2.20	--	--	Peak	272.00	150	Horizontal	Pass
4**	5627.250	88.28	-2.20	--	--	AV	272.00	150	Horizontal	N/A
5	11791.213	50.04	-3.61	68.2	-18.16	Peak	229.00	150	Horizontal	Pass
5**	11791.213	40.78	-3.61	54.0	-13.22	AV	229.00	150	Horizontal	Pass
6	15698.400	52.20	0.06	68.2	-16.00	Peak	133.00	150	Horizontal	Pass
6**	15698.400	42.28	0.06	54.0	-11.72	AV	133.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.600	50.58	-17.77	68.2	-17.62	Peak	167.00	150	Vertical	Pass
1**	1561.600	37.06	-17.77	54.0	-16.94	AV	167.00	150	Vertical	Pass
2	2830.400	45.37	-11.46	68.2	-22.83	Peak	210.00	150	Vertical	Pass
2**	2830.400	32.46	-11.46	54.0	-21.54	AV	210.00	150	Vertical	Pass
3	3988.000	47.46	-6.24	68.2	-20.74	Peak	191.00	150	Vertical	Pass
3**	3988.000	38.94	-6.24	54.0	-15.06	AV	191.00	150	Vertical	Pass
4	5625.250	102.68	-2.57	--	--	Peak	191.00	150	Vertical	N/A
4**	5625.250	94.64	-2.57	--	--	AV	191.00	150	Vertical	N/A
5	11805.938	49.53	-3.50	68.2	-18.67	Peak	237.00	150	Vertical	Pass
5**	11805.938	41.51	-3.50	54.0	-12.49	AV	237.00	150	Vertical	Pass
6	15535.912	52.26	-0.61	68.2	-15.94	Peak	0.00	150	Vertical	Pass
6**	15535.912	42.07	-0.61	54.0	-11.93	AV	0.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.700	46.61	-17.53	68.2	-21.59	Peak	109.00	150	Horizontal	Pass
1**	1594.700	34.59	-17.53	54.0	-19.41	AV	109.00	150	Horizontal	Pass
2	2826.500	42.79	-11.31	68.2	-25.41	Peak	313.00	150	Horizontal	Pass
2**	2826.500	33.90	-11.31	54.0	-20.10	AV	313.00	150	Horizontal	Pass
3	4233.250	47.12	-5.11	68.2	-21.08	Peak	27.00	150	Horizontal	Pass
3**	4233.250	38.31	-5.11	54.0	-15.69	AV	27.00	150	Horizontal	Pass
4	5503.500	100.56	-3.29	--	--	Peak	306.00	150	Horizontal	N/A
4**	5503.500	92.46	-3.29	--	--	AV	306.00	150	Horizontal	N/A
5	11790.975	49.58	-3.61	68.2	-18.62	Peak	93.00	150	Horizontal	Pass
5**	11790.975	40.50	-3.61	54.0	-13.50	AV	93.00	150	Horizontal	Pass
6	15827.550	51.76	-0.74	68.2	-16.44	Peak	186.00	150	Horizontal	Pass
6**	15827.550	42.02	-0.74	54.0	-11.98	AV	186.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.600	53.88	-17.40	68.2	-14.32	Peak	156.00	150	Vertical	Pass
1**	1605.600	40.20	-17.40	54.0	-13.80	AV	156.00	150	Vertical	Pass
2	2836.200	46.11	-11.21	68.2	-22.09	Peak	212.00	150	Vertical	Pass
2**	2836.200	34.61	-11.21	54.0	-19.39	AV	212.00	150	Vertical	Pass
3	3984.500	48.27	-6.03	68.2	-19.93	Peak	174.00	150	Vertical	Pass
3**	3984.500	39.70	-6.03	54.0	-14.30	AV	174.00	150	Vertical	Pass
4	5501.250	106.72	-3.16	--	--	Peak	248.00	150	Vertical	N/A
4**	5501.250	98.08	-3.16	--	--	AV	248.00	150	Vertical	N/A
5	11397.913	50.01	-4.22	68.2	-18.19	Peak	225.00	150	Vertical	Pass
5**	11397.913	39.50	-4.22	54.0	-14.50	AV	225.00	150	Vertical	Pass
6	16034.138	52.64	-0.12	68.2	-15.56	Peak	322.00	150	Vertical	Pass
6**	16034.138	43.27	-0.12	54.0	-10.73	AV	322.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.500	46.55	-17.47	68.2	-21.65	Peak	86.00	150	Horizontal	Pass
1**	1574.500	36.51	-17.47	54.0	-17.49	AV	86.00	150	Horizontal	Pass
2	2820.800	43.93	-11.37	68.2	-24.27	Peak	315.00	150	Horizontal	Pass
2**	2820.800	32.57	-11.37	54.0	-21.43	AV	315.00	150	Horizontal	Pass
3	4015.250	46.94	-5.69	68.2	-21.26	Peak	141.00	150	Horizontal	Pass
3**	4015.250	38.89	-5.69	54.0	-15.11	AV	141.00	150	Horizontal	Pass
4	5580.500	103.15	-2.67	--	--	Peak	271.00	150	Horizontal	N/A
4**	5580.500	93.83	-2.67	--	--	AV	271.00	150	Horizontal	N/A
5	11414.300	49.55	-4.12	68.2	-18.65	Peak	105.00	150	Horizontal	Pass
5**	11414.300	39.27	-4.12	54.0	-14.73	AV	105.00	150	Horizontal	Pass
6	15711.787	51.56	-0.14	68.2	-16.64	Peak	36.00	150	Horizontal	Pass
6**	15711.787	42.89	-0.14	54.0	-11.11	AV	36.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.800	51.69	-17.59	68.2	-16.51	Peak	189.00	150	Vertical	Pass
1**	1596.800	41.37	-17.59	54.0	-12.63	AV	189.00	150	Vertical	Pass
2	2834.900	46.05	-11.37	68.2	-22.15	Peak	210.00	150	Vertical	Pass
2**	2834.900	32.68	-11.37	54.0	-21.32	AV	210.00	150	Vertical	Pass
3	4001.500	48.56	-5.83	68.2	-19.64	Peak	194.00	150	Vertical	Pass
3**	4001.500	38.97	-5.83	54.0	-15.03	AV	194.00	150	Vertical	Pass
4	5583.750	109.38	-2.90	--	--	Peak	243.00	150	Vertical	N/A
4**	5583.750	99.76	-2.90	--	--	AV	243.00	150	Vertical	N/A
5	11786.463	49.68	-3.65	68.2	-18.52	Peak	286.00	150	Vertical	Pass
5**	11786.463	40.90	-3.65	54.0	-13.10	AV	286.00	150	Vertical	Pass
6	15708.637	52.04	-0.08	68.2	-16.16	Peak	228.00	150	Vertical	Pass
6**	15708.637	42.20	-0.08	54.0	-11.80	AV	228.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1578.100	46.93	-17.57	68.2	-21.27	Peak	293.00	150	Horizontal	Pass
1**	1578.100	36.47	-17.57	54.0	-17.53	AV	293.00	150	Horizontal	Pass
2	2831.600	42.38	-11.38	68.2	-25.82	Peak	320.00	150	Horizontal	Pass
2**	2831.600	32.17	-11.38	54.0	-21.83	AV	320.00	150	Horizontal	Pass
3	4120.000	46.67	-5.94	68.2	-21.53	Peak	142.00	150	Horizontal	Pass
3**	4120.000	37.27	-5.94	54.0	-16.73	AV	142.00	150	Horizontal	Pass
4	5696.000	99.66	-2.79	--	--	Peak	272.00	150	Horizontal	N/A
4**	5696.000	91.66	-2.79	--	--	AV	272.00	150	Horizontal	N/A
5	11690.276	49.15	-4.25	68.2	-19.05	Peak	28.00	150	Horizontal	Pass
5**	11690.276	40.20	-4.25	54.0	-13.80	AV	28.00	150	Horizontal	Pass
6	15783.713	51.18	-0.79	68.2	-17.02	Peak	253.00	150	Horizontal	Pass
6**	15783.713	41.30	-0.79	54.0	-12.70	AV	253.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1579.600	52.36	-17.61	68.2	-15.84	Peak	162.00	150	Vertical	Pass
1**	1579.600	39.33	-17.61	54.0	-14.67	AV	162.00	150	Vertical	Pass
2	2825.200	45.57	-11.32	68.2	-22.63	Peak	212.00	150	Vertical	Pass
2**	2825.200	32.88	-11.32	54.0	-21.12	AV	212.00	150	Vertical	Pass
3	3987.000	48.98	-6.24	68.2	-19.22	Peak	189.00	150	Vertical	Pass
3**	3987.000	38.59	-6.24	54.0	-15.41	AV	189.00	150	Vertical	Pass
4	5698.250	103.64	-2.93	--	--	Peak	263.00	150	Vertical	N/A
4**	5698.250	96.12	-2.93	--	--	AV	263.00	150	Vertical	N/A
5	11378.675	49.02	-4.33	68.2	-19.18	Peak	240.00	150	Vertical	Pass
5**	11378.675	40.50	-4.33	54.0	-13.50	AV	240.00	150	Vertical	Pass
6	15947.250	52.02	-0.28	68.2	-16.18	Peak	240.00	150	Vertical	Pass
6**	15947.250	42.79	-0.28	54.0	-11.21	AV	240.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.500	45.55	-17.75	68.2	-22.65	Peak	119.00	150	Horizontal	Pass
1**	1560.500	35.84	-17.75	54.0	-18.16	AV	119.00	150	Horizontal	Pass
2	4300.000	48.06	-4.65	68.2	-20.14	Peak	186.00	150	Horizontal	Pass
2**	4300.000	38.74	-4.65	54.0	-15.26	AV	186.00	150	Horizontal	Pass
3	5507.250	99.59	-3.24	--	49.59	Peak	50.00	150	Horizontal	N/A
3**	5507.250	89.39	-3.24	--	89.39	AV	50.00	150	Horizontal	N/A
4	7411.000	52.57	0.12	68.2	-15.63	Peak	154.00	150	Horizontal	Pass
4**	7411.000	42.56	0.12	54.0	-11.44	AV	154.00	150	Horizontal	Pass
5	11210.762	49.02	-4.09	68.2	-19.18	Peak	312.00	150	Horizontal	Pass
5**	11210.762	41.47	-4.09	54.0	-12.53	AV	312.00	150	Horizontal	Pass
6	15940.163	51.18	-0.42	68.2	-17.02	Peak	48.00	150	Horizontal	Pass
6**	15940.163	41.87	-0.42	54.0	-12.13	AV	48.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.400	52.46	-17.48	68.2	-15.74	Peak	183.00	150	Vertical	Pass
1**	1574.400	40.99	-17.48	54.0	-13.01	AV	183.00	150	Vertical	Pass
2	2838.300	44.26	-11.19	68.2	-23.94	Peak	215.00	150	Vertical	Pass
2**	2838.300	33.38	-11.19	54.0	-20.62	AV	215.00	150	Vertical	Pass
3	4138.250	48.74	-5.70	68.2	-19.46	Peak	240.00	150	Vertical	Pass
3**	4138.250	37.53	-5.70	54.0	-16.47	AV	240.00	150	Vertical	Pass
4	5508.500	105.14	-3.29	--	--	Peak	240.00	150	Vertical	N/A
4**	5508.500	95.35	-3.29	--	--	AV	240.00	150	Vertical	N/A
5	11714.975	49.49	-4.13	68.2	-18.71	Peak	154.00	150	Vertical	Pass
5**	11714.975	39.68	-4.13	54.0	-14.32	AV	154.00	150	Vertical	Pass
6	15811.537	51.49	-0.73	68.2	-16.71	Peak	105.00	150	Vertical	Pass
6**	15811.537	43.19	-0.73	54.0	-10.81	AV	105.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.100	47.62	-18.26	68.2	-20.58	Peak	272.00	150	Horizontal	Pass
1**	1156.100	35.08	-18.26	54.0	-18.92	AV	272.00	150	Horizontal	Pass
2	4013.000	46.95	-5.62	68.2	-21.25	Peak	82.00	150	Horizontal	Pass
2**	4013.000	38.17	-5.62	54.0	-15.83	AV	82.00	150	Horizontal	Pass
3	5596.750	102.92	-2.90	--	--	Peak	260.00	150	Horizontal	N/A
3**	5596.750	93.32	-2.90	--	--	AV	260.00	150	Horizontal	N/A
4	7498.250	52.33	-0.45	68.2	-15.87	Peak	82.00	150	Horizontal	Pass
4**	7498.250	43.28	-0.45	54.0	-10.72	AV	82.00	150	Horizontal	Pass
5	11801.662	49.48	-3.52	68.2	-18.72	Peak	19.00	150	Horizontal	Pass
5**	11801.662	41.13	-3.52	54.0	-12.87	AV	19.00	150	Horizontal	Pass
6	16047.263	52.06	-0.10	68.2	-16.14	Peak	162.00	150	Horizontal	Pass
6**	16047.263	42.25	-0.10	54.0	-11.75	AV	162.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.700	50.97	-17.75	68.2	-17.23	Peak	169.00	150	Vertical	Pass
1**	1560.700	36.58	-17.75	54.0	-17.42	AV	169.00	150	Vertical	Pass
2	3990.500	48.57	-6.25	68.2	-19.63	Peak	171.00	150	Vertical	Pass
2**	3990.500	39.83	-6.25	54.0	-14.17	AV	171.00	150	Vertical	Pass
3	5579.000	106.31	-2.80	--	--	Peak	244.00	150	Vertical	N/A
3**	5579.000	96.75	-2.80	--	--	AV	244.00	150	Vertical	N/A
4	7515.500	52.76	0.88	68.2	-15.44	Peak	350.00	150	Vertical	Pass
4**	7515.500	43.45	0.88	54.0	-10.55	AV	350.00	150	Vertical	Pass
5	11806.650	49.75	-3.49	68.2	-18.45	Peak	233.00	150	Vertical	Pass
5**	11806.650	40.06	-3.49	54.0	-13.94	AV	233.00	150	Vertical	Pass
6	15705.487	51.31	-0.01	68.2	-16.89	Peak	212.00	150	Vertical	Pass
6**	15705.487	42.21	-0.01	54.0	-11.79	AV	212.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.700	48.80	-18.21	68.2	-19.40	Peak	269.00	150	Horizontal	Pass
1**	1158.700	35.11	-18.21	54.0	-18.89	AV	269.00	150	Horizontal	Pass
2	4292.500	48.16	-4.59	68.2	-20.04	Peak	90.00	150	Horizontal	Pass
2**	4292.500	38.60	-4.59	54.0	-15.40	AV	90.00	150	Horizontal	Pass
3	5679.000	98.10	-3.24	--	--	Peak	263.00	150	Horizontal	N/A
3**	5679.000	89.65	-3.24	--	--	AV	263.00	150	Horizontal	N/A
4	7443.500	53.06	0.43	68.2	-15.14	Peak	289.00	150	Horizontal	Pass
4**	7443.500	43.18	0.43	54.0	-10.82	AV	289.00	150	Horizontal	Pass
5	11329.037	49.31	-4.28	68.2	-18.89	Peak	245.00	150	Horizontal	Pass
5**	11329.037	39.94	-4.28	54.0	-14.06	AV	245.00	150	Horizontal	Pass
6	15722.550	51.90	-0.37	68.2	-16.30	Peak	184.00	150	Horizontal	Pass
6**	15722.550	42.95	-0.37	54.0	-11.05	AV	184.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.400	50.72	-17.55	68.2	-17.48	Peak	176.00	150	Vertical	Pass
1**	1573.400	35.50	-17.55	54.0	-18.50	AV	176.00	150	Vertical	Pass
2	4001.000	47.65	-5.85	68.2	-20.55	Peak	169.00	150	Vertical	Pass
2**	4001.000	37.52	-5.85	54.0	-16.48	AV	169.00	150	Vertical	Pass
3	5658.500	102.95	-3.26	--	--	Peak	233.00	150	Vertical	N/A
3**	5658.500	94.02	-3.26	--	--	AV	233.00	150	Vertical	N/A
4	7462.500	52.97	1.09	68.2	-15.23	Peak	102.00	150	Vertical	Pass
4**	7462.500	43.92	1.09	54.0	-10.08	AV	102.00	150	Vertical	Pass
5	11715.687	49.57	-4.13	68.2	-18.63	Peak	155.00	150	Vertical	Pass
5**	11715.687	39.14	-4.13	54.0	-14.86	AV	155.00	150	Vertical	Pass
6	16037.026	52.25	-0.11	68.2	-15.95	Peak	25.00	150	Vertical	Pass
6**	16037.026	43.52	-0.11	54.0	-10.48	AV	25.00	150	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.400	46.97	-18.24	68.2	-21.23	Peak	128.00	150	Horizontal	Pass
1**	1157.400	34.09	-18.24	54.0	-19.91	AV	128.00	150	Horizontal	Pass
2	2830.800	43.70	-11.45	68.2	-24.50	Peak	318.00	150	Horizontal	Pass
2**	2830.800	32.73	-11.45	54.0	-21.27	AV	318.00	150	Horizontal	Pass
3	4258.250	47.74	-4.60	68.2	-20.46	Peak	146.00	150	Horizontal	Pass
3**	4258.250	38.50	-4.60	54.0	-15.50	AV	146.00	150	Horizontal	Pass
4	5506.250	96.37	-3.20	--	--	Peak	260.00	150	Horizontal	N/A
4**	5506.250	87.02	-3.20	--	--	AV	260.00	150	Horizontal	N/A
5	12437.925	50.67	-2.34	68.2	-17.53	Peak	360.00	150	Horizontal	Pass
5**	12437.925	40.67	-2.34	54.0	-13.33	AV	360.00	150	Horizontal	Pass
6	15541.950	51.62	-0.57	68.2	-16.58	Peak	85.00	150	Horizontal	Pass
6**	15541.950	42.70	-0.57	54.0	-11.30	AV	85.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.300	50.25	-17.59	68.2	-17.95	Peak	180.00	150	Vertical	Pass
1**	1572.300	40.72	-17.59	54.0	-13.28	AV	180.00	150	Vertical	Pass
2	2830.100	45.96	-11.48	68.2	-22.24	Peak	213.00	150	Vertical	Pass
2**	2830.100	32.78	-11.48	54.0	-21.22	AV	213.00	150	Vertical	Pass
3	5517.250	102.67	-3.13	--	--	Peak	267.00	150	Vertical	N/A
3**	5517.250	93.79	-3.13	--	--	AV	267.00	150	Vertical	N/A
4	7468.000	53.15	0.79	68.2	-15.05	Peak	176.00	150	Vertical	Pass
4**	7468.000	43.45	0.79	54.0	-10.55	AV	176.00	150	Vertical	Pass
5	12293.049	50.15	-2.50	68.2	-18.05	Peak	253.00	150	Vertical	Pass
5**	12293.049	40.75	-2.50	54.0	-13.25	AV	253.00	150	Vertical	Pass
6	15940.688	51.64	-0.41	68.2	-16.56	Peak	145.00	150	Vertical	Pass
6**	15940.688	41.72	-0.41	54.0	-12.28	AV	145.00	150	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.200	48.30	-18.14	68.2	-19.90	Peak	121.00	150	Horizontal	Pass
1**	1154.200	32.07	-18.14	54.0	-21.93	AV	121.00	150	Horizontal	Pass
2	4179.250	47.09	-5.16	68.2	-21.11	Peak	356.00	150	Horizontal	Pass
2**	4179.250	37.40	-5.16	54.0	-16.60	AV	356.00	150	Horizontal	Pass
3	5621.750	97.49	-2.38	--	--	Peak	267.00	150	Horizontal	N/A
3**	5621.750	88.82	-2.38	--	--	AV	267.00	150	Horizontal	N/A
4	7520.250	52.31	0.79	68.2	-15.89	Peak	201.00	150	Horizontal	Pass
4**	7520.250	43.46	0.79	54.0	-10.54	AV	201.00	150	Horizontal	Pass
5	11319.537	49.42	-4.19	68.2	-18.78	Peak	118.00	150	Horizontal	Pass
5**	11319.537	40.07	-4.19	54.0	-13.93	AV	118.00	150	Horizontal	Pass
6	15699.713	51.82	0.09	68.2	-16.38	Peak	338.00	150	Horizontal	Pass
6**	15699.713	43.06	0.09	54.0	-10.94	AV	338.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.700	49.93	-17.54	68.2	-18.27	Peak	347.00	150	Vertical	Pass
1**	1545.700	36.47	-17.54	54.0	-17.53	AV	347.00	150	Vertical	Pass
2	3995.250	47.66	-6.31	68.2	-20.54	Peak	152.00	150	Vertical	Pass
2**	3995.250	38.04	-6.31	54.0	-15.96	AV	152.00	150	Vertical	Pass
3	5585.750	103.06	-3.04	--	--	Peak	243.00	150	Vertical	N/A
3**	5585.750	92.99	-3.04	--	--	AV	243.00	150	Vertical	N/A
4	7468.500	53.26	0.71	68.2	-14.94	Peak	5.00	150	Vertical	Pass
4**	7468.500	43.76	0.71	54.0	-10.24	AV	5.00	150	Vertical	Pass
5	11792.400	49.33	-3.60	68.2	-18.87	Peak	287.00	150	Vertical	Pass
5**	11792.400	40.53	-3.60	54.0	-13.47	AV	287.00	150	Vertical	Pass
6	15530.401	51.05	-0.65	68.2	-17.15	Peak	158.00	150	Vertical	Pass
6**	15530.401	41.91	-0.65	54.0	-12.09	AV	158.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.200	47.15	-18.20	68.2	-21.05	Peak	117.00	150	Horizontal	Pass
1**	1155.200	35.32	-18.20	54.0	-18.68	AV	117.00	150	Horizontal	Pass
2	2831.400	42.95	-11.39	68.2	-25.25	Peak	315.00	150	Horizontal	Pass
2**	2831.400	32.40	-11.39	54.0	-21.60	AV	315.00	150	Horizontal	Pass
3	4278.750	48.29	-4.71	68.2	-19.91	Peak	89.00	150	Horizontal	Pass
3**	4278.750	38.80	-4.71	54.0	-15.20	AV	89.00	150	Horizontal	Pass
4	5742.750	101.97	-3.06	--	--	Peak	32.00	150	Horizontal	N/A
4**	5742.750	94.49	-3.06	--	--	AV	32.00	150	Horizontal	N/A
5	12196.625	49.54	-3.00	68.2	-18.66	Peak	280.00	150	Horizontal	Pass
5**	12196.625	39.97	-3.00	54.0	-14.03	AV	280.00	150	Horizontal	Pass
6	15698.662	51.68	0.06	68.2	-16.52	Peak	283.00	150	Horizontal	Pass
6**	15698.662	42.18	0.06	54.0	-11.82	AV	283.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.400	49.46	-17.87	68.2	-18.74	Peak	346.00	150	Vertical	Pass
1**	1543.400	35.52	-17.87	54.0	-18.48	AV	346.00	150	Vertical	Pass
2	3986.500	48.03	-6.23	68.2	-20.17	Peak	289.00	150	Vertical	Pass
2**	3986.500	40.41	-6.23	54.0	-13.59	AV	289.00	150	Vertical	Pass
3	5741.500	105.00	-3.11	--	--	Peak	280.00	150	Vertical	N/A
3**	5741.500	98.28	-3.11	--	--	AV	280.00	150	Vertical	N/A
4	7458.250	52.90	1.14	68.2	-15.30	Peak	339.00	150	Vertical	Pass
4**	7458.250	43.88	1.14	54.0	-10.12	AV	339.00	150	Vertical	Pass
5	11785.275	49.29	-3.66	68.2	-18.91	Peak	66.00	150	Vertical	Pass
5**	11785.275	40.84	-3.66	54.0	-13.16	AV	66.00	150	Vertical	Pass
6	16013.924	51.72	-0.14	68.2	-16.48	Peak	0.00	150	Vertical	Pass
6**	16013.924	42.05	-0.14	54.0	-11.95	AV	0.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.900	47.84	-18.14	68.2	-20.36	Peak	277.00	150	Horizontal	Pass
1**	1153.900	34.05	-18.14	54.0	-19.95	AV	277.00	150	Horizontal	Pass
2	4299.750	47.96	-4.67	68.2	-20.24	Peak	153.00	150	Horizontal	Pass
2**	4299.750	38.19	-4.67	54.0	-15.81	AV	153.00	150	Horizontal	Pass
3	5787.750	101.67	-3.18	--	--	Peak	113.00	150	Horizontal	N/A
3**	5787.750	94.31	-3.18	--	--	AV	113.00	150	Horizontal	N/A
4	7510.750	52.53	0.52	68.2	-15.67	Peak	276.00	150	Horizontal	Pass
4**	7510.750	43.70	0.52	54.0	-10.30	AV	276.00	150	Horizontal	Pass
5	11805.463	49.58	-3.50	68.2	-18.62	Peak	68.00	150	Horizontal	Pass
5**	11805.463	40.90	-3.50	54.0	-13.10	AV	68.00	150	Horizontal	Pass
6	16058.287	52.45	-0.25	68.2	-15.75	Peak	252.00	150	Horizontal	Pass
6**	16058.287	42.13	-0.25	54.0	-11.87	AV	252.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.400	50.55	-17.39	68.2	-17.65	Peak	149.00	150	Vertical	Pass
1**	1473.400	35.39	-17.39	54.0	-18.61	AV	149.00	150	Vertical	Pass
2	3998.500	48.41	-5.99	68.2	-19.79	Peak	42.00	150	Vertical	Pass
2**	3998.500	39.22	-5.99	54.0	-14.78	AV	42.00	150	Vertical	Pass
3	5783.000	104.90	-3.17	--	--	Peak	282.00	150	Vertical	N/A
3**	5783.000	97.74	-3.17	--	--	AV	282.00	150	Vertical	N/A
4	7452.500	52.68	0.95	68.2	-15.52	Peak	141.00	150	Vertical	Pass
4**	7452.500	44.62	0.95	54.0	-9.38	AV	141.00	150	Vertical	Pass
5	11780.287	49.22	-3.71	68.2	-18.98	Peak	222.00	150	Vertical	Pass
5**	11780.287	40.79	-3.71	54.0	-13.21	AV	222.00	150	Vertical	Pass
6	16036.500	51.51	-0.11	68.2	-16.69	Peak	201.00	150	Vertical	Pass
6**	16036.500	43.00	-0.11	54.0	-11.00	AV	201.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.500	47.61	-18.16	68.2	-20.59	Peak	267.00	150	Horizontal	Pass
1**	1154.500	33.98	-18.16	54.0	-20.02	AV	267.00	150	Horizontal	Pass
2	4010.750	46.55	-5.64	68.2	-21.65	Peak	92.00	150	Horizontal	Pass
2**	4010.750	37.32	-5.64	54.0	-16.68	AV	92.00	150	Horizontal	Pass
3	5827.750	103.32	-3.02	--	--	Peak	308.00	150	Horizontal	N/A
3**	5827.750	95.35	-3.02	--	--	AV	308.00	150	Horizontal	N/A
4	7507.750	53.55	0.31	68.2	-14.65	Peak	59.00	150	Horizontal	Pass
4**	7507.750	43.80	0.31	54.0	-10.20	AV	59.00	150	Horizontal	Pass
5	12292.100	49.91	-2.51	68.2	-18.29	Peak	254.00	150	Horizontal	Pass
5**	12292.100	40.53	-2.51	54.0	-13.47	AV	254.00	150	Horizontal	Pass
6	15698.138	51.46	0.05	68.2	-16.74	Peak	254.00	150	Horizontal	Pass
6**	15698.138	42.08	0.05	54.0	-11.92	AV	254.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.400	48.77	-17.46	68.2	-19.43	Peak	149.00	150	Vertical	Pass
1**	1505.400	36.45	-17.46	54.0	-17.55	AV	149.00	150	Vertical	Pass
2	2839.200	47.44	-11.24	68.2	-20.76	Peak	215.00	150	Vertical	Pass
2**	2839.200	32.14	-11.24	54.0	-21.86	AV	215.00	150	Vertical	Pass
3	3982.250	48.29	-6.11	68.2	-19.91	Peak	168.00	150	Vertical	Pass
3**	3982.250	38.35	-6.11	54.0	-15.65	AV	168.00	150	Vertical	Pass
4	5820.500	105.78	-2.84	--	--	Peak	265.00	150	Vertical	N/A
4**	5820.500	96.95	-2.84	--	--	AV	265.00	150	Vertical	N/A
5	11114.100	49.57	-4.50	68.2	-18.63	Peak	74.00	150	Vertical	Pass
5**	11114.100	38.89	-4.50	54.0	-15.11	AV	74.00	150	Vertical	Pass
6	15709.162	51.88	-0.09	68.2	-16.32	Peak	284.00	150	Vertical	Pass
6**	15709.162	42.20	-0.09	54.0	-11.80	AV	284.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.200	47.53	-18.20	68.2	-20.67	Peak	269.00	150	Horizontal	Pass
1**	1155.200	37.14	-18.20	54.0	-16.86	AV	269.00	150	Horizontal	Pass
2	4306.250	47.91	-4.18	68.2	-20.29	Peak	227.00	150	Horizontal	Pass
2**	4306.250	38.99	-4.18	54.0	-15.01	AV	227.00	150	Horizontal	Pass
3	5743.000	101.38	-3.04	--	--	Peak	114.00	150	Horizontal	N/A
3**	5743.000	93.85	-3.04	--	--	AV	114.00	150	Horizontal	N/A
4	7501.500	53.55	-0.48	68.2	-14.65	Peak	331.00	150	Horizontal	Pass
4**	7501.500	43.13	-0.48	54.0	-10.87	AV	331.00	150	Horizontal	Pass
5	11196.987	49.76	-4.07	68.2	-18.44	Peak	233.00	150	Horizontal	Pass
5**	11196.987	40.08	-4.07	54.0	-13.92	AV	233.00	150	Horizontal	Pass
6	15456.900	51.64	-0.23	68.2	-16.56	Peak	360.00	150	Horizontal	Pass
6**	15456.900	41.66	-0.23	54.0	-12.34	AV	360.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.100	49.65	-17.76	68.2	-18.55	Peak	170.00	150	Vertical	Pass
1**	1552.100	37.38	-17.76	54.0	-16.62	AV	170.00	150	Vertical	Pass
2	3994.500	48.99	-6.30	68.2	-19.21	Peak	176.00	150	Vertical	Pass
2**	3994.500	38.43	-6.30	54.0	-15.57	AV	176.00	150	Vertical	Pass
3	5747.000	105.34	-2.95	--	--	Peak	292.00	150	Vertical	N/A
3**	5747.000	98.00	-2.95	--	--	AV	292.00	150	Vertical	N/A
4	7460.500	52.66	1.14	68.2	-15.54	Peak	358.00	150	Vertical	Pass
4**	7460.500	43.75	1.14	54.0	-10.25	AV	358.00	150	Vertical	Pass
5	11322.387	49.48	-4.22	68.2	-18.72	Peak	257.00	150	Vertical	Pass
5**	11322.387	39.98	-4.22	54.0	-14.02	AV	257.00	150	Vertical	Pass
6	15533.550	51.69	-0.63	68.2	-16.51	Peak	294.00	150	Vertical	Pass
6**	15533.550	41.17	-0.63	54.0	-12.83	AV	294.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.600	48.50	-18.25	68.2	-19.70	Peak	266.00	150	Horizontal	Pass
1**	1156.600	32.98	-18.25	54.0	-21.02	AV	266.00	150	Horizontal	Pass
2	4242.250	47.77	-5.28	68.2	-20.43	Peak	87.00	150	Horizontal	Pass
2**	4242.250	37.86	-5.28	54.0	-16.14	AV	87.00	150	Horizontal	Pass
3	5787.750	101.25	-3.18	--	--	Peak	112.00	150	Horizontal	N/A
3**	5787.750	93.89	-3.18	--	--	AV	112.00	150	Horizontal	N/A
4	7470.500	53.02	0.69	68.2	-15.18	Peak	2.00	150	Horizontal	Pass
4**	7470.500	44.32	0.69	54.0	-9.68	AV	2.00	150	Horizontal	Pass
5	11782.425	49.52	-3.69	68.2	-18.68	Peak	51.00	150	Horizontal	Pass
5**	11782.425	40.67	-3.69	54.0	-13.33	AV	51.00	150	Horizontal	Pass
6	16063.013	51.74	-0.33	68.2	-16.46	Peak	216.00	150	Horizontal	Pass
6**	16063.013	42.54	-0.33	54.0	-11.46	AV	216.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.500	49.43	-17.68	68.2	-18.77	Peak	187.00	150	Vertical	Pass
1**	1533.500	37.19	-17.68	54.0	-16.81	AV	187.00	150	Vertical	Pass
2	2832.300	46.15	-11.31	68.2	-22.05	Peak	197.00	150	Vertical	Pass
2**	2832.300	33.03	-11.31	54.0	-20.97	AV	197.00	150	Vertical	Pass
3	3987.500	48.59	-6.24	68.2	-19.61	Peak	174.00	150	Vertical	Pass
3**	3987.500	38.23	-6.24	54.0	-15.77	AV	174.00	150	Vertical	Pass
4	5783.500	104.49	-3.18	--	--	Peak	278.00	150	Vertical	N/A
4**	5783.500	97.01	-3.18	--	--	AV	278.00	150	Vertical	N/A
5	12299.700	49.91	-2.44	68.2	-18.29	Peak	156.00	150	Vertical	Pass
5**	12299.700	40.16	-2.44	54.0	-13.84	AV	156.00	150	Vertical	Pass
6	15715.987	51.75	-0.23	68.2	-16.45	Peak	109.00	150	Vertical	Pass
6**	15715.987	42.06	-0.23	54.0	-11.94	AV	109.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.500	46.60	-17.30	68.2	-21.60	Peak	150.00	150	Horizontal	Pass
1**	1497.500	33.21	-17.30	54.0	-20.79	AV	150.00	150	Horizontal	Pass
2	3757.000	45.71	-6.60	68.2	-22.49	Peak	243.00	150	Horizontal	Pass
2**	3757.000	35.87	-6.60	54.0	-18.13	AV	243.00	150	Horizontal	Pass
3	4939.500	49.96	-3.87	68.2	-18.24	Peak	283.00	150	Horizontal	Pass
3**	4939.500	39.51	-3.87	54.0	-14.49	AV	283.00	150	Horizontal	Pass
4	5822.500	102.31	-3.09	--	--	Peak	113.00	150	Horizontal	N/A
4**	5822.500	95.79	-3.09	--	--	AV	113.00	150	Horizontal	N/A
5	12310.150	49.97	-2.51	68.2	-18.23	Peak	360.00	150	Horizontal	Pass
5**	12310.150	40.18	-2.51	54.0	-13.82	AV	360.00	150	Horizontal	Pass
6	15467.138	51.40	-0.38	68.2	-16.80	Peak	130.00	150	Horizontal	Pass
6**	15467.138	41.98	-0.38	54.0	-12.02	AV	130.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.300	49.95	-17.65	68.2	-18.25	Peak	177.00	150	Vertical	Pass
1**	1568.300	36.27	-17.65	54.0	-17.73	AV	177.00	150	Vertical	Pass
2	3984.250	48.18	-6.03	68.2	-20.02	Peak	39.00	150	Vertical	Pass
2**	3984.250	39.23	-6.03	54.0	-14.77	AV	39.00	150	Vertical	Pass
3	5828.750	104.94	-3.14	--	--	Peak	267.00	150	Vertical	N/A
3**	5828.750	96.74	-3.14	--	--	AV	267.00	150	Vertical	N/A
4	7463.750	52.94	0.97	68.2	-15.26	Peak	120.00	150	Vertical	Pass
4**	7463.750	44.80	0.97	54.0	-9.20	AV	120.00	150	Vertical	Pass
5	11788.125	50.58	-3.64	68.2	-17.62	Peak	279.00	150	Vertical	Pass
5**	11788.125	40.63	-3.64	54.0	-13.37	AV	279.00	150	Vertical	Pass
6	15543.788	51.43	-0.56	68.2	-16.77	Peak	44.00	150	Vertical	Pass
6**	15543.788	42.60	-0.56	54.0	-11.40	AV	44.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.300	48.90	-18.24	68.2	-19.30	Peak	276.00	150	Horizontal	Pass
1**	1157.300	36.58	-18.24	54.0	-17.42	AV	276.00	150	Horizontal	Pass
2	4253.000	47.30	-4.99	68.2	-20.90	Peak	178.00	150	Horizontal	Pass
2**	4253.000	38.21	-4.99	54.0	-15.79	AV	178.00	150	Horizontal	Pass
3	5765.250	98.01	-2.40	--	--	Peak	292.00	150	Horizontal	N/A
3**	5765.250	89.80	-2.40	--	--	AV	292.00	150	Horizontal	N/A
4	7466.750	52.90	0.88	68.2	-15.30	Peak	135.00	150	Horizontal	Pass
4**	7466.750	44.30	0.88	54.0	-9.70	AV	135.00	150	Horizontal	Pass
5	11860.325	49.64	-3.23	68.2	-18.56	Peak	29.00	150	Horizontal	Pass
5**	11860.325	39.51	-3.23	54.0	-14.49	AV	29.00	150	Horizontal	Pass
6	15709.425	51.88	-0.09	68.2	-16.32	Peak	28.00	150	Horizontal	Pass
6**	15709.425	42.63	-0.09	54.0	-11.37	AV	28.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.200	49.04	-17.69	68.2	-19.16	Peak	347.00	150	Vertical	Pass
1**	1551.200	37.27	-17.69	54.0	-16.73	AV	347.00	150	Vertical	Pass
2	2833.100	46.93	-11.29	68.2	-21.27	Peak	215.00	150	Vertical	Pass
2**	2833.100	33.07	-11.29	54.0	-20.93	AV	215.00	150	Vertical	Pass
3	3989.250	47.56	-6.24	68.2	-20.64	Peak	47.00	150	Vertical	Pass
3**	3989.250	38.36	-6.24	54.0	-15.64	AV	47.00	150	Vertical	Pass
4	5767.000	103.04	-2.16	--	--	Peak	272.00	150	Vertical	N/A
4**	5767.000	94.77	-2.16	--	--	AV	272.00	150	Vertical	N/A
5	11805.938	50.00	-3.50	68.2	-18.20	Peak	113.00	150	Vertical	Pass
5**	11805.938	40.53	-3.50	54.0	-13.47	AV	113.00	150	Vertical	Pass
6	15713.887	51.79	-0.19	68.2	-16.41	Peak	0.00	150	Vertical	Pass
6**	15713.887	42.94	-0.19	54.0	-11.06	AV	0.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.700	48.14	-17.40	68.2	-20.06	Peak	151.00	150	Horizontal	Pass
1**	1501.700	31.88	-17.40	54.0	-22.12	AV	151.00	150	Horizontal	Pass
2	3958.750	46.59	-6.53	68.2	-21.61	Peak	275.00	150	Horizontal	Pass
2**	3958.750	37.28	-6.53	54.0	-16.72	AV	275.00	150	Horizontal	Pass
3	5800.750	99.55	-3.31	--	--	Peak	113.00	150	Horizontal	N/A
3**	5800.750	90.83	-3.31	--	--	AV	113.00	150	Horizontal	N/A
4	7459.250	53.26	1.14	68.2	-14.94	Peak	80.00	150	Horizontal	Pass
4**	7459.250	44.19	1.14	54.0	-9.81	AV	80.00	150	Horizontal	Pass
5	11921.599	49.42	-3.47	68.2	-18.78	Peak	311.00	150	Horizontal	Pass
5**	11921.599	38.78	-3.47	54.0	-15.22	AV	311.00	150	Horizontal	Pass
6	15698.400	51.98	0.06	68.2	-16.22	Peak	145.00	150	Horizontal	Pass
6**	15698.400	42.93	0.06	54.0	-11.07	AV	145.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.500	49.71	-17.82	68.2	-18.49	Peak	183.00	150	Vertical	Pass
1**	1537.500	34.54	-17.82	54.0	-19.46	AV	183.00	150	Vertical	Pass
2	2835.300	44.84	-11.33	68.2	-23.36	Peak	217.00	150	Vertical	Pass
2**	2835.300	32.51	-11.33	54.0	-21.49	AV	217.00	150	Vertical	Pass
3	3993.750	48.37	-6.27	68.2	-19.83	Peak	164.00	150	Vertical	Pass
3**	3993.750	38.63	-6.27	54.0	-15.37	AV	164.00	150	Vertical	Pass
4	5799.500	102.10	-3.40	--	--	Peak	215.00	150	Vertical	N/A
4**	5799.500	93.68	-3.40	--	--	AV	215.00	150	Vertical	N/A
5	11789.312	49.77	-3.63	68.2	-18.43	Peak	100.00	150	Vertical	Pass
5**	11789.312	41.39	-3.63	54.0	-12.61	AV	100.00	150	Vertical	Pass
6	15487.875	51.71	-0.68	68.2	-16.49	Peak	136.00	150	Vertical	Pass
6**	15487.875	41.50	-0.68	54.0	-12.50	AV	136.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.300	48.77	-18.11	68.2	-19.43	Peak	118.00	150	Horizontal	Pass
1**	1161.300	36.91	-18.11	54.0	-17.09	AV	118.00	150	Horizontal	Pass
2	4009.000	46.84	-5.69	68.2	-21.36	Peak	53.00	150	Horizontal	Pass
2**	4009.000	37.83	-5.69	54.0	-16.17	AV	53.00	150	Horizontal	Pass
3	5742.750	101.39	-3.06	--	--	Peak	259.00	150	Horizontal	N/A
3**	5742.750	94.11	-3.06	--	--	AV	259.00	150	Horizontal	N/A
4	7506.250	52.73	-0.01	68.2	-15.47	Peak	218.00	150	Horizontal	Pass
4**	7506.250	43.75	-0.01	54.0	-10.25	AV	218.00	150	Horizontal	Pass
5	11386.276	49.61	-4.29	68.2	-18.59	Peak	107.00	150	Horizontal	Pass
5**	11386.276	40.44	-4.29	54.0	-13.56	AV	107.00	150	Horizontal	Pass
6	15800.776	51.37	-0.72	68.2	-16.83	Peak	339.00	150	Horizontal	Pass
6**	15800.776	42.09	-0.72	54.0	-11.91	AV	339.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.800	49.09	-17.52	68.2	-19.11	Peak	185.00	150	Vertical	Pass
1**	1493.800	33.56	-17.52	54.0	-20.44	AV	185.00	150	Vertical	Pass
2	2828.700	47.02	-11.55	68.2	-21.18	Peak	217.00	150	Vertical	Pass
2**	2828.700	32.60	-11.55	54.0	-21.40	AV	217.00	150	Vertical	Pass
3	3986.250	48.46	-6.21	68.2	-19.74	Peak	171.00	150	Vertical	Pass
3**	3986.250	38.85	-6.21	54.0	-15.15	AV	171.00	150	Vertical	Pass
4	5742.000	104.52	-3.10	--	--	Peak	292.00	150	Vertical	N/A
4**	5742.000	97.84	-3.10	--	--	AV	292.00	150	Vertical	N/A
5	11818.762	49.58	-3.41	68.2	-18.62	Peak	86.00	150	Vertical	Pass
5**	11818.762	39.80	-3.41	54.0	-14.20	AV	86.00	150	Vertical	Pass
6	15961.687	52.09	-0.21	68.2	-16.11	Peak	228.00	150	Vertical	Pass
6**	15961.687	42.12	-0.21	54.0	-11.88	AV	228.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.900	48.72	-18.25	68.2	-19.48	Peak	270.00	150	Horizontal	Pass
1**	1155.900	35.73	-18.25	54.0	-18.27	AV	270.00	150	Horizontal	Pass
2	2833.000	43.39	-11.28	68.2	-24.81	Peak	229.00	150	Horizontal	Pass
2**	2833.000	32.88	-11.28	54.0	-21.12	AV	229.00	150	Horizontal	Pass
3	4305.750	47.77	-4.19	68.2	-20.43	Peak	130.00	150	Horizontal	Pass
3**	4305.750	38.67	-4.19	54.0	-15.33	AV	130.00	150	Horizontal	Pass
4	5787.750	102.09	-3.18	--	--	Peak	309.00	150	Horizontal	N/A
4**	5787.750	94.24	-3.18	--	--	AV	309.00	150	Horizontal	N/A
5	11788.363	49.14	-3.64	68.2	-19.06	Peak	29.00	150	Horizontal	Pass
5**	11788.363	40.49	-3.64	54.0	-13.51	AV	29.00	150	Horizontal	Pass
6	15548.250	51.46	-0.53	68.2	-16.74	Peak	32.00	150	Horizontal	Pass
6**	15548.250	41.61	-0.53	54.0	-12.39	AV	32.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.300	49.44	-17.41	68.2	-18.76	Peak	157.00	150	Vertical	Pass
1**	1474.300	36.84	-17.41	54.0	-17.16	AV	157.00	150	Vertical	Pass
2	3993.750	49.15	-6.27	68.2	-19.05	Peak	166.00	150	Vertical	Pass
2**	3993.750	38.32	-6.27	54.0	-15.68	AV	166.00	150	Vertical	Pass
3	5782.500	104.98	-3.17	--	--	Peak	282.00	150	Vertical	N/A
3**	5782.500	97.74	-3.17	--	--	AV	282.00	150	Vertical	N/A
4	7517.000	52.91	0.92	68.2	-15.29	Peak	0.00	150	Vertical	Pass
4**	7517.000	43.96	0.92	54.0	-10.04	AV	0.00	150	Vertical	Pass
5	11788.125	50.43	-3.64	68.2	-17.77	Peak	301.00	150	Vertical	Pass
5**	11788.125	39.97	-3.64	54.0	-14.03	AV	301.00	150	Vertical	Pass
6	15727.537	51.85	-0.47	68.2	-16.35	Peak	311.00	150	Vertical	Pass
6**	15727.537	41.05	-0.47	54.0	-12.95	AV	311.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.400	48.58	-18.22	68.2	-19.62	Peak	270.00	150	Horizontal	Pass
1**	1155.400	36.80	-18.22	54.0	-17.20	AV	270.00	150	Horizontal	Pass
2	4283.000	47.24	-4.87	68.2	-20.96	Peak	186.00	150	Horizontal	Pass
2**	4283.000	38.39	-4.87	54.0	-15.61	AV	186.00	150	Horizontal	Pass
3	5828.250	102.45	-3.08	--	--	Peak	111.00	150	Horizontal	N/A
3**	5828.250	94.34	-3.08	--	--	AV	111.00	150	Horizontal	N/A
4	7510.000	52.94	0.55	68.2	-15.26	Peak	179.00	150	Horizontal	Pass
4**	7510.000	43.15	0.55	54.0	-10.85	AV	179.00	150	Horizontal	Pass
5	11804.512	49.47	-3.51	68.2	-18.73	Peak	0.00	150	Horizontal	Pass
5**	11804.512	40.49	-3.51	54.0	-13.51	AV	0.00	150	Horizontal	Pass
6	15948.826	51.66	-0.25	68.2	-16.54	Peak	200.00	150	Horizontal	Pass
6**	15948.826	41.94	-0.25	54.0	-12.06	AV	200.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.300	48.83	-17.38	68.2	-19.37	Peak	180.00	150	Vertical	Pass
1**	1491.300	33.59	-17.38	54.0	-20.41	AV	180.00	150	Vertical	Pass
2	2834.600	45.48	-11.36	68.2	-22.72	Peak	212.00	150	Vertical	Pass
2**	2834.600	32.35	-11.36	54.0	-21.65	AV	212.00	150	Vertical	Pass
3	3990.750	47.61	-6.25	68.2	-20.59	Peak	27.00	150	Vertical	Pass
3**	3990.750	38.46	-6.25	54.0	-15.54	AV	27.00	150	Vertical	Pass
4	5821.500	103.87	-2.96	--	--	Peak	274.00	150	Vertical	N/A
4**	5821.500	97.39	-2.96	--	--	AV	274.00	150	Vertical	N/A
5	12442.200	50.01	-2.27	68.2	-18.19	Peak	360.00	150	Vertical	Pass
5**	12442.200	41.11	-2.27	54.0	-12.89	AV	360.00	150	Vertical	Pass
6	15945.413	51.80	-0.32	68.2	-16.40	Peak	90.00	150	Vertical	Pass
6**	15945.413	42.20	-0.32	54.0	-11.80	AV	90.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.700	48.10	-18.24	68.2	-20.10	Peak	261.00	150	Horizontal	Pass
1**	1157.700	35.04	-18.24	54.0	-18.96	AV	261.00	150	Horizontal	Pass
2	2774.600	42.47	-10.88	68.2	-25.73	Peak	145.00	150	Horizontal	Pass
2**	2774.600	32.54	-10.88	54.0	-21.46	AV	145.00	150	Horizontal	Pass
3	4783.000	48.82	-3.86	68.2	-19.38	Peak	113.00	150	Horizontal	Pass
3**	4783.000	38.57	-3.86	54.0	-15.43	AV	113.00	150	Horizontal	Pass
4	5764.500	98.68	-2.37	--	--	Peak	283.00	150	Horizontal	N/A
4**	5764.500	90.50	-2.37	--	--	AV	283.00	150	Horizontal	N/A
5	11307.662	49.59	-4.08	68.2	-18.61	Peak	8.00	150	Horizontal	Pass
5**	11307.662	39.45	-4.08	54.0	-14.55	AV	8.00	150	Horizontal	Pass
6	15519.112	51.36	-0.72	68.2	-16.84	Peak	307.00	150	Horizontal	Pass
6**	15519.112	41.24	-0.72	54.0	-12.76	AV	307.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.800	49.26	-17.50	68.2	-18.94	Peak	179.00	150	Vertical	Pass
1**	1505.800	34.14	-17.50	54.0	-19.86	AV	179.00	150	Vertical	Pass
2	3989.250	48.74	-6.24	68.2	-19.46	Peak	167.00	150	Vertical	Pass
2**	3989.250	39.77	-6.24	54.0	-14.23	AV	167.00	150	Vertical	Pass
3	5763.500	102.25	-2.32	--	--	Peak	275.00	150	Vertical	N/A
3**	5763.500	94.61	-2.32	--	--	AV	275.00	150	Vertical	N/A
4	7470.250	53.12	0.66	68.2	-15.08	Peak	0.00	150	Vertical	Pass
4**	7470.250	43.82	0.66	54.0	-10.18	AV	0.00	150	Vertical	Pass
5	11292.937	49.08	-4.04	68.2	-19.12	Peak	77.00	150	Vertical	Pass
5**	11292.937	40.05	-4.04	54.0	-13.95	AV	77.00	150	Vertical	Pass
6	15715.200	52.42	-0.22	68.2	-15.78	Peak	337.00	150	Vertical	Pass
6**	15715.200	42.74	-0.22	54.0	-11.26	AV	337.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.300	47.57	-18.21	68.2	-20.63	Peak	278.00	150	Horizontal	Pass
1**	1155.300	34.18	-18.21	54.0	-19.82	AV	278.00	150	Horizontal	Pass
2	2835.800	42.98	-11.26	68.2	-25.22	Peak	324.00	150	Horizontal	Pass
2**	2835.800	32.79	-11.26	54.0	-21.21	AV	324.00	150	Horizontal	Pass
3	4226.750	47.69	-5.20	68.2	-20.51	Peak	20.00	150	Horizontal	Pass
3**	4226.750	37.86	-5.20	54.0	-16.14	AV	20.00	150	Horizontal	Pass
4	5804.500	99.64	-3.06	--	--	Peak	110.00	150	Horizontal	N/A
4**	5804.500	92.04	-3.06	--	--	AV	110.00	150	Horizontal	N/A
5	11680.300	49.34	-4.31	68.2	-18.86	Peak	19.00	150	Horizontal	Pass
5**	11680.300	39.50	-4.31	54.0	-14.50	AV	19.00	150	Horizontal	Pass
6	15941.474	51.51	-0.40	68.2	-16.69	Peak	224.00	150	Horizontal	Pass
6**	15941.474	42.30	-0.40	54.0	-11.70	AV	224.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1563.200	49.55	-17.72	68.2	-18.65	Peak	172.00	150	Vertical	Pass
1**	1563.200	36.66	-17.72	54.0	-17.34	AV	172.00	150	Vertical	Pass
2	2830.100	46.00	-11.48	68.2	-22.20	Peak	214.00	150	Vertical	Pass
2**	2830.100	32.72	-11.48	54.0	-21.28	AV	214.00	150	Vertical	Pass
3	3998.500	47.82	-5.99	68.2	-20.38	Peak	179.00	150	Vertical	Pass
3**	3998.500	38.06	-5.99	54.0	-15.94	AV	179.00	150	Vertical	Pass
4	5801.500	101.95	-3.24	--	--	Peak	268.00	150	Vertical	N/A
4**	5801.500	94.91	-3.24	--	--	AV	268.00	150	Vertical	N/A
5	11782.187	49.67	-3.69	68.2	-18.53	Peak	153.00	150	Vertical	Pass
5**	11782.187	39.96	-3.69	54.0	-14.04	AV	153.00	150	Vertical	Pass
6	16028.363	52.65	-0.12	68.2	-15.55	Peak	62.00	150	Vertical	Pass
6**	16028.363	43.06	-0.12	54.0	-10.94	AV	62.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.700	46.46	-17.49	68.2	-21.74	Peak	157.00	150	Horizontal	Pass
1**	1505.700	38.08	-17.49	54.0	-15.92	AV	157.00	150	Horizontal	Pass
2	3797.750	45.95	-6.29	68.2	-22.25	Peak	231.00	150	Horizontal	Pass
2**	3797.750	36.88	-6.29	54.0	-17.12	AV	231.00	150	Horizontal	Pass
3	5785.250	95.28	-3.15	--	--	Peak	265.00	150	Horizontal	N/A
3**	5785.250	86.70	-3.15	--	--	AV	265.00	150	Horizontal	N/A
4	7449.000	52.76	0.54	68.2	-15.44	Peak	84.00	150	Horizontal	Pass
4**	7449.000	43.07	0.54	54.0	-10.93	AV	84.00	150	Horizontal	Pass
5	11306.000	49.73	-4.06	68.2	-18.47	Peak	109.00	150	Horizontal	Pass
5**	11306.000	39.92	-4.06	54.0	-14.08	AV	109.00	150	Horizontal	Pass
6	15560.063	51.65	-0.67	68.2	-16.55	Peak	104.00	150	Horizontal	Pass
6**	15560.063	42.26	-0.67	54.0	-11.74	AV	104.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.400	49.74	-17.37	68.2	-18.46	Peak	167.00	150	Vertical	Pass
1**	1504.400	37.73	-17.37	54.0	-16.27	AV	167.00	150	Vertical	Pass
2	2836.300	45.01	-11.20	68.2	-23.19	Peak	211.00	150	Vertical	Pass
2**	2836.300	32.22	-11.20	54.0	-21.78	AV	211.00	150	Vertical	Pass
3	4958.250	48.83	-4.05	68.2	-19.37	Peak	307.00	150	Vertical	Pass
3**	4958.250	38.31	-4.05	54.0	-15.69	AV	307.00	150	Vertical	Pass
4	5770.250	99.25	-2.29	--	--	Peak	267.00	150	Vertical	N/A
4**	5770.250	91.51	-2.29	--	--	AV	267.00	150	Vertical	N/A
5	11786.225	50.12	-3.66	68.2	-18.08	Peak	242.00	150	Vertical	Pass
5**	11786.225	40.83	-3.66	54.0	-13.17	AV	242.00	150	Vertical	Pass
6	15810.224	51.91	-0.73	68.2	-16.29	Peak	360.00	150	Vertical	Pass
6**	15810.224	41.99	-0.73	54.0	-12.01	AV	360.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.500	48.33	-18.25	68.2	-19.87	Peak	268.00	150	Horizontal	Pass
1**	1156.500	34.73	-18.25	54.0	-19.27	AV	268.00	150	Horizontal	Pass
2	2835.600	43.44	-11.29	68.2	-24.76	Peak	320.00	150	Horizontal	Pass
2**	2835.600	32.63	-11.29	54.0	-21.37	AV	320.00	150	Horizontal	Pass
3	5743.750	102.34	-2.99	--	--	Peak	30.00	150	Horizontal	N/A
3**	5743.750	93.37	-2.99	--	--	AV	30.00	150	Horizontal	N/A
4	7516.000	53.35	0.93	68.2	-14.85	Peak	186.00	150	Horizontal	Pass
4**	7516.000	43.83	0.93	54.0	-10.17	AV	186.00	150	Horizontal	Pass
5	11454.200	49.74	-3.91	68.2	-18.46	Peak	288.00	150	Horizontal	Pass
5**	11454.200	40.03	-3.91	54.0	-13.97	AV	288.00	150	Horizontal	Pass
6	15833.062	51.47	-0.75	68.2	-16.73	Peak	339.00	150	Horizontal	Pass
6**	15833.062	42.09	-0.75	54.0	-11.91	AV	339.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.900	49.00	-17.77	68.2	-19.20	Peak	346.00	150	Vertical	Pass
1**	1558.900	35.11	-17.77	54.0	-18.89	AV	346.00	150	Vertical	Pass
2	3998.750	48.71	-5.97	68.2	-19.49	Peak	171.00	150	Vertical	Pass
2**	3998.750	39.00	-5.97	54.0	-15.00	AV	171.00	150	Vertical	Pass
3	5746.000	105.92	-2.84	--	--	Peak	284.00	150	Vertical	N/A
3**	5746.000	96.94	-2.84	--	--	AV	284.00	150	Vertical	N/A
4	7335.500	53.08	-0.01	68.2	-15.12	Peak	73.00	150	Vertical	Pass
4**	7335.500	42.71	-0.01	54.0	-11.29	AV	73.00	150	Vertical	Pass
5	11197.700	49.45	-4.06	68.2	-18.75	Peak	165.00	150	Vertical	Pass
5**	11197.700	40.35	-4.06	54.0	-13.65	AV	165.00	150	Vertical	Pass
6	16013.400	51.74	-0.14	68.2	-16.46	Peak	202.00	150	Vertical	Pass
6**	16013.400	41.88	-0.14	54.0	-12.12	AV	202.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.500	48.38	-18.20	68.2	-19.82	Peak	121.00	150	Horizontal	Pass
1**	1153.500	33.93	-18.20	54.0	-20.07	AV	121.00	150	Horizontal	Pass
2	4345.250	48.20	-4.88	68.2	-20.00	Peak	0.00	150	Horizontal	Pass
2**	4345.250	37.53	-4.88	54.0	-16.47	AV	0.00	150	Horizontal	Pass
3	5788.000	102.23	-3.20	--	--	Peak	113.00	150	Horizontal	N/A
3**	5788.000	93.63	-3.20	--	--	AV	113.00	150	Horizontal	N/A
4	7464.250	53.16	0.90	68.2	-15.04	Peak	202.00	150	Horizontal	Pass
4**	7464.250	44.08	0.90	54.0	-9.92	AV	202.00	150	Horizontal	Pass
5	11305.525	49.60	-4.06	68.2	-18.60	Peak	354.00	150	Horizontal	Pass
5**	11305.525	40.10	-4.06	54.0	-13.90	AV	354.00	150	Horizontal	Pass
6	15537.225	51.70	-0.60	68.2	-16.50	Peak	56.00	150	Horizontal	Pass
6**	15537.225	42.00	-0.60	54.0	-12.00	AV	56.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.200	49.81	-17.93	68.2	-18.39	Peak	185.00	150	Vertical	Pass
1**	1539.200	38.79	-17.93	54.0	-15.21	AV	185.00	150	Vertical	Pass
2	2831.900	45.76	-11.35	68.2	-22.44	Peak	213.00	150	Vertical	Pass
2**	2831.900	32.58	-11.35	54.0	-21.42	AV	213.00	150	Vertical	Pass
3	3991.000	48.48	-6.25	68.2	-19.72	Peak	179.00	150	Vertical	Pass
3**	3991.000	38.25	-6.25	54.0	-15.75	AV	179.00	150	Vertical	Pass
4	5782.500	107.37	-3.17	--	--	Peak	268.00	150	Vertical	N/A
4**	5782.500	96.91	-3.17	--	--	AV	268.00	150	Vertical	N/A
5	11780.050	49.23	-3.71	68.2	-18.97	Peak	332.00	150	Vertical	Pass
5**	11780.050	40.00	-3.71	54.0	-14.00	AV	332.00	150	Vertical	Pass
6	15575.026	51.42	-0.89	68.2	-16.78	Peak	323.00	150	Vertical	Pass
6**	15575.026	40.42	-0.89	54.0	-13.58	AV	323.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.400	48.96	-18.22	68.2	-19.24	Peak	267.00	150	Horizontal	Pass
1**	1155.400	36.76	-18.22	54.0	-17.24	AV	267.00	150	Horizontal	Pass
2	4167.250	47.90	-5.79	68.2	-20.30	Peak	2.00	150	Horizontal	Pass
2**	4167.250	36.97	-5.79	54.0	-17.03	AV	2.00	150	Horizontal	Pass
3	5821.500	104.28	-2.96	--	--	Peak	309.00	150	Horizontal	N/A
3**	5821.500	94.43	-2.96	--	--	AV	309.00	150	Horizontal	N/A
4	7549.750	52.77	-0.10	68.2	-15.43	Peak	341.00	150	Horizontal	Pass
4**	7549.750	42.61	-0.10	54.0	-11.39	AV	341.00	150	Horizontal	Pass
5	12426.287	50.15	-2.51	68.2	-18.05	Peak	63.00	150	Horizontal	Pass
5**	12426.287	40.05	-2.51	54.0	-13.95	AV	63.00	150	Horizontal	Pass
6	15975.599	51.61	-0.19	68.2	-16.59	Peak	66.00	150	Horizontal	Pass
6**	15975.599	41.52	-0.19	54.0	-12.48	AV	66.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.600	51.57	-17.63	68.2	-16.63	Peak	170.00	150	Vertical	Pass
1**	1568.600	39.16	-17.63	54.0	-14.84	AV	170.00	150	Vertical	Pass
2	2837.200	46.32	-11.12	68.2	-21.88	Peak	216.00	150	Vertical	Pass
2**	2837.200	32.63	-11.12	54.0	-21.37	AV	216.00	150	Vertical	Pass
3	3983.250	48.28	-6.08	68.2	-19.92	Peak	172.00	150	Vertical	Pass
3**	3983.250	38.33	-6.08	54.0	-15.67	AV	172.00	150	Vertical	Pass
4	5823.500	105.01	-3.12	--	--	Peak	260.00	150	Vertical	N/A
4**	5823.500	96.83	-3.12	--	--	AV	260.00	150	Vertical	N/A
5	11447.312	50.08	-3.89	68.2	-18.12	Peak	121.00	150	Vertical	Pass
5**	11447.312	40.38	-3.89	54.0	-13.62	AV	121.00	150	Vertical	Pass
6	15834.900	51.41	-0.75	68.2	-16.79	Peak	34.00	150	Vertical	Pass
6**	15834.900	41.50	-0.75	54.0	-12.50	AV	34.00	150	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.500	46.69	-18.22	68.2	-21.51	Peak	113.00	150	Horizontal	Pass
1**	1155.500	35.98	-18.22	54.0	-18.02	AV	113.00	150	Horizontal	Pass
2	4303.250	48.03	-4.30	68.2	-20.17	Peak	253.00	150	Horizontal	Pass
2**	4303.250	38.93	-4.30	54.0	-15.07	AV	253.00	150	Horizontal	Pass
3	5749.500	99.83	-2.88	--	--	Peak	34.00	150	Horizontal	N/A
3**	5749.500	90.43	-2.88	--	--	AV	34.00	150	Horizontal	N/A
4	7457.000	52.91	1.14	68.2	-15.29	Peak	25.00	150	Horizontal	Pass
4**	7457.000	43.88	1.14	54.0	-10.12	AV	25.00	150	Horizontal	Pass
5	11787.412	49.70	-3.65	68.2	-18.50	Peak	252.00	150	Horizontal	Pass
5**	11787.412	40.29	-3.65	54.0	-13.71	AV	252.00	150	Horizontal	Pass
6	15721.238	52.10	-0.34	68.2	-16.10	Peak	196.00	150	Horizontal	Pass
6**	15721.238	41.88	-0.34	54.0	-12.12	AV	196.00	150	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.400	49.67	-17.72	68.2	-18.53	Peak	337.00	150	Vertical	Pass
1**	1550.400	35.55	-17.72	54.0	-18.45	AV	337.00	150	Vertical	Pass
2	2834.100	45.58	-11.34	68.2	-22.62	Peak	197.00	150	Vertical	Pass
2**	2834.100	33.49	-11.34	54.0	-20.51	AV	197.00	150	Vertical	Pass
3	3997.250	48.01	-6.11	68.2	-20.19	Peak	40.00	150	Vertical	Pass
3**	3997.250	38.05	-6.11	54.0	-15.95	AV	40.00	150	Vertical	Pass
4	5763.750	104.07	-2.33	--	--	Peak	268.00	150	Vertical	N/A
4**	5763.750	93.67	-2.33	--	--	AV	268.00	150	Vertical	N/A
5	7472.750	53.47	0.69	68.2	-14.73	Peak	324.00	150	Vertical	Pass
5**	7472.750	44.20	0.69	54.0	-9.80	AV	324.00	150	Vertical	Pass
6	11800.237	49.26	-3.53	68.2	-18.94	Peak	119.00	150	Vertical	Pass
6**	11800.237	39.90	-3.53	54.0	-14.10	AV	119.00	150	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.800	48.28	-18.18	68.2	-19.92	Peak	265.00	150	Horizontal	Pass
1**	1154.800	32.67	-18.18	54.0	-21.33	AV	265.00	150	Horizontal	Pass
2	4170.500	48.09	-5.70	68.2	-20.11	Peak	267.00	150	Horizontal	Pass
2**	4170.500	37.69	-5.70	54.0	-16.31	AV	267.00	150	Horizontal	Pass
3	5801.250	99.97	-3.28	--	--	Peak	309.00	150	Horizontal	N/A
3**	5801.250	90.80	-3.28	--	--	AV	309.00	150	Horizontal	N/A
4	7511.750	52.82	0.48	68.2	-15.38	Peak	235.00	150	Horizontal	Pass
4**	7511.750	44.46	0.48	54.0	-9.54	AV	235.00	150	Horizontal	Pass
5	11814.963	49.51	-3.44	68.2	-18.69	Peak	360.00	150	Horizontal	Pass
5**	11814.963	40.24	-3.44	54.0	-13.76	AV	360.00	150	Horizontal	Pass
6	15535.388	51.97	-0.62	68.2	-16.23	Peak	158.00	150	Horizontal	Pass
6**	15535.388	41.84	-0.62	54.0	-12.16	AV	158.00	150	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.400	49.46	-17.40	68.2	-18.74	Peak	172.00	150	Vertical	Pass
1**	1503.400	37.23	-17.40	54.0	-16.77	AV	172.00	150	Vertical	Pass
2	2832.300	45.25	-11.31	68.2	-22.95	Peak	196.00	150	Vertical	Pass
2**	2832.300	34.31	-11.31	54.0	-19.69	AV	196.00	150	Vertical	Pass
3	3990.750	48.13	-6.25	68.2	-20.07	Peak	40.00	150	Vertical	Pass
3**	3990.750	38.19	-6.25	54.0	-15.81	AV	40.00	150	Vertical	Pass
4	5787.750	102.71	-3.18	--	--	Peak	216.00	150	Vertical	N/A
4**	5787.750	94.87	-3.18	--	--	AV	216.00	150	Vertical	N/A
5	11815.200	49.31	-3.43	68.2	-18.89	Peak	100.00	150	Vertical	Pass
5**	11815.200	40.19	-3.43	54.0	-13.81	AV	100.00	150	Vertical	Pass
6	16034.925	51.72	-0.12	68.2	-16.48	Peak	360.00	150	Vertical	Pass
6**	16034.925	43.09	-0.12	54.0	-10.91	AV	360.00	150	Vertical	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.100	49.06	-18.26	68.2	-19.14	Peak	120.00	150	Horizontal	Pass
1**	1156.100	35.15	-18.26	54.0	-18.85	AV	120.00	150	Horizontal	Pass
2	4137.750	48.00	-5.66	68.2	-20.20	Peak	285.00	150	Horizontal	Pass
2**	4137.750	37.75	-5.66	54.0	-16.25	AV	285.00	150	Horizontal	Pass
3	5791.000	96.27	-3.33	--	--	Peak	115.00	150	Horizontal	N/A
3**	5791.000	86.74	-3.33	--	--	AV	115.00	150	Horizontal	N/A
4	7528.000	52.61	0.84	68.2	-15.59	Peak	253.00	150	Horizontal	Pass
4**	7528.000	44.26	0.84	54.0	-9.74	AV	253.00	150	Horizontal	Pass
5	11781.950	49.78	-3.69	68.2	-18.42	Peak	267.00	150	Horizontal	Pass
5**	11781.950	40.44	-3.69	54.0	-13.56	AV	267.00	150	Horizontal	Pass
6	15701.287	51.38	0.08	68.2	-16.82	Peak	226.00	150	Horizontal	Pass
6**	15701.287	42.16	0.08	54.0	-11.84	AV	226.00	150	Horizontal	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.800	49.67	-17.74	68.2	-18.53	Peak	338.00	150	Vertical	Pass
1**	1549.800	38.73	-17.74	54.0	-15.27	AV	338.00	150	Vertical	Pass
2	2828.100	46.60	-11.51	68.2	-21.60	Peak	213.00	150	Vertical	Pass
2**	2828.100	32.57	-11.51	54.0	-21.43	AV	213.00	150	Vertical	Pass
3	3989.000	48.64	-6.24	68.2	-19.56	Peak	186.00	150	Vertical	Pass
3**	3989.000	39.74	-6.24	54.0	-14.26	AV	186.00	150	Vertical	Pass
4	5766.250	100.52	-2.26	--	--	Peak	283.00	150	Vertical	N/A
4**	5766.250	90.94	-2.26	--	--	AV	283.00	150	Vertical	N/A
5	11784.088	50.08	-3.68	68.2	-18.12	Peak	65.00	150	Vertical	Pass
5**	11784.088	40.58	-3.68	54.0	-13.42	AV	65.00	150	Vertical	Pass
6	16050.938	51.97	-0.12	68.2	-16.23	Peak	0.00	150	Vertical	Pass
6**	16050.938	42.24	-0.12	54.0	-11.76	AV	0.00	150	Vertical	Pass

Aux. Antenna

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.500	46.70	-18.22	68.2	-21.50	Peak	266.00	150	Horizontal	Pass
1**	1155.500	34.53	-18.22	54.0	-19.47	AV	266.00	150	Horizontal	Pass
2	2840.700	42.38	-11.15	68.2	-25.82	Peak	106.00	150	Horizontal	Pass
2**	2840.700	32.76	-11.15	54.0	-21.24	AV	106.00	150	Horizontal	Pass
3	4236.750	47.04	-5.12	68.2	-21.16	Peak	36.00	150	Horizontal	Pass
3**	4236.750	37.40	-5.12	54.0	-16.60	AV	36.00	150	Horizontal	Pass
4	5182.250	102.88	-2.11	--	--	Peak	271.00	150	Horizontal	N/A
4**	5182.250	95.06	-2.11	--	--	AV	271.00	150	Horizontal	N/A
5	7537.500	52.77	0.55	68.2	-15.43	Peak	124.00	150	Horizontal	Pass
5**	7537.500	42.24	0.55	54.0	-11.76	AV	124.00	150	Horizontal	Pass
6	12049.849	49.21	-3.32	68.2	-18.99	Peak	287.00	150	Horizontal	Pass
6**	12049.849	39.77	-3.32	54.0	-14.23	AV	287.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.000	53.08	-17.71	68.2	-15.12	Peak	183.00	150	Vertical	Pass
1**	1601.000	38.14	-17.71	54.0	-15.86	AV	183.00	150	Vertical	Pass
2	2840.300	45.55	-11.17	68.2	-22.65	Peak	210.00	150	Vertical	Pass
2**	2840.300	34.90	-11.17	54.0	-19.10	AV	210.00	150	Vertical	Pass
3	3684.000	46.47	-7.52	68.2	-21.73	Peak	149.00	150	Vertical	Pass
3**	3684.000	35.38	-7.52	54.0	-18.62	AV	149.00	150	Vertical	Pass
4	5183.250	106.10	-2.11	--	--	Peak	93.00	150	Vertical	N/A
4**	5183.250	98.11	-2.11	--	--	AV	93.00	150	Vertical	N/A
5	7511.250	52.20	0.50	68.2	-16.00	Peak	4.00	150	Vertical	Pass
5**	7511.250	42.61	0.50	54.0	-11.39	AV	4.00	150	Vertical	Pass
6	12539.099	49.29	-2.20	68.2	-18.91	Peak	297.00	150	Vertical	Pass
6**	12539.099	40.68	-2.20	54.0	-13.32	AV	297.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.500	45.11	-17.49	68.2	-23.09	Peak	296.00	150	Horizontal	Pass
1**	1581.500	32.68	-17.49	54.0	-21.32	AV	296.00	150	Horizontal	Pass
2	2830.000	44.21	-11.49	68.2	-23.99	Peak	310.00	150	Horizontal	Pass
2**	2830.000	32.54	-11.49	54.0	-21.46	AV	310.00	150	Horizontal	Pass
3	4313.000	46.78	-4.32	68.2	-21.42	Peak	296.00	150	Horizontal	Pass
3**	4313.000	38.07	-4.32	54.0	-15.93	AV	296.00	150	Horizontal	Pass
4	5217.250	103.33	-3.46	--	--	Peak	272.00	150	Horizontal	N/A
4**	5217.250	96.37	-3.46	--	--	AV	272.00	150	Horizontal	N/A
5	11953.901	49.10	-3.64	68.2	-19.10	Peak	243.00	150	Horizontal	Pass
5**	11953.901	39.14	-3.64	54.0	-14.86	AV	243.00	150	Horizontal	Pass
6	16119.451	51.92	-0.78	68.2	-16.28	Peak	102.00	150	Horizontal	Pass
6**	16119.451	41.14	-0.78	54.0	-12.86	AV	102.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.400	52.61	-17.50	68.2	-15.59	Peak	185.00	150	Vertical	Pass
1**	1585.400	41.11	-17.50	54.0	-12.89	AV	185.00	150	Vertical	Pass
2	2828.900	45.67	-11.54	68.2	-22.53	Peak	212.00	150	Vertical	Pass
2**	2828.900	33.17	-11.54	54.0	-20.83	AV	212.00	150	Vertical	Pass
3	3984.500	48.13	-6.03	68.2	-20.07	Peak	43.00	150	Vertical	Pass
3**	3984.500	39.05	-6.03	54.0	-14.95	AV	43.00	150	Vertical	Pass
4	5223.750	107.40	-3.53	--	--	Peak	107.00	150	Vertical	N/A
4**	5223.750	99.64	-3.53	--	--	AV	107.00	150	Vertical	N/A
5	11455.388	48.77	-3.92	68.2	-19.43	Peak	51.00	150	Vertical	Pass
5**	11455.388	39.18	-3.92	54.0	-14.82	AV	51.00	150	Vertical	Pass
6	16030.200	51.15	-0.12	68.2	-17.05	Peak	332.00	150	Vertical	Pass
6**	16030.200	41.88	-0.12	54.0	-12.12	AV	332.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.800	45.90	-17.63	68.2	-22.30	Peak	183.00	150	Horizontal	Pass
1**	1564.800	31.61	-17.63	54.0	-22.39	AV	183.00	150	Horizontal	Pass
2	3921.250	45.71	-6.13	68.2	-22.49	Peak	139.00	150	Horizontal	Pass
2**	3921.250	36.63	-6.13	54.0	-17.37	AV	139.00	150	Horizontal	Pass
3	5239.000	103.03	-3.22	--	--	Peak	163.00	150	Horizontal	N/A
3**	5239.000	95.70	-3.22	--	--	AV	163.00	150	Horizontal	N/A
4	7454.250	52.24	1.15	68.2	-15.96	Peak	203.00	150	Horizontal	Pass
4**	7454.250	43.87	1.15	54.0	-10.13	AV	203.00	150	Horizontal	Pass
5	12439.349	48.96	-2.31	68.2	-19.24	Peak	175.00	150	Horizontal	Pass
5**	12439.349	40.55	-2.31	54.0	-13.45	AV	175.00	150	Horizontal	Pass
6	15534.599	50.30	-0.62	68.2	-17.90	Peak	348.00	150	Horizontal	Pass
6**	15534.599	40.85	-0.62	54.0	-13.15	AV	348.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.400	52.77	-17.47	68.2	-15.43	Peak	154.00	150	Vertical	Pass
1**	1576.400	39.18	-17.47	54.0	-14.82	AV	154.00	150	Vertical	Pass
2	2835.500	46.89	-11.30	68.2	-21.31	Peak	214.00	150	Vertical	Pass
2**	2835.500	35.71	-11.30	54.0	-18.29	AV	214.00	150	Vertical	Pass
3	3993.500	47.82	-6.26	68.2	-20.38	Peak	165.00	150	Vertical	Pass
3**	3993.500	37.98	-6.26	54.0	-16.02	AV	165.00	150	Vertical	Pass
4	5242.750	106.55	-3.58	--	--	Peak	107.00	150	Vertical	N/A
4**	5242.750	99.41	-3.58	--	--	AV	107.00	150	Vertical	N/A
5	11462.513	49.17	-3.98	68.2	-19.03	Peak	228.00	150	Vertical	Pass
5**	11462.513	39.43	-3.98	54.0	-14.57	AV	228.00	150	Vertical	Pass
6	16064.588	50.98	-0.36	68.2	-17.22	Peak	74.00	150	Vertical	Pass
6**	16064.588	41.64	-0.36	54.0	-12.36	AV	74.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1187.000	47.76	-18.21	68.2	-20.44	Peak	124.00	150	Horizontal	Pass
1**	1187.000	33.44	-18.21	54.0	-20.56	AV	124.00	150	Horizontal	Pass
2	2829.100	43.26	-11.53	68.2	-24.94	Peak	323.00	150	Horizontal	Pass
2**	2829.100	31.99	-11.53	54.0	-22.01	AV	323.00	150	Horizontal	Pass
3	4164.750	46.66	-5.78	68.2	-21.54	Peak	259.00	150	Horizontal	Pass
3**	4164.750	37.19	-5.78	54.0	-16.81	AV	259.00	150	Horizontal	Pass
4	5182.000	102.03	-2.12	--	--	Peak	267.00	150	Horizontal	N/A
4**	5182.000	94.72	-2.12	--	--	AV	267.00	150	Horizontal	N/A
5	12044.387	48.69	-3.35	68.2	-19.51	Peak	253.00	150	Horizontal	Pass
5**	12044.387	39.90	-3.35	54.0	-14.10	AV	253.00	150	Horizontal	Pass
6	15699.450	51.05	0.09	68.2	-17.15	Peak	334.00	150	Horizontal	Pass
6**	15699.450	41.68	0.09	54.0	-12.32	AV	334.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.700	50.87	-17.62	68.2	-17.33	Peak	347.00	150	Vertical	Pass
1**	1568.700	38.12	-17.62	54.0	-15.88	AV	347.00	150	Vertical	Pass
2	2827.600	45.75	-11.45	68.2	-22.45	Peak	202.00	150	Vertical	Pass
2**	2827.600	35.02	-11.45	54.0	-18.98	AV	202.00	150	Vertical	Pass
3	3931.000	46.88	-5.57	68.2	-21.32	Peak	351.00	150	Vertical	Pass
3**	3931.000	36.67	-5.57	54.0	-17.33	AV	351.00	150	Vertical	Pass
4	5176.000	105.19	-2.62	--	--	Peak	92.00	150	Vertical	N/A
4**	5176.000	96.42	-2.62	--	--	AV	92.00	150	Vertical	N/A
5	12447.901	49.22	-2.18	68.2	-18.98	Peak	116.00	150	Vertical	Pass
5**	12447.901	39.90	-2.18	54.0	-14.10	AV	116.00	150	Vertical	Pass
6	16041.750	50.65	-0.11	68.2	-17.55	Peak	294.00	150	Vertical	Pass
6**	16041.750	41.59	-0.11	54.0	-12.41	AV	294.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.600	46.21	-17.48	68.2	-21.99	Peak	296.00	150	Horizontal	Pass
1**	1576.600	36.80	-17.48	54.0	-17.20	AV	296.00	150	Horizontal	Pass
2	2815.800	42.15	-11.38	68.2	-26.05	Peak	183.00	150	Horizontal	Pass
2**	2815.800	32.77	-11.38	54.0	-21.23	AV	183.00	150	Horizontal	Pass
3	4297.750	46.75	-4.57	68.2	-21.45	Peak	12.00	150	Horizontal	Pass
3**	4297.750	36.67	-4.57	54.0	-17.33	AV	12.00	150	Horizontal	Pass
4	5218.000	103.73	-3.47	--	--	Peak	166.00	150	Horizontal	N/A
4**	5218.000	95.63	-3.47	--	--	AV	166.00	150	Horizontal	N/A
5	11428.076	48.56	-4.02	68.2	-19.64	Peak	84.00	150	Horizontal	Pass
5**	11428.076	39.74	-4.02	54.0	-14.26	AV	84.00	150	Horizontal	Pass
6	16040.438	50.85	-0.11	68.2	-17.35	Peak	116.00	150	Horizontal	Pass
6**	16040.438	41.31	-0.11	54.0	-12.69	AV	116.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.100	50.25	-17.68	68.2	-17.95	Peak	188.00	150	Vertical	Pass
1**	1564.100	37.04	-17.68	54.0	-16.96	AV	188.00	150	Vertical	Pass
2	2827.400	44.04	-11.42	68.2	-24.16	Peak	310.00	150	Vertical	Pass
2**	2827.400	33.45	-11.42	54.0	-20.55	AV	310.00	150	Vertical	Pass
3	4280.000	47.79	-4.67	68.2	-20.41	Peak	68.00	150	Vertical	Pass
3**	4280.000	37.69	-4.67	54.0	-16.31	AV	68.00	150	Vertical	Pass
4	5221.500	106.91	-3.38	--	--	Peak	109.00	150	Vertical	N/A
4**	5221.500	99.85	-3.38	--	--	AV	109.00	150	Vertical	N/A
5	11472.725	48.97	-4.07	68.2	-19.23	Peak	162.00	150	Vertical	Pass
5**	11472.725	39.45	-4.07	54.0	-14.55	AV	162.00	150	Vertical	Pass
6	15719.925	50.71	-0.32	68.2	-17.49	Peak	144.00	150	Vertical	Pass
6**	15719.925	40.84	-0.32	54.0	-13.16	AV	144.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1193.100	48.77	-17.91	68.2	-19.43	Peak	117.00	150	Horizontal	Pass
1**	1193.100	36.80	-17.91	54.0	-17.20	AV	117.00	150	Horizontal	Pass
2	3892.250	45.20	-6.61	68.2	-23.00	Peak	92.00	150	Horizontal	Pass
2**	3892.250	35.27	-6.61	54.0	-18.73	AV	92.00	150	Horizontal	Pass
3	5238.750	102.63	-3.22	--	--	Peak	165.00	150	Horizontal	N/A
3**	5238.750	94.99	-3.22	--	--	AV	165.00	150	Horizontal	N/A
4	7491.500	51.78	-0.37	68.2	-16.42	Peak	252.00	150	Horizontal	Pass
4**	7491.500	41.92	-0.37	54.0	-12.08	AV	252.00	150	Horizontal	Pass
5	12454.075	49.20	-2.18	68.2	-19.00	Peak	130.00	150	Horizontal	Pass
5**	12454.075	40.36	-2.18	54.0	-13.64	AV	130.00	150	Horizontal	Pass
6	15831.750	50.41	-0.75	68.2	-17.79	Peak	144.00	150	Horizontal	Pass
6**	15831.750	41.12	-0.75	54.0	-12.88	AV	144.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.900	50.16	-17.75	68.2	-18.04	Peak	355.00	150	Vertical	Pass
1**	1560.900	40.18	-17.75	54.0	-13.82	AV	355.00	150	Vertical	Pass
2	2828.600	45.40	-11.56	68.2	-22.80	Peak	209.00	150	Vertical	Pass
2**	2828.600	33.68	-11.56	54.0	-20.32	AV	209.00	150	Vertical	Pass
3	3983.500	47.66	-6.07	68.2	-20.54	Peak	166.00	150	Vertical	Pass
3**	3983.500	36.74	-6.07	54.0	-17.26	AV	166.00	150	Vertical	Pass
4	5236.500	106.17	-3.30	--	--	Peak	102.00	150	Vertical	N/A
4**	5236.500	98.75	-3.30	--	--	AV	102.00	150	Vertical	N/A
5	12441.962	49.27	-2.27	68.2	-18.93	Peak	140.00	150	Vertical	Pass
5**	12441.962	39.78	-2.27	54.0	-14.22	AV	140.00	150	Vertical	Pass
6	16050.675	50.63	-0.11	68.2	-17.57	Peak	336.00	150	Vertical	Pass
6**	16050.675	41.43	-0.11	54.0	-12.57	AV	336.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.100	47.80	-18.09	68.2	-20.40	Peak	278.00	150	Horizontal	Pass
1**	1161.100	35.14	-18.09	54.0	-18.86	AV	278.00	150	Horizontal	Pass
2	2787.700	42.40	-11.41	68.2	-25.80	Peak	295.00	150	Horizontal	Pass
2**	2787.700	32.82	-11.41	54.0	-21.18	AV	295.00	150	Horizontal	Pass
3	4258.250	46.87	-4.60	68.2	-21.33	Peak	36.00	150	Horizontal	Pass
3**	4258.250	37.80	-4.60	54.0	-16.20	AV	36.00	150	Horizontal	Pass
4	5187.000	99.38	-2.44	--	--	Peak	268.00	150	Horizontal	N/A
4**	5187.000	92.09	-2.44	--	--	AV	268.00	150	Horizontal	N/A
5	12339.599	49.11	-2.74	68.2	-19.09	Peak	120.00	150	Horizontal	Pass
5**	12339.599	38.65	-2.74	54.0	-15.35	AV	120.00	150	Horizontal	Pass
6	16048.838	50.46	-0.10	68.2	-17.74	Peak	117.00	150	Horizontal	Pass
6**	16048.838	41.71	-0.10	54.0	-12.29	AV	117.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.100	50.95	-17.76	68.2	-17.25	Peak	354.00	150	Vertical	Pass
1**	1561.100	42.01	-17.76	54.0	-11.99	AV	354.00	150	Vertical	Pass
2	3985.750	47.65	-6.16	68.2	-20.55	Peak	156.00	150	Vertical	Pass
2**	3985.750	36.59	-6.16	54.0	-17.41	AV	156.00	150	Vertical	Pass
3	5179.500	101.54	-2.23	--	--	Peak	92.00	150	Vertical	N/A
3**	5179.500	93.54	-2.23	--	--	AV	92.00	150	Vertical	N/A
4	7453.500	52.51	1.06	68.2	-15.69	Peak	165.00	150	Vertical	Pass
4**	7453.500	43.86	1.06	54.0	-10.14	AV	165.00	150	Vertical	Pass
5	12309.437	49.06	-2.51	68.2	-19.14	Peak	95.00	150	Vertical	Pass
5**	12309.437	39.54	-2.51	54.0	-14.46	AV	95.00	150	Vertical	Pass
6	15960.112	51.39	-0.22	68.2	-16.81	Peak	308.00	150	Vertical	Pass
6**	15960.112	40.81	-0.22	54.0	-13.19	AV	308.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.900	47.30	-17.87	68.2	-20.90	Peak	114.00	150	Horizontal	Pass
1**	1197.900	37.50	-17.87	54.0	-16.50	AV	114.00	150	Horizontal	Pass
2	3655.000	45.41	-6.33	68.2	-22.79	Peak	141.00	150	Horizontal	Pass
2**	3655.000	35.68	-6.33	54.0	-18.32	AV	141.00	150	Horizontal	Pass
3	5235.750	101.13	-3.31	--	--	Peak	164.00	150	Horizontal	N/A
3**	5235.750	92.47	-3.31	--	--	AV	164.00	150	Horizontal	N/A
4	7457.000	51.74	1.14	68.2	-16.46	Peak	149.00	150	Horizontal	Pass
4**	7457.000	43.32	1.14	54.0	-10.68	AV	149.00	150	Horizontal	Pass
5	11464.412	50.27	-4.00	68.2	-17.93	Peak	360.00	150	Horizontal	Pass
5**	11464.412	39.75	-4.00	54.0	-14.25	AV	360.00	150	Horizontal	Pass
6	15460.838	50.74	-0.29	68.2	-17.46	Peak	132.00	150	Horizontal	Pass
6**	15460.838	40.34	-0.29	54.0	-13.66	AV	132.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.100	51.75	-17.57	68.2	-16.45	Peak	188.00	150	Vertical	Pass
1**	1573.100	40.51	-17.57	54.0	-13.49	AV	188.00	150	Vertical	Pass
2	2837.400	45.41	-11.13	68.2	-22.79	Peak	13.00	150	Vertical	Pass
2**	2837.400	33.66	-11.13	54.0	-20.34	AV	13.00	150	Vertical	Pass
3	3983.750	48.17	-6.06	68.2	-20.03	Peak	46.00	150	Vertical	Pass
3**	3983.750	38.80	-6.06	54.0	-15.20	AV	46.00	150	Vertical	Pass
4	5225.000	103.95	-3.61	--	--	Peak	110.00	150	Vertical	N/A
4**	5225.000	95.64	-3.61	--	--	AV	110.00	150	Vertical	N/A
5	11795.013	49.25	-3.58	68.2	-18.95	Peak	208.00	150	Vertical	Pass
5**	11795.013	38.04	-3.58	54.0	-15.96	AV	208.00	150	Vertical	Pass
6	15783.975	49.88	-0.79	68.2	-18.32	Peak	334.00	150	Vertical	Pass
6**	15783.975	40.36	-0.79	54.0	-13.64	AV	334.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.700	48.90	-18.24	68.2	-19.30	Peak	264.00	150	Horizontal	Pass
1**	1155.700	34.68	-18.24	54.0	-19.32	AV	264.00	150	Horizontal	Pass
2	2840.200	42.13	-11.18	68.2	-26.07	Peak	122.00	150	Horizontal	Pass
2**	2840.200	33.01	-11.18	54.0	-20.99	AV	122.00	150	Horizontal	Pass
3	3977.000	45.86	-6.32	68.2	-22.34	Peak	141.00	150	Horizontal	Pass
3**	3977.000	35.85	-6.32	54.0	-18.15	AV	141.00	150	Horizontal	Pass
4	5183.250	103.19	-2.11	--	--	Peak	269.00	150	Horizontal	N/A
4**	5183.250	95.11	-2.11	--	--	AV	269.00	150	Horizontal	N/A
5	7451.000	51.87	0.77	68.2	-16.33	Peak	190.00	150	Horizontal	Pass
5**	7451.000	42.68	0.77	54.0	-11.32	AV	190.00	150	Horizontal	Pass
6	11189.387	48.61	-4.13	68.2	-19.59	Peak	209.00	150	Horizontal	Pass
6**	11189.387	38.20	-4.13	54.0	-15.80	AV	209.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1563.100	50.27	-17.73	68.2	-17.93	Peak	350.00	150	Vertical	Pass
1**	1563.100	38.64	-17.73	54.0	-15.36	AV	350.00	150	Vertical	Pass
2	2837.000	45.23	-11.12	68.2	-22.97	Peak	205.00	150	Vertical	Pass
2**	2837.000	33.89	-11.12	54.0	-20.11	AV	205.00	150	Vertical	Pass
3	4258.750	47.72	-4.55	68.2	-20.48	Peak	131.00	150	Vertical	Pass
3**	4258.750	38.34	-4.55	54.0	-15.66	AV	131.00	150	Vertical	Pass
4	5183.250	105.34	-2.11	--	--	Peak	90.00	150	Vertical	N/A
4**	5183.250	97.97	-2.11	--	--	AV	90.00	150	Vertical	N/A
5	12296.612	48.87	-2.47	68.2	-19.33	Peak	353.00	150	Vertical	Pass
5**	12296.612	39.75	-2.47	54.0	-14.25	AV	353.00	150	Vertical	Pass
6	15817.575	50.45	-0.73	68.2	-17.75	Peak	294.00	150	Vertical	Pass
6**	15817.575	41.68	-0.73	54.0	-12.32	AV	294.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1184.400	49.20	-18.01	68.2	-19.00	Peak	117.00	150	Horizontal	Pass
1**	1184.400	36.21	-18.01	54.0	-17.79	AV	117.00	150	Horizontal	Pass
2	4280.750	46.92	-4.79	68.2	-21.28	Peak	171.00	150	Horizontal	Pass
2**	4280.750	37.44	-4.79	54.0	-16.56	AV	171.00	150	Horizontal	Pass
3	5215.250	103.07	-3.40	--	--	Peak	164.00	150	Horizontal	N/A
3**	5215.250	95.32	-3.40	--	--	AV	164.00	150	Horizontal	N/A
4	7463.500	51.61	1.01	68.2	-16.59	Peak	284.00	150	Horizontal	Pass
4**	7463.500	42.87	1.01	54.0	-11.13	AV	284.00	150	Horizontal	Pass
5	12049.613	48.64	-3.32	68.2	-19.56	Peak	309.00	150	Horizontal	Pass
5**	12049.613	39.38	-3.32	54.0	-14.62	AV	309.00	150	Horizontal	Pass
6	16033.613	51.48	-0.12	68.2	-16.72	Peak	0.00	150	Horizontal	Pass
6**	16033.613	41.55	-0.12	54.0	-12.45	AV	0.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.900	50.13	-17.89	68.2	-18.07	Peak	355.00	150	Vertical	Pass
1**	1556.900	38.54	-17.89	54.0	-15.46	AV	355.00	150	Vertical	Pass
2	3849.750	46.69	-6.71	68.2	-21.51	Peak	141.00	150	Vertical	Pass
2**	3849.750	35.21	-6.71	54.0	-18.79	AV	141.00	150	Vertical	Pass
3	5215.000	106.05	-3.39	--	--	Peak	107.00	150	Vertical	N/A
3**	5215.000	97.62	-3.39	--	--	AV	107.00	150	Vertical	N/A
4	7455.750	53.05	1.15	68.2	-15.15	Peak	204.00	150	Vertical	Pass
4**	7455.750	43.64	1.15	54.0	-10.36	AV	204.00	150	Vertical	Pass
5	12334.850	48.66	-2.71	68.2	-19.54	Peak	25.00	150	Vertical	Pass
5**	12334.850	39.13	-2.71	54.0	-14.87	AV	25.00	150	Vertical	Pass
6	16046.213	51.58	-0.10	68.2	-16.62	Peak	266.00	150	Vertical	Pass
6**	16046.213	41.63	-0.10	54.0	-12.37	AV	266.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1176.000	47.66	-18.01	68.2	-20.54	Peak	124.00	150	Horizontal	Pass
1**	1176.000	33.22	-18.01	54.0	-20.78	AV	124.00	150	Horizontal	Pass
2	2822.400	42.36	-11.34	68.2	-25.84	Peak	342.00	150	Horizontal	Pass
2**	2822.400	32.71	-11.34	54.0	-22.29	AV	342.00	150	Horizontal	Pass
3	4186.750	46.78	-4.83	68.2	-21.42	Peak	124.00	150	Horizontal	Pass
3**	4186.750	37.46	-4.83	54.0	-16.54	AV	124.00	150	Horizontal	Pass
4	5237.500	103.12	-3.25	--	--	Peak	164.00	150	Horizontal	N/A
4**	5237.500	95.85	-3.25	--	--	AV	164.00	150	Horizontal	N/A
5	11797.151	48.95	-3.56	68.2	-19.25	Peak	354.00	150	Horizontal	Pass
5**	11797.151	39.25	-3.56	54.0	-14.75	AV	354.00	150	Horizontal	Pass
6	15705.224	50.95	-0.01	68.2	-17.25	Peak	34.00	150	Horizontal	Pass
6**	15705.224	41.91	-0.01	54.0	-12.09	AV	34.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.800	50.26	-17.58	68.2	-17.94	Peak	0.00	150	Vertical	Pass
1**	1566.800	41.16	-17.58	54.0	-12.84	AV	0.00	150	Vertical	Pass
2	3999.500	46.86	-5.90	68.2	-21.34	Peak	166.00	150	Vertical	Pass
2**	3999.500	36.71	-5.90	54.0	-17.29	AV	166.00	150	Vertical	Pass
3	5235.750	106.16	-3.31	--	--	Peak	93.00	150	Vertical	N/A
3**	5235.750	98.40	-3.31	--	--	AV	93.00	150	Vertical	N/A
4	7514.500	52.08	0.79	68.2	-16.12	Peak	4.00	150	Vertical	Pass
4**	7514.500	43.53	0.79	54.0	-10.47	AV	4.00	150	Vertical	Pass
5	12291.151	49.42	-2.52	68.2	-18.78	Peak	253.00	150	Vertical	Pass
5**	12291.151	39.37	-2.52	54.0	-14.63	AV	253.00	150	Vertical	Pass
6	16053.826	51.10	-0.17	68.2	-17.10	Peak	278.00	150	Vertical	Pass
6**	16053.826	41.97	-0.17	54.0	-12.03	AV	278.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.600	48.71	-18.23	68.2	-19.49	Peak	273.00	150	Horizontal	Pass
1**	1155.600	33.71	-18.23	54.0	-20.29	AV	273.00	150	Horizontal	Pass
2	2834.400	42.16	-11.35	68.2	-26.04	Peak	227.00	150	Horizontal	Pass
2**	2834.400	32.45	-11.35	54.0	-21.55	AV	227.00	150	Horizontal	Pass
3	4261.750	46.96	-4.52	68.2	-21.24	Peak	286.00	150	Horizontal	Pass
3**	4261.750	37.32	-4.52	54.0	-16.68	AV	286.00	150	Horizontal	Pass
4	5180.750	99.44	-2.19	--	--	Peak	271.00	150	Horizontal	N/A
4**	5180.750	92.66	-2.19	--	--	AV	271.00	150	Horizontal	N/A
5	12449.325	49.60	-2.16	68.2	-18.60	Peak	174.00	150	Horizontal	Pass
5**	12449.325	39.66	-2.16	54.0	-14.34	AV	174.00	150	Horizontal	Pass
6	15702.338	50.23	0.05	68.2	-17.97	Peak	240.00	150	Horizontal	Pass
6**	15702.338	40.86	0.05	54.0	-13.14	AV	240.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.200	49.77	-17.94	68.2	-18.43	Peak	156.00	150	Vertical	Pass
1**	1542.200	39.96	-17.94	54.0	-14.04	AV	156.00	150	Vertical	Pass
2	2836.600	46.44	-11.16	68.2	-21.76	Peak	207.00	150	Vertical	Pass
2**	2836.600	32.82	-11.16	54.0	-21.18	AV	207.00	150	Vertical	Pass
3	4000.750	46.78	-5.86	68.2	-21.42	Peak	156.00	150	Vertical	Pass
3**	4000.750	37.88	-5.86	54.0	-16.12	AV	156.00	150	Vertical	Pass
4	5182.000	102.04	-2.12	--	--	Peak	75.00	150	Vertical	N/A
4**	5182.000	94.02	-2.12	--	--	AV	75.00	150	Vertical	N/A
5	11431.875	49.23	-4.00	68.2	-18.97	Peak	198.00	150	Vertical	Pass
5**	11431.875	39.00	-4.00	54.0	-15.00	AV	198.00	150	Vertical	Pass
6	15551.400	50.75	-0.54	68.2	-17.45	Peak	143.00	150	Vertical	Pass
6**	15551.400	40.73	-0.54	54.0	-13.27	AV	143.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.900	48.45	-18.10	68.2	-19.75	Peak	278.00	150	Horizontal	Pass
1**	1159.900	32.66	-18.10	54.0	-21.34	AV	278.00	150	Horizontal	Pass
2	4080.750	45.80	-5.66	68.2	-22.40	Peak	139.00	150	Horizontal	Pass
2**	4080.750	36.34	-5.66	54.0	-17.66	AV	139.00	150	Horizontal	Pass
3	5223.500	100.33	-3.51	--	--	Peak	165.00	150	Horizontal	N/A
3**	5223.500	92.22	-3.51	--	--	AV	165.00	150	Horizontal	N/A
4	7477.500	51.71	0.17	68.2	-16.49	Peak	214.00	150	Horizontal	Pass
4**	7477.500	42.54	0.17	54.0	-11.46	AV	214.00	150	Horizontal	Pass
5	12448.850	49.15	-2.17	68.2	-19.05	Peak	74.00	150	Horizontal	Pass
5**	12448.850	40.00	-2.17	54.0	-14.00	AV	74.00	150	Horizontal	Pass
6	15484.463	50.51	-0.63	68.2	-17.69	Peak	294.00	150	Horizontal	Pass
6**	15484.463	40.41	-0.63	54.0	-13.59	AV	294.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.800	50.14	-17.60	68.2	-18.06	Peak	178.00	150	Vertical	Pass
1**	1572.800	39.07	-17.60	54.0	-14.93	AV	178.00	150	Vertical	Pass
2	2823.800	46.56	-11.33	68.2	-21.64	Peak	305.00	150	Vertical	Pass
2**	2823.800	32.77	-11.33	54.0	-21.23	AV	305.00	150	Vertical	Pass
3	3985.250	46.73	-6.11	68.2	-21.47	Peak	36.00	150	Vertical	Pass
3**	3985.250	38.06	-6.11	54.0	-15.94	AV	36.00	150	Vertical	Pass
4	5221.000	104.57	-3.38	--	--	Peak	107.00	150	Vertical	N/A
4**	5221.000	96.67	-3.38	--	--	AV	107.00	150	Vertical	N/A
5	7449.500	53.02	0.60	68.2	-15.18	Peak	308.00	150	Vertical	Pass
5**	7449.500	42.96	0.60	54.0	-11.04	AV	308.00	150	Vertical	Pass
6	11789.312	49.05	-3.63	68.2	-19.15	Peak	309.00	150	Vertical	Pass
6**	11789.312	39.76	-3.63	54.0	-14.24	AV	309.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.200	49.78	-18.14	68.2	-18.42	Peak	268.00	150	Horizontal	Pass
1**	1154.200	36.11	-18.14	54.0	-17.89	AV	268.00	150	Horizontal	Pass
2	4169.000	46.38	-5.75	68.2	-21.82	Peak	107.00	150	Horizontal	Pass
2**	4169.000	36.85	-5.75	54.0	-17.15	AV	107.00	150	Horizontal	Pass
3	5196.750	97.12	-3.23	--	--	Peak	270.00	150	Horizontal	N/A
3**	5196.750	88.88	-3.23	--	--	AV	270.00	150	Horizontal	N/A
4	7550.000	51.68	-0.10	68.2	-16.52	Peak	319.00	150	Horizontal	Pass
4**	7550.000	42.01	-0.10	54.0	-11.99	AV	319.00	150	Horizontal	Pass
5	11454.437	48.66	-3.91	68.2	-19.54	Peak	233.00	150	Horizontal	Pass
5**	11454.437	39.51	-3.91	54.0	-14.49	AV	233.00	150	Horizontal	Pass
6	16140.975	51.21	-0.56	68.2	-16.99	Peak	61.00	150	Horizontal	Pass
6**	16140.975	42.04	-0.56	54.0	-11.96	AV	61.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.800	49.86	-17.92	68.2	-18.34	Peak	359.00	150	Vertical	Pass
1**	1553.800	38.49	-17.92	54.0	-15.51	AV	359.00	150	Vertical	Pass
2	2831.700	47.51	-11.37	68.2	-20.69	Peak	210.00	150	Vertical	Pass
2**	2831.700	32.90	-11.37	54.0	-21.10	AV	210.00	150	Vertical	Pass
3	4000.000	47.53	-5.89	68.2	-20.67	Peak	53.00	150	Vertical	Pass
3**	4000.000	37.32	-5.89	54.0	-16.68	AV	53.00	150	Vertical	Pass
4	5189.000	99.80	-2.62	--	--	Peak	77.00	150	Vertical	N/A
4**	5189.000	91.87	-2.62	--	--	AV	77.00	150	Vertical	N/A
5	7459.500	52.65	1.14	68.2	-15.55	Peak	109.00	150	Vertical	Pass
5**	7459.500	43.55	1.14	54.0	-10.45	AV	109.00	150	Vertical	Pass
6	15959.063	51.51	-0.22	68.2	-16.69	Peak	361.00	150	Vertical	Pass
6**	15959.063	41.44	-0.22	54.0	-12.56	AV	361.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.800	49.86	-18.25	68.2	-18.34	Peak	165.00	150	Horizontal	Pass
1**	1156.800	35.56	-18.25	54.0	-18.44	AV	165.00	150	Horizontal	Pass
2	4307.000	47.30	-4.16	68.2	-20.90	Peak	66.00	150	Horizontal	Pass
2**	4307.000	37.66	-4.16	54.0	-16.34	AV	66.00	150	Horizontal	Pass
3	5184.750	102.78	-2.30	--	--	Peak	269.00	150	Horizontal	N/A
3**	5184.750	94.63	-2.30	--	--	AV	269.00	150	Horizontal	N/A
4	7454.250	52.32	1.15	68.2	-15.88	Peak	43.00	150	Horizontal	Pass
4**	7454.250	43.01	1.15	54.0	-10.99	AV	43.00	150	Horizontal	Pass
5	12052.700	48.76	-3.34	68.2	-19.44	Peak	27.00	150	Horizontal	Pass
5**	12052.700	39.17	-3.34	54.0	-14.83	AV	27.00	150	Horizontal	Pass
6	15943.576	50.47	-0.36	68.2	-17.73	Peak	144.00	150	Horizontal	Pass
6**	15943.576	41.17	-0.36	54.0	-12.83	AV	144.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.500	50.38	-17.75	68.2	-17.82	Peak	355.00	150	Vertical	Pass
1**	1560.500	40.97	-17.75	54.0	-13.03	AV	355.00	150	Vertical	Pass
2	2833.400	45.92	-11.30	68.2	-22.28	Peak	205.00	150	Vertical	Pass
2**	2833.400	33.87	-11.30	54.0	-20.13	AV	205.00	150	Vertical	Pass
3	5185.250	105.36	-2.35	--	--	Peak	75.00	150	Vertical	N/A
3**	5185.250	96.32	-2.35	--	--	AV	75.00	150	Vertical	N/A
4	7510.500	52.25	0.53	68.2	-15.95	Peak	75.00	150	Vertical	Pass
4**	7510.500	43.57	0.53	54.0	-10.43	AV	75.00	150	Vertical	Pass
5	12442.675	49.56	-2.26	68.2	-18.64	Peak	320.00	150	Vertical	Pass
5**	12442.675	40.10	-2.26	54.0	-13.90	AV	320.00	150	Vertical	Pass
6	16138.087	51.79	-0.59	68.2	-16.41	Peak	157.00	150	Vertical	Pass
6**	16138.087	41.63	-0.59	54.0	-12.37	AV	157.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.300	48.70	-18.15	68.2	-19.50	Peak	269.00	150	Horizontal	Pass
1**	1159.300	34.80	-18.15	54.0	-19.20	AV	269.00	150	Horizontal	Pass
2	4066.250	46.11	-6.09	68.2	-22.09	Peak	148.00	150	Horizontal	Pass
2**	4066.250	36.43	-6.09	54.0	-17.57	AV	148.00	150	Horizontal	Pass
3	5221.750	103.66	-3.40	--	--	Peak	267.00	150	Horizontal	N/A
3**	5221.750	96.76	-3.40	--	--	AV	267.00	150	Horizontal	N/A
4	7705.000	52.90	1.91	68.2	-15.30	Peak	66.00	150	Horizontal	Pass
4**	7705.000	42.85	1.91	54.0	-11.15	AV	66.00	150	Horizontal	Pass
5	12448.850	49.72	-2.17	68.2	-18.48	Peak	208.00	150	Horizontal	Pass
5**	12448.850	40.06	-2.17	54.0	-13.94	AV	208.00	150	Horizontal	Pass
6	15827.550	50.73	-0.74	68.2	-17.47	Peak	0.00	150	Horizontal	Pass
6**	15827.550	42.56	-0.74	54.0	-11.44	AV	0.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.200	50.81	-17.59	68.2	-17.39	Peak	197.00	150	Vertical	Pass
1**	1572.200	37.87	-17.59	54.0	-16.13	AV	197.00	150	Vertical	Pass
2	2832.800	45.59	-11.28	68.2	-22.61	Peak	210.00	150	Vertical	Pass
2**	2832.800	32.75	-11.28	54.0	-21.25	AV	210.00	150	Vertical	Pass
3	5216.000	107.21	-3.43	--	--	Peak	109.00	150	Vertical	N/A
3**	5216.000	98.45	-3.43	--	--	AV	109.00	150	Vertical	N/A
4	7512.750	52.48	0.58	68.2	-15.72	Peak	84.00	150	Vertical	Pass
4**	7512.750	42.54	0.58	54.0	-11.46	AV	84.00	150	Vertical	Pass
5	11457.526	48.98	-3.94	68.2	-19.22	Peak	265.00	150	Vertical	Pass
5**	11457.526	39.65	-3.94	54.0	-14.35	AV	265.00	150	Vertical	Pass
6	16063.275	51.01	-0.33	68.2	-17.19	Peak	284.00	150	Vertical	Pass
6**	16063.275	41.92	-0.33	54.0	-12.08	AV	284.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.900	48.45	-17.95	68.2	-19.75	Peak	127.00	150	Horizontal	Pass
1**	1196.900	33.73	-17.95	54.0	-20.27	AV	127.00	150	Horizontal	Pass
2	2823.400	42.14	-11.34	68.2	-26.06	Peak	313.00	150	Horizontal	Pass
2**	2823.400	32.36	-11.34	54.0	-21.64	AV	313.00	150	Horizontal	Pass
3	4252.500	47.26	-5.04	68.2	-20.94	Peak	310.00	150	Horizontal	Pass
3**	4252.500	38.07	-5.04	54.0	-15.93	AV	310.00	150	Horizontal	Pass
4	5237.750	103.55	-3.24	--	--	Peak	149.00	150	Horizontal	N/A
4**	5237.750	94.60	-3.24	--	--	AV	149.00	150	Horizontal	N/A
5	11205.537	48.85	-4.07	68.2	-19.35	Peak	253.00	150	Horizontal	Pass
5**	11205.537	38.01	-4.07	54.0	-15.99	AV	253.00	150	Horizontal	Pass
6	15698.662	50.24	0.06	68.2	-17.96	Peak	266.00	150	Horizontal	Pass
6**	15698.662	41.41	0.06	54.0	-12.59	AV	266.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.400	50.00	-17.75	68.2	-18.20	Peak	345.00	150	Vertical	Pass
1**	1559.400	40.95	-17.75	54.0	-13.05	AV	345.00	150	Vertical	Pass
2	2830.400	45.53	-11.46	68.2	-22.67	Peak	217.00	150	Vertical	Pass
2**	2830.400	32.99	-11.46	54.0	-21.01	AV	217.00	150	Vertical	Pass
3	3998.750	49.06	-5.97	68.2	-19.14	Peak	45.00	150	Vertical	Pass
3**	3998.750	38.88	-5.97	54.0	-15.12	AV	45.00	150	Vertical	Pass
4	5235.750	107.72	-3.31	--	--	Peak	100.00	150	Vertical	N/A
4**	5235.750	98.16	-3.31	--	--	AV	100.00	150	Vertical	N/A
5	12303.025	49.82	-2.46	68.2	-18.38	Peak	352.00	150	Vertical	Pass
5**	12303.025	40.89	-2.46	54.0	-13.11	AV	352.00	150	Vertical	Pass
6	16033.875	50.63	-0.12	68.2	-17.57	Peak	23.00	150	Vertical	Pass
6**	16033.875	41.88	-0.12	54.0	-12.12	AV	23.00	150	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.600	47.75	-18.19	68.2	-20.45	Peak	256.00	150	Horizontal	Pass
1**	1153.600	33.30	-18.19	54.0	-20.70	AV	256.00	150	Horizontal	Pass
2	2795.000	42.73	-11.17	68.2	-25.47	Peak	318.00	150	Horizontal	Pass
2**	2795.000	32.63	-11.17	54.0	-21.37	AV	318.00	150	Horizontal	Pass
3	4339.500	47.89	-4.75	68.2	-20.31	Peak	100.00	150	Horizontal	Pass
3**	4339.500	37.77	-4.75	54.0	-16.23	AV	100.00	150	Horizontal	Pass
4	5178.000	101.95	-2.38	--	--	Peak	271.00	150	Horizontal	N/A
4**	5178.000	89.85	-2.38	--	--	AV	271.00	150	Horizontal	N/A
5	12451.225	49.66	-2.16	68.2	-18.54	Peak	184.00	150	Horizontal	Pass
5**	12451.225	39.96	-2.16	54.0	-14.04	AV	184.00	150	Horizontal	Pass
6	15689.213	50.75	-0.21	68.2	-17.45	Peak	92.00	150	Horizontal	Pass
6**	15689.213	40.03	-0.21	54.0	-13.97	AV	92.00	150	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.200	50.85	-17.46	68.2	-17.35	Peak	185.00	150	Vertical	Pass
1**	1575.200	35.74	-17.46	54.0	-18.26	AV	185.00	150	Vertical	Pass
2	2826.700	47.25	-11.33	68.2	-20.95	Peak	208.00	150	Vertical	Pass
2**	2826.700	34.42	-11.33	54.0	-19.58	AV	208.00	150	Vertical	Pass
3	3883.000	46.66	-6.24	68.2	-21.54	Peak	166.00	150	Vertical	Pass
3**	3883.000	36.84	-6.24	54.0	-17.16	AV	166.00	150	Vertical	Pass
4	5197.750	102.60	-3.32	--	--	Peak	100.00	150	Vertical	N/A
4**	5197.750	93.69	-3.32	--	--	AV	100.00	150	Vertical	N/A
5	12517.012	49.53	-2.35	68.2	-18.67	Peak	74.00	150	Vertical	Pass
5**	12517.012	39.04	-2.35	54.0	-14.96	AV	74.00	150	Vertical	Pass
6	15792.638	51.36	-0.75	68.2	-16.84	Peak	132.00	150	Vertical	Pass
6**	15792.638	40.59	-0.75	54.0	-13.41	AV	132.00	150	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.100	49.21	-18.20	68.2	-18.99	Peak	258.00	150	Horizontal	Pass
1**	1155.100	37.42	-18.20	54.0	-16.58	AV	258.00	150	Horizontal	Pass
2	4087.500	46.54	-5.76	68.2	-21.66	Peak	134.00	150	Horizontal	Pass
2**	4087.500	37.14	-5.76	54.0	-16.86	AV	134.00	150	Horizontal	Pass
3	5234.250	101.56	-3.27	--	--	Peak	264.00	150	Horizontal	N/A
3**	5234.250	91.62	-3.27	--	--	AV	264.00	150	Horizontal	N/A
4	7455.000	52.67	1.17	68.2	-15.53	Peak	198.00	150	Horizontal	Pass
4**	7455.000	43.36	1.17	54.0	-10.64	AV	198.00	150	Horizontal	Pass
5	12041.775	48.86	-3.37	68.2	-19.34	Peak	321.00	150	Horizontal	Pass
5**	12041.775	39.65	-3.37	54.0	-14.35	AV	321.00	150	Horizontal	Pass
6	16045.162	51.29	-0.10	68.2	-16.91	Peak	212.00	150	Horizontal	Pass
6**	16045.162	42.00	-0.10	54.0	-12.00	AV	212.00	150	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.400	50.59	-17.94	68.2	-17.61	Peak	345.00	150	Vertical	Pass
1**	1554.400	36.83	-17.94	54.0	-17.17	AV	345.00	150	Vertical	Pass
2	2825.900	45.24	-11.30	68.2	-22.96	Peak	305.00	150	Vertical	Pass
2**	2825.900	32.90	-11.30	54.0	-21.10	AV	305.00	150	Vertical	Pass
3	4255.750	47.15	-4.80	68.2	-21.05	Peak	360.00	150	Vertical	Pass
3**	4255.750	38.31	-4.80	54.0	-15.69	AV	360.00	150	Vertical	Pass
4	5232.750	104.44	-3.32	--	--	Peak	100.00	150	Vertical	N/A
4**	5232.750	95.70	-3.32	--	--	AV	100.00	150	Vertical	N/A
5	12406.813	49.33	-2.81	68.2	-18.87	Peak	309.00	150	Vertical	Pass
5**	12406.813	39.10	-2.81	54.0	-14.90	AV	309.00	150	Vertical	Pass
6	15451.388	50.92	-0.15	68.2	-17.28	Peak	284.00	150	Vertical	Pass
6**	15451.388	40.73	-0.15	54.0	-13.27	AV	284.00	150	Vertical	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.400	48.18	-18.22	68.2	-20.02	Peak	124.00	150	Horizontal	Pass
1**	1155.400	34.22	-18.22	54.0	-19.78	AV	124.00	150	Horizontal	Pass
2	3942.250	46.76	-6.17	68.2	-21.44	Peak	29.00	150	Horizontal	Pass
2**	3942.250	36.28	-6.17	54.0	-17.72	AV	29.00	150	Horizontal	Pass
3	5204.750	98.03	-3.52	--	--	Peak	161.00	150	Horizontal	N/A
3**	5204.750	88.26	-3.52	--	--	AV	161.00	150	Horizontal	N/A
4	7456.500	52.27	1.14	68.2	-15.93	Peak	55.00	150	Horizontal	Pass
4**	7456.500	43.00	1.14	54.0	-11.00	AV	55.00	150	Horizontal	Pass
5	10816.275	49.74	-5.13	68.2	-18.46	Peak	142.00	150	Horizontal	Pass
5**	10816.275	39.34	-5.13	54.0	-14.66	AV	142.00	150	Horizontal	Pass
6	16019.174	51.03	-0.13	68.2	-17.17	Peak	156.00	150	Horizontal	Pass
6**	16019.174	41.71	-0.13	54.0	-12.29	AV	156.00	150	Horizontal	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.600	49.84	-17.91	68.2	-18.36	Peak	354.00	150	Vertical	Pass
1**	1556.600	38.29	-17.91	54.0	-15.71	AV	354.00	150	Vertical	Pass
2	3995.000	47.18	-6.33	68.2	-21.02	Peak	166.00	150	Vertical	Pass
2**	3995.000	36.45	-6.33	54.0	-17.55	AV	166.00	150	Vertical	Pass
3	5222.750	100.79	-3.46	--	--	Peak	76.00	150	Vertical	N/A
3**	5222.750	91.35	-3.46	--	--	AV	76.00	150	Vertical	N/A
4	7450.750	52.11	0.74	68.2	-16.09	Peak	100.00	150	Vertical	Pass
4**	7450.750	43.03	0.74	54.0	-10.97	AV	100.00	150	Vertical	Pass
5	11456.099	48.63	-3.92	68.2	-19.57	Peak	307.00	150	Vertical	Pass
5**	11456.099	39.19	-3.92	54.0	-14.81	AV	307.00	150	Vertical	Pass
6	16041.224	51.38	-0.11	68.2	-16.82	Peak	324.00	150	Vertical	Pass
6**	16041.224	41.63	-0.11	54.0	-12.37	AV	324.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.900	48.52	-18.24	68.2	-19.68	Peak	278.00	150	Horizontal	Pass
1**	1157.900	33.35	-18.24	54.0	-20.65	AV	278.00	150	Horizontal	Pass
2	4117.500	45.79	-5.83	68.2	-22.41	Peak	360.00	150	Horizontal	Pass
2**	4117.500	36.51	-5.83	54.0	-17.49	AV	360.00	150	Horizontal	Pass
3	5264.750	103.18	-3.65	--	--	Peak	165.00	150	Horizontal	N/A
3**	5264.750	95.13	-3.65	--	--	AV	165.00	150	Horizontal	N/A
4	7459.500	51.66	1.14	68.2	-16.54	Peak	150.00	150	Horizontal	Pass
4**	7459.500	43.84	1.14	54.0	-10.16	AV	150.00	150	Horizontal	Pass
5	11542.550	48.40	-4.37	68.2	-19.80	Peak	116.00	150	Horizontal	Pass
5**	11542.550	39.17	-4.37	54.0	-14.83	AV	116.00	150	Horizontal	Pass
6	15547.463	50.67	-0.54	68.2	-17.53	Peak	102.00	150	Horizontal	Pass
6**	15547.463	41.37	-0.54	54.0	-12.63	AV	102.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1577.600	50.41	-17.54	68.2	-17.79	Peak	183.00	150	Vertical	Pass
1**	1577.600	35.87	-17.54	54.0	-18.13	AV	183.00	150	Vertical	Pass
2	3991.750	48.05	-6.24	68.2	-20.15	Peak	166.00	150	Vertical	Pass
2**	3991.750	37.22	-6.24	54.0	-16.78	AV	166.00	150	Vertical	Pass
3	5264.500	108.09	-3.64	--	--	Peak	100.00	150	Vertical	N/A
3**	5264.500	100.53	-3.64	--	--	AV	100.00	150	Vertical	N/A
4	7450.250	51.19	0.68	68.2	-17.01	Peak	360.00	150	Vertical	Pass
4**	7450.250	42.28	0.68	54.0	-11.72	AV	360.00	150	Vertical	Pass
5	12380.687	49.22	-2.88	68.2	-18.98	Peak	164.00	150	Vertical	Pass
5**	12380.687	39.49	-2.88	54.0	-14.51	AV	164.00	150	Vertical	Pass
6	15839.362	50.68	-0.75	68.2	-17.52	Peak	242.00	150	Vertical	Pass
6**	15839.362	40.78	-0.75	54.0	-13.22	AV	242.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1488.600	47.92	-17.33	68.2	-20.28	Peak	151.00	150	Horizontal	Pass
1**	1488.600	32.37	-17.33	54.0	-21.63	AV	151.00	150	Horizontal	Pass
2	4136.250	46.88	-5.56	68.2	-21.32	Peak	100.00	150	Horizontal	Pass
2**	4136.250	37.05	-5.56	54.0	-16.95	AV	100.00	150	Horizontal	Pass
3	5304.500	102.91	-3.55	--	--	Peak	165.00	150	Horizontal	N/A
3**	5304.500	95.49	-3.55	--	--	AV	165.00	150	Horizontal	N/A
4	7454.000	52.90	1.12	68.2	-15.30	Peak	328.00	150	Horizontal	Pass
4**	7454.000	43.42	1.12	54.0	-10.58	AV	328.00	150	Horizontal	Pass
5	12312.526	48.93	-2.53	68.2	-19.27	Peak	317.00	150	Horizontal	Pass
5**	12312.526	40.01	-2.53	54.0	-13.99	AV	317.00	150	Horizontal	Pass
6	15704.963	51.00	-0.00	68.2	-17.20	Peak	214.00	150	Horizontal	Pass
6**	15704.963	41.62	-0.00	54.0	-12.38	AV	214.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.400	51.53	-17.75	68.2	-16.67	Peak	350.00	150	Vertical	Pass
1**	1559.400	39.44	-17.75	54.0	-14.56	AV	350.00	150	Vertical	Pass
2	2837.800	46.51	-11.16	68.2	-21.69	Peak	205.00	150	Vertical	Pass
2**	2837.800	32.00	-11.16	54.0	-22.00	AV	205.00	150	Vertical	Pass
3	3984.500	47.16	-6.03	68.2	-21.04	Peak	34.00	150	Vertical	Pass
3**	3984.500	38.18	-6.03	54.0	-15.82	AV	34.00	150	Vertical	Pass
4	5301.250	107.17	-3.66	--	--	Peak	107.00	150	Vertical	N/A
4**	5301.250	99.14	-3.66	--	--	AV	107.00	150	Vertical	N/A
5	12044.625	49.12	-3.35	68.2	-19.08	Peak	274.00	150	Vertical	Pass
5**	12044.625	39.66	-3.35	54.0	-14.34	AV	274.00	150	Vertical	Pass
6	16050.413	51.64	-0.11	68.2	-16.56	Peak	172.00	150	Vertical	Pass
6**	16050.413	41.53	-0.11	54.0	-12.47	AV	172.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1194.900	47.76	-17.94	68.2	-20.44	Peak	117.00	150	Horizontal	Pass
1**	1194.900	35.38	-17.94	54.0	-18.62	AV	117.00	150	Horizontal	Pass
2	2816.000	42.88	-11.39	68.2	-25.32	Peak	100.00	150	Horizontal	Pass
2**	2816.000	31.70	-11.39	54.0	-22.30	AV	100.00	150	Horizontal	Pass
3	4174.750	47.04	-5.51	68.2	-21.16	Peak	305.00	150	Horizontal	Pass
3**	4174.750	36.90	-5.51	54.0	-17.10	AV	305.00	150	Horizontal	Pass
4	5317.500	101.45	-3.38	--	--	Peak	167.00	150	Horizontal	N/A
4**	5317.500	93.90	-3.38	--	--	AV	167.00	150	Horizontal	N/A
5	12288.775	48.89	-2.54	68.2	-19.31	Peak	0.00	150	Horizontal	Pass
5**	12288.775	39.90	-2.54	54.0	-14.10	AV	0.00	150	Horizontal	Pass
6	16041.750	51.39	-0.11	68.2	-16.81	Peak	199.00	150	Horizontal	Pass
6**	16041.750	41.47	-0.11	54.0	-12.53	AV	199.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.000	49.97	-17.76	68.2	-18.23	Peak	163.00	150	Vertical	Pass
1**	1537.000	35.91	-17.76	54.0	-18.09	AV	163.00	150	Vertical	Pass
2	3993.250	47.85	-6.25	68.2	-20.35	Peak	164.00	150	Vertical	Pass
2**	3993.250	37.43	-6.25	54.0	-16.57	AV	164.00	150	Vertical	Pass
3	5316.500	105.36	-3.33	--	--	Peak	92.00	150	Vertical	N/A
3**	5316.500	98.17	-3.33	--	--	AV	92.00	150	Vertical	N/A
4	7459.500	52.19	1.14	68.2	-16.01	Peak	337.00	150	Vertical	Pass
4**	7459.500	43.10	1.14	54.0	-10.90	AV	337.00	150	Vertical	Pass
5	11455.388	48.75	-3.92	68.2	-19.45	Peak	106.00	150	Vertical	Pass
5**	11455.388	39.27	-3.92	54.0	-14.73	AV	106.00	150	Vertical	Pass
6	15708.375	50.20	-0.07	68.2	-18.00	Peak	49.00	150	Vertical	Pass
6**	15708.375	41.66	-0.07	54.0	-12.34	AV	49.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.700	49.17	-17.97	68.2	-19.03	Peak	121.00	150	Horizontal	Pass
1**	1196.700	36.01	-17.97	54.0	-17.99	AV	121.00	150	Horizontal	Pass
2	3997.000	46.77	-6.13	68.2	-21.43	Peak	139.00	150	Horizontal	Pass
2**	3997.000	36.24	-6.13	54.0	-17.76	AV	139.00	150	Horizontal	Pass
3	5262.750	103.18	-3.69	--	--	Peak	165.00	150	Horizontal	N/A
3**	5262.750	95.18	-3.69	--	--	AV	165.00	150	Horizontal	N/A
4	7476.500	51.75	0.46	68.2	-16.45	Peak	319.00	150	Horizontal	Pass
4**	7476.500	42.16	0.46	54.0	-11.84	AV	319.00	150	Horizontal	Pass
5	11102.937	49.26	-4.52	68.2	-18.94	Peak	186.00	150	Horizontal	Pass
5**	11102.937	39.94	-4.52	54.0	-14.06	AV	186.00	150	Horizontal	Pass
6	15703.125	50.23	0.04	68.2	-17.97	Peak	184.00	150	Horizontal	Pass
6**	15703.125	41.87	0.04	54.0	-12.13	AV	184.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.400	50.15	-17.76	68.2	-18.05	Peak	352.00	150	Vertical	Pass
1**	1561.400	36.96	-17.76	54.0	-17.04	AV	352.00	150	Vertical	Pass
2	3992.750	46.92	-6.23	68.2	-21.28	Peak	176.00	150	Vertical	Pass
2**	3992.750	36.98	-6.23	54.0	-17.02	AV	176.00	150	Vertical	Pass
3	5257.750	107.00	-4.02	--	--	Peak	94.00	150	Vertical	N/A
3**	5257.750	99.33	-4.02	--	--	AV	94.00	150	Vertical	N/A
4	7473.000	51.95	0.67	68.2	-16.25	Peak	150.00	150	Vertical	Pass
4**	7473.000	43.28	0.67	54.0	-10.72	AV	150.00	150	Vertical	Pass
5	11156.850	49.02	-4.37	68.2	-19.18	Peak	175.00	150	Vertical	Pass
5**	11156.850	39.13	-4.37	54.0	-14.87	AV	175.00	150	Vertical	Pass
6	16029.938	51.19	-0.12	68.2	-17.01	Peak	360.00	150	Vertical	Pass
6**	16029.938	41.89	-0.12	54.0	-12.11	AV	360.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.300	48.23	-18.24	68.2	-19.97	Peak	263.00	150	Horizontal	Pass
1**	1157.300	35.47	-18.24	54.0	-18.53	AV	263.00	150	Horizontal	Pass
2	4295.250	47.04	-4.43	68.2	-21.16	Peak	300.00	150	Horizontal	Pass
2**	4295.250	37.74	-4.43	54.0	-16.26	AV	300.00	150	Horizontal	Pass
3	5298.000	101.88	-3.52	--	--	Peak	155.00	150	Horizontal	N/A
3**	5298.000	94.96	-3.52	--	--	AV	155.00	150	Horizontal	N/A
4	7444.000	51.77	0.43	68.2	-16.43	Peak	243.00	150	Horizontal	Pass
4**	7444.000	42.53	0.43	54.0	-11.47	AV	243.00	150	Horizontal	Pass
5	12512.737	49.48	-2.38	68.2	-18.72	Peak	232.00	150	Horizontal	Pass
5**	12512.737	39.13	-2.38	54.0	-14.87	AV	232.00	150	Horizontal	Pass
6	15711.000	50.77	-0.13	68.2	-17.43	Peak	298.00	150	Horizontal	Pass
6**	15711.000	41.98	-0.13	54.0	-12.02	AV	298.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.500	50.49	-17.68	68.2	-17.71	Peak	174.00	150	Vertical	Pass
1**	1533.500	39.32	-17.68	54.0	-14.68	AV	174.00	150	Vertical	Pass
2	3999.250	48.09	-5.92	68.2	-20.11	Peak	153.00	150	Vertical	Pass
2**	3999.250	37.54	-5.92	54.0	-16.46	AV	153.00	150	Vertical	Pass
3	5301.000	106.75	-3.66	--	--	Peak	104.00	150	Vertical	N/A
3**	5301.000	98.95	-3.66	--	--	AV	104.00	150	Vertical	N/A
4	7444.750	51.95	0.43	68.2	-16.25	Peak	64.00	150	Vertical	Pass
4**	7444.750	42.91	0.43	54.0	-11.09	AV	64.00	150	Vertical	Pass
5	11315.738	49.11	-4.16	68.2	-19.09	Peak	153.00	150	Vertical	Pass
5**	11315.738	40.39	-4.16	54.0	-13.61	AV	153.00	150	Vertical	Pass
6	15862.200	50.91	-0.87	68.2	-17.29	Peak	282.00	150	Vertical	Pass
6**	15862.200	41.02	-0.87	54.0	-12.98	AV	282.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1167.200	47.96	-18.30	68.2	-20.24	Peak	120.00	150	Horizontal	Pass
1**	1167.200	34.20	-18.30	54.0	-19.80	AV	120.00	150	Horizontal	Pass
2	4288.000	47.10	-4.47	68.2	-21.10	Peak	49.00	150	Horizontal	Pass
2**	4288.000	37.98	-4.47	54.0	-16.02	AV	49.00	150	Horizontal	Pass
3	5318.000	100.79	-3.44	--	--	Peak	155.00	150	Horizontal	N/A
3**	5318.000	92.78	-3.44	--	--	AV	155.00	150	Horizontal	N/A
4	7509.500	51.62	0.53	68.2	-16.58	Peak	155.00	150	Horizontal	Pass
4**	7509.500	43.78	0.53	54.0	-10.22	AV	155.00	150	Horizontal	Pass
5	11453.963	48.54	-3.91	68.2	-19.66	Peak	95.00	150	Horizontal	Pass
5**	11453.963	39.86	-3.91	54.0	-14.14	AV	95.00	150	Horizontal	Pass
6	15548.775	50.25	-0.53	68.2	-17.95	Peak	339.00	150	Horizontal	Pass
6**	15548.775	41.20	-0.53	54.0	-12.80	AV	339.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.900	51.14	-17.70	68.2	-17.06	Peak	0.00	150	Vertical	Pass
1**	1550.900	37.86	-17.70	54.0	-16.14	AV	0.00	150	Vertical	Pass
2	4256.750	46.88	-4.76	68.2	-21.32	Peak	213.00	150	Vertical	Pass
2**	4256.750	37.44	-4.76	54.0	-16.56	AV	213.00	150	Vertical	Pass
3	5322.250	105.54	-3.35	--	--	Peak	91.00	150	Vertical	N/A
3**	5322.250	97.68	-3.35	--	--	AV	91.00	150	Vertical	N/A
4	7397.000	51.33	-0.40	68.2	-16.87	Peak	0.00	150	Vertical	Pass
4**	7397.000	42.20	-0.40	54.0	-11.80	AV	0.00	150	Vertical	Pass
5	10822.688	49.13	-5.04	68.2	-19.07	Peak	52.00	150	Vertical	Pass
5**	10822.688	38.89	-5.04	54.0	-15.11	AV	52.00	150	Vertical	Pass
6	15466.350	50.67	-0.37	68.2	-17.53	Peak	312.00	150	Vertical	Pass
6**	15466.350	40.68	-0.37	54.0	-13.32	AV	312.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.200	50.02	-17.92	68.2	-18.18	Peak	118.00	150	Horizontal	Pass
1**	1197.200	33.33	-17.92	54.0	-20.67	AV	118.00	150	Horizontal	Pass
2	4073.250	46.55	-5.90	68.2	-21.65	Peak	332.00	150	Horizontal	Pass
2**	4073.250	36.56	-5.90	54.0	-17.44	AV	332.00	150	Horizontal	Pass
3	5272.000	100.39	-3.27	--	--	Peak	162.00	150	Horizontal	N/A
3**	5272.000	91.55	-3.27	--	--	AV	162.00	150	Horizontal	N/A
4	7558.000	51.75	-0.53	68.2	-16.45	Peak	0.00	150	Horizontal	Pass
4**	7558.000	42.17	-0.53	54.0	-11.83	AV	0.00	150	Horizontal	Pass
5	11460.138	48.73	-3.96	68.2	-19.47	Peak	6.00	150	Horizontal	Pass
5**	11460.138	40.21	-3.96	54.0	-13.79	AV	6.00	150	Horizontal	Pass
6	15700.763	50.75	0.09	68.2	-17.45	Peak	176.00	150	Horizontal	Pass
6**	15700.763	42.29	0.09	54.0	-11.71	AV	176.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.900	50.17	-17.75	68.2	-18.03	Peak	170.00	150	Vertical	Pass
1**	1543.900	41.17	-17.75	54.0	-12.83	AV	170.00	150	Vertical	Pass
2	3984.000	49.78	-6.05	68.2	-18.42	Peak	40.00	150	Vertical	Pass
2**	3984.000	38.11	-6.05	54.0	-15.89	AV	40.00	150	Vertical	Pass
3	5280.500	104.32	-3.42	--	--	Peak	98.00	150	Vertical	N/A
3**	5280.500	97.12	-3.42	--	--	AV	98.00	150	Vertical	N/A
4	7455.250	51.89	1.16	68.2	-16.31	Peak	155.00	150	Vertical	Pass
4**	7455.250	43.45	1.16	54.0	-10.55	AV	155.00	150	Vertical	Pass
5	11822.325	48.34	-3.39	68.2	-19.86	Peak	208.00	150	Vertical	Pass
5**	11822.325	39.12	-3.39	54.0	-14.88	AV	208.00	150	Vertical	Pass
6	16060.387	52.02	-0.28	68.2	-16.18	Peak	146.00	150	Vertical	Pass
6**	16060.387	40.66	-0.28	54.0	-13.34	AV	146.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.300	48.01	-18.15	68.2	-20.19	Peak	273.00	150	Horizontal	Pass
1**	1159.300	34.15	-18.15	54.0	-19.85	AV	273.00	150	Horizontal	Pass
2	4237.500	47.68	-5.14	68.2	-20.52	Peak	186.00	150	Horizontal	Pass
2**	4237.500	37.47	-5.14	54.0	-16.53	AV	186.00	150	Horizontal	Pass
3	5315.250	97.61	-3.51	--	--	Peak	162.00	150	Horizontal	N/A
3**	5315.250	89.15	-3.51	--	--	AV	162.00	150	Horizontal	N/A
4	7463.250	52.08	1.04	68.2	-16.12	Peak	40.00	150	Horizontal	Pass
4**	7463.250	42.95	1.04	54.0	-11.05	AV	40.00	150	Horizontal	Pass
5	11870.300	49.26	-3.26	68.2	-18.94	Peak	119.00	150	Horizontal	Pass
5**	11870.300	39.14	-3.26	54.0	-14.86	AV	119.00	150	Horizontal	Pass
6	16041.487	50.85	-0.11	68.2	-17.35	Peak	351.00	150	Horizontal	Pass
6**	16041.487	40.94	-0.11	54.0	-13.06	AV	351.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1563.000	50.68	-17.73	68.2	-17.52	Peak	348.00	150	Vertical	Pass
1**	1563.000	36.12	-17.73	54.0	-17.88	AV	348.00	150	Vertical	Pass
2	3986.500	46.73	-6.23	68.2	-21.47	Peak	164.00	150	Vertical	Pass
2**	3986.500	37.40	-6.23	54.0	-16.60	AV	164.00	150	Vertical	Pass
3	5315.750	101.51	-3.44	--	--	Peak	106.00	150	Vertical	N/A
3**	5315.750	94.04	-3.44	--	--	AV	106.00	150	Vertical	N/A
4	7474.000	51.69	0.63	68.2	-16.51	Peak	98.00	150	Vertical	Pass
4**	7474.000	42.76	0.63	54.0	-11.24	AV	98.00	150	Vertical	Pass
5	12455.262	49.19	-2.19	68.2	-19.01	Peak	175.00	150	Vertical	Pass
5**	12455.262	40.12	-2.19	54.0	-13.88	AV	175.00	150	Vertical	Pass
6	15455.325	51.37	-0.21	68.2	-16.83	Peak	176.00	150	Vertical	Pass
6**	15455.325	40.44	-0.21	54.0	-13.56	AV	176.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.800	47.89	-18.24	68.2	-20.31	Peak	114.00	150	Horizontal	Pass
1**	1155.800	36.77	-18.24	54.0	-17.23	AV	114.00	150	Horizontal	Pass
2	4280.750	47.02	-4.79	68.2	-21.18	Peak	16.00	150	Horizontal	Pass
2**	4280.750	37.92	-4.79	54.0	-16.08	AV	16.00	150	Horizontal	Pass
3	5263.250	103.11	-3.64	--	--	Peak	155.00	150	Horizontal	N/A
3**	5263.250	95.18	-3.64	--	--	AV	155.00	150	Horizontal	N/A
4	7530.250	52.04	0.60	68.2	-16.16	Peak	324.00	150	Horizontal	Pass
4**	7530.250	41.86	0.60	54.0	-12.14	AV	324.00	150	Horizontal	Pass
5	11970.050	48.97	-3.63	68.2	-19.23	Peak	0.00	150	Horizontal	Pass
5**	11970.050	39.09	-3.63	54.0	-14.91	AV	0.00	150	Horizontal	Pass
6	16058.550	51.29	-0.25	68.2	-16.91	Peak	10.00	150	Horizontal	Pass
6**	16058.550	41.55	-0.25	54.0	-12.45	AV	10.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.000	50.21	-17.76	68.2	-17.99	Peak	23.00	150	Vertical	Pass
1**	1537.000	36.75	-17.76	54.0	-17.25	AV	23.00	150	Vertical	Pass
2	3999.000	47.32	-5.94	68.2	-20.88	Peak	47.00	150	Vertical	Pass
2**	3999.000	37.11	-5.94	54.0	-16.89	AV	47.00	150	Vertical	Pass
3	5263.250	106.72	-3.64	--	--	Peak	96.00	150	Vertical	N/A
3**	5263.250	99.98	-3.64	--	--	AV	96.00	150	Vertical	N/A
4	7479.000	52.01	0.12	68.2	-16.19	Peak	169.00	150	Vertical	Pass
4**	7479.000	41.82	0.12	54.0	-12.18	AV	169.00	150	Vertical	Pass
5	11438.050	48.41	-3.95	68.2	-19.79	Peak	332.00	150	Vertical	Pass
5**	11438.050	39.78	-3.95	54.0	-14.22	AV	332.00	150	Vertical	Pass
6	16096.612	51.28	-0.92	68.2	-16.92	Peak	228.00	150	Vertical	Pass
6**	16096.612	41.24	-0.92	54.0	-12.76	AV	228.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.600	49.52	-18.23	68.2	-18.68	Peak	277.00	150	Horizontal	Pass
1**	1155.600	35.97	-18.23	54.0	-18.03	AV	277.00	150	Horizontal	Pass
2	4002.250	46.30	-5.81	68.2	-21.90	Peak	251.00	150	Horizontal	Pass
2**	4002.250	36.22	-5.81	54.0	-17.78	AV	251.00	150	Horizontal	Pass
3	5304.000	102.39	-3.62	--	--	Peak	162.00	150	Horizontal	N/A
3**	5304.000	94.32	-3.62	--	--	AV	162.00	150	Horizontal	N/A
4	7476.250	52.02	0.53	68.2	-16.18	Peak	228.00	150	Horizontal	Pass
4**	7476.250	42.75	0.53	54.0	-11.25	AV	228.00	150	Horizontal	Pass
5	12414.412	49.44	-2.69	68.2	-18.76	Peak	141.00	150	Horizontal	Pass
5**	12414.412	39.35	-2.69	54.0	-14.65	AV	141.00	150	Horizontal	Pass
6	16025.737	51.20	-0.12	68.2	-17.00	Peak	80.00	150	Horizontal	Pass
6**	16025.737	42.30	-0.12	54.0	-11.70	AV	80.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.500	51.02	-17.64	68.2	-17.18	Peak	355.00	150	Vertical	Pass
1**	1568.500	39.94	-17.64	54.0	-14.06	AV	355.00	150	Vertical	Pass
2	3993.250	46.93	-6.25	68.2	-21.27	Peak	59.00	150	Vertical	Pass
2**	3993.250	37.22	-6.25	54.0	-16.78	AV	59.00	150	Vertical	Pass
3	5304.000	106.74	-3.62	--	--	Peak	106.00	150	Vertical	N/A
3**	5304.000	99.28	-3.62	--	--	AV	106.00	150	Vertical	N/A
4	7510.750	51.41	0.52	68.2	-16.79	Peak	360.00	150	Vertical	Pass
4**	7510.750	43.30	0.52	54.0	-10.70	AV	360.00	150	Vertical	Pass
5	11697.637	48.35	-4.21	68.2	-19.85	Peak	232.00	150	Vertical	Pass
5**	11697.637	38.87	-4.21	54.0	-15.13	AV	232.00	150	Vertical	Pass
6	15966.412	50.89	-0.21	68.2	-17.31	Peak	339.00	150	Vertical	Pass
6**	15966.412	41.27	-0.21	54.0	-12.73	AV	339.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.400	49.83	-17.62	68.2	-18.37	Peak	169.00	150	Horizontal	Pass
1**	1528.400	36.17	-17.62	54.0	-17.83	AV	169.00	150	Horizontal	Pass
2	3979.000	46.80	-6.20	68.2	-21.40	Peak	65.00	150	Horizontal	Pass
2**	3979.000	36.43	-6.20	54.0	-17.57	AV	65.00	150	Horizontal	Pass
3	5318.250	105.35	-3.48	--	--	Peak	98.00	150	Horizontal	N/A
3**	5318.250	98.11	-3.48	--	--	AV	98.00	150	Horizontal	N/A
4	7516.250	51.94	0.94	68.2	-16.26	Peak	275.00	150	Horizontal	Pass
4**	7516.250	43.10	0.94	54.0	-10.90	AV	275.00	150	Horizontal	Pass
5	12477.112	49.41	-2.32	68.2	-18.79	Peak	332.00	150	Horizontal	Pass
5**	12477.112	39.48	-2.32	54.0	-14.52	AV	332.00	150	Horizontal	Pass
6	16044.900	52.23	-0.11	68.2	-15.97	Peak	106.00	150	Horizontal	Pass
6**	16044.900	41.90	-0.11	54.0	-12.10	AV	106.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.200	50.56	-17.76	68.2	-17.64	Peak	354.00	150	Vertical	Pass
1**	1561.200	37.61	-17.76	54.0	-16.39	AV	354.00	150	Vertical	Pass
2	3983.750	46.96	-6.06	68.2	-21.24	Peak	155.00	150	Vertical	Pass
2**	3983.750	37.04	-6.06	54.0	-16.96	AV	155.00	150	Vertical	Pass
3	5322.250	105.20	-3.35	--	--	Peak	106.00	150	Vertical	N/A
3**	5322.250	97.42	-3.35	--	--	AV	106.00	150	Vertical	N/A
4	7460.000	51.89	1.14	68.2	-16.31	Peak	341.00	150	Vertical	Pass
4**	7460.000	42.82	1.14	54.0	-11.18	AV	341.00	150	Vertical	Pass
5	11705.000	48.74	-4.17	68.2	-19.46	Peak	62.00	150	Vertical	Pass
5**	11705.000	39.11	-4.17	54.0	-14.89	AV	62.00	150	Vertical	Pass
6	15536.963	51.16	-0.61	68.2	-17.04	Peak	176.00	150	Vertical	Pass
6**	15536.963	41.30	-0.61	54.0	-12.70	AV	176.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.200	50.18	-17.94	68.2	-18.02	Peak	353.00	150	Horizontal	Pass
1**	1556.200	36.08	-17.94	54.0	-17.92	AV	353.00	150	Horizontal	Pass
2	2833.000	46.24	-11.28	68.2	-21.96	Peak	211.00	150	Horizontal	Pass
2**	2833.000	33.90	-11.28	54.0	-20.10	AV	211.00	150	Horizontal	Pass
3	5274.250	105.36	-3.03	--	--	Peak	89.00	150	Horizontal	N/A
3**	5274.250	97.52	-3.03	--	--	AV	89.00	150	Horizontal	N/A
4	7447.750	52.52	0.44	68.2	-15.68	Peak	130.00	150	Horizontal	Pass
4**	7447.750	42.14	0.44	54.0	-11.86	AV	130.00	150	Horizontal	Pass
5	12441.012	49.18	-2.29	68.2	-19.02	Peak	75.00	150	Horizontal	Pass
5**	12441.012	40.42	-2.29	54.0	-13.58	AV	75.00	150	Horizontal	Pass
6	15727.013	50.59	-0.46	68.2	-17.61	Peak	284.00	150	Horizontal	Pass
6**	15727.013	40.67	-0.46	54.0	-13.33	AV	284.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.100	49.34	-18.26	68.2	-18.86	Peak	125.00	150	Vertical	Pass
1**	1156.100	34.25	-18.26	54.0	-19.75	AV	125.00	150	Vertical	Pass
2	4276.750	46.87	-4.86	68.2	-21.33	Peak	309.00	150	Vertical	Pass
2**	4276.750	37.60	-4.86	54.0	-16.40	AV	309.00	150	Vertical	Pass
3	5274.750	100.46	-3.11	--	--	Peak	162.00	150	Vertical	N/A
3**	5274.750	92.52	-3.11	--	--	AV	162.00	150	Vertical	N/A
4	7453.750	52.13	1.09	68.2	-16.07	Peak	145.00	150	Vertical	Pass
4**	7453.750	42.80	1.09	54.0	-11.20	AV	145.00	150	Vertical	Pass
5	11460.612	49.29	-3.96	68.2	-18.91	Peak	175.00	150	Vertical	Pass
5**	11460.612	40.29	-3.96	54.0	-13.71	AV	175.00	150	Vertical	Pass
6	16033.613	50.86	-0.12	68.2	-17.34	Peak	132.00	150	Vertical	Pass
6**	16033.613	42.96	-0.12	54.0	-11.04	AV	132.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.200	50.61	-17.66	68.2	-17.59	Peak	167.00	150	Horizontal	Pass
1**	1534.200	41.45	-17.66	54.0	-12.55	AV	167.00	150	Horizontal	Pass
2	3984.250	46.92	-6.03	68.2	-21.28	Peak	160.00	150	Horizontal	Pass
2**	3984.250	36.94	-6.03	54.0	-17.06	AV	160.00	150	Horizontal	Pass
3	5317.250	101.85	-3.35	--	--	Peak	104.00	150	Horizontal	N/A
3**	5317.250	93.87	-3.35	--	--	AV	104.00	150	Horizontal	N/A
4	7514.750	52.51	0.81	68.2	-15.69	Peak	13.00	150	Horizontal	Pass
4**	7514.750	43.36	0.81	54.0	-10.64	AV	13.00	150	Horizontal	Pass
5	12445.287	49.22	-2.22	68.2	-18.98	Peak	175.00	150	Horizontal	Pass
5**	12445.287	41.19	-2.22	54.0	-12.81	AV	175.00	150	Horizontal	Pass
6	16026.787	51.45	-0.12	68.2	-16.75	Peak	270.00	150	Horizontal	Pass
6**	16026.787	41.79	-0.12	54.0	-12.21	AV	270.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.100	47.44	-17.85	68.2	-20.76	Peak	116.00	150	Vertical	Pass
1**	1198.100	34.65	-17.85	54.0	-19.35	AV	116.00	150	Vertical	Pass
2	4005.500	46.58	-5.70	68.2	-21.62	Peak	13.00	150	Vertical	Pass
2**	4005.500	36.10	-5.70	54.0	-17.90	AV	13.00	150	Vertical	Pass
3	5322.250	97.46	-3.35	--	--	Peak	160.00	150	Vertical	N/A
3**	5322.250	89.49	-3.35	--	--	AV	160.00	150	Vertical	N/A
4	7453.000	52.03	1.01	68.2	-16.17	Peak	120.00	150	Vertical	Pass
4**	7453.000	43.00	1.01	54.0	-11.00	AV	120.00	150	Vertical	Pass
5	12441.487	50.04	-2.28	68.2	-18.16	Peak	87.00	150	Vertical	Pass
5**	12441.487	40.26	-2.28	54.0	-13.74	AV	87.00	150	Vertical	Pass
6	16051.463	50.85	-0.13	68.2	-17.35	Peak	311.00	150	Vertical	Pass
6**	16051.463	42.41	-0.13	54.0	-11.59	AV	311.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1176.200	48.25	-17.98	68.2	-19.95	Peak	121.00	150	Vertical	Pass
1**	1176.200	35.95	-17.98	54.0	-18.05	AV	121.00	150	Vertical	Pass
2	4279.250	47.54	-4.68	68.2	-20.66	Peak	307.00	150	Vertical	Pass
2**	4279.250	37.74	-4.68	54.0	-16.26	AV	307.00	150	Vertical	Pass
3	5306.250	95.07	-3.33	--	--	Peak	158.00	150	Vertical	N/A
3**	5306.250	86.82	-3.33	--	--	AV	158.00	150	Vertical	N/A
4	7510.000	52.19	0.55	68.2	-16.01	Peak	59.00	150	Vertical	Pass
4**	7510.000	42.92	0.55	54.0	-11.08	AV	59.00	150	Vertical	Pass
5	12541.950	50.71	-2.18	68.2	-17.49	Peak	121.00	150	Vertical	Pass
5**	12541.950	39.96	-2.18	54.0	-14.04	AV	121.00	150	Vertical	Pass
6	15552.451	50.97	-0.56	68.2	-17.23	Peak	270.00	150	Vertical	Pass
6**	15552.451	40.86	-0.56	54.0	-13.14	AV	270.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.200	50.41	-17.94	68.2	-17.79	Peak	174.00	150	Vertical	Pass
1**	1542.200	38.41	-17.94	54.0	-15.59	AV	174.00	150	Vertical	Pass
2	4011.750	47.46	-5.61	68.2	-20.74	Peak	154.00	150	Vertical	Pass
2**	4011.750	36.86	-5.61	54.0	-17.14	AV	154.00	150	Vertical	Pass
3	5309.750	100.09	-3.70	--	--	Peak	96.00	150	Vertical	N/A
3**	5309.750	91.39	-3.70	--	--	AV	96.00	150	Vertical	N/A
4	7483.250	52.25	-0.24	68.2	-15.95	Peak	218.00	150	Vertical	Pass
4**	7483.250	42.01	-0.24	54.0	-11.99	AV	218.00	150	Vertical	Pass
5	11381.526	49.05	-4.31	68.2	-19.15	Peak	232.00	150	Vertical	Pass
5**	11381.526	38.57	-4.31	54.0	-15.43	AV	232.00	150	Vertical	Pass
6	15701.550	50.59	0.07	68.2	-17.61	Peak	214.00	150	Vertical	Pass
6**	15701.550	41.32	0.07	54.0	-12.68	AV	214.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.700	48.87	-18.24	68.2	-19.33	Peak	123.00	150	Horizontal	Pass
1**	1155.700	35.22	-18.24	54.0	-18.78	AV	123.00	150	Horizontal	Pass
2	4368.500	47.34	-4.18	68.2	-20.86	Peak	268.00	150	Horizontal	Pass
2**	4368.500	38.52	-4.18	54.0	-15.48	AV	268.00	150	Horizontal	Pass
3	5263.750	104.04	-3.60	--	--	Peak	153.00	150	Horizontal	N/A
3**	5263.750	95.41	-3.60	--	--	AV	153.00	150	Horizontal	N/A
4	7454.500	51.72	1.17	68.2	-16.48	Peak	40.00	150	Horizontal	Pass
4**	7454.500	43.52	1.17	54.0	-10.48	AV	40.00	150	Horizontal	Pass
5	11205.775	48.83	-4.07	68.2	-19.37	Peak	232.00	150	Horizontal	Pass
5**	11205.775	39.00	-4.07	54.0	-15.00	AV	232.00	150	Horizontal	Pass
6	15550.349	50.79	-0.53	68.2	-17.41	Peak	212.00	150	Horizontal	Pass
6**	15550.349	41.42	-0.53	54.0	-12.58	AV	212.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1548.300	50.73	-17.69	68.2	-17.47	Peak	0.00	150	Vertical	Pass
1**	1548.300	39.19	-17.69	54.0	-14.81	AV	0.00	150	Vertical	Pass
2	3980.000	47.64	-6.05	68.2	-20.56	Peak	169.00	150	Vertical	Pass
2**	3980.000	36.91	-6.05	54.0	-17.09	AV	169.00	150	Vertical	Pass
3	5264.000	109.05	-3.61	--	--	Peak	96.00	150	Vertical	N/A
3**	5264.000	99.96	-3.61	--	--	AV	96.00	150	Vertical	N/A
4	7474.000	51.78	0.63	68.2	-16.42	Peak	120.00	150	Vertical	Pass
4**	7474.000	42.54	0.63	54.0	-11.46	AV	120.00	150	Vertical	Pass
5	12050.326	49.03	-3.32	68.2	-19.17	Peak	95.00	150	Vertical	Pass
5**	12050.326	39.37	-3.32	54.0	-14.63	AV	95.00	150	Vertical	Pass
6	15708.375	50.75	-0.07	68.2	-17.45	Peak	270.00	150	Vertical	Pass
6**	15708.375	40.64	-0.07	54.0	-13.36	AV	270.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.800	48.07	-18.18	68.2	-20.13	Peak	262.00	150	Horizontal	Pass
1**	1154.800	36.44	-18.18	54.0	-17.56	AV	262.00	150	Horizontal	Pass
2	4199.500	46.41	-5.45	68.2	-21.79	Peak	348.00	150	Horizontal	Pass
2**	4199.500	37.26	-5.45	54.0	-16.74	AV	348.00	150	Horizontal	Pass
3	5299.000	102.52	-3.60	--	--	Peak	145.00	150	Horizontal	N/A
3**	5299.000	93.80	-3.60	--	--	AV	145.00	150	Horizontal	N/A
4	7514.750	52.75	0.81	68.2	-15.45	Peak	0.00	150	Horizontal	Pass
4**	7514.750	43.05	0.81	54.0	-10.95	AV	0.00	150	Horizontal	Pass
5	12298.750	49.34	-2.45	68.2	-18.86	Peak	75.00	150	Horizontal	Pass
5**	12298.750	39.74	-2.45	54.0	-14.26	AV	75.00	150	Horizontal	Pass
6	16037.287	50.84	-0.11	68.2	-17.36	Peak	337.00	150	Horizontal	Pass
6**	16037.287	41.65	-0.11	54.0	-12.35	AV	337.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.000	51.05	-17.93	68.2	-17.15	Peak	352.00	150	Vertical	Pass
1**	1554.000	41.72	-17.93	54.0	-12.28	AV	352.00	150	Vertical	Pass
2	4082.000	47.06	-5.76	68.2	-21.14	Peak	65.00	150	Vertical	Pass
2**	4082.000	36.48	-5.76	54.0	-17.52	AV	65.00	150	Vertical	Pass
3	5293.000	103.19	-3.22	--	--	Peak	97.00	150	Vertical	N/A
3**	5293.000	96.40	-3.22	--	--	AV	97.00	150	Vertical	N/A
4	7507.750	52.01	0.31	68.2	-16.19	Peak	332.00	150	Vertical	Pass
4**	7507.750	43.40	0.31	54.0	-10.60	AV	332.00	150	Vertical	Pass
5	12029.901	48.56	-3.44	68.2	-19.64	Peak	143.00	150	Vertical	Pass
5**	12029.901	38.80	-3.44	54.0	-15.20	AV	143.00	150	Vertical	Pass
6	16033.350	51.06	-0.12	68.2	-17.14	Peak	160.00	150	Vertical	Pass
6**	16033.350	41.56	-0.12	54.0	-12.44	AV	160.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.800	48.55	-18.25	68.2	-19.65	Peak	109.00	150	Horizontal	Pass
1**	1156.800	35.29	-18.25	54.0	-18.71	AV	109.00	150	Horizontal	Pass
2	4052.750	45.60	-6.01	68.2	-22.60	Peak	42.00	150	Horizontal	Pass
2**	4052.750	36.10	-6.01	54.0	-17.90	AV	42.00	150	Horizontal	Pass
3	5324.250	101.34	-3.32	--	--	Peak	163.00	150	Horizontal	N/A
3**	5324.250	91.91	-3.32	--	--	AV	163.00	150	Horizontal	N/A
4	7517.000	52.11	0.92	68.2	-16.09	Peak	189.00	150	Horizontal	Pass
4**	7517.000	43.70	0.92	54.0	-10.30	AV	189.00	150	Horizontal	Pass
5	12318.701	49.32	-2.58	68.2	-18.88	Peak	74.00	150	Horizontal	Pass
5**	12318.701	39.32	-2.58	54.0	-14.68	AV	74.00	150	Horizontal	Pass
6	16059.338	51.25	-0.26	68.2	-16.95	Peak	0.00	150	Horizontal	Pass
6**	16059.338	42.24	-0.26	54.0	-11.76	AV	0.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.100	50.50	-17.76	68.2	-17.70	Peak	0.00	150	Vertical	Pass
1**	1552.100	35.88	-17.76	54.0	-18.12	AV	0.00	150	Vertical	Pass
2	3965.750	45.16	-6.46	68.2	-23.04	Peak	146.00	150	Vertical	Pass
2**	3965.750	36.36	-6.46	54.0	-17.64	AV	146.00	150	Vertical	Pass
3	5325.000	105.67	-3.31	--	--	Peak	106.00	150	Vertical	N/A
3**	5325.000	97.19	-3.31	--	--	AV	106.00	150	Vertical	N/A
4	7515.000	52.49	0.84	68.2	-15.71	Peak	8.00	150	Vertical	Pass
4**	7515.000	42.83	0.84	54.0	-11.17	AV	8.00	150	Vertical	Pass
5	12454.787	49.33	-2.18	68.2	-18.87	Peak	164.00	150	Vertical	Pass
5**	12454.787	39.84	-2.18	54.0	-14.16	AV	164.00	150	Vertical	Pass
6	15730.162	50.67	-0.53	68.2	-17.53	Peak	216.00	150	Vertical	Pass
6**	15730.162	41.22	-0.53	54.0	-12.78	AV	216.00	150	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.700	48.05	-18.24	68.2	-20.15	Peak	272.00	150	Horizontal	Pass
1**	1155.700	35.44	-18.24	54.0	-18.56	AV	272.00	150	Horizontal	Pass
2	3896.750	45.73	-6.68	68.2	-22.47	Peak	113.00	150	Horizontal	Pass
2**	3896.750	35.07	-6.68	54.0	-18.93	AV	113.00	150	Horizontal	Pass
3	5277.250	101.76	-3.42	--	--	Peak	136.00	150	Horizontal	N/A
3**	5277.250	91.35	-3.42	--	--	AV	136.00	150	Horizontal	N/A
4	7509.250	52.65	0.50	68.2	-15.55	Peak	307.00	150	Horizontal	Pass
4**	7509.250	42.82	0.50	54.0	-11.18	AV	307.00	150	Horizontal	Pass
5	12442.200	49.18	-2.27	68.2	-19.02	Peak	51.00	150	Horizontal	Pass
5**	12442.200	40.02	-2.27	54.0	-13.98	AV	51.00	150	Horizontal	Pass
6	15818.100	50.43	-0.73	68.2	-17.77	Peak	122.00	150	Horizontal	Pass
6**	15818.100	40.84	-0.73	54.0	-13.16	AV	122.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.100	50.39	-17.94	68.2	-17.81	Peak	172.00	150	Vertical	Pass
1**	1539.100	36.62	-17.94	54.0	-17.38	AV	172.00	150	Vertical	Pass
2	3981.250	47.18	-6.06	68.2	-21.02	Peak	179.00	150	Vertical	Pass
2**	3981.250	36.59	-6.06	54.0	-17.41	AV	179.00	150	Vertical	Pass
3	5259.500	104.90	-3.61	--	--	Peak	89.00	150	Vertical	N/A
3**	5259.500	96.54	-3.61	--	--	AV	89.00	150	Vertical	N/A
4	7339.750	52.08	-0.21	68.2	-16.12	Peak	219.00	150	Vertical	Pass
4**	7339.750	41.02	-0.21	54.0	-12.98	AV	219.00	150	Vertical	Pass
5	11463.937	50.70	-3.99	68.2	-17.50	Peak	268.00	150	Vertical	Pass
5**	11463.937	39.74	-3.99	54.0	-14.26	AV	268.00	150	Vertical	Pass
6	15544.575	50.35	-0.56	68.2	-17.85	Peak	162.00	150	Vertical	Pass
6**	15544.575	41.79	-0.56	54.0	-12.21	AV	162.00	150	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.500	48.19	-18.23	68.2	-20.01	Peak	114.00	150	Horizontal	Pass
1**	1158.500	36.05	-18.23	54.0	-17.95	AV	114.00	150	Horizontal	Pass
2	4305.000	47.07	-4.22	68.2	-21.13	Peak	317.00	150	Horizontal	Pass
2**	4305.000	38.14	-4.22	54.0	-15.86	AV	317.00	150	Horizontal	Pass
3	5314.000	97.54	-3.65	--	--	Peak	162.00	150	Horizontal	N/A
3**	5314.000	88.98	-3.65	--	--	AV	162.00	150	Horizontal	N/A
4	7476.750	52.57	0.39	68.2	-15.63	Peak	16.00	150	Horizontal	Pass
4**	7476.750	43.14	0.39	54.0	-10.86	AV	16.00	150	Horizontal	Pass
5	11526.400	48.77	-4.34	68.2	-19.43	Peak	41.00	150	Horizontal	Pass
5**	11526.400	39.24	-4.34	54.0	-14.76	AV	41.00	150	Horizontal	Pass
6	15959.326	50.90	-0.22	68.2	-17.30	Peak	176.00	150	Horizontal	Pass
6**	15959.326	42.43	-0.22	54.0	-11.57	AV	176.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.600	50.36	-17.63	68.2	-17.84	Peak	172.00	150	Vertical	Pass
1**	1527.600	40.77	-17.63	54.0	-13.23	AV	172.00	150	Vertical	Pass
2	3996.500	46.93	-6.18	68.2	-21.27	Peak	180.00	150	Vertical	Pass
2**	3996.500	39.07	-6.18	54.0	-14.93	AV	180.00	150	Vertical	Pass
3	5303.250	101.80	-3.63	--	--	Peak	99.00	150	Vertical	N/A
3**	5303.250	91.95	-3.63	--	--	AV	99.00	150	Vertical	N/A
4	7507.000	52.03	0.16	68.2	-16.17	Peak	357.00	150	Vertical	Pass
4**	7507.000	42.88	0.16	54.0	-11.12	AV	357.00	150	Vertical	Pass
5	11315.974	48.42	-4.16	68.2	-19.78	Peak	176.00	150	Vertical	Pass
5**	11315.974	38.83	-4.16	54.0	-15.17	AV	176.00	150	Vertical	Pass
6	15708.637	50.76	-0.08	68.2	-17.44	Peak	148.00	150	Vertical	Pass
6**	15708.637	41.48	-0.08	54.0	-12.52	AV	148.00	150	Vertical	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.900	47.67	-18.24	68.2	-20.53	Peak	115.00	150	Horizontal	Pass
1**	1157.900	34.67	-18.24	54.0	-19.33	AV	115.00	150	Horizontal	Pass
2	4246.500	47.08	-5.09	68.2	-21.12	Peak	56.00	150	Horizontal	Pass
2**	4246.500	37.49	-5.09	54.0	-16.51	AV	56.00	150	Horizontal	Pass
3	5300.750	95.52	-3.66	--	--	Peak	145.00	150	Horizontal	N/A
3**	5300.750	85.93	-3.66	--	--	AV	145.00	150	Horizontal	N/A
4	7471.750	52.07	0.78	68.2	-16.13	Peak	96.00	150	Horizontal	Pass
4**	7471.750	43.34	0.78	54.0	-10.66	AV	96.00	150	Horizontal	Pass
5	12056.974	48.54	-3.38	68.2	-19.66	Peak	234.00	150	Horizontal	Pass
5**	12056.974	39.63	-3.38	54.0	-14.37	AV	234.00	150	Horizontal	Pass
6	15465.037	50.74	-0.35	68.2	-17.46	Peak	298.00	150	Horizontal	Pass
6**	15465.037	41.11	-0.35	54.0	-12.89	AV	298.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.600	50.42	-17.70	68.2	-17.78	Peak	164.00	150	Vertical	Pass
1**	1532.600	34.46	-17.70	54.0	-19.54	AV	164.00	150	Vertical	Pass
2	3982.250	46.89	-6.11	68.2	-21.31	Peak	154.00	150	Vertical	Pass
2**	3982.250	37.78	-6.11	54.0	-16.22	AV	154.00	150	Vertical	Pass
3	5302.500	100.39	-3.64	--	--	Peak	96.00	150	Vertical	N/A
3**	5302.500	92.18	-3.64	--	--	AV	96.00	150	Vertical	N/A
4	7517.750	51.86	0.90	68.2	-16.34	Peak	324.00	150	Vertical	Pass
4**	7517.750	42.97	0.90	54.0	-11.03	AV	324.00	150	Vertical	Pass
5	12439.588	48.78	-2.31	68.2	-19.42	Peak	153.00	150	Vertical	Pass
5**	12439.588	40.25	-2.31	54.0	-13.75	AV	153.00	150	Vertical	Pass
6	16032.562	50.74	-0.12	68.2	-17.46	Peak	325.00	150	Vertical	Pass
6**	16032.562	41.17	-0.12	54.0	-12.83	AV	325.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.200	48.37	-18.26	68.2	-19.83	Peak	120.00	150	Horizontal	Pass
1**	1156.200	35.84	-18.26	54.0	-18.16	AV	120.00	150	Horizontal	Pass
2	4363.250	47.90	-4.20	68.2	-20.30	Peak	57.00	150	Horizontal	Pass
2**	4363.250	37.63	-4.20	54.0	-16.37	AV	57.00	150	Horizontal	Pass
3	5503.750	98.83	-3.31	--	--	Peak	188.00	150	Horizontal	N/A
3**	5503.750	92.03	-3.31	--	--	AV	188.00	150	Horizontal	N/A
4	7460.500	52.15	1.14	68.2	-16.05	Peak	122.00	150	Horizontal	Pass
4**	7460.500	43.26	1.14	54.0	-10.74	AV	122.00	150	Horizontal	Pass
5	11384.612	48.87	-4.30	68.2	-19.33	Peak	53.00	150	Horizontal	Pass
5**	11384.612	39.11	-4.30	54.0	-14.89	AV	53.00	150	Horizontal	Pass
6	16025.475	51.55	-0.13	68.2	-16.65	Peak	343.00	150	Horizontal	Pass
6**	16025.475	41.75	-0.13	54.0	-12.25	AV	343.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.700	50.33	-17.60	68.2	-17.87	Peak	356.00	150	Vertical	Pass
1**	1546.700	39.00	-17.60	54.0	-15.00	AV	356.00	150	Vertical	Pass
2	3906.000	46.82	-6.53	68.2	-21.38	Peak	212.00	150	Vertical	Pass
2**	3906.000	35.99	-6.53	54.0	-18.01	AV	212.00	150	Vertical	Pass
3	5502.250	103.42	-3.19	--	--	Peak	116.00	150	Vertical	N/A
3**	5502.250	97.00	-3.19	--	--	AV	116.00	150	Vertical	N/A
4	7453.500	52.56	1.06	68.2	-15.64	Peak	360.00	150	Vertical	Pass
4**	7453.500	43.15	1.06	54.0	-10.85	AV	360.00	150	Vertical	Pass
5	12441.250	48.56	-2.29	68.2	-19.64	Peak	18.00	150	Vertical	Pass
5**	12441.250	39.81	-2.29	54.0	-14.19	AV	18.00	150	Vertical	Pass
6	15704.438	50.55	0.01	68.2	-17.65	Peak	66.00	150	Vertical	Pass
6**	15704.438	41.93	0.01	54.0	-12.07	AV	66.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.200	48.02	-17.92	68.2	-20.18	Peak	164.00	150	Horizontal	Pass
1**	1197.200	36.82	-17.92	54.0	-17.18	AV	164.00	150	Horizontal	Pass
2	4262.000	47.09	-4.54	68.2	-21.11	Peak	32.00	150	Horizontal	Pass
2**	4262.000	38.14	-4.54	54.0	-15.86	AV	32.00	150	Horizontal	Pass
3	5584.000	99.50	-2.92	--	--	Peak	160.00	150	Horizontal	N/A
3**	5584.000	92.55	-2.92	--	--	AV	160.00	150	Horizontal	N/A
4	7464.250	52.69	0.90	68.2	-15.51	Peak	248.00	150	Horizontal	Pass
4**	7464.250	42.77	0.90	54.0	-11.23	AV	248.00	150	Horizontal	Pass
5	12273.100	49.03	-2.69	68.2	-19.17	Peak	330.00	150	Horizontal	Pass
5**	12273.100	39.35	-2.69	54.0	-14.65	AV	330.00	150	Horizontal	Pass
6	15710.213	50.73	-0.11	68.2	-17.47	Peak	298.00	150	Horizontal	Pass
6**	15710.213	41.93	-0.11	54.0	-12.07	AV	298.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1548.800	50.88	-17.73	68.2	-17.32	Peak	349.00	150	Vertical	Pass
1**	1548.800	37.38	-17.73	54.0	-16.62	AV	349.00	150	Vertical	Pass
2	3992.750	47.92	-6.23	68.2	-20.28	Peak	155.00	150	Vertical	Pass
2**	3992.750	37.02	-6.23	54.0	-16.98	AV	155.00	150	Vertical	Pass
3	5583.000	103.83	-2.86	--	--	Peak	115.00	150	Vertical	N/A
3**	5583.000	95.91	-2.86	--	--	AV	115.00	150	Vertical	N/A
4	7474.000	53.07	0.63	68.2	-15.13	Peak	76.00	150	Vertical	Pass
4**	7474.000	43.13	0.63	54.0	-10.87	AV	76.00	150	Vertical	Pass
5	12540.526	49.40	-2.19	68.2	-18.80	Peak	131.00	150	Vertical	Pass
5**	12540.526	39.49	-2.19	54.0	-14.51	AV	131.00	150	Vertical	Pass
6	15713.887	50.74	-0.19	68.2	-17.46	Peak	174.00	150	Vertical	Pass
6**	15713.887	41.78	-0.19	54.0	-12.22	AV	174.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.300	48.81	-18.15	68.2	-19.39	Peak	270.00	150	Horizontal	Pass
1**	1159.300	31.97	-18.15	54.0	-22.03	AV	270.00	150	Horizontal	Pass
2	4003.000	45.85	-5.80	68.2	-22.35	Peak	269.00	150	Horizontal	Pass
2**	4003.000	36.33	-5.80	54.0	-17.67	AV	269.00	150	Horizontal	Pass
3	5703.000	99.10	-2.93	--	--	Peak	117.00	150	Horizontal	N/A
3**	5703.000	92.22	-2.93	--	--	AV	117.00	150	Horizontal	N/A
4	7459.750	52.14	1.14	68.2	-16.06	Peak	301.00	150	Horizontal	Pass
4**	7459.750	43.48	1.14	54.0	-10.52	AV	301.00	150	Horizontal	Pass
5	11776.487	49.24	-3.74	68.2	-18.96	Peak	360.00	150	Horizontal	Pass
5**	11776.487	39.63	-3.74	54.0	-14.37	AV	360.00	150	Horizontal	Pass
6	15731.474	50.60	-0.56	68.2	-17.60	Peak	298.00	150	Horizontal	Pass
6**	15731.474	40.79	-0.56	54.0	-13.21	AV	298.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.500	50.75	-17.76	68.2	-17.45	Peak	351.00	150	Vertical	Pass
1**	1561.500	39.85	-17.76	54.0	-14.15	AV	351.00	150	Vertical	Pass
2	4000.250	47.31	-5.88	68.2	-20.89	Peak	170.00	150	Vertical	Pass
2**	4000.250	38.74	-5.88	54.0	-15.26	AV	170.00	150	Vertical	Pass
3	5702.000	102.52	-2.88	--	--	Peak	123.00	150	Vertical	N/A
3**	5702.000	95.90	-2.88	--	--	AV	123.00	150	Vertical	N/A
4	7510.250	52.20	0.54	68.2	-16.00	Peak	147.00	150	Vertical	Pass
4**	7510.250	43.36	0.54	54.0	-10.64	AV	147.00	150	Vertical	Pass
5	11778.862	48.74	-3.72	68.2	-19.46	Peak	187.00	150	Vertical	Pass
5**	11778.862	39.29	-3.72	54.0	-14.71	AV	187.00	150	Vertical	Pass
6	15943.312	51.16	-0.36	68.2	-17.04	Peak	120.00	150	Vertical	Pass
6**	15943.312	40.96	-0.36	54.0	-13.04	AV	120.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.500	48.07	-18.20	68.2	-20.13	Peak	167.00	150	Horizontal	Pass
1**	1153.500	33.57	-18.20	54.0	-20.43	AV	167.00	150	Horizontal	Pass
2	4208.250	46.82	-5.32	68.2	-21.38	Peak	324.00	150	Horizontal	Pass
2**	4208.250	37.80	-5.32	54.0	-16.20	AV	324.00	150	Horizontal	Pass
3	5502.750	100.20	-3.23	--	--	Peak	162.00	150	Horizontal	N/A
3**	5502.750	91.47	-3.23	--	--	AV	162.00	150	Horizontal	N/A
4	7522.750	52.13	0.93	68.2	-16.07	Peak	170.00	150	Horizontal	Pass
4**	7522.750	42.65	0.93	54.0	-11.35	AV	170.00	150	Horizontal	Pass
5	12417.263	50.38	-2.65	68.2	-17.82	Peak	185.00	150	Horizontal	Pass
5**	12417.263	39.79	-2.65	54.0	-14.21	AV	185.00	150	Horizontal	Pass
6	15843.299	51.33	-0.76	68.2	-16.87	Peak	284.00	150	Horizontal	Pass
6**	15843.299	40.54	-0.76	54.0	-13.46	AV	284.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.300	51.64	-17.65	68.2	-16.56	Peak	187.00	150	Vertical	Pass
1**	1568.300	37.45	-17.65	54.0	-16.55	AV	187.00	150	Vertical	Pass
2	4000.250	46.93	-5.88	68.2	-21.27	Peak	154.00	150	Vertical	Pass
2**	4000.250	37.37	-5.88	54.0	-16.63	AV	154.00	150	Vertical	Pass
3	5503.500	102.95	-3.29	--	--	Peak	122.00	150	Vertical	N/A
3**	5503.500	95.66	-3.29	--	--	AV	122.00	150	Vertical	N/A
4	7587.000	51.50	-0.01	68.2	-16.70	Peak	186.00	150	Vertical	Pass
4**	7587.000	42.14	-0.01	54.0	-11.86	AV	186.00	150	Vertical	Pass
5	12358.125	49.02	-2.84	68.2	-19.18	Peak	63.00	150	Vertical	Pass
5**	12358.125	38.73	-2.84	54.0	-15.27	AV	63.00	150	Vertical	Pass
6	15559.276	50.91	-0.66	68.2	-17.29	Peak	66.00	150	Vertical	Pass
6**	15559.276	40.52	-0.66	54.0	-13.48	AV	66.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.600	47.09	-18.24	68.2	-21.11	Peak	260.00	150	Horizontal	Pass
1**	1157.600	35.81	-18.24	54.0	-18.19	AV	260.00	150	Horizontal	Pass
2	4024.250	46.18	-6.27	68.2	-22.02	Peak	317.00	150	Horizontal	Pass
2**	4024.250	36.21	-6.27	54.0	-17.79	AV	317.00	150	Horizontal	Pass
3	5582.250	99.97	-2.81	--	--	Peak	213.00	150	Horizontal	N/A
3**	5582.250	92.06	-2.81	--	--	AV	213.00	150	Horizontal	N/A
4	7567.750	52.53	-0.03	68.2	-15.67	Peak	301.00	150	Horizontal	Pass
4**	7567.750	42.08	-0.03	54.0	-11.92	AV	301.00	150	Horizontal	Pass
5	11195.563	48.97	-4.08	68.2	-19.23	Peak	119.00	150	Horizontal	Pass
5**	11195.563	38.19	-4.08	54.0	-15.81	AV	119.00	150	Horizontal	Pass
6	15479.474	50.67	-0.56	68.2	-17.53	Peak	270.00	150	Horizontal	Pass
6**	15479.474	41.52	-0.56	54.0	-12.48	AV	270.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.800	50.28	-17.63	68.2	-17.92	Peak	353.00	150	Vertical	Pass
1**	1564.800	40.86	-17.63	54.0	-13.14	AV	353.00	150	Vertical	Pass
2	3998.500	47.78	-5.99	68.2	-20.42	Peak	157.00	150	Vertical	Pass
2**	3998.500	39.48	-5.99	54.0	-14.52	AV	157.00	150	Vertical	Pass
3	5575.500	103.68	-3.01	--	--	Peak	116.00	150	Vertical	N/A
3**	5575.500	95.58	-3.01	--	--	AV	116.00	150	Vertical	N/A
4	7573.000	51.55	-0.08	68.2	-16.65	Peak	99.00	150	Vertical	Pass
4**	7573.000	43.28	-0.08	54.0	-10.72	AV	99.00	150	Vertical	Pass
5	12455.026	49.25	-2.18	68.2	-18.95	Peak	75.00	150	Vertical	Pass
5**	12455.026	40.45	-2.18	54.0	-13.55	AV	75.00	150	Vertical	Pass
6	15723.076	50.55	-0.38	68.2	-17.65	Peak	176.00	150	Vertical	Pass
6**	15723.076	42.42	-0.38	54.0	-11.58	AV	176.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.800	48.82	-18.16	68.2	-19.38	Peak	270.00	150	Horizontal	Pass
1**	1153.800	32.83	-18.16	54.0	-21.17	AV	270.00	150	Horizontal	Pass
2	4133.750	46.38	-5.61	68.2	-21.82	Peak	331.00	150	Horizontal	Pass
2**	4133.750	37.64	-5.61	54.0	-16.36	AV	331.00	150	Horizontal	Pass
3	5697.000	98.77	-2.83	--	--	Peak	115.00	150	Horizontal	N/A
3**	5697.000	91.46	-2.83	--	--	AV	115.00	150	Horizontal	N/A
4	7501.000	51.96	-0.49	68.2	-16.24	Peak	323.00	150	Horizontal	Pass
4**	7501.000	43.06	-0.49	54.0	-10.94	AV	323.00	150	Horizontal	Pass
5	11372.975	49.08	-4.36	68.2	-19.12	Peak	163.00	150	Horizontal	Pass
5**	11372.975	39.26	-4.36	54.0	-14.74	AV	163.00	150	Horizontal	Pass
6	16056.450	51.29	-0.21	68.2	-16.91	Peak	272.00	150	Horizontal	Pass
6**	16056.450	41.99	-0.21	54.0	-12.01	AV	272.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.400	50.81	-17.52	68.2	-17.39	Peak	349.00	150	Vertical	Pass
1**	1570.400	36.87	-17.52	54.0	-17.13	AV	349.00	150	Vertical	Pass
2	4001.750	46.95	-5.83	68.2	-21.25	Peak	155.00	150	Vertical	Pass
2**	4001.750	38.02	-5.83	54.0	-15.98	AV	155.00	150	Vertical	Pass
3	5696.500	102.26	-2.81	--	--	Peak	123.00	150	Vertical	N/A
3**	5696.500	95.25	-2.81	--	--	AV	123.00	150	Vertical	N/A
4	7462.250	51.51	1.10	68.2	-16.69	Peak	115.00	150	Vertical	Pass
4**	7462.250	43.79	1.10	54.0	-10.21	AV	115.00	150	Vertical	Pass
5	12406.575	49.53	-2.81	68.2	-18.67	Peak	264.00	150	Vertical	Pass
5**	12406.575	38.87	-2.81	54.0	-15.13	AV	264.00	150	Vertical	Pass
6	16063.537	51.39	-0.34	68.2	-16.81	Peak	360.00	150	Vertical	Pass
6**	16063.537	41.64	-0.34	54.0	-12.36	AV	360.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.800	47.82	-18.25	68.2	-20.38	Peak	275.00	150	Horizontal	Pass
1**	1156.800	35.39	-18.25	54.0	-18.61	AV	275.00	150	Horizontal	Pass
2	4076.250	46.05	-5.88	68.2	-22.15	Peak	332.00	150	Horizontal	Pass
2**	4076.250	35.95	-5.88	54.0	-18.05	AV	332.00	150	Horizontal	Pass
3	5519.250	95.51	-2.96	--	--	Peak	157.00	150	Horizontal	N/A
3**	5519.250	88.15	-2.96	--	--	AV	157.00	150	Horizontal	N/A
4	7452.000	51.71	0.89	68.2	-16.49	Peak	356.00	150	Horizontal	Pass
4**	7452.000	43.32	0.89	54.0	-10.68	AV	356.00	150	Horizontal	Pass
5	12271.200	48.74	-2.71	68.2	-19.46	Peak	61.00	150	Horizontal	Pass
5**	12271.200	38.60	-2.71	54.0	-15.40	AV	61.00	150	Horizontal	Pass
6	15725.700	50.25	-0.44	68.2	-17.95	Peak	258.00	150	Horizontal	Pass
6**	15725.700	41.03	-0.44	54.0	-12.97	AV	258.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.600	49.70	-17.53	68.2	-18.50	Peak	359.00	150	Vertical	Pass
1**	1570.600	36.15	-17.53	54.0	-17.85	AV	359.00	150	Vertical	Pass
2	3982.500	48.03	-6.11	68.2	-20.17	Peak	155.00	150	Vertical	Pass
2**	3982.500	36.86	-6.11	54.0	-17.14	AV	155.00	150	Vertical	Pass
3	5513.250	100.67	-3.13	--	--	Peak	116.00	150	Vertical	N/A
3**	5513.250	92.95	-3.13	--	--	AV	116.00	150	Vertical	N/A
4	7506.250	51.84	-0.01	68.2	-16.36	Peak	294.00	150	Vertical	Pass
4**	7506.250	42.95	-0.01	54.0	-11.05	AV	294.00	150	Vertical	Pass
5	10826.488	48.94	-4.98	68.2	-19.26	Peak	50.00	150	Vertical	Pass
5**	10826.488	38.20	-4.98	54.0	-15.80	AV	50.00	150	Vertical	Pass
6	15966.937	51.64	-0.20	68.2	-16.56	Peak	230.00	150	Vertical	Pass
6**	15966.937	40.44	-0.20	54.0	-13.56	AV	230.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.500	48.17	-18.24	68.2	-20.03	Peak	120.00	150	Horizontal	Pass
1**	1157.500	35.88	-18.24	54.0	-18.12	AV	120.00	150	Horizontal	Pass
2	4319.500	47.32	-4.60	68.2	-20.88	Peak	185.00	150	Horizontal	Pass
2**	4319.500	37.31	-4.60	54.0	-16.69	AV	185.00	150	Horizontal	Pass
3	5601.250	97.29	-2.93	--	--	Peak	160.00	150	Horizontal	N/A
3**	5601.250	89.14	-2.93	--	--	AV	160.00	150	Horizontal	N/A
4	7455.250	51.96	1.16	68.2	-16.24	Peak	48.00	150	Horizontal	Pass
4**	7455.250	42.75	1.16	54.0	-11.25	AV	48.00	150	Horizontal	Pass
5	11942.025	49.45	-3.59	68.2	-18.75	Peak	360.00	150	Horizontal	Pass
5**	11942.025	38.74	-3.59	54.0	-15.26	AV	360.00	150	Horizontal	Pass
6	15557.963	50.76	-0.64	68.2	-17.44	Peak	230.00	150	Horizontal	Pass
6**	15557.963	41.74	-0.64	54.0	-12.26	AV	230.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.700	50.26	-17.53	68.2	-17.94	Peak	349.00	150	Vertical	Pass
1**	1570.700	37.63	-17.53	54.0	-16.37	AV	349.00	150	Vertical	Pass
2	3984.000	47.64	-6.05	68.2	-20.56	Peak	154.00	150	Vertical	Pass
2**	3984.000	38.41	-6.05	54.0	-15.59	AV	154.00	150	Vertical	Pass
3	5599.500	101.44	-2.98	--	--	Peak	122.00	150	Vertical	N/A
3**	5599.500	94.07	-2.98	--	--	AV	122.00	150	Vertical	N/A
4	7460.000	52.23	1.14	68.2	-15.97	Peak	130.00	150	Vertical	Pass
4**	7460.000	43.19	1.14	54.0	-10.81	AV	130.00	150	Vertical	Pass
5	11880.750	48.70	-3.29	68.2	-19.50	Peak	274.00	150	Vertical	Pass
5**	11880.750	39.35	-3.29	54.0	-14.65	AV	274.00	150	Vertical	Pass
6	15549.300	50.53	-0.52	68.2	-17.67	Peak	0.00	150	Vertical	Pass
6**	15549.300	41.50	-0.52	54.0	-12.50	AV	0.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1152.800	48.18	-18.31	68.2	-20.02	Peak	272.00	150	Horizontal	Pass
1**	1152.800	31.53	-18.31	54.0	-22.47	AV	272.00	150	Horizontal	Pass
2	4330.500	47.52	-4.87	68.2	-20.68	Peak	43.00	150	Horizontal	Pass
2**	4330.500	37.62	-4.87	54.0	-16.38	AV	43.00	150	Horizontal	Pass
3	5681.750	96.92	-3.11	--	--	Peak	108.00	150	Horizontal	N/A
3**	5681.750	88.80	-3.11	--	--	AV	108.00	150	Horizontal	N/A
4	7465.500	52.11	0.79	68.2	-16.09	Peak	84.00	150	Horizontal	Pass
4**	7465.500	43.42	0.79	54.0	-10.58	AV	84.00	150	Horizontal	Pass
5	12306.113	48.56	-2.48	68.2	-19.64	Peak	119.00	150	Horizontal	Pass
5**	12306.113	39.85	-2.48	54.0	-14.15	AV	119.00	150	Horizontal	Pass
6	16043.588	51.02	-0.11	68.2	-17.18	Peak	0.00	150	Horizontal	Pass
6**	16043.588	41.58	-0.11	54.0	-12.42	AV	0.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.500	50.36	-17.56	68.2	-17.84	Peak	346.00	150	Vertical	Pass
1**	1571.500	40.28	-17.56	54.0	-13.72	AV	346.00	150	Vertical	Pass
2	4201.500	47.70	-5.47	68.2	-20.50	Peak	348.00	150	Vertical	Pass
2**	4201.500	37.13	-5.47	54.0	-16.87	AV	348.00	150	Vertical	Pass
3	5664.500	100.85	-3.12	--	--	Peak	125.00	150	Vertical	N/A
3**	5664.500	92.43	-3.12	--	--	AV	125.00	150	Vertical	N/A
4	7458.250	51.59	1.14	68.2	-16.61	Peak	35.00	150	Vertical	Pass
4**	7458.250	43.03	1.14	54.0	-10.97	AV	35.00	150	Vertical	Pass
5	11445.175	49.10	-3.90	68.2	-19.10	Peak	97.00	150	Vertical	Pass
5**	11445.175	39.93	-3.90	54.0	-14.07	AV	97.00	150	Vertical	Pass
6	16089.263	51.15	-0.79	68.2	-17.05	Peak	325.00	150	Vertical	Pass
6**	16089.263	40.66	-0.79	54.0	-13.34	AV	325.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.100	45.60	-18.27	68.2	-22.60	Peak	283.00	150	Horizontal	Pass
1**	1153.100	29.93	-18.27	54.0	-24.07	AV	283.00	150	Horizontal	Pass
2	4236.000	46.91	-5.10	68.2	-21.29	Peak	248.00	150	Horizontal	Pass
2**	4236.000	37.43	-5.10	54.0	-16.57	AV	248.00	150	Horizontal	Pass
3	5496.500	99.42	-3.22	--	--	Peak	140.00	150	Horizontal	N/A
3**	5496.500	91.07	-3.22	--	--	AV	140.00	150	Horizontal	N/A
4	7455.500	52.73	1.16	68.2	-15.47	Peak	74.00	150	Horizontal	Pass
4**	7455.500	43.46	1.16	54.0	-10.54	AV	74.00	150	Horizontal	Pass
5	10719.849	49.30	-4.84	68.2	-18.90	Peak	306.00	150	Horizontal	Pass
5**	10719.849	39.18	-4.84	54.0	-14.82	AV	306.00	150	Horizontal	Pass
6	15709.425	51.55	-0.09	68.2	-16.65	Peak	307.00	150	Horizontal	Pass
6**	15709.425	41.91	-0.09	54.0	-12.09	AV	307.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1670.500	53.17	-17.64	68.2	-15.03	Peak	173.00	150	Vertical	Pass
1**	1670.500	38.57	-17.64	54.0	-15.43	AV	173.00	150	Vertical	Pass
2	3990.250	48.50	-6.25	68.2	-19.70	Peak	156.00	150	Vertical	Pass
2**	3990.250	38.46	-6.25	54.0	-15.54	AV	156.00	150	Vertical	Pass
3	5498.000	103.73	-3.35	--	--	Peak	114.00	150	Vertical	N/A
3**	5498.000	95.48	-3.35	--	--	AV	114.00	150	Vertical	N/A
4	7463.750	52.03	0.97	68.2	-16.17	Peak	4.00	150	Vertical	Pass
4**	7463.750	43.28	0.97	54.0	-10.72	AV	4.00	150	Vertical	Pass
5	12043.912	49.17	-3.36	68.2	-19.03	Peak	246.00	150	Vertical	Pass
5**	12043.912	39.89	-3.36	54.0	-14.11	AV	246.00	150	Vertical	Pass
6	16123.125	51.49	-0.74	68.2	-16.71	Peak	223.00	150	Vertical	Pass
6**	16123.125	41.92	-0.74	54.0	-12.08	AV	223.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1201.600	46.71	-17.91	68.2	-21.49	Peak	121.00	150	Horizontal	Pass
1**	1201.600	36.76	-17.91	54.0	-17.24	AV	121.00	150	Horizontal	Pass
2	4191.000	46.84	-5.11	68.2	-21.36	Peak	218.00	150	Horizontal	Pass
2**	4191.000	38.37	-5.11	54.0	-15.63	AV	218.00	150	Horizontal	Pass
3	5579.000	99.45	-2.80	--	--	Peak	117.00	150	Horizontal	N/A
3**	5579.000	92.19	-2.80	--	--	AV	117.00	150	Horizontal	N/A
4	7469.000	52.14	0.63	68.2	-16.06	Peak	267.00	150	Horizontal	Pass
4**	7469.000	43.33	0.63	54.0	-10.67	AV	267.00	150	Horizontal	Pass
5	11781.000	49.06	-3.70	68.2	-19.14	Peak	142.00	150	Horizontal	Pass
5**	11781.000	39.36	-3.70	54.0	-14.64	AV	142.00	150	Horizontal	Pass
6	15473.963	51.15	-0.48	68.2	-17.05	Peak	51.00	150	Horizontal	Pass
6**	15473.963	41.82	-0.48	54.0	-12.18	AV	51.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.800	53.39	-17.61	68.2	-14.81	Peak	194.00	150	Vertical	Pass
1**	1601.800	40.54	-17.61	54.0	-13.46	AV	194.00	150	Vertical	Pass
2	4349.500	48.12	-4.64	68.2	-20.08	Peak	68.00	150	Vertical	Pass
2**	4349.500	38.32	-4.64	54.0	-15.68	AV	68.00	150	Vertical	Pass
3	5581.500	104.91	-2.75	--	--	Peak	125.00	150	Vertical	N/A
3**	5581.500	97.24	-2.75	--	--	AV	125.00	150	Vertical	N/A
4	7474.500	52.68	0.64	68.2	-15.52	Peak	299.00	150	Vertical	Pass
4**	7474.500	44.12	0.64	54.0	-9.88	AV	299.00	150	Vertical	Pass
5	12323.213	49.46	-2.62	68.2	-18.74	Peak	247.00	150	Vertical	Pass
5**	12323.213	39.52	-2.62	54.0	-14.48	AV	247.00	150	Vertical	Pass
6	15956.175	50.55	-0.22	68.2	-17.65	Peak	353.00	150	Vertical	Pass
6**	15956.175	42.58	-0.22	54.0	-11.42	AV	353.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.800	48.22	-17.99	68.2	-19.98	Peak	128.00	150	Horizontal	Pass
1**	1200.800	33.97	-17.99	54.0	-20.03	AV	128.00	150	Horizontal	Pass
2	4190.500	47.32	-5.12	68.2	-20.88	Peak	169.00	150	Horizontal	Pass
2**	4190.500	37.28	-5.12	54.0	-16.72	AV	169.00	150	Horizontal	Pass
3	5697.000	97.67	-2.83	--	--	Peak	112.00	150	Horizontal	N/A
3**	5697.000	90.09	-2.83	--	--	AV	112.00	150	Horizontal	N/A
4	7507.500	52.04	0.27	68.2	-16.16	Peak	193.00	150	Horizontal	Pass
4**	7507.500	42.72	0.27	54.0	-11.28	AV	193.00	150	Horizontal	Pass
5	11430.925	48.92	-4.00	68.2	-19.28	Peak	178.00	150	Horizontal	Pass
5**	11430.925	39.63	-4.00	54.0	-14.37	AV	178.00	150	Horizontal	Pass
6	15511.500	51.54	-0.77	68.2	-16.66	Peak	39.00	150	Horizontal	Pass
6**	15511.500	42.05	-0.77	54.0	-11.95	AV	39.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	53.14	-17.77	68.2	-15.06	Peak	186.00	150	Vertical	Pass
1**	1600.100	40.09	-17.77	54.0	-13.91	AV	186.00	150	Vertical	Pass
2	3998.250	47.23	-6.01	68.2	-20.97	Peak	161.00	150	Vertical	Pass
2**	3998.250	38.12	-6.01	54.0	-15.88	AV	161.00	150	Vertical	Pass
3	5703.750	102.47	-2.94	--	--	Peak	145.00	150	Vertical	N/A
3**	5703.750	95.22	-2.94	--	--	AV	145.00	150	Vertical	N/A
4	7511.750	52.77	0.48	68.2	-15.43	Peak	95.00	150	Vertical	Pass
4**	7511.750	42.57	0.48	54.0	-11.43	AV	95.00	150	Vertical	Pass
5	10968.513	49.50	-4.85	68.2	-18.70	Peak	220.00	150	Vertical	Pass
5**	10968.513	39.18	-4.85	54.0	-14.82	AV	220.00	150	Vertical	Pass
6	16047.787	51.48	-0.10	68.2	-16.72	Peak	27.00	150	Vertical	Pass
6**	16047.787	43.34	-0.10	54.0	-10.66	AV	27.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.300	47.37	-18.14	68.2	-20.83	Peak	267.00	150	Horizontal	Pass
1**	1154.300	31.95	-18.14	54.0	-22.05	AV	267.00	150	Horizontal	Pass
2	4301.250	47.28	-4.53	68.2	-20.92	Peak	356.00	150	Horizontal	Pass
2**	4301.250	38.10	-4.53	54.0	-15.90	AV	356.00	150	Horizontal	Pass
3	5501.250	94.96	-3.16	--	--	Peak	350.00	150	Horizontal	N/A
3**	5501.250	86.90	-3.16	--	--	AV	350.00	150	Horizontal	N/A
4	7462.250	52.10	1.10	68.2	-16.10	Peak	71.00	150	Horizontal	Pass
4**	7462.250	43.92	1.10	54.0	-10.08	AV	71.00	150	Horizontal	Pass
5	11321.675	49.15	-4.21	68.2	-19.05	Peak	156.00	150	Horizontal	Pass
5**	11321.675	39.36	-4.21	54.0	-14.64	AV	156.00	150	Horizontal	Pass
6	15839.887	51.38	-0.75	68.2	-16.82	Peak	139.00	150	Horizontal	Pass
6**	15839.887	41.39	-0.75	54.0	-12.61	AV	139.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.600	52.49	-17.54	68.2	-15.71	Peak	189.00	150	Vertical	Pass
1**	1573.600	40.49	-17.54	54.0	-13.51	AV	189.00	150	Vertical	Pass
2	3984.000	47.63	-6.05	68.2	-20.57	Peak	52.00	150	Vertical	Pass
2**	3984.000	38.36	-6.05	54.0	-15.64	AV	52.00	150	Vertical	Pass
3	5498.500	101.39	-3.32	--	--	Peak	128.00	150	Vertical	N/A
3**	5498.500	91.74	-3.32	--	--	AV	128.00	150	Vertical	N/A
4	7513.250	52.18	0.65	68.2	-16.02	Peak	297.00	150	Vertical	Pass
4**	7513.250	42.78	0.65	54.0	-11.22	AV	297.00	150	Vertical	Pass
5	11047.838	48.69	-5.06	68.2	-19.51	Peak	29.00	150	Vertical	Pass
5**	11047.838	38.39	-5.06	54.0	-15.61	AV	29.00	150	Vertical	Pass
6	15813.112	51.30	-0.73	68.2	-16.90	Peak	225.00	150	Vertical	Pass
6**	15813.112	41.54	-0.73	54.0	-12.46	AV	225.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.300	48.54	-18.21	68.2	-19.66	Peak	115.00	150	Horizontal	Pass
1**	1155.300	34.58	-18.21	54.0	-19.42	AV	115.00	150	Horizontal	Pass
2	4227.750	47.04	-5.23	68.2	-21.16	Peak	221.00	150	Horizontal	Pass
2**	4227.750	37.79	-5.23	54.0	-16.21	AV	221.00	150	Horizontal	Pass
3	5598.500	96.49	-2.90	--	--	Peak	123.00	150	Horizontal	N/A
3**	5598.500	89.56	-2.90	--	--	AV	123.00	150	Horizontal	N/A
4	7468.500	51.89	0.71	68.2	-16.31	Peak	41.00	150	Horizontal	Pass
4**	7468.500	42.81	0.71	54.0	-11.19	AV	41.00	150	Horizontal	Pass
5	12318.701	49.18	-2.58	68.2	-19.02	Peak	179.00	150	Horizontal	Pass
5**	12318.701	40.76	-2.58	54.0	-13.24	AV	179.00	150	Horizontal	Pass
6	16047.787	51.36	-0.10	68.2	-16.84	Peak	260.00	150	Horizontal	Pass
6**	16047.787	41.90	-0.10	54.0	-12.10	AV	260.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.000	53.26	-17.50	68.2	-14.94	Peak	182.00	150	Vertical	Pass
1**	1608.000	38.65	-17.50	54.0	-15.35	AV	182.00	150	Vertical	Pass
2	4303.750	48.00	-4.28	68.2	-20.20	Peak	356.00	150	Vertical	Pass
2**	4303.750	36.54	-4.28	54.0	-17.46	AV	356.00	150	Vertical	Pass
3	5599.000	102.67	-2.95	--	--	Peak	135.00	150	Vertical	N/A
3**	5599.000	94.52	-2.95	--	--	AV	135.00	150	Vertical	N/A
4	7473.750	52.11	0.62	68.2	-16.09	Peak	257.00	150	Vertical	Pass
4**	7473.750	43.05	0.62	54.0	-10.95	AV	257.00	150	Vertical	Pass
5	11801.425	48.57	-3.53	68.2	-19.63	Peak	335.00	150	Vertical	Pass
5**	11801.425	40.19	-3.53	54.0	-13.81	AV	335.00	150	Vertical	Pass
6	15702.338	51.19	0.05	68.2	-17.01	Peak	90.00	150	Vertical	Pass
6**	15702.338	42.21	0.05	54.0	-11.79	AV	90.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1214.700	48.32	-17.73	68.2	-19.88	Peak	295.00	150	Horizontal	Pass
1**	1214.700	34.72	-17.73	54.0	-19.28	AV	295.00	150	Horizontal	Pass
2	4337.250	47.62	-4.67	68.2	-20.58	Peak	203.00	150	Horizontal	Pass
2**	4337.250	37.53	-4.67	54.0	-16.47	AV	203.00	150	Horizontal	Pass
3	5660.500	96.23	-3.36	--	--	Peak	122.00	150	Horizontal	N/A
3**	5660.500	89.27	-3.36	--	--	AV	122.00	150	Horizontal	N/A
4	7478.250	53.17	0.07	68.2	-15.03	Peak	194.00	150	Horizontal	Pass
4**	7478.250	42.53	0.07	54.0	-11.47	AV	194.00	150	Horizontal	Pass
5	11957.463	49.07	-3.64	68.2	-19.13	Peak	166.00	150	Horizontal	Pass
5**	11957.463	39.49	-3.64	54.0	-14.51	AV	166.00	150	Horizontal	Pass
6	16053.562	51.53	-0.16	68.2	-16.67	Peak	307.00	150	Horizontal	Pass
6**	16053.562	41.63	-0.16	54.0	-12.37	AV	307.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.900	51.58	-17.43	68.2	-16.62	Peak	164.00	150	Vertical	Pass
1**	1586.900	41.36	-17.43	54.0	-12.64	AV	164.00	150	Vertical	Pass
2	3987.250	47.67	-6.24	68.2	-20.53	Peak	42.00	150	Vertical	Pass
2**	3987.250	37.72	-6.24	54.0	-16.28	AV	42.00	150	Vertical	Pass
3	5663.000	101.10	-3.27	--	--	Peak	130.00	150	Vertical	N/A
3**	5663.000	93.17	-3.27	--	--	AV	130.00	150	Vertical	N/A
4	7471.000	52.36	0.74	68.2	-15.84	Peak	179.00	150	Vertical	Pass
4**	7471.000	43.12	0.74	54.0	-10.88	AV	179.00	150	Vertical	Pass
5	11547.300	48.75	-4.38	68.2	-19.45	Peak	325.00	150	Vertical	Pass
5**	11547.300	38.85	-4.38	54.0	-15.15	AV	325.00	150	Vertical	Pass
6	15713.887	51.24	-0.19	68.2	-16.96	Peak	27.00	150	Vertical	Pass
6**	15713.887	41.64	-0.19	54.0	-12.36	AV	27.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1180.000	47.58	-17.97	68.2	-20.62	Peak	123.00	150	Horizontal	Pass
1**	1180.000	31.40	-17.97	54.0	-22.60	AV	123.00	150	Horizontal	Pass
2	4289.500	47.13	-4.59	68.2	-21.07	Peak	0.00	150	Horizontal	Pass
2**	4289.500	37.76	-4.59	54.0	-16.24	AV	0.00	150	Horizontal	Pass
3	5512.750	93.23	-3.13	--	--	Peak	225.00	150	Horizontal	N/A
3**	5512.750	84.72	-3.13	--	--	AV	225.00	150	Horizontal	N/A
4	7458.500	52.27	1.15	68.2	-15.93	Peak	282.00	150	Horizontal	Pass
4**	7458.500	43.99	1.15	54.0	-10.01	AV	282.00	150	Horizontal	Pass
5	12445.287	49.57	-2.22	68.2	-18.63	Peak	0.00	150	Horizontal	Pass
5**	12445.287	40.15	-2.22	54.0	-13.85	AV	0.00	150	Horizontal	Pass
6	16182.450	52.50	-0.45	68.2	-15.70	Peak	304.00	150	Horizontal	Pass
6**	16182.450	42.00	-0.45	54.0	-12.00	AV	304.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.000	52.56	-17.37	68.2	-15.64	Peak	194.00	150	Vertical	Pass
1**	1583.000	38.89	-17.37	54.0	-15.11	AV	194.00	150	Vertical	Pass
2	3984.000	47.89	-6.05	68.2	-20.31	Peak	169.00	150	Vertical	Pass
2**	3984.000	36.27	-6.05	54.0	-17.73	AV	169.00	150	Vertical	Pass
3	5507.250	98.65	-3.24	--	--	Peak	129.00	150	Vertical	N/A
3**	5507.250	90.64	-3.24	--	--	AV	129.00	150	Vertical	N/A
4	7555.750	52.12	-0.60	68.2	-16.08	Peak	186.00	150	Vertical	Pass
4**	7555.750	42.22	-0.60	54.0	-11.78	AV	186.00	150	Vertical	Pass
5	11455.388	49.32	-3.92	68.2	-18.88	Peak	360.00	150	Vertical	Pass
5**	11455.388	39.63	-3.92	54.0	-14.37	AV	360.00	150	Vertical	Pass
6	16149.112	51.46	-0.48	68.2	-16.74	Peak	341.00	150	Vertical	Pass
6**	16149.112	42.57	-0.48	54.0	-11.43	AV	341.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1204.300	47.94	-17.87	68.2	-20.26	Peak	298.00	150	Horizontal	Pass
1**	1204.300	34.38	-17.87	54.0	-19.62	AV	298.00	150	Horizontal	Pass
2	4201.750	46.96	-5.48	68.2	-21.24	Peak	217.00	150	Horizontal	Pass
2**	4201.750	37.21	-5.48	54.0	-16.79	AV	217.00	150	Horizontal	Pass
3	5635.000	94.00	-2.01	--	--	Peak	110.00	150	Horizontal	N/A
3**	5635.000	86.16	-2.01	--	--	AV	110.00	150	Horizontal	N/A
4	7710.500	52.55	1.34	68.2	-15.65	Peak	193.00	150	Horizontal	Pass
4**	7710.500	42.81	1.34	54.0	-11.19	AV	193.00	150	Horizontal	Pass
5	11317.875	49.34	-4.18	68.2	-18.86	Peak	26.00	150	Horizontal	Pass
5**	11317.875	39.85	-4.18	54.0	-14.15	AV	26.00	150	Horizontal	Pass
6	15718.088	51.20	-0.28	68.2	-17.00	Peak	0.00	150	Horizontal	Pass
6**	15718.088	41.25	-0.28	54.0	-12.75	AV	0.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.300	51.34	-17.77	68.2	-16.86	Peak	176.00	150	Vertical	Pass
1**	1592.300	35.60	-17.77	54.0	-18.40	AV	176.00	150	Vertical	Pass
2	3995.250	47.61	-6.31	68.2	-20.59	Peak	146.00	150	Vertical	Pass
2**	3995.250	38.21	-6.31	54.0	-15.79	AV	146.00	150	Vertical	Pass
3	5631.500	99.96	-2.33	--	--	Peak	138.00	150	Vertical	N/A
3**	5631.500	91.40	-2.33	--	--	AV	138.00	150	Vertical	N/A
4	7705.500	52.97	1.86	68.2	-15.23	Peak	322.00	150	Vertical	Pass
4**	7705.500	43.00	1.86	54.0	-11.00	AV	322.00	150	Vertical	Pass
5	12293.526	49.18	-2.50	68.2	-19.02	Peak	218.00	150	Vertical	Pass
5**	12293.526	39.39	-2.50	54.0	-14.61	AV	218.00	150	Vertical	Pass
6	15951.713	50.62	-0.23	68.2	-17.58	Peak	41.00	150	Vertical	Pass
6**	15951.713	41.21	-0.23	54.0	-12.79	AV	41.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.900	46.98	-18.24	68.2	-21.22	Peak	283.00	150	Horizontal	Pass
1**	1157.900	33.66	-18.24	54.0	-20.34	AV	283.00	150	Horizontal	Pass
2	4366.000	47.21	-4.15	68.2	-20.99	Peak	19.00	150	Horizontal	Pass
2**	4366.000	37.81	-4.15	54.0	-16.19	AV	19.00	150	Horizontal	Pass
3	5501.250	99.16	-3.16	--	--	Peak	300.00	150	Horizontal	N/A
3**	5501.250	89.43	-3.16	--	--	AV	300.00	150	Horizontal	N/A
4	7513.000	53.01	0.62	68.2	-15.19	Peak	291.00	150	Horizontal	Pass
4**	7513.000	43.03	0.62	54.0	-10.97	AV	291.00	150	Horizontal	Pass
5	11553.713	49.27	-4.36	68.2	-18.93	Peak	34.00	150	Horizontal	Pass
5**	11553.713	39.26	-4.36	54.0	-14.74	AV	34.00	150	Horizontal	Pass
6	15701.026	51.01	0.08	68.2	-17.19	Peak	41.00	150	Horizontal	Pass
6**	15701.026	41.74	0.08	54.0	-12.26	AV	41.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.800	51.53	-17.38	68.2	-16.67	Peak	176.00	150	Vertical	Pass
1**	1582.800	40.05	-17.38	54.0	-13.95	AV	176.00	150	Vertical	Pass
2	3990.500	47.80	-6.25	68.2	-20.40	Peak	168.00	150	Vertical	Pass
2**	3990.500	38.03	-6.25	54.0	-15.97	AV	168.00	150	Vertical	Pass
3	5495.000	101.64	-3.02	--	--	Peak	119.00	150	Vertical	N/A
3**	5495.000	93.78	-3.02	--	--	AV	119.00	150	Vertical	N/A
4	7458.250	52.41	1.14	68.2	-15.79	Peak	193.00	150	Vertical	Pass
4**	7458.250	43.52	1.14	54.0	-10.48	AV	193.00	150	Vertical	Pass
5	12423.675	48.99	-2.55	68.2	-19.21	Peak	93.00	150	Vertical	Pass
5**	12423.675	40.53	-2.55	54.0	-13.47	AV	93.00	150	Vertical	Pass
6	15965.100	51.12	-0.21	68.2	-17.08	Peak	19.00	150	Vertical	Pass
6**	15965.100	40.47	-0.21	54.0	-13.53	AV	19.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.000	47.46	-18.24	68.2	-20.74	Peak	286.00	150	Horizontal	Pass
1**	1158.000	33.92	-18.24	54.0	-20.08	AV	286.00	150	Horizontal	Pass
2	4216.500	46.38	-5.65	68.2	-21.82	Peak	4.00	150	Horizontal	Pass
2**	4216.500	36.99	-5.65	54.0	-17.01	AV	4.00	150	Horizontal	Pass
3	5576.750	99.17	-2.89	--	--	Peak	127.00	150	Horizontal	N/A
3**	5576.750	90.94	-2.89	--	--	AV	127.00	150	Horizontal	N/A
4	7462.500	52.36	1.09	68.2	-15.84	Peak	235.00	150	Horizontal	Pass
4**	7462.500	42.72	1.09	54.0	-11.28	AV	235.00	150	Horizontal	Pass
5	11294.363	48.52	-4.03	68.2	-19.68	Peak	240.00	150	Horizontal	Pass
5**	11294.363	38.91	-4.03	54.0	-15.09	AV	240.00	150	Horizontal	Pass
6	16027.837	51.07	-0.12	68.2	-17.13	Peak	171.00	150	Horizontal	Pass
6**	16027.837	41.94	-0.12	54.0	-12.06	AV	171.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.500	52.39	-17.54	68.2	-15.81	Peak	191.00	150	Vertical	Pass
1**	1573.500	41.91	-17.54	54.0	-12.09	AV	191.00	150	Vertical	Pass
2	4234.750	48.05	-5.08	68.2	-20.15	Peak	144.00	150	Vertical	Pass
2**	4234.750	38.19	-5.08	54.0	-15.81	AV	144.00	150	Vertical	Pass
3	5580.500	104.95	-2.67	--	--	Peak	127.00	150	Vertical	N/A
3**	5580.500	96.39	-2.67	--	--	AV	127.00	150	Vertical	N/A
4	7455.000	52.95	1.17	68.2	-15.25	Peak	144.00	150	Vertical	Pass
4**	7455.000	43.35	1.17	54.0	-10.65	AV	144.00	150	Vertical	Pass
5	11078.475	48.62	-4.76	68.2	-19.58	Peak	206.00	150	Vertical	Pass
5**	11078.475	39.21	-4.76	54.0	-14.79	AV	206.00	150	Vertical	Pass
6	16051.200	50.98	-0.12	68.2	-17.22	Peak	31.00	150	Vertical	Pass
6**	16051.200	40.93	-0.12	54.0	-13.07	AV	31.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.100	46.82	-17.95	68.2	-21.38	Peak	122.00	150	Horizontal	Pass
1**	1195.100	35.21	-17.95	54.0	-18.79	AV	122.00	150	Horizontal	Pass
2	4293.250	47.09	-4.55	68.2	-21.11	Peak	11.00	150	Horizontal	Pass
2**	4293.250	37.78	-4.55	54.0	-16.22	AV	11.00	150	Horizontal	Pass
3	5696.500	99.19	-2.81	--	--	Peak	117.00	150	Horizontal	N/A
3**	5696.500	90.64	-2.81	--	--	AV	117.00	150	Horizontal	N/A
4	7521.000	52.37	0.83	68.2	-15.83	Peak	11.00	150	Horizontal	Pass
4**	7521.000	43.16	0.83	54.0	-10.84	AV	11.00	150	Horizontal	Pass
5	12419.875	49.48	-2.61	68.2	-18.72	Peak	92.00	150	Horizontal	Pass
5**	12419.875	39.33	-2.61	54.0	-14.67	AV	92.00	150	Horizontal	Pass
6	16183.763	51.87	-0.45	68.2	-16.33	Peak	23.00	150	Horizontal	Pass
6**	16183.763	42.51	-0.45	54.0	-11.49	AV	23.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.000	51.61	-17.59	68.2	-16.59	Peak	183.00	150	Vertical	Pass
1**	1567.000	39.99	-17.59	54.0	-14.01	AV	183.00	150	Vertical	Pass
2	4289.750	48.32	-4.62	68.2	-19.88	Peak	60.00	150	Vertical	Pass
2**	4289.750	37.48	-4.62	54.0	-16.52	AV	60.00	150	Vertical	Pass
3	5697.250	104.28	-2.85	--	--	Peak	141.00	150	Vertical	N/A
3**	5697.250	94.45	-2.85	--	--	AV	141.00	150	Vertical	N/A
4	7472.500	52.65	0.71	68.2	-15.55	Peak	281.00	150	Vertical	Pass
4**	7472.500	43.00	0.71	54.0	-11.00	AV	281.00	150	Vertical	Pass
5	11138.800	48.87	-4.44	68.2	-19.33	Peak	83.00	150	Vertical	Pass
5**	11138.800	39.29	-4.44	54.0	-14.71	AV	83.00	150	Vertical	Pass
6	16184.813	51.53	-0.45	68.2	-16.67	Peak	67.00	150	Vertical	Pass
6**	16184.813	42.46	-0.45	54.0	-11.54	AV	67.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.000	47.51	-18.26	68.2	-20.69	Peak	264.00	150	Horizontal	Pass
1**	1156.000	35.54	-18.26	54.0	-18.46	AV	264.00	150	Horizontal	Pass
2	4311.750	47.56	-4.27	68.2	-20.64	Peak	289.00	150	Horizontal	Pass
2**	4311.750	37.55	-4.27	54.0	-16.45	AV	289.00	150	Horizontal	Pass
3	5521.000	95.26	-2.94	--	--	Peak	176.00	150	Horizontal	N/A
3**	5521.000	86.97	-2.94	--	--	AV	176.00	150	Horizontal	N/A
4	7467.000	52.78	0.89	68.2	-15.42	Peak	208.00	150	Horizontal	Pass
4**	7467.000	43.09	0.89	54.0	-10.91	AV	208.00	150	Horizontal	Pass
5	11402.900	48.45	-4.19	68.2	-19.75	Peak	174.00	150	Horizontal	Pass
5**	11402.900	38.40	-4.19	54.0	-15.60	AV	174.00	150	Horizontal	Pass
6	16065.637	50.68	-0.37	68.2	-17.52	Peak	18.00	150	Horizontal	Pass
6**	16065.637	41.20	-0.37	54.0	-12.80	AV	18.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.900	52.96	-17.45	68.2	-15.24	Peak	188.00	150	Vertical	Pass
1**	1581.900	39.35	-17.45	54.0	-14.65	AV	188.00	150	Vertical	Pass
2	4279.750	47.21	-4.65	68.2	-20.99	Peak	281.00	150	Vertical	Pass
2**	4279.750	37.91	-4.65	54.0	-16.09	AV	281.00	150	Vertical	Pass
3	5512.500	102.21	-3.13	--	--	Peak	151.00	150	Vertical	N/A
3**	5512.500	92.19	-3.13	--	--	AV	151.00	150	Vertical	N/A
4	7460.000	52.46	1.14	68.2	-15.74	Peak	174.00	150	Vertical	Pass
4**	7460.000	43.25	1.14	54.0	-10.75	AV	174.00	150	Vertical	Pass
5	12303.500	49.54	-2.46	68.2	-18.66	Peak	127.00	150	Vertical	Pass
5**	12303.500	39.39	-2.46	54.0	-14.61	AV	127.00	150	Vertical	Pass
6	16161.450	51.17	-0.46	68.2	-17.03	Peak	52.00	150	Vertical	Pass
6**	16161.450	41.52	-0.46	54.0	-12.48	AV	52.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1194.100	48.35	-17.93	68.2	-19.85	Peak	116.00	150	Horizontal	Pass
1**	1194.100	38.14	-17.93	54.0	-15.86	AV	116.00	150	Horizontal	Pass
2	4312.750	47.50	-4.31	68.2	-20.70	Peak	360.00	150	Horizontal	Pass
2**	4312.750	37.87	-4.31	54.0	-16.13	AV	360.00	150	Horizontal	Pass
3	5588.250	97.56	-3.08	--	--	Peak	128.00	150	Horizontal	N/A
3**	5588.250	88.84	-3.08	--	--	AV	128.00	150	Horizontal	N/A
4	7456.000	51.89	1.15	68.2	-16.31	Peak	254.00	150	Horizontal	Pass
4**	7456.000	43.45	1.15	54.0	-10.55	AV	254.00	150	Horizontal	Pass
5	11456.099	49.05	-3.92	68.2	-19.15	Peak	250.00	150	Horizontal	Pass
5**	11456.099	39.62	-3.92	54.0	-14.38	AV	250.00	150	Horizontal	Pass
6	16040.963	50.79	-0.11	68.2	-17.41	Peak	159.00	150	Horizontal	Pass
6**	16040.963	42.11	-0.11	54.0	-11.89	AV	159.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.400	51.81	-17.56	68.2	-16.39	Peak	199.00	150	Vertical	Pass
1**	1571.400	42.18	-17.56	54.0	-11.82	AV	199.00	150	Vertical	Pass
2	4990.750	48.52	-3.60	68.2	-19.68	Peak	226.00	150	Vertical	Pass
2**	4990.750	39.33	-3.60	54.0	-14.67	AV	226.00	150	Vertical	Pass
3	5595.250	103.60	-3.18	--	--	Peak	151.00	150	Vertical	N/A
3**	5595.250	94.01	-3.18	--	--	AV	151.00	150	Vertical	N/A
4	7516.250	52.09	0.94	68.2	-16.11	Peak	185.00	150	Vertical	Pass
4**	7516.250	43.30	0.94	54.0	-10.70	AV	185.00	150	Vertical	Pass
5	11958.412	49.15	-3.64	68.2	-19.05	Peak	360.00	150	Vertical	Pass
5**	11958.412	39.73	-3.64	54.0	-14.27	AV	360.00	150	Vertical	Pass
6	15802.087	50.79	-0.72	68.2	-17.41	Peak	139.00	150	Vertical	Pass
6**	15802.087	40.87	-0.72	54.0	-13.13	AV	139.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.200	48.64	-18.26	68.2	-19.56	Peak	278.00	150	Horizontal	Pass
1**	1156.200	36.46	-18.26	54.0	-17.54	AV	278.00	150	Horizontal	Pass
2	4230.750	47.08	-5.12	68.2	-21.12	Peak	117.00	150	Horizontal	Pass
2**	4230.750	37.80	-5.12	54.0	-16.20	AV	117.00	150	Horizontal	Pass
3	5681.250	96.61	-3.15	--	--	Peak	117.00	150	Horizontal	N/A
3**	5681.250	88.79	-3.15	--	--	AV	117.00	150	Horizontal	N/A
4	7498.750	52.16	-0.49	68.2	-16.04	Peak	263.00	150	Horizontal	Pass
4**	7498.750	42.48	-0.49	54.0	-11.52	AV	263.00	150	Horizontal	Pass
5	11965.062	49.01	-3.63	68.2	-19.19	Peak	331.00	150	Horizontal	Pass
5**	11965.062	40.09	-3.63	54.0	-13.91	AV	331.00	150	Horizontal	Pass
6	16146.750	51.84	-0.50	68.2	-16.36	Peak	0.00	150	Horizontal	Pass
6**	16146.750	43.47	-0.50	54.0	-10.53	AV	0.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.300	53.50	-17.50	68.2	-14.70	Peak	181.00	150	Vertical	Pass
1**	1581.300	39.47	-17.50	54.0	-14.53	AV	181.00	150	Vertical	Pass
2	3981.500	47.42	-6.07	68.2	-20.78	Peak	225.00	150	Vertical	Pass
2**	3981.500	38.81	-6.07	54.0	-15.19	AV	225.00	150	Vertical	Pass
3	5680.750	100.63	-3.19	--	--	Peak	159.00	150	Vertical	N/A
3**	5680.750	92.98	-3.19	--	--	AV	159.00	150	Vertical	N/A
4	7454.500	51.70	1.17	68.2	-16.50	Peak	159.00	150	Vertical	Pass
4**	7454.500	43.30	1.17	54.0	-10.70	AV	159.00	150	Vertical	Pass
5	12290.675	49.11	-2.52	68.2	-19.09	Peak	331.00	150	Vertical	Pass
5**	12290.675	39.99	-2.52	54.0	-14.01	AV	331.00	150	Vertical	Pass
6	16179.037	51.88	-0.45	68.2	-16.32	Peak	31.00	150	Vertical	Pass
6**	16179.037	42.67	-0.45	54.0	-11.33	AV	31.00	150	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.700	48.47	-18.24	68.2	-19.73	Peak	276.00	150	Horizontal	Pass
1**	1155.700	35.59	-18.24	54.0	-18.41	AV	276.00	150	Horizontal	Pass
2	4306.250	47.39	-4.18	68.2	-20.81	Peak	227.00	150	Horizontal	Pass
2**	4306.250	38.37	-4.18	54.0	-15.63	AV	227.00	150	Horizontal	Pass
3	5507.250	92.99	-3.24	--	--	Peak	235.00	150	Horizontal	N/A
3**	5507.250	84.58	-3.24	--	--	AV	235.00	150	Horizontal	N/A
4	7513.750	52.50	0.71	68.2	-15.70	Peak	13.00	150	Horizontal	Pass
4**	7513.750	43.39	0.71	54.0	-10.61	AV	13.00	150	Horizontal	Pass
5	12448.850	49.48	-2.17	68.2	-18.72	Peak	263.00	150	Horizontal	Pass
5**	12448.850	40.60	-2.17	54.0	-13.40	AV	263.00	150	Horizontal	Pass
6	16038.338	51.47	-0.11	68.2	-16.73	Peak	90.00	150	Horizontal	Pass
6**	16038.338	42.61	-0.11	54.0	-11.39	AV	90.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1591.400	50.99	-17.82	68.2	-17.21	Peak	180.00	150	Vertical	Pass
1**	1591.400	40.09	-17.82	54.0	-13.91	AV	180.00	150	Vertical	Pass
2	3988.750	48.01	-6.24	68.2	-20.19	Peak	168.00	150	Vertical	Pass
2**	3988.750	37.82	-6.24	54.0	-16.18	AV	168.00	150	Vertical	Pass
3	5520.000	99.22	-2.94	--	--	Peak	127.00	150	Vertical	N/A
3**	5520.000	89.72	-2.94	--	--	AV	127.00	150	Vertical	N/A
4	7510.750	52.05	0.52	68.2	-16.15	Peak	111.00	150	Vertical	Pass
4**	7510.750	43.21	0.52	54.0	-10.79	AV	111.00	150	Vertical	Pass
5	12046.050	48.96	-3.34	68.2	-19.24	Peak	140.00	150	Vertical	Pass
5**	12046.050	39.35	-3.34	54.0	-14.65	AV	140.00	150	Vertical	Pass
6	16031.513	52.03	-0.12	68.2	-16.17	Peak	55.00	150	Vertical	Pass
6**	16031.513	42.90	-0.12	54.0	-11.10	AV	55.00	150	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.400	47.39	-18.22	68.2	-20.81	Peak	271.00	150	Horizontal	Pass
1**	1155.400	35.34	-18.22	54.0	-18.66	AV	271.00	150	Horizontal	Pass
2	4307.750	47.50	-4.18	68.2	-20.70	Peak	119.00	150	Horizontal	Pass
2**	4307.750	38.60	-4.18	54.0	-15.40	AV	119.00	150	Horizontal	Pass
3	5634.500	95.14	-2.06	--	--	Peak	127.00	150	Horizontal	N/A
3**	5634.500	86.21	-2.06	--	--	AV	127.00	150	Horizontal	N/A
4	7508.750	52.46	0.44	68.2	-15.74	Peak	333.00	150	Horizontal	Pass
4**	7508.750	42.98	0.44	54.0	-11.02	AV	333.00	150	Horizontal	Pass
5	11311.938	49.15	-4.12	68.2	-19.05	Peak	0.00	150	Horizontal	Pass
5**	11311.938	39.40	-4.12	54.0	-14.60	AV	0.00	150	Horizontal	Pass
6	16150.425	51.56	-0.47	68.2	-16.64	Peak	0.00	150	Horizontal	Pass
6**	16150.425	42.44	-0.47	54.0	-11.56	AV	0.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1577.500	51.89	-17.53	68.2	-16.31	Peak	194.00	150	Vertical	Pass
1**	1577.500	38.24	-17.53	54.0	-15.76	AV	194.00	150	Vertical	Pass
2	3992.250	47.16	-6.24	68.2	-21.04	Peak	180.00	150	Vertical	Pass
2**	3992.250	37.03	-6.24	54.0	-16.97	AV	180.00	150	Vertical	Pass
3	5601.500	100.08	-2.93	--	--	Peak	146.00	150	Vertical	N/A
3**	5601.500	91.72	-2.93	--	--	AV	146.00	150	Vertical	N/A
4	7454.500	52.03	1.17	68.2	-16.17	Peak	252.00	150	Vertical	Pass
4**	7454.500	43.32	1.17	54.0	-10.68	AV	252.00	150	Vertical	Pass
5	12516.300	49.57	-2.36	68.2	-18.63	Peak	238.00	150	Vertical	Pass
5**	12516.300	39.18	-2.36	54.0	-14.82	AV	238.00	150	Vertical	Pass
6	16147.013	52.15	-0.50	68.2	-16.05	Peak	0.00	150	Vertical	Pass
6**	16147.013	41.89	-0.50	54.0	-12.11	AV	0.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1204.100	47.35	-17.86	68.2	-20.85	Peak	128.00	150	Horizontal	Pass
1**	1204.100	35.36	-17.86	54.0	-18.64	AV	128.00	150	Horizontal	Pass
2	4229.500	46.83	-5.21	68.2	-21.37	Peak	176.00	150	Horizontal	Pass
2**	4229.500	37.97	-5.21	54.0	-16.03	AV	176.00	150	Horizontal	Pass
3	5746.500	101.32	-2.89	--	--	Peak	283.00	150	Horizontal	N/A
3**	5746.500	93.40	-2.89	--	--	AV	283.00	150	Horizontal	N/A
4	7471.750	52.75	0.78	68.2	-15.45	Peak	160.00	150	Horizontal	Pass
4**	7471.750	43.13	0.78	54.0	-10.87	AV	160.00	150	Horizontal	Pass
5	11424.275	48.54	-4.05	68.2	-19.66	Peak	196.00	150	Horizontal	Pass
5**	11424.275	38.29	-4.05	54.0	-15.71	AV	196.00	150	Horizontal	Pass
6	16165.913	51.98	-0.46	68.2	-16.22	Peak	102.00	150	Horizontal	Pass
6**	16165.913	42.57	-0.46	54.0	-11.43	AV	102.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.000	51.02	-17.46	68.2	-17.18	Peak	184.00	150	Vertical	Pass
1**	1575.000	38.57	-17.46	54.0	-15.43	AV	184.00	150	Vertical	Pass
2	3985.250	48.06	-6.11	68.2	-20.14	Peak	171.00	150	Vertical	Pass
2**	3985.250	37.37	-6.11	54.0	-16.63	AV	171.00	150	Vertical	Pass
3	5742.000	103.87	-3.10	--	--	Peak	146.00	150	Vertical	N/A
3**	5742.000	96.48	-3.10	--	--	AV	146.00	150	Vertical	N/A
4	7462.250	52.20	1.10	68.2	-16.00	Peak	163.00	150	Vertical	Pass
4**	7462.250	43.33	1.10	54.0	-10.67	AV	163.00	150	Vertical	Pass
5	12441.250	49.57	-2.29	68.2	-18.63	Peak	86.00	150	Vertical	Pass
5**	12441.250	40.15	-2.29	54.0	-13.85	AV	86.00	150	Vertical	Pass
6	15787.912	50.79	-0.77	68.2	-17.41	Peak	67.00	150	Vertical	Pass
6**	15787.912	40.43	-0.77	54.0	-13.57	AV	67.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.900	46.72	-18.25	68.2	-21.48	Peak	117.00	150	Horizontal	Pass
1**	1156.900	36.15	-18.25	54.0	-17.85	AV	117.00	150	Horizontal	Pass
2	4327.250	47.35	-4.97	68.2	-20.85	Peak	160.00	150	Horizontal	Pass
2**	4327.250	37.74	-4.97	54.0	-16.26	AV	160.00	150	Horizontal	Pass
3	5781.250	101.26	-3.02	--	--	Peak	276.00	150	Horizontal	N/A
3**	5781.250	94.16	-3.02	--	--	AV	276.00	150	Horizontal	N/A
4	7506.000	52.08	-0.06	68.2	-16.12	Peak	251.00	150	Horizontal	Pass
4**	7506.000	42.97	-0.06	54.0	-11.03	AV	251.00	150	Horizontal	Pass
5	11457.287	49.42	-3.93	68.2	-18.78	Peak	321.00	150	Horizontal	Pass
5**	11457.287	38.94	-3.93	54.0	-15.06	AV	321.00	150	Horizontal	Pass
6	16045.688	51.40	-0.10	68.2	-16.80	Peak	298.00	150	Horizontal	Pass
6**	16045.688	41.87	-0.10	54.0	-12.13	AV	298.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.800	52.67	-17.47	68.2	-15.53	Peak	180.00	150	Vertical	Pass
1**	1575.800	43.26	-17.47	54.0	-10.74	AV	180.00	150	Vertical	Pass
2	4001.500	48.09	-5.83	68.2	-20.11	Peak	180.00	150	Vertical	Pass
2**	4001.500	36.90	-5.83	54.0	-17.10	AV	180.00	150	Vertical	Pass
3	5787.250	103.72	-3.15	--	--	Peak	153.00	150	Vertical	N/A
3**	5787.250	96.05	-3.15	--	--	AV	153.00	150	Vertical	N/A
4	7511.250	52.59	0.50	68.2	-15.61	Peak	222.00	150	Vertical	Pass
4**	7511.250	43.24	0.50	54.0	-10.76	AV	222.00	150	Vertical	Pass
5	12444.100	49.33	-2.24	68.2	-18.87	Peak	240.00	150	Vertical	Pass
5**	12444.100	40.28	-2.24	54.0	-13.72	AV	240.00	150	Vertical	Pass
6	16032.562	51.42	-0.12	68.2	-16.78	Peak	43.00	150	Vertical	Pass
6**	16032.562	41.61	-0.12	54.0	-12.39	AV	43.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.000	47.46	-18.24	68.2	-20.74	Peak	275.00	150	Horizontal	Pass
1**	1158.000	35.32	-18.24	54.0	-18.68	AV	275.00	150	Horizontal	Pass
2	4015.500	46.75	-5.70	68.2	-21.45	Peak	104.00	150	Horizontal	Pass
2**	4015.500	36.41	-5.70	54.0	-17.59	AV	104.00	150	Horizontal	Pass
3	5824.000	101.08	-3.13	--	--	Peak	278.00	150	Horizontal	N/A
3**	5824.000	93.07	-3.13	--	--	AV	278.00	150	Horizontal	N/A
4	7510.000	52.29	0.55	68.2	-15.91	Peak	0.00	150	Horizontal	Pass
4**	7510.000	43.38	0.55	54.0	-10.62	AV	0.00	150	Horizontal	Pass
5	12336.750	49.28	-2.72	68.2	-18.92	Peak	112.00	150	Horizontal	Pass
5**	12336.750	38.74	-2.72	54.0	-15.26	AV	112.00	150	Horizontal	Pass
6	16047.263	50.76	-0.10	68.2	-17.44	Peak	0.00	150	Horizontal	Pass
6**	16047.263	42.00	-0.10	54.0	-12.00	AV	0.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.500	51.38	-17.60	68.2	-16.82	Peak	176.00	150	Vertical	Pass
1**	1572.500	36.63	-17.60	54.0	-17.37	AV	176.00	150	Vertical	Pass
2	4253.750	47.20	-4.91	68.2	-21.00	Peak	38.00	150	Vertical	Pass
2**	4253.750	37.58	-4.91	54.0	-16.42	AV	38.00	150	Vertical	Pass
3	5822.250	103.40	-3.06	--	--	Peak	154.00	150	Vertical	N/A
3**	5822.250	96.31	-3.06	--	--	AV	154.00	150	Vertical	N/A
4	7470.500	51.90	0.69	68.2	-16.30	Peak	171.00	150	Vertical	Pass
4**	7470.500	42.55	0.69	54.0	-11.45	AV	171.00	150	Vertical	Pass
5	10803.213	48.81	-5.34	68.2	-19.39	Peak	353.00	150	Vertical	Pass
5**	10803.213	38.81	-5.34	54.0	-15.19	AV	353.00	150	Vertical	Pass
6	16142.026	51.20	-0.55	68.2	-17.00	Peak	6.00	150	Vertical	Pass
6**	16142.026	40.71	-0.55	54.0	-13.29	AV	6.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1174.300	47.87	-18.17	68.2	-20.33	Peak	295.00	150	Horizontal	Pass
1**	1174.300	36.14	-18.17	54.0	-17.86	AV	295.00	150	Horizontal	Pass
2	4306.250	47.13	-4.18	68.2	-21.07	Peak	46.00	150	Horizontal	Pass
2**	4306.250	38.38	-4.18	54.0	-15.62	AV	46.00	150	Horizontal	Pass
3	5749.250	101.96	-2.91	--	--	Peak	281.00	150	Horizontal	N/A
3**	5749.250	93.51	-2.91	--	--	AV	281.00	150	Horizontal	N/A
4	7526.750	52.11	0.68	68.2	-16.09	Peak	114.00	150	Horizontal	Pass
4**	7526.750	43.13	0.68	54.0	-10.87	AV	114.00	150	Horizontal	Pass
5	12450.750	49.09	-2.16	68.2	-19.11	Peak	0.00	150	Horizontal	Pass
5**	12450.750	40.07	-2.16	54.0	-13.93	AV	0.00	150	Horizontal	Pass
6	15539.063	50.99	-0.59	68.2	-17.21	Peak	90.00	150	Horizontal	Pass
6**	15539.063	41.25	-0.59	54.0	-12.75	AV	90.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.500	51.05	-17.37	68.2	-17.15	Peak	360.00	150	Vertical	Pass
1**	1604.500	40.86	-17.37	54.0	-13.14	AV	360.00	150	Vertical	Pass
2	3992.750	48.85	-6.23	68.2	-19.35	Peak	176.00	150	Vertical	Pass
2**	3992.750	37.97	-6.23	54.0	-16.03	AV	176.00	150	Vertical	Pass
3	5749.250	103.63	-2.91	--	--	Peak	159.00	150	Vertical	N/A
3**	5749.250	96.29	-2.91	--	--	AV	159.00	150	Vertical	N/A
4	7452.250	51.86	0.92	68.2	-16.34	Peak	144.00	150	Vertical	Pass
4**	7452.250	43.90	0.92	54.0	-10.10	AV	144.00	150	Vertical	Pass
5	12438.875	49.11	-2.32	68.2	-19.09	Peak	217.00	150	Vertical	Pass
5**	12438.875	40.52	-2.32	54.0	-13.48	AV	217.00	150	Vertical	Pass
6	16017.075	51.06	-0.13	68.2	-17.14	Peak	43.00	150	Vertical	Pass
6**	16017.075	41.01	-0.13	54.0	-12.99	AV	43.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.100	47.29	-18.17	68.2	-20.91	Peak	270.00	150	Horizontal	Pass
1**	1159.100	33.95	-18.17	54.0	-20.05	AV	270.00	150	Horizontal	Pass
2	4138.500	46.34	-5.72	68.2	-21.86	Peak	19.00	150	Horizontal	Pass
2**	4138.500	38.51	-5.72	54.0	-15.49	AV	19.00	150	Horizontal	Pass
3	5782.250	100.06	-3.16	--	--	Peak	274.00	150	Horizontal	N/A
3**	5782.250	93.87	-3.16	--	--	AV	274.00	150	Horizontal	N/A
4	7514.000	52.08	0.75	68.2	-16.12	Peak	217.00	150	Horizontal	Pass
4**	7514.000	43.58	0.75	54.0	-10.42	AV	217.00	150	Horizontal	Pass
5	12447.662	49.00	-2.19	68.2	-19.20	Peak	206.00	150	Horizontal	Pass
5**	12447.662	40.23	-2.19	54.0	-13.77	AV	206.00	150	Horizontal	Pass
6	16025.737	51.26	-0.12	68.2	-16.94	Peak	46.00	150	Horizontal	Pass
6**	16025.737	41.38	-0.12	54.0	-12.62	AV	46.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.800	51.79	-17.52	68.2	-16.41	Peak	8.00	150	Vertical	Pass
1**	1573.800	39.13	-17.52	54.0	-14.87	AV	8.00	150	Vertical	Pass
2	4146.250	47.24	-6.02	68.2	-20.96	Peak	60.00	150	Vertical	Pass
2**	4146.250	37.51	-6.02	54.0	-16.49	AV	60.00	150	Vertical	Pass
3	5786.500	103.18	-3.10	--	--	Peak	151.00	150	Vertical	N/A
3**	5786.500	95.70	-3.10	--	--	AV	151.00	150	Vertical	N/A
4	7509.500	53.06	0.53	68.2	-15.14	Peak	210.00	150	Vertical	Pass
4**	7509.500	43.65	0.53	54.0	-10.35	AV	210.00	150	Vertical	Pass
5	11170.862	48.80	-4.26	68.2	-19.40	Peak	182.00	150	Vertical	Pass
5**	11170.862	39.12	-4.26	54.0	-14.88	AV	182.00	150	Vertical	Pass
6	16154.625	51.73	-0.47	68.2	-16.47	Peak	183.00	150	Vertical	Pass
6**	16154.625	42.10	-0.47	54.0	-11.90	AV	183.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.500	47.71	-17.96	68.2	-20.49	Peak	119.00	150	Horizontal	Pass
1**	1195.500	36.39	-17.96	54.0	-17.61	AV	119.00	150	Horizontal	Pass
2	4271.750	47.30	-4.93	68.2	-20.90	Peak	92.00	150	Horizontal	Pass
2**	4271.750	38.21	-4.93	54.0	-15.79	AV	92.00	150	Horizontal	Pass
3	5822.000	101.59	-3.02	--	--	Peak	274.00	150	Horizontal	N/A
3**	5822.000	94.99	-3.02	--	--	AV	274.00	150	Horizontal	N/A
4	7455.750	52.82	1.15	68.2	-15.38	Peak	11.00	150	Horizontal	Pass
4**	7455.750	43.68	1.15	54.0	-10.32	AV	11.00	150	Horizontal	Pass
5	11315.738	48.90	-4.16	68.2	-19.30	Peak	285.00	150	Horizontal	Pass
5**	11315.738	39.67	-4.16	54.0	-14.33	AV	285.00	150	Horizontal	Pass
6	16012.349	50.78	-0.14	68.2	-17.42	Peak	92.00	150	Horizontal	Pass
6**	16012.349	40.37	-0.14	54.0	-13.63	AV	92.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.300	50.90	-17.60	68.2	-17.30	Peak	163.00	150	Vertical	Pass
1**	1567.300	39.00	-17.60	54.0	-15.00	AV	163.00	150	Vertical	Pass
2	3986.000	48.60	-6.18	68.2	-19.60	Peak	185.00	150	Vertical	Pass
2**	3986.000	37.79	-6.18	54.0	-16.21	AV	185.00	150	Vertical	Pass
3	5826.250	102.74	-2.97	--	--	Peak	153.00	150	Vertical	N/A
3**	5826.250	96.49	-2.97	--	--	AV	153.00	150	Vertical	N/A
4	7509.000	52.07	0.47	68.2	-16.13	Peak	61.00	150	Vertical	Pass
4**	7509.000	43.65	0.47	54.0	-10.35	AV	61.00	150	Vertical	Pass
5	11312.650	48.56	-4.13	68.2	-19.64	Peak	352.00	150	Vertical	Pass
5**	11312.650	39.01	-4.13	54.0	-14.99	AV	352.00	150	Vertical	Pass
6	15708.637	50.30	-0.08	68.2	-17.90	Peak	0.00	150	Vertical	Pass
6**	15708.637	41.46	-0.08	54.0	-12.54	AV	0.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1215.000	47.39	-17.73	68.2	-20.81	Peak	285.00	150	Horizontal	Pass
1**	1215.000	36.88	-17.73	54.0	-17.12	AV	285.00	150	Horizontal	Pass
2	4294.750	46.96	-4.44	68.2	-21.24	Peak	217.00	150	Horizontal	Pass
2**	4294.750	37.89	-4.44	54.0	-16.11	AV	217.00	150	Horizontal	Pass
3	5763.250	98.34	-2.30	--	--	Peak	276.00	150	Horizontal	N/A
3**	5763.250	89.90	-2.30	--	--	AV	276.00	150	Horizontal	N/A
4	7460.750	52.51	1.14	68.2	-15.69	Peak	291.00	150	Horizontal	Pass
4**	7460.750	43.24	1.14	54.0	-10.76	AV	291.00	150	Horizontal	Pass
5	12030.850	48.72	-3.43	68.2	-19.48	Peak	145.00	150	Horizontal	Pass
5**	12030.850	38.74	-3.43	54.0	-15.26	AV	145.00	150	Horizontal	Pass
6	16124.701	51.06	-0.73	68.2	-17.14	Peak	17.00	150	Horizontal	Pass
6**	16124.701	40.70	-0.73	54.0	-13.30	AV	17.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.600	51.71	-17.48	68.2	-16.49	Peak	168.00	150	Vertical	Pass
1**	1576.600	36.49	-17.48	54.0	-17.51	AV	168.00	150	Vertical	Pass
2	3998.500	46.74	-5.99	68.2	-21.46	Peak	217.00	150	Vertical	Pass
2**	3998.500	38.24	-5.99	54.0	-15.76	AV	217.00	150	Vertical	Pass
3	5757.500	100.89	-2.53	--	--	Peak	143.00	150	Vertical	N/A
3**	5757.500	92.24	-2.53	--	--	AV	143.00	150	Vertical	N/A
4	7520.750	52.49	0.81	68.2	-15.71	Peak	110.00	150	Vertical	Pass
4**	7520.750	42.73	0.81	54.0	-11.27	AV	110.00	150	Vertical	Pass
5	11790.975	49.11	-3.61	68.2	-19.09	Peak	307.00	150	Vertical	Pass
5**	11790.975	38.65	-3.61	54.0	-15.35	AV	307.00	150	Vertical	Pass
6	15712.575	50.41	-0.16	68.2	-17.79	Peak	0.00	150	Vertical	Pass
6**	15712.575	40.75	-0.16	54.0	-13.25	AV	0.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.000	46.81	-18.19	68.2	-21.39	Peak	266.00	150	Horizontal	Pass
1**	1155.000	32.35	-18.19	54.0	-21.65	AV	266.00	150	Horizontal	Pass
2	4298.000	47.54	-4.61	68.2	-20.66	Peak	62.00	150	Horizontal	Pass
2**	4298.000	37.17	-4.61	54.0	-16.83	AV	62.00	150	Horizontal	Pass
3	5789.750	97.39	-3.30	--	--	Peak	276.00	150	Horizontal	N/A
3**	5789.750	89.14	-3.30	--	--	AV	276.00	150	Horizontal	N/A
4	7457.000	52.04	1.14	68.2	-16.16	Peak	360.00	150	Horizontal	Pass
4**	7457.000	43.49	1.14	54.0	-10.51	AV	360.00	150	Horizontal	Pass
5	11384.375	48.96	-4.30	68.2	-19.24	Peak	45.00	150	Horizontal	Pass
5**	11384.375	39.51	-4.30	54.0	-14.49	AV	45.00	150	Horizontal	Pass
6	16029.150	50.81	-0.12	68.2	-17.39	Peak	150.00	150	Horizontal	Pass
6**	16029.150	42.06	-0.12	54.0	-11.94	AV	150.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.000	50.73	-17.73	68.2	-17.47	Peak	173.00	150	Vertical	Pass
1**	1544.000	37.89	-17.73	54.0	-16.11	AV	173.00	150	Vertical	Pass
2	4883.500	48.21	-3.61	68.2	-19.99	Peak	0.00	150	Vertical	Pass
2**	4883.500	38.30	-3.61	54.0	-15.70	AV	0.00	150	Vertical	Pass
3	5796.750	100.13	-3.29	--	--	Peak	153.00	150	Vertical	N/A
3**	5796.750	91.70	-3.29	--	--	AV	153.00	150	Vertical	N/A
4	7520.000	52.68	0.81	68.2	-15.52	Peak	36.00	150	Vertical	Pass
4**	7520.000	43.29	0.81	54.0	-10.71	AV	36.00	150	Vertical	Pass
5	12051.276	48.90	-3.33	68.2	-19.30	Peak	111.00	150	Vertical	Pass
5**	12051.276	39.37	-3.33	54.0	-14.63	AV	111.00	150	Vertical	Pass
6	16146.224	51.80	-0.51	68.2	-16.40	Peak	148.00	150	Vertical	Pass
6**	16146.224	42.41	-0.51	54.0	-11.59	AV	148.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.600	47.83	-18.23	68.2	-20.37	Peak	263.00	150	Horizontal	Pass
1**	1155.600	36.27	-18.23	54.0	-17.73	AV	263.00	150	Horizontal	Pass
2	4246.750	46.66	-5.13	68.2	-21.54	Peak	0.00	150	Horizontal	Pass
2**	4246.750	37.27	-5.13	54.0	-16.73	AV	0.00	150	Horizontal	Pass
3	5741.500	100.65	-3.11	--	--	Peak	279.00	150	Horizontal	N/A
3**	5741.500	93.37	-3.11	--	--	AV	279.00	150	Horizontal	N/A
4	7510.250	52.65	0.54	68.2	-15.55	Peak	262.00	150	Horizontal	Pass
4**	7510.250	43.83	0.54	54.0	-10.17	AV	262.00	150	Horizontal	Pass
5	12444.812	49.47	-2.23	68.2	-18.73	Peak	0.00	150	Horizontal	Pass
5**	12444.812	40.71	-2.23	54.0	-13.29	AV	0.00	150	Horizontal	Pass
6	16026.263	51.17	-0.12	68.2	-17.03	Peak	218.00	150	Horizontal	Pass
6**	16026.263	41.74	-0.12	54.0	-12.26	AV	218.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1577.100	51.51	-17.50	68.2	-16.69	Peak	195.00	150	Vertical	Pass
1**	1577.100	38.95	-17.50	54.0	-15.05	AV	195.00	150	Vertical	Pass
2	3998.500	48.61	-5.99	68.2	-19.59	Peak	170.00	150	Vertical	Pass
2**	3998.500	39.19	-5.99	54.0	-14.81	AV	170.00	150	Vertical	Pass
3	5742.500	103.38	-3.07	--	--	Peak	153.00	150	Vertical	N/A
3**	5742.500	95.93	-3.07	--	--	AV	153.00	150	Vertical	N/A
4	7516.750	52.54	0.93	68.2	-15.66	Peak	144.00	150	Vertical	Pass
4**	7516.750	43.63	0.93	54.0	-10.37	AV	144.00	150	Vertical	Pass
5	12419.162	49.60	-2.62	68.2	-18.60	Peak	206.00	150	Vertical	Pass
5**	12419.162	39.68	-2.62	54.0	-14.32	AV	206.00	150	Vertical	Pass
6	15539.325	50.64	-0.59	68.2	-17.56	Peak	55.00	150	Vertical	Pass
6**	15539.325	40.46	-0.59	54.0	-13.54	AV	55.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.800	47.90	-18.25	68.2	-20.30	Peak	280.00	150	Horizontal	Pass
1**	1156.800	35.59	-18.25	54.0	-18.41	AV	280.00	150	Horizontal	Pass
2	4279.250	47.04	-4.68	68.2	-21.16	Peak	227.00	150	Horizontal	Pass
2**	4279.250	38.04	-4.68	54.0	-15.96	AV	227.00	150	Horizontal	Pass
3	5783.500	100.22	-3.18	--	--	Peak	276.00	150	Horizontal	N/A
3**	5783.500	93.12	-3.18	--	--	AV	276.00	150	Horizontal	N/A
4	7509.750	52.42	0.56	68.2	-15.78	Peak	136.00	150	Horizontal	Pass
4**	7509.750	43.85	0.56	54.0	-10.15	AV	136.00	150	Horizontal	Pass
5	12293.526	49.15	-2.50	68.2	-19.05	Peak	111.00	150	Horizontal	Pass
5**	12293.526	39.56	-2.50	54.0	-14.44	AV	111.00	150	Horizontal	Pass
6	15699.974	50.81	0.10	68.2	-17.39	Peak	183.00	150	Horizontal	Pass
6**	15699.974	41.65	0.10	54.0	-12.35	AV	183.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.500	51.62	-17.75	68.2	-16.58	Peak	172.00	150	Vertical	Pass
1**	1560.500	36.65	-17.75	54.0	-17.35	AV	172.00	150	Vertical	Pass
2	3989.500	47.93	-6.24	68.2	-20.27	Peak	170.00	150	Vertical	Pass
2**	3989.500	38.02	-6.24	54.0	-15.98	AV	170.00	150	Vertical	Pass
3	5786.250	103.14	-3.10	--	--	Peak	153.00	150	Vertical	N/A
3**	5786.250	94.89	-3.10	--	--	AV	153.00	150	Vertical	N/A
4	7453.250	51.89	1.04	68.2	-16.31	Peak	129.00	150	Vertical	Pass
4**	7453.250	43.91	1.04	54.0	-10.09	AV	129.00	150	Vertical	Pass
5	11459.900	48.66	-3.96	68.2	-19.54	Peak	341.00	150	Vertical	Pass
5**	11459.900	39.56	-3.96	54.0	-14.44	AV	341.00	150	Vertical	Pass
6	15947.775	50.85	-0.27	68.2	-17.35	Peak	210.00	150	Vertical	Pass
6**	15947.775	41.42	-0.27	54.0	-12.58	AV	210.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.000	48.18	-17.94	68.2	-20.02	Peak	116.00	150	Horizontal	Pass
1**	1197.000	37.48	-17.94	54.0	-16.52	AV	116.00	150	Horizontal	Pass
2	4236.250	46.93	-5.11	68.2	-21.27	Peak	45.00	150	Horizontal	Pass
2**	4236.250	37.50	-5.11	54.0	-16.50	AV	45.00	150	Horizontal	Pass
3	5822.000	101.17	-3.02	--	--	Peak	276.00	150	Horizontal	N/A
3**	5822.000	93.85	-3.02	--	--	AV	276.00	150	Horizontal	N/A
4	7452.250	52.26	0.92	68.2	-15.94	Peak	284.00	150	Horizontal	Pass
4**	7452.250	42.92	0.92	54.0	-11.08	AV	284.00	150	Horizontal	Pass
5	12028.951	49.56	-3.44	68.2	-18.64	Peak	360.00	150	Horizontal	Pass
5**	12028.951	38.58	-3.44	54.0	-15.42	AV	360.00	150	Horizontal	Pass
6	16166.963	52.42	-0.46	68.2	-15.78	Peak	31.00	150	Horizontal	Pass
6**	16166.963	42.36	-0.46	54.0	-11.64	AV	31.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1578.800	50.67	-17.62	68.2	-17.53	Peak	176.00	150	Vertical	Pass
1**	1578.800	40.07	-17.62	54.0	-13.93	AV	176.00	150	Vertical	Pass
2	3998.500	46.90	-5.99	68.2	-21.30	Peak	170.00	150	Vertical	Pass
2**	3998.500	38.06	-5.99	54.0	-15.94	AV	170.00	150	Vertical	Pass
3	5821.250	102.95	-2.93	--	--	Peak	127.00	150	Vertical	N/A
3**	5821.250	95.52	-2.93	--	--	AV	127.00	150	Vertical	N/A
4	7461.750	52.30	1.11	68.2	-15.90	Peak	360.00	150	Vertical	Pass
4**	7461.750	44.65	1.11	54.0	-9.35	AV	360.00	150	Vertical	Pass
5	12422.013	49.70	-2.58	68.2	-18.50	Peak	0.00	150	Vertical	Pass
5**	12422.013	39.63	-2.58	54.0	-14.37	AV	0.00	150	Vertical	Pass
6	15717.037	51.43	-0.25	68.2	-16.77	Peak	311.00	150	Vertical	Pass
6**	15717.037	41.98	-0.25	54.0	-12.02	AV	311.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.700	47.56	-18.24	68.2	-20.64	Peak	271.00	150	Horizontal	Pass
1**	1155.700	35.35	-18.24	54.0	-18.65	AV	271.00	150	Horizontal	Pass
2	4235.750	47.50	-5.09	68.2	-20.70	Peak	45.00	150	Horizontal	Pass
2**	4235.750	37.49	-5.09	54.0	-16.51	AV	45.00	150	Horizontal	Pass
3	5766.000	98.71	-2.30	--	--	Peak	278.00	150	Horizontal	N/A
3**	5766.000	89.89	-2.30	--	--	AV	278.00	150	Horizontal	N/A
4	7508.250	52.84	0.38	68.2	-15.36	Peak	77.00	150	Horizontal	Pass
4**	7508.250	44.24	0.38	54.0	-9.76	AV	77.00	150	Horizontal	Pass
5	12067.425	48.95	-3.47	68.2	-19.25	Peak	127.00	150	Horizontal	Pass
5**	12067.425	39.52	-3.47	54.0	-14.48	AV	127.00	150	Horizontal	Pass
6	15939.375	51.11	-0.44	68.2	-17.09	Peak	0.00	150	Horizontal	Pass
6**	15939.375	41.07	-0.44	54.0	-12.93	AV	0.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.000	52.07	-17.61	68.2	-16.13	Peak	169.00	150	Vertical	Pass
1**	1565.000	38.94	-17.61	54.0	-15.06	AV	169.00	150	Vertical	Pass
2	4000.000	48.57	-5.89	68.2	-19.63	Peak	168.00	150	Vertical	Pass
2**	4000.000	38.29	-5.89	54.0	-15.71	AV	168.00	150	Vertical	Pass
3	5767.250	101.06	-2.13	--	--	Peak	144.00	150	Vertical	N/A
3**	5767.250	93.18	-2.13	--	--	AV	144.00	150	Vertical	N/A
4	7502.750	52.42	-0.45	68.2	-15.78	Peak	300.00	150	Vertical	Pass
4**	7502.750	42.50	-0.45	54.0	-11.50	AV	300.00	150	Vertical	Pass
5	12286.638	49.20	-2.56	68.2	-19.00	Peak	147.00	150	Vertical	Pass
5**	12286.638	38.91	-2.56	54.0	-15.09	AV	147.00	150	Vertical	Pass
6	16157.776	51.49	-0.46	68.2	-16.71	Peak	77.00	150	Vertical	Pass
6**	16157.776	42.48	-0.46	54.0	-11.52	AV	77.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.300	48.77	-17.88	68.2	-19.43	Peak	116.00	150	Horizontal	Pass
1**	1199.300	34.34	-17.88	54.0	-19.66	AV	116.00	150	Horizontal	Pass
2	4287.000	46.89	-4.53	68.2	-21.31	Peak	119.00	150	Horizontal	Pass
2**	4287.000	37.61	-4.53	54.0	-16.39	AV	119.00	150	Horizontal	Pass
3	5802.250	97.73	-3.15	--	--	Peak	276.00	150	Horizontal	N/A
3**	5802.250	90.66	-3.15	--	--	AV	276.00	150	Horizontal	N/A
4	7456.750	52.50	1.13	68.2	-15.70	Peak	360.00	150	Horizontal	Pass
4**	7456.750	43.07	1.13	54.0	-10.93	AV	360.00	150	Horizontal	Pass
5	12297.562	49.17	-2.46	68.2	-19.03	Peak	270.00	150	Horizontal	Pass
5**	12297.562	40.38	-2.46	54.0	-13.62	AV	270.00	150	Horizontal	Pass
6	15451.912	50.56	-0.16	68.2	-17.64	Peak	331.00	150	Horizontal	Pass
6**	15451.912	40.91	-0.16	54.0	-13.09	AV	331.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.900	52.90	-17.73	68.2	-15.30	Peak	185.00	150	Vertical	Pass
1**	1559.900	40.09	-17.73	54.0	-13.91	AV	185.00	150	Vertical	Pass
2	4319.750	48.28	-4.60	68.2	-19.92	Peak	289.00	150	Vertical	Pass
2**	4319.750	39.15	-4.60	54.0	-14.85	AV	289.00	150	Vertical	Pass
3	5783.000	100.19	-3.17	--	--	Peak	149.00	150	Vertical	N/A
3**	5783.000	92.16	-3.17	--	--	AV	149.00	150	Vertical	N/A
4	7449.500	52.56	0.60	68.2	-15.64	Peak	232.00	150	Vertical	Pass
4**	7449.500	42.61	0.60	54.0	-11.39	AV	232.00	150	Vertical	Pass
5	11452.537	49.46	-3.89	68.2	-18.74	Peak	360.00	150	Vertical	Pass
5**	11452.537	39.20	-3.89	54.0	-14.80	AV	360.00	150	Vertical	Pass
6	15712.050	51.23	-0.15	68.2	-16.97	Peak	181.00	150	Vertical	Pass
6**	15712.050	41.92	-0.15	54.0	-12.08	AV	181.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1194.500	47.66	-17.93	68.2	-20.54	Peak	117.00	150	Horizontal	Pass
1**	1194.500	37.76	-17.93	54.0	-16.24	AV	117.00	150	Horizontal	Pass
2	4203.000	47.88	-5.53	68.2	-20.32	Peak	142.00	150	Horizontal	Pass
2**	4203.000	37.86	-5.53	54.0	-16.14	AV	142.00	150	Horizontal	Pass
3	5785.500	95.20	-3.14	--	--	Peak	273.00	150	Horizontal	N/A
3**	5785.500	87.31	-3.14	--	--	AV	273.00	150	Horizontal	N/A
4	7458.750	52.47	1.15	68.2	-15.73	Peak	322.00	150	Horizontal	Pass
4**	7458.750	43.49	1.15	54.0	-10.51	AV	322.00	150	Horizontal	Pass
5	12445.525	49.60	-2.22	68.2	-18.60	Peak	263.00	150	Horizontal	Pass
5**	12445.525	39.70	-2.22	54.0	-14.30	AV	263.00	150	Horizontal	Pass
6	16177.200	52.56	-0.45	68.2	-15.64	Peak	181.00	150	Horizontal	Pass
6**	16177.200	42.52	-0.45	54.0	-11.48	AV	181.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.200	53.31	-17.46	68.2	-14.89	Peak	192.00	150	Vertical	Pass
1**	1575.200	40.02	-17.46	54.0	-13.98	AV	192.00	150	Vertical	Pass
2	3997.000	47.28	-6.13	68.2	-20.92	Peak	168.00	150	Vertical	Pass
2**	3997.000	37.58	-6.13	54.0	-16.42	AV	168.00	150	Vertical	Pass
3	5768.000	97.72	-2.15	--	--	Peak	127.00	150	Vertical	N/A
3**	5768.000	90.41	-2.15	--	--	AV	127.00	150	Vertical	N/A
4	7508.500	52.19	0.41	68.2	-16.01	Peak	257.00	150	Vertical	Pass
4**	7508.500	43.44	0.41	54.0	-10.56	AV	257.00	150	Vertical	Pass
5	10683.513	49.39	-4.79	68.2	-18.81	Peak	172.00	150	Vertical	Pass
5**	10683.513	39.57	-4.79	54.0	-14.43	AV	172.00	150	Vertical	Pass
6	16157.250	52.10	-0.46	68.2	-16.10	Peak	287.00	150	Vertical	Pass
6**	16157.250	42.61	-0.46	54.0	-11.39	AV	287.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.900	47.90	-18.25	68.2	-20.30	Peak	255.00	150	Horizontal	Pass
1**	1155.900	33.72	-18.25	54.0	-20.28	AV	255.00	150	Horizontal	Pass
2	5020.250	48.74	-3.57	68.2	-19.46	Peak	13.00	150	Horizontal	Pass
2**	5020.250	38.54	-3.57	54.0	-15.46	AV	13.00	150	Horizontal	Pass
3	5748.500	99.86	-3.02	--	--	Peak	279.00	150	Horizontal	N/A
3**	5748.500	91.87	-3.02	--	--	AV	279.00	150	Horizontal	N/A
4	7458.500	51.70	1.15	68.2	-16.50	Peak	87.00	150	Horizontal	Pass
4**	7458.500	43.14	1.15	54.0	-10.86	AV	87.00	150	Horizontal	Pass
5	12299.938	49.78	-2.44	68.2	-18.42	Peak	226.00	150	Horizontal	Pass
5**	12299.938	39.58	-2.44	54.0	-14.42	AV	226.00	150	Horizontal	Pass
6	15705.224	50.62	-0.01	68.2	-17.58	Peak	19.00	150	Horizontal	Pass
6**	15705.224	40.98	-0.01	54.0	-13.02	AV	19.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.300	53.26	-17.65	68.2	-14.94	Peak	183.00	150	Vertical	Pass
1**	1568.300	43.33	-17.65	54.0	-10.67	AV	183.00	150	Vertical	Pass
2	4989.250	48.93	-3.63	68.2	-19.27	Peak	129.00	150	Vertical	Pass
2**	4989.250	39.02	-3.63	54.0	-14.98	AV	129.00	150	Vertical	Pass
3	5747.000	103.72	-2.95	--	--	Peak	153.00	150	Vertical	N/A
3**	5747.000	96.69	-2.95	--	--	AV	153.00	150	Vertical	N/A
4	7466.000	52.21	0.83	68.2	-15.99	Peak	195.00	150	Vertical	Pass
4**	7466.000	43.80	0.83	54.0	-10.20	AV	195.00	150	Vertical	Pass
5	12309.437	49.50	-2.51	68.2	-18.70	Peak	295.00	150	Vertical	Pass
5**	12309.437	40.01	-2.51	54.0	-13.99	AV	295.00	150	Vertical	Pass
6	15806.812	51.03	-0.72	68.2	-17.17	Peak	360.00	150	Vertical	Pass
6**	15806.812	41.45	-0.72	54.0	-12.55	AV	360.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.800	47.94	-18.16	68.2	-20.26	Peak	266.00	150	Horizontal	Pass
1**	1153.800	35.89	-18.16	54.0	-18.11	AV	266.00	150	Horizontal	Pass
2	4184.750	46.86	-4.85	68.2	-21.34	Peak	0.00	150	Horizontal	Pass
2**	4184.750	37.97	-4.85	54.0	-16.03	AV	0.00	150	Horizontal	Pass
3	5788.750	101.19	-3.25	--	--	Peak	278.00	150	Horizontal	N/A
3**	5788.750	93.53	-3.25	--	--	AV	278.00	150	Horizontal	N/A
4	7504.250	52.23	-0.32	68.2	-15.97	Peak	171.00	150	Horizontal	Pass
4**	7504.250	43.89	-0.32	54.0	-10.11	AV	171.00	150	Horizontal	Pass
5	11314.550	48.89	-4.14	68.2	-19.31	Peak	206.00	150	Horizontal	Pass
5**	11314.550	39.98	-4.14	54.0	-14.02	AV	206.00	150	Horizontal	Pass
6	15949.612	51.80	-0.24	68.2	-16.40	Peak	205.00	150	Horizontal	Pass
6**	15949.612	41.67	-0.24	54.0	-12.33	AV	205.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1579.200	51.88	-17.63	68.2	-16.32	Peak	178.00	150	Vertical	Pass
1**	1579.200	38.32	-17.63	54.0	-15.68	AV	178.00	150	Vertical	Pass
2	3985.500	47.76	-6.13	68.2	-20.44	Peak	170.00	150	Vertical	Pass
2**	3985.500	37.69	-6.13	54.0	-16.31	AV	170.00	150	Vertical	Pass
3	5783.750	102.74	-3.19	--	--	Peak	153.00	150	Vertical	N/A
3**	5783.750	95.55	-3.19	--	--	AV	153.00	150	Vertical	N/A
4	7514.750	53.39	0.81	68.2	-14.81	Peak	45.00	150	Vertical	Pass
4**	7514.750	44.14	0.81	54.0	-9.86	AV	45.00	150	Vertical	Pass
5	12298.750	48.93	-2.45	68.2	-19.27	Peak	0.00	150	Vertical	Pass
5**	12298.750	39.81	-2.45	54.0	-14.19	AV	0.00	150	Vertical	Pass
6	15844.350	51.57	-0.76	68.2	-16.63	Peak	266.00	150	Vertical	Pass
6**	15844.350	41.30	-0.76	54.0	-12.70	AV	266.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.600	48.79	-18.24	68.2	-19.41	Peak	109.00	150	Horizontal	Pass
1**	1157.600	35.93	-18.24	54.0	-18.07	AV	109.00	150	Horizontal	Pass
2	4310.750	47.35	-4.29	68.2	-20.85	Peak	53.00	150	Horizontal	Pass
2**	4310.750	38.88	-4.29	54.0	-15.12	AV	53.00	150	Horizontal	Pass
3	5824.250	101.65	-3.14	--	--	Peak	276.00	150	Horizontal	N/A
3**	5824.250	93.26	-3.14	--	--	AV	276.00	150	Horizontal	N/A
4	7469.500	52.38	0.58	68.2	-15.82	Peak	261.00	150	Horizontal	Pass
4**	7469.500	42.95	0.58	54.0	-11.05	AV	261.00	150	Horizontal	Pass
5	11120.987	49.25	-4.48	68.2	-18.95	Peak	272.00	150	Horizontal	Pass
5**	11120.987	39.07	-4.48	54.0	-14.93	AV	272.00	150	Horizontal	Pass
6	16199.775	51.49	-0.44	68.2	-16.71	Peak	90.00	150	Horizontal	Pass
6**	16199.775	41.33	-0.44	54.0	-12.67	AV	90.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1603.800	51.89	-17.42	68.2	-16.31	Peak	185.00	150	Vertical	Pass
1**	1603.800	37.69	-17.42	54.0	-16.31	AV	185.00	150	Vertical	Pass
2	3999.750	47.01	-5.90	68.2	-21.19	Peak	171.00	150	Vertical	Pass
2**	3999.750	38.36	-5.90	54.0	-15.64	AV	171.00	150	Vertical	Pass
3	5827.500	104.85	-2.99	--	--	Peak	154.00	150	Vertical	N/A
3**	5827.500	97.55	-2.99	--	--	AV	154.00	150	Vertical	N/A
4	7515.750	52.38	0.90	68.2	-15.82	Peak	97.00	150	Vertical	Pass
4**	7515.750	44.91	0.90	54.0	-9.09	AV	97.00	150	Vertical	Pass
5	12046.763	48.90	-3.34	68.2	-19.30	Peak	67.00	150	Vertical	Pass
5**	12046.763	39.54	-3.34	54.0	-14.46	AV	67.00	150	Vertical	Pass
6	16182.450	52.05	-0.45	68.2	-16.15	Peak	286.00	150	Vertical	Pass
6**	16182.450	42.69	-0.45	54.0	-11.31	AV	286.00	150	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.700	47.35	-18.24	68.2	-20.85	Peak	120.00	150	Horizontal	Pass
1**	1155.700	35.40	-18.24	54.0	-18.60	AV	120.00	150	Horizontal	Pass
2	4284.000	47.27	-4.76	68.2	-20.93	Peak	161.00	150	Horizontal	Pass
2**	4284.000	37.54	-4.76	54.0	-16.46	AV	161.00	150	Horizontal	Pass
3	5752.500	98.05	-2.71	--	--	Peak	119.00	150	Horizontal	N/A
3**	5752.500	88.92	-2.71	--	--	AV	119.00	150	Horizontal	N/A
4	7516.500	52.24	0.93	68.2	-15.96	Peak	21.00	150	Horizontal	Pass
4**	7516.500	43.29	0.93	54.0	-10.71	AV	21.00	150	Horizontal	Pass
5	12052.938	49.17	-3.35	68.2	-19.03	Peak	352.00	150	Horizontal	Pass
5**	12052.938	39.73	-3.35	54.0	-14.27	AV	352.00	150	Horizontal	Pass
6	16035.974	51.56	-0.11	68.2	-16.64	Peak	255.00	150	Horizontal	Pass
6**	16035.974	41.98	-0.11	54.0	-12.02	AV	255.00	150	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.600	51.16	-17.48	68.2	-17.04	Peak	191.00	150	Vertical	Pass
1**	1581.600	40.85	-17.48	54.0	-13.15	AV	191.00	150	Vertical	Pass
2	3984.500	46.96	-6.03	68.2	-21.24	Peak	161.00	150	Vertical	Pass
2**	3984.500	39.01	-6.03	54.0	-14.99	AV	161.00	150	Vertical	Pass
3	5762.500	102.15	-2.30	--	--	Peak	144.00	150	Vertical	N/A
3**	5762.500	92.85	-2.30	--	--	AV	144.00	150	Vertical	N/A
4	7510.000	52.63	0.55	68.2	-15.57	Peak	202.00	150	Vertical	Pass
4**	7510.000	43.16	0.55	54.0	-10.84	AV	202.00	150	Vertical	Pass
5	11961.263	49.52	-3.64	68.2	-18.68	Peak	182.00	150	Vertical	Pass
5**	11961.263	39.24	-3.64	54.0	-14.76	AV	182.00	150	Vertical	Pass
6	16188.225	52.34	-0.44	68.2	-15.86	Peak	159.00	150	Vertical	Pass
6**	16188.225	43.45	-0.44	54.0	-10.55	AV	159.00	150	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.600	47.85	-18.19	68.2	-20.35	Peak	273.00	150	Horizontal	Pass
1**	1153.600	36.70	-18.19	54.0	-17.30	AV	273.00	150	Horizontal	Pass
2	4257.250	46.79	-4.70	68.2	-21.41	Peak	29.00	150	Horizontal	Pass
2**	4257.250	37.31	-4.70	54.0	-16.69	AV	29.00	150	Horizontal	Pass
3	5788.000	97.66	-3.20	--	--	Peak	281.00	150	Horizontal	N/A
3**	5788.000	90.11	-3.20	--	--	AV	281.00	150	Horizontal	N/A
4	7455.250	52.44	1.16	68.2	-15.76	Peak	264.00	150	Horizontal	Pass
4**	7455.250	44.06	1.16	54.0	-9.94	AV	264.00	150	Horizontal	Pass
5	12052.938	49.67	-3.35	68.2	-18.53	Peak	360.00	150	Horizontal	Pass
5**	12052.938	38.75	-3.35	54.0	-15.25	AV	360.00	150	Horizontal	Pass
6	16164.338	51.64	-0.46	68.2	-16.56	Peak	0.00	150	Horizontal	Pass
6**	16164.338	41.53	-0.46	54.0	-12.47	AV	0.00	150	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.400	52.08	-17.65	68.2	-16.12	Peak	181.00	150	Vertical	Pass
1**	1568.400	40.26	-17.65	54.0	-13.74	AV	181.00	150	Vertical	Pass
2	3985.500	47.62	-6.13	68.2	-20.58	Peak	168.00	150	Vertical	Pass
2**	3985.500	37.82	-6.13	54.0	-16.18	AV	168.00	150	Vertical	Pass
3	5786.250	101.32	-3.10	--	--	Peak	159.00	150	Vertical	N/A
3**	5786.250	92.03	-3.10	--	--	AV	159.00	150	Vertical	N/A
4	7505.500	52.73	-0.17	68.2	-15.47	Peak	36.00	150	Vertical	Pass
4**	7505.500	43.56	-0.17	54.0	-10.44	AV	36.00	150	Vertical	Pass
5	11961.737	49.22	-3.63	68.2	-18.98	Peak	352.00	150	Vertical	Pass
5**	11961.737	38.61	-3.63	54.0	-15.39	AV	352.00	150	Vertical	Pass
6	16060.912	51.42	-0.29	68.2	-16.78	Peak	19.00	150	Vertical	Pass
6**	16060.912	41.34	-0.29	54.0	-12.66	AV	19.00	150	Vertical	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.200	49.03	-18.24	68.2	-19.17	Peak	258.00	150	Horizontal	Pass
1**	1157.200	33.88	-18.24	54.0	-20.12	AV	258.00	150	Horizontal	Pass
2	4288.500	47.82	-4.46	68.2	-20.38	Peak	302.00	150	Horizontal	Pass
2**	4288.500	38.20	-4.46	54.0	-15.80	AV	302.00	150	Horizontal	Pass
3	5792.250	95.44	-3.28	--	--	Peak	277.00	150	Horizontal	N/A
3**	5792.250	86.44	-3.28	--	--	AV	277.00	150	Horizontal	N/A
4	7506.000	52.23	-0.06	68.2	-15.97	Peak	360.00	150	Horizontal	Pass
4**	7506.000	43.31	-0.06	54.0	-10.69	AV	360.00	150	Horizontal	Pass
5	12450.275	49.16	-2.15	68.2	-19.04	Peak	341.00	150	Horizontal	Pass
5**	12450.275	40.38	-2.15	54.0	-13.62	AV	341.00	150	Horizontal	Pass
6	16156.987	51.98	-0.46	68.2	-16.22	Peak	269.00	150	Horizontal	Pass
6**	16156.987	42.73	-0.46	54.0	-11.27	AV	269.00	150	Horizontal	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.500	52.14	-17.38	68.2	-16.06	Peak	185.00	150	Vertical	Pass
1**	1583.500	37.77	-17.38	54.0	-16.23	AV	185.00	150	Vertical	Pass
2	3997.500	48.22	-6.08	68.2	-19.98	Peak	161.00	150	Vertical	Pass
2**	3997.500	37.81	-6.08	54.0	-16.19	AV	161.00	150	Vertical	Pass
3	5797.750	97.83	-3.32	--	--	Peak	152.00	150	Vertical	N/A
3**	5797.750	87.95	-3.32	--	--	AV	152.00	150	Vertical	N/A
4	7462.000	52.13	1.11	68.2	-16.07	Peak	210.00	150	Vertical	Pass
4**	7462.000	43.24	1.11	54.0	-10.76	AV	210.00	150	Vertical	Pass
5	11790.026	48.74	-3.62	68.2	-19.46	Peak	319.00	150	Vertical	Pass
5**	11790.026	39.66	-3.62	54.0	-14.34	AV	319.00	150	Vertical	Pass
6	15788.963	50.39	-0.77	68.2	-17.81	Peak	53.00	150	Vertical	Pass
6**	15788.963	40.76	-0.77	54.0	-13.24	AV	53.00	150	Vertical	Pass

MIMO

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.200	46.98	-18.24	68.2	-21.22	Peak	272.00	150	Horizontal	Pass
1**	1157.200	35.00	-18.24	54.0	-19.00	AV	272.00	150	Horizontal	Pass
2	3822.500	45.93	-6.29	68.2	-22.27	Peak	0.00	150	Horizontal	Pass
2**	3822.500	35.93	-6.29	54.0	-18.07	AV	0.00	150	Horizontal	Pass
3	5178.250	102.60	-2.33	--	--	Peak	120.00	150	Horizontal	N/A
3**	5178.250	95.08	-2.33	--	--	AV	120.00	150	Horizontal	N/A
4	7464.250	52.77	0.90	68.2	-15.43	Peak	292.00	150	Horizontal	Pass
4**	7464.250	43.52	0.90	54.0	-10.48	AV	292.00	150	Horizontal	Pass
5	11806.412	49.55	-3.49	68.2	-18.65	Peak	324.00	150	Horizontal	Pass
5**	11806.412	40.56	-3.49	54.0	-13.44	AV	324.00	150	Horizontal	Pass
6	15700.237	51.23	0.10	68.2	-16.97	Peak	242.00	150	Horizontal	Pass
6**	15700.237	41.92	0.10	54.0	-12.08	AV	242.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.300	51.23	-17.63	68.2	-16.97	Peak	177.00	150	Vertical	Pass
1**	1547.300	37.24	-17.63	54.0	-16.76	AV	177.00	150	Vertical	Pass
2	2835.600	45.39	-11.29	68.2	-22.81	Peak	214.00	150	Vertical	Pass
2**	2835.600	35.46	-11.29	54.0	-18.54	AV	214.00	150	Vertical	Pass
3	5183.500	108.80	-2.15	--	--	Peak	211.00	150	Vertical	N/A
3**	5183.500	100.56	-2.15	--	--	AV	211.00	150	Vertical	N/A
4	7515.000	52.51	0.84	68.2	-15.69	Peak	235.00	150	Vertical	Pass
4**	7515.000	43.98	0.84	54.0	-10.02	AV	235.00	150	Vertical	Pass
5	11802.613	49.74	-3.52	68.2	-18.46	Peak	145.00	150	Vertical	Pass
5**	11802.613	40.08	-3.52	54.0	-13.92	AV	145.00	150	Vertical	Pass
6	15950.137	51.40	-0.23	68.2	-16.80	Peak	324.00	150	Vertical	Pass
6**	15950.137	41.91	-0.23	54.0	-12.09	AV	324.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.300	46.81	-18.21	68.2	-21.39	Peak	278.00	150	Horizontal	Pass
1**	1155.300	36.07	-18.21	54.0	-17.93	AV	278.00	150	Horizontal	Pass
2	4278.500	47.39	-4.72	68.2	-20.81	Peak	332.00	150	Horizontal	Pass
2**	4278.500	39.19	-4.72	54.0	-14.81	AV	332.00	150	Horizontal	Pass
3	5215.500	104.21	-3.41	--	--	Peak	315.00	150	Horizontal	N/A
3**	5215.500	96.61	-3.41	--	--	AV	315.00	150	Horizontal	N/A
4	7464.000	52.80	0.94	68.2	-15.40	Peak	96.00	150	Horizontal	Pass
4**	7464.000	44.26	0.94	54.0	-9.74	AV	96.00	150	Horizontal	Pass
5	12041.775	49.62	-3.37	68.2	-18.58	Peak	0.00	150	Horizontal	Pass
5**	12041.775	39.69	-3.37	54.0	-14.31	AV	0.00	150	Horizontal	Pass
6	15456.375	51.72	-0.22	68.2	-16.48	Peak	146.00	150	Horizontal	Pass
6**	15456.375	42.28	-0.22	54.0	-11.72	AV	146.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1478.800	48.79	-17.30	68.2	-19.41	Peak	157.00	150	Vertical	Pass
1**	1478.800	36.28	-17.30	54.0	-17.72	AV	157.00	150	Vertical	Pass
2	3984.250	49.37	-6.03	68.2	-18.83	Peak	179.00	150	Vertical	Pass
2**	3984.250	39.80	-6.03	54.0	-14.20	AV	179.00	150	Vertical	Pass
3	5218.750	108.95	-3.47	--	--	Peak	211.00	150	Vertical	N/A
3**	5218.750	101.83	-3.47	--	--	AV	211.00	150	Vertical	N/A
4	7437.750	52.54	0.43	68.2	-15.66	Peak	300.00	150	Vertical	Pass
4**	7437.750	43.34	0.43	54.0	-10.66	AV	300.00	150	Vertical	Pass
5	12437.450	49.98	-2.34	68.2	-18.22	Peak	208.00	150	Vertical	Pass
5**	12437.450	40.33	-2.34	54.0	-13.67	AV	208.00	150	Vertical	Pass
6	15486.825	51.36	-0.66	68.2	-16.84	Peak	312.00	150	Vertical	Pass
6**	15486.825	41.57	-0.66	54.0	-12.43	AV	312.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.900	47.57	-18.10	68.2	-20.63	Peak	279.00	150	Horizontal	Pass
1**	1159.900	31.24	-18.10	54.0	-22.76	AV	279.00	150	Horizontal	Pass
2	2823.300	42.86	-11.34	68.2	-25.34	Peak	326.00	150	Horizontal	Pass
2**	2823.300	32.60	-11.34	54.0	-21.40	AV	326.00	150	Horizontal	Pass
3	4263.250	47.98	-4.65	68.2	-20.22	Peak	266.00	150	Horizontal	Pass
3**	4263.250	38.78	-4.65	54.0	-15.22	AV	266.00	150	Horizontal	Pass
4	5236.750	104.28	-3.29	--	--	Peak	121.00	150	Horizontal	N/A
4**	5236.750	96.21	-3.29	--	--	AV	121.00	150	Horizontal	N/A
5	11787.888	49.49	-3.64	68.2	-18.71	Peak	243.00	150	Horizontal	Pass
5**	11787.888	40.08	-3.64	54.0	-13.92	AV	243.00	150	Horizontal	Pass
6	15461.625	51.47	-0.30	68.2	-16.73	Peak	238.00	150	Horizontal	Pass
6**	15461.625	42.16	-0.30	54.0	-11.84	AV	238.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.300	49.85	-17.76	68.2	-18.35	Peak	177.00	150	Vertical	Pass
1**	1562.300	39.52	-17.76	54.0	-14.48	AV	177.00	150	Vertical	Pass
2	3986.000	48.93	-6.18	68.2	-19.27	Peak	37.00	150	Vertical	Pass
2**	3986.000	39.69	-6.18	54.0	-14.31	AV	37.00	150	Vertical	Pass
3	5240.750	110.24	-3.28	--	--	Peak	282.00	150	Vertical	N/A
3**	5240.750	101.52	-3.28	--	--	AV	282.00	150	Vertical	N/A
4	7449.500	53.25	0.60	68.2	-14.95	Peak	159.00	150	Vertical	Pass
4**	7449.500	43.98	0.60	54.0	-10.02	AV	159.00	150	Vertical	Pass
5	11772.687	50.47	-3.78	68.2	-17.73	Peak	120.00	150	Vertical	Pass
5**	11772.687	40.04	-3.78	54.0	-13.96	AV	120.00	150	Vertical	Pass
6	15717.826	51.17	-0.27	68.2	-17.03	Peak	281.00	150	Vertical	Pass
6**	15717.826	42.60	-0.27	54.0	-11.40	AV	281.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.400	48.33	-18.25	68.2	-19.87	Peak	265.00	150	Horizontal	Pass
1**	1156.400	33.19	-18.25	54.0	-20.81	AV	265.00	150	Horizontal	Pass
2	3879.500	45.53	-6.14	68.2	-22.67	Peak	258.00	150	Horizontal	Pass
2**	3879.500	36.09	-6.14	54.0	-17.91	AV	258.00	150	Horizontal	Pass
3	5201.000	99.13	-3.27	--	--	Peak	70.00	150	Horizontal	N/A
3**	5201.000	90.62	-3.27	--	--	AV	70.00	150	Horizontal	N/A
4	7453.750	52.54	1.09	68.2	-15.66	Peak	243.00	150	Horizontal	Pass
4**	7453.750	44.44	1.09	54.0	-9.56	AV	243.00	150	Horizontal	Pass
5	12209.212	49.72	-2.97	68.2	-18.48	Peak	121.00	150	Horizontal	Pass
5**	12209.212	39.68	-2.97	54.0	-14.32	AV	121.00	150	Horizontal	Pass
6	15955.912	52.07	-0.22	68.2	-16.13	Peak	202.00	150	Horizontal	Pass
6**	15955.912	41.87	-0.22	54.0	-12.13	AV	202.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.100	49.01	-17.90	68.2	-19.19	Peak	336.00	150	Vertical	Pass
1**	1538.100	36.15	-17.90	54.0	-17.85	AV	336.00	150	Vertical	Pass
2	3998.500	48.37	-5.99	68.2	-19.83	Peak	169.00	150	Vertical	Pass
2**	3998.500	37.98	-5.99	54.0	-16.02	AV	169.00	150	Vertical	Pass
3	5184.000	104.45	-2.21	--	--	Peak	202.00	150	Vertical	N/A
3**	5184.000	96.68	-2.21	--	--	AV	202.00	150	Vertical	N/A
4	7508.500	52.98	0.41	68.2	-15.22	Peak	152.00	150	Vertical	Pass
4**	7508.500	43.69	0.41	54.0	-10.31	AV	152.00	150	Vertical	Pass
5	11792.874	49.10	-3.60	68.2	-19.10	Peak	156.00	150	Vertical	Pass
5**	11792.874	41.18	-3.60	54.0	-12.82	AV	156.00	150	Vertical	Pass
6	15497.062	51.69	-0.81	68.2	-16.51	Peak	360.00	150	Vertical	Pass
6**	15497.062	40.70	-0.81	54.0	-13.30	AV	360.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.200	47.25	-18.26	68.2	-20.95	Peak	270.00	150	Horizontal	Pass
1**	1156.200	30.99	-18.26	54.0	-23.01	AV	270.00	150	Horizontal	Pass
2	4279.500	48.15	-4.66	68.2	-20.05	Peak	360.00	150	Horizontal	Pass
2**	4279.500	38.94	-4.66	54.0	-15.06	AV	360.00	150	Horizontal	Pass
3	5221.000	99.89	-3.38	--	--	Peak	316.00	150	Horizontal	N/A
3**	5221.000	90.97	-3.38	--	--	AV	316.00	150	Horizontal	N/A
4	7456.750	52.99	1.13	68.2	-15.21	Peak	194.00	150	Horizontal	Pass
4**	7456.750	43.83	1.13	54.0	-10.17	AV	194.00	150	Horizontal	Pass
5	11784.563	49.55	-3.67	68.2	-18.65	Peak	180.00	150	Horizontal	Pass
5**	11784.563	40.17	-3.67	54.0	-13.83	AV	180.00	150	Horizontal	Pass
6	16160.925	52.28	-0.46	68.2	-15.92	Peak	20.00	150	Horizontal	Pass
6**	16160.925	43.07	-0.46	54.0	-10.93	AV	20.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.500	48.91	-17.49	68.2	-19.29	Peak	153.00	150	Vertical	Pass
1**	1493.500	30.77	-17.49	54.0	-23.23	AV	153.00	150	Vertical	Pass
2	3988.000	48.02	-6.24	68.2	-20.18	Peak	41.00	150	Vertical	Pass
2**	3988.000	38.69	-6.24	54.0	-15.31	AV	41.00	150	Vertical	Pass
3	5236.250	105.71	-3.31	--	--	Peak	275.00	150	Vertical	N/A
3**	5236.250	97.42	-3.31	--	--	AV	275.00	150	Vertical	N/A
4	7511.000	52.11	0.51	68.2	-16.09	Peak	15.00	150	Vertical	Pass
4**	7511.000	44.46	0.51	54.0	-9.54	AV	15.00	150	Vertical	Pass
5	11790.500	50.07	-3.62	68.2	-18.13	Peak	360.00	150	Vertical	Pass
5**	11790.500	40.70	-3.62	54.0	-13.30	AV	360.00	150	Vertical	Pass
6	16196.100	52.64	-0.44	68.2	-15.56	Peak	174.00	150	Vertical	Pass
6**	16196.100	43.91	-0.44	54.0	-10.09	AV	174.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.500	48.10	-18.22	68.2	-20.10	Peak	270.00	150	Horizontal	Pass
1**	1155.500	32.69	-18.22	54.0	-21.31	AV	270.00	150	Horizontal	Pass
2	4196.000	47.52	-5.30	68.2	-20.68	Peak	29.00	150	Horizontal	Pass
2**	4196.000	38.24	-5.30	54.0	-15.76	AV	29.00	150	Horizontal	Pass
3	5175.750	103.04	-2.61	--	--	Peak	120.00	150	Horizontal	N/A
3**	5175.750	96.17	-2.61	--	--	AV	120.00	150	Horizontal	N/A
4	7458.250	53.24	1.14	68.2	-14.96	Peak	162.00	150	Horizontal	Pass
4**	7458.250	44.04	1.14	54.0	-9.96	AV	162.00	150	Horizontal	Pass
5	11793.588	50.07	-3.59	68.2	-18.13	Peak	273.00	150	Horizontal	Pass
5**	11793.588	40.94	-3.59	54.0	-13.06	AV	273.00	150	Horizontal	Pass
6	15819.412	51.26	-0.73	68.2	-16.94	Peak	298.00	150	Horizontal	Pass
6**	15819.412	42.13	-0.73	54.0	-11.87	AV	298.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.000	50.06	-17.96	68.2	-18.14	Peak	174.00	150	Vertical	Pass
1**	1556.000	37.48	-17.96	54.0	-16.52	AV	174.00	150	Vertical	Pass
2	3992.000	47.42	-6.24	68.2	-20.78	Peak	179.00	150	Vertical	Pass
2**	3992.000	37.75	-6.24	54.0	-16.25	AV	179.00	150	Vertical	Pass
3	5182.250	107.31	-2.11	--	--	Peak	194.00	150	Vertical	N/A
3**	5182.250	100.07	-2.11	--	100.07	AV	194.00	150	Vertical	N/A
4	7469.000	52.79	0.63	68.2	-15.41	Peak	356.00	150	Vertical	Pass
4**	7469.000	43.59	0.63	54.0	-10.41	AV	356.00	150	Vertical	Pass
5	11463.700	49.92	-3.99	68.2	-18.28	Peak	303.00	150	Vertical	Pass
5**	11463.700	39.43	-3.99	54.0	-14.57	AV	303.00	150	Vertical	Pass
6	15709.688	51.53	-0.10	68.2	-16.67	Peak	284.00	150	Vertical	Pass
6**	15709.688	41.55	-0.10	54.0	-12.45	AV	284.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.000	47.44	-18.24	68.2	-20.76	Peak	111.00	150	Horizontal	Pass
1**	1158.000	37.99	-18.24	54.0	-16.01	AV	111.00	150	Horizontal	Pass
2	3995.250	46.15	-6.31	68.2	-22.05	Peak	267.00	150	Horizontal	Pass
2**	3995.250	35.36	-6.31	54.0	-18.64	AV	267.00	150	Horizontal	Pass
3	5222.750	103.15	-3.46	--	--	Peak	316.00	150	Horizontal	N/A
3**	5222.750	97.90	-3.46	--	--	AV	316.00	150	Horizontal	N/A
4	7454.000	53.89	1.12	68.2	-14.31	Peak	110.00	150	Horizontal	Pass
4**	7454.000	44.18	1.12	54.0	-9.82	AV	110.00	150	Horizontal	Pass
5	11680.062	50.27	-4.31	68.2	-17.93	Peak	146.00	150	Horizontal	Pass
5**	11680.062	39.38	-4.31	54.0	-14.62	AV	146.00	150	Horizontal	Pass
6	16187.700	52.56	-0.44	68.2	-15.64	Peak	244.00	150	Horizontal	Pass
6**	16187.700	42.74	-0.44	54.0	-11.26	AV	244.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.300	48.61	-17.78	68.2	-19.59	Peak	358.00	150	Vertical	Pass
1**	1552.300	35.74	-17.78	54.0	-18.26	AV	358.00	150	Vertical	Pass
2	3989.750	49.20	-6.24	68.2	-19.00	Peak	175.00	150	Vertical	Pass
2**	3989.750	37.82	-6.24	54.0	-16.18	AV	175.00	150	Vertical	Pass
3	5221.250	109.77	-3.37	--	--	Peak	282.00	150	Vertical	N/A
3**	5221.250	101.17	-3.37	--	--	AV	282.00	150	Vertical	N/A
4	7465.000	52.59	0.79	68.2	-15.61	Peak	288.00	150	Vertical	Pass
4**	7465.000	44.38	0.79	54.0	-9.62	AV	288.00	150	Vertical	Pass
5	11804.276	49.43	-3.51	68.2	-18.77	Peak	79.00	150	Vertical	Pass
5**	11804.276	40.21	-3.51	54.0	-13.79	AV	79.00	150	Vertical	Pass
6	15958.799	51.78	-0.22	68.2	-16.42	Peak	351.00	150	Vertical	Pass
6**	15958.799	41.84	-0.22	54.0	-12.16	AV	351.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.000	47.80	-18.08	68.2	-20.40	Peak	275.00	150	Horizontal	Pass
1**	1161.000	33.32	-18.08	54.0	-20.68	AV	275.00	150	Horizontal	Pass
2	4226.000	47.68	-5.31	68.2	-20.52	Peak	243.00	150	Horizontal	Pass
2**	4226.000	37.98	-5.31	54.0	-16.02	AV	243.00	150	Horizontal	Pass
3	5243.750	104.62	-3.60	--	--	Peak	69.00	150	Horizontal	N/A
3**	5243.750	97.74	-3.60	--	--	AV	69.00	150	Horizontal	N/A
4	7476.000	52.77	0.61	68.2	-15.43	Peak	315.00	150	Horizontal	Pass
4**	7476.000	44.08	0.61	54.0	-9.92	AV	315.00	150	Horizontal	Pass
5	11800.950	50.00	-3.53	68.2	-18.20	Peak	205.00	150	Horizontal	Pass
5**	11800.950	40.50	-3.53	54.0	-13.50	AV	205.00	150	Horizontal	Pass
6	16036.500	51.85	-0.11	68.2	-16.35	Peak	351.00	150	Horizontal	Pass
6**	16036.500	41.73	-0.11	54.0	-12.27	AV	351.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.300	48.60	-17.76	68.2	-19.60	Peak	179.00	150	Vertical	Pass
1**	1562.300	40.28	-17.76	54.0	-13.72	AV	179.00	150	Vertical	Pass
2	3994.750	48.29	-6.31	68.2	-19.91	Peak	179.00	150	Vertical	Pass
2**	3994.750	37.80	-6.31	54.0	-16.20	AV	179.00	150	Vertical	Pass
3	5237.750	108.62	-3.24	--	--	Peak	285.00	150	Vertical	N/A
3**	5237.750	101.77	-3.24	--	--	AV	285.00	150	Vertical	N/A
4	7513.500	52.63	0.68	68.2	-15.57	Peak	138.00	150	Vertical	Pass
4**	7513.500	44.50	0.68	54.0	-9.50	AV	138.00	150	Vertical	Pass
5	12299.700	49.93	-2.44	68.2	-18.27	Peak	182.00	150	Vertical	Pass
5**	12299.700	40.88	-2.44	54.0	-13.12	AV	182.00	150	Vertical	Pass
6	16016.026	52.51	-0.13	68.2	-15.69	Peak	282.00	150	Vertical	Pass
6**	16016.026	41.56	-0.13	54.0	-12.44	AV	282.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.700	48.23	-18.24	68.2	-19.97	Peak	260.00	150	Horizontal	Pass
1**	1157.700	34.42	-18.24	54.0	-19.58	AV	260.00	150	Horizontal	Pass
2	4189.750	47.03	-5.13	68.2	-21.17	Peak	209.00	150	Horizontal	Pass
2**	4189.750	37.47	-5.13	54.0	-16.53	AV	209.00	150	Horizontal	Pass
3	5197.250	98.93	-3.27	--	--	Peak	120.00	150	Horizontal	N/A
3**	5197.250	90.37	-3.27	--	--	AV	120.00	150	Horizontal	N/A
4	7473.500	52.89	0.63	68.2	-15.31	Peak	282.00	150	Horizontal	Pass
4**	7473.500	43.71	0.63	54.0	-10.29	AV	282.00	150	Horizontal	Pass
5	11429.500	50.95	-4.01	68.2	-17.25	Peak	281.00	150	Horizontal	Pass
5**	11429.500	40.15	-4.01	54.0	-13.85	AV	281.00	150	Horizontal	Pass
6	15704.175	51.75	0.02	68.2	-16.45	Peak	296.00	150	Horizontal	Pass
6**	15704.175	43.02	0.02	54.0	-10.98	AV	296.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.100	49.40	-17.69	68.2	-18.80	Peak	179.00	150	Vertical	Pass
1**	1551.100	35.72	-17.69	54.0	-18.28	AV	179.00	150	Vertical	Pass
2	3995.250	48.35	-6.31	68.2	-19.85	Peak	51.00	150	Vertical	Pass
2**	3995.250	38.54	-6.31	54.0	-15.46	AV	51.00	150	Vertical	Pass
3	5201.250	103.79	-3.29	--	--	Peak	274.00	150	Vertical	N/A
3**	5201.250	95.00	-3.29	--	--	AV	274.00	150	Vertical	N/A
4	7326.000	52.15	-0.46	68.2	-16.05	Peak	274.00	150	Vertical	Pass
4**	7326.000	42.05	-0.46	54.0	-11.95	AV	274.00	150	Vertical	Pass
5	11797.151	49.69	-3.56	68.2	-18.51	Peak	19.00	150	Vertical	Pass
5**	11797.151	40.04	-3.56	54.0	-13.96	AV	19.00	150	Vertical	Pass
6	16063.537	51.47	-0.34	68.2	-16.73	Peak	351.00	150	Vertical	Pass
6**	16063.537	43.00	-0.34	54.0	-11.00	AV	351.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.100	48.82	-18.20	68.2	-19.38	Peak	273.00	150	Horizontal	Pass
1**	1155.100	33.30	-18.20	54.0	-20.70	AV	273.00	150	Horizontal	Pass
2	4129.250	47.23	-5.50	68.2	-20.97	Peak	194.00	150	Horizontal	Pass
2**	4129.250	37.83	-5.50	54.0	-16.17	AV	194.00	150	Horizontal	Pass
3	5235.250	100.46	-3.29	--	--	Peak	115.00	150	Horizontal	N/A
3**	5235.250	91.85	-3.29	--	--	AV	115.00	150	Horizontal	N/A
4	7477.750	53.18	0.09	68.2	-15.02	Peak	317.00	150	Horizontal	Pass
4**	7477.750	43.18	0.09	54.0	-10.82	AV	317.00	150	Horizontal	Pass
5	11799.050	49.65	-3.54	68.2	-18.55	Peak	272.00	150	Horizontal	Pass
5**	11799.050	40.98	-3.54	54.0	-13.02	AV	272.00	150	Horizontal	Pass
6	16050.150	52.02	-0.10	68.2	-16.18	Peak	324.00	150	Horizontal	Pass
6**	16050.150	42.08	-0.10	54.0	-11.92	AV	324.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.400	50.18	-17.62	68.2	-18.02	Peak	179.00	150	Vertical	Pass
1**	1527.400	40.09	-17.62	54.0	-13.91	AV	179.00	150	Vertical	Pass
2	3985.250	47.98	-6.11	68.2	-20.22	Peak	179.00	150	Vertical	Pass
2**	3985.250	40.07	-6.11	54.0	-13.93	AV	179.00	150	Vertical	Pass
3	5239.000	105.29	-3.22	--	--	Peak	275.00	150	Vertical	N/A
3**	5239.000	98.47	-3.22	--	--	AV	275.00	150	Vertical	N/A
4	7453.750	53.29	1.09	68.2	-14.91	Peak	130.00	150	Vertical	Pass
4**	7453.750	44.22	1.09	54.0	-9.78	AV	130.00	150	Vertical	Pass
5	12303.263	50.21	-2.46	68.2	-17.99	Peak	360.00	150	Vertical	Pass
5**	12303.263	40.59	-2.46	54.0	-13.41	AV	360.00	150	Vertical	Pass
6	15711.787	51.45	-0.14	68.2	-16.75	Peak	359.00	150	Vertical	Pass
6**	15711.787	41.09	-0.14	54.0	-12.91	AV	359.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.700	48.86	-18.12	68.2	-19.34	Peak	268.00	150	Horizontal	Pass
1**	1159.700	33.48	-18.12	54.0	-20.52	AV	268.00	150	Horizontal	Pass
2	4278.000	47.83	-4.75	68.2	-20.37	Peak	142.00	150	Horizontal	Pass
2**	4278.000	39.31	-4.75	54.0	-14.69	AV	142.00	150	Horizontal	Pass
3	5189.250	96.31	-2.64	--	--	Peak	116.00	150	Horizontal	N/A
3**	5189.250	87.89	-2.64	--	--	AV	116.00	150	Horizontal	N/A
4	7463.000	52.80	1.08	68.2	-15.40	Peak	223.00	150	Horizontal	Pass
4**	7463.000	44.19	1.08	54.0	-9.81	AV	223.00	150	Horizontal	Pass
5	12438.400	51.05	-2.33	68.2	-17.15	Peak	246.00	150	Horizontal	Pass
5**	12438.400	40.83	-2.33	54.0	-13.17	AV	246.00	150	Horizontal	Pass
6	16101.862	52.74	-0.96	68.2	-15.46	Peak	1.00	150	Horizontal	Pass
6**	16101.862	42.39	-0.96	54.0	-11.61	AV	1.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.200	49.31	-17.80	68.2	-18.89	Peak	339.00	150	Vertical	Pass
1**	1558.200	39.59	-17.80	54.0	-14.41	AV	339.00	150	Vertical	Pass
2	3989.750	48.99	-6.24	68.2	-19.21	Peak	169.00	150	Vertical	Pass
2**	3989.750	38.25	-6.24	54.0	-15.75	AV	169.00	150	Vertical	Pass
3	5232.750	100.74	-3.32	--	--	Peak	275.00	150	Vertical	N/A
3**	5232.750	92.47	-3.32	--	--	AV	275.00	150	Vertical	N/A
4	7527.250	52.94	0.74	68.2	-15.26	Peak	54.00	150	Vertical	Pass
4**	7527.250	42.72	0.74	54.0	-11.28	AV	54.00	150	Vertical	Pass
5	11426.175	49.51	-4.03	68.2	-18.69	Peak	78.00	150	Vertical	Pass
5**	11426.175	39.39	-4.03	54.0	-14.61	AV	78.00	150	Vertical	Pass
6	15783.975	50.80	-0.79	68.2	-17.40	Peak	308.00	150	Vertical	Pass
6**	15783.975	41.18	-0.79	54.0	-12.82	AV	308.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.200	47.48	-18.20	68.2	-20.72	Peak	277.00	150	Horizontal	Pass
1**	1155.200	34.20	-18.20	54.0	-19.80	AV	277.00	150	Horizontal	Pass
2	4261.000	47.66	-4.46	68.2	-20.54	Peak	186.00	150	Horizontal	Pass
2**	4261.000	38.66	-4.46	54.0	-15.34	AV	186.00	150	Horizontal	Pass
3	5182.250	103.91	-2.11	--	--	Peak	111.00	150	Horizontal	N/A
3**	5182.250	94.54	-2.11	--	--	AV	111.00	150	Horizontal	N/A
4	7494.500	53.00	-0.36	68.2	-15.20	Peak	28.00	150	Horizontal	Pass
4**	7494.500	42.81	-0.36	54.0	-11.19	AV	28.00	150	Horizontal	Pass
5	12435.075	50.55	-2.38	68.2	-17.65	Peak	89.00	150	Horizontal	Pass
5**	12435.075	40.16	-2.38	54.0	-13.84	AV	89.00	150	Horizontal	Pass
6	15809.963	51.69	-0.72	68.2	-16.51	Peak	238.00	150	Horizontal	Pass
6**	15809.963	41.75	-0.72	54.0	-12.25	AV	238.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.400	48.38	-17.64	68.2	-19.82	Peak	337.00	150	Vertical	Pass
1**	1544.400	36.92	-17.64	54.0	-17.08	AV	337.00	150	Vertical	Pass
2	3984.250	46.72	-6.03	68.2	-21.48	Peak	177.00	150	Vertical	Pass
2**	3984.250	39.32	-6.03	54.0	-14.68	AV	177.00	150	Vertical	Pass
3	5181.500	106.97	-2.15	--	--	Peak	283.00	150	Vertical	N/A
3**	5181.500	99.94	-2.15	--	--	AV	283.00	150	Vertical	N/A
4	7455.250	52.76	1.16	68.2	-15.44	Peak	360.00	150	Vertical	Pass
4**	7455.250	44.12	1.16	54.0	-9.88	AV	360.00	150	Vertical	Pass
5	11782.901	50.60	-3.69	68.2	-17.60	Peak	316.00	150	Vertical	Pass
5**	11782.901	40.12	-3.69	54.0	-13.88	AV	316.00	150	Vertical	Pass
6	16017.863	52.35	-0.13	68.2	-15.85	Peak	268.00	150	Vertical	Pass
6**	16017.863	41.39	-0.13	54.0	-12.61	AV	268.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.400	47.57	-18.15	68.2	-20.63	Peak	256.00	150	Horizontal	Pass
1**	1154.400	33.39	-18.15	54.0	-20.61	AV	256.00	150	Horizontal	Pass
2	4301.500	47.67	-4.50	68.2	-20.53	Peak	315.00	150	Horizontal	Pass
2**	4301.500	38.39	-4.50	54.0	-15.61	AV	315.00	150	Horizontal	Pass
3	5217.750	102.97	-3.47	--	--	Peak	120.00	150	Horizontal	N/A
3**	5217.750	95.81	-3.47	--	--	AV	120.00	150	Horizontal	N/A
4	7455.500	52.67	1.16	68.2	-15.53	Peak	128.00	150	Horizontal	Pass
4**	7455.500	44.21	1.16	54.0	-9.79	AV	128.00	150	Horizontal	Pass
5	11772.213	49.81	-3.78	68.2	-18.39	Peak	7.00	150	Horizontal	Pass
5**	11772.213	39.61	-3.78	54.0	-14.39	AV	7.00	150	Horizontal	Pass
6	15934.913	52.89	-0.52	68.2	-15.31	Peak	360.00	150	Horizontal	Pass
6**	15934.913	42.37	-0.52	54.0	-11.63	AV	360.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.500	49.46	-17.99	68.2	-18.74	Peak	342.00	150	Vertical	Pass
1**	1555.500	36.31	-17.99	54.0	-17.69	AV	342.00	150	Vertical	Pass
2	3993.250	48.57	-6.25	68.2	-19.63	Peak	169.00	150	Vertical	Pass
2**	3993.250	39.24	-6.25	54.0	-14.76	AV	169.00	150	Vertical	Pass
3	5226.500	108.46	-3.64	--	--	Peak	283.00	150	Vertical	N/A
3**	5226.500	98.70	-3.64	--	--	AV	283.00	150	Vertical	N/A
4	7372.500	52.79	-0.92	68.2	-15.41	Peak	250.00	150	Vertical	Pass
4**	7372.500	42.79	-0.92	54.0	-11.21	AV	250.00	150	Vertical	Pass
5	11218.125	49.91	-4.12	68.2	-18.29	Peak	215.00	150	Vertical	Pass
5**	11218.125	39.69	-4.12	54.0	-14.31	AV	215.00	150	Vertical	Pass
6	15545.888	51.67	-0.55	68.2	-16.53	Peak	325.00	150	Vertical	Pass
6**	15545.888	42.04	-0.55	54.0	-11.96	AV	325.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.400	47.93	-18.25	68.2	-20.27	Peak	271.00	150	Horizontal	Pass
1**	1156.400	36.57	-18.25	54.0	-17.43	AV	271.00	150	Horizontal	Pass
2	4297.250	47.83	-4.49	68.2	-20.37	Peak	58.00	150	Horizontal	Pass
2**	4297.250	38.70	-4.49	54.0	-15.30	AV	58.00	150	Horizontal	Pass
3	5239.500	103.66	-3.22	--	--	Peak	117.00	150	Horizontal	N/A
3**	5239.500	95.22	-3.22	--	--	AV	117.00	150	Horizontal	N/A
4	7458.000	53.13	1.14	68.2	-15.07	Peak	108.00	150	Horizontal	Pass
4**	7458.000	43.91	1.14	54.0	-10.09	AV	108.00	150	Horizontal	Pass
5	10782.550	49.16	-5.22	68.2	-19.04	Peak	188.00	150	Horizontal	Pass
5**	10782.550	39.51	-5.22	54.0	-14.49	AV	188.00	150	Horizontal	Pass
6	15535.126	51.20	-0.62	68.2	-17.00	Peak	240.00	150	Horizontal	Pass
6**	15535.126	41.47	-0.62	54.0	-12.53	AV	240.00	150	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.700	50.04	-17.71	68.2	-18.16	Peak	170.00	150	Vertical	Pass
1**	1551.700	39.42	-17.71	54.0	-14.58	AV	170.00	150	Vertical	Pass
2	3987.750	47.80	-6.24	68.2	-20.40	Peak	39.00	150	Vertical	Pass
2**	3987.750	39.21	-6.24	54.0	-14.79	AV	39.00	150	Vertical	Pass
3	5243.500	109.33	-3.60	--	--	Peak	275.00	150	Vertical	N/A
3**	5243.500	100.50	-3.60	--	--	AV	275.00	150	Vertical	N/A
4	7463.250	53.05	1.04	68.2	-15.15	Peak	160.00	150	Vertical	Pass
4**	7463.250	44.01	1.04	54.0	-9.99	AV	160.00	150	Vertical	Pass
5	11436.625	49.05	-3.96	68.2	-19.15	Peak	0.00	150	Vertical	Pass
5**	11436.625	38.88	-3.96	54.0	-15.12	AV	0.00	150	Vertical	Pass
6	16038.338	51.77	-0.11	68.2	-16.43	Peak	79.00	150	Vertical	Pass
6**	16038.338	42.80	-0.11	54.0	-11.20	AV	79.00	150	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.200	48.32	-18.26	68.2	-19.88	Peak	118.00	150	Horizontal	Pass
1**	1156.200	33.64	-18.26	54.0	-20.36	AV	118.00	150	Horizontal	Pass
2	4176.500	47.26	-5.33	68.2	-20.94	Peak	299.00	150	Horizontal	Pass
2**	4176.500	38.01	-5.33	54.0	-15.99	AV	299.00	150	Horizontal	Pass
3	5185.500	99.06	-2.36	--	--	Peak	67.00	150	Horizontal	N/A
3**	5185.500	90.72	-2.36	--	--	AV	67.00	150	Horizontal	N/A
4	7454.250	53.20	1.15	68.2	-15.00	Peak	93.00	150	Horizontal	Pass
4**	7454.250	43.80	1.15	54.0	-10.20	AV	93.00	150	Horizontal	Pass
5	12278.325	49.64	-2.64	68.2	-18.56	Peak	67.00	150	Horizontal	Pass
5**	12278.325	40.28	-2.64	54.0	-13.72	AV	67.00	150	Horizontal	Pass
6	15700.237	51.03	0.10	68.2	-17.17	Peak	270.00	150	Horizontal	Pass
6**	15700.237	41.58	0.10	54.0	-12.42	AV	270.00	150	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.800	49.70	-17.41	68.2	-18.50	Peak	167.00	150	Vertical	Pass
1**	1501.800	35.32	-17.41	54.0	-18.68	AV	167.00	150	Vertical	Pass
2	3998.750	47.50	-5.97	68.2	-20.70	Peak	160.00	150	Vertical	Pass
2**	3998.750	39.39	-5.97	54.0	-14.61	AV	160.00	150	Vertical	Pass
3	5183.250	104.38	-2.11	--	--	Peak	290.00	150	Vertical	N/A
3**	5183.250	95.66	-2.11	--	--	AV	290.00	150	Vertical	N/A
4	7462.250	53.16	1.10	68.2	-15.04	Peak	22.00	150	Vertical	Pass
4**	7462.250	44.93	1.10	54.0	-9.07	AV	22.00	150	Vertical	Pass
5	11789.550	49.59	-3.63	68.2	-18.61	Peak	349.00	150	Vertical	Pass
5**	11789.550	40.93	-3.63	54.0	-13.07	AV	349.00	150	Vertical	Pass
6	15543.262	51.43	-0.56	68.2	-16.77	Peak	18.00	150	Vertical	Pass
6**	15543.262	42.50	-0.56	54.0	-11.50	AV	18.00	150	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.400	48.00	-18.15	68.2	-20.20	Peak	273.00	150	Horizontal	Pass
1**	1154.400	33.77	-18.15	54.0	-20.23	AV	273.00	150	Horizontal	Pass
2	4252.500	47.48	-5.04	68.2	-20.72	Peak	192.00	150	Horizontal	Pass
2**	4252.500	38.37	-5.04	54.0	-15.63	AV	192.00	150	Horizontal	Pass
3	5234.250	100.01	-3.27	--	--	Peak	120.00	150	Horizontal	N/A
3**	5234.250	91.20	-3.27	--	--	AV	120.00	150	Horizontal	N/A
4	7465.500	52.12	0.79	68.2	-16.08	Peak	292.00	150	Horizontal	Pass
4**	7465.500	43.81	0.79	54.0	-10.19	AV	292.00	150	Horizontal	Pass
5	11696.925	49.79	-4.21	68.2	-18.41	Peak	235.00	150	Horizontal	Pass
5**	11696.925	38.99	-4.21	54.0	-15.01	AV	235.00	150	Horizontal	Pass
6	15952.238	51.71	-0.23	68.2	-16.49	Peak	90.00	150	Horizontal	Pass
6**	15952.238	43.51	-0.23	54.0	-10.49	AV	90.00	150	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1563.600	49.20	-17.70	68.2	-19.00	Peak	354.00	150	Vertical	Pass
1**	1563.600	35.63	-17.70	54.0	-18.37	AV	354.00	150	Vertical	Pass
2	3990.250	48.13	-6.25	68.2	-20.07	Peak	176.00	150	Vertical	Pass
2**	3990.250	37.97	-6.25	54.0	-16.03	AV	176.00	150	Vertical	Pass
3	5219.000	106.59	-3.47	--	--	Peak	284.00	150	Vertical	N/A
3**	5219.000	96.78	-3.47	--	--	AV	284.00	150	Vertical	N/A
4	7468.750	52.66	0.67	68.2	-15.54	Peak	233.00	150	Vertical	Pass
4**	7468.750	43.69	0.67	54.0	-10.31	AV	233.00	150	Vertical	Pass
5	11808.075	49.75	-3.48	68.2	-18.45	Peak	202.00	150	Vertical	Pass
5**	11808.075	39.73	-3.48	54.0	-14.27	AV	202.00	150	Vertical	Pass
6	16183.500	52.02	-0.45	68.2	-16.18	Peak	360.00	150	Vertical	Pass
6**	16183.500	42.55	-0.45	54.0	-11.45	AV	360.00	150	Vertical	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.700	47.88	-18.17	68.2	-20.32	Peak	271.00	150	Horizontal	Pass
1**	1154.700	36.62	-18.17	54.0	-17.38	AV	271.00	150	Horizontal	Pass
2	4271.750	47.63	-4.93	68.2	-20.57	Peak	332.00	150	Horizontal	Pass
2**	4271.750	38.20	-4.93	54.0	-15.80	AV	332.00	150	Horizontal	Pass
3	5196.000	95.91	-3.17	--	--	Peak	116.00	150	Horizontal	N/A
3**	5196.000	87.24	-3.17	--	--	AV	116.00	150	Horizontal	N/A
4	7461.500	52.97	1.12	68.2	-15.23	Peak	341.00	150	Horizontal	Pass
4**	7461.500	43.88	1.12	54.0	-10.12	AV	341.00	150	Horizontal	Pass
5	11798.575	50.04	-3.55	68.2	-18.16	Peak	119.00	150	Horizontal	Pass
5**	11798.575	40.44	-3.55	54.0	-13.56	AV	119.00	150	Horizontal	Pass
6	15952.763	52.73	-0.23	68.2	-15.47	Peak	48.00	150	Horizontal	Pass
6**	15952.763	42.09	-0.23	54.0	-11.91	AV	48.00	150	Horizontal	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.500	49.40	-17.30	68.2	-18.80	Peak	180.00	150	Vertical	Pass
1**	1497.500	35.61	-17.30	54.0	-18.39	AV	180.00	150	Vertical	Pass
2	3600.000	43.02	-7.44	68.2	-25.18	Peak	341.00	150	Vertical	Pass
2**	3600.000	39.65	-7.44	54.0	-14.35	AV	341.00	150	Vertical	Pass
3	5215.750	101.30	-3.42	--	--	Peak	277.00	150	Vertical	N/A
3**	5215.750	91.89	-3.42	--	--	AV	277.00	150	Vertical	N/A
4	7506.250	52.98	-0.01	68.2	-15.22	Peak	79.00	150	Vertical	Pass
4**	7506.250	43.95	-0.01	54.0	-10.05	AV	79.00	150	Vertical	Pass
5	12040.588	49.47	-3.37	68.2	-18.73	Peak	156.00	150	Vertical	Pass
5**	12040.588	39.47	-3.37	54.0	-14.53	AV	156.00	150	Vertical	Pass
6	15792.113	51.59	-0.75	68.2	-16.61	Peak	56.00	150	Vertical	Pass
6**	15792.113	41.45	-0.75	54.0	-12.55	AV	56.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.500	47.63	-17.90	68.2	-20.57	Peak	126.00	150	Horizontal	Pass
1**	1197.500	34.58	-17.90	54.0	-19.42	AV	126.00	150	Horizontal	Pass
2	4137.750	47.58	-5.66	68.2	-20.62	Peak	88.00	150	Horizontal	Pass
2**	4137.750	36.92	-5.66	54.0	-17.08	AV	88.00	150	Horizontal	Pass
3	5260.750	102.01	-3.74	--	--	Peak	64.00	150	Horizontal	N/A
3**	5260.750	94.89	-3.74	--	--	AV	64.00	150	Horizontal	N/A
4	7472.000	52.72	0.76	68.2	-15.48	Peak	360.00	150	Horizontal	Pass
4**	7472.000	43.86	0.76	54.0	-10.14	AV	360.00	150	Horizontal	Pass
5	11223.588	49.56	-4.14	68.2	-18.64	Peak	210.00	150	Horizontal	Pass
5**	11223.588	39.45	-4.14	54.0	-14.55	AV	210.00	150	Horizontal	Pass
6	15941.213	52.38	-0.40	68.2	-15.82	Peak	282.00	150	Horizontal	Pass
6**	15941.213	42.36	-0.40	54.0	-11.64	AV	282.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.100	49.08	-17.63	68.2	-19.12	Peak	337.00	150	Vertical	Pass
1**	1547.100	38.71	-17.63	54.0	-15.29	AV	337.00	150	Vertical	Pass
2	3992.000	48.95	-6.24	68.2	-19.25	Peak	174.00	150	Vertical	Pass
2**	3992.000	37.83	-6.24	54.0	-16.17	AV	174.00	150	Vertical	Pass
3	5258.750	109.20	-3.78	--	--	Peak	125.00	150	Vertical	N/A
3**	5258.750	100.85	-3.78	--	--	AV	125.00	150	Vertical	N/A
4	7451.500	53.11	0.83	68.2	-15.09	Peak	307.00	150	Vertical	Pass
4**	7451.500	43.98	0.83	54.0	-10.02	AV	307.00	150	Vertical	Pass
5	10807.725	49.90	-5.27	68.2	-18.30	Peak	0.00	150	Vertical	Pass
5**	10807.725	39.06	-5.27	54.0	-14.94	AV	0.00	150	Vertical	Pass
6	16136.776	51.91	-0.60	68.2	-16.29	Peak	326.00	150	Vertical	Pass
6**	16136.776	41.85	-0.60	54.0	-12.15	AV	326.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.700	47.28	-18.24	68.2	-20.92	Peak	270.00	150	Horizontal	Pass
1**	1155.700	33.24	-18.24	54.0	-20.76	AV	270.00	150	Horizontal	Pass
2	4286.000	48.04	-4.60	68.2	-20.16	Peak	50.00	150	Horizontal	Pass
2**	4286.000	38.41	-4.60	54.0	-15.59	AV	50.00	150	Horizontal	Pass
3	5295.250	99.72	-3.50	--	--	Peak	67.00	150	Horizontal	N/A
3**	5295.250	92.36	-3.50	--	--	AV	67.00	150	Horizontal	N/A
4	7455.000	52.48	1.17	68.2	-15.72	Peak	42.00	150	Horizontal	Pass
4**	7455.000	44.04	1.17	54.0	-9.96	AV	42.00	150	Horizontal	Pass
5	11773.400	49.96	-3.77	68.2	-18.24	Peak	19.00	150	Horizontal	Pass
5**	11773.400	39.50	-3.77	54.0	-14.50	AV	19.00	150	Horizontal	Pass
6	16145.438	52.25	-0.51	68.2	-15.95	Peak	294.00	150	Horizontal	Pass
6**	16145.438	43.02	-0.51	54.0	-10.98	AV	294.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.900	49.91	-17.89	68.2	-18.29	Peak	174.00	150	Vertical	Pass
1**	1556.900	35.71	-17.89	54.0	-18.29	AV	174.00	150	Vertical	Pass
2	3983.000	48.54	-6.09	68.2	-19.66	Peak	172.00	150	Vertical	Pass
2**	3983.000	38.14	-6.09	54.0	-15.86	AV	172.00	150	Vertical	Pass
3	5296.750	107.09	-3.52	--	--	Peak	273.00	150	Vertical	N/A
3**	5296.750	98.88	-3.52	--	--	AV	273.00	150	Vertical	N/A
4	7461.000	52.52	1.13	68.2	-15.68	Peak	40.00	150	Vertical	Pass
4**	7461.000	45.11	1.13	54.0	-8.89	AV	40.00	150	Vertical	Pass
5	12331.525	49.99	-2.68	68.2	-18.21	Peak	104.00	150	Vertical	Pass
5**	12331.525	39.30	-2.68	54.0	-14.70	AV	104.00	150	Vertical	Pass
6	15961.950	51.66	-0.21	68.2	-16.54	Peak	178.00	150	Vertical	Pass
6**	15961.950	42.75	-0.21	54.0	-11.25	AV	178.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.200	47.58	-18.16	68.2	-20.62	Peak	121.00	150	Horizontal	Pass
1**	1159.200	33.16	-18.16	54.0	-20.84	AV	121.00	150	Horizontal	Pass
2	4182.250	47.24	-4.99	68.2	-20.96	Peak	207.00	150	Horizontal	Pass
2**	4182.250	38.47	-4.99	54.0	-15.53	AV	207.00	150	Horizontal	Pass
3	5322.250	101.17	-3.35	--	--	Peak	110.00	150	Horizontal	N/A
3**	5322.250	92.56	-3.35	--	--	AV	110.00	150	Horizontal	N/A
4	7469.500	52.86	0.58	68.2	-15.34	Peak	248.00	150	Horizontal	Pass
4**	7469.500	43.92	0.58	54.0	-10.08	AV	248.00	150	Horizontal	Pass
5	11806.175	49.39	-3.49	68.2	-18.81	Peak	168.00	150	Horizontal	Pass
5**	11806.175	40.52	-3.49	54.0	-13.48	AV	168.00	150	Horizontal	Pass
6	16093.200	52.84	-0.86	68.2	-15.36	Peak	112.00	150	Horizontal	Pass
6**	16093.200	42.39	-0.86	54.0	-11.61	AV	112.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.800	50.00	-17.63	68.2	-18.20	Peak	341.00	150	Vertical	Pass
1**	1564.800	37.60	-17.63	54.0	-16.40	AV	341.00	150	Vertical	Pass
2	3994.250	48.00	-6.29	68.2	-20.20	Peak	184.00	150	Vertical	Pass
2**	3994.250	38.47	-6.29	54.0	-15.53	AV	184.00	150	Vertical	Pass
3	5316.250	106.85	-3.37	--	--	Peak	192.00	150	Vertical	N/A
3**	5316.250	99.04	-3.37	--	--	AV	192.00	150	Vertical	N/A
4	7458.000	52.57	1.14	68.2	-15.63	Peak	226.00	150	Vertical	Pass
4**	7458.000	43.59	1.14	54.0	-10.41	AV	226.00	150	Vertical	Pass
5	11801.662	49.59	-3.52	68.2	-18.61	Peak	328.00	150	Vertical	Pass
5**	11801.662	41.09	-3.52	54.0	-12.91	AV	328.00	150	Vertical	Pass
6	15702.075	51.99	0.06	68.2	-16.21	Peak	290.00	150	Vertical	Pass
6**	15702.075	42.80	0.06	54.0	-11.20	AV	290.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1176.000	47.66	-18.01	68.2	-20.54	Peak	116.00	150	Horizontal	Pass
1**	1176.000	33.62	-18.01	54.0	-20.38	AV	116.00	150	Horizontal	Pass
2	4258.500	47.80	-4.57	68.2	-20.40	Peak	155.00	150	Horizontal	Pass
2**	4258.500	38.57	-4.57	54.0	-15.43	AV	155.00	150	Horizontal	Pass
3	5259.250	98.25	-3.65	--	--	Peak	66.00	150	Horizontal	N/A
3**	5259.250	90.75	-3.65	--	--	AV	66.00	150	Horizontal	N/A
4	7457.500	52.52	1.14	68.2	-15.68	Peak	74.00	150	Horizontal	Pass
4**	7457.500	44.08	1.14	54.0	-9.92	AV	74.00	150	Horizontal	Pass
5	12444.338	49.83	-2.24	68.2	-18.37	Peak	182.00	150	Horizontal	Pass
5**	12444.338	40.32	-2.24	54.0	-13.68	AV	182.00	150	Horizontal	Pass
6	15707.062	51.74	-0.05	68.2	-16.46	Peak	337.00	150	Horizontal	Pass
6**	15707.062	41.38	-0.05	54.0	-12.62	AV	337.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.100	49.97	-17.63	68.2	-18.23	Peak	169.00	150	Vertical	Pass
1**	1547.100	36.02	-17.63	54.0	-17.98	AV	169.00	150	Vertical	Pass
2	3988.500	47.34	-6.23	68.2	-20.86	Peak	38.00	150	Vertical	Pass
2**	3988.500	37.83	-6.23	54.0	-16.17	AV	38.00	150	Vertical	Pass
3	5272.000	105.25	-3.27	--	--	Peak	275.00	150	Vertical	N/A
3**	5272.000	97.50	-3.27	--	--	AV	275.00	150	Vertical	N/A
4	7453.000	52.13	1.01	68.2	-16.07	Peak	111.00	150	Vertical	Pass
4**	7453.000	43.93	1.01	54.0	-10.07	AV	111.00	150	Vertical	Pass
5	12210.400	49.74	-2.97	68.2	-18.46	Peak	65.00	150	Vertical	Pass
5**	12210.400	40.66	-2.97	54.0	-13.34	AV	65.00	150	Vertical	Pass
6	16144.650	52.18	-0.52	68.2	-16.02	Peak	64.00	150	Vertical	Pass
6**	16144.650	42.72	-0.52	54.0	-11.28	AV	64.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.500	47.56	-18.25	68.2	-20.64	Peak	109.00	150	Horizontal	Pass
1**	1156.500	35.91	-18.25	54.0	-18.09	AV	109.00	150	Horizontal	Pass
2	4189.500	48.07	-5.13	68.2	-20.13	Peak	135.00	150	Horizontal	Pass
2**	4189.500	37.94	-5.13	54.0	-16.06	AV	135.00	150	Horizontal	Pass
3	5321.750	96.37	-3.36	--	--	Peak	110.00	150	Horizontal	N/A
3**	5321.750	88.80	-3.36	--	--	AV	110.00	150	Horizontal	N/A
4	7453.000	52.44	1.01	68.2	-15.76	Peak	101.00	150	Horizontal	Pass
4**	7453.000	43.90	1.01	54.0	-10.10	AV	101.00	150	Horizontal	Pass
5	12417.025	49.87	-2.65	68.2	-18.33	Peak	87.00	150	Horizontal	Pass
5**	12417.025	40.81	-2.65	54.0	-13.19	AV	87.00	150	Horizontal	Pass
6	16027.837	52.50	-0.12	68.2	-15.70	Peak	98.00	150	Horizontal	Pass
6**	16027.837	43.65	-0.12	54.0	-10.35	AV	98.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.500	48.55	-17.88	68.2	-19.65	Peak	339.00	150	Vertical	Pass
1**	1540.500	37.10	-17.88	54.0	-16.90	AV	339.00	150	Vertical	Pass
2	3990.500	47.77	-6.25	68.2	-20.43	Peak	155.00	150	Vertical	Pass
2**	3990.500	38.22	-6.25	54.0	-15.78	AV	155.00	150	Vertical	Pass
3	5316.750	103.24	-3.30	--	--	Peak	273.00	150	Vertical	N/A
3**	5316.750	95.97	-3.30	--	--	AV	273.00	150	Vertical	N/A
4	7508.500	54.49	0.41	68.2	-13.71	Peak	280.00	150	Vertical	Pass
4**	7508.500	43.99	0.41	54.0	-10.01	AV	280.00	150	Vertical	Pass
5	11719.963	49.32	-4.11	68.2	-18.88	Peak	8.00	150	Vertical	Pass
5**	11719.963	39.78	-4.11	54.0	-14.22	AV	8.00	150	Vertical	Pass
6	16140.188	51.94	-0.57	68.2	-16.26	Peak	150.00	150	Vertical	Pass
6**	16140.188	42.19	-0.57	54.0	-11.81	AV	150.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.700	48.91	-18.24	68.2	-19.29	Peak	118.00	150	Horizontal	Pass
1**	1157.700	36.45	-18.24	54.0	-17.55	AV	118.00	150	Horizontal	Pass
2	4229.500	47.36	-5.21	68.2	-20.84	Peak	312.00	150	Horizontal	Pass
2**	4229.500	38.25	-5.21	54.0	-15.75	AV	312.00	150	Horizontal	Pass
3	5261.000	102.30	-3.76	--	--	Peak	115.00	150	Horizontal	N/A
3**	5261.000	94.81	-3.76	--	--	AV	115.00	150	Horizontal	N/A
4	7480.750	52.42	0.06	68.2	-15.78	Peak	189.00	150	Horizontal	Pass
4**	7480.750	43.45	0.06	54.0	-10.55	AV	189.00	150	Horizontal	Pass
5	11774.825	49.75	-3.76	68.2	-18.45	Peak	212.00	150	Horizontal	Pass
5**	11774.825	40.58	-3.76	54.0	-13.42	AV	212.00	150	Horizontal	Pass
6	16167.487	51.77	-0.46	68.2	-16.43	Peak	18.00	150	Horizontal	Pass
6**	16167.487	43.65	-0.46	54.0	-10.35	AV	18.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.600	49.34	-17.78	68.2	-18.86	Peak	168.00	150	Vertical	Pass
1**	1558.600	39.89	-17.78	54.0	-14.11	AV	168.00	150	Vertical	Pass
2	3984.000	48.20	-6.05	68.2	-20.00	Peak	160.00	150	Vertical	Pass
2**	3984.000	39.14	-6.05	54.0	-14.86	AV	160.00	150	Vertical	Pass
3	5263.500	108.73	-3.62	--	--	Peak	275.00	150	Vertical	N/A
3**	5263.500	101.45	-3.62	--	--	AV	275.00	150	Vertical	N/A
4	7513.500	53.05	0.68	68.2	-15.15	Peak	0.00	150	Vertical	Pass
4**	7513.500	44.56	0.68	54.0	-9.44	AV	0.00	150	Vertical	Pass
5	11183.925	49.94	-4.17	68.2	-18.26	Peak	53.00	150	Vertical	Pass
5**	11183.925	39.89	-4.17	54.0	-14.11	AV	53.00	150	Vertical	Pass
6	15556.388	51.66	-0.61	68.2	-16.54	Peak	20.00	150	Vertical	Pass
6**	15556.388	42.03	-0.61	54.0	-11.97	AV	20.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1174.500	49.29	-18.15	68.2	-18.91	Peak	116.00	150	Horizontal	Pass
1**	1174.500	33.76	-18.15	54.0	-20.24	AV	116.00	150	Horizontal	Pass
2	4188.750	47.06	-5.15	68.2	-21.14	Peak	209.00	150	Horizontal	Pass
2**	4188.750	37.47	-5.15	54.0	-16.53	AV	209.00	150	Horizontal	Pass
3	5298.500	99.80	-3.56	--	--	Peak	64.00	150	Horizontal	N/A
3**	5298.500	92.18	-3.56	--	--	AV	64.00	150	Horizontal	N/A
4	7463.500	52.31	1.01	68.2	-15.89	Peak	258.00	150	Horizontal	Pass
4**	7463.500	43.78	1.01	54.0	-10.22	AV	258.00	150	Horizontal	Pass
5	11207.200	49.97	-4.07	68.2	-18.23	Peak	190.00	150	Horizontal	Pass
5**	11207.200	39.73	-4.07	54.0	-14.27	AV	190.00	150	Horizontal	Pass
6	16166.700	52.66	-0.46	68.2	-15.54	Peak	308.00	150	Horizontal	Pass
6**	16166.700	43.42	-0.46	54.0	-10.58	AV	308.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.400	49.48	-17.79	68.2	-18.72	Peak	168.00	150	Vertical	Pass
1**	1558.400	36.31	-17.79	54.0	-17.69	AV	168.00	150	Vertical	Pass
2	3989.250	51.80	-6.24	68.2	-16.40	Peak	160.00	150	Vertical	Pass
2**	3989.250	39.01	-6.24	54.0	-14.99	AV	160.00	150	Vertical	Pass
3	5301.000	106.92	-3.66	--	--	Peak	192.00	150	Vertical	N/A
3**	5301.000	98.80	-3.66	--	--	AV	192.00	150	Vertical	N/A
4	7454.500	52.52	1.17	68.2	-15.68	Peak	37.00	150	Vertical	Pass
4**	7454.500	44.59	1.17	54.0	-9.41	AV	37.00	150	Vertical	Pass
5	11215.275	49.86	-4.10	68.2	-18.34	Peak	294.00	150	Vertical	Pass
5**	11215.275	40.58	-4.10	54.0	-13.42	AV	294.00	150	Vertical	Pass
6	15546.412	51.23	-0.54	68.2	-16.97	Peak	22.00	150	Vertical	Pass
6**	15546.412	42.75	-0.54	54.0	-11.25	AV	22.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.900	47.72	-18.25	68.2	-20.48	Peak	116.00	150	Horizontal	Pass
1**	1156.900	35.90	-18.25	54.0	-18.10	AV	116.00	150	Horizontal	Pass
2	4183.500	47.53	-4.92	68.2	-20.67	Peak	135.00	150	Horizontal	Pass
2**	4183.500	37.68	-4.92	54.0	-16.32	AV	135.00	150	Horizontal	Pass
3	5316.500	99.77	-3.33	--	--	Peak	118.00	150	Horizontal	N/A
3**	5316.500	92.63	-3.33	--	--	AV	118.00	150	Horizontal	N/A
4	7459.250	53.32	1.14	68.2	-14.88	Peak	167.00	150	Horizontal	Pass
4**	7459.250	44.39	1.14	54.0	-9.61	AV	167.00	150	Horizontal	Pass
5	10709.162	50.19	-4.81	68.2	-18.01	Peak	53.00	150	Horizontal	Pass
5**	10709.162	39.44	-4.81	54.0	-14.56	AV	53.00	150	Horizontal	Pass
6	16050.675	53.02	-0.11	68.2	-15.18	Peak	176.00	150	Horizontal	Pass
6**	16050.675	42.27	-0.11	54.0	-11.73	AV	176.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.400	49.80	-17.45	68.2	-18.40	Peak	170.00	150	Vertical	Pass
1**	1502.400	34.24	-17.45	54.0	-19.76	AV	170.00	150	Vertical	Pass
2	3982.250	48.51	-6.11	68.2	-19.69	Peak	162.00	150	Vertical	Pass
2**	3982.250	39.10	-6.11	54.0	-14.90	AV	162.00	150	Vertical	Pass
3	5324.000	106.83	-3.32	--	--	Peak	186.00	150	Vertical	N/A
3**	5324.000	99.39	-3.32	--	--	AV	186.00	150	Vertical	N/A
4	7453.250	52.56	1.04	68.2	-15.64	Peak	128.00	150	Vertical	Pass
4**	7453.250	44.49	1.04	54.0	-9.51	AV	128.00	150	Vertical	Pass
5	12212.775	49.90	-2.97	68.2	-18.30	Peak	360.00	150	Vertical	Pass
5**	12212.775	39.97	-2.97	54.0	-14.03	AV	360.00	150	Vertical	Pass
6	15787.912	51.93	-0.77	68.2	-16.27	Peak	1.00	150	Vertical	Pass
6**	15787.912	42.28	-0.77	54.0	-11.72	AV	1.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.200	47.21	-18.14	68.2	-20.99	Peak	113.00	150	Horizontal	Pass
1**	1154.200	34.44	-18.14	54.0	-19.56	AV	113.00	150	Horizontal	Pass
2	4283.000	47.62	-4.87	68.2	-20.58	Peak	167.00	150	Horizontal	Pass
2**	4283.000	39.03	-4.87	54.0	-14.97	AV	167.00	150	Horizontal	Pass
3	5261.750	99.01	-3.80	--	--	Peak	61.00	150	Horizontal	N/A
3**	5261.750	90.51	-3.80	--	--	AV	61.00	150	Horizontal	N/A
4	7518.250	52.70	0.89	68.2	-15.50	Peak	184.00	150	Horizontal	Pass
4**	7518.250	43.67	0.89	54.0	-10.33	AV	184.00	150	Horizontal	Pass
5	12444.575	49.57	-2.23	68.2	-18.63	Peak	360.00	150	Horizontal	Pass
5**	12444.575	40.79	-2.23	54.0	-13.21	AV	360.00	150	Horizontal	Pass
6	16148.062	52.09	-0.49	68.2	-16.11	Peak	142.00	150	Horizontal	Pass
6**	16148.062	42.77	-0.49	54.0	-11.23	AV	142.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.400	48.37	-17.31	68.2	-19.83	Peak	168.00	150	Vertical	Pass
1**	1500.400	33.27	-17.31	54.0	-20.73	AV	168.00	150	Vertical	Pass
2	3993.000	48.77	-6.24	68.2	-19.43	Peak	175.00	150	Vertical	Pass
2**	3993.000	39.30	-6.24	54.0	-14.70	AV	175.00	150	Vertical	Pass
3	5265.500	104.70	-3.69	--	--	Peak	273.00	150	Vertical	N/A
3**	5265.500	96.04	-3.69	--	--	AV	273.00	150	Vertical	N/A
4	7510.000	52.83	0.55	68.2	-15.37	Peak	93.00	150	Vertical	Pass
4**	7510.000	44.54	0.55	54.0	-9.46	AV	93.00	150	Vertical	Pass
5	11786.225	49.23	-3.66	68.2	-18.97	Peak	360.00	150	Vertical	Pass
5**	11786.225	41.15	-3.66	54.0	-12.85	AV	360.00	150	Vertical	Pass
6	15717.300	51.78	-0.26	68.2	-16.42	Peak	30.00	150	Vertical	Pass
6**	15717.300	42.34	-0.26	54.0	-11.66	AV	30.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.300	48.80	-18.25	68.2	-19.40	Peak	114.00	150	Horizontal	Pass
1**	1156.300	35.98	-18.25	54.0	-18.02	AV	114.00	150	Horizontal	Pass
2	4355.500	48.40	-4.31	68.2	-19.80	Peak	23.00	150	Horizontal	Pass
2**	4355.500	38.48	-4.31	54.0	-15.52	AV	23.00	150	Horizontal	Pass
3	5315.000	96.86	-3.54	--	--	Peak	64.00	150	Horizontal	N/A
3**	5315.000	88.29	-3.54	--	--	AV	64.00	150	Horizontal	N/A
4	7456.750	52.52	1.13	68.2	-15.68	Peak	268.00	150	Horizontal	Pass
4**	7456.750	43.90	1.13	54.0	-10.10	AV	268.00	150	Horizontal	Pass
5	11123.599	49.50	-4.48	68.2	-18.70	Peak	178.00	150	Horizontal	Pass
5**	11123.599	39.27	-4.48	54.0	-14.73	AV	178.00	150	Horizontal	Pass
6	15943.312	52.32	-0.36	68.2	-15.88	Peak	270.00	150	Horizontal	Pass
6**	15943.312	42.56	-0.36	54.0	-11.44	AV	270.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.600	49.79	-17.30	68.2	-18.41	Peak	172.00	150	Vertical	Pass
1**	1497.600	33.17	-17.30	54.0	-20.83	AV	172.00	150	Vertical	Pass
2	3997.750	47.50	-6.06	68.2	-20.70	Peak	179.00	150	Vertical	Pass
2**	3997.750	38.63	-6.06	54.0	-15.37	AV	179.00	150	Vertical	Pass
3	5321.500	102.92	-3.37	--	--	Peak	202.00	150	Vertical	N/A
3**	5321.500	94.61	-3.37	--	--	AV	202.00	150	Vertical	N/A
4	7494.000	52.95	-0.35	68.2	-15.25	Peak	283.00	150	Vertical	Pass
4**	7494.000	43.62	-0.35	54.0	-10.38	AV	283.00	150	Vertical	Pass
5	11791.688	49.51	-3.61	68.2	-18.69	Peak	87.00	150	Vertical	Pass
5**	11791.688	40.78	-3.61	54.0	-13.22	AV	87.00	150	Vertical	Pass
6	16043.588	51.80	-0.11	68.2	-16.40	Peak	62.00	150	Vertical	Pass
6**	16043.588	42.09	-0.11	54.0	-11.91	AV	62.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.300	48.43	-17.95	68.2	-19.77	Peak	121.00	150	Horizontal	Pass
1**	1195.300	37.07	-17.95	54.0	-16.93	AV	121.00	150	Horizontal	Pass
2	4120.250	47.19	-5.96	68.2	-21.01	Peak	46.00	150	Horizontal	Pass
2**	4120.250	37.73	-5.96	54.0	-16.27	AV	46.00	150	Horizontal	Pass
3	5270.500	93.26	-3.28	--	--	Peak	314.00	150	Horizontal	N/A
3**	5270.500	85.59	-3.28	--	--	AV	314.00	150	Horizontal	N/A
4	7465.750	52.86	0.81	68.2	-15.34	Peak	160.00	150	Horizontal	Pass
4**	7465.750	43.61	0.81	54.0	-10.39	AV	160.00	150	Horizontal	Pass
5	11793.588	49.74	-3.59	68.2	-18.46	Peak	291.00	150	Horizontal	Pass
5**	11793.588	40.60	-3.59	54.0	-13.40	AV	291.00	150	Horizontal	Pass
6	15550.612	51.32	-0.53	68.2	-16.88	Peak	230.00	150	Horizontal	Pass
6**	15550.612	41.47	-0.53	54.0	-12.53	AV	230.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.800	49.67	-17.60	68.2	-18.53	Peak	167.00	150	Vertical	Pass
1**	1572.800	36.09	-17.60	54.0	-17.91	AV	167.00	150	Vertical	Pass
2	3988.000	49.68	-6.24	68.2	-18.52	Peak	40.00	150	Vertical	Pass
2**	3988.000	40.03	-6.24	54.0	-13.97	AV	40.00	150	Vertical	Pass
3	5286.000	99.21	-3.38	--	--	Peak	275.00	150	Vertical	N/A
3**	5286.000	90.12	-3.38	--	--	AV	275.00	150	Vertical	N/A
4	7509.500	52.36	0.53	68.2	-15.84	Peak	235.00	150	Vertical	Pass
4**	7509.500	43.86	0.53	54.0	-10.14	AV	235.00	150	Vertical	Pass
5	11427.363	49.29	-4.03	68.2	-18.91	Peak	19.00	150	Vertical	Pass
5**	11427.363	39.22	-4.03	54.0	-14.78	AV	19.00	150	Vertical	Pass
6	15830.963	51.66	-0.75	68.2	-16.54	Peak	352.00	150	Vertical	Pass
6**	15830.963	42.66	-0.75	54.0	-11.34	AV	352.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.100	47.33	-18.26	68.2	-20.87	Peak	270.00	150	Horizontal	Pass
1**	1156.100	34.24	-18.26	54.0	-19.76	AV	270.00	150	Horizontal	Pass
2	4240.000	47.78	-5.28	68.2	-20.42	Peak	250.00	150	Horizontal	Pass
2**	4240.000	37.39	-5.28	54.0	-16.61	AV	250.00	150	Horizontal	Pass
3	5258.250	103.49	-3.90	--	--	Peak	62.00	150	Horizontal	N/A
3**	5258.250	94.43	-3.90	--	--	AV	62.00	150	Horizontal	N/A
4	7502.250	52.92	-0.46	68.2	-15.28	Peak	0.00	150	Horizontal	Pass
4**	7502.250	44.06	-0.46	54.0	-9.94	AV	0.00	150	Horizontal	Pass
5	11799.763	50.02	-3.54	68.2	-18.18	Peak	18.00	150	Horizontal	Pass
5**	11799.763	40.40	-3.54	54.0	-13.60	AV	18.00	150	Horizontal	Pass
6	16082.175	51.74	-0.67	68.2	-16.46	Peak	360.00	150	Horizontal	Pass
6**	16082.175	42.73	-0.67	54.0	-11.27	AV	360.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1577.000	49.33	-17.49	68.2	-18.87	Peak	175.00	150	Vertical	Pass
1**	1577.000	34.31	-17.49	54.0	-19.69	AV	175.00	150	Vertical	Pass
2	3998.750	48.30	-5.97	68.2	-19.90	Peak	164.00	150	Vertical	Pass
2**	3998.750	37.82	-5.97	54.0	-16.18	AV	164.00	150	Vertical	Pass
3	5262.000	108.91	-3.77	--	--	Peak	204.00	150	Vertical	N/A
3**	5262.000	102.33	-3.77	--	--	AV	204.00	150	Vertical	N/A
4	7514.250	52.85	0.77	68.2	-15.35	Peak	268.00	150	Vertical	Pass
4**	7514.250	44.10	0.77	54.0	-9.90	AV	268.00	150	Vertical	Pass
5	11778.625	49.71	-3.72	68.2	-18.49	Peak	73.00	150	Vertical	Pass
5**	11778.625	40.74	-3.72	54.0	-13.26	AV	73.00	150	Vertical	Pass
6	15706.800	50.92	-0.04	68.2	-17.28	Peak	349.00	150	Vertical	Pass
6**	15706.800	41.04	-0.04	54.0	-12.96	AV	349.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.500	47.67	-18.22	68.2	-20.53	Peak	275.00	150	Horizontal	Pass
1**	1155.500	35.53	-18.22	54.0	-18.47	AV	275.00	150	Horizontal	Pass
2	4296.750	47.61	-4.43	68.2	-20.59	Peak	347.00	150	Horizontal	Pass
2**	4296.750	39.15	-4.43	54.0	-14.85	AV	347.00	150	Horizontal	Pass
3	5304.250	99.74	-3.59	--	--	Peak	307.00	150	Horizontal	N/A
3**	5304.250	91.10	-3.59	--	--	AV	307.00	150	Horizontal	N/A
4	7456.250	52.36	1.14	68.2	-15.84	Peak	331.00	150	Horizontal	Pass
4**	7456.250	44.25	1.14	54.0	-9.75	AV	331.00	150	Horizontal	Pass
5	11209.575	49.50	-4.08	68.2	-18.70	Peak	232.00	150	Horizontal	Pass
5**	11209.575	40.76	-4.08	54.0	-13.24	AV	232.00	150	Horizontal	Pass
6	16026.000	51.97	-0.12	68.2	-16.23	Peak	1.00	150	Horizontal	Pass
6**	16026.000	43.75	-0.12	54.0	-10.25	AV	1.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.000	48.52	-17.74	68.2	-19.68	Peak	170.00	150	Vertical	Pass
1**	1560.000	38.15	-17.74	54.0	-15.85	AV	170.00	150	Vertical	Pass
2	3993.250	49.89	-6.25	68.2	-18.31	Peak	177.00	150	Vertical	Pass
2**	3993.250	38.10	-6.25	54.0	-15.90	AV	177.00	150	Vertical	Pass
3	5296.250	106.58	-3.53	--	--	Peak	265.00	150	Vertical	N/A
3**	5296.250	98.62	-3.53	--	--	AV	265.00	150	Vertical	N/A
4	7458.250	53.07	1.14	68.2	-15.13	Peak	37.00	150	Vertical	Pass
4**	7458.250	44.23	1.14	54.0	-9.77	AV	37.00	150	Vertical	Pass
5	11213.138	49.30	-4.10	68.2	-18.90	Peak	166.00	150	Vertical	Pass
5**	11213.138	40.20	-4.10	54.0	-13.80	AV	166.00	150	Vertical	Pass
6	15953.549	51.69	-0.23	68.2	-16.51	Peak	188.00	150	Vertical	Pass
6**	15953.549	42.58	-0.23	54.0	-11.42	AV	188.00	150	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.000	47.51	-18.09	68.2	-20.69	Peak	266.00	150	Horizontal	Pass
1**	1160.000	35.73	-18.09	54.0	-18.27	AV	266.00	150	Horizontal	Pass
2	4310.250	48.35	-4.30	68.2	-19.85	Peak	332.00	150	Horizontal	Pass
2**	4310.250	38.30	-4.30	54.0	-15.70	AV	332.00	150	Horizontal	Pass
3	5315.750	100.37	-3.44	--	--	Peak	145.00	150	Horizontal	N/A
3**	5315.750	90.83	-3.44	--	--	AV	145.00	150	Horizontal	N/A
4	7476.000	52.96	0.61	68.2	-15.24	Peak	30.00	150	Horizontal	Pass
4**	7476.000	43.16	0.61	54.0	-10.84	AV	30.00	150	Horizontal	Pass
5	11783.850	50.25	-3.68	68.2	-17.95	Peak	97.00	150	Horizontal	Pass
5**	11783.850	40.14	-3.68	54.0	-13.86	AV	97.00	150	Horizontal	Pass
6	16148.588	51.95	-0.48	68.2	-16.25	Peak	298.00	150	Horizontal	Pass
6**	16148.588	43.59	-0.48	54.0	-10.41	AV	298.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.800	48.94	-17.58	68.2	-19.26	Peak	352.00	150	Vertical	Pass
1**	1566.800	35.27	-17.58	54.0	-18.73	AV	352.00	150	Vertical	Pass
2	3999.500	48.41	-5.90	68.2	-19.79	Peak	169.00	150	Vertical	Pass
2**	3999.500	37.78	-5.90	54.0	-16.22	AV	169.00	150	Vertical	Pass
3	5323.250	108.22	-3.33	--	--	Peak	265.00	150	Vertical	N/A
3**	5323.250	98.81	-3.33	--	--	AV	265.00	150	Vertical	N/A
4	7454.750	52.96	1.18	68.2	-15.24	Peak	233.00	150	Vertical	Pass
4**	7454.750	43.51	1.18	54.0	-10.49	AV	233.00	150	Vertical	Pass
5	11794.537	50.42	-3.58	68.2	-17.78	Peak	65.00	150	Vertical	Pass
5**	11794.537	40.49	-3.58	54.0	-13.51	AV	65.00	150	Vertical	Pass
6	15553.762	52.03	-0.58	68.2	-16.17	Peak	312.00	150	Vertical	Pass
6**	15553.762	41.92	-0.58	54.0	-12.08	AV	312.00	150	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.900	48.42	-18.25	68.2	-19.78	Peak	259.00	150	Horizontal	Pass
1**	1156.900	35.28	-18.25	54.0	-18.72	AV	259.00	150	Horizontal	Pass
2	4310.000	47.76	-4.31	68.2	-20.44	Peak	0.00	150	Horizontal	Pass
2**	4310.000	38.95	-4.31	54.0	-15.05	AV	0.00	150	Horizontal	Pass
3	5262.500	98.10	-3.72	--	--	Peak	66.00	150	Horizontal	N/A
3**	5262.500	90.32	-3.72	--	--	AV	66.00	150	Horizontal	N/A
4	7459.500	53.21	1.14	68.2	-14.99	Peak	130.00	150	Horizontal	Pass
4**	7459.500	43.92	1.14	54.0	-10.08	AV	130.00	150	Horizontal	Pass
5	11313.125	49.65	-4.13	68.2	-18.55	Peak	257.00	150	Horizontal	Pass
5**	11313.125	40.90	-4.13	54.0	-13.10	AV	257.00	150	Horizontal	Pass
6	15562.162	52.11	-0.70	68.2	-16.09	Peak	140.00	150	Horizontal	Pass
6**	15562.162	41.54	-0.70	54.0	-12.46	AV	140.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.500	49.79	-17.45	68.2	-18.41	Peak	175.00	150	Vertical	Pass
1**	1502.500	34.50	-17.45	54.0	-19.50	AV	175.00	150	Vertical	Pass
2	3998.250	49.16	-6.01	68.2	-19.04	Peak	162.00	150	Vertical	Pass
2**	3998.250	38.40	-6.01	54.0	-15.60	AV	162.00	150	Vertical	Pass
3	5261.250	105.41	-3.79	--	--	Peak	275.00	150	Vertical	N/A
3**	5261.250	95.97	-3.79	--	--	AV	275.00	150	Vertical	N/A
4	7457.750	53.49	1.14	68.2	-14.71	Peak	209.00	150	Vertical	Pass
4**	7457.750	44.91	1.14	54.0	-9.09	AV	209.00	150	Vertical	Pass
5	11706.900	49.48	-4.17	68.2	-18.72	Peak	347.00	150	Vertical	Pass
5**	11706.900	40.48	-4.17	54.0	-13.52	AV	347.00	150	Vertical	Pass
6	15488.137	51.17	-0.68	68.2	-17.03	Peak	324.00	150	Vertical	Pass
6**	15488.137	42.12	-0.68	54.0	-11.88	AV	324.00	150	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.800	48.39	-18.24	68.2	-19.81	Peak	268.00	150	Horizontal	Pass
1**	1157.800	34.12	-18.24	54.0	-19.88	AV	268.00	150	Horizontal	Pass
2	4092.500	47.08	-5.82	68.2	-21.12	Peak	202.00	150	Horizontal	Pass
2**	4092.500	37.91	-5.82	54.0	-16.09	AV	202.00	150	Horizontal	Pass
3	5317.250	96.94	-3.35	--	--	Peak	113.00	150	Horizontal	N/A
3**	5317.250	87.52	-3.35	--	--	AV	113.00	150	Horizontal	N/A
4	7517.500	53.04	0.91	68.2	-15.16	Peak	113.00	150	Horizontal	Pass
4**	7517.500	43.14	0.91	54.0	-10.86	AV	113.00	150	Horizontal	Pass
5	12298.988	49.83	-2.44	68.2	-18.37	Peak	257.00	150	Horizontal	Pass
5**	12298.988	41.22	-2.44	54.0	-12.78	AV	257.00	150	Horizontal	Pass
6	15546.937	51.91	-0.54	68.2	-16.29	Peak	242.00	150	Horizontal	Pass
6**	15546.937	42.33	-0.54	54.0	-11.67	AV	242.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.800	48.61	-17.86	68.2	-19.59	Peak	177.00	150	Vertical	Pass
1**	1537.800	36.80	-17.86	54.0	-17.20	AV	177.00	150	Vertical	Pass
2	4288.750	49.44	-4.49	68.2	-18.76	Peak	315.00	150	Vertical	Pass
2**	4288.750	38.23	-4.49	54.0	-15.77	AV	315.00	150	Vertical	Pass
3	5322.000	103.78	-3.36	--	--	Peak	273.00	150	Vertical	N/A
3**	5322.000	95.35	-3.36	--	--	AV	273.00	150	Vertical	N/A
4	7494.500	53.25	-0.36	68.2	-14.95	Peak	135.00	150	Vertical	Pass
4**	7494.500	44.18	-0.36	54.0	-9.82	AV	135.00	150	Vertical	Pass
5	11790.500	49.33	-3.62	68.2	-18.87	Peak	289.00	150	Vertical	Pass
5**	11790.500	40.88	-3.62	54.0	-13.12	AV	289.00	150	Vertical	Pass
6	16159.350	52.96	-0.46	68.2	-15.24	Peak	88.00	150	Vertical	Pass
6**	16159.350	42.91	-0.46	54.0	-11.09	AV	88.00	150	Vertical	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1202.700	49.17	-17.79	68.2	-19.03	Peak	121.00	150	Horizontal	Pass
1**	1202.700	40.28	-17.79	54.0	-13.72	AV	121.00	150	Horizontal	Pass
2	4258.500	47.83	-4.57	68.2	-20.37	Peak	0.00	150	Horizontal	Pass
2**	4258.500	38.67	-4.57	54.0	-15.33	AV	0.00	150	Horizontal	Pass
3	5284.750	93.70	-3.41	--	--	Peak	69.00	150	Horizontal	N/A
3**	5284.750	83.13	-3.41	--	--	AV	69.00	150	Horizontal	N/A
4	7523.750	53.02	0.89	68.2	-15.18	Peak	316.00	150	Horizontal	Pass
4**	7523.750	43.63	0.89	54.0	-10.37	AV	316.00	150	Horizontal	Pass
5	11185.112	49.16	-4.16	68.2	-19.04	Peak	345.00	150	Horizontal	Pass
5**	11185.112	39.94	-4.16	54.0	-14.06	AV	345.00	150	Horizontal	Pass
6	16115.512	52.31	-0.82	68.2	-15.89	Peak	254.00	150	Horizontal	Pass
6**	16115.512	42.00	-0.82	54.0	-12.00	AV	254.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.300	50.60	-17.85	68.2	-17.60	Peak	169.00	150	Vertical	Pass
1**	1557.300	38.40	-17.85	54.0	-15.60	AV	169.00	150	Vertical	Pass
2	3988.750	49.06	-6.24	68.2	-19.14	Peak	152.00	150	Vertical	Pass
2**	3988.750	38.94	-6.24	54.0	-15.06	AV	152.00	150	Vertical	Pass
3	5315.750	99.42	-3.44	--	--	Peak	129.00	150	Vertical	N/A
3**	5315.750	89.81	-3.44	--	--	AV	129.00	150	Vertical	N/A
4	7517.500	52.73	0.91	68.2	-15.47	Peak	97.00	150	Vertical	Pass
4**	7517.500	44.18	0.91	54.0	-9.82	AV	97.00	150	Vertical	Pass
5	11785.750	49.93	-3.66	68.2	-18.27	Peak	326.00	150	Vertical	Pass
5**	11785.750	41.50	-3.66	54.0	-12.50	AV	326.00	150	Vertical	Pass
6	15960.375	51.96	-0.22	68.2	-16.24	Peak	70.00	150	Vertical	Pass
6**	15960.375	41.48	-0.22	54.0	-12.52	AV	70.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.000	47.06	-18.09	68.2	-21.14	Peak	269.00	150	Horizontal	Pass
1**	1160.000	35.85	-18.09	54.0	-18.15	AV	269.00	150	Horizontal	Pass
2	4287.000	47.85	-4.53	68.2	-20.35	Peak	45.00	150	Horizontal	Pass
2**	4287.000	38.85	-4.53	54.0	-15.15	AV	45.00	150	Horizontal	Pass
3	5497.000	101.84	-3.31	--	--	Peak	267.00	150	Horizontal	N/A
3**	5497.000	92.81	-3.31	--	--	AV	267.00	150	Horizontal	N/A
4	7452.500	54.05	0.95	68.2	-14.15	Peak	275.00	150	Horizontal	Pass
4**	7452.500	44.25	0.95	54.0	-9.75	AV	275.00	150	Horizontal	Pass
5	12510.363	49.59	-2.40	68.2	-18.61	Peak	178.00	150	Horizontal	Pass
5**	12510.363	39.69	-2.40	54.0	-14.31	AV	178.00	150	Horizontal	Pass
6	15950.925	51.26	-0.23	68.2	-16.94	Peak	341.00	150	Horizontal	Pass
6**	15950.925	41.82	-0.23	54.0	-12.18	AV	341.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.600	48.65	-17.43	68.2	-19.55	Peak	166.00	150	Vertical	Pass
1**	1502.600	35.76	-17.43	54.0	-18.24	AV	166.00	150	Vertical	Pass
2	3997.500	48.81	-6.08	68.2	-19.39	Peak	183.00	150	Vertical	Pass
2**	3997.500	39.58	-6.08	54.0	-14.42	AV	183.00	150	Vertical	Pass
3	5497.500	105.84	-3.38	--	--	Peak	240.00	150	Vertical	N/A
3**	5497.500	98.70	-3.38	--	--	AV	240.00	150	Vertical	N/A
4	7472.250	53.70	0.74	68.2	-14.50	Peak	102.00	150	Vertical	Pass
4**	7472.250	43.68	0.74	54.0	-10.32	AV	102.00	150	Vertical	Pass
5	11442.800	49.30	-3.92	68.2	-18.90	Peak	224.00	150	Vertical	Pass
5**	11442.800	40.20	-3.92	54.0	-13.80	AV	224.00	150	Vertical	Pass
6	15833.062	51.77	-0.75	68.2	-16.43	Peak	96.00	150	Vertical	Pass
6**	15833.062	42.27	-0.75	54.0	-11.73	AV	96.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.700	47.38	-18.17	68.2	-20.82	Peak	113.00	150	Horizontal	Pass
1**	1154.700	32.66	-18.17	54.0	-21.34	AV	113.00	150	Horizontal	Pass
2	4298.000	47.71	-4.61	68.2	-20.49	Peak	74.00	150	Horizontal	Pass
2**	4298.000	38.40	-4.61	54.0	-15.60	AV	74.00	150	Horizontal	Pass
3	5583.750	103.19	-2.90	--	--	Peak	265.00	150	Horizontal	N/A
3**	5583.750	95.09	-2.90	--	--	AV	265.00	150	Horizontal	N/A
4	7474.750	52.66	0.65	68.2	-15.54	Peak	324.00	150	Horizontal	Pass
4**	7474.750	44.00	0.65	54.0	-10.00	AV	324.00	150	Horizontal	Pass
5	11812.825	49.41	-3.45	68.2	-18.79	Peak	281.00	150	Horizontal	Pass
5**	11812.825	40.44	-3.45	54.0	-13.56	AV	281.00	150	Horizontal	Pass
6	16029.674	51.93	-0.12	68.2	-16.27	Peak	42.00	150	Horizontal	Pass
6**	16029.674	43.99	-0.12	54.0	-10.01	AV	42.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.100	48.36	-17.32	68.2	-19.84	Peak	173.00	150	Vertical	Pass
1**	1483.100	37.85	-17.32	54.0	-16.15	AV	173.00	150	Vertical	Pass
2	3983.500	48.42	-6.07	68.2	-19.78	Peak	207.00	150	Vertical	Pass
2**	3983.500	38.41	-6.07	54.0	-15.59	AV	207.00	150	Vertical	Pass
3	5575.250	107.89	-3.06	--	--	Peak	150.00	150	Vertical	N/A
3**	5575.250	99.33	-3.06	--	--	AV	150.00	150	Vertical	N/A
4	7454.500	53.14	1.17	68.2	-15.06	Peak	125.00	150	Vertical	Pass
4**	7454.500	44.50	1.17	54.0	-9.50	AV	125.00	150	Vertical	Pass
5	12448.850	49.70	-2.17	68.2	-18.50	Peak	178.00	150	Vertical	Pass
5**	12448.850	40.79	-2.17	54.0	-13.21	AV	178.00	150	Vertical	Pass
6	15718.875	51.48	-0.29	68.2	-16.72	Peak	228.00	150	Vertical	Pass
6**	15718.875	42.17	-0.29	54.0	-11.83	AV	228.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.800	47.90	-18.25	68.2	-20.30	Peak	116.00	150	Horizontal	Pass
1**	1156.800	36.97	-18.25	54.0	-17.03	AV	116.00	150	Horizontal	Pass
2	4357.000	47.71	-4.21	68.2	-20.49	Peak	216.00	150	Horizontal	Pass
2**	4357.000	37.83	-4.21	54.0	-16.17	AV	216.00	150	Horizontal	Pass
3	5701.500	97.66	-2.86	--	--	Peak	307.00	150	Horizontal	N/A
3**	5701.500	89.88	-2.86	--	--	AV	307.00	150	Horizontal	N/A
4	7453.000	53.66	1.01	68.2	-14.54	Peak	316.00	150	Horizontal	Pass
4**	7453.000	44.27	1.01	54.0	-9.73	AV	316.00	150	Horizontal	Pass
5	11788.363	49.69	-3.64	68.2	-18.51	Peak	352.00	150	Horizontal	Pass
5**	11788.363	40.21	-3.64	54.0	-13.79	AV	352.00	150	Horizontal	Pass
6	15843.037	51.75	-0.76	68.2	-16.45	Peak	352.00	150	Horizontal	Pass
6**	15843.037	42.96	-0.76	54.0	-11.04	AV	352.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.100	50.71	-17.29	68.2	-17.49	Peak	171.00	150	Vertical	Pass
1**	1499.100	37.66	-17.29	54.0	-16.34	AV	171.00	150	Vertical	Pass
2	3983.250	48.44	-6.08	68.2	-19.76	Peak	157.00	150	Vertical	Pass
2**	3983.250	37.19	-6.08	54.0	-16.81	AV	157.00	150	Vertical	Pass
3	5697.000	103.72	-2.83	--	--	Peak	99.00	150	Vertical	N/A
3**	5697.000	95.15	-2.83	--	--	AV	99.00	150	Vertical	N/A
4	7501.000	52.50	-0.49	68.2	-15.70	Peak	256.00	150	Vertical	Pass
4**	7501.000	43.46	-0.49	54.0	-10.54	AV	256.00	150	Vertical	Pass
5	11416.912	49.83	-4.10	68.2	-18.37	Peak	124.00	150	Vertical	Pass
5**	11416.912	39.65	-4.10	54.0	-14.35	AV	124.00	150	Vertical	Pass
6	16035.450	51.88	-0.11	68.2	-16.32	Peak	187.00	150	Vertical	Pass
6**	16035.450	41.49	-0.11	54.0	-12.51	AV	187.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.400	46.96	-18.25	68.2	-21.24	Peak	266.00	150	Horizontal	Pass
1**	1156.400	34.91	-18.25	54.0	-19.09	AV	266.00	150	Horizontal	Pass
2	4231.750	47.66	-5.10	68.2	-20.54	Peak	221.00	150	Horizontal	Pass
2**	4231.750	39.10	-5.10	54.0	-14.90	AV	221.00	150	Horizontal	Pass
3	5508.500	99.15	-3.29	--	--	Peak	263.00	150	Horizontal	N/A
3**	5508.500	90.52	-3.29	--	--	AV	263.00	150	Horizontal	N/A
4	7510.000	52.55	0.55	68.2	-15.65	Peak	3.00	150	Horizontal	Pass
4**	7510.000	44.17	0.55	54.0	-9.83	AV	3.00	150	Horizontal	Pass
5	11796.675	49.50	-3.56	68.2	-18.70	Peak	316.00	150	Horizontal	Pass
5**	11796.675	39.29	-3.56	54.0	-14.71	AV	316.00	150	Horizontal	Pass
6	16141.763	52.63	-0.55	68.2	-15.57	Peak	252.00	150	Horizontal	Pass
6**	16141.763	42.61	-0.55	54.0	-11.39	AV	252.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.100	48.07	-17.50	68.2	-20.13	Peak	221.00	150	Vertical	Pass
1**	1574.100	36.02	-17.50	54.0	-17.98	AV	221.00	150	Vertical	Pass
2	3990.000	47.76	-6.24	68.2	-20.44	Peak	41.00	150	Vertical	Pass
2**	3990.000	38.40	-6.24	54.0	-15.60	AV	41.00	150	Vertical	Pass
3	5516.250	103.31	-3.19	--	--	Peak	240.00	150	Vertical	N/A
3**	5516.250	94.82	-3.19	--	--	AV	240.00	150	Vertical	N/A
4	7517.000	52.61	0.92	68.2	-15.59	Peak	319.00	150	Vertical	Pass
4**	7517.000	43.53	0.92	54.0	-10.47	AV	319.00	150	Vertical	Pass
5	11185.825	49.67	-4.15	68.2	-18.53	Peak	360.00	150	Vertical	Pass
5**	11185.825	40.68	-4.15	54.0	-13.32	AV	360.00	150	Vertical	Pass
6	16127.062	52.39	-0.70	68.2	-15.81	Peak	58.00	150	Vertical	Pass
6**	16127.062	42.90	-0.70	54.0	-11.10	AV	58.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1186.700	46.48	-18.20	68.2	-21.72	Peak	119.00	150	Horizontal	Pass
1**	1186.700	30.55	-18.20	54.0	-23.45	AV	119.00	150	Horizontal	Pass
2	4260.250	48.61	-4.47	68.2	-19.59	Peak	315.00	150	Horizontal	Pass
2**	4260.250	39.20	-4.47	54.0	-14.80	AV	315.00	150	Horizontal	Pass
3	5593.750	100.71	-3.23	--	--	Peak	265.00	150	Horizontal	N/A
3**	5593.750	93.18	-3.23	--	--	AV	265.00	150	Horizontal	N/A
4	7453.750	52.72	1.09	68.2	-15.48	Peak	360.00	150	Horizontal	Pass
4**	7453.750	43.56	1.09	54.0	-10.44	AV	360.00	150	Horizontal	Pass
5	10928.850	49.48	-4.89	68.2	-18.72	Peak	195.00	150	Horizontal	Pass
5**	10928.850	39.63	-4.89	54.0	-14.37	AV	195.00	150	Horizontal	Pass
6	15455.325	51.53	-0.21	68.2	-16.67	Peak	1.00	150	Horizontal	Pass
6**	15455.325	41.17	-0.21	54.0	-12.83	AV	1.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.300	49.05	-17.76	68.2	-19.15	Peak	172.00	150	Vertical	Pass
1**	1549.300	38.08	-17.76	54.0	-15.92	AV	172.00	150	Vertical	Pass
2	3993.750	48.72	-6.27	68.2	-19.48	Peak	188.00	150	Vertical	Pass
2**	3993.750	37.99	-6.27	54.0	-16.01	AV	188.00	150	Vertical	Pass
3	5579.500	104.93	-2.74	--	--	Peak	177.00	150	Vertical	N/A
3**	5579.500	97.05	-2.74	--	--	AV	177.00	150	Vertical	N/A
4	7433.750	52.53	0.42	68.2	-15.67	Peak	297.00	150	Vertical	Pass
4**	7433.750	42.66	0.42	54.0	-11.34	AV	297.00	150	Vertical	Pass
5	11964.112	49.52	-3.63	68.2	-18.68	Peak	173.00	150	Vertical	Pass
5**	11964.112	39.70	-3.63	54.0	-14.30	AV	173.00	150	Vertical	Pass
6	16066.425	52.68	-0.39	68.2	-15.52	Peak	84.00	150	Vertical	Pass
6**	16066.425	41.90	-0.39	54.0	-12.10	AV	84.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.300	48.11	-18.24	68.2	-20.09	Peak	111.00	150	Horizontal	Pass
1**	1158.300	34.50	-18.24	54.0	-19.50	AV	111.00	150	Horizontal	Pass
2	4252.250	47.62	-5.06	68.2	-20.58	Peak	218.00	150	Horizontal	Pass
2**	4252.250	38.94	-5.06	54.0	-15.06	AV	218.00	150	Horizontal	Pass
3	5657.750	99.83	-3.13	--	--	Peak	258.00	150	Horizontal	N/A
3**	5657.750	92.29	-3.13	--	--	AV	258.00	150	Horizontal	N/A
4	7457.500	52.62	1.14	68.2	-15.58	Peak	315.00	150	Horizontal	Pass
4**	7457.500	43.94	1.14	54.0	-10.06	AV	315.00	150	Horizontal	Pass
5	11214.325	49.57	-4.10	68.2	-18.63	Peak	55.00	150	Horizontal	Pass
5**	11214.325	40.45	-4.10	54.0	-13.55	AV	55.00	150	Horizontal	Pass
6	16176.412	52.33	-0.45	68.2	-15.87	Peak	322.00	150	Horizontal	Pass
6**	16176.412	43.27	-0.45	54.0	-10.73	AV	322.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.300	50.85	-17.45	68.2	-17.35	Peak	185.00	150	Vertical	Pass
1**	1505.300	37.56	-17.45	54.0	-16.44	AV	185.00	150	Vertical	Pass
2	3989.500	48.19	-6.24	68.2	-20.01	Peak	157.00	150	Vertical	Pass
2**	3989.500	39.43	-6.24	54.0	-14.57	AV	157.00	150	Vertical	Pass
3	5674.000	102.24	-3.29	--	--	Peak	262.00	150	Vertical	N/A
3**	5674.000	95.18	-3.29	--	--	AV	262.00	150	Vertical	N/A
4	7516.000	52.73	0.93	68.2	-15.47	Peak	175.00	150	Vertical	Pass
4**	7516.000	43.50	0.93	54.0	-10.50	AV	175.00	150	Vertical	Pass
5	12453.363	50.03	-2.17	68.2	-18.17	Peak	8.00	150	Vertical	Pass
5**	12453.363	40.63	-2.17	54.0	-13.37	AV	8.00	150	Vertical	Pass
6	15955.651	51.82	-0.22	68.2	-16.38	Peak	98.00	150	Vertical	Pass
6**	15955.651	42.43	-0.22	54.0	-11.57	AV	98.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.100	47.56	-18.13	68.2	-20.64	Peak	259.00	150	Horizontal	Pass
1**	1154.100	35.57	-18.13	54.0	-18.43	AV	259.00	150	Horizontal	Pass
2	4229.500	47.68	-5.21	68.2	-20.52	Peak	265.00	150	Horizontal	Pass
2**	4229.500	38.22	-5.21	54.0	-15.78	AV	265.00	150	Horizontal	Pass
3	5495.250	102.02	-3.01	--	--	Peak	265.00	150	Horizontal	N/A
3**	5495.250	92.62	-3.01	--	--	AV	265.00	150	Horizontal	N/A
4	7461.500	52.45	1.12	68.2	-15.75	Peak	45.00	150	Horizontal	Pass
4**	7461.500	43.89	1.12	54.0	-10.11	AV	45.00	150	Horizontal	Pass
5	11973.613	49.27	-3.63	68.2	-18.93	Peak	110.00	150	Horizontal	Pass
5**	11973.613	38.58	-3.63	54.0	-15.42	AV	110.00	150	Horizontal	Pass
6	16034.400	51.45	-0.12	68.2	-16.75	Peak	228.00	150	Horizontal	Pass
6**	16034.400	42.94	-0.12	54.0	-11.06	AV	228.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.100	49.40	-17.80	68.2	-18.80	Peak	354.00	150	Vertical	Pass
1**	1558.100	35.08	-17.80	54.0	-18.92	AV	354.00	150	Vertical	Pass
2	3994.000	47.37	-6.28	68.2	-20.83	Peak	164.00	150	Vertical	Pass
2**	3994.000	37.18	-6.28	54.0	-16.82	AV	164.00	150	Vertical	Pass
3	5496.000	106.85	-3.13	--	--	Peak	189.00	150	Vertical	N/A
3**	5496.000	97.96	-3.13	--	--	AV	189.00	150	Vertical	N/A
4	7515.000	52.44	0.84	68.2	-15.76	Peak	113.00	150	Vertical	Pass
4**	7515.000	43.36	0.84	54.0	-10.64	AV	113.00	150	Vertical	Pass
5	11785.037	49.25	-3.67	68.2	-18.95	Peak	122.00	150	Vertical	Pass
5**	11785.037	40.50	-3.67	54.0	-13.50	AV	122.00	150	Vertical	Pass
6	16032.562	52.43	-0.12	68.2	-15.77	Peak	351.00	150	Vertical	Pass
6**	16032.562	42.04	-0.12	54.0	-11.96	AV	351.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.200	47.01	-18.24	68.2	-21.19	Peak	104.00	150	Horizontal	Pass
1**	1157.200	35.57	-18.24	54.0	-18.43	AV	104.00	150	Horizontal	Pass
2	4279.250	48.11	-4.68	68.2	-20.09	Peak	44.00	150	Horizontal	Pass
2**	4279.250	38.05	-4.68	54.0	-15.95	AV	44.00	150	Horizontal	Pass
3	5576.750	103.05	-2.89	--	--	Peak	257.00	150	Horizontal	N/A
3**	5576.750	96.30	-2.89	--	--	AV	257.00	150	Horizontal	N/A
4	7373.750	52.99	-1.01	68.2	-15.21	Peak	274.00	150	Horizontal	Pass
4**	7373.750	42.99	-1.01	54.0	-11.01	AV	274.00	150	Horizontal	Pass
5	11781.238	49.70	-3.70	68.2	-18.50	Peak	109.00	150	Horizontal	Pass
5**	11781.238	39.99	-3.70	54.0	-14.01	AV	109.00	150	Horizontal	Pass
6	15693.412	51.89	-0.09	68.2	-16.31	Peak	48.00	150	Horizontal	Pass
6**	15693.412	42.19	-0.09	54.0	-11.81	AV	48.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.200	49.52	-17.47	68.2	-18.68	Peak	344.00	150	Vertical	Pass
1**	1576.200	34.52	-17.47	54.0	-19.48	AV	344.00	150	Vertical	Pass
2	4021.250	47.48	-6.17	68.2	-20.72	Peak	64.00	150	Vertical	Pass
2**	4021.250	37.05	-6.17	54.0	-16.95	AV	64.00	150	Vertical	Pass
3	5581.500	107.11	-2.75	--	--	Peak	231.00	150	Vertical	N/A
3**	5581.500	99.62	-2.75	--	--	AV	231.00	150	Vertical	N/A
4	7452.500	52.79	0.95	68.2	-15.41	Peak	341.00	150	Vertical	Pass
4**	7452.500	43.46	0.95	54.0	-10.54	AV	341.00	150	Vertical	Pass
5	11202.925	49.42	-4.06	68.2	-18.78	Peak	87.00	150	Vertical	Pass
5**	11202.925	39.55	-4.06	54.0	-14.45	AV	87.00	150	Vertical	Pass
6	15945.413	52.60	-0.32	68.2	-15.60	Peak	284.00	150	Vertical	Pass
6**	15945.413	42.13	-0.32	54.0	-11.87	AV	284.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.200	47.65	-18.26	68.2	-20.55	Peak	273.00	150	Horizontal	Pass
1**	1156.200	34.40	-18.26	54.0	-19.60	AV	273.00	150	Horizontal	Pass
2	4283.750	47.97	-4.79	68.2	-20.23	Peak	218.00	150	Horizontal	Pass
2**	4283.750	38.09	-4.79	54.0	-15.91	AV	218.00	150	Horizontal	Pass
3	5702.000	101.29	-2.88	--	--	Peak	267.00	150	Horizontal	N/A
3**	5702.000	93.03	-2.88	--	--	AV	267.00	150	Horizontal	N/A
4	7444.250	52.49	0.43	68.2	-15.71	Peak	62.00	150	Horizontal	Pass
4**	7444.250	42.73	0.43	54.0	-11.27	AV	62.00	150	Horizontal	Pass
5	11447.550	49.12	-3.89	68.2	-19.08	Peak	325.00	150	Horizontal	Pass
5**	11447.550	40.40	-3.89	54.0	-13.60	AV	325.00	150	Horizontal	Pass
6	15831.224	51.49	-0.75	68.2	-16.71	Peak	216.00	150	Horizontal	Pass
6**	15831.224	42.51	-0.75	54.0	-11.49	AV	216.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1465.000	49.70	-17.46	68.2	-18.50	Peak	168.00	150	Vertical	Pass
1**	1465.000	37.63	-17.46	54.0	-16.37	AV	168.00	150	Vertical	Pass
2	3999.750	49.00	-5.90	68.2	-19.20	Peak	167.00	150	Vertical	Pass
2**	3999.750	38.05	-5.90	54.0	-15.95	AV	167.00	150	Vertical	Pass
3	5698.000	103.27	-2.91	--	--	Peak	267.00	150	Vertical	N/A
3**	5698.000	96.24	-2.91	--	--	AV	267.00	150	Vertical	N/A
4	7456.000	52.69	1.15	68.2	-15.51	Peak	356.00	150	Vertical	Pass
4**	7456.000	44.02	1.15	54.0	-9.98	AV	356.00	150	Vertical	Pass
5	11213.850	49.40	-4.10	68.2	-18.80	Peak	214.00	150	Vertical	Pass
5**	11213.850	40.02	-4.10	54.0	-13.98	AV	214.00	150	Vertical	Pass
6	15557.701	51.04	-0.63	68.2	-17.16	Peak	102.00	150	Vertical	Pass
6**	15557.701	41.40	-0.63	54.0	-12.60	AV	102.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.100	48.06	-18.13	68.2	-20.14	Peak	118.00	150	Horizontal	Pass
1**	1154.100	35.86	-18.13	54.0	-18.14	AV	118.00	150	Horizontal	Pass
2	4298.500	47.82	-4.68	68.2	-20.38	Peak	197.00	150	Horizontal	Pass
2**	4298.500	38.65	-4.68	54.0	-15.35	AV	197.00	150	Horizontal	Pass
3	5503.750	98.89	-3.31	--	--	Peak	263.00	150	Horizontal	N/A
3**	5503.750	92.81	-3.31	--	--	AV	263.00	150	Horizontal	N/A
4	7515.250	53.37	0.86	68.2	-14.83	Peak	60.00	150	Horizontal	Pass
4**	7515.250	43.59	0.86	54.0	-10.41	AV	60.00	150	Horizontal	Pass
5	11789.075	49.83	-3.63	68.2	-18.37	Peak	191.00	150	Horizontal	Pass
5**	11789.075	40.12	-3.63	54.0	-13.88	AV	191.00	150	Horizontal	Pass
6	15451.125	52.03	-0.15	68.2	-16.17	Peak	296.00	150	Horizontal	Pass
6**	15451.125	41.78	-0.15	54.0	-12.22	AV	296.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.700	49.23	-17.57	68.2	-18.97	Peak	190.00	150	Vertical	Pass
1**	1566.700	35.12	-17.57	54.0	-18.88	AV	190.00	150	Vertical	Pass
2	3990.750	48.13	-6.25	68.2	-20.07	Peak	35.00	150	Vertical	Pass
2**	3990.750	38.46	-6.25	54.0	-15.54	AV	35.00	150	Vertical	Pass
3	5506.500	103.28	-3.21	--	--	Peak	192.00	150	Vertical	N/A
3**	5506.500	94.95	-3.21	--	--	AV	192.00	150	Vertical	N/A
4	7567.750	52.75	-0.03	68.2	-15.45	Peak	184.00	150	Vertical	Pass
4**	7567.750	43.37	-0.03	54.0	-10.63	AV	184.00	150	Vertical	Pass
5	11789.312	49.35	-3.63	68.2	-18.85	Peak	195.00	150	Vertical	Pass
5**	11789.312	40.65	-3.63	54.0	-13.35	AV	195.00	150	Vertical	Pass
6	16183.763	52.43	-0.45	68.2	-15.77	Peak	176.00	150	Vertical	Pass
6**	16183.763	43.62	-0.45	54.0	-10.38	AV	176.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1151.600	47.93	-18.45	68.2	-20.27	Peak	268.00	150	Horizontal	Pass
1**	1151.600	30.98	-18.45	54.0	-23.02	AV	268.00	150	Horizontal	Pass
2	5100.750	49.65	-2.90	68.2	-18.55	Peak	356.00	150	Horizontal	Pass
2**	5100.750	39.81	-2.90	54.0	-14.19	AV	356.00	150	Horizontal	Pass
3	5602.500	100.95	-2.95	--	--	Peak	258.00	150	Horizontal	N/A
3**	5602.500	94.43	-2.95	--	--	AV	258.00	150	Horizontal	N/A
4	7457.250	52.74	1.14	68.2	-15.46	Peak	108.00	150	Horizontal	Pass
4**	7457.250	43.70	1.14	54.0	-10.30	AV	108.00	150	Horizontal	Pass
5	11819.475	49.13	-3.41	68.2	-19.07	Peak	222.00	150	Horizontal	Pass
5**	11819.475	38.98	-3.41	54.0	-15.02	AV	222.00	150	Horizontal	Pass
6	15467.138	50.99	-0.38	68.2	-17.21	Peak	312.00	150	Horizontal	Pass
6**	15467.138	40.75	-0.38	54.0	-13.25	AV	312.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.200	50.67	-17.97	68.2	-17.53	Peak	345.00	150	Vertical	Pass
1**	1555.200	36.50	-17.97	54.0	-17.50	AV	345.00	150	Vertical	Pass
2	3999.000	47.32	-5.94	68.2	-20.88	Peak	160.00	150	Vertical	Pass
2**	3999.000	38.16	-5.94	54.0	-15.84	AV	160.00	150	Vertical	Pass
3	5601.500	105.13	-2.93	--	--	Peak	152.00	150	Vertical	N/A
3**	5601.500	98.41	-2.93	--	--	AV	152.00	150	Vertical	N/A
4	7494.750	53.28	-0.36	68.2	-14.92	Peak	233.00	150	Vertical	Pass
4**	7494.750	42.94	-0.36	54.0	-11.06	AV	233.00	150	Vertical	Pass
5	12451.700	49.35	-2.16	68.2	-18.85	Peak	86.00	150	Vertical	Pass
5**	12451.700	40.64	-2.16	54.0	-13.36	AV	86.00	150	Vertical	Pass
6	15705.750	51.69	-0.02	68.2	-16.51	Peak	140.00	150	Vertical	Pass
6**	15705.750	41.63	-0.02	54.0	-12.37	AV	140.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.500	48.42	-18.25	68.2	-19.78	Peak	273.00	150	Horizontal	Pass
1**	1156.500	37.64	-18.25	54.0	-16.36	AV	273.00	150	Horizontal	Pass
2	4281.750	47.80	-4.94	68.2	-20.40	Peak	0.00	150	Horizontal	Pass
2**	4281.750	38.16	-4.94	54.0	-15.84	AV	0.00	150	Horizontal	Pass
3	5658.000	100.79	-3.17	--	--	Peak	263.00	150	Horizontal	N/A
3**	5658.000	92.17	-3.17	--	--	AV	263.00	150	Horizontal	N/A
4	7673.250	53.59	0.77	68.2	-14.61	Peak	82.00	150	Horizontal	Pass
4**	7673.250	42.94	0.77	54.0	-11.06	AV	82.00	150	Horizontal	Pass
5	11797.625	49.54	-3.56	68.2	-18.66	Peak	228.00	150	Horizontal	Pass
5**	11797.625	40.84	-3.56	54.0	-13.16	AV	228.00	150	Horizontal	Pass
6	15798.150	51.46	-0.72	68.2	-16.74	Peak	360.00	150	Horizontal	Pass
6**	15798.150	41.21	-0.72	54.0	-12.79	AV	360.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.100	48.97	-17.31	68.2	-19.23	Peak	184.00	150	Vertical	Pass
1**	1486.100	37.99	-17.31	54.0	-16.01	AV	184.00	150	Vertical	Pass
2	3991.250	48.69	-6.25	68.2	-19.51	Peak	181.00	150	Vertical	Pass
2**	3991.250	39.02	-6.25	54.0	-14.98	AV	181.00	150	Vertical	Pass
3	5662.000	102.85	-3.32	--	--	Peak	262.00	150	Vertical	N/A
3**	5662.000	95.76	-3.32	--	--	AV	262.00	150	Vertical	N/A
4	7456.750	52.34	1.13	68.2	-15.86	Peak	115.00	150	Vertical	Pass
4**	7456.750	43.58	1.13	54.0	-10.42	AV	115.00	150	Vertical	Pass
5	12463.813	49.97	-2.24	68.2	-18.23	Peak	350.00	150	Vertical	Pass
5**	12463.813	39.82	-2.24	54.0	-14.18	AV	350.00	150	Vertical	Pass
6	15829.387	51.71	-0.74	68.2	-16.49	Peak	337.00	150	Vertical	Pass
6**	15829.387	42.74	-0.74	54.0	-11.26	AV	337.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.000	49.67	-18.13	68.2	-18.53	Peak	265.00	150	Horizontal	Pass
1**	1154.000	32.34	-18.13	54.0	-21.66	AV	265.00	150	Horizontal	Pass
2	4279.250	47.86	-4.68	68.2	-20.34	Peak	132.00	150	Horizontal	Pass
2**	4279.250	38.10	-4.68	54.0	-15.90	AV	132.00	150	Horizontal	Pass
3	5512.000	95.77	-3.16	--	--	Peak	265.00	150	Horizontal	N/A
3**	5512.000	87.00	-3.16	--	--	AV	265.00	150	Horizontal	N/A
4	7457.000	52.86	1.14	68.2	-15.34	Peak	332.00	150	Horizontal	Pass
4**	7457.000	43.85	1.14	54.0	-10.15	AV	332.00	150	Horizontal	Pass
5	12453.838	49.72	-2.18	68.2	-18.48	Peak	245.00	150	Horizontal	Pass
5**	12453.838	41.64	-2.18	54.0	-12.36	AV	245.00	150	Horizontal	Pass
6	15699.450	51.53	0.09	68.2	-16.67	Peak	130.00	150	Horizontal	Pass
6**	15699.450	42.92	0.09	54.0	-11.08	AV	130.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.900	48.43	-17.52	68.2	-19.77	Peak	182.00	150	Vertical	Pass
1**	1573.900	37.37	-17.52	54.0	-16.63	AV	182.00	150	Vertical	Pass
2	3993.500	47.43	-6.26	68.2	-20.77	Peak	29.00	150	Vertical	Pass
2**	3993.500	38.19	-6.26	54.0	-15.81	AV	29.00	150	Vertical	Pass
3	5522.500	99.53	-3.00	--	--	Peak	235.00	150	Vertical	N/A
3**	5522.500	92.27	-3.00	--	--	AV	235.00	150	Vertical	N/A
4	7509.500	52.55	0.53	68.2	-15.65	Peak	120.00	150	Vertical	Pass
4**	7509.500	43.73	0.53	54.0	-10.27	AV	120.00	150	Vertical	Pass
5	11188.675	49.74	-4.13	68.2	-18.46	Peak	299.00	150	Vertical	Pass
5**	11188.675	39.94	-4.13	54.0	-14.06	AV	299.00	150	Vertical	Pass
6	15694.725	52.37	-0.05	68.2	-15.83	Peak	118.00	150	Vertical	Pass
6**	15694.725	42.22	-0.05	54.0	-11.78	AV	118.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.300	46.68	-18.24	68.2	-21.52	Peak	116.00	150	Horizontal	Pass
1**	1158.300	33.01	-18.24	54.0	-20.99	AV	116.00	150	Horizontal	Pass
2	4255.250	47.58	-4.82	68.2	-20.62	Peak	280.00	150	Horizontal	Pass
2**	4255.250	38.01	-4.82	54.0	-15.99	AV	280.00	150	Horizontal	Pass
3	5613.750	98.83	-2.96	--	--	Peak	256.00	150	Horizontal	N/A
3**	5613.750	89.48	-2.96	--	--	AV	256.00	150	Horizontal	N/A
4	7460.750	52.89	1.14	68.2	-15.31	Peak	91.00	150	Horizontal	Pass
4**	7460.750	44.15	1.14	54.0	-9.85	AV	91.00	150	Horizontal	Pass
5	11425.225	49.54	-4.04	68.2	-18.66	Peak	360.00	150	Horizontal	Pass
5**	11425.225	39.80	-4.04	54.0	-14.20	AV	360.00	150	Horizontal	Pass
6	16149.900	52.39	-0.47	68.2	-15.81	Peak	1.00	150	Horizontal	Pass
6**	16149.900	43.00	-0.47	54.0	-11.00	AV	1.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.400	48.85	-17.93	68.2	-19.35	Peak	349.00	150	Vertical	Pass
1**	1556.400	38.18	-17.93	54.0	-15.82	AV	349.00	150	Vertical	Pass
2	4162.750	48.31	-5.98	68.2	-19.89	Peak	250.00	150	Vertical	Pass
2**	4162.750	37.98	-5.98	54.0	-16.02	AV	250.00	150	Vertical	Pass
3	5620.750	101.79	-2.48	--	--	Peak	233.00	150	Vertical	N/A
3**	5620.750	93.71	-2.48	--	--	AV	233.00	150	Vertical	N/A
4	7459.750	52.32	1.14	68.2	-15.88	Peak	101.00	150	Vertical	Pass
4**	7459.750	44.13	1.14	54.0	-9.87	AV	101.00	150	Vertical	Pass
5	11301.250	49.22	-4.02	68.2	-18.98	Peak	19.00	150	Vertical	Pass
5**	11301.250	40.69	-4.02	54.0	-13.31	AV	19.00	150	Vertical	Pass
6	15780.825	51.40	-0.80	68.2	-16.80	Peak	128.00	150	Vertical	Pass
6**	15780.825	41.94	-0.80	54.0	-12.06	AV	128.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.400	47.49	-17.89	68.2	-20.71	Peak	123.00	150	Horizontal	Pass
1**	1199.400	33.48	-17.89	54.0	-20.52	AV	123.00	150	Horizontal	Pass
2	4306.500	47.51	-4.17	68.2	-20.69	Peak	144.00	150	Horizontal	Pass
2**	4306.500	37.93	-4.17	54.0	-16.07	AV	144.00	150	Horizontal	Pass
3	5495.250	100.68	-3.01	--	--	Peak	258.00	150	Horizontal	N/A
3**	5495.250	91.65	-3.01	--	--	AV	258.00	150	Horizontal	N/A
4	7455.250	52.34	1.16	68.2	-15.86	Peak	360.00	150	Horizontal	Pass
4**	7455.250	44.74	1.16	54.0	-9.26	AV	360.00	150	Horizontal	Pass
5	12298.276	49.51	-2.45	68.2	-18.69	Peak	178.00	150	Horizontal	Pass
5**	12298.276	40.54	-2.45	54.0	-13.46	AV	178.00	150	Horizontal	Pass
6	16086.375	52.66	-0.74	68.2	-15.54	Peak	130.00	150	Horizontal	Pass
6**	16086.375	41.36	-0.74	54.0	-12.64	AV	130.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.000	50.38	-17.46	68.2	-17.82	Peak	175.00	150	Vertical	Pass
1**	1575.000	38.30	-17.46	54.0	-15.70	AV	175.00	150	Vertical	Pass
2	3984.500	47.78	-6.03	68.2	-20.42	Peak	172.00	150	Vertical	Pass
2**	3984.500	38.46	-6.03	54.0	-15.54	AV	172.00	150	Vertical	Pass
3	5496.750	106.64	-3.26	--	--	Peak	246.00	150	Vertical	N/A
3**	5496.750	97.36	-3.26	--	--	AV	246.00	150	Vertical	N/A
4	7452.250	52.47	0.92	68.2	-15.73	Peak	337.00	150	Vertical	Pass
4**	7452.250	43.61	0.92	54.0	-10.39	AV	337.00	150	Vertical	Pass
5	11395.775	49.20	-4.24	68.2	-19.00	Peak	0.00	150	Vertical	Pass
5**	11395.775	38.93	-4.24	54.0	-15.07	AV	0.00	150	Vertical	Pass
6	15708.375	50.90	-0.07	68.2	-17.30	Peak	349.00	150	Vertical	Pass
6**	15708.375	42.25	-0.07	54.0	-11.75	AV	349.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.800	48.15	-18.18	68.2	-20.05	Peak	276.00	150	Horizontal	Pass
1**	1154.800	32.44	-18.18	54.0	-21.56	AV	276.00	150	Horizontal	Pass
2	4037.250	46.36	-6.21	68.2	-21.84	Peak	337.00	150	Horizontal	Pass
2**	4037.250	36.47	-6.21	54.0	-17.53	AV	337.00	150	Horizontal	Pass
3	5576.000	102.28	-2.91	--	--	Peak	263.00	150	Horizontal	N/A
3**	5576.000	94.74	-2.91	--	--	AV	263.00	150	Horizontal	N/A
4	7476.750	52.40	0.39	68.2	-15.80	Peak	123.00	150	Horizontal	Pass
4**	7476.750	44.08	0.39	54.0	-9.92	AV	123.00	150	Horizontal	Pass
5	12034.175	49.67	-3.41	68.2	-18.53	Peak	99.00	150	Horizontal	Pass
5**	12034.175	39.28	-3.41	54.0	-14.72	AV	99.00	150	Horizontal	Pass
6	16179.037	52.18	-0.45	68.2	-16.02	Peak	98.00	150	Horizontal	Pass
6**	16179.037	43.17	-0.45	54.0	-10.83	AV	98.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.300	49.16	-17.37	68.2	-19.04	Peak	182.00	150	Vertical	Pass
1**	1501.300	33.48	-17.37	54.0	-20.52	AV	182.00	150	Vertical	Pass
2	3996.500	48.24	-6.18	68.2	-19.96	Peak	175.00	150	Vertical	Pass
2**	3996.500	38.32	-6.18	54.0	-15.68	AV	175.00	150	Vertical	Pass
3	5576.500	107.62	-2.90	--	--	Peak	231.00	150	Vertical	N/A
3**	5576.500	99.50	-2.90	--	--	AV	231.00	150	Vertical	N/A
4	7462.250	52.83	1.10	68.2	-15.37	Peak	44.00	150	Vertical	Pass
4**	7462.250	44.16	1.10	54.0	-9.84	AV	44.00	150	Vertical	Pass
5	11789.075	49.32	-3.63	68.2	-18.88	Peak	133.00	150	Vertical	Pass
5**	11789.075	41.29	-3.63	54.0	-12.71	AV	133.00	150	Vertical	Pass
6	16021.276	52.01	-0.13	68.2	-16.19	Peak	74.00	150	Vertical	Pass
6**	16021.276	42.34	-0.13	54.0	-11.66	AV	74.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.400	48.14	-18.14	68.2	-20.06	Peak	275.00	150	Horizontal	Pass
1**	1159.400	36.86	-18.14	54.0	-17.14	AV	275.00	150	Horizontal	Pass
2	4007.750	47.10	-5.72	68.2	-21.10	Peak	20.00	150	Horizontal	Pass
2**	4007.750	36.89	-5.72	54.0	-17.11	AV	20.00	150	Horizontal	Pass
3	5702.750	100.92	-2.92	--	--	Peak	267.00	150	Horizontal	N/A
3**	5702.750	93.23	-2.92	--	--	AV	267.00	150	Horizontal	N/A
4	7687.250	52.58	1.52	68.2	-15.62	Peak	0.00	150	Horizontal	Pass
4**	7687.250	43.36	1.52	54.0	-10.64	AV	0.00	150	Horizontal	Pass
5	11555.375	49.25	-4.35	68.2	-18.95	Peak	204.00	150	Horizontal	Pass
5**	11555.375	39.59	-4.35	54.0	-14.41	AV	204.00	150	Horizontal	Pass
6	15770.849	51.04	-0.85	68.2	-17.16	Peak	198.00	150	Horizontal	Pass
6**	15770.849	41.77	-0.85	54.0	-12.23	AV	198.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.600	48.66	-17.46	68.2	-19.54	Peak	180.00	150	Vertical	Pass
1**	1514.600	33.71	-17.46	54.0	-20.29	AV	180.00	150	Vertical	Pass
2	3994.750	48.17	-6.31	68.2	-20.03	Peak	159.00	150	Vertical	Pass
2**	3994.750	38.62	-6.31	54.0	-15.38	AV	159.00	150	Vertical	Pass
3	5704.500	103.71	-2.85	--	--	Peak	282.00	150	Vertical	N/A
3**	5704.500	94.93	-2.85	--	--	AV	282.00	150	Vertical	N/A
4	7468.000	52.39	0.79	68.2	-15.81	Peak	35.00	150	Vertical	Pass
4**	7468.000	43.41	0.79	54.0	-10.59	AV	35.00	150	Vertical	Pass
5	11211.237	50.12	-4.09	68.2	-18.08	Peak	359.00	150	Vertical	Pass
5**	11211.237	41.00	-4.09	54.0	-13.00	AV	359.00	150	Vertical	Pass
6	16139.138	52.18	-0.58	68.2	-16.02	Peak	236.00	150	Vertical	Pass
6**	16139.138	43.05	-0.58	54.0	-10.95	AV	236.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1169.900	47.97	-18.23	68.2	-20.23	Peak	114.00	150	Horizontal	Pass
1**	1169.900	33.05	-18.23	54.0	-20.95	AV	114.00	150	Horizontal	Pass
2	4236.750	47.72	-5.12	68.2	-20.48	Peak	265.00	150	Horizontal	Pass
2**	4236.750	37.95	-5.12	54.0	-16.05	AV	265.00	150	Horizontal	Pass
3	5517.500	98.74	-3.10	--	--	Peak	265.00	150	Horizontal	N/A
3**	5517.500	89.99	-3.10	--	--	AV	265.00	150	Horizontal	N/A
4	7438.000	52.18	0.41	68.2	-16.02	Peak	314.00	150	Horizontal	Pass
4**	7438.000	42.02	0.41	54.0	-11.98	AV	314.00	150	Horizontal	Pass
5	11216.938	49.01	-4.11	68.2	-19.19	Peak	183.00	150	Horizontal	Pass
5**	11216.938	39.66	-4.11	54.0	-14.34	AV	183.00	150	Horizontal	Pass
6	15849.075	51.02	-0.76	68.2	-17.18	Peak	351.00	150	Horizontal	Pass
6**	15849.075	40.41	-0.76	54.0	-13.59	AV	351.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.300	48.44	-17.45	68.2	-19.76	Peak	180.00	150	Vertical	Pass
1**	1505.300	35.57	-17.45	54.0	-18.43	AV	180.00	150	Vertical	Pass
2	3981.250	48.78	-6.06	68.2	-19.42	Peak	153.00	150	Vertical	Pass
2**	3981.250	37.50	-6.06	54.0	-16.50	AV	153.00	150	Vertical	Pass
3	5500.250	103.10	-3.21	--	--	Peak	187.00	150	Vertical	N/A
3**	5500.250	94.47	-3.21	--	--	AV	187.00	150	Vertical	N/A
4	7511.000	53.60	0.51	68.2	-14.60	Peak	79.00	150	Vertical	Pass
4**	7511.000	43.80	0.51	54.0	-10.20	AV	79.00	150	Vertical	Pass
5	11801.662	49.39	-3.52	68.2	-18.81	Peak	67.00	150	Vertical	Pass
5**	11801.662	40.30	-3.52	54.0	-13.70	AV	67.00	150	Vertical	Pass
6	15779.250	51.06	-0.81	68.2	-17.14	Peak	335.00	150	Vertical	Pass
6**	15779.250	41.69	-0.81	54.0	-12.31	AV	335.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1172.300	47.62	-18.19	68.2	-20.58	Peak	118.00	150	Horizontal	Pass
1**	1172.300	32.44	-18.19	54.0	-21.56	AV	118.00	150	Horizontal	Pass
2	4278.750	47.07	-4.71	68.2	-21.13	Peak	133.00	150	Horizontal	Pass
2**	4278.750	38.34	-4.71	54.0	-15.66	AV	133.00	150	Horizontal	Pass
3	5596.250	100.15	-3.00	--	--	Peak	265.00	150	Horizontal	N/A
3**	5596.250	91.83	-3.00	--	--	AV	265.00	150	Horizontal	N/A
4	7457.500	53.60	1.14	68.2	-14.60	Peak	360.00	150	Horizontal	Pass
4**	7457.500	44.47	1.14	54.0	-9.53	AV	360.00	150	Horizontal	Pass
5	12439.588	49.87	-2.31	68.2	-18.33	Peak	75.00	150	Horizontal	Pass
5**	12439.588	40.33	-2.31	54.0	-13.67	AV	75.00	150	Horizontal	Pass
6	16169.326	52.13	-0.46	68.2	-16.07	Peak	20.00	150	Horizontal	Pass
6**	16169.326	43.17	-0.46	54.0	-10.83	AV	20.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.400	49.15	-17.62	68.2	-19.05	Peak	172.00	150	Vertical	Pass
1**	1518.400	33.64	-17.62	54.0	-20.36	AV	172.00	150	Vertical	Pass
2	3987.250	48.05	-6.24	68.2	-20.15	Peak	177.00	150	Vertical	Pass
2**	3987.250	40.36	-6.24	54.0	-13.64	AV	177.00	150	Vertical	Pass
3	5581.250	105.08	-2.73	--	--	Peak	145.00	150	Vertical	N/A
3**	5581.250	96.03	-2.73	--	--	AV	145.00	150	Vertical	N/A
4	7513.500	52.64	0.68	68.2	-15.56	Peak	169.00	150	Vertical	Pass
4**	7513.500	43.43	0.68	54.0	-10.57	AV	169.00	150	Vertical	Pass
5	11299.826	49.59	-4.01	68.2	-18.61	Peak	261.00	150	Vertical	Pass
5**	11299.826	39.32	-4.01	54.0	-14.68	AV	261.00	150	Vertical	Pass
6	16165.125	51.54	-0.46	68.2	-16.66	Peak	351.00	150	Vertical	Pass
6**	16165.125	42.68	-0.46	54.0	-11.32	AV	351.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.800	47.36	-18.16	68.2	-20.84	Peak	112.00	150	Horizontal	Pass
1**	1153.800	33.20	-18.16	54.0	-20.80	AV	112.00	150	Horizontal	Pass
2	4293.000	47.25	-4.56	68.2	-20.95	Peak	38.00	150	Horizontal	Pass
2**	4293.000	37.99	-4.56	54.0	-16.01	AV	38.00	150	Horizontal	Pass
3	5674.250	99.82	-3.29	--	--	Peak	170.00	150	Horizontal	N/A
3**	5674.250	91.83	-3.29	--	--	AV	170.00	150	Horizontal	N/A
4	7488.750	52.61	-0.25	68.2	-15.59	Peak	14.00	150	Horizontal	Pass
4**	7488.750	43.01	-0.25	54.0	-10.99	AV	14.00	150	Horizontal	Pass
5	11206.725	49.90	-4.07	68.2	-18.30	Peak	319.00	150	Horizontal	Pass
5**	11206.725	39.87	-4.07	54.0	-14.13	AV	319.00	150	Horizontal	Pass
6	16043.850	52.07	-0.11	68.2	-16.13	Peak	163.00	150	Horizontal	Pass
6**	16043.850	42.57	-0.11	54.0	-11.43	AV	163.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.100	48.40	-17.93	68.2	-19.80	Peak	167.00	150	Vertical	Pass
1**	1554.100	36.43	-17.93	54.0	-17.57	AV	167.00	150	Vertical	Pass
2	3983.000	48.12	-6.09	68.2	-20.08	Peak	188.00	150	Vertical	Pass
2**	3983.000	37.52	-6.09	54.0	-16.48	AV	188.00	150	Vertical	Pass
3	5657.750	103.38	-3.13	--	--	Peak	271.00	150	Vertical	N/A
3**	5657.750	94.19	-3.13	--	--	AV	271.00	150	Vertical	N/A
4	7455.000	52.90	1.17	68.2	-15.30	Peak	263.00	150	Vertical	Pass
4**	7455.000	43.86	1.17	54.0	-10.14	AV	263.00	150	Vertical	Pass
5	11195.325	49.37	-4.08	68.2	-18.83	Peak	125.00	150	Vertical	Pass
5**	11195.325	40.05	-4.08	54.0	-13.95	AV	125.00	150	Vertical	Pass
6	16169.588	52.01	-0.46	68.2	-16.19	Peak	63.00	150	Vertical	Pass
6**	16169.588	43.55	-0.46	54.0	-10.45	AV	63.00	150	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1178.200	47.06	-17.90	68.2	-21.14	Peak	114.00	150	Horizontal	Pass
1**	1178.200	34.16	-17.90	54.0	-19.84	AV	114.00	150	Horizontal	Pass
2	2824.400	43.04	-11.33	68.2	-25.16	Peak	224.00	150	Horizontal	Pass
2**	2824.400	32.61	-11.33	54.0	-21.39	AV	224.00	150	Horizontal	Pass
3	3945.250	46.23	-6.36	68.2	-21.97	Peak	298.00	150	Horizontal	Pass
3**	3945.250	35.67	-6.36	54.0	-18.33	AV	298.00	150	Horizontal	Pass
4	5512.000	95.29	-3.16	--	--	Peak	266.00	150	Horizontal	N/A
4**	5512.000	86.96	-3.16	--	--	AV	266.00	150	Horizontal	N/A
5	11425.937	49.38	-4.04	68.2	-18.82	Peak	341.00	150	Horizontal	Pass
5**	11425.937	39.45	-4.04	54.0	-14.55	AV	341.00	150	Horizontal	Pass
6	15555.863	51.66	-0.61	68.2	-16.54	Peak	125.00	150	Horizontal	Pass
6**	15555.863	41.71	-0.61	54.0	-12.29	AV	125.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.000	49.33	-17.59	68.2	-18.87	Peak	183.00	150	Vertical	Pass
1**	1567.000	36.59	-17.59	54.0	-17.41	AV	183.00	150	Vertical	Pass
2	2835.600	47.79	-11.29	68.2	-20.41	Peak	212.00	150	Vertical	Pass
2**	2835.600	32.30	-11.29	54.0	-21.70	AV	212.00	150	Vertical	Pass
3	3983.750	48.40	-6.06	68.2	-19.80	Peak	168.00	150	Vertical	Pass
3**	3983.750	37.93	-6.06	54.0	-16.07	AV	168.00	150	Vertical	Pass
4	5511.500	100.02	-3.21	--	--	Peak	250.00	150	Vertical	N/A
4**	5511.500	91.20	-3.21	--	--	AV	250.00	150	Vertical	N/A
5	11802.375	49.46	-3.52	68.2	-18.74	Peak	307.00	150	Vertical	Pass
5**	11802.375	40.08	-3.52	54.0	-13.92	AV	307.00	150	Vertical	Pass
6	15471.337	51.40	-0.44	68.2	-16.80	Peak	339.00	150	Vertical	Pass
6**	15471.337	41.90	-0.44	54.0	-12.10	AV	339.00	150	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.200	48.63	-18.24	68.2	-19.57	Peak	273.00	150	Horizontal	Pass
1**	1158.200	36.42	-18.24	54.0	-17.58	AV	273.00	150	Horizontal	Pass
2	2827.900	42.08	-11.49	68.2	-26.12	Peak	318.00	150	Horizontal	Pass
2**	2827.900	32.96	-11.49	54.0	-21.04	AV	318.00	150	Horizontal	Pass
3	4250.500	47.85	-5.01	68.2	-20.35	Peak	298.00	150	Horizontal	Pass
3**	4250.500	38.17	-5.01	54.0	-15.83	AV	298.00	150	Horizontal	Pass
4	5627.500	99.24	-2.20	--	--	Peak	266.00	150	Horizontal	N/A
4**	5627.500	90.55	-2.20	--	--	AV	266.00	150	Horizontal	N/A
5	11388.174	48.72	-4.28	68.2	-19.48	Peak	56.00	150	Horizontal	Pass
5**	11388.174	38.70	-4.28	54.0	-15.30	AV	56.00	150	Horizontal	Pass
6	15834.637	51.46	-0.75	68.2	-16.74	Peak	55.00	150	Horizontal	Pass
6**	15834.637	41.78	-0.75	54.0	-12.22	AV	55.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.900	51.90	-17.96	68.2	-16.30	Peak	166.00	150	Vertical	Pass
1**	1554.900	36.15	-17.96	54.0	-17.85	AV	166.00	150	Vertical	Pass
2	2833.900	45.29	-11.33	68.2	-22.91	Peak	212.00	150	Vertical	Pass
2**	2833.900	32.60	-11.33	54.0	-21.40	AV	212.00	150	Vertical	Pass
3	3997.500	48.48	-6.08	68.2	-19.72	Peak	190.00	150	Vertical	Pass
3**	3997.500	38.41	-6.08	54.0	-15.59	AV	190.00	150	Vertical	Pass
4	5627.000	102.88	-2.22	--	--	Peak	245.00	150	Vertical	N/A
4**	5627.000	93.48	-2.22	--	--	AV	245.00	150	Vertical	N/A
5	12051.750	49.26	-3.34	68.2	-18.94	Peak	22.00	150	Vertical	Pass
5**	12051.750	39.90	-3.34	54.0	-14.10	AV	22.00	150	Vertical	Pass
6	15713.100	52.06	-0.17	68.2	-16.14	Peak	210.00	150	Vertical	Pass
6**	15713.100	42.72	-0.17	54.0	-11.28	AV	210.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.100	47.93	-18.26	68.2	-20.27	Peak	116.00	150	Horizontal	Pass
1**	1156.100	34.52	-18.26	54.0	-19.48	AV	116.00	150	Horizontal	Pass
2	2810.400	41.98	-11.14	68.2	-26.22	Peak	339.00	150	Horizontal	Pass
2**	2810.400	32.22	-11.14	54.0	-21.78	AV	339.00	150	Horizontal	Pass
3	4158.500	47.04	-5.97	68.2	-21.16	Peak	144.00	150	Horizontal	Pass
3**	4158.500	38.13	-5.97	54.0	-15.87	AV	144.00	150	Horizontal	Pass
4	5742.750	102.54	-3.06	--	--	Peak	266.00	150	Horizontal	N/A
4**	5742.750	94.44	-3.06	--	--	AV	266.00	150	Horizontal	N/A
5	11203.637	49.89	-4.06	68.2	-18.31	Peak	263.00	150	Horizontal	Pass
5**	11203.637	39.73	-4.06	54.0	-14.27	AV	263.00	150	Horizontal	Pass
6	16043.588	51.76	-0.11	68.2	-16.44	Peak	105.00	150	Horizontal	Pass
6**	16043.588	42.00	-0.11	54.0	-12.00	AV	105.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.600	50.17	-17.53	68.2	-18.03	Peak	342.00	150	Vertical	Pass
1**	1545.600	35.12	-17.53	54.0	-18.88	AV	342.00	150	Vertical	Pass
2	2822.400	47.80	-11.34	68.2	-20.40	Peak	210.00	150	Vertical	Pass
2**	2822.400	33.22	-11.34	54.0	-20.78	AV	210.00	150	Vertical	Pass
3	3989.500	48.59	-6.24	68.2	-19.61	Peak	176.00	150	Vertical	Pass
3**	3989.500	39.92	-6.24	54.0	-14.08	AV	176.00	150	Vertical	Pass
4	5741.000	104.19	-3.11	--	--	Peak	272.00	150	Vertical	N/A
4**	5741.000	95.99	-3.11	--	--	AV	272.00	150	Vertical	N/A
5	11776.012	48.90	-3.75	68.2	-19.30	Peak	297.00	150	Vertical	Pass
5**	11776.012	39.41	-3.75	54.0	-14.59	AV	297.00	150	Vertical	Pass
6	15793.162	51.55	-0.75	68.2	-16.65	Peak	77.00	150	Vertical	Pass
6**	15793.162	42.05	-0.75	54.0	-11.95	AV	77.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.800	47.09	-18.24	68.2	-21.11	Peak	119.00	150	Horizontal	Pass
1**	1157.800	35.48	-18.24	54.0	-18.52	AV	119.00	150	Horizontal	Pass
2	2831.100	42.67	-11.42	68.2	-25.53	Peak	318.00	150	Horizontal	Pass
2**	2831.100	32.79	-11.42	54.0	-21.21	AV	318.00	150	Horizontal	Pass
3	3997.750	46.54	-6.06	68.2	-21.66	Peak	298.00	150	Horizontal	Pass
3**	3997.750	37.04	-6.06	54.0	-16.96	AV	298.00	150	Horizontal	Pass
4	5782.750	101.44	-3.17	--	--	Peak	273.00	150	Horizontal	N/A
4**	5782.750	94.03	-3.17	--	--	AV	273.00	150	Horizontal	N/A
5	11322.863	49.53	-4.22	68.2	-18.67	Peak	82.00	150	Horizontal	Pass
5**	11322.863	39.54	-4.22	54.0	-14.46	AV	82.00	150	Horizontal	Pass
6	15708.637	51.35	-0.08	68.2	-16.85	Peak	312.00	150	Horizontal	Pass
6**	15708.637	41.96	-0.08	54.0	-12.04	AV	312.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.500	49.36	-17.92	68.2	-18.84	Peak	342.00	150	Vertical	Pass
1**	1556.500	35.56	-17.92	54.0	-18.44	AV	342.00	150	Vertical	Pass
2	2838.000	46.12	-11.17	68.2	-22.08	Peak	210.00	150	Vertical	Pass
2**	2838.000	34.05	-11.17	54.0	-19.95	AV	210.00	150	Vertical	Pass
3	3986.000	47.77	-6.18	68.2	-20.43	Peak	175.00	150	Vertical	Pass
3**	3986.000	39.71	-6.18	54.0	-14.29	AV	175.00	150	Vertical	Pass
4	5786.750	104.51	-3.11	--	--	Peak	281.00	150	Vertical	N/A
4**	5786.750	95.86	-3.11	--	--	AV	281.00	150	Vertical	N/A
5	12286.638	50.66	-2.56	68.2	-17.54	Peak	297.00	150	Vertical	Pass
5**	12286.638	39.66	-2.56	54.0	-14.34	AV	297.00	150	Vertical	Pass
6	15727.537	51.03	-0.47	68.2	-17.17	Peak	78.00	150	Vertical	Pass
6**	15727.537	42.07	-0.47	54.0	-11.93	AV	78.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1194.700	47.16	-17.94	68.2	-21.04	Peak	114.00	150	Horizontal	Pass
1**	1194.700	32.51	-17.94	54.0	-21.49	AV	114.00	150	Horizontal	Pass
2	2769.700	42.66	-11.09	68.2	-25.54	Peak	160.00	150	Horizontal	Pass
2**	2769.700	32.33	-11.09	54.0	-21.67	AV	160.00	150	Horizontal	Pass
3	3947.250	46.83	-6.45	68.2	-21.37	Peak	328.00	150	Horizontal	Pass
3**	3947.250	36.02	-6.45	54.0	-17.98	AV	328.00	150	Horizontal	Pass
4	5822.500	102.53	-3.09	--	--	Peak	272.00	150	Horizontal	N/A
4**	5822.500	95.05	-3.09	--	--	AV	272.00	150	Horizontal	N/A
5	11801.425	49.11	-3.53	68.2	-19.09	Peak	160.00	150	Horizontal	Pass
5**	11801.425	40.26	-3.53	54.0	-13.74	AV	160.00	150	Horizontal	Pass
6	15563.475	51.66	-0.72	68.2	-16.54	Peak	360.00	150	Horizontal	Pass
6**	15563.475	42.57	-0.72	54.0	-11.43	AV	360.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.700	49.51	-17.95	68.2	-18.69	Peak	342.00	150	Vertical	Pass
1**	1554.700	36.58	-17.95	54.0	-17.42	AV	342.00	150	Vertical	Pass
2	2822.800	46.78	-11.34	68.2	-21.42	Peak	210.00	150	Vertical	Pass
2**	2822.800	35.82	-11.34	54.0	-18.18	AV	210.00	150	Vertical	Pass
3	3714.500	48.43	-6.52	68.2	-19.77	Peak	141.00	150	Vertical	Pass
3**	3714.500	36.30	-6.52	54.0	-17.70	AV	141.00	150	Vertical	Pass
4	5822.250	103.31	-3.06	--	--	Peak	279.00	150	Vertical	N/A
4**	5822.250	95.54	-3.06	--	--	AV	279.00	150	Vertical	N/A
5	11193.425	49.70	-4.10	68.2	-18.50	Peak	93.00	150	Vertical	Pass
5**	11193.425	39.48	-4.10	54.0	-14.52	AV	93.00	150	Vertical	Pass
6	15829.387	51.91	-0.74	68.2	-16.29	Peak	360.00	150	Vertical	Pass
6**	15829.387	42.27	-0.74	54.0	-11.73	AV	360.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.300	48.41	-18.15	68.2	-19.79	Peak	259.00	150	Horizontal	Pass
1**	1159.300	35.07	-18.15	54.0	-18.93	AV	259.00	150	Horizontal	Pass
2	2824.600	42.75	-11.33	68.2	-25.45	Peak	141.00	150	Horizontal	Pass
2**	2824.600	32.56	-11.33	54.0	-21.44	AV	141.00	150	Horizontal	Pass
3	4091.750	46.40	-5.93	68.2	-21.80	Peak	107.00	150	Horizontal	Pass
3**	4091.750	37.79	-5.93	54.0	-16.21	AV	107.00	150	Horizontal	Pass
4	5765.250	99.85	-2.40	--	--	Peak	269.00	150	Horizontal	N/A
4**	5765.250	92.42	-2.40	--	--	AV	269.00	150	Horizontal	N/A
5	11801.662	49.03	-3.52	68.2	-19.17	Peak	343.00	150	Horizontal	Pass
5**	11801.662	39.82	-3.52	54.0	-14.18	AV	343.00	150	Horizontal	Pass
6	15924.150	51.96	-0.73	68.2	-16.24	Peak	37.00	150	Horizontal	Pass
6**	15924.150	40.92	-0.73	54.0	-13.08	AV	37.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.700	49.51	-17.95	68.2	-18.69	Peak	342.00	150	Vertical	Pass
1**	1554.700	36.58	-17.95	54.0	-17.42	AV	342.00	150	Vertical	Pass
2	2822.800	46.78	-11.34	68.2	-21.42	Peak	210.00	150	Vertical	Pass
2**	2822.800	35.82	-11.34	54.0	-18.18	AV	210.00	150	Vertical	Pass
3	3714.500	48.43	-6.52	68.2	-19.77	Peak	141.00	150	Vertical	Pass
3**	3714.500	36.30	-6.52	54.0	-17.70	AV	141.00	150	Vertical	Pass
4	5822.250	103.31	-3.06	--	--	Peak	279.00	150	Vertical	N/A
4**	5822.250	95.54	-3.06	--	--	AV	279.00	150	Vertical	N/A
5	11193.425	49.70	-4.10	68.2	-18.50	Peak	93.00	150	Vertical	Pass
5**	11193.425	39.48	-4.10	54.0	-14.52	AV	93.00	150	Vertical	Pass
6	15829.387	51.91	-0.74	68.2	-16.29	Peak	360.00	150	Vertical	Pass
6**	15829.387	42.27	-0.74	54.0	-11.73	AV	360.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.000	47.14	-18.18	68.2	-21.06	Peak	109.00	150	Horizontal	Pass
1**	1159.000	33.74	-18.18	54.0	-20.26	AV	109.00	150	Horizontal	Pass
2	2784.100	42.11	-11.22	68.2	-26.09	Peak	297.00	150	Horizontal	Pass
2**	2784.100	32.65	-11.22	54.0	-21.35	AV	297.00	150	Horizontal	Pass
3	4029.000	45.97	-6.19	68.2	-22.23	Peak	350.00	150	Horizontal	Pass
3**	4029.000	37.05	-6.19	54.0	-16.95	AV	350.00	150	Horizontal	Pass
4	5803.500	100.53	-3.00	--	--	Peak	269.00	150	Horizontal	N/A
4**	5803.500	91.89	-3.00	--	--	AV	269.00	150	Horizontal	N/A
5	11309.088	49.28	-4.09	68.2	-18.92	Peak	18.00	150	Horizontal	Pass
5**	11309.088	39.71	-4.09	54.0	-14.29	AV	18.00	150	Horizontal	Pass
6	16019.700	51.00	-0.13	68.2	-17.20	Peak	200.00	150	Horizontal	Pass
6**	16019.700	42.41	-0.13	54.0	-11.59	AV	200.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.400	48.88	-17.64	68.2	-19.32	Peak	337.00	150	Vertical	Pass
1**	1544.400	38.17	-17.64	54.0	-15.83	AV	337.00	150	Vertical	Pass
2	2830.500	45.23	-11.46	68.2	-22.97	Peak	210.00	150	Vertical	Pass
2**	2830.500	32.52	-11.46	54.0	-21.48	AV	210.00	150	Vertical	Pass
3	3988.000	47.44	-6.24	68.2	-20.76	Peak	188.00	150	Vertical	Pass
3**	3988.000	38.23	-6.24	54.0	-15.77	AV	188.00	150	Vertical	Pass
4	5783.000	101.55	-3.17	--	--	Peak	271.00	150	Vertical	N/A
4**	5783.000	93.91	-3.17	--	--	AV	271.00	150	Vertical	N/A
5	11792.874	50.36	-3.60	68.2	-17.84	Peak	360.00	150	Vertical	Pass
5**	11792.874	39.95	-3.60	54.0	-14.05	AV	360.00	150	Vertical	Pass
6	15812.588	51.24	-0.73	68.2	-16.96	Peak	132.00	150	Vertical	Pass
6**	15812.588	41.50	-0.73	54.0	-12.50	AV	132.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.900	47.29	-18.10	68.2	-20.91	Peak	106.00	150	Horizontal	Pass
1**	1159.900	34.60	-18.10	54.0	-19.40	AV	106.00	150	Horizontal	Pass
2	2825.400	42.94	-11.31	68.2	-25.26	Peak	313.00	150	Horizontal	Pass
2**	2825.400	32.81	-11.31	54.0	-21.19	AV	313.00	150	Horizontal	Pass
3	4179.750	47.37	-5.15	68.2	-20.83	Peak	43.00	150	Horizontal	Pass
3**	4179.750	38.49	-5.15	54.0	-15.51	AV	43.00	150	Horizontal	Pass
4	5747.500	101.62	-3.00	--	--	Peak	262.00	150	Horizontal	N/A
4**	5747.500	94.28	-3.00	--	--	AV	262.00	150	Horizontal	N/A
5	11219.075	49.48	-4.12	68.2	-18.72	Peak	138.00	150	Horizontal	Pass
5**	11219.075	39.47	-4.12	54.0	-14.53	AV	138.00	150	Horizontal	Pass
6	15706.537	51.25	-0.03	68.2	-16.95	Peak	228.00	150	Horizontal	Pass
6**	15706.537	42.61	-0.03	54.0	-11.39	AV	228.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.800	49.41	-17.74	68.2	-18.79	Peak	170.00	150	Vertical	Pass
1**	1536.800	35.44	-17.74	54.0	-18.56	AV	170.00	150	Vertical	Pass
2	2834.900	45.05	-11.37	68.2	-23.15	Peak	205.00	150	Vertical	Pass
2**	2834.900	33.44	-11.37	54.0	-20.56	AV	205.00	150	Vertical	Pass
3	3998.750	47.60	-5.97	68.2	-20.60	Peak	174.00	150	Vertical	Pass
3**	3998.750	38.46	-5.97	54.0	-15.54	AV	174.00	150	Vertical	Pass
4	5740.250	103.71	-3.11	--	--	Peak	289.00	150	Vertical	N/A
4**	5740.250	95.42	-3.11	--	--	AV	289.00	150	Vertical	N/A
5	11813.300	49.42	-3.45	68.2	-18.78	Peak	297.00	150	Vertical	Pass
5**	11813.300	39.76	-3.45	54.0	-14.24	AV	297.00	150	Vertical	Pass
6	15709.688	51.20	-0.10	68.2	-17.00	Peak	240.00	150	Vertical	Pass
6**	15709.688	42.28	-0.10	54.0	-11.72	AV	240.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.300	47.18	-18.24	68.2	-21.02	Peak	264.00	150	Horizontal	Pass
1**	1158.300	34.62	-18.24	54.0	-19.38	AV	264.00	150	Horizontal	Pass
2	2824.500	42.17	-11.33	68.2	-26.03	Peak	334.00	150	Horizontal	Pass
2**	2824.500	32.82	-11.33	54.0	-21.18	AV	334.00	150	Horizontal	Pass
3	4179.000	47.42	-5.16	68.2	-20.78	Peak	134.00	150	Horizontal	Pass
3**	4179.000	37.98	-5.16	54.0	-16.02	AV	134.00	150	Horizontal	Pass
4	5781.750	102.20	-3.10	--	--	Peak	272.00	150	Horizontal	N/A
4**	5781.750	94.40	-3.10	--	--	AV	272.00	150	Horizontal	N/A
5	11769.838	49.24	-3.80	68.2	-18.96	Peak	0.00	150	Horizontal	Pass
5**	11769.838	39.21	-3.80	54.0	-14.79	AV	0.00	150	Horizontal	Pass
6	15789.487	51.65	-0.76	68.2	-16.55	Peak	266.00	150	Horizontal	Pass
6**	15789.487	42.26	-0.76	54.0	-11.74	AV	266.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.900	48.64	-17.70	68.2	-19.56	Peak	172.00	150	Vertical	Pass
1**	1535.900	36.77	-17.70	54.0	-17.23	AV	172.00	150	Vertical	Pass
2	2837.300	45.08	-11.13	68.2	-23.12	Peak	207.00	150	Vertical	Pass
2**	2837.300	33.58	-11.13	54.0	-20.42	AV	207.00	150	Vertical	Pass
3	3998.500	48.04	-5.99	68.2	-20.16	Peak	43.00	150	Vertical	Pass
3**	3998.500	39.38	-5.99	54.0	-14.62	AV	43.00	150	Vertical	Pass
4	5780.500	103.35	-2.91	--	--	Peak	183.00	150	Vertical	N/A
4**	5780.500	96.60	-2.91	--	--	AV	183.00	150	Vertical	N/A
5	11371.550	49.20	-4.37	68.2	-19.00	Peak	265.00	150	Vertical	Pass
5**	11371.550	39.66	-4.37	54.0	-14.34	AV	265.00	150	Vertical	Pass
6	15775.838	51.32	-0.83	68.2	-16.88	Peak	62.00	150	Vertical	Pass
6**	15775.838	41.24	-0.83	54.0	-12.76	AV	62.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.000	46.55	-17.85	68.2	-21.65	Peak	114.00	150	Horizontal	Pass
1**	1199.000	33.05	-17.85	54.0	-20.95	AV	114.00	150	Horizontal	Pass
2	2825.000	42.41	-11.32	68.2	-25.79	Peak	286.00	150	Horizontal	Pass
2**	2825.000	32.40	-11.32	54.0	-21.60	AV	286.00	150	Horizontal	Pass
3	4021.000	45.90	-6.18	68.2	-22.30	Peak	141.00	150	Horizontal	Pass
3**	4021.000	37.91	-6.18	54.0	-16.09	AV	141.00	150	Horizontal	Pass
4	5821.250	102.39	-2.93	--	--	Peak	271.00	150	Horizontal	N/A
4**	5821.250	95.31	-2.93	--	--	AV	271.00	150	Horizontal	N/A
5	11804.037	49.65	-3.51	68.2	-18.55	Peak	12.00	150	Horizontal	Pass
5**	11804.037	40.02	-3.51	54.0	-13.98	AV	12.00	150	Horizontal	Pass
6	15452.701	51.18	-0.17	68.2	-17.02	Peak	220.00	150	Horizontal	Pass
6**	15452.701	41.52	-0.17	54.0	-12.48	AV	220.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.600	50.52	-17.37	68.2	-17.68	Peak	177.00	150	Vertical	Pass
1**	1504.600	34.89	-17.37	54.0	-19.11	AV	177.00	150	Vertical	Pass
2	2838.300	45.39	-11.19	68.2	-22.81	Peak	200.00	150	Vertical	Pass
2**	2838.300	32.93	-11.19	54.0	-21.07	AV	200.00	150	Vertical	Pass
3	3986.250	47.55	-6.21	68.2	-20.65	Peak	158.00	150	Vertical	Pass
3**	3986.250	38.82	-6.21	54.0	-15.18	AV	158.00	150	Vertical	Pass
4	5821.250	102.80	-2.93	--	--	Peak	288.00	150	Vertical	N/A
4**	5821.250	96.07	-2.93	--	--	AV	288.00	150	Vertical	N/A
5	11144.263	48.64	-4.43	68.2	-19.56	Peak	248.00	150	Vertical	Pass
5**	11144.263	38.95	-4.43	54.0	-15.05	AV	248.00	150	Vertical	Pass
6	15708.112	51.13	-0.07	68.2	-17.07	Peak	0.00	150	Vertical	Pass
6**	15708.112	42.87	-0.07	54.0	-11.13	AV	0.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.700	47.26	-18.21	68.2	-20.94	Peak	264.00	150	Horizontal	Pass
1**	1158.700	33.43	-18.21	54.0	-20.57	AV	264.00	150	Horizontal	Pass
2	2827.200	42.47	-11.40	68.2	-25.73	Peak	310.00	150	Horizontal	Pass
2**	2827.200	32.93	-11.40	54.0	-21.07	AV	310.00	150	Horizontal	Pass
3	4162.250	46.63	-6.01	68.2	-21.57	Peak	127.00	150	Horizontal	Pass
3**	4162.250	37.90	-6.01	54.0	-16.10	AV	127.00	150	Horizontal	Pass
4	5746.500	100.41	-2.89	--	--	Peak	274.00	150	Horizontal	N/A
4**	5746.500	94.27	-2.89	--	--	AV	274.00	150	Horizontal	N/A
5	11219.075	48.88	-4.12	68.2	-19.32	Peak	52.00	150	Horizontal	Pass
5**	11219.075	40.77	-4.12	54.0	-13.23	AV	52.00	150	Horizontal	Pass
6	15953.025	52.12	-0.23	68.2	-16.08	Peak	122.00	150	Horizontal	Pass
6**	15953.025	42.58	-0.23	54.0	-11.42	AV	122.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.500	48.45	-17.69	68.2	-19.75	Peak	165.00	150	Vertical	Pass
1**	1551.500	39.31	-17.69	54.0	-14.69	AV	165.00	150	Vertical	Pass
2	2832.900	45.52	-11.28	68.2	-22.68	Peak	205.00	150	Vertical	Pass
2**	2832.900	32.63	-11.28	54.0	-21.37	AV	205.00	150	Vertical	Pass
3	3992.250	48.14	-6.24	68.2	-20.06	Peak	183.00	150	Vertical	Pass
3**	3992.250	38.81	-6.24	54.0	-15.19	AV	183.00	150	Vertical	Pass
4	5751.500	101.29	-2.73	--	--	Peak	286.00	150	Vertical	N/A
4**	5751.500	93.52	-2.73	--	--	AV	286.00	150	Vertical	N/A
5	11792.874	49.31	-3.60	68.2	-18.89	Peak	8.00	150	Vertical	Pass
5**	11792.874	40.95	-3.60	54.0	-13.05	AV	8.00	150	Vertical	Pass
6	15942.263	51.40	-0.38	68.2	-16.80	Peak	37.00	150	Vertical	Pass
6**	15942.263	42.23	-0.38	54.0	-11.77	AV	37.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.400	47.56	-18.25	68.2	-20.64	Peak	278.00	150	Horizontal	Pass
1**	1156.400	35.09	-18.25	54.0	-18.91	AV	278.00	150	Horizontal	Pass
2	2819.400	42.07	-11.42	68.2	-26.13	Peak	50.00	150	Horizontal	Pass
2**	2819.400	32.83	-11.42	54.0	-21.17	AV	50.00	150	Horizontal	Pass
3	3923.500	45.88	-5.93	68.2	-22.32	Peak	107.00	150	Horizontal	Pass
3**	3923.500	36.19	-5.93	54.0	-17.81	AV	107.00	150	Horizontal	Pass
4	5802.000	100.02	-3.18	--	--	Peak	269.00	150	Horizontal	N/A
4**	5802.000	92.90	-3.18	--	--	AV	269.00	150	Horizontal	N/A
5	11468.450	49.02	-4.03	68.2	-19.18	Peak	360.00	150	Horizontal	Pass
5**	11468.450	39.11	-4.03	54.0	-14.89	AV	360.00	150	Horizontal	Pass
6	15773.737	51.30	-0.84	68.2	-16.90	Peak	103.00	150	Horizontal	Pass
6**	15773.737	41.23	-0.84	54.0	-12.77	AV	103.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.000	49.70	-17.85	68.2	-18.50	Peak	172.00	150	Vertical	Pass
1**	1553.000	34.03	-17.85	54.0	-19.97	AV	172.00	150	Vertical	Pass
2	2836.600	45.66	-11.16	68.2	-22.54	Peak	207.00	150	Vertical	Pass
2**	2836.600	34.00	-11.16	54.0	-20.00	AV	207.00	150	Vertical	Pass
3	3998.000	48.28	-6.04	68.2	-19.92	Peak	166.00	150	Vertical	Pass
3**	3998.000	39.26	-6.04	54.0	-14.74	AV	166.00	150	Vertical	Pass
4	5791.000	101.53	-3.33	--	--	Peak	279.00	150	Vertical	N/A
4**	5791.000	93.97	-3.33	--	--	AV	279.00	150	Vertical	N/A
5	11216.700	49.65	-4.11	68.2	-18.55	Peak	275.00	150	Vertical	Pass
5**	11216.700	39.97	-4.11	54.0	-14.03	AV	275.00	150	Vertical	Pass
6	15819.412	51.49	-0.73	68.2	-16.71	Peak	198.00	150	Vertical	Pass
6**	15819.412	41.74	-0.73	54.0	-12.26	AV	198.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.400	49.12	-18.14	68.2	-19.08	Peak	258.00	150	Horizontal	Pass
1**	1159.400	33.44	-18.14	54.0	-20.56	AV	258.00	150	Horizontal	Pass
2	2828.600	43.77	-11.56	68.2	-24.43	Peak	320.00	150	Horizontal	Pass
2**	2828.600	33.26	-11.56	54.0	-20.74	AV	320.00	150	Horizontal	Pass
3	4013.000	46.54	-5.62	68.2	-21.66	Peak	338.00	150	Horizontal	Pass
3**	4013.000	37.40	-5.62	54.0	-16.60	AV	338.00	150	Horizontal	Pass
4	5767.250	96.47	-2.13	--	--	Peak	272.00	150	Horizontal	N/A
4**	5767.250	89.84	-2.13	--	--	AV	272.00	150	Horizontal	N/A
5	11448.025	50.37	-3.89	68.2	-17.83	Peak	130.00	150	Horizontal	Pass
5**	11448.025	39.44	-3.89	54.0	-14.56	AV	130.00	150	Horizontal	Pass
6	15707.850	52.08	-0.06	68.2	-16.12	Peak	50.00	150	Horizontal	Pass
6**	15707.850	41.67	-0.06	54.0	-12.33	AV	50.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.400	49.44	-17.65	68.2	-18.76	Peak	342.00	150	Vertical	Pass
1**	1564.400	36.55	-17.65	54.0	-17.45	AV	342.00	150	Vertical	Pass
2	2832.500	45.55	-11.30	68.2	-22.65	Peak	210.00	150	Vertical	Pass
2**	2832.500	34.66	-11.30	54.0	-19.34	AV	210.00	150	Vertical	Pass
3	3989.250	47.44	-6.24	68.2	-20.76	Peak	180.00	150	Vertical	Pass
3**	3989.250	38.42	-6.24	54.0	-15.58	AV	180.00	150	Vertical	Pass
4	5772.500	99.26	-2.52	--	--	Peak	284.00	150	Vertical	N/A
4**	5772.500	90.62	-2.52	--	--	AV	284.00	150	Vertical	N/A
5	11401.475	48.94	-4.20	68.2	-19.26	Peak	0.00	150	Vertical	Pass
5**	11401.475	39.20	-4.20	54.0	-14.80	AV	0.00	150	Vertical	Pass
6	15783.187	51.03	-0.79	68.2	-17.17	Peak	74.00	150	Vertical	Pass
6**	15783.187	41.40	-0.79	54.0	-12.60	AV	74.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.800	48.22	-18.18	68.2	-19.98	Peak	111.00	150	Horizontal	Pass
1**	1154.800	36.03	-18.18	54.0	-17.97	AV	111.00	150	Horizontal	Pass
2	2823.800	42.21	-11.33	68.2	-25.99	Peak	310.00	150	Horizontal	Pass
2**	2823.800	32.68	-11.33	54.0	-21.32	AV	310.00	150	Horizontal	Pass
3	3827.500	46.81	-6.00	68.2	-21.39	Peak	293.00	150	Horizontal	Pass
3**	3827.500	36.86	-6.00	54.0	-17.14	AV	293.00	150	Horizontal	Pass
4	5749.000	102.21	-2.95	--	--	Peak	269.00	150	Horizontal	Pass
4**	5749.000	93.84	-2.95	--	--	AV	269.00	150	Horizontal	N/A
5	11384.612	49.27	-4.30	68.2	-18.93	Peak	167.00	150	Horizontal	Pass
5**	11384.612	39.29	-4.30	54.0	-14.71	AV	167.00	150	Horizontal	Pass
6	15469.763	51.66	-0.42	68.2	-16.54	Peak	48.00	150	Horizontal	Pass
6**	15469.763	42.08	-0.42	54.0	-11.92	AV	48.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.400	49.50	-17.98	68.2	-18.70	Peak	350.00	150	Vertical	Pass
1**	1555.400	37.16	-17.98	54.0	-16.84	AV	350.00	150	Vertical	Pass
2	2835.900	45.58	-11.25	68.2	-22.62	Peak	212.00	150	Vertical	Pass
2**	2835.900	32.61	-11.25	54.0	-21.39	AV	212.00	150	Vertical	Pass
3	3993.750	47.70	-6.27	68.2	-20.50	Peak	168.00	150	Vertical	Pass
3**	3993.750	38.12	-6.27	54.0	-15.88	AV	168.00	150	Vertical	Pass
4	5746.500	103.80	-2.89	--	--	Peak	159.00	150	Vertical	N/A
4**	5746.500	95.60	-2.89	--	--	AV	159.00	150	Vertical	N/A
5	11209.813	49.78	-4.08	68.2	-18.42	Peak	240.00	150	Vertical	Pass
5**	11209.813	39.79	-4.08	54.0	-14.21	AV	240.00	150	Vertical	Pass
6	15833.850	51.43	-0.75	68.2	-16.77	Peak	133.00	150	Vertical	Pass
6**	15833.850	42.06	-0.75	54.0	-11.94	AV	133.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.700	47.55	-18.24	68.2	-20.65	Peak	119.00	150	Horizontal	Pass
1**	1155.700	32.68	-18.24	54.0	-21.32	AV	119.00	150	Horizontal	Pass
2	2818.300	42.84	-11.49	68.2	-25.36	Peak	232.00	150	Horizontal	Pass
2**	2818.300	33.29	-11.49	54.0	-20.71	AV	232.00	150	Horizontal	Pass
3	4086.250	46.54	-5.78	68.2	-21.66	Peak	207.00	150	Horizontal	Pass
3**	4086.250	37.47	-5.78	54.0	-16.53	AV	207.00	150	Horizontal	Pass
4	5782.000	102.95	-3.14	--	--	Peak	271.00	150	Horizontal	N/A
4**	5782.000	94.21	-3.14	--	--	AV	271.00	150	Horizontal	N/A
5	11398.625	48.44	-4.22	68.2	-19.76	Peak	28.00	150	Horizontal	Pass
5**	11398.625	39.38	-4.22	54.0	-14.62	AV	28.00	150	Horizontal	Pass
6	15765.862	51.96	-0.87	68.2	-16.24	Peak	9.00	150	Horizontal	Pass
6**	15765.862	41.77	-0.87	54.0	-12.23	AV	9.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.600	48.06	-17.75	68.2	-20.14	Peak	344.00	150	Vertical	Pass
1**	1560.600	37.06	-17.75	54.0	-16.94	AV	344.00	150	Vertical	Pass
2	2831.100	44.35	-11.42	68.2	-23.85	Peak	210.00	150	Vertical	Pass
2**	2831.100	32.96	-11.42	54.0	-21.04	AV	210.00	150	Vertical	Pass
3	3986.500	48.38	-6.23	68.2	-19.82	Peak	183.00	150	Vertical	Pass
3**	3986.500	38.80	-6.23	54.0	-15.20	AV	183.00	150	Vertical	Pass
4	5785.500	104.41	-3.14	--	--	Peak	281.00	150	Vertical	N/A
4**	5785.500	95.50	-3.14	--	--	AV	281.00	150	Vertical	N/A
5	11419.763	48.93	-4.08	68.2	-19.27	Peak	152.00	150	Vertical	Pass
5**	11419.763	39.91	-4.08	54.0	-14.09	AV	152.00	150	Vertical	Pass
6	16048.312	52.64	-0.10	68.2	-15.56	Peak	288.00	150	Vertical	Pass
6**	16048.312	41.86	-0.10	54.0	-12.14	AV	288.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.000	48.41	-18.18	68.2	-19.79	Peak	114.00	150	Horizontal	Pass
1**	1159.000	36.94	-18.18	54.0	-17.06	AV	114.00	150	Horizontal	Pass
2	2828.500	42.39	-11.56	68.2	-25.81	Peak	315.00	150	Horizontal	Pass
2**	2828.500	32.13	-11.56	54.0	-21.87	AV	315.00	150	Horizontal	Pass
3	4079.250	46.29	-5.71	68.2	-21.91	Peak	311.00	150	Horizontal	Pass
3**	4079.250	36.65	-5.71	54.0	-17.35	AV	311.00	150	Horizontal	Pass
4	5827.500	101.88	-2.99	--	--	Peak	320.00	150	Horizontal	N/A
4**	5827.500	93.84	-2.99	--	--	AV	320.00	150	Horizontal	N/A
5	11383.663	48.76	-4.30	68.2	-19.44	Peak	110.00	150	Horizontal	Pass
5**	11383.663	39.70	-4.30	54.0	-14.30	AV	110.00	150	Horizontal	Pass
6	15714.938	51.01	-0.21	68.2	-17.19	Peak	9.00	150	Horizontal	Pass
6**	15714.938	42.27	-0.21	54.0	-11.73	AV	9.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.500	49.11	-17.52	68.2	-19.09	Peak	173.00	150	Vertical	Pass
1**	1545.500	38.71	-17.52	54.0	-15.29	AV	173.00	150	Vertical	Pass
2	2830.800	45.64	-11.45	68.2	-22.56	Peak	209.00	150	Vertical	Pass
2**	2830.800	35.43	-11.45	54.0	-18.57	AV	209.00	150	Vertical	Pass
3	3982.250	48.37	-6.11	68.2	-19.83	Peak	181.00	150	Vertical	Pass
3**	3982.250	39.20	-6.11	54.0	-14.80	AV	181.00	150	Vertical	Pass
4	5827.750	103.60	-3.02	--	--	Peak	100.00	150	Vertical	N/A
4**	5827.750	94.75	-3.02	--	--	AV	100.00	150	Vertical	N/A
5	11661.537	48.67	-4.41	68.2	-19.53	Peak	61.00	150	Vertical	Pass
5**	11661.537	39.20	-4.41	54.0	-14.80	AV	61.00	150	Vertical	Pass
6	15703.125	51.68	0.04	68.2	-16.52	Peak	292.00	150	Vertical	Pass
6**	15703.125	42.39	0.04	54.0	-11.61	AV	292.00	150	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.900	47.26	-18.25	68.2	-20.94	Peak	114.00	150	Horizontal	Pass
1**	1156.900	36.04	-18.25	54.0	-17.96	AV	114.00	150	Horizontal	Pass
2	2808.500	41.97	-10.97	68.2	-26.23	Peak	256.00	150	Horizontal	Pass
2**	2808.500	34.02	-10.97	54.0	-19.98	AV	256.00	150	Horizontal	Pass
3	4120.500	46.59	-5.97	68.2	-21.61	Peak	62.00	150	Horizontal	Pass
3**	4120.500	37.37	-5.97	54.0	-16.63	AV	62.00	150	Horizontal	Pass
4	5759.000	100.30	-2.37	--	--	Peak	272.00	150	Horizontal	N/A
4**	5759.000	91.80	-2.37	--	--	AV	272.00	150	Horizontal	N/A
5	11324.526	50.03	-4.24	68.2	-18.17	Peak	297.00	150	Horizontal	Pass
5**	11324.526	40.42	-4.24	54.0	-13.58	AV	297.00	150	Horizontal	Pass
6	15719.663	51.19	-0.31	68.2	-17.01	Peak	170.00	150	Horizontal	Pass
6**	15719.663	41.91	-0.31	54.0	-12.09	AV	170.00	150	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.400	49.57	-17.98	68.2	-18.63	Peak	347.00	150	Vertical	Pass
1**	1555.400	37.19	-17.98	54.0	-16.81	AV	347.00	150	Vertical	Pass
2	2837.200	45.41	-11.12	68.2	-22.79	Peak	207.00	150	Vertical	Pass
2**	2837.200	32.78	-11.12	54.0	-21.22	AV	207.00	150	Vertical	Pass
3	3991.500	49.47	-6.25	68.2	-18.73	Peak	176.00	150	Vertical	Pass
3**	3991.500	39.88	-6.25	54.0	-14.12	AV	176.00	150	Vertical	Pass
4	5744.750	102.65	-2.92	--	--	Peak	274.00	150	Vertical	N/A
4**	5744.750	93.50	-2.92	--	--	AV	274.00	150	Vertical	N/A
5	11790.737	49.50	-3.62	68.2	-18.70	Peak	0.00	150	Vertical	Pass
5**	11790.737	40.22	-3.62	54.0	-13.78	AV	0.00	150	Vertical	Pass
6	15723.338	51.39	-0.39	68.2	-16.81	Peak	348.00	150	Vertical	Pass
6**	15723.338	42.20	-0.39	54.0	-11.80	AV	348.00	150	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.200	48.54	-18.20	68.2	-19.66	Peak	268.00	150	Horizontal	Pass
1**	1155.200	35.56	-18.20	54.0	-18.44	AV	268.00	150	Horizontal	Pass
2	2793.400	42.68	-11.26	68.2	-25.52	Peak	273.00	150	Horizontal	Pass
2**	2793.400	33.02	-11.26	54.0	-20.98	AV	273.00	150	Horizontal	Pass
3	4011.500	46.48	-5.62	68.2	-21.72	Peak	63.00	150	Horizontal	Pass
3**	4011.500	37.37	-5.62	54.0	-16.63	AV	63.00	150	Horizontal	Pass
4	5796.250	95.56	-3.31	--	--	Peak	271.00	150	Horizontal	N/A
4**	5796.250	85.54	-3.31	--	--	AV	271.00	150	Horizontal	N/A
5	11787.412	50.41	-3.65	68.2	-17.79	Peak	81.00	150	Horizontal	Pass
5**	11787.412	41.19	-3.65	54.0	-12.81	AV	81.00	150	Horizontal	Pass
6	15828.076	51.68	-0.74	68.2	-16.52	Peak	242.00	150	Horizontal	Pass
6**	15828.076	41.85	-0.74	54.0	-12.15	AV	242.00	150	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.100	49.63	-17.68	68.2	-18.57	Peak	180.00	150	Vertical	Pass
1**	1535.100	37.86	-17.68	54.0	-16.14	AV	180.00	150	Vertical	Pass
2	2830.900	44.62	-11.44	68.2	-23.58	Peak	212.00	150	Vertical	Pass
2**	2830.900	33.36	-11.44	54.0	-20.64	AV	212.00	150	Vertical	Pass
3	3985.750	48.85	-6.16	68.2	-19.35	Peak	192.00	150	Vertical	Pass
3**	3985.750	39.30	-6.16	54.0	-14.70	AV	192.00	150	Vertical	Pass
4	5784.000	97.82	-3.19	--	--	Peak	276.00	150	Vertical	N/A
4**	5784.000	89.64	-3.19	--	--	AV	276.00	150	Vertical	N/A
5	11204.588	49.57	-4.06	68.2	-18.63	Peak	228.00	150	Vertical	Pass
5**	11204.588	39.85	-4.06	54.0	-14.15	AV	228.00	150	Vertical	Pass
6	15700.237	51.66	0.10	68.2	-16.54	Peak	22.00	150	Vertical	Pass
6**	15700.237	42.23	0.10	54.0	-11.77	AV	22.00	150	Vertical	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.300	47.69	-18.15	68.2	-20.51	Peak	268.00	150	Horizontal	Pass
1**	1159.300	34.30	-18.15	54.0	-19.70	AV	268.00	150	Horizontal	Pass
2	2822.900	42.56	-11.34	68.2	-25.64	Peak	232.00	150	Horizontal	Pass
2**	2822.900	32.56	-11.34	54.0	-21.44	AV	232.00	150	Horizontal	Pass
3	4113.750	47.47	-5.93	68.2	-20.73	Peak	66.00	150	Horizontal	Pass
3**	4113.750	37.27	-5.93	54.0	-16.73	AV	66.00	150	Horizontal	Pass
4	5756.250	94.61	-2.67	--	--	Peak	265.00	150	Horizontal	N/A
4**	5756.250	85.52	-2.67	--	--	AV	265.00	150	Horizontal	N/A
5	12040.825	50.19	-3.37	68.2	-18.01	Peak	96.00	150	Horizontal	Pass
5**	12040.825	39.88	-3.37	54.0	-14.12	AV	96.00	150	Horizontal	Pass
6	15808.125	51.63	-0.72	68.2	-16.57	Peak	158.00	150	Horizontal	Pass
6**	15808.125	41.82	-0.72	54.0	-12.18	AV	158.00	150	Horizontal	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.300	49.40	-17.90	68.2	-18.80	Peak	342.00	150	Vertical	Pass
1**	1541.300	35.21	-17.90	54.0	-18.79	AV	342.00	150	Vertical	Pass
2	2833.000	46.83	-11.28	68.2	-21.37	Peak	212.00	150	Vertical	Pass
2**	2833.000	33.23	-11.28	54.0	-20.77	AV	212.00	150	Vertical	Pass
3	3979.750	48.34	-6.09	68.2	-19.86	Peak	163.00	150	Vertical	Pass
3**	3979.750	38.28	-6.09	54.0	-15.72	AV	163.00	150	Vertical	Pass
4	5750.000	95.70	-2.80	--	--	Peak	274.00	150	Vertical	N/A
4**	5750.000	85.91	-2.80	--	--	AV	274.00	150	Vertical	N/A
5	11442.088	49.26	-3.93	68.2	-18.94	Peak	360.00	150	Vertical	Pass
5**	11442.088	40.11	-3.93	54.0	-13.89	AV	360.00	150	Vertical	Pass
6	15702.075	52.16	0.06	68.2	-16.04	Peak	22.00	150	Vertical	Pass
6**	15702.075	43.12	0.06	54.0	-10.88	AV	22.00	150	Vertical	Pass

Simultaneous transmission

MAIN antenna: 5G 802.11n20 mode + AUX antenna: BLE mode and 5G 802.11n20 mode

30 MHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1125.100	43.46	-18.33	68.2	-24.74	Peak	175.00	150	Horizontal	Pass
1**	1125.100	31.97	-18.33	54.0	-22.03	AV	175.00	150	Horizontal	Pass
2	2402.100	97.70	-13.33	--	--	Peak	318.00	150	Horizontal	N/A
2**	2402.100	97.69	-13.33	--	--	AV	318.00	150	Horizontal	N/A
3	5185.000	110.12	-2.33	--	--	Peak	12.00	150	Horizontal	N/A
3**	5185.000	102.98	-2.33	--	--	AV	12.00	150	Horizontal	N/A
4	7451.250	52.10	0.80	68.2	-16.10	Peak	360.00	150	Horizontal	Pass
4**	7451.250	44.20	0.80	54.0	-9.80	AV	360.00	150	Horizontal	Pass
5	11710.937	49.57	-4.15	68.2	-18.63	Peak	263.00	150	Horizontal	Pass
5**	11710.937	39.81	-4.15	54.0	-14.19	AV	263.00	150	Horizontal	Pass
6	15949.350	51.65	-0.24	68.2	-16.55	Peak	53.00	150	Horizontal	Pass
6**	15949.350	42.50	-0.24	54.0	-11.50	AV	53.00	150	Horizontal	Pass

30 MHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1683.500	45.90	-17.64	68.2	-22.30	Peak	1.00	150	Vertical	Pass
1**	1683.500	36.89	-17.64	54.0	-17.11	AV	1.00	150	Vertical	Pass
2	2402.200	99.88	-13.33	--	--	Peak	352.00	150	Vertical	N/A
2**	2402.200	99.66	-13.33	--	--	AV	352.00	150	Vertical	N/A
3	4787.750	56.88	-3.98	68.2	-11.32	Peak	187.00	150	Vertical	Pass
3**	4787.750	48.23	-3.98	54.0	-5.77	AV	187.00	150	Vertical	Pass
4	5176.500	108.22	-2.64	--	--	Peak	268.00	150	Vertical	N/A
4**	5176.500	101.54	-2.64	--	--	AV	268.00	150	Vertical	N/A
5	7458.750	52.77	1.15	68.2	-15.43	Peak	67.00	150	Vertical	Pass
5**	7458.750	43.60	1.15	54.0	-10.40	AV	67.00	150	Vertical	Pass
6	15457.162	52.31	-0.23	68.2	-15.89	Peak	225.00	150	Vertical	Pass
6**	15457.162	42.03	-0.23	54.0	-11.97	AV	225.00	150	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Main Antenna/Aux. Antenna

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
High		Pass	
802.11ax(HE40) (SU)	Low	Pass	
	High	Pass	
802.11ax(HE80) (SU)	Middle	Pass	
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
High		Pass	
802.11ax(HE40) (SU)	Low	Pass	
	High	Pass	
802.11ax(HE80) (SU)	Middle	Pass	
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
802.11ac(VHT40)	Low	Pass	
	High	Pass	
802.11ac(VHT80)	Low	Pass	

	802.11ax(HE20) (SU)	High	Pass
		Low	Pass
	802.11ax(HE40) (SU)	High	Pass
		Low	Pass
	802.11ax(HE80) (SU)	High	Pass
		Low	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
High		Pass	
802.11ax(HE80) (SU)	Middle	Pass	

MIMO


Test Band	Mode	Channel	Verdict
U-NII-1	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
U-NII-2A	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
802.11ac(VHT40)	Low	Pass	

		High	Pass	
	802.11ac(VHT80)	Middle	Pass	
	802.11ax(HE20) (SU)	Low	Pass	
		High	Pass	
	802.11ax(HE40) (SU)	Low	Pass	
High		Pass		
	802.11ax(HE80) (SU)	Middle	Pass	
U-NII-2C	802.11n(HT20)	Low	Pass	
		High	Pass	
	802.11n(HT40)	Low	Pass	
		High	Pass	
	802.11ac(VHT20)	Low	Pass	
		High	Pass	
	802.11ac(VHT40)	Low	Pass	
		High	Pass	
	802.11ac(VHT80)	Low	Pass	
		High	Pass	
	802.11ax(HE20) (SU)	Low	Pass	
		High	Pass	
	802.11ax(HE40) (SU)	Low	Pass	
		High	Pass	
802.11ax(HE80) (SU)	Low	Pass		
	High	Pass		
U-NII-3	802.11n(HT20)	Low	Pass	
		High	Pass	
	802.11n(HT40)	Low	Pass	
		High	Pass	
	802.11ac(VHT20)	Low	Pass	
		High	Pass	
	802.11ac(VHT40)	Low	Pass	
		High	Pass	
		802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass	
		High	Pass	
	802.11ax(HE40) (SU)	Low	Pass	
		High	Pass	
		802.11ax(HE80) (SU)	Middle	Pass

Test Data and Plots


Main Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	56.58	3.92	68.2	-11.62	Peak	299.00	150	Vertical	Pass
1**	5148.700	47.60	3.92	54.0	-6.40	AV	299.00	150	Vertical	Pass
2	4985.550	58.85	3.41	68.2	-9.35	Peak	355.00	150	Vertical	Pass
2**	4985.550	46.46	3.41	54.0	-7.54	AV	355.00	150	Vertical	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.44	3.96	68.2	-10.76	Peak	180.00	150	Vertical	Pass
1**	5350.000	47.44	3.96	54.0	-6.56	AV	180.00	150	Vertical	Pass
2	5383.367	58.76	3.96	68.2	-9.44	Peak	30.00	150	Vertical	Pass
2**	5383.367	46.83	3.96	54.0	-7.17	AV	30.00	150	Vertical	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.73	3.94	68.2	-10.47	Peak	64.00	150	Vertical	Pass
1**	5150.000	47.76	3.94	54.0	-6.24	AV	64.00	150	Vertical	Pass
2	5140.900	58.74	3.54	68.2	-9.46	Peak	92.00	150	Vertical	Pass
2**	5140.900	47.32	3.54	54.0	-6.68	AV	92.00	150	Vertical	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.30	3.96	68.2	-9.90	Peak	146.00	150	Vertical	Pass
1**	5350.000	47.56	3.96	54.0	-6.44	AV	146.00	150	Vertical	Pass
2	5358.983	58.87	3.83	68.2	-9.33	Peak	6.00	150	Vertical	Pass
2**	5358.983	47.28	3.83	54.0	-6.72	AV	6.00	150	Vertical	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.42	3.94	68.2	-8.78	Peak	318.00	150	Vertical	Pass
1**	5150.000	50.50	3.94	54.0	-3.50	AV	318.00	150	Vertical	Pass
2	5149.675	60.03	3.94	68.2	-8.17	Peak	315.00	150	Vertical	Pass
2**	5149.675	50.25	3.94	54.0	-3.75	AV	315.00	150	Vertical	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.28	3.96	68.2	-9.92	Peak	293.00	150	Vertical	Pass
1**	5350.000	47.56	3.96	54.0	-6.44	AV	293.00	150	Vertical	Pass
2	5352.016	59.18	3.94	68.2	-9.02	Peak	188.00	150	Vertical	Pass
2**	5352.016	47.55	3.94	54.0	-6.45	AV	188.00	150	Vertical	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.63	3.94	68.2	-10.57	Peak	50.00	150	Vertical	Pass
1**	5150.000	47.85	3.94	54.0	-6.15	AV	50.00	150	Vertical	Pass
2	5096.700	58.43	4.16	68.2	-9.77	Peak	239.00	150	Vertical	Pass
2**	5096.700	47.08	4.16	54.0	-6.92	AV	239.00	150	Vertical	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.14	3.96	68.2	-10.06	Peak	162.00	150	Vertical	Pass
1**	5350.000	47.61	3.96	54.0	-6.39	AV	162.00	150	Vertical	Pass
2	5378.600	59.05	4.14	68.2	-9.15	Peak	13.00	150	Vertical	Pass
2**	5378.600	47.07	4.14	54.0	-6.93	AV	13.00	150	Vertical	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.04	3.94	68.2	-8.16	Peak	199.00	150	Vertical	Pass
1**	5150.000	49.69	3.94	54.0	-4.31	AV	199.00	150	Vertical	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.72	3.96	68.2	-10.48	Peak	227.00	150	Vertical	Pass
1**	5350.000	47.50	3.96	54.0	-6.50	AV	227.00	150	Vertical	Pass
2	5350.917	58.86	3.95	68.2	-9.34	Peak	300.00	150	Vertical	Pass
2**	5350.917	47.49	3.95	54.0	-6.51	AV	300.00	150	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.39	3.94	68.2	-8.81	Peak	310.00	150	Vertical	Pass
1**	5150.000	50.92	3.94	54.0	-3.08	AV	310.00	150	Vertical	Pass
2	5129.850	60.48	4.10	68.2	-7.72	Peak	307.00	150	Vertical	Pass
2**	5129.850	49.52	4.10	54.0	-4.48	AV	307.00	150	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.96	3.96	68.2	-10.24	Peak	158.00	150	Vertical	Pass
1**	5350.000	48.33	3.96	54.0	-5.67	AV	158.00	150	Vertical	Pass
2	5351.100	59.27	3.95	68.2	-8.93	Peak	216.00	150	Vertical	Pass
2**	5351.100	48.27	3.95	54.0	-5.73	AV	216.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.68	3.94	68.2	-10.52	Peak	352.00	150	Vertical	Pass
1**	5150.000	48.34	3.94	54.0	-5.66	AV	352.00	150	Vertical	Pass
2	5098.000	58.59	4.20	68.2	-9.61	Peak	116.00	150	Vertical	Pass
2**	5098.000	47.05	4.20	54.0	-6.95	AV	116.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.27	3.96	68.2	-9.93	Peak	175.00	150	Vertical	Pass
1**	5350.000	47.44	3.96	54.0	-6.56	AV	175.00	150	Vertical	Pass
2	5369.250	59.27	3.67	68.2	-8.93	Peak	233.00	150	Vertical	Pass
2**	5369.250	46.62	3.67	54.0	-7.38	AV	233.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH38



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.50	3.94	68.2	-9.70	Peak	219.00	150	Vertical	Pass
1**	5150.000	49.24	3.94	54.0	-4.76	AV	219.00	150	Vertical	Pass
2	5146.425	59.96	3.86	68.2	-8.24	Peak	283.00	150	Vertical	Pass
2**	5146.425	48.82	3.86	54.0	-5.18	AV	283.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.28	3.96	68.2	-9.92	Peak	13.00	150	Vertical	Pass
1**	5350.000	47.59	3.96	54.0	-6.41	AV	13.00	150	Vertical	Pass
2	5353.850	58.86	3.78	68.2	-9.34	Peak	270.00	150	Vertical	Pass
2**	5353.850	47.36	3.78	54.0	-6.64	AV	270.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) CH42



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.06	3.94	68.2	-9.14	Peak	315.00	150	Vertical	Pass
1**	5150.000	50.21	3.94	54.0	-3.79	AV	315.00	150	Vertical	Pass
2	5146.425	61.01	3.86	68.2	-7.19	Peak	283.00	150	Vertical	Pass
2**	5146.425	49.90	3.86	54.0	-4.10	AV	283.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.96	3.96	68.2	-9.24	Peak	286.00	150	Vertical	Pass
1**	5350.000	48.03	3.96	54.0	-5.97	AV	286.00	150	Vertical	Pass
2	5366.133	59.02	3.57	68.2	-9.18	Peak	104.00	150	Vertical	Pass
2**	5366.133	46.91	3.57	54.0	-7.09	AV	104.00	150	Vertical	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.84	3.94	68.2	-10.36	Peak	313.00	150	Vertical	Pass
1**	5150.000	47.32	3.94	54.0	-6.68	AV	313.00	150	Vertical	Pass
2	5133.750	58.59	3.60	68.2	-9.61	Peak	347.00	150	Vertical	Pass
2**	5133.750	46.72	3.60	54.0	-7.28	AV	347.00	150	Vertical	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.64	3.96	68.2	-10.56	Peak	87.00	150	Vertical	Pass
1**	5350.000	47.57	3.96	54.0	-6.43	AV	87.00	150	Vertical	Pass
2	5362.833	59.20	3.60	68.2	-9.00	Peak	0.00	150	Vertical	Pass
2**	5362.833	46.83	3.60	54.0	-7.17	AV	0.00	150	Vertical	Pass

U-NII-2A 11n20 CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	57.53	3.93	68.2	-10.67	Peak	204.00	150	Vertical	Pass
1**	5149.350	47.41	3.93	54.0	-6.59	AV	204.00	150	Vertical	Pass
2	5147.725	58.29	3.91	68.2	-9.91	Peak	222.00	150	Vertical	Pass
2**	5147.725	47.18	3.91	54.0	-6.82	AV	222.00	150	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.20	3.96	68.2	-10.00	Peak	148.00	150	Vertical	Pass
1**	5350.000	47.88	3.96	54.0	-6.12	AV	148.00	150	Vertical	Pass
2	5350.183	59.08	3.96	68.2	-9.12	Peak	106.00	150	Vertical	Pass
2**	5350.183	47.86	3.96	54.0	-6.14	AV	106.00	150	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.02	3.94	68.2	-11.18	Peak	251.00	150	Vertical	Pass
1**	5150.000	47.42	3.94	54.0	-6.58	AV	251.00	150	Vertical	Pass
2	5059.000	59.03	3.50	68.2	-9.17	Peak	45.00	150	Vertical	Pass
2**	5059.000	46.27	3.50	54.0	-7.73	AV	45.00	150	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.75	3.96	68.2	-9.45	Peak	314.00	150	Vertical	Pass
1**	5350.000	48.73	3.96	54.0	-5.27	AV	314.00	150	Vertical	Pass
2	5351.834	61.88	3.94	68.2	-6.32	Peak	280.00	150	Vertical	Pass
2**	5351.834	48.37	3.94	54.0	-5.63	AV	280.00	150	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.84	3.94	68.2	-11.36	Peak	70.00	150	Vertical	Pass
1**	5150.000	47.65	3.94	54.0	-6.35	AV	70.00	150	Vertical	Pass
2	5148.375	58.54	3.92	68.2	-9.66	Peak	254.00	150	Vertical	Pass
2**	5148.375	47.36	3.92	54.0	-6.64	AV	254.00	150	Vertical	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.59	3.96	68.2	-10.61	Peak	210.00	150	Vertical	Pass
1**	5350.000	47.85	3.96	54.0	-6.15	AV	210.00	150	Vertical	Pass
2	5450.283	59.33	4.56	68.2	-8.87	Peak	135.00	150	Vertical	Pass
2**	5450.283	46.26	4.56	54.0	-7.74	AV	135.00	150	Vertical	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.18	3.94	68.2	-11.02	Peak	360.00	150	Vertical	Pass
1**	5150.000	47.45	3.94	54.0	-6.55	AV	360.00	150	Vertical	Pass
2	5149.025	58.20	3.93	68.2	-10.00	Peak	136.00	150	Vertical	Pass
2**	5149.025	47.44	3.93	54.0	-6.56	AV	136.00	150	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.09	3.96	68.2	-8.11	Peak	271.00	150	Vertical	Pass
1**	5350.000	48.58	3.96	54.0	-5.42	AV	271.00	150	Vertical	Pass
2	5353.483	60.93	3.83	68.2	-7.27	Peak	276.00	150	Vertical	Pass
2**	5353.483	48.11	3.83	54.0	-5.89	AV	276.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.27	3.94	68.2	-9.93	Peak	232.00	150	Vertical	Pass
1**	5150.000	48.08	3.94	54.0	-5.92	AV	232.00	150	Vertical	Pass
2	5090.850	58.68	4.15	68.2	-9.52	Peak	0.00	150	Vertical	Pass
2**	5090.850	47.35	4.15	54.0	-6.65	AV	0.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.77	3.96	68.2	-6.43	Peak	278.00	150	Vertical	Pass
1**	5350.000	51.60	3.96	54.0	-2.40	AV	278.00	150	Vertical	N/A
1***	5350.000	50.366	3.96	54.0	-3.634	AV	278.00	150	Vertical	Pass
2	5355.500	61.92	3.61	68.2	-6.28	Peak	273.00	150	Vertical	Pass
2**	5355.500	50.81	3.61	54.0	-3.19	AV	273.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.08	3.94	68.2	-11.12	Peak	296.00	150	Vertical	Pass
1**	5150.000	47.36	3.94	54.0	-6.64	AV	296.00	150	Vertical	Pass
2	4935.825	58.52	3.18	68.2	-9.68	Peak	168.00	150	Vertical	Pass
2**	4935.825	46.23	3.18	54.0	-7.77	AV	168.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.72	3.96	68.2	-10.48	Peak	26.00	150	Vertical	Pass
1**	5350.000	47.85	3.96	54.0	-6.15	AV	26.00	150	Vertical	Pass
2	5409.584	58.83	3.93	68.2	-9.37	Peak	298.00	150	Vertical	Pass
2**	5409.584	46.32	3.93	54.0	-7.68	AV	298.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.14	3.94	68.2	-11.06	Peak	237.00	150	Vertical	Pass
1**	5150.000	47.30	3.94	54.0	-6.70	AV	237.00	150	Vertical	Pass
2	5131.150	58.66	3.80	68.2	-9.54	Peak	347.00	150	Vertical	Pass
2**	5131.150	46.91	3.80	54.0	-7.09	AV	347.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.39	3.96	68.2	-8.81	Peak	278.00	150	Vertical	Pass
1**	5350.000	48.61	3.96	54.0	-5.39	AV	278.00	150	Vertical	Pass
2	5351.100	59.45	3.95	68.2	-8.75	Peak	217.00	150	Vertical	Pass
2**	5351.100	48.57	3.95	54.0	-5.43	AV	217.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.37	3.94	68.2	-9.83	Peak	163.00	150	Vertical	Pass
1**	5150.000	48.13	3.94	54.0	-5.87	AV	163.00	150	Vertical	Pass
2	5147.725	59.42	3.91	68.2	-8.78	Peak	300.00	150	Vertical	Pass
2**	5147.725	48.47	3.91	54.0	-5.53	AV	300.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.58	3.96	68.2	-7.62	Peak	265.00	150	Vertical	Pass
1**	5350.000	49.888	3.96	54.0	-4.112	AV	265.00	150	Vertical	Pass
2	5351.467	62.94	3.94	68.2	-5.26	Peak	278.00	150	Vertical	Pass
2**	5351.467	50.708	3.94	54.0	-3.292	AV	278.00	150	Vertical	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.74	3.80	68.2	-10.46	Peak	57.00	150	Vertical	Pass
1**	5470.000	46.29	3.80	--	--	AV	57.00	150	Vertical	N/A
2	5460.000	57.86	4.23	68.2	-10.34	Peak	166.00	150	Vertical	Pass
2**	5460.000	46.34	4.23	54.0	-7.66	AV	166.00	150	Vertical	Pass
3	5463.400	58.55	4.26	68.2	-9.65	Peak	207.00	150	Vertical	Pass
3**	5463.400	46.70	4.26	--	--	AV	207.00	150	Vertical	N/A
4	5353.000	59.32	3.91	68.2	-8.88	Peak	0.00	150	Vertical	Pass
4**	5353.000	47.65	3.91	54.0	-6.35	AV	0.00	150	Vertical	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.17	4.45	68.2	-10.03	Peak	210.00	150	Vertical	Pass
2	5845.834	60.39	5.75	68.2	-7.81	Peak	269.00	150	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.49	3.80	68.2	-11.71	Peak	197.00	150	Vertical	Pass
1**	5470.000	46.57	3.80	--	--	AV	197.00	150	Vertical	N/A
2	5460.000	56.47	4.23	68.2	-11.73	Peak	224.00	150	Vertical	Pass
2**	5460.000	46.39	4.23	54.0	-7.61	AV	224.00	150	Vertical	Pass
3	5465.400	57.67	4.02	68.2	-10.53	Peak	202.00	150	Vertical	Pass
3**	5465.400	46.44	4.02	--	--	AV	202.00	150	Vertical	N/A
4	5357.200	59.31	3.70	68.2	-8.89	Peak	86.00	150	Vertical	Pass
4**	5357.200	47.12	3.70	54.0	-6.88	AV	86.00	150	Vertical	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.99	4.45	68.2	-10.21	Peak	259.00	150	Vertical	Pass
2	5845.416	60.20	5.77	68.2	-8.00	Peak	283.00	150	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.75	3.80	68.2	-7.45	Peak	256.00	150	Vertical	Pass
1**	5470.000	51.23	3.80	--	--	AV	256.00	150	Vertical	N/A
2	5460.000	60.54	4.23	68.2	-7.66	Peak	256.00	150	Vertical	Pass
2**	5460.000	51.27	4.23	54.0	-2.73	AV	256.00	150	Vertical	Pass
3	5463.200	63.26	4.25	68.2	-4.94	Peak	260.00	150	Vertical	Pass
3**	5463.200	51.70	4.25	--	--	AV	260.00	150	Vertical	N/A
4	5457.000	62.00	4.57	68.2	-6.20	Peak	265.00	150	Vertical	Pass
4**	5457.000	51.51	4.57	54.0	-2.49	AV	265.00	150	Vertical	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.90	4.45	68.2	-10.30	Peak	266.00	150	Vertical	Pass
2	5778.750	60.39	4.91	68.2	-7.81	Peak	174.00	150	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.22	3.80	68.2	-11.98	Peak	222.00	150	Vertical	Pass
1**	5470.000	46.34	3.80	--	--	AV	222.00	150	Vertical	N/A
2	5460.000	56.54	4.23	68.2	-11.66	Peak	31.00	150	Vertical	Pass
2**	5460.000	46.15	4.23	54.0	-7.85	AV	31.00	150	Vertical	Pass
3	5463.600	57.88	4.24	68.2	-10.32	Peak	267.00	150	Vertical	Pass
3**	5463.600	46.26	4.24	--	--	AV	267.00	150	Vertical	N/A
4	5351.000	59.29	3.95	68.2	-8.91	Peak	252.00	150	Vertical	Pass
4**	5351.000	47.59	3.95	54.0	-6.41	AV	252.00	150	Vertical	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.51	4.45	68.2	-10.69	Peak	315.00	150	Vertical	Pass
2	5792.916	60.29	4.68	68.2	-7.91	Peak	150.00	150	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	61.11	3.80	68.2	-7.09	Peak	261.00	150	Vertical	Pass
1**	5470.000	51.17	3.80	--	--	AV	261.00	150	Vertical	N/A
2	5460.000	61.80	4.23	68.2	-6.40	Peak	271.00	150	Vertical	Pass
2**	5460.000	51.35	4.23	54.0	-2.65	AV	271.00	150	Vertical	Pass
3	5468.400	62.55	3.89	68.2	-5.65	Peak	271.00	150	Vertical	Pass
3**	5468.400	51.16	3.89	--	--	AV	271.00	150	Vertical	N/A
4	5453.600	62.44	4.51	68.2	-5.76	Peak	256.00	150	Vertical	Pass
4**	5453.600	51.02	4.51	54.0	-3.01	AV	256.00	150	Vertical	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.90	4.45	68.2	-10.30	Peak	249.00	150	Vertical	Pass
2	5844.167	59.80	5.82	68.2	-8.40	Peak	271.00	150	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.62	3.80	68.2	-12.58	Peak	320.00	150	Vertical	Pass
1**	5470.000	45.69	3.80	--	--	AV	320.00	150	Vertical	N/A
2	5460.000	56.63	4.23	68.2	-11.57	Peak	31.00	150	Vertical	Pass
2**	5460.000	46.19	4.23	54.0	-7.81	AV	31.00	150	Vertical	Pass
3	5460.200	57.83	4.21	68.2	-10.37	Peak	207.00	150	Vertical	Pass
3**	5460.200	45.90	4.21	--	--	AV	207.00	150	Vertical	N/A
4	5355.800	59.96	3.63	68.2	-8.24	Peak	268.00	150	Vertical	Pass
4**	5355.800	47.54	3.63	54.0	-6.46	AV	268.00	150	Vertical	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.49	4.45	68.2	-10.71	Peak	107.00	150	Vertical	Pass
2	5776.667	59.65	4.82	68.2	-8.55	Peak	327.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.34	3.80	68.2	-11.86	Peak	226.00	150	Vertical	Pass
1**	5470.000	46.62	3.80	--	--	AV	226.00	150	Vertical	N/A
2	5460.000	56.69	4.23	68.2	-11.51	Peak	109.00	150	Vertical	Pass
2**	5460.000	46.29	4.23	54.0	-7.71	AV	109.00	150	Vertical	Pass
3	5465.800	57.83	4.00	68.2	-10.37	Peak	185.00	150	Vertical	Pass
3**	5465.800	46.31	4.00	--	--	AV	185.00	150	Vertical	N/A
4	5352.000	59.21	3.94	68.2	-8.99	Peak	201.00	150	Vertical	Pass
4**	5352.000	47.42	3.94	54.0	-6.58	AV	201.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.47	4.45	68.2	-10.73	Peak	18.00	150	Vertical	Pass
2	5830.209	59.66	4.87	68.2	-8.54	Peak	145.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.27	3.80	68.2	-7.93	Peak	251.00	150	Vertical	Pass
1**	5470.000	50.87	3.80	--	--	AV	251.00	150	Vertical	N/A
2	5460.000	60.93	4.23	68.2	-7.27	Peak	254.00	150	Vertical	Pass
2**	5460.000	51.44	4.23	54.0	-2.56	AV	254.00	150	Vertical	Pass
3	5465.000	62.28	4.07	68.2	-5.92	Peak	270.00	150	Vertical	Pass
3**	5465.000	51.33	4.07	--	--	AV	270.00	150	Vertical	N/A
4	5458.000	62.15	4.45	68.2	-6.05	Peak	271.00	150	Vertical	Pass
4**	5458.000	51.38	4.45	54.0	-2.62	AV	271.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.60	4.45	68.2	-9.60	Peak	215.00	150	Vertical	Pass
2	5840.625	59.71	5.44	68.2	-8.49	Peak	253.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.22	3.80	68.2	-7.98	Peak	284.00	150	Vertical	Pass
1**	5470.000	50.79	3.80	--	--	AV	284.00	150	Vertical	N/A
2	5460.000	60.96	4.23	68.2	-7.24	Peak	274.00	150	Vertical	Pass
2**	5460.000	50.94	4.23	54.0	-3.06	AV	274.00	150	Vertical	Pass
3	5468.400	61.70	3.89	68.2	-6.50	Peak	274.00	150	Vertical	Pass
3**	5468.400	50.81	3.89	--	--	AV	274.00	150	Vertical	N/A
4	5452.200	62.81	4.51	68.2	-5.39	Peak	266.00	150	Vertical	Pass
4**	5452.200	50.54	4.51	54.0	-3.46	AV	266.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.22	4.45	68.2	-10.98	Peak	146.00	150	Vertical	Pass
2	5770.208	59.55	4.86	68.2	-8.65	Peak	229.00	150	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.36	4.91	68.2	-10.84	Peak	168.00	150	Vertical	Pass
2	5639.166	59.53	5.41	68.2	-8.67	Peak	290.00	150	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.98	4.25	68.2	-10.22	Peak	90.00	150	Vertical	Pass
2	5962.250	59.15	4.69	68.2	-9.05	Peak	64.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.51	4.91	68.2	-9.69	Peak	53.00	150	Vertical	Pass
2	5642.083	59.59	5.25	68.2	-8.61	Peak	21.00	150	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.83	4.25	68.2	-10.37	Peak	347.00	150	Vertical	Pass
2	5934.750	59.22	4.44	68.2	-8.98	Peak	266.00	150	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.26	4.91	68.2	-9.94	Peak	286.00	150	Vertical	Pass
2	5641.875	60.22	5.27	68.2	-7.98	Peak	252.00	150	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.28	4.25	68.2	-10.92	Peak	8.00	150	Vertical	Pass
2	5929.250	59.48	4.49	68.2	-8.72	Peak	340.00	150	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.61	4.91	68.2	-10.59	Peak	193.00	150	Vertical	Pass
2	5635.417	60.26	5.53	68.2	-7.94	Peak	249.00	150	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.96	4.25	68.2	-11.24	Peak	360.00	150	Vertical	Pass
2	5939.000	59.67	4.54	68.2	-8.53	Peak	334.00	150	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.90	4.91	68.2	-9.30	Peak	244.00	150	Vertical	Pass
2	5618.542	59.72	4.82	68.2	-8.48	Peak	239.00	150	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.02	4.25	68.2	-10.18	Peak	129.00	150	Vertical	Pass
2	5992.000	59.25	5.27	68.2	-8.95	Peak	0.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	59.50	4.91	68.2	-8.70	Peak	133.00	150	Vertical	Pass
2	5645.000	61.44	5.08	68.2	-6.76	Peak	266.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.87	4.25	68.2	-10.33	Peak	0.00	150	Vertical	Pass
2	5936.250	59.88	4.49	68.2	-8.32	Peak	343.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.04	4.91	68.2	-10.16	Peak	322.00	150	Vertical	Pass
2	5641.250	59.74	5.31	68.2	-8.46	Peak	289.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.00	4.25	68.2	-11.20	Peak	54.00	150	Vertical	Pass
2	5999.750	59.66	5.30	68.2	-8.54	Peak	47.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.53	4.91	68.2	-9.67	Peak	43.00	150	Vertical	Pass
2	5641.667	60.05	5.28	68.2	-8.15	Peak	82.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.68	4.25	68.2	-11.52	Peak	274.00	150	Vertical	Pass
2	5956.250	59.52	4.73	68.2	-8.68	Peak	340.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	59.56	4.91	68.2	-8.64	Peak	248.00	150	Vertical	Pass
2	5633.542	61.19	5.36	68.2	-7.01	Peak	273.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.32	4.25	68.2	-9.88	Peak	192.00	150	Vertical	Pass
2	5985.000	59.45	5.09	68.2	-8.75	Peak	333.00	150	Vertical	Pass


Aux. Antenna

U-NII-1 11a CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	58.98	3.86	68.2	-9.22	Peak	132.00	150	Vertical	Pass
1**	5146.425	47.28	3.86	54.0	-6.72	AV	132.00	150	Vertical	Pass
2	5150.000	57.38	3.94	68.2	-10.82	Peak	290.00	150	Vertical	Pass
2**	5150.000	47.70	3.94	54.0	-6.30	AV	290.00	150	Vertical	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.53	3.96	68.2	-9.67	Peak	181.00	150	Vertical	Pass
1**	5350.000	47.46	3.96	54.0	-6.54	AV	181.00	150	Vertical	Pass
2	5351.283	59.11	3.94	68.2	-9.09	Peak	336.00	150	Vertical	Pass
2**	5351.283	47.57	3.94	54.0	-6.43	AV	336.00	150	Vertical	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5068.100	58.47	4.00	68.2	-9.73	Peak	269.00	150	Vertical	Pass
1**	5068.100	47.38	4.00	54.0	-6.62	AV	269.00	150	Vertical	Pass
2	5150.000	57.12	3.94	68.2	-11.08	Peak	189.00	150	Vertical	Pass
2**	5150.000	47.51	3.94	54.0	-6.49	AV	189.00	150	Vertical	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.23	3.96	68.2	-9.97	Peak	163.00	150	Vertical	Pass
1**	5350.000	47.58	3.96	54.0	-6.42	AV	163.00	150	Vertical	Pass
2	5369.250	59.15	3.67	68.2	-9.05	Peak	225.00	150	Vertical	Pass
2**	5369.250	46.70	3.67	54.0	-7.30	AV	225.00	150	Vertical	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	58.39	3.93	68.2	-9.81	Peak	144.00	150	Vertical	Pass
1**	5149.350	48.49	3.93	54.0	-5.51	AV	144.00	150	Vertical	Pass
2	5150.000	57.54	3.94	68.2	-10.66	Peak	107.00	150	Vertical	Pass
2**	5150.000	48.86	3.94	54.0	-5.14	AV	107.00	150	Vertical	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.64	3.96	68.2	-10.56	Peak	352.00	150	Vertical	Pass
1**	5350.000	47.35	3.96	54.0	-6.65	AV	352.00	150	Vertical	Pass
2	5352.567	59.30	3.93	68.2	-8.90	Peak	165.00	150	Vertical	Pass
2**	5352.567	47.13	3.93	54.0	-6.87	AV	165.00	150	Vertical	Pass

U-NII-1 11ac20 CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.375	58.38	3.92	68.2	-9.82	Peak	88.00	150	Vertical	Pass
1**	5148.375	47.54	3.92	54.0	-6.46	AV	88.00	150	Vertical	Pass
2	5150.000	57.45	3.94	68.2	-10.75	Peak	12.00	150	Vertical	Pass
2**	5150.000	47.72	3.94	54.0	-6.28	AV	12.00	150	Vertical	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.39	3.96	68.2	-10.81	Peak	105.00	150	Vertical	Pass
1**	5350.000	47.41	3.96	54.0	-6.59	AV	105.00	150	Vertical	Pass
2	5351.650	58.95	3.94	68.2	-9.25	Peak	122.00	150	Vertical	Pass
2**	5351.650	47.37	3.94	54.0	-6.63	AV	122.00	150	Vertical	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.800	59.46	3.73	68.2	-8.74	Peak	80.00	150	Vertical	Pass
1**	5144.800	47.69	3.73	54.0	-6.31	AV	80.00	150	Vertical	Pass
2	5150.000	58.16	3.94	68.2	-10.04	Peak	195.00	150	Vertical	Pass
2**	5150.000	48.63	3.94	54.0	-5.37	AV	195.00	150	Vertical	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.23	3.96	68.2	-9.97	Peak	360.00	150	Vertical	Pass
1**	5350.000	47.51	3.96	54.0	-6.49	AV	360.00	150	Vertical	Pass
2	5352.200	59.63	3.93	68.2	-8.57	Peak	201.00	150	Vertical	Pass
2**	5352.200	47.44	3.93	54.0	-6.56	AV	201.00	150	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	60.61	3.86	68.2	-7.59	Peak	95.00	150	Vertical	Pass
1**	5146.425	50.28	3.86	54.0	-3.72	AV	95.00	150	Vertical	Pass
2	5150.000	60.45	3.94	68.2	-7.75	Peak	158.00	150	Vertical	Pass
2**	5150.000	50.36	3.94	54.0	-3.64	AV	158.00	150	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.34	3.96	68.2	-9.86	Peak	0.00	150	Vertical	Pass
1**	5350.000	47.82	3.96	54.0	-6.18	AV	0.00	150	Vertical	Pass
2	5357.517	58.89	3.72	68.2	-9.31	Peak	102.00	150	Vertical	Pass
2**	5357.517	47.29	3.72	54.0	-6.71	AV	102.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5084.675	58.10	4.12	68.2	-10.10	Peak	328.00	150	Vertical	Pass
1**	5084.675	46.81	4.12	54.0	-7.19	AV	328.00	150	Vertical	Pass
2	5150.000	57.48	3.94	68.2	-10.72	Peak	50.00	150	Vertical	Pass
2**	5150.000	47.93	3.94	54.0	-6.07	AV	50.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.61	3.96	68.2	-10.59	Peak	43.00	150	Vertical	Pass
1**	5350.000	47.50	3.96	54.0	-6.50	AV	43.00	150	Vertical	Pass
2	5354.217	59.02	3.72	68.2	-9.18	Peak	51.00	150	Vertical	Pass
2**	5354.217	47.24	3.72	54.0	-6.76	AV	51.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5130.825	58.65	3.88	68.2	-9.55	Peak	226.00	150	Vertical	Pass
1**	5130.825	47.38	3.88	54.0	-6.62	AV	226.00	150	Vertical	Pass
2	5150.000	57.55	3.94	68.2	-10.65	Peak	226.00	150	Vertical	Pass
2**	5150.000	47.46	3.94	54.0	-6.54	AV	226.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.68	3.96	68.2	-10.52	Peak	93.00	150	Vertical	Pass
1**	5350.000	47.50	3.96	54.0	-6.50	AV	93.00	150	Vertical	Pass
2	5443.500	59.42	4.97	68.2	-8.78	Peak	117.00	150	Vertical	Pass
2**	5443.500	46.57	4.97	54.0	-7.43	AV	117.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.475	59.81	3.70	68.2	-8.39	Peak	87.00	150	Vertical	Pass
1**	5144.475	49.51	3.70	54.0	-4.49	AV	87.00	150	Vertical	Pass
2	5150.000	59.45	3.94	68.2	-8.75	Peak	201.00	150	Vertical	Pass
2**	5150.000	50.33	3.94	54.0	-3.67	AV	201.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.86	3.96	68.2	-10.34	Peak	166.00	150	Vertical	Pass
1**	5350.000	47.68	3.96	54.0	-6.32	AV	166.00	150	Vertical	Pass
2	5445.334	58.77	4.73	68.2	-9.43	Peak	26.00	150	Vertical	Pass
2**	5445.334	46.44	4.73	54.0	-7.56	AV	26.00	150	Vertical	Pass

U-NII-2A 11a CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.850	58.57	4.10	68.2	-9.63	Peak	198.00	150	Vertical	Pass
1**	5129.850	47.32	4.10	54.0	-6.68	AV	198.00	150	Vertical	Pass
2	5150.000	57.30	3.94	68.2	-10.90	Peak	53.00	150	Vertical	Pass
2**	5150.000	47.41	3.94	54.0	-6.59	AV	53.00	150	Vertical	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.29	3.96	68.2	-9.91	Peak	100.00	150	Vertical	Pass
1**	5350.000	47.87	3.96	54.0	-6.13	AV	100.00	150	Vertical	Pass
2	5368.700	59.39	3.68	68.2	-8.81	Peak	237.00	150	Vertical	Pass
2**	5368.700	46.76	3.68	54.0	-7.24	AV	237.00	150	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.850	58.84	4.10	68.2	-9.36	Peak	155.00	150	Vertical	Pass
1**	5129.850	47.38	4.10	54.0	-6.62	AV	155.00	150	Vertical	Pass
2	5150.000	56.75	3.94	68.2	-11.45	Peak	3.00	150	Vertical	Pass
2**	5150.000	47.83	3.94	54.0	-6.17	AV	3.00	150	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.34	3.96	68.2	-9.86	Peak	47.00	150	Vertical	Pass
1**	5350.000	47.61	3.96	54.0	-6.39	AV	47.00	150	Vertical	Pass
2	5356.600	59.94	3.67	68.2	-8.26	Peak	221.00	150	Vertical	Pass
2**	5356.600	47.24	3.67	54.0	-6.76	AV	221.00	150	Vertical	Pass

U-NII-2A 11n40 CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.600	58.77	4.07	68.2	-9.43	Peak	122.00	150	Vertical	Pass
1**	5126.600	47.51	4.07	54.0	-6.49	AV	122.00	150	Vertical	Pass
2	5150.000	57.43	3.94	68.2	-10.77	Peak	100.00	150	Vertical	Pass
2**	5150.000	47.44	3.94	54.0	-6.56	AV	100.00	150	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.42	3.96	68.2	-9.78	Peak	96.00	150	Vertical	Pass
1**	5350.000	48.41	3.96	54.0	-5.59	AV	96.00	150	Vertical	Pass
2	5351.100	60.30	3.95	68.2	-7.90	Peak	106.00	150	Vertical	Pass
2**	5351.100	48.27	3.95	54.0	-5.73	AV	106.00	150	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5102.225	58.59	4.12	68.2	-9.61	Peak	6.00	150	Vertical	Pass
1**	5102.225	47.07	4.12	54.0	-6.93	AV	6.00	150	Vertical	Pass
2	5150.000	56.65	3.94	68.2	-11.55	Peak	191.00	150	Vertical	Pass
2**	5150.000	47.34	3.94	54.0	-6.66	AV	191.00	150	Vertical	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.99	3.96	68.2	-10.21	Peak	85.00	150	Vertical	Pass
1**	5350.000	47.76	3.96	54.0	-6.24	AV	85.00	150	Vertical	Pass
2	5351.650	58.89	3.94	68.2	-9.31	Peak	360.00	150	Vertical	Pass
2**	5351.650	47.63	3.94	54.0	-6.37	AV	360.00	150	Vertical	Pass

U-NII-2A 11ac40 CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5065.825	58.12	3.71	68.2	-10.08	Peak	178.00	150	Vertical	Pass
1**	5065.825	46.57	3.71	54.0	-7.43	AV	178.00	150	Vertical	Pass
2	5150.000	57.07	3.94	68.2	-11.13	Peak	33.00	150	Vertical	Pass
2**	5150.000	47.49	3.94	54.0	-6.51	AV	33.00	150	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.17	3.96	68.2	-10.03	Peak	212.00	150	Vertical	Pass
1**	5350.000	48.30	3.96	54.0	-5.70	AV	212.00	150	Vertical	Pass
2	5352.200	60.16	3.93	68.2	-8.04	Peak	104.00	150	Vertical	Pass
2**	5352.200	48.16	3.93	54.0	-5.84	AV	104.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4952.725	58.55	3.33	68.2	-9.65	Peak	63.00	150	Vertical	Pass
1**	4952.725	46.26	3.33	54.0	-7.74	AV	63.00	150	Vertical	Pass
2	5150.000	56.72	3.94	68.2	-11.48	Peak	360.00	150	Vertical	Pass
2**	5150.000	47.49	3.94	54.0	-6.51	AV	360.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.26	3.96	68.2	-8.94	Peak	206.00	150	Vertical	Pass
1**	5350.000	49.12	3.96	54.0	-4.88	AV	206.00	150	Vertical	Pass
2	5363.383	61.60	3.59	68.2	-6.60	Peak	102.00	150	Vertical	Pass
2**	5363.383	47.68	3.59	54.0	-6.32	AV	102.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4995.950	58.41	3.60	68.2	-9.79	Peak	19.00	150	Vertical	Pass
1**	4995.950	46.78	3.60	54.0	-7.22	AV	19.00	150	Vertical	Pass
2	5150.000	57.05	3.94	68.2	-11.15	Peak	140.00	150	Vertical	Pass
2**	5150.000	47.70	3.94	54.0	-6.30	AV	140.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.01	3.96	68.2	-10.19	Peak	88.00	150	Vertical	Pass
1**	5350.000	48.16	3.96	54.0	-5.84	AV	88.00	150	Vertical	Pass
2	5352.200	59.18	3.93	68.2	-9.02	Peak	105.00	150	Vertical	Pass
2**	5352.200	47.50	3.93	54.0	-6.50	AV	105.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	58.13	3.86	68.2	-10.07	Peak	139.00	150	Vertical	Pass
1**	5146.425	47.37	3.86	54.0	-6.63	AV	139.00	150	Vertical	Pass
2	5150.000	56.50	3.94	68.2	-11.70	Peak	31.00	150	Vertical	Pass
2**	5150.000	47.30	3.94	54.0	-6.70	AV	31.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.33	3.96	68.2	-10.87	Peak	222.00	150	Vertical	Pass
1**	5350.000	47.94	3.96	54.0	-6.06	AV	222.00	150	Vertical	Pass
2	5351.283	59.87	3.94	68.2	-8.33	Peak	113.00	150	Vertical	Pass
2**	5351.283	48.08	3.94	54.0	-5.92	AV	113.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.400	59.06	3.90	68.2	-9.14	Peak	354.00	150	Vertical	Pass
1**	5147.400	47.46	3.90	54.0	-6.54	AV	354.00	150	Vertical	Pass
2	5150.000	57.16	3.94	68.2	-11.04	Peak	317.00	150	Vertical	Pass
2**	5150.000	47.53	3.94	54.0	-6.47	AV	317.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.01	3.96	68.2	-9.19	Peak	92.00	150	Vertical	Pass
1**	5350.000	48.78	3.96	54.0	-5.22	AV	92.00	150	Vertical	Pass
2	5364.484	61.81	3.56	68.2	-6.39	Peak	111.00	150	Vertical	Pass
2**	5364.484	47.69	3.56	54.0	-6.31	AV	111.00	150	Vertical	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5354.400	59.10	3.69	68.2	-9.10	Peak	343.00	150	Vertical	Pass
1**	5354.400	47.10	3.69	54.0	-6.90	AV	343.00	150	Vertical	Pass
2	5460.000	55.74	4.23	68.2	-12.46	Peak	312.00	150	Vertical	Pass
2**	5460.000	45.67	4.23	54.0	-8.33	AV	312.00	150	Vertical	Pass
3	5468.000	57.19	3.93	68.2	-11.01	Peak	235.00	150	Vertical	Pass
3**	5468.000	45.45	3.93	--	--	AV	235.00	150	Vertical	N/A
4	5470.000	55.11	3.80	68.2	-13.09	Peak	109.00	150	Vertical	Pass
4**	5470.000	45.26	3.80	--	--	AV	109.00	150	Vertical	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.70	4.45	68.2	-10.50	Peak	114.00	150	Vertical	Pass
2	5758.333	59.30	4.76	68.2	-8.90	Peak	142.00	150	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.66	3.80	68.2	-11.54	Peak	154.00	150	Vertical	Pass
1**	5470.000	45.64	3.80	--	--	AV	154.00	150	Vertical	N/A
2	5460.000	56.51	4.23	68.2	-11.69	Peak	107.00	150	Vertical	Pass
2**	5460.000	45.97	4.23	54.0	-8.03	AV	107.00	150	Vertical	Pass
3	5461.000	57.35	4.14	68.2	-10.85	Peak	157.00	150	Vertical	Pass
3**	5461.000	45.83	4.14	--	--	AV	157.00	150	Vertical	N/A
4	5387.200	58.49	3.66	68.2	-9.71	Peak	41.00	150	Vertical	Pass
4**	5387.200	46.39	3.66	54.0	-7.61	AV	41.00	150	Vertical	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.92	4.45	68.2	-10.28	Peak	167.00	150	Vertical	Pass
2	5838.541	60.20	5.36	68.2	-8.00	Peak	130.00	150	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.47	3.80	68.2	-10.73	Peak	122.00	150	Vertical	Pass
1**	5470.000	47.58	3.80	--	--	AV	122.00	150	Vertical	N/A
2	5460.000	56.79	4.23	68.2	-11.41	Peak	105.00	150	Vertical	Pass
2**	5460.000	47.32	4.23	54.0	-6.68	AV	105.00	150	Vertical	Pass
3	5467.000	59.80	3.97	68.2	-8.40	Peak	129.00	150	Vertical	Pass
3**	5467.000	47.58	3.97	--	--	AV	129.00	150	Vertical	N/A
4	5455.000	59.15	4.54	68.2	-9.05	Peak	110.00	150	Vertical	Pass
4**	5455.000	47.43	4.54	54.0	-6.57	AV	110.00	150	Vertical	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.37	4.45	68.2	-7.83	Peak	130.00	150	Vertical	Pass
2	5727.084	62.05	4.27	68.2	-6.15	Peak	133.00	150	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.94	3.80	68.2	-12.26	Peak	326.00	150	Vertical	Pass
1**	5470.000	45.68	3.80	--	--	AV	326.00	150	Vertical	N/A
2	5460.000	56.54	4.23	68.2	-11.66	Peak	176.00	150	Vertical	Pass
2**	5460.000	46.19	4.23	54.0	-7.81	AV	176.00	150	Vertical	Pass
3	5464.600	57.77	4.12	68.2	-10.43	Peak	0.00	150	Vertical	Pass
3**	5464.600	45.89	4.12	--	--	AV	0.00	150	Vertical	N/A
4	5359.000	58.98	3.83	68.2	-9.22	Peak	70.00	150	Vertical	Pass
4**	5359.000	47.14	3.83	54.0	-6.86	AV	70.00	150	Vertical	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.18	4.45	68.2	-11.02	Peak	159.00	150	Vertical	Pass
2	5777.709	59.91	4.99	68.2	-8.29	Peak	36.00	150	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.90	3.80	68.2	-10.30	Peak	125.00	150	Vertical	Pass
1**	5470.000	48.04	3.80	--	--	AV	125.00	150	Vertical	N/A
2	5460.000	60.05	4.23	68.2	-8.15	Peak	120.00	150	Vertical	Pass
2**	5460.000	47.50	4.23	54.0	-6.50	AV	120.00	150	Vertical	Pass
3	5466.000	60.31	3.99	68.2	-7.89	Peak	111.00	150	Vertical	Pass
3**	5466.000	47.76	3.99	--	--	AV	111.00	150	Vertical	N/A
4	5452.200	60.32	4.51	68.2	-7.88	Peak	111.00	150	Vertical	Pass
4**	5452.200	47.50	4.51	54.0	-6.50	AV	111.00	150	Vertical	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.16	4.45	68.2	-8.04	Peak	133.00	150	Vertical	Pass
2	5737.291	60.47	4.17	68.2	-7.73	Peak	141.00	150	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.65	3.80	68.2	-9.55	Peak	113.00	150	Vertical	Pass
1**	5470.000	48.70	3.80	--	--	AV	113.00	150	Vertical	N/A
2	5460.000	57.12	4.23	68.2	-11.08	Peak	2.00	150	Vertical	Pass
2**	5460.000	47.62	4.23	54.0	-6.38	AV	2.00	150	Vertical	Pass
3	5464.800	60.85	4.09	68.2	-7.35	Peak	113.00	150	Vertical	Pass
3**	5464.800	48.19	4.09	--	--	AV	113.00	150	Vertical	N/A
4	5446.400	60.61	4.50	68.2	-7.59	Peak	122.00	150	Vertical	Pass
4**	5446.400	46.82	4.50	54.0	-7.18	AV	122.00	150	Vertical	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.49	4.45	68.2	-10.71	Peak	109.00	150	Vertical	Pass
2	5777.083	60.02	4.89	68.2	-8.18	Peak	67.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.79	3.80	68.2	-12.41	Peak	253.00	150	Vertical	Pass
1**	5470.000	45.55	3.80	--	--	AV	253.00	150	Vertical	N/A
2	5460.000	57.23	4.23	68.2	-10.97	Peak	360.00	150	Vertical	Pass
2**	5460.000	46.00	4.23	54.0	-8.00	AV	360.00	150	Vertical	Pass
3	5468.400	57.27	3.89	68.2	-10.93	Peak	151.00	150	Vertical	Pass
3**	5468.400	45.85	3.89	--	--	AV	151.00	150	Vertical	N/A
4	5354.000	58.96	3.75	68.2	-9.24	Peak	0.00	150	Vertical	Pass
4**	5354.000	47.38	3.75	54.0	-6.62	AV	0.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.08	4.45	68.2	-11.12	Peak	8.00	150	Vertical	Pass
2	5800.834	60.07	4.35	68.2	-8.13	Peak	316.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.98	4.67	68.2	-9.22	Peak	7.00	150	Horizontal	Pass
1**	5460.000	48.78	4.67	54.0	-5.22	AV	7.00	150	Horizontal	Pass
2	5470.000	59.47	4.75	68.2	-8.73	Peak	11.00	150	Horizontal	Pass
2**	5470.000	49.91	4.75	--	49.91	AV	11.00	150	Horizontal	N/A
3	5462.600	61.49	4.70	68.2	-6.71	Peak	20.00	150	Horizontal	Pass
3**	5462.600	49.14	4.70	--	49.14	AV	20.00	150	Horizontal	N/A
4	5457.000	60.30	4.95	68.2	-7.90	Peak	8.00	150	Horizontal	Pass
4**	5457.000	48.65	4.95	54.0	-5.35	AV	8.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.10	4.45	68.2	-9.10	Peak	133.00	150	Vertical	Pass
2	5741.250	61.12	4.23	68.2	-7.08	Peak	142.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.80	3.80	68.2	-10.40	Peak	202.00	150	Vertical	Pass
1**	5470.000	48.12	3.80	--	--	AV	202.00	150	Vertical	N/A
2	5460.000	56.46	4.23	68.2	-11.74	Peak	360.00	150	Vertical	Pass
2**	5460.000	47.22	4.23	54.0	-6.78	AV	360.00	150	Vertical	Pass
3	5468.400	59.13	3.89	68.2	-9.07	Peak	111.00	150	Vertical	Pass
3**	5468.400	48.15	3.89	--	--	AV	111.00	150	Vertical	N/A
4	5447.600	60.59	4.55	68.2	-7.61	Peak	120.00	150	Vertical	Pass
4**	5447.600	46.81	4.55	54.0	-7.19	AV	120.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.02	4.45	68.2	-11.18	Peak	148.00	150	Vertical	Pass
2	5802.916	59.99	4.49	68.2	-8.21	Peak	230.00	150	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.28	4.91	68.2	-9.92	Peak	50.00	150	Vertical	Pass
2	5635.417	59.83	5.53	68.2	-8.37	Peak	185.00	150	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.22	4.25	68.2	-10.98	Peak	264.00	150	Vertical	Pass
2	5940.500	59.35	4.64	68.2	-8.85	Peak	200.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.26	4.91	68.2	-10.94	Peak	120.00	150	Vertical	Pass
2	5637.292	59.45	5.46	68.2	-8.75	Peak	158.00	150	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.83	4.25	68.2	-11.37	Peak	248.00	150	Vertical	Pass
2	5960.000	59.55	4.63	68.2	-8.65	Peak	148.00	150	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.20	4.91	68.2	-10.00	Peak	158.00	150	Vertical	Pass
2	5636.042	59.95	5.51	68.2	-8.25	Peak	197.00	150	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.34	4.25	68.2	-10.86	Peak	128.00	150	Vertical	Pass
2	5962.250	59.69	4.69	68.2	-8.51	Peak	320.00	150	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.75	4.91	68.2	-10.45	Peak	123.00	150	Vertical	Pass
2	5639.166	60.24	5.41	68.2	-7.96	Peak	170.00	150	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.20	4.25	68.2	-11.00	Peak	188.00	150	Vertical	Pass
2	5943.500	59.70	4.64	68.2	-8.50	Peak	267.00	150	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.49	4.91	68.2	-10.71	Peak	128.00	150	Vertical	Pass
2	5637.292	59.49	5.46	68.2	-8.71	Peak	123.00	150	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.27	4.25	68.2	-10.93	Peak	92.00	150	Vertical	Pass
2	5962.750	58.95	4.71	68.2	-9.25	Peak	337.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.98	4.91	68.2	-10.22	Peak	257.00	150	Vertical	Pass
2	5648.333	61.50	4.89	68.2	-6.70	Peak	129.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.77	4.25	68.2	-10.43	Peak	145.00	150	Vertical	Pass
2	5933.500	58.79	4.52	68.2	-9.41	Peak	103.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.40	4.91	68.2	-9.80	Peak	71.00	150	Vertical	Pass
2	5644.791	59.61	5.07	68.2	-8.59	Peak	312.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.12	4.25	68.2	-11.08	Peak	47.00	150	Vertical	Pass
2	5947.250	59.21	4.63	68.2	-8.99	Peak	48.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.20	4.91	68.2	-10.00	Peak	227.00	150	Vertical	Pass
2	5629.583	60.24	5.17	68.2	-7.96	Peak	185.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.93	4.25	68.2	-10.27	Peak	288.00	150	Vertical	Pass
2	5961.000	59.62	4.63	68.2	-8.58	Peak	281.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.96	4.91	68.2	-10.24	Peak	162.00	150	Vertical	Pass
2	5636.042	60.16	5.51	68.2	-8.04	Peak	128.00	150	Vertical	Pass


U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.30	4.25	68.2	-10.90	Peak	87.00	150	Vertical	Pass
2	5999.250	59.59	5.30	68.2	-8.61	Peak	226.00	150	Vertical	Pass


MIMO

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.08	3.94	68.2	-11.12	Peak	239.00	150	Vertical	Pass
1**	5150.000	47.68	3.94	54.0	-6.32	AV	239.00	150	Vertical	Pass
2	5100.925	58.12	4.14	68.2	-10.08	Peak	192.00	150	Vertical	Pass
2**	5100.925	47.02	4.14	54.0	-6.98	AV	192.00	150	Vertical	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.32	3.96	68.2	-9.88	Peak	215.00	150	Vertical	Pass
1**	5350.000	47.55	3.96	54.0	-6.45	AV	215.00	150	Vertical	Pass
2	5351.100	59.04	3.95	68.2	-9.16	Peak	15.00	150	Vertical	Pass
2**	5351.100	47.57	3.95	54.0	-6.43	AV	15.00	150	Vertical	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.92	3.94	68.2	-10.28	Peak	323.00	150	Vertical	Pass
1**	5150.000	47.63	3.94	54.0	-6.37	AV	323.00	150	Vertical	Pass
2	5147.400	58.11	3.90	68.2	-10.09	Peak	85.00	150	Vertical	Pass
2**	5147.400	47.73	3.90	54.0	-6.27	AV	85.00	150	Vertical	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.32	3.96	68.2	-9.88	Peak	286.00	150	Vertical	Pass
1**	5350.000	47.52	3.96	54.0	-6.48	AV	286.00	150	Vertical	Pass
2	5350.733	59.60	3.95	68.2	-8.60	Peak	6.00	150	Vertical	Pass
2**	5350.733	47.58	3.95	54.0	-6.42	AV	6.00	150	Vertical	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.87	3.94	68.2	-11.33	Peak	80.00	150	Vertical	Pass
1**	5150.000	47.59	3.94	54.0	-6.41	AV	80.00	150	Vertical	Pass
2	5125.300	58.12	4.07	68.2	-10.08	Peak	352.00	150	Vertical	Pass
2**	5125.300	47.32	4.07	54.0	-6.68	AV	352.00	150	Vertical	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.49	3.96	68.2	-9.71	Peak	244.00	150	Vertical	Pass
1**	5350.000	47.52	3.96	54.0	-6.48	AV	244.00	150	Vertical	Pass
2	5440.016	59.02	4.93	68.2	-9.18	Peak	270.00	150	Vertical	Pass
2**	5440.016	46.56	4.93	54.0	-7.44	AV	270.00	150	Vertical	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.16	3.94	68.2	-11.04	Peak	169.00	150	Vertical	Pass
1**	5150.000	48.18	3.94	54.0	-5.82	AV	169.00	150	Vertical	Pass
2	5146.425	58.18	3.86	68.2	-10.02	Peak	178.00	150	Vertical	Pass
2**	5146.425	47.45	3.86	54.0	-6.55	AV	178.00	150	Vertical	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.96	3.96	68.2	-10.24	Peak	5.00	150	Vertical	Pass
1**	5350.000	47.65	3.96	54.0	-6.35	AV	5.00	150	Vertical	Pass
2	5353.117	59.79	3.89	68.2	-8.41	Peak	133.00	150	Vertical	Pass
2**	5353.117	47.47	3.89	54.0	-6.53	AV	133.00	150	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.97	3.94	68.2	-10.23	Peak	293.00	150	Vertical	Pass
1**	5150.000	48.36	3.94	54.0	-5.64	AV	293.00	150	Vertical	Pass
2	5128.550	60.15	4.09	68.2	-8.05	Peak	286.00	150	Vertical	Pass
2**	5128.550	47.81	4.09	54.0	-6.19	AV	286.00	150	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.86	3.96	68.2	-9.34	Peak	32.00	150	Vertical	Pass
1**	5350.000	47.58	3.96	54.0	-6.42	AV	32.00	150	Vertical	Pass
2	5368.700	59.12	3.68	68.2	-9.08	Peak	63.00	150	Vertical	Pass
2**	5368.700	46.86	3.68	54.0	-7.14	AV	63.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.91	3.94	68.2	-11.29	Peak	323.00	150	Vertical	Pass
1**	5150.000	47.72	3.94	54.0	-6.28	AV	323.00	150	Vertical	Pass
2	5070.050	58.15	3.80	68.2	-10.05	Peak	261.00	150	Vertical	Pass
2**	5070.050	46.73	3.80	54.0	-7.27	AV	261.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.58	3.96	68.2	-10.62	Peak	310.00	150	Vertical	Pass
1**	5350.000	47.47	3.96	54.0	-6.53	AV	310.00	150	Vertical	Pass
2	5352.200	59.52	3.93	68.2	-8.68	Peak	185.00	150	Vertical	Pass
2**	5352.200	47.47	3.93	54.0	-6.53	AV	185.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.12	3.94	68.2	-11.08	Peak	264.00	150	Vertical	Pass
1**	5150.000	47.96	3.94	54.0	-6.04	AV	264.00	150	Vertical	Pass
2	5094.100	58.71	4.19	68.2	-9.49	Peak	105.00	150	Vertical	Pass
2**	5094.100	47.33	4.19	54.0	-6.67	AV	105.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.00	3.96	68.2	-10.20	Peak	187.00	150	Vertical	Pass
1**	5350.000	47.46	3.96	54.0	-6.54	AV	187.00	150	Vertical	Pass
2	5359.533	59.62	3.82	68.2	-8.58	Peak	23.00	150	Vertical	Pass
2**	5359.533	47.14	3.82	54.0	-6.86	AV	23.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.81	3.94	68.2	-10.39	Peak	176.00	150	Vertical	Pass
1**	5150.000	48.59	3.94	54.0	-5.41	AV	176.00	150	Vertical	Pass
2	5132.775	58.60	3.61	68.2	-9.60	Peak	296.00	150	Vertical	Pass
2**	5132.775	47.56	3.61	54.0	-6.44	AV	296.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.17	3.96	68.2	-10.03	Peak	71.00	150	Vertical	Pass
1**	5350.000	47.65	3.96	54.0	-6.35	AV	71.00	150	Vertical	Pass
2	5359.717	59.74	3.80	68.2	-8.46	Peak	1.00	150	Vertical	Pass
2**	5359.717	47.39	3.80	54.0	-6.61	AV	1.00	150	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.19	3.94	68.2	-11.01	Peak	336.00	150	Vertical	Pass
1**	5150.000	47.31	3.94	54.0	-6.69	AV	336.00	150	Vertical	Pass
2	5020.975	58.42	3.59	68.2	-9.78	Peak	347.00	150	Vertical	Pass
2**	5020.975	46.12	3.59	54.0	-7.88	AV	347.00	150	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.82	3.96	68.2	-9.38	Peak	346.00	150	Vertical	Pass
1**	5350.000	47.78	3.96	54.0	-6.22	AV	346.00	150	Vertical	Pass
2	5357.517	58.85	3.72	68.2	-9.35	Peak	78.00	150	Vertical	Pass
2**	5357.517	47.31	3.72	54.0	-6.69	AV	78.00	150	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.76	3.94	68.2	-11.44	Peak	166.00	150	Vertical	Pass
1**	5150.000	47.60	3.94	54.0	-6.40	AV	166.00	150	Vertical	Pass
2	5123.350	58.47	4.07	68.2	-9.73	Peak	25.00	150	Vertical	Pass
2**	5123.350	47.21	4.07	54.0	-6.79	AV	25.00	150	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.29	3.96	68.2	-9.91	Peak	198.00	150	Vertical	Pass
1**	5350.000	48.10	3.96	54.0	-5.90	AV	198.00	150	Vertical	Pass
2	5441.483	58.90	4.96	68.2	-9.30	Peak	278.00	150	Vertical	Pass
2**	5441.483	46.54	4.96	54.0	-7.46	AV	278.00	150	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.26	3.94	68.2	-10.94	Peak	77.00	150	Vertical	Pass
1**	5150.000	47.53	3.94	54.0	-6.47	AV	77.00	150	Vertical	Pass
2	5125.300	58.02	4.07	68.2	-10.18	Peak	129.00	150	Vertical	Pass
2**	5125.300	47.16	4.07	54.0	-6.84	AV	129.00	150	Vertical	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.36	3.96	68.2	-9.84	Peak	187.00	150	Vertical	Pass
1**	5350.000	47.68	3.96	54.0	-6.32	AV	187.00	150	Vertical	Pass
2	5370.533	59.15	3.72	68.2	-9.05	Peak	5.00	150	Vertical	Pass
2**	5370.533	46.61	3.72	54.0	-7.39	AV	5.00	150	Vertical	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.92	3.94	68.2	-10.28	Peak	286.00	150	Vertical	Pass
1**	5150.000	47.70	3.94	54.0	-6.30	AV	286.00	150	Vertical	Pass
2	5145.450	58.58	3.78	68.2	-9.62	Peak	171.00	150	Vertical	Pass
2**	5145.450	47.29	3.78	54.0	-6.71	AV	171.00	150	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.29	3.96	68.2	-9.91	Peak	278.00	150	Vertical	Pass
1**	5350.000	47.88	3.96	54.0	-6.12	AV	278.00	150	Vertical	Pass
2	5355.133	59.01	3.59	68.2	-9.19	Peak	297.00	150	Vertical	Pass
2**	5355.133	47.31	3.59	54.0	-6.69	AV	297.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.15	3.94	68.2	-11.05	Peak	354.00	150	Vertical	Pass
1**	5150.000	47.45	3.94	54.0	-6.55	AV	354.00	150	Vertical	Pass
2	5103.850	58.81	3.97	68.2	-9.39	Peak	145.00	150	Vertical	Pass
2**	5103.850	46.81	3.97	54.0	-7.19	AV	145.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.49	3.96	68.2	-8.71	Peak	280.00	150	Vertical	Pass
1**	5350.000	49.16	3.96	54.0	-4.84	AV	280.00	150	Vertical	Pass
2	5352.750	61.17	3.93	68.2	-7.03	Peak	99.00	150	Vertical	Pass
2**	5352.750	48.83	3.93	54.0	-5.17	AV	99.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.47	3.94	68.2	-10.73	Peak	147.00	150	Vertical	Pass
1**	5150.000	47.52	3.94	54.0	-6.48	AV	147.00	150	Vertical	Pass
2	5128.225	58.18	4.08	68.2	-10.02	Peak	302.00	150	Vertical	Pass
2**	5128.225	47.21	4.08	54.0	-6.79	AV	302.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.36	3.96	68.2	-9.84	Peak	360.00	150	Vertical	Pass
1**	5350.000	47.78	3.96	54.0	-6.22	AV	360.00	150	Vertical	Pass
2	5352.750	59.46	3.93	68.2	-8.74	Peak	161.00	150	Vertical	Pass
2**	5352.750	47.61	3.93	54.0	-6.39	AV	161.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.03	3.94	68.2	-11.17	Peak	280.00	150	Vertical	Pass
1**	5150.000	47.56	3.94	54.0	-6.44	AV	280.00	150	Vertical	Pass
2	5095.400	58.46	4.15	68.2	-9.74	Peak	231.00	150	Vertical	Pass
2**	5095.400	47.19	4.15	54.0	-6.81	AV	231.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.39	3.96	68.2	-9.81	Peak	217.00	150	Vertical	Pass
1**	5350.000	48.21	3.96	54.0	-5.79	AV	217.00	150	Vertical	Pass
2	5352.200	58.89	3.93	68.2	-9.31	Peak	320.00	150	Vertical	Pass
2**	5352.200	47.82	3.93	54.0	-6.18	AV	320.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.38	3.94	68.2	-10.82	Peak	166.00	150	Vertical	Pass
1**	5150.000	47.47	3.94	54.0	-6.53	AV	166.00	150	Vertical	Pass
2	5143.175	58.44	3.57	68.2	-9.76	Peak	222.00	150	Vertical	Pass
2**	5143.175	47.08	3.57	54.0	-6.92	AV	222.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.61	3.96	68.2	-9.59	Peak	288.00	150	Vertical	Pass
1**	5350.000	48.59	3.96	54.0	-5.41	AV	288.00	150	Vertical	Pass
2	5350.183	60.34	3.96	68.2	-7.86	Peak	185.00	150	Vertical	Pass
2**	5350.183	48.49	3.96	54.0	-5.51	AV	185.00	150	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.70	3.80	68.2	-12.50	Peak	172.00	150	Vertical	Pass
1**	5470.000	45.70	3.80	--	--	AV	172.00	150	Vertical	N/A
2	5460.000	56.94	4.23	68.2	-11.26	Peak	317.00	150	Vertical	Pass
2**	5460.000	45.91	4.23	54.0	-8.09	AV	317.00	150	Vertical	Pass
3	5467.400	58.15	3.96	68.2	-10.05	Peak	153.00	150	Vertical	Pass
3**	5467.400	45.71	3.96	--	--	AV	153.00	150	Vertical	N/A
4	5356.600	59.23	3.67	68.2	-8.97	Peak	124.00	150	Vertical	Pass
4**	5356.600	47.23	3.67	54.0	-6.77	AV	124.00	150	Vertical	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.77	4.45	68.2	-11.43	Peak	91.00	150	Vertical	Pass
2	5847.291	59.85	5.68	68.2	-8.35	Peak	0.00	150	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.95	3.80	68.2	-12.25	Peak	360.00	150	Vertical	Pass
1**	5470.000	46.69	3.80	--	--	AV	360.00	150	Vertical	N/A
2	5468.600	57.47	4.23	68.2	-10.73	Peak	336.00	150	Vertical	Pass
2**	5468.600	46.36	4.23	54.0	-7.64	AV	336.00	150	Vertical	Pass
3	5468.600	58.17	3.88	68.2	-10.03	Peak	268.00	150	Vertical	Pass
3**	5468.600	46.45	3.88	--	--	AV	268.00	150	Vertical	N/A
4	5351.000	58.77	3.95	68.2	-9.43	Peak	357.00	150	Vertical	Pass
4**	5351.000	47.91	3.95	54.0	-6.09	AV	357.00	150	Vertical	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.08	4.45	68.2	-10.12	Peak	229.00	150	Vertical	Pass
2	5843.750	60.60	5.84	68.2	-7.60	Peak	291.00	150	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.52	3.80	68.2	-11.68	Peak	239.00	150	Vertical	Pass
1**	5470.000	45.50	3.80	--	--	AV	239.00	150	Vertical	N/A
2	5460.000	56.85	4.23	68.2	-11.35	Peak	72.00	150	Vertical	Pass
2**	5460.000	45.95	4.23	54.0	-8.05	AV	72.00	150	Vertical	Pass
3	5460.600	57.05	4.17	68.2	-11.15	Peak	327.00	150	Vertical	Pass
3**	5460.600	45.90	4.17	--	--	AV	327.00	150	Vertical	N/A
4	5353.400	59.15	3.85	68.2	-9.05	Peak	28.00	150	Vertical	Pass
4**	5353.400	47.38	3.85	54.0	-6.62	AV	28.00	150	Vertical	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.18	4.45	68.2	-11.02	Peak	64.00	150	Vertical	Pass
2	5847.084	59.59	5.69	68.2	-8.61	Peak	0.00	150	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.14	3.80	68.2	-12.06	Peak	102.00	150	Vertical	Pass
1**	5470.000	46.60	3.80	--	--	AV	102.00	150	Vertical	N/A
2	5460.000	56.64	4.23	68.2	-11.56	Peak	58.00	150	Vertical	Pass
2**	5460.000	46.33	4.23	54.0	-7.67	AV	58.00	150	Vertical	Pass
3	5465.600	57.57	4.00	68.2	-10.63	Peak	296.00	150	Vertical	Pass
3**	5465.600	46.15	4.00	--	--	AV	296.00	150	Vertical	N/A
4	5350.000	58.81	3.96	68.2	-9.39	Peak	283.00	150	Vertical	Pass
4**	5350.000	47.49	3.96	54.0	-6.51	AV	283.00	150	Vertical	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.62	4.45	68.2	-10.58	Peak	204.00	150	Vertical	Pass
2	5844.791	60.25	5.79	68.2	-7.95	Peak	356.00	150	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.27	3.80	68.2	-10.93	Peak	264.00	150	Vertical	Pass
1**	5470.000	47.41	3.80	--	--	AV	264.00	150	Vertical	N/A
2	5460.000	57.34	4.23	68.2	-10.86	Peak	286.00	150	Vertical	Pass
2**	5460.000	47.54	4.23	54.0	-6.46	AV	286.00	150	Vertical	Pass
3	5466.000	58.48	3.99	68.2	-9.72	Peak	271.00	150	Vertical	Pass
3**	5466.000	47.73	3.99	--	--	AV	271.00	150	Vertical	N/A
4	5452.000	59.14	4.52	68.2	-9.06	Peak	129.00	150	Vertical	Pass
4**	5452.000	47.49	4.52	54.0	-6.51	AV	129.00	150	Vertical	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.94	4.45	68.2	-10.26	Peak	211.00	150	Vertical	Pass
2	5834.375	60.23	5.08	68.2	-7.97	Peak	52.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.22	3.80	68.2	-10.98	Peak	116.00	150	Vertical	Pass
1**	5470.000	45.78	3.80	--	--	AV	116.00	150	Vertical	N/A
2	5460.000	57.03	4.23	68.2	-11.17	Peak	360.00	150	Vertical	Pass
2**	5460.000	45.92	4.23	54.0	-8.08	AV	360.00	150	Vertical	Pass
3	5460.800	57.62	4.16	68.2	-10.58	Peak	351.00	150	Vertical	Pass
3**	5460.800	45.87	4.16	--	--	AV	351.00	150	Vertical	N/A
4	5379.200	58.80	4.07	68.2	-9.40	Peak	194.00	150	Vertical	Pass
4**	5379.200	47.08	4.07	54.0	-6.92	AV	194.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.33	4.45	68.2	-10.87	Peak	322.00	150	Vertical	Pass
2	5770.000	60.17	4.87	68.2	-8.03	Peak	328.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.94	3.80	68.2	-12.26	Peak	0.00	150	Vertical	Pass
1**	5470.000	46.41	3.80	--	--	AV	0.00	150	Vertical	N/A
2	5460.000	56.47	4.23	68.2	-11.73	Peak	273.00	150	Vertical	Pass
2**	5460.000	46.39	4.23	54.0	-7.61	AV	273.00	150	Vertical	Pass
3	5464.400	57.73	4.14	68.2	-10.47	Peak	337.00	150	Vertical	Pass
3**	5464.400	46.38	4.14	--	--	AV	337.00	150	Vertical	N/A
4	5350.400	59.57	3.95	68.2	-8.63	Peak	21.00	150	Vertical	Pass
4**	5350.400	47.52	3.95	54.0	-6.48	AV	21.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.91	4.45	68.2	-11.29	Peak	349.00	150	Vertical	Pass
2	5850.000	59.69	5.73	68.2	-8.51	Peak	305.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.31	3.80	68.2	-10.89	Peak	273.00	150	Vertical	Pass
1**	5470.000	47.38	3.80	--	--	AV	273.00	150	Vertical	N/A
2	5460.000	57.67	4.23	68.2	-10.53	Peak	286.00	150	Vertical	Pass
2**	5460.000	47.18	4.23	54.0	-6.82	AV	286.00	150	Vertical	Pass
3	5460.600	58.70	4.17	68.2	-9.50	Peak	281.00	150	Vertical	Pass
3**	5460.600	47.37	4.17	--	--	AV	281.00	150	Vertical	N/A
4	5456.800	59.44	4.57	68.2	-8.76	Peak	249.00	150	Vertical	Pass
4**	5456.800	47.28	4.57	54.0	-6.72	AV	249.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.71	4.45	68.2	-10.49	Peak	106.00	150	Vertical	Pass
2	5844.167	60.11	5.82	68.2	-8.09	Peak	96.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.73	4.91	68.2	-10.47	Peak	192.00	150	Vertical	Pass
2	5633.333	60.25	5.34	68.2	-7.95	Peak	239.00	150	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.28	4.25	68.2	-10.92	Peak	296.00	150	Vertical	Pass
2	5942.750	59.15	4.68	68.2	-9.05	Peak	170.00	150	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.61	4.91	68.2	-9.59	Peak	146.00	150	Vertical	Pass
2	5601.667	60.11	4.90	68.2	-8.09	Peak	139.00	150	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.30	4.25	68.2	-10.90	Peak	244.00	150	Vertical	Pass
2	5992.250	59.24	5.26	68.2	-8.96	Peak	195.00	150	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.84	4.91	68.2	-10.36	Peak	15.00	150	Vertical	Pass
2	5621.042	59.51	4.87	68.2	-8.69	Peak	69.00	150	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.64	4.25	68.2	-10.56	Peak	225.00	150	Vertical	Pass
2	5991.750	59.50	5.27	68.2	-8.70	Peak	0.00	150	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.21	4.91	68.2	-9.99	Peak	57.00	150	Vertical	Pass
2	5640.625	59.82	5.35	68.2	-8.38	Peak	281.00	150	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.98	4.25	68.2	-11.22	Peak	350.00	150	Vertical	Pass
2	5943.250	59.25	4.66	68.2	-8.95	Peak	0.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.05	4.91	68.2	-11.15	Peak	219.00	150	Vertical	Pass
2	5628.334	59.45	5.16	68.2	-8.75	Peak	82.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.93	4.25	68.2	-11.27	Peak	94.00	150	Vertical	Pass
2	5985.250	59.44	5.09	68.2	-8.76	Peak	116.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.32	4.91	68.2	-9.88	Peak	134.00	150	Vertical	Pass
2	5637.708	59.66	5.44	68.2	-8.54	Peak	215.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.07	4.25	68.2	-11.13	Peak	43.00	150	Vertical	Pass
2	5959.750	59.24	4.64	68.2	-8.96	Peak	273.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.29	4.91	68.2	-9.91	Peak	337.00	150	Vertical	Pass
2	5637.500	59.89	5.45	68.2	-8.31	Peak	108.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.82	4.25	68.2	-11.38	Peak	272.00	150	Vertical	Pass
2	5935.250	59.36	4.43	68.2	-8.84	Peak	74.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.73	4.91	68.2	-10.47	Peak	310.00	150	Vertical	Pass
2	5625.833	59.90	4.95	68.2	-8.30	Peak	357.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.28	4.25	68.2	-10.92	Peak	0.00	150	Vertical	Pass
2	5997.500	59.93	5.22	68.2	-8.27	Peak	138.00	150	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document "BL-SZ21C0938-AR.PDF".

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document "BL-SZ21C0938-AW.PDF".

ANNEX D EUT INTERNAL PHOTOS

Please refer the document "BL-SZ21C0938-AI.PDF".

--END OF REPORT--