



U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.87	5.10	74.0	-16.13	Peak	124.00	150	Vertical	Pass
1**	5350.055	48.44	5.10	54.0	-5.56	AV	124.00	150	Vertical	Pass
2	5352.970	59.43	4.88	74.0	-14.57	Peak	251.00	150	Vertical	Pass
2**	5352.970	48.33	4.88	54.0	-5.67	AV	251.00	150	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5084.350	58.81	4.24	74.0	-15.19	Peak	225.00	150	Vertical	Pass
1**	5084.350	46.84	4.24	54.0	-7.16	AV	225.00	150	Vertical	Pass
2	5149.675	56.96	4.06	74.0	-17.04	Peak	15.00	200	Vertical	Pass
2**	5149.675	47.28	4.06	54.0	-6.72	AV	15.00	200	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.19	5.10	74.0	-15.81	Peak	24.00	100	Vertical	Pass
1**	5350.055	48.82	5.10	54.0	-5.18	AV	24.00	100	Vertical	Pass
2	5351.705	59.65	4.96	74.0	-14.35	Peak	224.00	150	Vertical	Pass
2**	5351.705	48.61	4.96	54.0	-5.39	AV	224.00	150	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.225	58.46	4.51	74.0	-15.54	Peak	325.00	200	Vertical	Pass
1**	5128.225	47.54	4.51	54.0	-6.46	AV	325.00	200	Vertical	Pass
2	5149.675	56.41	4.06	74.0	-17.59	Peak	356.00	200	Vertical	Pass
2**	5149.675	47.41	4.06	54.0	-6.59	AV	356.00	200	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	60.38	5.10	74.0	-13.62	Peak	195.00	150	Vertical	Pass
1**	5350.055	48.76	5.10	54.0	-5.24	AV	195.00	150	Vertical	Pass
2	5350.880	60.04	5.00	74.0	-13.96	Peak	220.00	150	Vertical	Pass
2**	5350.880	48.49	5.00	54.0	-5.51	AV	220.00	150	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.900	58.21	4.52	74.0	-15.79	Peak	22.00	100	Vertical	Pass
1**	5127.900	47.49	4.52	54.0	-6.51	AV	22.00	100	Vertical	Pass
2	5149.675	56.76	4.06	74.0	-17.24	Peak	0.00	150	Vertical	Pass
2**	5149.675	47.32	4.06	54.0	-6.68	AV	0.00	150	Vertical	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.98	5.11	74.0	-15.02	Peak	1.00	200	Vertical	Pass
1**	5350.000	48.72	5.11	54.0	-5.28	AV	1.00	200	Vertical	Pass
2	5382.560	59.66	4.70	74.0	-14.34	Peak	51.00	100	Vertical	Pass
2**	5382.560	47.88	4.70	54.0	-6.12	AV	51.00	100	Vertical	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.850	58.53	4.48	74.0	-15.47	Peak	3.00	100	Vertical	Pass
1**	5129.850	47.53	4.48	54.0	-6.47	AV	3.00	100	Vertical	Pass
2	5149.675	57.13	4.06	74.0	-16.87	Peak	47.00	150	Vertical	Pass
2**	5149.675	47.46	4.06	54.0	-6.54	AV	47.00	150	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.52	5.11	74.0	-15.48	Peak	255.00	150	Vertical	Pass
1**	5350.000	48.64	5.11	54.0	-5.36	AV	255.00	150	Vertical	Pass
2	5350.825	59.94	5.01	74.0	-14.06	Peak	162.00	100	Vertical	Pass
2**	5350.825	48.83	5.01	54.0	-5.17	AV	162.00	100	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5110.350	58.12	4.52	74.0	-15.88	Peak	31.00	150	Vertical	Pass
1**	5110.350	47.26	4.52	54.0	-6.74	AV	31.00	150	Vertical	Pass
2	5149.675	56.55	4.06	74.0	-17.45	Peak	89.00	100	Vertical	Pass
2**	5149.675	47.51	4.06	54.0	-6.49	AV	89.00	100	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.49	5.10	74.0	-14.51	Peak	173.00	150	Vertical	Pass
1**	5350.055	48.80	5.10	54.0	-5.20	AV	173.00	150	Vertical	Pass
2	5350.495	61.33	5.05	74.0	-12.67	Peak	174.00	100	Vertical	Pass
2**	5350.495	48.68	5.05	54.0	-5.32	AV	174.00	100	Vertical	Pass

U-NII-2A 11ax20(SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.850	58.96	4.48	74.0	-15.04	Peak	283.00	200	Vertical	Pass
1**	5129.850	47.53	4.48	54.0	-6.47	AV	283.00	200	Vertical	Pass
2	5149.675	57.34	4.06	74.0	-16.66	Peak	267.00	200	Vertical	Pass
2**	5149.675	47.54	4.06	54.0	-6.46	AV	267.00	200	Vertical	Pass

U-NII-2A 11ax20(SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.69	5.10	74.0	-15.31	Peak	237.00	150	Vertical	Pass
1**	5350.055	48.43	5.10	54.0	-5.57	AV	237.00	150	Vertical	Pass
2	5355.005	59.25	4.57	74.0	-14.75	Peak	355.00	200	Vertical	Pass
2**	5355.005	48.00	4.57	54.0	-6.00	AV	355.00	200	Vertical	Pass

U-NII-2A 11ax40(SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5115.550	58.63	4.40	74.0	-15.37	Peak	350.00	100	Vertical	Pass
1**	5115.550	47.02	4.40	54.0	-6.98	AV	350.00	100	Vertical	Pass
2	5149.675	56.97	4.06	74.0	-17.03	Peak	69.00	200	Vertical	Pass
2**	5149.675	47.26	4.06	54.0	-6.74	AV	69.00	200	Vertical	Pass

U-NII-2A 11ax40(SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.00	5.10	74.0	-15.00	Peak	0.00	100	Vertical	Pass
1**	5350.055	48.61	5.10	54.0	-5.39	AV	0.00	100	Vertical	Pass
2	5350.660	59.66	5.03	74.0	-14.34	Peak	64.00	100	Vertical	Pass
2**	5350.660	48.46	5.03	54.0	-5.54	AV	64.00	100	Vertical	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.675	58.42	4.50	74.0	-15.58	Peak	351.00	150	Vertical	Pass
1**	5123.675	47.38	4.50	54.0	-6.62	AV	351.00	150	Vertical	Pass
2	5149.675	56.82	4.06	74.0	-17.18	Peak	329.00	100	Vertical	Pass
2**	5149.675	47.19	4.06	54.0	-6.81	AV	329.00	100	Vertical	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.53	5.11	74.0	-14.47	Peak	177.00	150	Vertical	Pass
1**	5350.000	48.85	5.11	54.0	-5.15	AV	177.00	150	Vertical	Pass
2	5365.290	59.75	4.43	74.0	-14.25	Peak	248.00	200	Vertical	Pass
2**	5365.290	47.97	4.43	54.0	-6.03	AV	248.00	200	Vertical	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.020	60.65	5.00	74.0	-13.35	Peak	235.00	150	Vertical	Pass
1**	5351.020	48.42	5.00	54.0	-5.58	AV	235.00	150	Vertical	Pass
2	5459.980	55.76	4.04	74.0	-18.24	Peak	345.00	200	Vertical	Pass
2**	5459.980	46.05	4.04	54.0	-7.95	AV	345.00	200	Vertical	Pass
3	5463.760	57.13	4.01	68.2	-11.07	Peak	326.00	200	Vertical	Pass
3**	5463.760	46.32	4.01	--	--	AV	326.00	200	Vertical	N/A
4	5469.940	56.32	4.06	68.2	-11.88	Peak	154.00	100	Vertical	Pass
4**	5469.940	46.41	4.06	--	--	AV	154.00	100	Vertical	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.96	3.92	68.2	-11.24	Peak	203.00	150	Vertical	Pass
2	5823.250	58.92	4.34	68.2	-9.28	Peak	39.00	200	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.080	59.73	4.99	74.0	-14.27	Peak	74.00	200	Vertical	Pass
1**	5351.080	48.66	4.99	54.0	-5.34	AV	74.00	200	Vertical	Pass
2	5459.980	55.83	4.04	74.0	-18.17	Peak	20.00	200	Vertical	Pass
2**	5459.980	46.19	4.04	54.0	-7.81	AV	20.00	200	Vertical	Pass
3	5466.400	57.58	3.90	68.2	-10.62	Peak	83.00	100	Vertical	Pass
3**	5466.400	46.39	3.90	--	--	AV	83.00	100	Vertical	N/A
4	5469.940	55.48	4.06	68.2	-12.72	Peak	200.00	100	Vertical	Pass
4**	5469.940	46.48	4.06	--	--	AV	200.00	100	Vertical	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	55.94	3.92	68.2	-12.26	Peak	181.00	150	Vertical	Pass
2	5848.813	60.23	5.44	68.2	-7.97	Peak	87.00	100	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.180	59.64	5.09	74.0	-14.36	Peak	299.00	200	Vertical	Pass
1**	5350.180	48.80	5.09	54.0	-5.20	AV	299.00	200	Vertical	Pass
2	5459.980	56.24	4.04	74.0	-17.76	Peak	9.00	150	Vertical	Pass
2**	5459.980	46.18	4.04	54.0	-7.82	AV	9.00	150	Vertical	Pass
3	5468.920	58.36	4.00	68.2	-9.84	Peak	181.00	200	Vertical	Pass
3**	5468.920	46.21	4.00	--	--	AV	181.00	200	Vertical	N/A
4	5469.940	56.55	4.06	68.2	-11.65	Peak	201.00	100	Vertical	Pass
4**	5469.940	46.37	4.06	--	--	AV	201.00	100	Vertical	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.28	3.93	68.2	-11.92	Peak	86.00	150	Vertical	Pass
2	5845.938	59.49	5.28	68.2	-8.71	Peak	16.00	100	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5359.420	60.21	4.72	74.0	-13.79	Peak	1.00	100	Vertical	Pass
1**	5359.420	48.02	4.72	54.0	-5.98	AV	1.00	100	Vertical	Pass
2	5459.980	56.65	4.04	74.0	-17.35	Peak	334.00	200	Vertical	Pass
2**	5459.980	46.47	4.04	54.0	-7.53	AV	334.00	200	Vertical	Pass
3	5467.000	56.91	3.93	68.2	-11.29	Peak	17.00	150	Vertical	Pass
3**	5467.000	46.49	3.93	--	--	AV	17.00	150	Vertical	N/A
4	5469.940	55.41	4.06	68.2	-12.79	Peak	344.00	150	Vertical	Pass
4**	5469.940	46.20	4.06	--	--	AV	344.00	150	Vertical	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.55	3.92	68.2	-11.65	Peak	62.00	150	Vertical	Pass
2	5784.875	59.84	4.34	68.2	-8.36	Peak	60.00	100	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5354.200	59.76	4.69	74.0	-14.24	Peak	320.00	100	Vertical	Pass
1**	5354.200	48.05	4.69	54.0	-5.95	AV	320.00	100	Vertical	Pass
2	5459.980	55.26	4.04	74.0	-18.74	Peak	295.00	200	Vertical	Pass
2**	5459.980	45.98	4.04	54.0	-8.02	AV	295.00	200	Vertical	Pass
3	5468.560	57.62	3.99	68.2	-10.58	Peak	0.00	100	Vertical	Pass
3**	5468.560	46.17	3.99	--	--	AV	0.00	100	Vertical	N/A
4	5469.940	55.66	4.06	68.2	-12.54	Peak	313.00	150	Vertical	Pass
4**	5469.940	46.29	4.06	--	--	AV	313.00	150	Vertical	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.72	3.92	68.2	-11.48	Peak	203.00	150	Vertical	Pass
2	5822.000	59.38	4.41	68.2	-8.82	Peak	139.00	200	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.200	59.68	4.99	74.0	-14.32	Peak	193.00	150	Vertical	Pass
1**	5351.200	48.61	4.99	54.0	-5.39	AV	193.00	150	Vertical	Pass
2	5459.980	55.81	4.04	74.0	-18.19	Peak	88.00	150	Vertical	Pass
2**	5459.980	46.30	4.04	54.0	-7.70	AV	88.00	150	Vertical	Pass
3	5469.220	57.02	4.02	68.2	-11.18	Peak	270.00	150	Vertical	Pass
3**	5469.220	46.02	4.02	--	--	AV	270.00	150	Vertical	N/A
4	5469.940	56.36	4.06	68.2	-11.84	Peak	171.00	150	Vertical	Pass
4**	5469.940	46.41	4.06	--	--	AV	171.00	150	Vertical	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.82	3.93	68.2	-11.38	Peak	344.00	100	Vertical	Pass
2	5847.375	59.35	5.42	68.2	-8.85	Peak	96.00	150	Vertical	Pass

U-NII-2C 11ax20(SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.600	59.61	5.03	74.0	-14.39	Peak	359.00	150	Vertical	Pass
1**	5350.600	48.61	5.03	54.0	-5.39	AV	359.00	150	Vertical	Pass
2	5459.980	55.82	4.04	74.0	-18.18	Peak	193.00	100	Vertical	Pass
2**	5459.980	46.01	4.04	54.0	-7.99	AV	193.00	100	Vertical	Pass
3	5468.560	57.63	3.99	68.2	-10.57	Peak	0.00	150	Vertical	Pass
3**	5468.560	46.38	3.99	--	--	AV	0.00	150	Vertical	N/A
4	5469.940	55.99	4.06	68.2	-12.21	Peak	289.00	150	Vertical	Pass
4**	5469.940	46.23	4.06	--	--	AV	289.00	150	Vertical	N/A

U-NII-2C 11ax20(SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.08	3.93	68.2	-11.12	Peak	215.00	200	Vertical	Pass
2	5847.125	59.54	5.39	68.2	-8.66	Peak	203.00	200	Vertical	Pass

U-NII-2C 11ax40(SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.800	59.72	4.95	74.0	-14.28	Peak	147.00	150	Vertical	Pass
1**	5351.800	48.51	4.95	54.0	-5.49	AV	147.00	150	Vertical	Pass
2	5459.980	57.50	4.04	74.0	-16.50	Peak	1.00	200	Vertical	Pass
2**	5459.980	46.15	4.04	54.0	-7.85	AV	1.00	200	Vertical	Pass
3	5469.340	58.28	4.02	68.2	-9.92	Peak	176.00	200	Vertical	Pass
3**	5469.340	46.46	4.02	--	--	AV	176.00	200	Vertical	N/A
4	5469.940	55.79	4.06	68.2	-12.41	Peak	222.00	100	Vertical	Pass
4**	5469.940	46.37	4.06	--	--	AV	222.00	100	Vertical	N/A

U-NII-2C 11ax40(SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.61	3.93	68.2	-11.59	Peak	183.00	150	Vertical	Pass
2	5847.187	59.47	5.40	68.2	-8.73	Peak	134.00	100	Vertical	Pass

U-NII-2C 11ax80(SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.500	59.38	4.97	74.0	-14.62	Peak	269.00	150	Vertical	Pass
1**	5351.500	48.46	4.97	54.0	-5.54	AV	269.00	150	Vertical	Pass
2	5459.980	56.18	4.04	74.0	-17.82	Peak	37.00	100	Vertical	Pass
2**	5459.980	46.12	4.04	54.0	-7.88	AV	37.00	100	Vertical	Pass
3	5463.520	57.38	4.03	68.2	-10.82	Peak	360.00	100	Vertical	Pass
3**	5463.520	46.19	4.03	--	--	AV	360.00	100	Vertical	N/A
4	5469.940	57.10	4.06	68.2	-11.10	Peak	181.00	200	Vertical	Pass
4**	5469.940	46.73	4.06	--	--	AV	181.00	200	Vertical	N/A

U-NII-2C 11ax80(SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.58	3.93	68.2	-11.62	Peak	300.00	100	Vertical	Pass
2	5849.375	59.72	5.40	68.2	-8.48	Peak	156.00	100	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.500	59.25	4.74	68.2	-8.95	Peak	241.00	100	Vertical	Pass
2	5650.000	57.75	4.41	68.2	-10.45	Peak	158.00	200	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.33	3.49	68.3	-10.97	Peak	346.00	150	Vertical	Pass
2	5931.675	58.40	4.13	68.2	-9.80	Peak	152.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.438	59.38	5.10	68.2	-8.82	Peak	241.00	100	Vertical	Pass
2	5650.000	57.18	4.41	68.2	-11.02	Peak	14.00	200	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.90	3.49	68.3	-12.40	Peak	341.00	100	Vertical	Pass
2	5935.725	58.87	4.22	68.2	-9.33	Peak	285.00	200	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5601.937	59.95	5.19	68.2	-8.25	Peak	65.00	100	Vertical	Pass
2	5650.000	57.82	4.41	68.2	-10.38	Peak	292.00	200	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.56	3.49	68.3	-11.74	Peak	4.00	200	Vertical	Pass
2	5943.225	59.02	4.26	68.2	-9.18	Peak	314.00	200	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5626.313	59.09	4.73	68.2	-9.11	Peak	194.00	100	Vertical	Pass
2	5650.000	56.43	4.41	68.2	-11.77	Peak	133.00	150	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.96	3.49	68.3	-12.34	Peak	348.00	150	Vertical	Pass
2	5990.550	58.91	4.14	68.2	-9.29	Peak	250.00	150	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.250	59.51	4.87	68.2	-8.69	Peak	188.00	150	Vertical	Pass
2	5650.000	57.62	4.41	68.2	-10.58	Peak	254.00	100	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.15	3.49	68.3	-12.15	Peak	133.00	150	Vertical	Pass
2	5994.075	59.58	4.32	68.2	-8.62	Peak	92.00	100	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.188	59.04	4.79	68.2	-9.16	Peak	245.00	150	Vertical	Pass
2	5650.000	56.96	4.41	68.2	-11.24	Peak	121.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.91	3.49	68.3	-12.39	Peak	194.00	100	Vertical	Pass
2	5943.675	58.70	4.22	68.2	-9.50	Peak	175.00	150	Vertical	Pass

U-NII-3 11ax20(SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.750	59.45	4.83	68.2	-8.75	Peak	360.00	100	Vertical	Pass
2	5650.000	56.92	4.41	68.2	-11.28	Peak	260.00	150	Vertical	Pass

U-NII-3 11ax20(SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.07	3.49	68.3	-12.23	Peak	299.00	150	Vertical	Pass
2	5948.175	58.65	3.85	68.2	-9.55	Peak	252.00	150	Vertical	Pass

U-NII-3 11ax40(SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.500	59.32	4.94	68.2	-8.88	Peak	356.00	200	Vertical	Pass
2	5650.000	56.21	4.41	68.2	-11.99	Peak	180.00	150	Vertical	Pass

U-NII-3 11ax40(SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.41	3.49	68.3	-12.89	Peak	346.00	100	Vertical	Pass
2	5936.925	58.73	4.24	68.2	-9.47	Peak	193.00	150	Vertical	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5608.688	58.75	4.88	68.2	-9.45	Peak	257.00	100	Vertical	Pass
2	5650.000	56.59	4.41	68.2	-11.61	Peak	169.00	200	Vertical	Pass


U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.70	3.49	68.3	-12.60	Peak	5.00	150	Vertical	Pass
2	5933.250	58.33	4.29	68.2	-9.87	Peak	132.00	100	Vertical	Pass


Aux. Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5115.550	59.03	4.40	74.0	-14.97	Peak	231.00	200	Vertical	Pass
1**	5115.550	46.90	4.40	54.0	-7.10	AV	231.00	200	Vertical	Pass
2	5149.675	57.41	4.06	74.0	-16.59	Peak	229.00	100	Vertical	Pass
2**	5149.675	47.66	4.06	54.0	-6.34	AV	229.00	100	Vertical	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.05	5.11	74.0	-15.95	Peak	67.00	100	Vertical	Pass
1**	5350.000	48.48	5.11	54.0	-5.52	AV	67.00	100	Vertical	Pass
2	5352.915	59.26	4.89	74.0	-14.74	Peak	49.00	200	Vertical	Pass
2**	5352.915	48.24	4.89	54.0	-5.76	AV	49.00	200	Vertical	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	60.09	4.03	74.0	-13.91	Peak	220.00	150	Vertical	Pass
1**	5149.025	47.37	4.03	54.0	-6.63	AV	220.00	150	Vertical	Pass
2	5149.675	57.34	4.06	74.0	-16.66	Peak	248.00	200	Vertical	Pass
2**	5149.675	47.51	4.06	54.0	-6.49	AV	248.00	200	Vertical	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.88	5.10	74.0	-16.12	Peak	4.00	200	Vertical	Pass
1**	5350.055	48.65	5.10	54.0	-5.35	AV	4.00	200	Vertical	Pass
2	5350.275	59.67	5.08	74.0	-14.33	Peak	93.00	200	Vertical	Pass
2**	5350.275	48.49	5.08	54.0	-5.51	AV	93.00	200	Vertical	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.850	60.19	3.71	74.0	-13.81	Peak	194.00	100	Vertical	Pass
1**	5142.850	46.91	3.71	54.0	-7.09	AV	194.00	100	Vertical	Pass
2	5149.675	59.39	4.06	74.0	-14.61	Peak	142.00	100	Vertical	Pass
2**	5149.675	47.67	4.06	54.0	-6.33	AV	142.00	100	Vertical	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.86	5.10	74.0	-15.14	Peak	20.00	200	Vertical	Pass
1**	5350.055	48.78	5.10	54.0	-5.22	AV	20.00	200	Vertical	Pass
2	5358.470	60.29	4.67	74.0	-13.71	Peak	298.00	100	Vertical	Pass
2**	5358.470	48.12	4.67	54.0	-5.88	AV	298.00	100	Vertical	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.900	59.67	3.82	74.0	-14.33	Peak	141.00	100	Vertical	Pass
1**	5140.900	47.25	3.82	54.0	-6.75	AV	141.00	100	Vertical	Pass
2	5149.675	57.16	4.06	74.0	-16.84	Peak	120.00	150	Vertical	Pass
2**	5149.675	47.53	4.06	54.0	-6.47	AV	120.00	150	Vertical	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.36	5.11	74.0	-15.64	Peak	180.00	100	Vertical	Pass
1**	5350.000	48.60	5.11	54.0	-5.40	AV	180.00	100	Vertical	Pass
2	5351.045	59.24	4.99	74.0	-14.76	Peak	251.00	200	Vertical	Pass
2**	5351.045	48.56	4.99	54.0	-5.44	AV	251.00	200	Vertical	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5063.875	58.41	4.05	74.0	-15.59	Peak	275.00	100	Vertical	Pass
1**	5063.875	46.87	4.05	54.0	-7.13	AV	275.00	100	Vertical	Pass
2	5149.675	56.75	4.06	74.0	-17.25	Peak	99.00	100	Vertical	Pass
2**	5149.675	47.57	4.06	54.0	-6.43	AV	99.00	100	Vertical	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.21	5.11	74.0	-15.79	Peak	276.00	150	Vertical	Pass
1**	5350.000	48.24	5.11	54.0	-5.76	AV	276.00	150	Vertical	Pass
2	5378.655	59.34	4.88	74.0	-14.66	Peak	60.00	100	Vertical	Pass
2**	5378.655	47.85	4.88	54.0	-6.15	AV	60.00	100	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	59.62	4.14	74.0	-14.38	Peak	227.00	150	Vertical	Pass
1**	5146.750	47.84	4.14	54.0	-6.16	AV	227.00	150	Vertical	Pass
2	5149.675	56.81	4.06	74.0	-17.19	Peak	0.00	150	Vertical	Pass
2**	5149.675	47.88	4.06	54.0	-6.12	AV	0.00	150	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.79	5.10	74.0	-15.21	Peak	301.00	150	Vertical	Pass
1**	5350.055	48.57	5.10	54.0	-5.43	AV	301.00	150	Vertical	Pass
2	5353.465	59.32	4.80	74.0	-14.68	Peak	116.00	200	Vertical	Pass
2**	5353.465	48.16	4.80	54.0	-5.84	AV	116.00	200	Vertical	Pass

U-NII-1 11ax20(SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.200	59.40	3.70	74.0	-14.60	Peak	253.00	100	Vertical	Pass
1**	5142.200	47.06	3.70	54.0	-6.94	AV	253.00	100	Vertical	Pass
2	5149.675	57.36	4.06	74.0	-16.64	Peak	0.00	100	Vertical	Pass
2**	5149.675	47.34	4.06	54.0	-6.66	AV	0.00	100	Vertical	Pass

U-NII-1 11ax20(SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.10	5.11	74.0	-14.90	Peak	317.00	150	Vertical	Pass
1**	5350.000	48.80	5.11	54.0	-5.20	AV	317.00	150	Vertical	Pass
2	5351.595	59.21	4.96	74.0	-14.79	Peak	185.00	200	Vertical	Pass
2**	5351.595	48.28	4.96	54.0	-5.72	AV	185.00	200	Vertical	Pass

U-NII-1 11ax40(SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.625	58.64	4.52	74.0	-15.36	Peak	220.00	200	Vertical	Pass
1**	5125.625	47.61	4.52	54.0	-6.39	AV	220.00	200	Vertical	Pass
2	5149.675	57.30	4.06	74.0	-16.70	Peak	66.00	100	Vertical	Pass
2**	5149.675	47.62	4.06	54.0	-6.38	AV	66.00	100	Vertical	Pass

U-NII-1 11ax40(SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.06	5.11	74.0	-14.94	Peak	1.00	100	Vertical	Pass
1**	5350.000	48.49	5.11	54.0	-5.51	AV	1.00	100	Vertical	Pass
2	5351.100	59.79	4.99	74.0	-14.21	Peak	259.00	200	Vertical	Pass
2**	5351.100	48.42	4.99	54.0	-5.58	AV	259.00	200	Vertical	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5060.300	58.69	4.06	74.0	-15.31	Peak	244.00	200	Vertical	Pass
1**	5060.300	46.74	4.06	54.0	-7.26	AV	244.00	200	Vertical	Pass
2	5149.675	57.91	4.06	74.0	-16.09	Peak	190.00	200	Vertical	Pass
2**	5149.675	47.89	4.06	54.0	-6.11	AV	190.00	200	Vertical	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.29	5.11	74.0	-15.71	Peak	357.00	150	Vertical	Pass
1**	5350.000	48.61	5.11	54.0	-5.39	AV	357.00	150	Vertical	Pass
2	5352.255	59.59	4.93	74.0	-14.41	Peak	350.00	150	Vertical	Pass
2**	5352.255	48.22	4.93	54.0	-5.78	AV	350.00	150	Vertical	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.000	58.71	3.93	74.0	-15.29	Peak	339.00	200	Vertical	Pass
1**	5137.000	46.87	3.93	54.0	-7.13	AV	339.00	200	Vertical	Pass
2	5149.675	56.35	4.06	74.0	-17.65	Peak	239.00	100	Vertical	Pass
2**	5149.675	47.21	4.06	54.0	-6.79	AV	239.00	100	Vertical	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.87	5.10	74.0	-15.13	Peak	321.00	100	Vertical	Pass
1**	5350.055	48.78	5.10	54.0	-5.22	AV	321.00	100	Vertical	Pass
2	5354.620	61.90	4.62	74.0	-12.10	Peak	147.00	200	Vertical	Pass
2**	5354.620	48.11	4.62	54.0	-5.89	AV	147.00	200	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5118.475	57.99	4.48	74.0	-16.01	Peak	64.00	150	Vertical	Pass
1**	5118.475	47.15	4.48	54.0	-6.85	AV	64.00	150	Vertical	Pass
2	5149.675	56.75	4.06	74.0	-17.25	Peak	52.00	100	Vertical	Pass
2**	5149.675	47.27	4.06	54.0	-6.73	AV	52.00	100	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.14	5.10	74.0	-15.86	Peak	235.00	200	Vertical	Pass
1**	5350.055	49.11	5.10	54.0	-4.89	AV	235.00	200	Vertical	Pass
2	5356.875	59.22	4.58	74.0	-14.78	Peak	115.00	150	Vertical	Pass
2**	5356.875	48.21	4.58	54.0	-5.79	AV	115.00	150	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5071.025	58.37	4.30	74.0	-15.63	Peak	19.00	100	Vertical	Pass
1**	5071.025	46.91	4.30	54.0	-7.09	AV	19.00	100	Vertical	Pass
2	5149.675	56.87	4.06	74.0	-17.13	Peak	136.00	200	Vertical	Pass
2**	5149.675	47.04	4.06	54.0	-6.96	AV	136.00	200	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.11	5.11	74.0	-15.89	Peak	235.00	150	Vertical	Pass
1**	5350.000	48.81	5.11	54.0	-5.19	AV	235.00	150	Vertical	Pass
2	5351.540	60.12	4.97	74.0	-13.88	Peak	230.00	150	Vertical	Pass
2**	5351.540	48.40	4.97	54.0	-5.60	AV	230.00	150	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	59.16	4.04	74.0	-14.84	Peak	334.00	150	Vertical	Pass
1**	5149.350	47.40	4.04	54.0	-6.60	AV	334.00	150	Vertical	Pass
2	5149.675	56.42	4.06	74.0	-17.58	Peak	0.00	100	Vertical	Pass
2**	5149.675	47.32	4.06	54.0	-6.68	AV	0.00	100	Vertical	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.64	5.11	74.0	-15.36	Peak	178.00	200	Vertical	Pass
1**	5350.000	48.50	5.11	54.0	-5.50	AV	178.00	200	Vertical	Pass
2	5350.660	59.70	5.03	74.0	-14.30	Peak	198.00	150	Vertical	Pass
2**	5350.660	48.34	5.03	54.0	-5.66	AV	198.00	150	Vertical	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.250	58.91	4.52	74.0	-15.09	Peak	322.00	150	Vertical	Pass
1**	5127.250	47.62	4.52	54.0	-6.38	AV	322.00	150	Vertical	Pass
2	5149.675	57.16	4.06	74.0	-16.84	Peak	269.00	100	Vertical	Pass
2**	5149.675	47.50	4.06	54.0	-6.50	AV	269.00	100	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.40	5.10	74.0	-15.60	Peak	238.00	150	Vertical	Pass
1**	5350.055	48.65	5.10	54.0	-5.35	AV	238.00	150	Vertical	Pass
2	5391.030	61.04	4.52	74.0	-12.96	Peak	198.00	150	Vertical	Pass
2**	5391.030	47.25	4.52	54.0	-6.75	AV	198.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5116.850	58.52	4.41	74.0	-15.48	Peak	352.00	150	Vertical	Pass
1**	5116.850	47.13	4.41	54.0	-6.87	AV	352.00	150	Vertical	Pass
2	5149.675	56.75	4.06	74.0	-17.25	Peak	277.00	150	Vertical	Pass
2**	5149.675	47.12	4.06	54.0	-6.88	AV	277.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.72	5.11	74.0	-14.28	Peak	149.00	200	Vertical	Pass
1**	5350.000	48.70	5.11	54.0	-5.30	AV	149.00	200	Vertical	Pass
2	5350.330	60.79	5.07	74.0	-13.21	Peak	201.00	200	Vertical	Pass
2**	5350.330	49.11	5.07	54.0	-4.89	AV	201.00	200	Vertical	Pass

U-NII-2A 11ax20(SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.625	58.12	4.52	74.0	-15.88	Peak	237.00	200	Vertical	Pass
1**	5125.625	47.34	4.52	54.0	-6.66	AV	237.00	200	Vertical	Pass
2	5149.675	56.57	4.06	74.0	-17.43	Peak	137.00	100	Vertical	Pass
2**	5149.675	47.50	4.06	54.0	-6.50	AV	137.00	100	Vertical	Pass

U-NII-2A 11ax20(SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.90	5.10	74.0	-15.10	Peak	55.00	100	Vertical	Pass
1**	5350.055	48.54	5.10	54.0	-5.46	AV	55.00	100	Vertical	Pass
2	5397.575	60.13	4.76	74.0	-13.87	Peak	201.00	100	Vertical	Pass
2**	5397.575	47.37	4.76	54.0	-6.63	AV	201.00	100	Vertical	Pass

U-NII-2A 11ax40(SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5080.125	58.16	4.09	74.0	-15.84	Peak	247.00	200	Vertical	Pass
1**	5080.125	46.55	4.09	54.0	-7.45	AV	247.00	200	Vertical	Pass
2	5149.675	56.60	4.06	74.0	-17.40	Peak	271.00	200	Vertical	Pass
2**	5149.675	47.33	4.06	54.0	-6.67	AV	271.00	200	Vertical	Pass

U-NII-2A 11ax40(SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.17	5.11	74.0	-15.83	Peak	284.00	150	Vertical	Pass
1**	5350.000	48.50	5.11	54.0	-5.50	AV	284.00	150	Vertical	Pass
2	5358.855	59.93	4.70	74.0	-14.07	Peak	130.00	100	Vertical	Pass
2**	5358.855	48.17	4.70	54.0	-5.83	AV	130.00	100	Vertical	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.16	5.10	74.0	-14.84	Peak	147.00	100	Vertical	Pass
1**	5350.055	48.89	5.10	54.0	-5.11	AV	147.00	100	Vertical	Pass
2	5363.090	60.42	4.47	74.0	-13.58	Peak	140.00	100	Vertical	Pass
2**	5363.090	48.08	4.47	54.0	-5.92	AV	140.00	100	Vertical	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5130.500	58.78	4.35	74.0	-15.22	Peak	335.00	150	Vertical	Pass
1**	5130.500	47.34	4.35	54.0	-6.66	AV	335.00	150	Vertical	Pass
2	5149.675	56.61	4.06	74.0	-17.39	Peak	282.00	150	Vertical	Pass
2**	5149.675	47.37	4.06	54.0	-6.63	AV	282.00	150	Vertical	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.200	60.85	4.06	74.0	-13.15	Peak	203.00	200	Vertical	Pass
1**	5444.200	46.52	4.06	54.0	-7.48	AV	203.00	200	Vertical	Pass
2	5459.980	55.61	4.04	74.0	-18.39	Peak	129.00	100	Vertical	Pass
2**	5459.980	46.06	4.04	54.0	-7.94	AV	129.00	100	Vertical	Pass
3	5468.500	57.82	3.99	68.2	-10.38	Peak	334.00	100	Vertical	Pass
3**	5468.500	46.18	3.99	--	--	AV	334.00	100	Vertical	N/A
4	5469.940	56.55	4.06	68.2	-11.65	Peak	0.00	100	Vertical	Pass
4**	5469.940	46.49	4.06	--	--	AV	0.00	100	Vertical	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.09	3.92	68.2	-12.11	Peak	356.00	150	Vertical	Pass
2	5849.438	59.61	5.40	68.2	-8.59	Peak	90.00	100	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.560	59.80	4.96	74.0	-14.20	Peak	140.00	100	Vertical	Pass
1**	5351.560	48.48	4.96	54.0	-5.52	AV	140.00	100	Vertical	Pass
2	5459.980	55.84	4.04	74.0	-18.16	Peak	152.00	150	Vertical	Pass
2**	5459.980	46.29	4.04	54.0	-7.71	AV	152.00	150	Vertical	Pass
3	5461.600	59.25	3.91	68.2	-8.95	Peak	198.00	100	Vertical	Pass
3**	5461.600	46.09	3.91	--	--	AV	198.00	100	Vertical	N/A
4	5469.940	55.46	4.06	68.2	-12.74	Peak	199.00	100	Vertical	Pass
4**	5469.940	46.23	4.06	--	--	AV	199.00	100	Vertical	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.69	3.93	68.2	-11.51	Peak	137.00	150	Vertical	Pass
2	5786.125	59.35	4.44	68.2	-8.85	Peak	293.00	100	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.120	59.51	5.10	74.0	-14.49	Peak	147.00	200	Vertical	Pass
1**	5350.120	48.54	5.10	54.0	-5.46	AV	147.00	200	Vertical	Pass
2	5459.980	54.91	4.04	74.0	-19.09	Peak	181.00	150	Vertical	Pass
2**	5459.980	46.03	4.04	54.0	-7.97	AV	181.00	150	Vertical	Pass
3	5467.900	57.99	3.96	68.2	-10.21	Peak	181.00	100	Vertical	Pass
3**	5467.900	45.97	3.96	--	--	AV	181.00	100	Vertical	N/A
4	5469.940	56.67	4.06	68.2	-11.53	Peak	145.00	100	Vertical	Pass
4**	5469.940	46.19	4.06	--	--	AV	145.00	100	Vertical	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.56	3.93	68.2	-11.64	Peak	11.00	100	Vertical	Pass
2	5813.813	59.20	4.38	68.2	-9.00	Peak	357.00	150	Vertical	Pass

U-NII-2C 11ac20 CH100



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.140	59.66	4.99	74.0	-14.34	Peak	149.00	200	Vertical	Pass
1**	5351.140	48.61	4.99	54.0	-5.39	AV	149.00	200	Vertical	Pass
2	5459.980	56.88	4.04	74.0	-17.12	Peak	124.00	150	Vertical	Pass
2**	5459.980	46.08	4.04	54.0	-7.92	AV	124.00	150	Vertical	Pass
3	5466.280	59.64	3.90	68.2	-8.56	Peak	159.00	100	Vertical	Pass
3**	5466.280	46.11	3.90	--	46.11	AV	159.00	100	Vertical	N/A
4	5469.940	55.35	4.06	68.2	-12.85	Peak	64.00	200	Vertical	Pass
4**	5469.940	46.41	4.06	--	46.41	AV	64.00	200	Vertical	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.46	3.93	68.2	-11.74	Peak	247.00	200	Vertical	Pass
2	5835.438	59.43	4.42	68.2	-8.77	Peak	152.00	100	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5362.900	59.72	4.48	74.0	-14.28	Peak	215.00	100	Vertical	Pass
1**	5362.900	47.89	4.48	54.0	-6.11	AV	215.00	100	Vertical	Pass
2	5459.980	56.00	4.04	74.0	-18.00	Peak	157.00	100	Vertical	Pass
2**	5459.980	45.97	4.04	54.0	-8.03	AV	157.00	100	Vertical	Pass
3	5462.680	57.73	3.99	68.2	-10.47	Peak	179.00	100	Vertical	Pass
3**	5462.680	45.90	3.99	--	--	AV	179.00	100	Vertical	N/A
4	5469.940	55.59	4.06	68.2	-12.61	Peak	167.00	150	Vertical	Pass
4**	5469.940	46.23	4.06	--	--	AV	167.00	150	Vertical	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.19	3.92	68.2	-12.01	Peak	178.00	200	Vertical	Pass
2	5848.250	59.47	5.47	68.2	-8.73	Peak	234.00	100	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.960	59.91	5.00	74.0	-14.09	Peak	360.00	150	Vertical	Pass
1**	5350.960	48.65	5.00	54.0	-5.35	AV	360.00	150	Vertical	Pass
2	5459.980	56.56	4.04	74.0	-17.44	Peak	254.00	200	Vertical	Pass
2**	5459.980	46.52	4.04	54.0	-7.48	AV	254.00	200	Vertical	Pass
3	5465.080	57.35	3.90	68.2	-10.85	Peak	176.00	100	Vertical	Pass
3**	5465.080	46.30	3.90	--	--	AV	176.00	100	Vertical	N/A
4	5469.940	56.21	4.06	68.2	-11.99	Peak	242.00	100	Vertical	Pass
4**	5469.940	46.66	4.06	--	--	AV	242.00	100	Vertical	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.60	3.92	68.2	-11.60	Peak	47.00	100	Vertical	Pass
2	5844.063	59.31	5.25	68.2	-8.89	Peak	128.00	100	Vertical	Pass

U-NII-2C 11ax20(SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.500	59.32	4.97	74.0	-14.68	Peak	16.00	100	Vertical	Pass
1**	5351.500	48.62	4.97	54.0	-5.38	AV	16.00	100	Vertical	Pass
2	5459.980	55.84	4.04	74.0	-18.16	Peak	276.00	100	Vertical	Pass
2**	5459.980	46.14	4.04	54.0	-7.86	AV	276.00	100	Vertical	Pass
3	5465.560	60.90	3.87	68.2	-7.30	Peak	233.00	150	Vertical	Pass
3**	5465.560	45.96	3.87	--	--	AV	233.00	150	Vertical	N/A
4	5469.940	55.76	4.06	68.2	-12.44	Peak	220.00	150	Vertical	Pass
4**	5469.940	46.34	4.06	--	--	AV	220.00	150	Vertical	N/A

U-NII-2C 11ax20(SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.13	3.93	68.2	-11.07	Peak	306.00	150	Vertical	Pass
2	5785.625	59.61	4.40	68.2	-8.59	Peak	154.00	100	Vertical	Pass

U-NII-2C 11ax40(SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.800	59.35	4.95	74.0	-14.65	Peak	158.00	200	Vertical	Pass
1**	5351.800	48.51	4.95	54.0	-5.49	AV	158.00	200	Vertical	Pass
2	5459.980	55.32	4.04	74.0	-18.68	Peak	181.00	100	Vertical	Pass
2**	5459.980	46.02	4.04	54.0	-7.98	AV	181.00	100	Vertical	Pass
3	5469.640	57.16	4.03	68.2	-11.04	Peak	251.00	150	Vertical	Pass
3**	5469.640	46.16	4.03	--	--	AV	251.00	150	Vertical	N/A
4	5469.940	56.11	4.06	68.2	-12.09	Peak	1.00	100	Vertical	Pass
4**	5469.940	46.57	4.06	--	--	AV	1.00	100	Vertical	N/A

U-NII-2C 11ax40(SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.07	3.92	68.2	-11.13	Peak	226.00	100	Vertical	Pass
2	5845.875	59.51	5.27	68.2	-8.69	Peak	226.00	100	Vertical	Pass

U-NII-2C 11ax80(SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.440	59.61	4.97	74.0	-14.39	Peak	67.00	200	Vertical	Pass
1**	5351.440	48.44	4.97	54.0	-5.56	AV	67.00	200	Vertical	Pass
2	5459.980	55.57	4.04	74.0	-18.43	Peak	4.00	200	Vertical	Pass
2**	5459.980	46.41	4.04	54.0	-7.59	AV	4.00	200	Vertical	Pass
3	5461.120	57.39	3.91	68.2	-10.81	Peak	162.00	150	Vertical	Pass
3**	5461.120	46.37	3.91	--	--	AV	162.00	150	Vertical	N/A
4	5469.940	55.47	4.06	68.2	-12.73	Peak	255.00	100	Vertical	Pass
4**	5469.940	46.32	4.06	--	--	AV	255.00	100	Vertical	N/A

U-NII-2C 11ax80(SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.59	3.93	68.2	-11.61	Peak	24.00	150	Vertical	Pass
2	5843.812	58.94	5.25	68.2	-9.26	Peak	280.00	100	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5619.375	59.15	4.59	68.2	-9.05	Peak	127.00	200	Vertical	Pass
2	5650.000	56.68	4.41	68.2	-11.52	Peak	160.00	100	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.54	3.49	68.3	-11.76	Peak	65.00	150	Vertical	Pass
2	5940.000	59.16	4.40	68.2	-9.04	Peak	328.00	200	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.000	58.95	4.98	68.2	-9.25	Peak	268.00	150	Vertical	Pass
2	5650.000	57.07	4.41	68.2	-11.13	Peak	138.00	200	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.01	3.49	68.3	-12.29	Peak	214.00	200	Vertical	Pass
2	5940.375	58.63	4.41	68.2	-9.57	Peak	158.00	100	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5614.562	59.58	4.63	68.2	-8.62	Peak	107.00	150	Vertical	Pass
2	5650.000	58.02	4.41	68.2	-10.18	Peak	139.00	100	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.36	3.49	68.3	-11.94	Peak	86.00	150	Vertical	Pass
2	5987.175	59.19	3.82	68.2	-9.01	Peak	203.00	100	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5617.500	58.96	4.63	68.2	-9.24	Peak	244.00	200	Vertical	Pass
2	5650.000	56.64	4.41	68.2	-11.56	Peak	312.00	200	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.05	3.49	68.3	-12.25	Peak	342.00	150	Vertical	Pass
2	5926.350	58.93	3.64	68.2	-9.27	Peak	13.00	200	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5601.500	59.20	5.21	68.2	-9.00	Peak	82.00	200	Vertical	Pass
2	5650.000	57.29	4.41	68.2	-10.91	Peak	199.00	150	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.61	3.49	68.3	-11.69	Peak	270.00	200	Vertical	Pass
2	5932.875	58.52	4.28	68.2	-9.68	Peak	19.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.625	59.20	5.09	68.2	-9.00	Peak	286.00	200	Vertical	Pass
2	5650.000	56.67	4.41	68.2	-11.53	Peak	6.00	100	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.97	3.49	68.3	-12.33	Peak	58.00	200	Vertical	Pass
2	5933.100	58.50	4.30	68.2	-9.70	Peak	68.00	150	Vertical	Pass

U-NII-3 11ax20(SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5618.313	59.03	4.57	68.2	-9.17	Peak	331.00	100	Vertical	Pass
2	5650.000	56.84	4.41	68.2	-11.36	Peak	260.00	200	Vertical	Pass

U-NII-3 11ax20(SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.79	3.49	68.3	-11.51	Peak	249.00	100	Vertical	Pass
2	5934.300	58.63	4.25	68.2	-9.57	Peak	349.00	200	Vertical	Pass

U-NII-3 11ax40(SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5608.062	58.97	4.88	68.2	-9.23	Peak	336.00	200	Vertical	Pass
2	5650.000	56.85	4.41	68.2	-11.35	Peak	205.00	100	Vertical	Pass

U-NII-3 11ax40(SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.24	3.49	68.3	-12.06	Peak	283.00	200	Vertical	Pass
2	5956.350	58.49	3.82	68.2	-9.71	Peak	271.00	200	Vertical	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5608.750	59.17	4.88	68.2	-9.03	Peak	12.00	200	Vertical	Pass
2	5650.000	57.02	4.41	68.2	-11.18	Peak	105.00	150	Vertical	Pass


U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.51	3.49	68.3	-11.79	Peak	265.00	200	Vertical	Pass
2	5933.550	58.62	4.28	68.2	-9.58	Peak	265.00	150	Vertical	Pass


MIMO

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5074.600	58.34	4.06	74.0	-15.66	Peak	323.00	100	Vertical	Pass
1**	5074.600	46.59	4.06	54.0	-7.41	AV	323.00	100	Vertical	Pass
2	5149.675	57.46	4.06	74.0	-16.54	Peak	284.00	150	Vertical	Pass
2**	5149.675	47.49	4.06	54.0	-6.51	AV	284.00	150	Vertical	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.51	5.10	74.0	-15.49	Peak	46.00	200	Vertical	Pass
1**	5350.055	48.68	5.10	54.0	-5.32	AV	46.00	200	Vertical	Pass
2	5362.705	59.33	4.48	74.0	-14.67	Peak	289.00	150	Vertical	Pass
2**	5362.705	47.91	4.48	54.0	-6.09	AV	289.00	150	Vertical	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5115.875	58.37	4.40	74.0	-15.63	Peak	230.00	200	Vertical	Pass
1**	5115.875	46.87	4.40	54.0	-7.13	AV	230.00	200	Vertical	Pass
2	5149.675	57.88	4.06	74.0	-16.12	Peak	335.00	100	Vertical	Pass
2**	5149.675	47.46	4.06	54.0	-6.54	AV	335.00	100	Vertical	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.69	5.11	74.0	-15.31	Peak	327.00	150	Vertical	Pass
1**	5350.000	48.48	5.11	54.0	-5.52	AV	327.00	150	Vertical	Pass
2	5352.970	59.81	4.88	74.0	-14.19	Peak	332.00	150	Vertical	Pass
2**	5352.970	48.21	4.88	54.0	-5.79	AV	332.00	150	Vertical	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5114.900	58.75	4.39	74.0	-15.25	Peak	272.00	150	Vertical	Pass
1**	5114.900	46.94	4.39	54.0	-7.06	AV	272.00	150	Vertical	Pass
2	5149.675	56.99	4.06	74.0	-17.01	Peak	360.00	100	Vertical	Pass
2**	5149.675	47.51	4.06	54.0	-6.49	AV	360.00	100	Vertical	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.64	5.11	74.0	-15.36	Peak	204.00	150	Vertical	Pass
1**	5350.000	48.62	5.11	54.0	-5.38	AV	204.00	150	Vertical	Pass
2	5350.550	59.72	5.04	74.0	-14.28	Peak	199.00	100	Vertical	Pass
2**	5350.550	48.47	5.04	54.0	-5.53	AV	199.00	100	Vertical	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.325	58.07	4.51	74.0	-15.93	Peak	8.00	100	Vertical	Pass
1**	5124.325	47.36	4.51	54.0	-6.64	AV	8.00	100	Vertical	Pass
2	5149.675	56.51	4.06	74.0	-17.49	Peak	49.00	200	Vertical	Pass
2**	5149.675	47.35	4.06	54.0	-6.65	AV	49.00	200	Vertical	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.24	5.11	74.0	-15.76	Peak	30.00	150	Vertical	Pass
1**	5350.000	48.55	5.11	54.0	-5.45	AV	30.00	150	Vertical	Pass
2	5352.310	59.51	4.92	74.0	-14.49	Peak	0.00	200	Vertical	Pass
2**	5352.310	48.46	4.92	54.0	-5.54	AV	0.00	200	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	58.86	4.03	74.0	-15.14	Peak	135.00	200	Vertical	Pass
1**	5148.700	47.60	4.03	54.0	-6.40	AV	135.00	200	Vertical	Pass
2	5149.675	56.70	4.06	74.0	-17.30	Peak	218.00	200	Vertical	Pass
2**	5149.675	47.36	4.06	54.0	-6.64	AV	218.00	200	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.26	5.11	74.0	-15.74	Peak	20.00	100	Vertical	Pass
1**	5350.000	48.58	5.11	54.0	-5.42	AV	20.00	100	Vertical	Pass
2	5379.645	59.86	4.74	74.0	-14.14	Peak	71.00	200	Vertical	Pass
2**	5379.645	47.96	4.74	54.0	-6.04	AV	71.00	200	Vertical	Pass

U-NII-1 11ax20(SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5130.500	58.80	4.35	74.0	-15.20	Peak	1.00	100	Vertical	Pass
1**	5130.500	47.44	4.35	54.0	-6.56	AV	1.00	100	Vertical	Pass
2	5149.675	58.15	4.06	74.0	-15.85	Peak	247.00	200	Vertical	Pass
2**	5149.675	47.49	4.06	54.0	-6.51	AV	247.00	200	Vertical	Pass

U-NII-1 11ax20(SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.06	5.11	74.0	-14.94	Peak	310.00	100	Vertical	Pass
1**	5350.000	48.59	5.11	54.0	-5.41	AV	310.00	100	Vertical	Pass
2	5374.695	60.38	4.54	74.0	-13.62	Peak	329.00	200	Vertical	Pass
2**	5374.695	47.86	4.54	54.0	-6.14	AV	329.00	200	Vertical	Pass

U-NII-1 11ax40(SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5135.700	58.25	3.99	74.0	-15.75	Peak	38.00	200	Vertical	Pass
1**	5135.700	47.21	3.99	54.0	-6.79	AV	38.00	200	Vertical	Pass
2	5149.675	57.57	4.06	74.0	-16.43	Peak	320.00	150	Vertical	Pass
2**	5149.675	47.34	4.06	54.0	-6.66	AV	320.00	150	Vertical	Pass

U-NII-1 11ax40(SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.03	5.11	74.0	-15.97	Peak	360.00	200	Vertical	Pass
1**	5350.000	48.51	5.11	54.0	-5.49	AV	360.00	200	Vertical	Pass
2	5352.365	59.97	4.92	74.0	-14.03	Peak	124.00	200	Vertical	Pass
2**	5352.365	48.26	4.92	54.0	-5.74	AV	124.00	200	Vertical	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.900	58.51	4.52	74.0	-15.49	Peak	28.00	200	Vertical	Pass
1**	5127.900	47.52	4.52	54.0	-6.48	AV	28.00	200	Vertical	Pass
2	5149.675	57.18	4.06	74.0	-16.82	Peak	169.00	200	Vertical	Pass
2**	5149.675	47.72	4.06	54.0	-6.28	AV	169.00	200	Vertical	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.62	5.10	74.0	-15.38	Peak	0.00	150	Vertical	Pass
1**	5350.055	48.38	5.10	54.0	-5.62	AV	0.00	150	Vertical	Pass
2	5402.910	59.83	4.64	74.0	-14.17	Peak	276.00	150	Vertical	Pass
2**	5402.910	47.51	4.64	54.0	-6.49	AV	276.00	150	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5032.025	58.30	3.36	74.0	-15.70	Peak	250.00	200	Vertical	Pass
1**	5032.025	45.86	3.36	54.0	-8.14	AV	250.00	200	Vertical	Pass
2	5149.675	56.70	4.06	74.0	-17.30	Peak	245.00	200	Vertical	Pass
2**	5149.675	47.31	4.06	54.0	-6.69	AV	245.00	200	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.41	5.11	74.0	-15.59	Peak	23.00	150	Vertical	Pass
1**	5350.000	48.74	5.11	54.0	-5.26	AV	23.00	150	Vertical	Pass
2	5350.495	60.13	5.05	74.0	-13.87	Peak	235.00	200	Vertical	Pass
2**	5350.495	48.55	5.05	54.0	-5.45	AV	235.00	200	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.850	58.59	4.48	74.0	-15.41	Peak	242.00	200	Vertical	Pass
1**	5129.850	47.72	4.48	54.0	-6.28	AV	242.00	200	Vertical	Pass
2	5149.675	56.26	4.06	74.0	-17.74	Peak	301.00	150	Vertical	Pass
2**	5149.675	47.36	4.06	54.0	-6.64	AV	301.00	150	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.24	5.11	74.0	-14.76	Peak	266.00	150	Vertical	Pass
1**	5350.000	48.42	5.11	54.0	-5.58	AV	266.00	150	Vertical	Pass
2	5379.425	59.69	4.77	74.0	-14.31	Peak	7.00	100	Vertical	Pass
2**	5379.425	47.88	4.77	54.0	-6.12	AV	7.00	100	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.200	58.89	4.50	74.0	-15.11	Peak	293.00	150	Vertical	Pass
1**	5129.200	47.54	4.50	54.0	-6.46	AV	293.00	150	Vertical	Pass
2	5149.675	56.50	4.06	74.0	-17.50	Peak	251.00	150	Vertical	Pass
2**	5149.675	47.11	4.06	54.0	-6.89	AV	251.00	150	Vertical	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.21	5.11	74.0	-15.79	Peak	12.00	100	Vertical	Pass
1**	5350.000	48.36	5.11	54.0	-5.64	AV	12.00	100	Vertical	Pass
2	5352.310	60.04	4.92	74.0	-13.96	Peak	43.00	100	Vertical	Pass
2**	5352.310	48.50	4.92	54.0	-5.50	AV	43.00	100	Vertical	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.350	58.20	4.50	74.0	-15.80	Peak	354.00	150	Vertical	Pass
1**	5123.350	47.98	4.50	54.0	-6.02	AV	354.00	150	Vertical	Pass
2	5149.675	57.26	4.06	74.0	-16.74	Peak	360.00	150	Vertical	Pass
2**	5149.675	47.39	4.06	54.0	-6.61	AV	360.00	150	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.81	5.11	74.0	-14.19	Peak	58.00	200	Vertical	Pass
1**	5350.000	48.89	5.11	54.0	-5.11	AV	58.00	200	Vertical	Pass
2	5364.795	60.23	4.44	74.0	-13.77	Peak	198.00	200	Vertical	Pass
2**	5364.795	47.77	4.44	54.0	-6.23	AV	198.00	200	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5091.500	58.42	4.19	74.0	-15.58	Peak	113.00	100	Vertical	Pass
1**	5091.500	46.91	4.19	54.0	-7.09	AV	113.00	100	Vertical	Pass
2	5149.675	56.78	4.06	74.0	-17.22	Peak	337.00	100	Vertical	Pass
2**	5149.675	47.51	4.06	54.0	-6.49	AV	337.00	100	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.88	5.11	74.0	-12.12	Peak	225.00	200	Vertical	Pass
1**	5350.000	48.89	5.11	54.0	-5.11	AV	225.00	200	Vertical	Pass
2	5351.375	62.95	4.98	74.0	-11.05	Peak	222.00	150	Vertical	Pass
2**	5351.375	48.78	4.98	54.0	-5.22	AV	222.00	150	Vertical	Pass

U-NII-2A 11ax20(SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.600	58.36	4.52	74.0	-15.64	Peak	252.00	100	Vertical	Pass
1**	5126.600	47.56	4.52	54.0	-6.44	AV	252.00	100	Vertical	Pass
2	5149.675	56.87	4.06	74.0	-17.13	Peak	233.00	100	Vertical	Pass
2**	5149.675	47.12	4.06	54.0	-6.88	AV	233.00	100	Vertical	Pass

U-NII-2A 11ax20(SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.44	5.11	74.0	-15.56	Peak	93.00	100	Vertical	Pass
1**	5350.000	48.98	5.11	54.0	-5.02	AV	93.00	100	Vertical	Pass
2	5350.605	59.49	5.03	74.0	-14.51	Peak	215.00	200	Vertical	Pass
2**	5350.605	48.47	5.03	54.0	-5.53	AV	215.00	200	Vertical	Pass

U-NII-2A 11ax40(SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5120.750	58.53	4.38	74.0	-15.47	Peak	231.00	200	Vertical	Pass
1**	5120.750	47.14	4.38	54.0	-6.86	AV	231.00	200	Vertical	Pass
2	5149.675	56.61	4.06	74.0	-17.39	Peak	134.00	100	Vertical	Pass
2**	5149.675	47.51	4.06	54.0	-6.49	AV	134.00	100	Vertical	Pass

U-NII-2A 11ax40(SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.66	5.11	74.0	-14.34	Peak	240.00	100	Vertical	Pass
1**	5350.000	48.89	5.11	54.0	-5.11	AV	240.00	100	Vertical	Pass
2	5350.880	60.48	5.00	74.0	-13.52	Peak	325.00	200	Vertical	Pass
2**	5350.880	48.63	5.00	54.0	-5.37	AV	325.00	200	Vertical	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.925	59.66	4.52	74.0	-14.34	Peak	0.00	150	Vertical	Pass
1**	5126.925	47.59	4.52	54.0	-6.41	AV	0.00	150	Vertical	Pass
2	5149.675	57.96	4.06	74.0	-16.04	Peak	128.00	100	Vertical	Pass
2**	5149.675	47.32	4.06	54.0	-6.68	AV	128.00	100	Vertical	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.36	5.10	74.0	-14.64	Peak	213.00	100	Vertical	Pass
1**	5350.055	48.82	5.10	54.0	-5.18	AV	213.00	100	Vertical	Pass
2	5360.340	59.55	4.63	74.0	-14.45	Peak	174.00	200	Vertical	Pass
2**	5360.340	48.19	4.63	54.0	-5.81	AV	174.00	200	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5352.700	60.10	4.90	74.0	-13.90	Peak	21.00	150	Vertical	Pass
1**	5352.700	48.42	4.90	54.0	-5.58	AV	21.00	150	Vertical	Pass
2	5459.980	56.44	4.04	74.0	-17.56	Peak	255.00	150	Vertical	Pass
2**	5459.980	46.33	4.04	54.0	-7.67	AV	255.00	150	Vertical	Pass
3	5465.680	57.75	3.87	68.2	-10.45	Peak	140.00	100	Vertical	Pass
3**	5465.680	45.94	3.87	--	--	AV	140.00	100	Vertical	N/A
4	5469.940	56.19	4.06	68.2	-12.01	Peak	0.00	200	Vertical	Pass
4**	5469.940	46.29	4.06	--	--	AV	0.00	200	Vertical	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.99	3.92	68.2	-11.21	Peak	204.00	150	Vertical	Pass
2	5849.000	59.46	5.42	68.2	-8.74	Peak	360.00	150	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.360	59.86	5.07	74.0	-14.14	Peak	130.00	150	Vertical	Pass
1**	5350.360	48.81	5.07	54.0	-5.19	AV	130.00	150	Vertical	Pass
2	5459.980	55.84	4.04	74.0	-18.16	Peak	203.00	150	Vertical	Pass
2**	5459.980	46.01	4.04	54.0	-7.99	AV	203.00	150	Vertical	Pass
3	5468.740	57.28	4.00	68.2	-10.92	Peak	11.00	200	Vertical	Pass
3**	5468.740	46.22	4.00	--	--	AV	11.00	200	Vertical	N/A
4	5469.940	55.93	4.06	68.2	-12.27	Peak	357.00	150	Vertical	Pass
4**	5469.940	46.32	4.06	--	--	AV	357.00	150	Vertical	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.00	3.93	68.2	-11.20	Peak	142.00	100	Vertical	Pass
2	5846.250	59.87	5.31	68.2	-8.33	Peak	215.00	150	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5352.280	59.57	4.92	74.0	-14.43	Peak	226.00	100	Vertical	Pass
1**	5352.280	48.23	4.92	54.0	-5.77	AV	226.00	100	Vertical	Pass
2	5459.980	55.52	4.04	74.0	-18.48	Peak	157.00	200	Vertical	Pass
2**	5459.980	46.06	4.04	54.0	-7.94	AV	157.00	200	Vertical	Pass
3	5468.920	57.09	4.00	68.2	-11.11	Peak	360.00	200	Vertical	Pass
3**	5468.920	46.39	4.00	--	--	AV	360.00	200	Vertical	N/A
4	5469.940	56.00	4.06	68.2	-12.20	Peak	132.00	200	Vertical	Pass
4**	5469.940	46.15	4.06	--	--	AV	132.00	200	Vertical	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.55	3.93	68.2	-11.65	Peak	215.00	150	Vertical	Pass
2	5848.750	59.11	5.44	68.2	-9.09	Peak	232.00	100	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5352.640	60.01	4.90	74.0	-13.99	Peak	172.00	200	Vertical	Pass
1**	5352.640	48.35	4.90	54.0	-5.65	AV	172.00	200	Vertical	Pass
2	5459.980	55.84	4.04	74.0	-18.16	Peak	325.00	150	Vertical	Pass
2**	5459.980	46.06	4.04	54.0	-7.94	AV	325.00	150	Vertical	Pass
3	5469.460	56.92	4.03	68.2	-11.28	Peak	57.00	150	Vertical	Pass
3**	5469.460	46.28	4.03	--	--	AV	57.00	150	Vertical	N/A
4	5469.940	55.53	4.06	68.2	-12.67	Peak	87.00	100	Vertical	Pass
4**	5469.940	46.40	4.06	--	--	AV	87.00	100	Vertical	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.16	3.92	68.2	-12.04	Peak	182.00	100	Vertical	Pass
2	5777.375	59.88	4.37	68.2	-8.32	Peak	338.00	100	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.300	59.40	5.07	74.0	-14.60	Peak	174.00	100	Vertical	Pass
1**	5350.300	48.52	5.07	54.0	-5.48	AV	174.00	100	Vertical	Pass
2	5459.980	55.68	4.04	74.0	-18.32	Peak	6.00	100	Vertical	Pass
2**	5459.980	46.21	4.04	54.0	-7.79	AV	6.00	100	Vertical	Pass
3	5469.700	58.32	4.04	68.2	-9.88	Peak	201.00	150	Vertical	Pass
3**	5469.700	46.27	4.04	--	--	AV	201.00	150	Vertical	N/A
4	5469.940	56.32	4.06	68.2	-11.88	Peak	81.00	200	Vertical	Pass
4**	5469.940	46.59	4.06	--	--	AV	81.00	200	Vertical	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.51	3.92	68.2	-11.69	Peak	283.00	100	Vertical	Pass
2	5820.750	59.19	4.52	68.2	-9.01	Peak	132.00	200	Vertical	Pass

U-NII-2C 11ax20(SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5367.640	59.44	4.37	74.0	-14.56	Peak	44.00	200	Vertical	Pass
1**	5367.640	47.78	4.37	54.0	-6.22	AV	44.00	200	Vertical	Pass
2	5459.980	55.66	4.04	74.0	-18.34	Peak	61.00	150	Vertical	Pass
2**	5459.980	46.01	4.04	54.0	-7.99	AV	61.00	150	Vertical	Pass
3	5468.860	56.80	4.00	68.2	-11.40	Peak	171.00	150	Vertical	Pass
3**	5468.860	46.13	4.00	--	--	AV	171.00	150	Vertical	N/A
4	5469.940	55.36	4.06	68.2	-12.84	Peak	300.00	150	Vertical	Pass
4**	5469.940	46.40	4.06	--	--	AV	300.00	150	Vertical	N/A

U-NII-2C 11ax20(SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.61	3.93	68.2	-11.59	Peak	208.00	150	Vertical	Pass
2	5849.187	59.67	5.41	68.2	-8.53	Peak	277.00	200	Vertical	Pass

U-NII-2C 11ax40(SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5381.140	59.96	4.64	74.0	-14.04	Peak	145.00	200	Vertical	Pass
1**	5381.140	47.49	4.64	54.0	-6.51	AV	145.00	200	Vertical	Pass
2	5459.980	55.94	4.04	74.0	-18.06	Peak	279.00	150	Vertical	Pass
2**	5459.980	45.84	4.04	54.0	-8.16	AV	279.00	150	Vertical	Pass
3	5463.640	57.35	4.02	68.2	-10.85	Peak	50.00	200	Vertical	Pass
3**	5463.640	45.90	4.02	--	--	AV	50.00	200	Vertical	N/A
4	5469.940	56.14	4.06	68.2	-12.06	Peak	337.00	200	Vertical	Pass
4**	5469.940	46.31	4.06	--	--	AV	337.00	200	Vertical	N/A

U-NII-2C 11ax40(SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.18	3.92	68.2	-12.02	Peak	15.00	100	Vertical	Pass
2	5847.437	59.51	5.42	68.2	-8.69	Peak	63.00	150	Vertical	Pass

U-NII-2C 11ax80(SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5357.500	59.17	4.61	74.0	-14.83	Peak	111.00	200	Vertical	Pass
1**	5357.500	47.77	4.61	54.0	-6.23	AV	111.00	200	Vertical	Pass
2	5459.980	55.80	4.04	74.0	-18.20	Peak	345.00	100	Vertical	Pass
2**	5459.980	46.14	4.04	54.0	-7.86	AV	345.00	100	Vertical	Pass
3	5467.060	57.63	3.93	68.2	-10.57	Peak	311.00	150	Vertical	Pass
3**	5467.060	46.17	3.93	--	--	AV	311.00	150	Vertical	N/A
4	5469.940	55.86	4.06	68.2	-12.34	Peak	233.00	200	Vertical	Pass
4**	5469.940	46.35	4.06	--	--	AV	233.00	200	Vertical	N/A

U-NII-2C 11ax80(SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.39	3.92	68.2	-11.81	Peak	360.00	200	Vertical	Pass
2	5847.437	59.44	5.42	68.2	-8.76	Peak	360.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5619.375	59.13	4.59	68.2	-9.07	Peak	190.00	150	Vertical	Pass
2	5650.000	56.95	4.41	68.2	-11.25	Peak	44.00	150	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.56	3.49	68.3	-12.74	Peak	357.00	200	Vertical	Pass
2	5937.750	59.02	4.27	68.2	-9.18	Peak	330.00	100	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5610.687	59.70	4.83	68.2	-8.50	Peak	25.00	100	Vertical	Pass
2	5650.000	57.18	4.41	68.2	-11.02	Peak	220.00	200	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.07	3.49	68.3	-11.23	Peak	269.00	150	Vertical	Pass
2	5941.125	58.66	4.42	68.2	-9.54	Peak	168.00	200	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.313	59.13	4.95	68.2	-9.07	Peak	41.00	100	Vertical	Pass
2	5650.000	57.16	4.41	68.2	-11.04	Peak	317.00	150	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.63	3.49	68.3	-12.67	Peak	246.00	100	Vertical	Pass
2	5995.725	58.83	4.26	68.2	-9.37	Peak	358.00	200	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.750	60.22	4.80	68.2	-7.98	Peak	283.00	150	Vertical	Pass
2	5650.000	57.02	4.41	68.2	-11.18	Peak	105.00	200	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.12	3.49	68.3	-12.18	Peak	99.00	100	Vertical	Pass
2	5933.250	59.04	4.29	68.2	-9.16	Peak	0.00	200	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.063	59.15	4.80	68.2	-9.05	Peak	198.00	200	Vertical	Pass
2	5650.000	57.06	4.41	68.2	-11.14	Peak	209.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.04	3.49	68.3	-12.26	Peak	56.00	200	Vertical	Pass
2	5941.575	58.85	4.43	68.2	-9.35	Peak	34.00	150	Vertical	Pass

U-NII-3 11ax20(SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5605.625	59.28	4.94	68.2	-8.92	Peak	56.00	100	Vertical	Pass
2	5650.000	56.34	4.41	68.2	-11.86	Peak	327.00	150	Vertical	Pass

U-NII-3 11ax20(SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.83	3.49	68.3	-11.47	Peak	229.00	200	Vertical	Pass
2	5975.100	58.67	4.06	68.2	-9.53	Peak	313.00	200	Vertical	Pass

U-NII-3 11ax40(SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5626.875	60.06	4.80	68.2	-8.14	Peak	300.00	100	Vertical	Pass
2	5650.000	56.45	4.41	68.2	-11.75	Peak	41.00	100	Vertical	Pass

U-NII-3 11ax40(SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.10	3.49	68.3	-12.20	Peak	334.00	200	Vertical	Pass
2	5932.800	58.81	4.27	68.2	-9.39	Peak	85.00	150	Vertical	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.187	59.51	4.88	68.2	-8.69	Peak	302.00	200	Vertical	Pass
2	5650.000	56.46	4.41	68.2	-11.74	Peak	200.00	100	Vertical	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.10	3.49	68.3	-12.20	Peak	195.00	100	Vertical	Pass
2	5960.400	58.71	3.82	68.2	-9.49	Peak	225.00	150	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ22A0134-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ22A0134-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ22A0134-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--