


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
 Setting 23.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9847G	54.01	74.00	-19.99	49.41	3	Vertical	47	1.80	-	39.40	8.30	43.10
AV	10.99975G	43.14	54.00	-10.86	38.54	3	Vertical	47	1.80	-	39.40	8.30	43.10
PK	16.4929G	56.85	68.20	-11.35	48.28	3	Vertical	318	2.58	-	39.56	10.62	41.61

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
 Setting 23.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0034G	53.48	74.00	-20.52	48.89	3	Horizontal	232	1.71	-	39.39	8.30	43.10
AV	10.99965G	42.81	54.00	-11.19	38.21	3	Horizontal	232	1.71	-	39.40	8.30	43.10
PK	16.502G	56.17	68.20	-12.03	47.54	3	Horizontal	290	1.80	-	39.60	10.63	41.60

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3345G	59.28	68.20	-8.92	53.51	3	Vertical	352	1.88	-	33.20	5.57	33.00
PK	5.3965G	59.19	74.00	-14.81	53.35	3	Vertical	352	1.88	-	33.39	5.60	33.15
PK	5.4655G	60.22	68.20	-7.98	54.20	3	Vertical	352	1.88	-	33.73	5.60	33.31
AV	5.447G	47.83	54.00	-6.17	41.81	3	Vertical	352	1.88	-	33.68	5.60	33.26
PK	5.5805G	122.15	Inf	-Inf	115.94	3	Vertical	352	1.88	-	34.02	5.60	33.41
AV	5.5785G	112.31	Inf	-Inf	106.11	3	Vertical	352	1.88	-	34.01	5.60	33.41
PK	5.787G	60.17	68.20	-8.03	53.65	3	Vertical	352	1.88	-	34.30	5.69	33.47

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.348G	58.64	68.20	-9.56	52.90	3	Horizontal	25	1.52	-	33.20	5.57	33.03
PK	5.3835G	63.37	74.00	-10.63	57.57	3	Horizontal	25	1.52	-	33.33	5.59	33.12
AV	5.3865G	52.72	54.00	-1.28	46.90	3	Horizontal	25	1.52	-	33.35	5.59	33.12
PK	5.463G	59.70	68.20	-8.50	53.67	3	Horizontal	25	1.52	-	33.73	5.60	33.30
PK	5.5795G	123.72	Inf	-Inf	117.51	3	Horizontal	25	1.52	-	34.02	5.60	33.41
AV	5.579G	113.59	Inf	-Inf	107.38	3	Horizontal	25	1.52	-	34.02	5.60	33.41
PK	5.7695G	62.22	68.20	-5.98	55.71	3	Horizontal	25	1.52	-	34.30	5.68	33.47

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1603G	55.29	74.00	-18.71	50.90	3	Vertical	240	1.66	-	39.20	8.35	43.16
AV	11.1598G	45.81	54.00	-8.19	41.42	3	Vertical	240	1.66	-	39.20	8.35	43.16
PK	16.74225G	65.59	68.20	-2.61	56.72	3	Vertical	342	2.84	-	39.93	10.78	41.84

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
 Setting 29
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15995G	55.01	74.00	-18.99	50.62	3	Horizontal	307	2.97	-	39.20	8.35	43.16
AV	11.15965G	45.89	54.00	-8.11	41.50	3	Horizontal	307	2.97	-	39.20	8.35	43.16
PK	16.74255G	64.20	68.20	-4.00	55.33	3	Horizontal	291	1.80	-	39.93	10.78	41.84

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 21.5
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7009G	116.00	Inf	-Inf	109.60	3	Vertical	330	1.80	-	34.20	5.65	33.45
AV	5.6991G	106.09	Inf	-Inf	99.69	3	Vertical	330	1.80	-	34.20	5.65	33.45
PK	5.7306G	60.94	68.20	-7.26	54.46	3	Vertical	330	1.80	-	34.26	5.67	33.45

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 21.5
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6982G	118.15	Inf	-Inf	111.75	3	Horizontal	7	1.54	-	34.20	5.65	33.45
AV	5.6991G	107.75	Inf	-Inf	101.35	3	Horizontal	7	1.54	-	34.20	5.65	33.45
PK	5.72565G	66.79	68.20	-1.41	60.33	3	Horizontal	7	1.54	-	34.25	5.66	33.45

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 21.5
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39995G	53.23	74.00	-20.77	48.87	3	Vertical	180	1.83	-	39.20	8.42	43.26
AV	11.39975G	44.06	54.00	-9.94	39.70	3	Vertical	180	1.83	-	39.20	8.42	43.26
PK	17.11085G	57.73	68.20	-10.47	47.84	3	Vertical	76	1.32	-	40.93	11.02	42.06

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 21.5
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3999G	53.69	74.00	-20.31	49.33	3	Horizontal	316	2.31	-	39.20	8.42	43.26
AV	11.3998G	44.17	54.00	-9.83	39.81	3	Horizontal	316	2.31	-	39.20	8.42	43.26
PK	17.1002G	57.34	68.20	-10.86	47.49	3	Horizontal	170	1.80	-	40.90	11.02	42.07

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
 Setting 29
 04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	60.43	68.20	-7.77	54.19	3	Vertical	355	1.80	-	34.06	5.60	33.42
PK	5.7435G	122.27	Inf	-Inf	115.77	3	Vertical	355	1.80	-	34.29	5.67	33.46
AV	5.743G	111.81	Inf	-Inf	105.31	3	Vertical	355	1.80	-	34.29	5.67	33.46
PK	5.994G	61.10	68.20	-7.10	53.54	3	Vertical	355	1.80	-	35.29	5.80	33.53

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.551G	62.75	68.20	-5.45	56.65	3	Horizontal	26	1.78	-	33.90	5.60	33.40
PK	5.744G	123.07	Inf	-Inf	116.57	3	Horizontal	26	1.78	-	34.29	5.67	33.46
AV	5.743G	112.36	Inf	-Inf	105.86	3	Horizontal	26	1.78	-	34.29	5.67	33.46
PK	5.9375G	62.21	68.20	-5.99	54.83	3	Horizontal	26	1.78	-	35.12	5.77	33.51

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48995G	53.21	74.00	-20.79	48.86	3	Vertical	51	1.87	-	39.20	8.45	43.30
AV	11.48985G	42.43	54.00	-11.57	38.08	3	Vertical	51	1.87	-	39.20	8.45	43.30
PK	17.2395G	60.62	68.20	-7.58	50.18	3	Vertical	24	3.00	-	41.36	11.11	42.03

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
 Setting 29
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49005G	54.82	74.00	-19.18	50.47	3	Horizontal	319	2.34	-	39.20	8.45	43.30
AV	11.48975G	44.41	54.00	-9.59	40.06	3	Horizontal	319	2.34	-	39.20	8.45	43.30
PK	17.2384G	65.30	68.20	-2.90	54.88	3	Horizontal	322	1.91	-	41.35	11.10	42.03

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	60.04	68.20	-8.16	53.76	3	Vertical	353	1.80	-	34.10	5.60	33.42
PK	5.7845G	121.39	Inf	-Inf	114.87	3	Vertical	353	1.80	-	34.30	5.69	33.47
AV	5.7835G	111.77	Inf	-Inf	105.25	3	Vertical	353	1.80	-	34.30	5.69	33.47
PK	6.027G	61.08	68.20	-7.12	53.43	3	Vertical	353	1.80	-	35.35	5.83	33.53

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5925G	64.08	68.20	-4.12	57.83	3	Horizontal	24	1.49	-	34.07	5.60	33.42
PK	5.7835G	122.82	Inf	-Inf	116.30	3	Horizontal	24	1.49	-	34.30	5.69	33.47
AV	5.784G	113.22	Inf	-Inf	106.70	3	Horizontal	24	1.49	-	34.30	5.69	33.47
PK	5.9805G	62.88	68.20	-5.32	55.35	3	Horizontal	24	1.49	-	35.26	5.79	33.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5786G	53.42	74.00	-20.58	49.04	3	Vertical	19	2.47	-	39.20	8.47	43.29
AV	11.5698G	41.98	54.00	-12.02	37.60	3	Vertical	19	2.47	-	39.20	8.47	43.29
PK	17.3496G	59.83	68.20	-8.37	48.96	3	Vertical	24	1.86	-	41.70	11.18	42.01

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59445G	53.79	74.00	-20.21	49.39	3	Horizontal	131	2.57	-	39.20	8.48	43.28
AV	11.5697G	41.91	54.00	-12.09	37.53	3	Horizontal	131	2.57	-	39.20	8.47	43.29
PK	17.35045G	64.21	68.20	-3.99	53.34	3	Horizontal	317	1.98	-	41.70	11.18	42.01

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.602G	60.00	68.20	-8.20	53.72	3	Vertical	15	1.80	-	34.10	5.60	33.42
PK	5.8235G	120.04	Inf	-Inf	113.46	3	Vertical	15	1.80	-	34.35	5.71	33.48
AV	5.824G	110.55	Inf	-Inf	103.97	3	Vertical	15	1.80	-	34.35	5.71	33.48
PK	5.956G	60.98	68.20	-7.22	53.51	3	Vertical	15	1.80	-	35.21	5.78	33.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	63.63	68.20	-4.57	57.35	3	Horizontal	22	1.68	-	34.10	5.61	33.43
PK	5.822G	121.48	Inf	-Inf	114.91	3	Horizontal	22	1.68	-	34.34	5.71	33.48
AV	5.8235G	111.84	Inf	-Inf	105.26	3	Horizontal	22	1.68	-	34.35	5.71	33.48
PK	6.0175G	62.53	68.20	-5.67	54.91	3	Horizontal	22	1.68	-	35.33	5.82	33.53

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65035G	54.62	74.00	-19.38	50.25	3	Vertical	236	1.08	-	39.15	8.50	43.28
AV	11.6497G	45.89	54.00	-8.11	41.53	3	Vertical	236	1.08	-	39.15	8.49	43.28
PK	17.4703G	61.16	68.20	-7.04	50.01	3	Vertical	338	1.22	-	41.87	11.26	41.98

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65015G	55.08	74.00	-18.92	50.71	3	Horizontal	315	2.34	-	39.15	8.50	43.28
AV	11.64975G	45.95	54.00	-8.05	41.59	3	Horizontal	315	2.34	-	39.15	8.49	43.28
PK	17.4805G	66.42	68.20	-1.78	55.25	3	Horizontal	317	2.12	-	41.88	11.26	41.97

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 20.5
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	61.13	74.00	-12.87	55.33	3	Vertical	324	1.89	-	32.91	5.45	32.56
AV	5.15G	51.27	54.00	-2.73	45.48	3	Vertical	324	1.89	-	32.90	5.45	32.56
PK	5.191G	115.36	Inf	-Inf	109.63	3	Vertical	324	1.89	-	32.90	5.49	32.66
AV	5.191G	104.72	Inf	-Inf	98.99	3	Vertical	324	1.89	-	32.90	5.49	32.66
PK	5.43G	59.04	74.00	-14.96	53.08	3	Vertical	324	1.89	-	33.58	5.60	33.22
AV	5.421G	47.54	54.00	-6.46	41.61	3	Vertical	324	1.89	-	33.53	5.60	33.20

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
 Setting 20.5
 04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	62.65	74.00	-11.35	56.86	3	Horizontal	28	1.80	-	32.90	5.45	32.56
AV	5.149G	50.29	54.00	-3.71	44.50	3	Horizontal	28	1.80	-	32.90	5.45	32.56
PK	5.1915G	116.11	Inf	-Inf	110.38	3	Horizontal	28	1.80	-	32.90	5.49	32.66
AV	5.189G	104.48	Inf	-Inf	98.75	3	Horizontal	28	1.80	-	32.90	5.49	32.66
PK	5.364G	60.66	74.00	-13.34	54.89	3	Horizontal	28	1.80	-	33.26	5.58	33.07
AV	5.381G	49.48	54.00	-4.52	43.68	3	Horizontal	28	1.80	-	33.32	5.59	33.11

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
 Setting 20.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.363G	53.73	68.20	-14.47	49.78	3	Vertical	336	2.86	-	38.86	8.11	43.02
PK	15.702G	54.01	74.00	-19.99	47.98	3	Vertical	19	1.71	-	38.21	10.20	42.38
AV	15.713G	42.23	54.00	-11.77	36.15	3	Vertical	19	1.71	-	38.24	10.20	42.36

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
 Setting 20.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3635G	53.24	68.20	-14.96	49.29	3	Horizontal	12	1.42	-	38.86	8.11	43.02
PK	15.648G	53.55	74.00	-20.45	47.51	3	Horizontal	358	1.92	-	38.30	10.18	42.44
AV	15.659G	42.19	54.00	-11.81	36.16	3	Horizontal	358	1.92	-	38.28	10.18	42.43

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 24
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	62.36	74.00	-11.64	56.57	3	Vertical	324	2.09	-	32.90	5.45	32.56
AV	5.15G	51.49	54.00	-2.51	45.70	3	Vertical	324	2.09	-	32.90	5.45	32.56
PK	5.2305G	117.83	Inf	-Inf	112.10	3	Vertical	324	2.09	-	32.96	5.52	32.75
AV	5.229G	107.77	Inf	-Inf	102.05	3	Vertical	324	2.09	-	32.96	5.51	32.75
PK	5.4315G	59.27	74.00	-14.73	53.31	3	Vertical	324	2.09	-	33.59	5.60	33.23
AV	5.424G	47.59	54.00	-6.41	41.66	3	Vertical	324	2.09	-	33.54	5.60	33.21
PK	5.4645G	58.54	68.20	-9.66	52.52	3	Vertical	324	2.09	-	33.73	5.60	33.31

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 24
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	63.75	74.00	-10.25	57.96	3	Horizontal	19	3.00	-	32.90	5.45	32.56
AV	5.1495G	52.75	54.00	-1.25	46.96	3	Horizontal	19	3.00	-	32.90	5.45	32.56
PK	5.2315G	119.16	Inf	-Inf	113.44	3	Horizontal	19	3.00	-	32.96	5.52	32.76
AV	5.2285G	107.82	Inf	-Inf	102.10	3	Horizontal	19	3.00	-	32.96	5.51	32.75
PK	5.4165G	61.65	74.00	-12.35	55.74	3	Horizontal	19	3.00	-	33.50	5.60	33.19
AV	5.421G	50.36	54.00	-3.64	44.43	3	Horizontal	19	3.00	-	33.53	5.60	33.20
PK	5.47G	59.06	68.20	-9.14	53.04	3	Horizontal	19	3.00	-	33.74	5.60	33.32

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 24
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45995G	53.46	68.20	-14.74	49.34	3	Vertical	138	2.49	-	39.02	8.14	43.04
PK	15.713G	54.40	74.00	-19.60	48.32	3	Vertical	275	1.76	-	38.24	10.20	42.36
AV	15.703G	41.49	54.00	-12.51	35.45	3	Vertical	275	1.76	-	38.21	10.20	42.37

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 24
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46015G	53.70	68.20	-14.50	49.58	3	Horizontal	305	2.07	-	39.02	8.14	43.04
PK	15.6924G	55.59	74.00	-18.41	49.57	3	Horizontal	147	1.87	-	38.22	10.19	42.39
AV	15.69345G	42.99	54.00	-11.01	36.98	3	Horizontal	147	1.87	-	38.21	10.19	42.39

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 24.5
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	59.49	74.00	-14.51	53.70	3	Vertical	326	1.93	-	32.90	5.45	32.56
AV	5.0395G	48.57	54.00	-5.43	42.53	3	Vertical	326	1.93	-	33.00	5.34	32.30
PK	5.2705G	119.84	Inf	-Inf	114.07	3	Vertical	326	1.93	-	33.08	5.54	32.85
AV	5.269G	108.70	Inf	-Inf	102.93	3	Vertical	326	1.93	-	33.08	5.53	32.84
PK	5.35G	64.13	74.00	-9.87	58.39	3	Vertical	326	1.93	-	33.20	5.58	33.04
AV	5.35G	52.43	54.00	-1.57	46.69	3	Vertical	326	1.93	-	33.20	5.58	33.04
PK	5.4655G	59.47	68.20	-8.73	53.45	3	Vertical	326	1.93	-	33.73	5.60	33.31

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 24.5
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.082G	62.33	74.00	-11.67	56.35	3	Horizontal	21	3.00	-	33.00	5.38	32.40
AV	5.0755G	50.86	54.00	-3.14	44.87	3	Horizontal	21	3.00	-	33.00	5.38	32.39
PK	5.2695G	119.25	Inf	-Inf	113.49	3	Horizontal	21	3.00	-	33.08	5.53	32.85
AV	5.2685G	108.64	Inf	-Inf	102.88	3	Horizontal	21	3.00	-	33.07	5.53	32.84
PK	5.358G	65.44	74.00	-8.56	59.68	3	Horizontal	21	3.00	-	33.23	5.58	33.05
AV	5.35G	52.82	54.00	-1.18	47.08	3	Horizontal	21	3.00	-	33.20	5.58	33.04
PK	5.463G	60.67	68.20	-7.53	54.64	3	Horizontal	21	3.00	-	33.73	5.60	33.30

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
 Setting 24.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53295G	53.85	68.20	-14.35	49.56	3	Vertical	53	1.87	-	39.17	8.16	43.04
PK	15.8112G	55.62	74.00	-18.38	49.13	3	Vertical	170	1.82	-	38.51	10.23	42.25
AV	15.80195G	42.96	54.00	-11.04	36.49	3	Vertical	170	1.82	-	38.50	10.23	42.26

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
 Setting 24.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54G	54.46	68.20	-13.74	50.16	3	Horizontal	306	2.13	-	39.18	8.16	43.04
PK	15.80635G	57.97	74.00	-16.03	51.48	3	Horizontal	148	1.87	-	38.51	10.23	42.25
AV	15.8069G	45.60	54.00	-8.40	39.11	3	Horizontal	148	1.87	-	38.51	10.23	42.25

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 21
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.081G	59.39	74.00	-14.61	53.41	3	Vertical	333	1.80	-	33.00	5.38	32.40
AV	5.0875G	47.60	54.00	-6.40	41.63	3	Vertical	333	1.80	-	33.00	5.39	32.42
PK	5.3085G	115.36	Inf	-Inf	109.55	3	Vertical	333	1.80	-	33.20	5.55	32.94
AV	5.3085G	104.69	Inf	-Inf	98.88	3	Vertical	333	1.80	-	33.20	5.55	32.94
PK	5.35G	63.86	74.00	-10.14	58.12	3	Vertical	333	1.80	-	33.20	5.58	33.04
AV	5.35G	52.33	54.00	-1.67	46.59	3	Vertical	333	1.80	-	33.20	5.58	33.04
PK	5.464G	59.44	68.20	-8.76	53.42	3	Vertical	333	1.80	-	33.73	5.60	33.31

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 21
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.116G	60.85	74.00	-13.15	54.94	3	Horizontal	26	1.73	-	32.97	5.42	32.48
AV	5.1165G	49.66	54.00	-4.34	43.75	3	Horizontal	26	1.73	-	32.97	5.42	32.48
PK	5.309G	117.29	Inf	-Inf	111.48	3	Horizontal	26	1.73	-	33.20	5.55	32.94
AV	5.3085G	105.61	Inf	-Inf	99.80	3	Horizontal	26	1.73	-	33.20	5.55	32.94
AV	5.35G	49.86	54.00	-4.14	44.12	3	Horizontal	26	1.73	-	33.20	5.58	33.04
PK	5.407G	60.20	74.00	-13.80	54.33	3	Horizontal	26	1.73	-	33.44	5.60	33.17
PK	5.503G	62.11	68.20	-6.09	56.09	3	Horizontal	26	1.73	-	33.81	5.60	33.39

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 21
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61985G	54.84	74.00	-19.16	50.40	3	Vertical	59	1.29	-	39.30	8.19	43.05
AV	10.61975G	44.83	54.00	-9.17	40.39	3	Vertical	59	1.29	-	39.30	8.19	43.05
PK	15.93315G	55.05	74.00	-18.95	48.31	3	Vertical	115	2.79	-	38.57	10.28	42.11
AV	15.9061G	42.09	54.00	-11.91	35.37	3	Vertical	115	2.79	-	38.59	10.27	42.14

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 21
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61995G	53.74	74.00	-20.26	49.30	3	Horizontal	304	2.14	-	39.30	8.19	43.05
AV	10.61975G	44.80	54.00	-9.20	40.36	3	Horizontal	304	2.14	-	39.30	8.19	43.05
PK	15.9416G	54.73	74.00	-19.27	47.99	3	Horizontal	153	1.80	-	38.56	10.28	42.10
AV	15.95145G	42.24	54.00	-11.76	35.50	3	Horizontal	153	1.80	-	38.55	10.28	42.09

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 22.5
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31G	58.50	68.20	-9.70	52.69	3	Vertical	335	1.80	-	33.20	5.55	32.94
PK	5.4555G	64.64	74.00	-9.36	58.61	3	Vertical	335	1.80	-	33.71	5.60	33.28
AV	5.4575G	51.97	54.00	-2.03	45.94	3	Vertical	335	1.80	-	33.72	5.60	33.29
PK	5.4655G	66.54	68.20	-1.66	60.52	3	Vertical	335	1.80	-	33.73	5.60	33.31
PK	5.507G	115.07	Inf	-Inf	109.05	3	Vertical	335	1.80	-	33.81	5.60	33.39
AV	5.5075G	104.44	Inf	-Inf	98.42	3	Vertical	335	1.80	-	33.81	5.60	33.39
PK	5.741G	59.49	68.20	-8.71	53.00	3	Vertical	335	1.80	-	34.28	5.67	33.46

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
 Setting 22.5
 04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3155G	59.59	68.20	-8.61	53.78	3	Horizontal	22	1.64	-	33.20	5.56	32.95
PK	5.4555G	65.91	74.00	-8.09	59.88	3	Horizontal	22	1.64	-	33.71	5.60	33.28
PK	5.4615G	67.46	68.20	-0.74	61.44	3	Horizontal	22	1.64	-	33.72	5.60	33.30
AV	5.459G	53.10	54.00	-0.90	47.07	3	Horizontal	22	1.64	-	33.72	5.60	33.29
PK	5.511G	116.43	Inf	-Inf	110.40	3	Horizontal	22	1.64	-	33.82	5.60	33.39
AV	5.5085G	105.01	Inf	-Inf	98.98	3	Horizontal	22	1.64	-	33.82	5.60	33.39
PK	5.76G	60.05	68.20	-8.15	53.53	3	Horizontal	22	1.64	-	34.30	5.68	33.46

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
 Setting 22.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00955G	54.15	74.00	-19.85	49.57	3	Vertical	353	1.84	-	39.38	8.30	43.10
AV	11.0194G	41.46	54.00	-12.54	36.90	3	Vertical	353	1.84	-	39.36	8.31	43.11
PK	16.5195G	55.58	68.20	-12.62	46.96	3	Vertical	19	1.60	-	39.60	10.64	41.62

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
 Setting 22.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02003G	54.57	74.00	-19.43	50.01	3	Horizontal	308	2.44	-	39.36	8.31	43.11
AV	11.01997G	45.97	54.00	-8.03	41.41	3	Horizontal	308	2.44	-	39.36	8.31	43.11
PK	16.53906G	55.76	68.20	-12.44	47.15	3	Horizontal	161	2.91	-	39.60	10.65	41.64

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 21.5
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	58.62	74.00	-15.38	52.62	3	Vertical	323	2.31	-	33.66	5.60	33.26
PK	5.4695G	58.80	68.20	-9.40	52.78	3	Vertical	323	2.31	-	33.74	5.60	33.32
AV	5.459G	47.59	54.00	-6.41	41.56	3	Vertical	323	2.31	-	33.72	5.60	33.29
PK	5.6685G	114.51	Inf	-Inf	108.18	3	Vertical	323	2.31	-	34.14	5.63	33.44
AV	5.6685G	103.82	Inf	-Inf	97.49	3	Vertical	323	2.31	-	34.14	5.63	33.44
PK	5.725G	62.71	68.20	-5.49	56.25	3	Vertical	323	2.31	-	34.25	5.66	33.45

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 21.5
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4265G	59.13	74.00	-14.87	53.19	3	Horizontal	27	1.61	-	33.56	5.60	33.22
PK	5.467G	59.64	68.20	-8.56	53.62	3	Horizontal	27	1.61	-	33.73	5.60	33.31
AV	5.4595G	48.35	54.00	-5.65	42.32	3	Horizontal	27	1.61	-	33.72	5.60	33.29
PK	5.6695G	114.81	Inf	-Inf	108.48	3	Horizontal	27	1.61	-	34.14	5.63	33.44
AV	5.669G	104.81	Inf	-Inf	98.48	3	Horizontal	27	1.61	-	34.14	5.63	33.44
PK	5.726G	64.96	68.20	-3.24	58.50	3	Horizontal	27	1.61	-	34.25	5.66	33.45

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
 Setting 21.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32955G	53.83	74.00	-20.17	49.39	3	Vertical	358	1.99	-	39.27	8.40	43.23
AV	11.33005G	41.35	54.00	-12.65	36.91	3	Vertical	358	1.99	-	39.27	8.40	43.23
PK	17.03265G	56.74	68.20	-11.46	47.22	3	Vertical	189	2.27	-	40.63	10.97	42.08

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
 Setting 21.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33625G	52.98	74.00	-21.02	48.55	3	Horizontal	13	2.14	-	39.26	8.40	43.23
AV	11.32275G	41.44	54.00	-12.56	36.99	3	Horizontal	13	2.14	-	39.28	8.40	43.23
PK	16.99805G	56.99	68.20	-11.21	47.63	3	Horizontal	94	2.65	-	40.50	10.95	42.09

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
 Setting 25.5
 04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	60.47	68.20	-7.73	54.18	3	Vertical	222	1.80	-	34.10	5.62	33.43
PK	5.757G	117.56	Inf	-Inf	111.04	3	Vertical	222	1.80	-	34.30	5.68	33.46
AV	5.7565G	106.58	Inf	-Inf	100.06	3	Vertical	222	1.80	-	34.30	5.68	33.46
PK	5.9965G	60.87	68.20	-7.33	53.31	3	Vertical	222	1.80	-	35.29	5.80	33.53

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
 Setting 25.5
 04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	66.57	69.68	-3.11	60.27	3	Horizontal	8	1.49	-	34.10	5.63	33.43
PK	5.7525G	119.85	Inf	-Inf	113.33	3	Horizontal	8	1.49	-	34.30	5.68	33.46
AV	5.7535G	109.00	Inf	-Inf	102.48	3	Horizontal	8	1.49	-	34.30	5.68	33.46
PK	5.9445G	61.88	68.20	-6.32	54.45	3	Horizontal	8	1.49	-	35.17	5.77	33.51

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
 Setting 25.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54792G	53.24	74.00	-20.76	48.87	3	Vertical	46	1.80	-	39.20	8.46	43.29
AV	11.50984G	41.89	54.00	-12.11	37.54	3	Vertical	46	1.80	-	39.20	8.45	43.30
PK	17.2682G	59.05	68.20	-9.15	48.49	3	Vertical	24	1.22	-	41.47	11.12	42.03

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
 Setting 25.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54232G	54.12	74.00	-19.88	49.75	3	Horizontal	316	2.33	-	39.20	8.46	43.29
AV	11.50976G	44.47	54.00	-9.53	40.12	3	Horizontal	316	2.33	-	39.20	8.45	43.30
PK	17.25764G	60.81	68.20	-7.39	50.29	3	Horizontal	323	1.90	-	41.43	11.12	42.03

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5895G	60.11	68.20	-8.09	53.87	3	Vertical	192	1.80	-	34.06	5.60	33.42
PK	5.793G	119.05	Inf	-Inf	112.52	3	Vertical	192	1.80	-	34.30	5.70	33.47
AV	5.794G	108.74	Inf	-Inf	102.21	3	Vertical	192	1.80	-	34.30	5.70	33.47
PK	5.924G	63.91	68.94	-5.03	56.62	3	Vertical	192	1.80	-	35.04	5.76	33.51

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5995G	62.58	68.20	-5.62	56.30	3	Horizontal	6	1.55	-	34.10	5.60	33.42
PK	5.7935G	119.71	Inf	-Inf	113.18	3	Horizontal	6	1.55	-	34.30	5.70	33.47
AV	5.794G	109.25	Inf	-Inf	102.72	3	Horizontal	6	1.55	-	34.30	5.70	33.47
PK	5.9365G	65.78	68.20	-2.42	58.40	3	Horizontal	6	1.55	-	35.12	5.77	33.51

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58995G	54.61	74.00	-19.39	50.22	3	Vertical	47	1.83	-	39.20	8.48	43.29
AV	11.5897G	43.23	54.00	-10.77	38.84	3	Vertical	47	1.83	-	39.20	8.48	43.29
PK	17.38065G	60.97	68.20	-7.23	50.01	3	Vertical	328	3.00	-	41.76	11.20	42.00

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 29
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5901G	55.15	74.00	-18.85	50.76	3	Horizontal	316	2.35	-	39.20	8.48	43.29
AV	11.58975G	45.81	54.00	-8.19	41.42	3	Horizontal	316	2.35	-	39.20	8.48	43.29
PK	17.38905G	62.85	68.20	-5.35	51.87	3	Horizontal	316	1.98	-	41.78	11.20	42.00

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
 Setting 20.5
 04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.99	74.00	-8.01	60.18	3	Vertical	332	3.00	-	32.91	5.45	32.55
AV	5.15G	53.41	54.00	-0.59	47.62	3	Vertical	332	3.00	-	32.90	5.45	32.56
PK	5.212G	113.35	Inf	-Inf	107.63	3	Vertical	332	3.00	-	32.92	5.51	32.71
AV	5.2115G	102.19	Inf	-Inf	96.47	3	Vertical	332	3.00	-	32.92	5.51	32.71
PK	5.452G	59.47	74.00	-14.53	53.45	3	Vertical	332	3.00	-	33.70	5.60	33.28
AV	5.4515G	47.80	54.00	-6.20	41.78	3	Vertical	332	3.00	-	33.70	5.60	33.28

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
 Setting 20.5
 04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	62.98	74.00	-11.02	57.15	3	Horizontal	13	1.54	-	32.93	5.43	32.53
AV	5.15G	51.41	54.00	-2.59	45.62	3	Horizontal	13	1.54	-	32.90	5.45	32.56
PK	5.208G	112.86	Inf	-Inf	107.14	3	Horizontal	13	1.54	-	32.92	5.50	32.70
AV	5.211G	102.77	Inf	-Inf	97.05	3	Horizontal	13	1.54	-	32.92	5.51	32.71
PK	5.422G	61.33	74.00	-12.67	55.41	3	Horizontal	13	1.54	-	33.53	5.60	33.21
AV	5.3975G	49.06	54.00	-4.94	43.22	3	Horizontal	13	1.54	-	33.39	5.60	33.15

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
 Setting 20.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42055G	52.44	68.20	-15.76	48.40	3	Vertical	360	2.50	-	38.94	8.13	43.03
PK	15.62515G	53.37	74.00	-20.63	47.31	3	Vertical	264	1.65	-	38.35	10.17	42.46
AV	15.63245G	41.39	54.00	-12.61	35.34	3	Vertical	264	1.65	-	38.34	10.17	42.46

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
 Setting 20.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43205G	52.38	68.20	-15.82	48.32	3	Horizontal	267	1.89	-	38.96	8.13	43.03
PK	15.60795G	53.65	74.00	-20.35	47.59	3	Horizontal	259	1.82	-	38.38	10.16	42.48
AV	15.65385G	41.28	54.00	-12.72	35.24	3	Horizontal	259	1.82	-	38.29	10.18	42.43

5.25-5.35GHz 802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 21
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1155G	59.70	74.00	-14.30	53.79	3	Vertical	24	2.03	-	32.97	5.42	32.48
AV	5.1355G	47.56	54.00	-6.44	41.72	3	Vertical	24	2.03	-	32.93	5.44	32.53
PK	5.288G	112.43	Inf	-Inf	106.63	3	Vertical	24	2.03	-	33.15	5.54	32.89
AV	5.2885G	102.23	Inf	-Inf	96.43	3	Vertical	24	2.03	-	33.15	5.54	32.89
PK	5.35G	64.09	74.00	-9.91	58.35	3	Vertical	24	2.03	-	33.20	5.58	33.04
AV	5.35G	49.91	54.00	-4.09	44.17	3	Vertical	24	2.03	-	33.20	5.58	33.04
PK	5.475G	60.02	68.20	-8.18	54.00	3	Vertical	24	2.03	-	33.75	5.60	33.33

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 21
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0985G	60.94	74.00	-13.06	54.98	3	Horizontal	28	1.59	-	33.00	5.40	32.44
AV	5.0965G	48.97	54.00	-5.03	43.01	3	Horizontal	28	1.59	-	33.00	5.40	32.44
PK	5.291G	113.66	Inf	-Inf	107.85	3	Horizontal	28	1.59	-	33.16	5.55	32.90
AV	5.291G	102.74	Inf	-Inf	96.93	3	Horizontal	28	1.59	-	33.16	5.55	32.90
PK	5.3525G	61.07	74.00	-12.93	55.32	3	Horizontal	28	1.59	-	33.21	5.58	33.04
AV	5.35G	49.21	54.00	-4.79	43.47	3	Horizontal	28	1.59	-	33.20	5.58	33.04
PK	5.4885G	60.88	68.20	-7.32	54.86	3	Horizontal	28	1.59	-	33.78	5.60	33.36

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 21
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57085G	52.92	68.20	-15.28	48.56	3	Vertical	64	2.00	-	39.24	8.17	43.05
PK	15.88915G	54.86	74.00	-19.14	48.17	3	Vertical	248	1.43	-	38.59	10.26	42.16
AV	15.8917G	42.06	54.00	-11.94	35.37	3	Vertical	248	1.43	-	38.59	10.26	42.16

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 21
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.594G	52.68	68.20	-15.52	48.26	3	Horizontal	115	1.67	-	39.29	8.18	43.05
PK	15.847G	53.89	74.00	-20.11	47.30	3	Horizontal	242	1.61	-	38.55	10.25	42.21
AV	15.892G	42.06	54.00	-11.94	35.37	3	Horizontal	242	1.61	-	38.59	10.26	42.16

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 21.5
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3415G	59.62	68.20	-8.58	53.87	3	Vertical	332	1.80	-	33.20	5.57	33.02
PK	5.457G	64.02	74.00	-9.98	58.00	3	Vertical	332	1.80	-	33.71	5.60	33.29
AV	5.459G	53.01	54.00	-0.99	46.98	3	Vertical	332	1.80	-	33.72	5.60	33.29
PK	5.4695G	65.71	68.20	-2.49	59.69	3	Vertical	332	1.80	-	33.74	5.60	33.32
PK	5.537G	111.00	Inf	-Inf	104.93	3	Vertical	332	1.80	-	33.87	5.60	33.40
AV	5.5285G	100.10	Inf	-Inf	94.04	3	Vertical	332	1.80	-	33.86	5.60	33.40
PK	5.759G	59.71	68.20	-8.49	53.19	3	Vertical	332	1.80	-	34.30	5.68	33.46

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
 Setting 21.5
 04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.332G	59.09	68.20	-9.11	53.31	3	Horizontal	22	2.84	-	33.20	5.57	32.99
PK	5.455G	64.76	74.00	-9.24	58.73	3	Horizontal	22	2.84	-	33.71	5.60	33.28
AV	5.457G	53.59	54.00	-0.41	47.57	3	Horizontal	22	2.84	-	33.71	5.60	33.29
PK	5.467G	66.47	68.20	-1.73	60.45	3	Horizontal	22	2.84	-	33.73	5.60	33.31
PK	5.5345G	111.29	Inf	-Inf	105.22	3	Horizontal	22	2.84	-	33.87	5.60	33.40
AV	5.526G	101.23	Inf	-Inf	95.18	3	Horizontal	22	2.84	-	33.85	5.60	33.40
PK	5.729G	60.21	68.20	-7.99	53.74	3	Horizontal	22	2.84	-	34.26	5.66	33.45

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 21.5
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05059G	53.04	74.00	-20.96	48.54	3	Vertical	246	2.15	-	39.30	8.32	43.12
AV	11.0598G	41.19	54.00	-12.81	36.71	3	Vertical	246	2.15	-	39.28	8.32	43.12
PK	16.60905G	55.50	68.20	-12.70	46.89	3	Vertical	3	1.11	-	39.62	10.70	41.71

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
 Setting 21.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0373G	53.63	74.00	-20.37	49.10	3	Horizontal	134	1.72	-	39.33	8.31	43.11
AV	11.05985G	41.40	54.00	-12.60	36.92	3	Horizontal	134	1.72	-	39.28	8.32	43.12
PK	16.56915G	55.91	68.20	-12.29	47.31	3	Horizontal	175	1.86	-	39.60	10.67	41.67

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
 Setting 23.5
 04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	60.85	74.00	-13.15	54.82	3	Vertical	218	1.84	-	33.71	5.60	33.28
PK	5.4615G	61.09	68.20	-7.11	55.07	3	Vertical	218	1.84	-	33.72	5.60	33.30
AV	5.46G	48.94	54.00	-5.06	42.92	3	Vertical	218	1.84	-	33.72	5.60	33.30
PK	5.6115G	113.70	Inf	-Inf	107.41	3	Vertical	218	1.84	-	34.10	5.61	33.42
AV	5.612G	102.99	Inf	-Inf	96.70	3	Vertical	218	1.84	-	34.10	5.61	33.42
PK	5.7325G	67.75	68.20	-0.45	61.27	3	Vertical	218	1.84	-	34.27	5.67	33.46

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
 Setting 23.5
 04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.417G	61.13	74.00	-12.87	55.22	3	Horizontal	360	1.80	-	33.50	5.60	33.19
PK	5.4665G	61.62	68.20	-6.58	55.60	3	Horizontal	360	1.80	-	33.73	5.60	33.31
AV	5.4555G	49.71	54.00	-4.29	43.68	3	Horizontal	360	1.80	-	33.71	5.60	33.28
PK	5.6125G	114.54	Inf	-Inf	108.25	3	Horizontal	360	1.80	-	34.10	5.61	33.42
AV	5.6115G	102.97	Inf	-Inf	96.68	3	Horizontal	360	1.80	-	34.10	5.61	33.42
PK	5.728G	67.78	68.20	-0.42	61.31	3	Horizontal	360	1.80	-	34.26	5.66	33.45

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
 Setting 23.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2134G	53.77	74.00	-20.23	49.39	3	Vertical	71	2.20	-	39.21	8.36	43.19
AV	11.24245G	41.48	54.00	-12.52	37.07	3	Vertical	71	2.20	-	39.24	8.37	43.20
PK	16.83365G	56.40	68.20	-11.80	47.32	3	Vertical	240	1.52	-	40.17	10.84	41.93

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
 Setting 23.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.24265G	55.22	74.00	-18.78	50.81	3	Horizontal	279	1.04	-	39.24	8.37	43.20
AV	11.2198G	41.92	54.00	-12.08	37.52	3	Horizontal	279	1.04	-	39.22	8.37	43.19
PK	16.8269G	57.07	68.20	-11.13	48.00	3	Horizontal	330	2.57	-	40.15	10.84	41.92

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
 Setting 24.5
 04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6445G	63.86	68.20	-4.34	57.57	3	Vertical	191	1.84	-	34.10	5.62	33.43
PK	5.774G	114.13	Inf	-Inf	107.61	3	Vertical	191	1.84	-	34.30	5.69	33.47
AV	5.774G	103.40	Inf	-Inf	96.88	3	Vertical	191	1.84	-	34.30	5.69	33.47
PK	5.9325G	63.36	68.20	-4.84	56.00	3	Vertical	191	1.84	-	35.10	5.77	33.51

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
 Setting 24.5
 04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	67.43	68.20	-0.77	61.14	3	Horizontal	27	1.52	-	34.10	5.62	33.43
PK	5.7725G	115.17	Inf	-Inf	108.65	3	Horizontal	27	1.52	-	34.30	5.69	33.47
AV	5.7735G	103.64	Inf	-Inf	97.12	3	Horizontal	27	1.52	-	34.30	5.69	33.47
PK	5.928G	64.54	68.20	-3.66	57.22	3	Horizontal	27	1.52	-	35.07	5.76	33.51

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
 Setting 24.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5497G	53.25	74.00	-20.75	48.88	3	Vertical	306	1.89	-	39.20	8.46	43.29
AV	11.5499G	42.28	54.00	-11.72	37.91	3	Vertical	306	1.89	-	39.20	8.46	43.29
PK	17.34795G	57.57	68.20	-10.63	46.70	3	Vertical	266	1.93	-	41.70	11.18	42.01

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
 Setting 24.5
 04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55865G	53.54	74.00	-20.46	49.16	3	Horizontal	320	1.77	-	39.20	8.47	43.29
AV	11.54975G	42.35	54.00	-11.65	37.98	3	Horizontal	320	1.77	-	39.20	8.46	43.29
PK	17.3096G	57.74	68.20	-10.46	46.99	3	Horizontal	313	1.77	-	41.62	11.15	42.02

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 19
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0924G	64.34	74.00	-9.66	58.38	3	Vertical	319	2.03	-	33.00	5.39	32.43
AV	5.1412G	53.28	54.00	-0.72	47.46	3	Vertical	319	2.03	-	32.92	5.44	32.54
PK	5.2524G	109.74	Inf	-Inf	104.01	3	Vertical	319	2.03	-	33.01	5.53	32.81
AV	5.2516G	97.58	Inf	-Inf	91.84	3	Vertical	319	2.03	-	33.01	5.53	32.80
PK	5.35G	59.98	74.00	-14.02	54.24	3	Vertical	319	2.03	-	33.20	5.58	33.04
AV	5.3516G	48.33	54.00	-5.67	42.58	3	Vertical	319	2.03	-	33.21	5.58	33.04
PK	5.5132G	58.99	68.20	-9.21	52.95	3	Vertical	319	2.03	-	33.83	5.60	33.39

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 19
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1228G	64.88	74.00	-9.12	59.01	3	Horizontal	20	2.35	-	32.95	5.42	32.50
AV	5.1324G	53.49	54.00	-0.51	47.64	3	Horizontal	20	2.35	-	32.94	5.43	32.52
PK	5.2612G	109.85	Inf	-Inf	104.11	3	Horizontal	20	2.35	-	33.04	5.53	32.83
AV	5.2516G	97.71	Inf	-Inf	91.97	3	Horizontal	20	2.35	-	33.01	5.53	32.80
PK	5.3708G	60.50	74.00	-13.50	54.72	3	Horizontal	20	2.35	-	33.28	5.59	33.09
AV	5.37G	48.77	54.00	-5.23	42.99	3	Horizontal	20	2.35	-	33.28	5.58	33.08
PK	5.5076G	59.27	68.20	-8.93	53.24	3	Horizontal	20	2.35	-	33.82	5.60	33.39

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 19
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52035G	52.10	68.20	-16.10	47.84	3	Vertical	335	1.15	-	39.14	8.16	43.04
PK	15.7276G	53.63	74.00	-20.37	47.50	3	Vertical	166	1.61	-	38.28	10.20	42.35
AV	15.7748G	41.14	54.00	-12.86	34.79	3	Vertical	166	1.61	-	38.42	10.22	42.29

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 19
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5107G	52.43	68.20	-15.77	48.20	3	Horizontal	140	1.45	-	39.12	8.15	43.04
PK	15.77335G	52.75	74.00	-21.25	46.40	3	Horizontal	329	1.08	-	38.42	10.22	42.29
AV	15.7745G	41.20	54.00	-12.80	34.85	3	Horizontal	329	1.08	-	38.42	10.22	42.29

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 21
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.294G	58.71	68.20	-9.49	52.88	3	Vertical	221	1.96	-	33.18	5.55	32.90
PK	5.4532G	63.20	74.00	-10.80	57.17	3	Vertical	221	1.96	-	33.71	5.60	33.28
AV	5.4516G	52.16	54.00	-1.84	46.14	3	Vertical	221	1.96	-	33.70	5.60	33.28
PK	5.462G	63.28	68.20	-4.92	57.26	3	Vertical	221	1.96	-	33.72	5.60	33.30
PK	5.5724G	108.15	Inf	-Inf	101.97	3	Vertical	221	1.96	-	33.99	5.60	33.41
AV	5.5724G	97.74	Inf	-Inf	91.56	3	Vertical	221	1.96	-	33.99	5.60	33.41
PK	5.9596G	60.51	68.20	-7.69	53.03	3	Vertical	221	1.96	-	35.22	5.78	33.52

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




18/08/2023

EUT_Y_2TX
Setting 21
04-M-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2948G	58.84	68.20	-9.36	53.02	3	Horizontal	24	2.77	-	33.18	5.55	32.91
PK	5.4564G	64.74	74.00	-9.26	58.72	3	Horizontal	24	2.77	-	33.71	5.60	33.29
AV	5.4564G	53.58	54.00	-0.42	47.56	3	Horizontal	24	2.77	-	33.71	5.60	33.29
PK	5.4652G	63.61	68.20	-4.59	57.59	3	Horizontal	24	2.77	-	33.73	5.60	33.31
PK	5.5764G	109.36	Inf	-Inf	103.16	3	Horizontal	24	2.77	-	34.01	5.60	33.41
AV	5.5748G	98.57	Inf	-Inf	92.38	3	Horizontal	24	2.77	-	34.00	5.60	33.41
PK	5.7308G	62.39	68.20	-5.81	55.91	3	Horizontal	24	2.77	-	34.26	5.67	33.45

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 21
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13675G	53.99	74.00	-20.01	49.60	3	Vertical	239	1.31	-	39.20	8.34	43.15
AV	11.13995G	41.56	54.00	-12.44	37.18	3	Vertical	239	1.31	-	39.20	8.34	43.16
PK	16.725G	56.00	68.20	-12.20	47.18	3	Vertical	188	1.96	-	39.87	10.77	41.82

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 21
04-M-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14975G	55.24	74.00	-18.76	50.86	3	Horizontal	89	2.57	-	39.20	8.34	43.16
AV	11.1343G	44.02	54.00	-9.98	39.63	3	Horizontal	89	2.57	-	39.20	8.34	43.15
PK	16.72225G	55.91	68.20	-12.29	47.09	3	Horizontal	215	2.93	-	39.87	10.77	41.82

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
 Setting 26
 04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.64	74.00	-5.36	62.85	3	Vertical	34	1.78	-	32.90	5.45	32.56
AV	5.15G	53.80	54.00	-0.20	48.01	3	Vertical	34	1.78	-	32.90	5.45	32.56
PK	5.1807G	117.43	Inf	-Inf	111.69	3	Vertical	34	1.78	-	32.90	5.48	32.64
AV	5.1821G	106.61	Inf	-Inf	100.87	3	Vertical	34	1.78	-	32.90	5.48	32.64

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
 Setting 26
 04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.09	74.00	-9.91	58.30	3	Horizontal	0	1.71	-	32.90	5.45	32.56
AV	5.1498G	49.88	54.00	-4.12	44.09	3	Horizontal	0	1.71	-	32.90	5.45	32.56
PK	5.1791G	116.24	Inf	-Inf	110.49	3	Horizontal	0	1.71	-	32.90	5.48	32.63
AV	5.1808G	105.38	Inf	-Inf	99.64	3	Horizontal	0	1.71	-	32.90	5.48	32.64

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 26
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3656G	55.11	68.20	-13.09	41.88	3	Vertical	9	1.78	-	38.87	8.11	33.75
PK	15.564G	56.97	74.00	-17.03	43.30	3	Vertical	74	2.48	-	38.58	10.15	35.06
AV	15.52395G	44.76	54.00	-9.24	30.92	3	Vertical	74	2.48	-	38.78	10.13	35.07

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 26
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3818G	54.95	68.20	-13.25	41.72	3	Horizontal	297	2.54	-	38.88	8.11	33.76
PK	15.5405G	56.48	74.00	-17.52	42.71	3	Horizontal	169	1.55	-	38.70	10.14	35.07
AV	15.5293G	44.70	54.00	-9.30	30.88	3	Horizontal	169	1.55	-	38.75	10.14	35.07

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
 Setting 29
 04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	61.54	74.00	-12.46	55.75	3	Vertical	42	1.96	-	32.90	5.45	32.56
AV	5.1494G	49.26	54.00	-4.74	43.47	3	Vertical	42	1.96	-	32.90	5.45	32.56
PK	5.2016G	119.95	Inf	-Inf	114.24	3	Vertical	42	1.96	-	32.90	5.50	32.69
AV	5.2012G	109.15	Inf	-Inf	103.43	3	Vertical	42	1.96	-	32.90	5.50	32.68

5.15-5.25GHz 802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 29
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	61.31	74.00	-12.69	55.50	3	Horizontal	332	1.82	-	32.91	5.45	32.55
AV	5.149G	49.76	54.00	-4.24	43.97	3	Horizontal	332	1.82	-	32.90	5.45	32.56
PK	5.2018G	119.38	Inf	-Inf	113.67	3	Horizontal	332	1.82	-	32.90	5.50	32.69
AV	5.2006G	109.08	Inf	-Inf	103.36	3	Horizontal	332	1.82	-	32.90	5.50	32.68

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 29
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37575G	55.58	68.20	-12.62	42.34	3	Vertical	8	1.77	-	38.88	8.11	33.75
PK	15.6053G	56.46	74.00	-17.54	42.97	3	Vertical	308	1.80	-	38.39	10.16	35.06
AV	15.60445G	44.43	54.00	-9.57	30.94	3	Vertical	308	1.80	-	38.39	10.16	35.06

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 29
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4132G	55.20	68.20	-13.00	41.93	3	Horizontal	305	2.54	-	38.93	8.12	33.78
PK	15.6043G	59.71	74.00	-14.29	46.22	3	Horizontal	143	1.48	-	38.39	10.16	35.06
AV	15.6108G	46.11	54.00	-7.89	32.63	3	Horizontal	143	1.48	-	38.38	10.16	35.06

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 29
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1473G	58.71	74.00	-15.29	52.91	3	Vertical	348	1.80	-	32.91	5.45	32.56
AV	5.1452G	47.37	54.00	-6.63	41.56	3	Vertical	348	1.80	-	32.91	5.45	32.55
PK	5.2421G	119.02	Inf	-Inf	113.30	3	Vertical	348	1.80	-	32.98	5.52	32.78
AV	5.2409G	109.21	Inf	-Inf	103.49	3	Vertical	348	1.80	-	32.98	5.52	32.78
PK	5.3612G	57.99	74.00	-16.01	52.23	3	Vertical	348	1.80	-	33.24	5.58	33.06
AV	5.3885G	46.46	54.00	-7.54	40.65	3	Vertical	348	1.80	-	33.35	5.59	33.13

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 29
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	58.79	74.00	-15.21	52.98	3	Horizontal	337	1.60	-	32.91	5.45	32.55
AV	5.1434G	48.26	54.00	-5.74	42.46	3	Horizontal	337	1.60	-	32.91	5.44	32.55
PK	5.2397G	121.01	Inf	-Inf	115.29	3	Horizontal	337	1.60	-	32.98	5.52	32.78
AV	5.2406G	110.39	Inf	-Inf	104.67	3	Horizontal	337	1.60	-	32.98	5.52	32.78
PK	5.3732G	57.97	74.00	-16.03	52.18	3	Horizontal	337	1.60	-	33.29	5.59	33.09
AV	5.3645G	46.70	54.00	-7.30	40.93	3	Horizontal	337	1.60	-	33.26	5.58	33.07

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 29
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4705G	54.55	68.20	-13.65	41.19	3	Vertical	334	1.85	-	39.04	8.14	33.82
PK	15.74235G	57.89	74.00	-16.11	44.39	3	Vertical	312	1.80	-	38.33	10.21	35.04
AV	15.7163G	45.94	54.00	-8.06	32.53	3	Vertical	312	1.80	-	38.25	10.20	35.04

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 29
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4979G	55.08	68.20	-13.12	41.67	3	Horizontal	46	1.82	-	39.10	8.15	33.84
PK	15.7235G	56.01	74.00	-17.99	42.58	3	Horizontal	54	1.52	-	38.27	10.20	35.04
AV	15.7403G	45.59	54.00	-8.41	32.10	3	Horizontal	54	1.52	-	38.32	10.21	35.04

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 29
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1109G	57.92	74.00	-16.08	52.00	3	Vertical	9	1.81	-	32.98	5.41	32.47
AV	5.1127G	46.67	54.00	-7.33	40.77	3	Vertical	9	1.81	-	32.97	5.41	32.48
PK	5.2582G	119.69	Inf	-Inf	113.95	3	Vertical	9	1.81	-	33.03	5.53	32.82
AV	5.2588G	111.35	Inf	-Inf	105.60	3	Vertical	9	1.81	-	33.04	5.53	32.82
PK	5.353G	59.27	74.00	-14.73	53.52	3	Vertical	9	1.81	-	33.21	5.58	33.04
AV	5.3551G	47.32	54.00	-6.68	41.57	3	Vertical	9	1.81	-	33.22	5.58	33.05

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
 Setting 29
 04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1175G	58.56	74.00	-15.44	52.66	3	Horizontal	330	1.68	-	32.97	5.42	32.49
AV	5.149G	46.54	54.00	-7.46	40.75	3	Horizontal	330	1.68	-	32.90	5.45	32.56
PK	5.2609G	120.47	Inf	-Inf	114.73	3	Horizontal	330	1.68	-	33.04	5.53	32.83
AV	5.2606G	110.15	Inf	-Inf	104.41	3	Horizontal	330	1.68	-	33.04	5.53	32.83
PK	5.395G	58.32	74.00	-15.68	52.48	3	Horizontal	330	1.68	-	33.38	5.60	33.14
AV	5.3563G	46.83	54.00	-7.17	41.07	3	Horizontal	330	1.68	-	33.23	5.58	33.05

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 29
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51465G	55.49	68.20	-12.71	42.06	3	Vertical	7	1.80	-	39.13	8.15	33.85
PK	15.7765G	59.50	74.00	-14.50	45.89	3	Vertical	310	1.73	-	38.43	10.22	35.04
AV	15.7804G	46.66	54.00	-7.34	33.04	3	Vertical	310	1.73	-	38.44	10.22	35.04

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 29
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4981G	55.59	68.20	-12.61	42.18	3	Horizontal	300	2.55	-	39.10	8.15	33.84
PK	15.7838G	65.34	74.00	-8.66	51.71	3	Horizontal	160	1.81	-	38.45	10.22	35.04
AV	15.7763G	51.35	54.00	-2.65	37.74	3	Horizontal	160	1.81	-	38.43	10.22	35.04

5.25-5.35GHz 802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
 Setting 29
 04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2984G	121.67	Inf	-Inf	115.84	3	Vertical	353	2.00	-	33.19	5.55	32.91
AV	5.299G	111.37	Inf	-Inf	105.54	3	Vertical	353	2.00	-	33.20	5.55	32.92
PK	5.3504G	59.61	74.00	-14.39	53.87	3	Vertical	353	2.00	-	33.20	5.58	33.04
AV	5.35G	47.60	54.00	-6.40	41.86	3	Vertical	353	2.00	-	33.20	5.58	33.04

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 29
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	120.47	Inf	-Inf	114.64	3	Horizontal	22	2.02	-	33.19	5.55	32.91
AV	5.3006G	110.10	Inf	-Inf	104.27	3	Horizontal	22	2.02	-	33.20	5.55	32.92
PK	5.3516G	63.04	74.00	-10.96	57.29	3	Horizontal	22	2.02	-	33.21	5.58	33.04
AV	5.3502G	51.58	54.00	-2.42	45.84	3	Horizontal	22	2.02	-	33.20	5.58	33.04

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 29
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6015G	55.87	74.00	-18.13	42.32	3	Vertical	54	1.73	-	39.30	8.18	33.93
PK	15.90085G	59.65	74.00	-14.35	45.80	3	Vertical	312	1.70	-	38.60	10.27	35.02
AV	15.90385G	47.88	54.00	-6.12	34.03	3	Vertical	312	1.70	-	38.60	10.27	35.02

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 29
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6237G	55.29	74.00	-18.71	41.75	3	Horizontal	299	2.51	-	39.30	8.19	33.95
PK	15.9032G	62.05	74.00	-11.95	48.20	3	Horizontal	242	1.80	-	38.60	10.27	35.02
AV	15.89865G	49.57	54.00	-4.43	35.73	3	Horizontal	242	1.80	-	38.60	10.26	35.02

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
 Setting 26
 04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3125G	115.55	Inf	-Inf	109.74	3	Vertical	324	1.80	-	33.20	5.56	32.95
AV	5.3124G	107.79	Inf	-Inf	101.98	3	Vertical	324	1.80	-	33.20	5.56	32.95
PK	5.3555G	58.09	74.00	-15.91	52.34	3	Vertical	324	1.80	-	33.22	5.58	33.05
AV	5.3527G	46.80	54.00	-7.20	41.05	3	Vertical	324	1.80	-	33.21	5.58	33.04

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
 Setting 26
 04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3206G	118.01	Inf	-Inf	112.22	3	Horizontal	27	1.48	-	33.20	5.56	32.97
AV	5.3208G	105.68	Inf	-Inf	99.89	3	Horizontal	27	1.48	-	33.20	5.56	32.97
PK	5.3514G	61.87	74.00	-12.13	56.12	3	Horizontal	27	1.48	-	33.21	5.58	33.04
AV	5.3501G	50.52	54.00	-3.48	44.78	3	Horizontal	27	1.48	-	33.20	5.58	33.04

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 26
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63135G	54.34	74.00	-19.66	40.81	3	Vertical	231	2.91	-	39.30	8.19	33.96
AV	10.63241G	43.31	54.00	-10.69	29.78	3	Vertical	231	2.91	-	39.30	8.19	33.96
PK	15.98005G	57.39	74.00	-16.61	43.59	3	Vertical	16	2.33	-	38.52	10.29	35.01
AV	15.98011G	45.95	54.00	-8.05	32.15	3	Vertical	16	2.33	-	38.52	10.29	35.01

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 26
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64005G	55.39	74.00	-18.61	41.86	3	Horizontal	307	2.82	-	39.30	8.19	33.96
AV	10.6398G	44.90	54.00	-9.10	31.37	3	Horizontal	307	2.82	-	39.30	8.19	33.96
PK	15.9581G	57.62	74.00	-16.38	43.81	3	Horizontal	21	1.80	-	38.54	10.29	35.02
AV	15.9815G	45.78	54.00	-8.22	31.98	3	Horizontal	21	1.80	-	38.52	10.29	35.01

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 27
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4593G	58.38	74.00	-15.62	52.35	3	Vertical	352	1.97	-	33.72	5.60	33.29
AV	5.4593G	47.44	54.00	-6.56	41.41	3	Vertical	352	1.97	-	33.72	5.60	33.29
PK	5.4698G	64.67	68.20	-3.53	58.65	3	Vertical	352	1.97	-	33.74	5.60	33.32
PK	5.5006G	120.42	Inf	-Inf	114.41	3	Vertical	352	1.97	-	33.80	5.60	33.39
AV	5.5018G	112.68	Inf	-Inf	106.67	3	Vertical	352	1.97	-	33.80	5.60	33.39

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX







EUT_Y_2TX
Setting 27
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4599G	59.09	74.00	-14.91	53.07	3	Horizontal	360	2.92	-	33.72	5.60	33.30
AV	5.4579G	47.44	54.00	-6.56	41.41	3	Horizontal	360	2.92	-	33.72	5.60	33.29
PK	5.4694G	65.75	68.20	-2.45	59.73	3	Horizontal	360	2.92	-	33.74	5.60	33.32
PK	5.4988G	117.80	Inf	-Inf	111.79	3	Horizontal	360	2.92	-	33.80	5.60	33.39
AV	5.4988G	106.03	Inf	-Inf	100.02	3	Horizontal	360	2.92	-	33.80	5.60	33.39

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


07/09/2023

EUT_Y_2TX
Setting 27
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01285G	55.59	74.00	-18.41	42.21	3	Vertical	4	1.80	-	39.37	8.30	34.29
AV	10.9999G	43.72	54.00	-10.28	30.30	3	Vertical	4	1.80	-	39.40	8.30	34.28
PK	16.51365G	59.63	68.20	-8.57	44.31	3	Vertical	157	1.82	-	39.60	10.63	34.91

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 27
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9998G	55.61	74.00	-18.39	42.18	3	Horizontal	304	2.46	-	39.40	8.30	34.27
AV	10.9998G	44.70	54.00	-9.30	31.28	3	Horizontal	304	2.46	-	39.40	8.30	34.28
PK	16.5024G	59.24	68.20	-8.96	43.92	3	Horizontal	220	1.80	-	39.60	10.63	34.91

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 29
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.339G	57.52	68.20	-10.68	51.76	3	Vertical	333	2.21	-	33.20	5.57	33.01
PK	5.386G	58.42	74.00	-15.58	52.61	3	Vertical	333	2.21	-	33.34	5.59	33.12
PK	5.466G	57.98	68.20	-10.22	51.96	3	Vertical	333	2.21	-	33.73	5.60	33.31
AV	5.455G	46.56	54.00	-7.44	40.53	3	Vertical	333	2.21	-	33.71	5.60	33.28
PK	5.5795G	117.80	Inf	-Inf	111.59	3	Vertical	333	2.21	-	34.02	5.60	33.41
AV	5.5795G	107.55	Inf	-Inf	101.34	3	Vertical	333	2.21	-	34.02	5.60	33.41
PK	5.824G	59.58	68.20	-8.62	53.00	3	Vertical	333	2.21	-	34.35	5.71	33.48

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 29
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	56.66	68.20	-11.54	50.89	3	Horizontal	352	1.49	-	33.20	5.56	32.99
PK	5.387G	60.99	74.00	-13.01	55.17	3	Horizontal	352	1.49	-	33.35	5.59	33.12
AV	5.3865G	49.93	54.00	-4.07	44.11	3	Horizontal	352	1.49	-	33.35	5.59	33.12
PK	5.4615G	57.54	68.20	-10.66	51.52	3	Horizontal	352	1.49	-	33.72	5.60	33.30
PK	5.5815G	120.60	Inf	-Inf	114.38	3	Horizontal	352	1.49	-	34.03	5.60	33.41
AV	5.579G	109.81	Inf	-Inf	103.60	3	Horizontal	352	1.49	-	34.02	5.60	33.41
PK	5.7725G	59.92	68.20	-8.28	53.40	3	Horizontal	352	1.49	-	34.30	5.69	33.47

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 29
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1653G	55.49	74.00	-18.51	42.36	3	Vertical	64	1.80	-	39.20	8.35	34.42
AV	11.17635G	43.18	54.00	-10.82	30.06	3	Vertical	64	1.80	-	39.20	8.35	34.43
PK	16.7443G	62.80	68.20	-5.40	47.07	3	Vertical	316	2.84	-	39.93	10.78	34.98

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 29
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1801G	54.62	74.00	-19.38	41.50	3	Horizontal	132	1.80	-	39.20	8.35	34.43
AV	11.18325G	43.19	54.00	-10.81	30.08	3	Horizontal	132	1.80	-	39.20	8.35	34.44
PK	16.74285G	61.89	68.20	-6.31	46.16	3	Horizontal	314	1.77	-	39.93	10.78	34.98

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 24
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7074G	113.67	Inf	-Inf	107.26	3	Vertical	357	2.19	-	34.21	5.65	33.45
AV	5.7091G	105.30	Inf	-Inf	98.88	3	Vertical	357	2.19	-	34.22	5.65	33.45
PK	5.7315G	63.25	68.20	-4.95	56.77	3	Vertical	357	2.19	-	34.26	5.67	33.45

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
 Setting 24
 04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.703G	113.86	Inf	-Inf	107.45	3	Horizontal	13	1.42	-	34.21	5.65	33.45
AV	5.6988G	102.69	Inf	-Inf	96.29	3	Horizontal	13	1.42	-	34.20	5.65	33.45
PK	5.7267G	61.14	68.20	-7.06	54.68	3	Horizontal	13	1.42	-	34.25	5.66	33.45

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
Setting 24
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38635G	52.46	74.00	-21.54	48.25	3	Vertical	228	2.17	-	38.67	8.79	43.25
AV	11.39997G	41.18	54.00	-12.82	36.95	3	Vertical	228	2.17	-	38.70	8.79	43.26
PK	17.09874G	56.38	68.20	-11.82	46.08	3	Vertical	334	1.80	-	41.49	10.88	42.07

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
Setting 24
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4G	52.45	74.00	-21.55	48.22	3	Horizontal	339	2.90	-	38.70	8.79	43.26
AV	11.39991G	41.64	54.00	-12.36	37.41	3	Horizontal	339	2.90	-	38.70	8.79	43.26
PK	17.11176G	55.91	68.20	-12.29	45.53	3	Horizontal	335	2.62	-	41.55	10.89	42.06

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 29
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	58.76	68.20	-9.44	52.47	3	Vertical	0	1.78	-	34.10	5.62	33.43
PK	5.746G	119.46	Inf	-Inf	112.96	3	Vertical	0	1.78	-	34.29	5.67	33.46
AV	5.746G	112.48	Inf	-Inf	105.98	3	Vertical	0	1.78	-	34.29	5.67	33.46
PK	5.931G	60.32	68.20	-7.88	52.97	3	Vertical	0	1.78	-	35.09	5.77	33.51

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 29
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.554G	60.93	68.20	-7.27	54.82	3	Horizontal	354	1.62	-	33.92	5.60	33.41
PK	5.7465G	120.18	Inf	-Inf	113.68	3	Horizontal	354	1.62	-	34.29	5.67	33.46
AV	5.744G	109.88	Inf	-Inf	103.38	3	Horizontal	354	1.62	-	34.29	5.67	33.46
PK	5.928G	61.06	68.20	-7.14	53.74	3	Horizontal	354	1.62	-	35.07	5.76	33.51

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 29
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49654G	51.11	74.00	-22.89	46.70	3	Vertical	257	1.57	-	38.89	8.82	43.30
AV	11.50305G	41.95	54.00	-12.05	37.51	3	Vertical	257	1.57	-	38.91	8.83	43.30
PK	17.23014G	60.33	68.20	-7.87	49.47	3	Vertical	48	2.96	-	41.96	10.93	42.03

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX








EUT_Y_2TX
Setting 29
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47941G	50.99	74.00	-23.01	46.60	3	Horizontal	98	2.19	-	38.86	8.82	43.29
AV	11.50305G	41.83	54.00	-12.17	37.39	3	Horizontal	98	2.19	-	38.91	8.83	43.30
PK	17.2236G	60.27	68.20	-7.93	49.43	3	Horizontal	312	2.40	-	41.95	10.93	42.04

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


06/09/2023

EUT_Y_2TX
Setting 29
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6425G	58.69	68.20	-9.51	52.40	3	Vertical	42	1.78	-	34.10	5.62	33.43
PK	5.786G	120.71	Inf	-Inf	114.19	3	Vertical	42	1.78	-	34.30	5.69	33.47
AV	5.7845G	111.64	Inf	-Inf	105.12	3	Vertical	42	1.78	-	34.30	5.69	33.47
PK	5.9265G	60.96	68.20	-7.24	53.65	3	Vertical	42	1.78	-	35.06	5.76	33.51

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
 Setting 29
 04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	59.85	68.20	-8.35	53.62	3	Horizontal	304	1.80	-	34.04	5.60	33.41
PK	5.784G	117.02	Inf	-Inf	110.50	3	Horizontal	304	1.80	-	34.30	5.69	33.47
AV	5.784G	106.96	Inf	-Inf	100.44	3	Horizontal	304	1.80	-	34.30	5.69	33.47
PK	5.977G	61.57	68.20	-6.63	54.05	3	Horizontal	304	1.80	-	35.25	5.79	33.52

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 29
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56259G	52.40	74.00	-21.60	47.69	3	Vertical	13	1.16	-	39.15	8.85	43.29
AV	11.56268G	40.36	54.00	-13.64	35.65	3	Vertical	13	1.16	-	39.15	8.85	43.29
PK	17.34648G	59.14	68.20	-9.06	47.42	3	Vertical	92	2.32	-	42.76	10.97	42.01

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 29
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58125G	52.07	74.00	-21.93	47.28	3	Horizontal	32	1.84	-	39.23	8.85	43.29
AV	11.56376G	40.43	54.00	-13.57	35.71	3	Horizontal	32	1.84	-	39.16	8.85	43.29
PK	17.35344G	59.07	68.20	-9.13	47.29	3	Horizontal	232	2.67	-	42.82	10.97	42.01

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
 Setting 29
 04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6215G	58.83	68.20	-9.37	52.54	3	Vertical	355	2.10	-	34.10	5.61	33.42
PK	5.826G	118.05	Inf	-Inf	111.47	3	Vertical	355	2.10	-	34.35	5.71	33.48
AV	5.8245G	108.42	Inf	-Inf	101.84	3	Vertical	355	2.10	-	34.35	5.71	33.48
PK	6.0415G	60.88	68.20	-7.32	53.19	3	Vertical	355	2.10	-	35.38	5.84	33.53

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 29
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6275G	60.29	68.20	-7.91	54.01	3	Horizontal	322	1.50	-	34.10	5.61	33.43
PK	5.823G	118.57	Inf	-Inf	111.99	3	Horizontal	322	1.50	-	34.35	5.71	33.48
AV	5.824G	108.08	Inf	-Inf	101.50	3	Horizontal	322	1.50	-	34.35	5.71	33.48
PK	6.018G	61.58	68.20	-6.62	53.95	3	Horizontal	322	1.50	-	35.34	5.82	33.53

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 29
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64475G	52.86	74.00	-21.14	47.96	3	Vertical	297	2.75	-	39.30	8.88	43.28
AV	11.64322G	40.54	54.00	-13.46	35.64	3	Vertical	297	2.75	-	39.30	8.88	43.28
PK	17.48928G	58.79	68.20	-9.41	45.93	3	Vertical	285	2.86	-	43.81	11.02	41.97

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 29
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64568G	52.21	74.00	-21.79	47.31	3	Horizontal	195	1.90	-	39.30	8.88	43.28
AV	11.64889G	40.48	54.00	-13.52	35.58	3	Horizontal	195	1.90	-	39.30	8.88	43.28
PK	17.46018G	58.45	68.20	-9.75	45.84	3	Horizontal	194	1.59	-	43.58	11.01	41.98

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 25
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	65.98	74.00	-8.02	60.18	3	Vertical	342	2.97	-	32.91	5.44	32.55
AV	5.15G	53.08	54.00	-0.92	47.29	3	Vertical	342	2.97	-	32.90	5.45	32.56
PK	5.1876G	115.46	Inf	-Inf	109.72	3	Vertical	342	2.97	-	32.90	5.49	32.65
AV	5.1888G	104.59	Inf	-Inf	98.86	3	Vertical	342	2.97	-	32.90	5.49	32.66

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 25
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	66.49	74.00	-7.51	60.68	3	Horizontal	327	1.72	-	32.91	5.45	32.55
AV	5.146G	53.86	54.00	-0.14	48.05	3	Horizontal	327	1.72	-	32.91	5.45	32.55
PK	5.1894G	112.81	Inf	-Inf	107.08	3	Horizontal	327	1.72	-	32.90	5.49	32.66
AV	5.1908G	102.10	Inf	-Inf	96.37	3	Horizontal	327	1.72	-	32.90	5.49	32.66

5.15-5.25GHz 802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
Setting 25
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37787G	50.91	68.20	-17.29	47.07	3	Vertical	342	2.00	-	38.44	8.43	43.03
PK	15.57378G	52.21	74.00	-21.79	46.65	3	Vertical	359	2.35	-	37.75	10.33	42.52
AV	15.56091G	40.52	54.00	-13.48	34.96	3	Vertical	359	2.35	-	37.78	10.32	42.54

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 25
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37985G	51.67	68.20	-16.53	47.83	3	Horizontal	308	1.93	-	38.44	8.43	43.03
PK	15.56055G	52.10	74.00	-21.90	46.54	3	Horizontal	351	1.49	-	37.78	10.32	42.54
AV	15.58338G	40.59	54.00	-13.41	35.04	3	Horizontal	351	1.49	-	37.73	10.33	42.51

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 28
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1487G	63.22	74.00	-10.78	57.43	3	Vertical	347	2.19	-	32.90	5.45	32.56
AV	5.1499G	51.02	54.00	-2.98	45.23	3	Vertical	347	2.19	-	32.90	5.45	32.56
PK	5.248G	114.35	Inf	-Inf	108.63	3	Vertical	347	2.19	-	33.00	5.52	32.80
AV	5.2486G	107.16	Inf	-Inf	101.44	3	Vertical	347	2.19	-	33.00	5.52	32.80
PK	5.3524G	57.18	74.00	-16.82	51.43	3	Vertical	347	2.19	-	33.21	5.58	33.04
AV	5.3503G	46.42	54.00	-7.58	40.68	3	Vertical	347	2.19	-	33.20	5.58	33.04

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 28
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	63.82	74.00	-10.18	58.03	3	Horizontal	346	1.66	-	32.90	5.45	32.56
AV	5.1499G	52.47	54.00	-1.53	46.68	3	Horizontal	346	1.66	-	32.90	5.45	32.56
PK	5.2309G	116.59	Inf	-Inf	110.86	3	Horizontal	346	1.66	-	32.96	5.52	32.75
AV	5.2285G	106.05	Inf	-Inf	100.33	3	Horizontal	346	1.66	-	32.96	5.51	32.75
PK	5.3509G	58.10	74.00	-15.90	52.36	3	Horizontal	346	1.66	-	33.20	5.58	33.04
AV	5.3557G	46.64	54.00	-7.36	40.89	3	Horizontal	346	1.66	-	33.22	5.58	33.05

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 28
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47062G	51.54	68.20	-16.66	47.72	3	Vertical	347	1.27	-	38.40	8.46	43.04
PK	15.67791G	51.38	74.00	-22.62	45.65	3	Vertical	323	1.68	-	37.76	10.37	42.40
AV	15.69798G	40.03	54.00	-13.97	34.23	3	Vertical	323	1.68	-	37.80	10.38	42.38

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 28
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45994G	52.50	68.20	-15.70	48.68	3	Horizontal	307	1.96	-	38.40	8.46	43.04
PK	15.6885G	54.80	74.00	-19.20	49.03	3	Horizontal	129	1.28	-	37.78	10.38	42.39
AV	15.69912G	42.55	54.00	-11.45	36.75	3	Horizontal	129	1.28	-	37.80	10.38	42.38

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 28
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1344G	59.39	74.00	-14.61	53.56	3	Vertical	-0	1.80	-	32.93	5.43	32.53
AV	5.1488G	46.71	54.00	-7.29	40.92	3	Vertical	-0	1.80	-	32.90	5.45	32.56
PK	5.2865G	119.01	Inf	-Inf	113.21	3	Vertical	-0	1.80	-	33.15	5.54	32.89
AV	5.2799G	110.19	Inf	-Inf	104.40	3	Vertical	-0	1.80	-	33.12	5.54	32.87
PK	5.351G	62.56	74.00	-11.44	56.82	3	Vertical	-0	1.80	-	33.20	5.58	33.04
AV	5.3504G	50.64	54.00	-3.36	44.90	3	Vertical	-0	1.80	-	33.20	5.58	33.04

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 28
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1326G	58.70	74.00	-15.30	52.86	3	Horizontal	28	1.63	-	32.93	5.43	32.52
AV	5.1491G	47.38	54.00	-6.62	41.59	3	Horizontal	28	1.63	-	32.90	5.45	32.56
PK	5.2691G	117.36	Inf	-Inf	111.60	3	Horizontal	28	1.63	-	33.08	5.53	32.85
AV	5.2688G	106.61	Inf	-Inf	100.84	3	Horizontal	28	1.63	-	33.08	5.53	32.84
PK	5.3513G	66.75	74.00	-7.25	61.00	3	Horizontal	28	1.63	-	33.21	5.58	33.04
AV	5.35G	53.05	54.00	-0.95	47.31	3	Horizontal	28	1.63	-	33.20	5.58	33.04

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 28
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54126G	52.07	68.20	-16.13	48.22	3	Vertical	115	1.55	-	38.40	8.49	43.04
PK	15.82197G	51.28	74.00	-22.72	45.73	3	Vertical	53	1.48	-	37.36	10.43	42.24
AV	15.82152G	39.75	54.00	-14.25	34.20	3	Vertical	53	1.48	-	37.36	10.43	42.24

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 28
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5382G	52.14	68.20	-16.06	48.29	3	Horizontal	125	2.79	-	38.40	8.49	43.04
PK	15.79707G	51.01	74.00	-22.99	45.45	3	Horizontal	111	2.58	-	37.41	10.42	42.27
AV	15.82491G	41.27	54.00	-12.73	35.72	3	Horizontal	111	2.58	-	37.35	10.43	42.23

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 24
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3126G	115.69	Inf	-Inf	109.88	3	Vertical	346	1.80	-	33.20	5.56	32.95
AV	5.3124G	107.32	Inf	-Inf	101.51	3	Vertical	346	1.80	-	33.20	5.56	32.95
PK	5.3506G	59.41	74.00	-14.59	53.67	3	Vertical	346	1.80	-	33.20	5.58	33.04
AV	5.355G	49.48	54.00	-4.52	43.73	3	Vertical	346	1.80	-	33.22	5.58	33.05

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 24
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31086G	114.33	Inf	-Inf	108.51	3	Horizontal	7	1.62	-	33.20	5.56	32.94
AV	5.3086G	103.24	Inf	-Inf	97.43	3	Horizontal	7	1.62	-	33.20	5.55	32.94
PK	5.3526G	64.53	74.00	-9.47	58.78	3	Horizontal	7	1.62	-	33.21	5.58	33.04
AV	5.3504G	52.26	54.00	-1.74	46.52	3	Horizontal	7	1.62	-	33.20	5.58	33.04

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 24
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62516G	51.16	74.00	-22.84	47.30	3	Vertical	341	1.45	-	38.40	8.52	43.06
AV	10.6194G	39.38	54.00	-14.62	35.51	3	Vertical	341	1.45	-	38.40	8.52	43.05
PK	15.9315G	52.94	74.00	-21.06	47.22	3	Vertical	130	1.95	-	37.36	10.47	42.11
AV	15.92514G	40.47	54.00	-13.53	34.77	3	Vertical	130	1.95	-	37.35	10.47	42.12

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 24
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6056G	51.31	74.00	-22.69	47.45	3	Horizontal	267	2.33	-	38.40	8.51	43.05
AV	10.61238G	40.59	54.00	-13.41	36.73	3	Horizontal	267	2.33	-	38.40	8.51	43.05
PK	15.91845G	53.01	74.00	-20.99	47.32	3	Horizontal	68	2.69	-	37.34	10.47	42.12
AV	15.9444G	40.51	54.00	-13.49	34.73	3	Horizontal	68	2.69	-	37.39	10.48	42.09

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 26
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	66.73	74.00	-7.27	60.70	3	Vertical	352	2.01	-	33.71	5.60	33.28
AV	5.451G	51.51	54.00	-2.49	45.48	3	Vertical	352	2.01	-	33.70	5.60	33.27
PK	5.4642G	68.14	68.20	-0.06	62.12	3	Vertical	352	2.01	-	33.73	5.60	33.31
PK	5.5G	116.35	Inf	-Inf	110.34	3	Vertical	352	2.01	-	33.80	5.60	33.39
AV	5.5G	107.36	Inf	-Inf	101.35	3	Vertical	352	2.01	-	33.80	5.60	33.39

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
 Setting 26
 04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	69.84	74.00	-4.16	63.82	3	Horizontal	354	1.78	-	33.71	5.60	33.29
AV	5.4542G	53.79	54.00	-0.21	47.76	3	Horizontal	354	1.78	-	33.71	5.60	33.28
PK	5.469G	68.04	68.20	-0.16	62.02	3	Horizontal	354	1.78	-	33.74	5.60	33.32
PK	5.4974G	112.21	Inf	-Inf	106.20	3	Horizontal	354	1.78	-	33.79	5.60	33.38
AV	5.494G	102.42	Inf	-Inf	96.41	3	Horizontal	354	1.78	-	33.79	5.60	33.38

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 26
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02069G	53.33	74.00	-20.67	49.28	3	Vertical	54	1.71	-	38.50	8.66	43.11
AV	11.02G	42.96	54.00	-11.04	38.91	3	Vertical	54	1.71	-	38.50	8.66	43.11
PK	16.52919G	54.86	68.20	-13.34	46.84	3	Vertical	350	1.79	-	38.96	10.69	41.63

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 26
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01976G	53.38	74.00	-20.62	49.33	3	Horizontal	302	2.89	-	38.50	8.66	43.11
AV	11.02003G	44.71	54.00	-9.29	40.66	3	Horizontal	302	2.89	-	38.50	8.66	43.11
PK	16.54299G	54.87	68.20	-13.33	46.83	3	Horizontal	324	1.71	-	38.99	10.69	41.64

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
 Setting 28
 04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	63.27	74.00	-10.73	57.24	3	Vertical	356	1.72	-	33.72	5.60	33.29
AV	5.4585G	47.77	54.00	-6.23	41.74	3	Vertical	356	1.72	-	33.72	5.60	33.29
PK	5.4678G	63.13	68.20	-5.07	57.10	3	Vertical	356	1.72	-	33.74	5.60	33.31
PK	5.5479G	118.08	Inf	-Inf	111.98	3	Vertical	356	1.72	-	33.90	5.60	33.40
AV	5.5482G	108.23	Inf	-Inf	102.13	3	Vertical	356	1.72	-	33.90	5.60	33.40

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
 Setting 28
 04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4597G	64.06	74.00	-9.94	58.03	3	Horizontal	13	1.80	-	33.72	5.60	33.29
AV	5.4591G	49.11	54.00	-4.89	43.08	3	Horizontal	13	1.80	-	33.72	5.60	33.29
PK	5.4678G	64.55	68.20	-3.65	58.52	3	Horizontal	13	1.80	-	33.74	5.60	33.31
PK	5.5389G	116.02	Inf	-Inf	109.94	3	Horizontal	13	1.80	-	33.88	5.60	33.40
AV	5.541G	106.99	Inf	-Inf	100.91	3	Horizontal	13	1.80	-	33.88	5.60	33.40

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 28
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11068G	52.49	74.00	-21.51	48.34	3	Vertical	195	2.60	-	38.60	8.69	43.14
AV	11.11488G	40.61	54.00	-13.39	36.47	3	Vertical	195	2.60	-	38.60	8.69	43.15
PK	16.65255G	57.01	68.20	-11.19	48.61	3	Vertical	137	1.50	-	39.42	10.73	41.75

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 28
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09955G	53.31	74.00	-20.69	49.17	3	Horizontal	308	2.57	-	38.60	8.68	43.14
AV	11.09994G	43.16	54.00	-10.84	39.02	3	Horizontal	308	2.57	-	38.60	8.68	43.14
PK	16.65711G	56.49	68.20	-11.71	48.05	3	Horizontal	108	2.32	-	39.46	10.73	41.75

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 23
04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.683G	114.50	Inf	-Inf	108.13	3	Vertical	10	1.97	-	34.17	5.64	33.44
AV	5.6846G	102.73	Inf	-Inf	96.36	3	Vertical	10	1.97	-	34.17	5.64	33.44
PK	5.7328G	67.23	68.20	-0.97	60.75	3	Vertical	10	1.97	-	34.27	5.67	33.46

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
 Setting 23
 04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6606G	114.10	Inf	-Inf	107.78	3	Horizontal	12	1.52	-	34.12	5.63	33.43
AV	5.6594G	105.14	Inf	-Inf	98.82	3	Horizontal	12	1.52	-	34.12	5.63	33.43
PK	5.7342G	66.86	68.20	-1.34	60.38	3	Horizontal	12	1.52	-	34.27	5.67	33.46

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 23
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34513G	52.24	74.00	-21.76	48.11	3	Vertical	337	2.75	-	38.60	8.77	43.24
AV	11.34813G	40.16	54.00	-13.84	36.03	3	Vertical	337	2.75	-	38.60	8.77	43.24
PK	17.02425G	55.72	68.20	-12.48	45.84	3	Vertical	254	1.63	-	41.10	10.86	42.08

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 23
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34657G	52.51	74.00	-21.49	48.38	3	Horizontal	219	1.81	-	38.60	8.77	43.24
AV	11.3478G	40.10	54.00	-13.90	35.97	3	Horizontal	219	1.81	-	38.60	8.77	43.24
PK	17.02272G	56.79	68.20	-11.41	46.92	3	Horizontal	313	2.06	-	41.09	10.86	42.08

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
 Setting 29
 04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	66.06	68.20	-2.14	59.77	3	Vertical	360	2.17	-	34.10	5.62	33.43
PK	5.7595G	121.89	Inf	-Inf	115.37	3	Vertical	360	2.17	-	34.30	5.68	33.46
AV	5.76G	114.72	Inf	-Inf	108.20	3	Vertical	360	2.17	-	34.30	5.68	33.46
PK	5.984G	61.93	68.20	-6.27	54.40	3	Vertical	360	2.17	-	35.27	5.79	33.53

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 29
04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6505G	68.40	68.57	-0.17	62.10	3	Horizontal	13	1.59	-	34.10	5.63	33.43
PK	5.7425G	119.86	Inf	-Inf	113.37	3	Horizontal	13	1.59	-	34.28	5.67	33.46
AV	5.7435G	110.76	Inf	-Inf	104.26	3	Horizontal	13	1.59	-	34.29	5.67	33.46
PK	5.9435G	62.98	68.20	-5.22	55.56	3	Horizontal	13	1.59	-	35.16	5.77	33.51

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 29
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52206G	51.60	74.00	-22.40	47.08	3	Vertical	63	2.76	-	38.99	8.83	43.30
AV	11.52476G	40.14	54.00	-13.86	35.61	3	Vertical	63	2.76	-	39.00	8.83	43.30
PK	17.27391G	56.77	68.20	-11.43	45.70	3	Vertical	197	2.78	-	42.14	10.95	42.02

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 29
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52365G	53.19	74.00	-20.81	48.67	3	Horizontal	269	2.99	-	38.99	8.83	43.30
AV	11.52428G	42.51	54.00	-11.49	37.98	3	Horizontal	269	2.99	-	39.00	8.83	43.30
PK	17.27049G	56.98	68.20	-11.22	45.95	3	Horizontal	72	1.13	-	42.12	10.94	42.03

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
 Setting 29
 04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6145G	60.59	68.20	-7.61	54.30	3	Vertical	293	3.00	-	34.10	5.61	33.42
PK	5.7965G	121.28	Inf	-Inf	114.75	3	Vertical	293	3.00	-	34.30	5.70	33.47
AV	5.794G	111.18	Inf	-Inf	104.65	3	Vertical	293	3.00	-	34.30	5.70	33.47
PK	6.041G	62.81	68.20	-5.39	55.12	3	Vertical	293	3.00	-	35.38	5.84	33.53

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 29
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.602G	62.07	68.20	-6.13	55.79	3	Horizontal	7	1.56	-	34.10	5.60	33.42
PK	5.7835G	119.74	Inf	-Inf	113.22	3	Horizontal	7	1.56	-	34.30	5.69	33.47
AV	5.788G	108.68	Inf	-Inf	102.16	3	Horizontal	7	1.56	-	34.30	5.69	33.47
PK	5.924G	64.25	68.94	-4.69	56.96	3	Horizontal	7	1.56	-	35.04	5.76	33.51

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 29
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58007G	52.51	74.00	-21.49	47.73	3	Vertical	31	1.62	-	39.22	8.85	43.29
AV	11.59657G	40.52	54.00	-13.48	35.65	3	Vertical	31	1.62	-	39.29	8.86	43.28
PK	17.38986G	56.99	68.20	-11.21	44.96	3	Vertical	23	2.78	-	43.04	10.99	42.00

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 29
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58229G	52.37	74.00	-21.63	47.58	3	Horizontal	67	2.27	-	39.23	8.85	43.29
AV	11.58121G	40.64	54.00	-13.36	35.86	3	Horizontal	67	2.27	-	39.22	8.85	43.29
PK	17.3952G	57.93	68.20	-10.27	45.87	3	Horizontal	311	1.21	-	43.07	10.99	42.00

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 24
04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.109G	67.20	74.00	-6.80	61.28	3	Vertical	349	2.52	-	32.98	5.41	32.47
AV	5.15G	52.48	54.00	-1.52	46.69	3	Vertical	349	2.52	-	32.90	5.45	32.56
PK	5.2005G	114.49	Inf	-Inf	108.77	3	Vertical	349	2.52	-	32.90	5.50	32.68
AV	5.2005G	102.92	Inf	-Inf	97.20	3	Vertical	349	2.52	-	32.90	5.50	32.68
PK	5.373G	62.82	74.00	-11.18	57.03	3	Vertical	349	2.52	-	33.29	5.59	33.09
AV	5.4255G	47.09	54.00	-6.91	41.15	3	Vertical	349	2.52	-	33.55	5.60	33.21

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 24
04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.117G	69.44	74.00	-4.56	63.54	3	Horizontal	344	1.77	-	32.97	5.42	32.49
AV	5.144G	53.04	54.00	-0.96	47.24	3	Horizontal	344	1.77	-	32.91	5.44	32.55
PK	5.207G	111.60	Inf	-Inf	105.89	3	Horizontal	344	1.77	-	32.91	5.50	32.70
AV	5.2075G	100.45	Inf	-Inf	94.74	3	Horizontal	344	1.77	-	32.91	5.50	32.70
PK	5.38G	63.50	74.00	-10.50	57.70	3	Horizontal	344	1.77	-	33.32	5.59	33.11
AV	5.4095G	47.91	54.00	-6.09	42.03	3	Horizontal	344	1.77	-	33.46	5.60	33.18

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 24
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41991G	52.12	68.20	-16.08	48.30	3	Vertical	127	2.20	-	38.40	8.45	43.03
PK	15.6255G	52.43	74.00	-21.57	46.84	3	Vertical	78	2.98	-	37.70	10.35	42.46
AV	15.64467G	40.69	54.00	-13.31	35.07	3	Vertical	78	2.98	-	37.70	10.36	42.44

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 24
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42009G	52.29	68.20	-15.91	48.47	3	Horizontal	309	2.00	-	38.40	8.45	43.03
PK	15.63225G	52.69	74.00	-21.31	47.10	3	Horizontal	20	2.34	-	37.70	10.35	42.46
AV	15.64482G	40.66	54.00	-13.34	35.04	3	Horizontal	20	2.34	-	37.70	10.36	42.44

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 21
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	63.91	74.00	-10.09	58.11	3	Vertical	351	1.80	-	32.91	5.44	32.55
AV	5.092G	47.72	54.00	-6.28	41.76	3	Vertical	351	1.80	-	33.00	5.39	32.43
PK	5.287G	113.13	Inf	-Inf	107.33	3	Vertical	351	1.80	-	33.15	5.54	32.89
AV	5.28G	102.74	Inf	-Inf	96.95	3	Vertical	351	1.80	-	33.12	5.54	32.87
PK	5.3575G	67.85	74.00	-6.15	62.09	3	Vertical	351	1.80	-	33.23	5.58	33.05
AV	5.3915G	47.55	54.00	-6.45	41.71	3	Vertical	351	1.80	-	33.37	5.60	33.13

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 21
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1455G	60.88	74.00	-13.12	55.07	3	Horizontal	20	1.73	-	32.91	5.45	32.55
AV	5.0945G	48.20	54.00	-5.80	42.24	3	Horizontal	20	1.73	-	33.00	5.39	32.43
PK	5.2825G	110.28	Inf	-Inf	104.49	3	Horizontal	20	1.73	-	33.13	5.54	32.88
AV	5.291G	98.91	Inf	-Inf	93.10	3	Horizontal	20	1.73	-	33.16	5.55	32.90
PK	5.3805G	71.16	74.00	-2.84	65.36	3	Horizontal	20	1.73	-	33.32	5.59	33.11
AV	5.3775G	48.16	54.00	-5.84	42.36	3	Horizontal	20	1.73	-	33.31	5.59	33.10
PK	5.4785G	60.70	68.20	-7.50	54.68	3	Horizontal	20	1.73	-	33.76	5.60	33.34

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 21
04-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58774G	50.95	68.20	-17.25	47.09	3	Vertical	118	2.47	-	38.40	8.51	43.05
PK	15.86412G	52.44	74.00	-21.56	46.88	3	Vertical	159	2.54	-	37.30	10.45	42.19
AV	15.87921G	40.44	54.00	-13.56	34.86	3	Vertical	159	2.54	-	37.30	10.45	42.17

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 21
04-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56671G	51.24	68.20	-16.96	47.39	3	Horizontal	208	2.10	-	38.40	8.50	43.05
PK	15.87435G	51.63	74.00	-22.37	46.06	3	Horizontal	118	1.96	-	37.30	10.45	42.18
AV	15.88413G	40.56	54.00	-13.44	34.97	3	Horizontal	118	1.96	-	37.30	10.45	42.16

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 24
04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.341G	59.49	68.20	-8.71	53.73	3	Vertical	38.3	1.80	-	33.20	5.57	33.01
AV	5.35G	46.23	54.00	-7.77	40.50	3	Vertical	38.3	1.80	-	33.20	5.57	33.04
PK	5.4325G	67.51	74.00	-6.49	61.54	3	Vertical	38.3	1.80	-	33.60	5.60	33.23
AV	5.4445G	48.96	54.00	-5.04	42.95	3	Vertical	38.3	1.80	-	33.67	5.60	33.26
PK	5.4615G	65.77	68.20	-2.43	59.75	3	Vertical	38.3	1.80	-	33.72	5.60	33.30
PK	5.533G	113.32	Inf	-Inf	107.25	3	Vertical	38.3	1.80	-	33.87	5.60	33.40
AV	5.5005G	103.44	Inf	-Inf	97.43	3	Vertical	38.3	1.80	-	33.80	5.60	33.39
PK	5.7295G	60.72	68.20	-7.48	54.25	3	Vertical	38.3	1.80	-	34.26	5.66	33.45

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 24
04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3275G	59.70	68.20	-8.50	53.92	3	Horizontal	16	2.08	-	33.20	5.56	32.98
PK	5.4225G	65.60	74.00	-8.40	59.67	3	Horizontal	16	2.08	-	33.54	5.60	33.21
PK	5.469G	66.35	68.20	-1.85	60.33	3	Horizontal	16	2.08	-	33.74	5.60	33.32
AV	5.4565G	50.61	54.00	-3.39	44.59	3	Horizontal	16	2.08	-	33.71	5.60	33.29
PK	5.5005G	113.23	Inf	-Inf	107.22	3	Horizontal	16	2.08	-	33.80	5.60	33.39
AV	5.496G	102.27	Inf	-Inf	96.26	3	Horizontal	16	2.08	-	33.79	5.60	33.38
PK	5.743G	60.79	68.20	-7.41	54.29	3	Horizontal	16	2.08	-	34.29	5.67	33.46

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 24
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06039G	52.07	74.00	-21.93	48.00	3	Vertical	263	2.16	-	38.52	8.67	43.12
AV	11.05385G	40.32	54.00	-13.68	36.26	3	Vertical	263	2.16	-	38.51	8.67	43.12
PK	16.57542G	54.57	68.20	-13.63	46.44	3	Vertical	60	1.74	-	39.10	10.70	41.67

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 24
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0555G	52.19	74.00	-21.81	48.13	3	Horizontal	36	1.23	-	38.51	8.67	43.12
AV	11.06225G	41.03	54.00	-12.97	36.96	3	Horizontal	36	1.23	-	38.52	8.67	43.12
PK	16.57518G	55.25	68.20	-12.95	47.12	3	Horizontal	141	1.13	-	39.10	10.70	41.67

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 26
04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	61.77	74.00	-12.23	55.74	3	Vertical	9	1.80	-	33.72	5.60	33.29
AV	5.456G	48.07	54.00	-5.93	42.05	3	Vertical	9	1.80	-	33.71	5.60	33.29
PK	5.462G	61.32	68.20	-6.88	55.30	3	Vertical	9	1.80	-	33.72	5.60	33.30
PK	5.6235G	118.39	Inf	-Inf	112.10	3	Vertical	9	1.80	-	34.10	5.61	33.42
AV	5.623G	107.61	Inf	-Inf	101.32	3	Vertical	9	1.80	-	34.10	5.61	33.42
PK	5.735G	63.82	68.20	-4.38	57.34	3	Vertical	9	1.80	-	34.27	5.67	33.46

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
 Setting 26
 04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4095G	60.85	74.00	-13.15	54.97	3	Horizontal	16	1.80	-	33.46	5.60	33.18
AV	5.387G	48.88	54.00	-5.12	43.06	3	Horizontal	16	1.80	-	33.35	5.59	33.12
PK	5.4625G	62.32	68.20	-5.88	56.29	3	Horizontal	16	1.80	-	33.73	5.60	33.30
PK	5.5835G	114.36	Inf	-Inf	108.14	3	Horizontal	16	1.80	-	34.03	5.60	33.41
AV	5.579G	107.45	Inf	-Inf	101.24	3	Horizontal	16	1.80	-	34.02	5.60	33.41
PK	5.7265G	64.95	68.20	-3.25	58.49	3	Horizontal	16	1.80	-	34.25	5.66	33.45

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 26
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21997G	52.50	74.00	-21.50	48.32	3	Vertical	154	2.67	-	38.64	8.73	43.19
AV	11.21994G	42.48	54.00	-11.52	38.30	3	Vertical	154	2.67	-	38.64	8.73	43.19
PK	16.83681G	55.52	68.20	-12.68	46.26	3	Vertical	164	2.36	-	40.40	10.79	41.93

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 26
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.235G	52.27	74.00	-21.73	48.06	3	Horizontal	148	1.62	-	38.67	8.73	43.19
AV	11.21991G	41.15	54.00	-12.85	36.97	3	Horizontal	148	1.62	-	38.64	8.73	43.19
PK	16.83351G	55.91	68.20	-12.29	46.65	3	Horizontal	272	2.04	-	40.40	10.79	41.93

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
 Setting 27
 04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6485G	66.68	68.20	-1.52	60.39	3	Vertical	2	2.08	-	34.10	5.62	33.43
PK	5.7435G	116.85	Inf	-Inf	110.35	3	Vertical	2	2.08	-	34.29	5.67	33.46
AV	5.76G	107.31	Inf	-Inf	100.79	3	Vertical	2	2.08	-	34.30	5.68	33.46
PK	5.9305G	66.15	68.20	-2.05	58.81	3	Vertical	2	2.08	-	35.08	5.77	33.51

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
 Setting 27
 04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.84	68.94	-0.10	62.54	3	Horizontal	353	1.70	-	34.10	5.63	33.43
PK	5.7435G	116.97	Inf	-Inf	110.47	3	Horizontal	353	1.70	-	34.29	5.67	33.46
AV	5.7475G	108.14	Inf	-Inf	101.64	3	Horizontal	353	1.70	-	34.29	5.67	33.46
PK	5.928G	65.67	68.20	-2.53	58.35	3	Horizontal	353	1.70	-	35.07	5.76	33.51

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX



EUT_Y_2TX
Setting 27
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5545G	51.96	74.00	-22.04	47.29	3	Vertical	313	1.92	-	39.12	8.84	43.29
AV	11.5584G	40.33	54.00	-13.67	35.64	3	Vertical	313	1.92	-	39.13	8.85	43.29
PK	17.31933G	57.12	68.20	-11.08	45.68	3	Vertical	9	2.51	-	42.49	10.96	42.01

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 27
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55489G	51.93	74.00	-22.07	47.26	3	Horizontal	315	1.07	-	39.12	8.84	43.29
AV	11.5644G	40.35	54.00	-13.65	35.63	3	Horizontal	315	1.07	-	39.16	8.85	43.29
PK	17.334G	56.87	68.20	-11.33	45.27	3	Horizontal	73	1.47	-	42.64	10.97	42.01

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 20
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	66.62	74.00	-7.38	60.78	3	Vertical	357	2.50	-	32.93	5.44	32.53
AV	5.1332G	51.21	54.00	-2.79	45.37	3	Vertical	357	2.50	-	32.93	5.43	32.52
PK	5.2548G	107.30	Inf	-Inf	101.56	3	Vertical	357	2.50	-	33.02	5.53	32.81
AV	5.2532G	96.24	Inf	-Inf	90.51	3	Vertical	357	2.50	-	33.01	5.53	32.81
PK	5.3724G	64.76	74.00	-9.24	58.97	3	Vertical	357	2.50	-	33.29	5.59	33.09
AV	5.3756G	48.77	54.00	-5.23	42.98	3	Vertical	357	2.50	-	33.30	5.59	33.10
PK	5.6276G	60.40	68.20	-7.80	54.12	3	Vertical	357	2.50	-	34.10	5.61	33.43

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 20
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.65	74.00	-5.35	62.86	3	Horizontal	10	1.63	-	32.90	5.45	32.56
AV	5.146G	53.71	54.00	-0.29	47.90	3	Horizontal	10	1.63	-	32.91	5.45	32.55
PK	5.2452G	105.11	Inf	-Inf	99.39	3	Horizontal	10	1.63	-	32.99	5.52	32.79
AV	5.2468G	93.74	Inf	-Inf	88.02	3	Horizontal	10	1.63	-	32.99	5.52	32.79
PK	5.3764G	70.81	74.00	-3.19	65.01	3	Horizontal	10	1.63	-	33.31	5.59	33.10
AV	5.3524G	50.99	54.00	-3.01	45.24	3	Horizontal	10	1.63	-	33.21	5.58	33.04
PK	5.462G	60.36	68.20	-7.84	54.34	3	Horizontal	10	1.63	-	33.72	5.60	33.30

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 20
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49391G	51.61	68.20	-16.59	47.78	3	Vertical	280	1.97	-	38.40	8.47	43.04
PK	15.75174G	51.99	74.00	-22.01	46.32	3	Vertical	191	2.34	-	37.59	10.40	42.32
AV	15.75477G	39.95	54.00	-14.05	34.28	3	Vertical	191	2.34	-	37.58	10.40	42.31

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 20
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51185G	51.84	68.20	-16.36	48.00	3	Horizontal	284	2.48	-	38.40	8.48	43.04
PK	15.76299G	51.61	74.00	-22.39	45.95	3	Horizontal	346	2.96	-	37.55	10.41	42.30
AV	15.76419G	39.85	54.00	-14.15	34.20	3	Horizontal	346	2.96	-	37.54	10.41	42.30

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 14
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2044G	58.99	68.20	-9.21	53.27	3	Vertical	348	2.27	-	32.91	5.50	32.69
PK	5.4564G	65.27	74.00	-8.73	59.25	3	Vertical	348	2.27	-	33.71	5.60	33.29
AV	5.4572G	48.61	54.00	-5.39	42.59	3	Vertical	348	2.27	-	33.71	5.60	33.29
PK	5.4628G	66.77	68.20	-1.43	60.74	3	Vertical	348	2.27	-	33.73	5.60	33.30
PK	5.5684G	103.25	Inf	-Inf	97.09	3	Vertical	348	2.27	-	33.97	5.60	33.41
PK	5.9684G	61.61	68.20	-6.59	54.11	3	Vertical	348	2.27	-	35.24	5.78	33.52
AV	5.5684G	93.09	Inf	-Inf	86.93	3	Vertical	348	2.27	-	33.97	5.60	33.41

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 14
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2596G	59.05	68.20	-9.15	53.30	3	Horizontal	356	1.60	-	33.04	5.53	32.82
AV	5.35G	46.23	54.00	-7.77	40.50	3	Horizontal	356	1.60	-	33.20	5.57	33.04
PK	5.4492G	66.31	74.00	-7.69	60.28	3	Horizontal	356	1.60	-	33.70	5.60	33.27
AV	5.4556G	49.89	54.00	-4.11	43.87	3	Horizontal	356	1.60	-	33.71	5.60	33.29
PK	5.47G	66.70	68.20	-1.50	60.68	3	Horizontal	356	1.60	-	33.74	5.60	33.32
PK	5.5004G	104.21	Inf	-Inf	98.20	3	Horizontal	356	1.60	-	33.80	5.60	33.39
AV	5.4996G	95.05	Inf	-Inf	89.04	3	Horizontal	356	1.60	-	33.80	5.60	33.39
PK	5.9364G	61.31	68.20	-6.89	53.93	3	Horizontal	356	1.60	-	35.12	5.77	33.51

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 14
02-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15158G	51.97	74.00	-22.03	47.83	3	Vertical	143	1.41	-	38.60	8.70	43.16
AV	11.15071G	40.58	54.00	-13.42	36.44	3	Vertical	143	1.41	-	38.60	8.70	43.16
PK	16.69599G	54.87	68.20	-13.33	46.15	3	Vertical	276	1.15	-	39.77	10.74	41.79

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Y_2TX
Setting 14
02-P-R-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13373G	52.48	74.00	-21.52	48.33	3	Horizontal	340	1.68	-	38.60	8.70	43.15
AV	11.14954G	40.68	54.00	-13.32	36.54	3	Horizontal	340	1.68	-	38.60	8.70	43.16
PK	16.71249G	54.79	68.20	-13.41	45.98	3	Horizontal	214	1.45	-	39.87	10.75	41.81



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	7.3268G	40.78	54.00	-13.22	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	2.3727G	47.36	74.00	-26.64	-3.89	3	Vertical	173	2.00	-	51.25	27.54	3.77	35.20
AV	2.37235G	36.31	54.00	-17.69	-3.90	3	Vertical	173	2.00	-	40.21	27.53	3.77	35.20
PK	2.539G	45.99	74.00	-28.01	-3.07	3	Vertical	200	2.50	-	49.06	28.13	3.87	35.07
AV	2.539G	36.26	54.00	-17.74	-3.07	3	Vertical	200	2.50	-	39.33	28.13	3.87	35.07
PK	7.3238G	51.36	74.00	-22.64	10.52	3	Vertical	360	1.80	-	40.84	37.70	6.92	34.10
AV	7.3268G	40.78	54.00	-13.22	10.53	3	Vertical	360	1.80	"Worst"	30.25	37.70	6.93	34.10

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	2.3575G	47.74	74.00	-26.26	-4.01	3	Horizontal	30	1.35	-	51.75	27.44	3.76	35.21
AV	2.3581G	38.74	54.00	-15.26	-4.00	3	Horizontal	30	1.35	-	42.74	27.45	3.76	35.21
PK	2.53775G	46.40	74.00	-27.60	-3.07	3	Horizontal	0	2.50	-	49.47	28.13	3.87	35.07
AV	2.5417G	36.39	54.00	-17.61	-3.05	3	Horizontal	0	2.50	-	39.44	28.15	3.87	35.07
PK	7.34365G	50.55	74.00	-23.45	10.53	3	Horizontal	223	1.80	-	40.02	37.70	6.94	34.11
AV	7.32925G	39.29	54.00	-14.71	10.53	3	Horizontal	223	1.80	"Worst"	28.76	37.70	6.93	34.10