


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5196G	53.73	68.20	-14.47	38.67	3	Vertical	180	2.56	-	38.40	8.48	31.82
PK	15.78472G	58.25	74.00	-15.75	42.35	3	Vertical	62	1.04	-	37.46	10.41	31.97
AV	15.77876G	44.36	54.00	-9.64	28.44	3	Vertical	62	1.04	-	37.48	10.41	31.97

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52424G	54.61	68.20	-13.59	39.55	3	Horizontal	185	1.28	-	38.40	8.48	31.82
PK	15.7781G	57.92	74.00	-16.08	41.99	3	Horizontal	130	1.96	-	37.49	10.41	31.97
AV	15.77888G	44.40	54.00	-9.60	28.48	3	Horizontal	130	1.96	-	37.48	10.41	31.97

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	119.31	Inf	-Inf	110.36	3	Vertical	54	2.82	-	33.90	5.85	30.80
AV	5.2992G	109.45	Inf	-Inf	100.50	3	Vertical	54	2.82	-	33.90	5.85	30.80
PK	5.354G	62.37	74.00	-11.63	53.33	3	Vertical	54	2.82	-	34.00	5.88	30.84
AV	5.35G	49.72	54.00	-4.28	40.68	3	Vertical	54	2.82	-	34.00	5.88	30.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	118.66	Inf	-Inf	109.71	3	Horizontal	179	1.96	-	33.90	5.85	30.80
AV	5.2992G	108.22	Inf	-Inf	99.27	3	Horizontal	179	1.96	-	33.90	5.85	30.80
PK	5.3524G	61.61	74.00	-12.39	52.57	3	Horizontal	179	1.96	-	34.00	5.88	30.84
AV	5.35G	49.47	54.00	-4.53	40.43	3	Horizontal	179	1.96	-	34.00	5.88	30.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60372G	53.95	74.00	-20.05	38.89	3	Vertical	153	2.39	-	38.40	8.51	31.85
AV	10.60018G	40.27	54.00	-13.73	25.21	3	Vertical	153	2.39	-	38.40	8.51	31.85
PK	15.90476G	58.56	74.00	-15.44	42.77	3	Vertical	114	2.53	-	37.31	10.46	31.98
AV	15.90442G	44.64	54.00	-9.36	28.85	3	Vertical	114	2.53	-	37.31	10.46	31.98

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60232G	53.94	74.00	-20.06	38.88	3	Horizontal	32	2.40	-	38.40	8.51	31.85
AV	10.60024G	40.21	54.00	-13.79	25.15	3	Horizontal	32	2.40	-	38.40	8.51	31.85
PK	15.89746G	58.76	74.00	-15.24	42.98	3	Horizontal	182	2.02	-	37.30	10.46	31.98
AV	15.90432G	44.65	54.00	-9.35	28.86	3	Horizontal	182	2.02	-	37.31	10.46	31.98

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 20
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3186G	119.25	Inf	-Inf	110.26	3	Vertical	56	2.93	-	33.94	5.86	30.81
AV	5.319G	109.00	Inf	-Inf	100.02	3	Vertical	56	2.93	-	33.94	5.86	30.82
PK	5.3506G	65.64	74.00	-8.36	56.60	3	Vertical	56	2.93	-	34.00	5.88	30.84
AV	5.35G	51.44	54.00	-2.56	42.40	3	Vertical	56	2.93	-	34.00	5.88	30.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 20
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.319G	117.80	Inf	-Inf	108.82	3	Horizontal	179	1.95	-	33.94	5.86	30.82
AV	5.319G	107.17	Inf	-Inf	98.19	3	Horizontal	179	1.95	-	33.94	5.86	30.82
PK	5.3504G	67.41	74.00	-6.59	58.37	3	Horizontal	179	1.95	-	34.00	5.88	30.84
AV	5.3534G	51.78	54.00	-2.22	42.74	3	Horizontal	179	1.95	-	34.00	5.88	30.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64316G	53.71	74.00	-20.29	38.64	3	Vertical	2	1.13	-	38.40	8.53	31.86
AV	10.63682G	40.29	54.00	-13.71	25.23	3	Vertical	2	1.13	-	38.40	8.52	31.86
PK	15.96002G	60.18	74.00	-13.82	44.25	3	Vertical	152	1.84	-	37.44	10.48	31.99
AV	15.96308G	45.41	54.00	-8.59	29.46	3	Vertical	152	1.84	-	37.45	10.49	31.99

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64416G	54.18	74.00	-19.82	39.11	3	Horizontal	313	1.30	-	38.40	8.53	31.86
AV	10.64244G	40.26	54.00	-13.74	25.20	3	Horizontal	313	1.30	-	38.40	8.52	31.86
PK	15.96294G	59.57	74.00	-14.43	43.62	3	Horizontal	310	2.33	-	37.45	10.49	31.99
AV	15.96032G	45.61	54.00	-8.39	29.68	3	Horizontal	310	2.33	-	37.44	10.48	31.99

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 20.5
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	62.21	74.00	-11.79	53.07	3	Vertical	58	2.52	-	34.10	5.96	30.92
AV	5.4598G	49.57	54.00	-4.43	40.44	3	Vertical	58	2.52	-	34.10	5.96	30.93
PK	5.4698G	65.83	68.20	-2.37	56.70	3	Vertical	58	2.52	-	34.10	5.97	30.94
PK	5.4992G	118.93	Inf	-Inf	109.79	3	Vertical	58	2.52	-	34.10	6.00	30.96
AV	5.4994G	108.88	Inf	-Inf	99.74	3	Vertical	58	2.52	-	34.10	6.00	30.96

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 20.5
 02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	63.27	74.00	-10.73	54.14	3	Horizontal	57	2.76	-	34.10	5.96	30.93
AV	5.4598G	49.89	54.00	-4.11	40.76	3	Horizontal	57	2.76	-	34.10	5.96	30.93
PK	5.47G	67.67	68.20	-0.53	58.54	3	Horizontal	57	2.76	-	34.10	5.97	30.94
PK	5.4992G	119.16	Inf	-Inf	110.02	3	Horizontal	57	2.76	-	34.10	6.00	30.96
AV	5.4992G	108.99	Inf	-Inf	99.85	3	Horizontal	57	2.76	-	34.10	6.00	30.96

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 20.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9953G	54.28	74.00	-19.72	39.12	3	Vertical	1	1.34	-	38.50	8.65	31.99
AV	10.99582G	39.50	54.00	-14.50	24.34	3	Vertical	1	1.34	-	38.50	8.65	31.99
PK	16.49528G	61.29	68.20	-6.91	44.09	3	Vertical	314	2.38	-	38.88	10.67	32.35

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 20.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00118G	53.15	74.00	-20.85	37.99	3	Horizontal	142	2.90	-	38.50	8.65	31.99
AV	10.99584G	39.53	54.00	-14.47	24.37	3	Horizontal	142	2.90	-	38.50	8.65	31.99
PK	16.49974G	61.57	68.20	-6.63	44.35	3	Horizontal	198	1.49	-	38.90	10.67	32.35

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.384G	61.64	74.00	-12.36	52.62	3	Vertical	60	2.70	-	34.00	5.89	30.87
AV	5.3864G	48.81	54.00	-5.19	39.79	3	Vertical	60	2.70	-	34.00	5.89	30.87
PK	5.4696G	60.05	68.20	-8.15	50.92	3	Vertical	60	2.70	-	34.10	5.97	30.94
PK	5.5792G	119.92	Inf	-Inf	110.80	3	Vertical	60	2.70	-	34.04	6.08	31.00
AV	5.5792G	109.78	Inf	-Inf	100.66	3	Vertical	60	2.70	-	34.04	6.08	31.00
PK	5.752G	60.55	68.20	-7.65	51.53	3	Vertical	60	2.70	-	34.00	6.10	31.08

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3904G	62.46	74.00	-11.54	53.43	3	Horizontal	175	1.80	-	34.00	5.90	30.87
AV	5.3864G	51.09	54.00	-2.91	42.07	3	Horizontal	175	1.80	-	34.00	5.89	30.87
PK	5.4624G	60.22	68.20	-7.98	51.09	3	Horizontal	175	1.80	-	34.10	5.96	30.93
PK	5.5784G	118.93	Inf	-Inf	109.81	3	Horizontal	175	1.80	-	34.04	6.08	31.00
AV	5.5784G	107.82	Inf	-Inf	98.70	3	Horizontal	175	1.80	-	34.04	6.08	31.00
PK	5.7736G	61.42	68.20	-6.78	52.41	3	Horizontal	175	1.80	-	34.00	6.10	31.09

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16218G	54.41	74.00	-19.59	39.15	3	Vertical	173	2.78	-	38.60	8.71	32.05
AV	11.16014G	40.47	54.00	-13.53	25.20	3	Vertical	173	2.78	-	38.60	8.71	32.04
PK	16.73718G	61.55	68.20	-6.65	43.02	3	Vertical	227	1.85	-	40.02	10.76	32.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16164G	54.25	74.00	-19.75	38.98	3	Horizontal	29	1.99	-	38.60	8.71	32.04
AV	11.1603G	40.48	54.00	-13.52	25.21	3	Horizontal	29	1.99	-	38.60	8.71	32.04
PK	16.7412G	61.82	68.20	-6.38	43.25	3	Horizontal	226	1.71	-	40.05	10.76	32.24

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 20
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6992G	118.94	Inf	-Inf	109.89	3	Vertical	61	2.59	-	34.00	6.10	31.05
AV	5.6992G	108.71	Inf	-Inf	99.66	3	Vertical	61	2.59	-	34.00	6.10	31.05
PK	5.725G	64.38	68.20	-3.82	55.34	3	Vertical	61	2.59	-	34.00	6.10	31.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 20
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6992G	117.42	Inf	-Inf	108.37	3	Horizontal	170	1.90	-	34.00	6.10	31.05
AV	5.699G	107.18	Inf	-Inf	98.13	3	Horizontal	170	1.90	-	34.00	6.10	31.05
PK	5.728G	64.13	68.20	-4.07	55.09	3	Horizontal	170	1.90	-	34.00	6.10	31.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39968G	53.97	74.00	-20.03	38.61	3	Vertical	349	1.84	-	38.70	8.79	32.13
AV	11.40272G	40.07	54.00	-13.93	24.70	3	Vertical	349	1.84	-	38.71	8.79	32.13
PK	17.09684G	64.28	68.20	-3.92	44.12	3	Vertical	148	2.16	-	41.48	10.88	32.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40226G	53.84	74.00	-20.16	38.48	3	Horizontal	254	1.84	-	38.70	8.79	32.13
AV	11.39988G	40.11	54.00	-13.89	24.75	3	Horizontal	254	1.84	-	38.70	8.79	32.13
PK	17.10166G	64.36	68.20	-3.84	44.16	3	Horizontal	160	2.24	-	41.51	10.89	32.20

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.53G	61.42	68.20	-6.78	52.26	3	Vertical	43	1.97	-	34.10	6.03	30.97
PK	5.746G	117.58	Inf	-Inf	108.55	3	Vertical	43	1.97	-	34.00	6.10	31.07
AV	5.746G	108.12	Inf	-Inf	99.09	3	Vertical	43	1.97	-	34.00	6.10	31.07
PK	5.963G	60.70	68.20	-7.50	51.31	3	Vertical	43	1.97	-	34.30	6.26	31.17

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.554G	61.91	68.20	-6.29	52.75	3	Horizontal	169	1.80	-	34.09	6.05	30.98
PK	5.744G	118.20	Inf	-Inf	109.17	3	Horizontal	169	1.80	-	34.00	6.10	31.07
AV	5.744G	108.25	Inf	-Inf	99.22	3	Horizontal	169	1.80	-	34.00	6.10	31.07
PK	5.94G	61.08	68.20	-7.12	51.72	3	Horizontal	169	1.80	-	34.28	6.24	31.16

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49044G	54.32	74.00	-19.68	38.78	3	Vertical	21	2.96	-	38.88	8.82	32.16
AV	11.49G	41.18	54.00	-12.82	25.64	3	Vertical	21	2.96	-	38.88	8.82	32.16
PK	17.23104G	64.46	68.20	-3.74	43.86	3	Vertical	104	1.26	-	41.96	10.93	32.29

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48698G	54.57	74.00	-19.43	39.04	3	Horizontal	201	2.85	-	38.87	8.82	32.16
AV	11.48998G	41.10	54.00	-12.90	25.56	3	Horizontal	201	2.85	-	38.88	8.82	32.16
PK	17.2369G	64.54	68.20	-3.66	43.93	3	Horizontal	144	1.24	-	41.97	10.93	32.29

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.545G	60.61	68.20	-7.59	51.45	3	Vertical	44	1.80	-	34.10	6.04	30.98
PK	5.786G	117.85	Inf	-Inf	108.84	3	Vertical	44	1.80	-	34.00	6.10	31.09
AV	5.786G	107.94	Inf	-Inf	98.93	3	Vertical	44	1.80	-	34.00	6.10	31.09
PK	5.972G	60.80	68.20	-7.40	51.41	3	Vertical	44	1.80	-	34.30	6.27	31.18

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	62.08	68.20	-6.12	52.97	3	Horizontal	171	1.85	-	34.02	6.09	31.00
PK	5.784G	118.18	Inf	-Inf	109.17	3	Horizontal	171	1.85	-	34.00	6.10	31.09
AV	5.784G	108.35	Inf	-Inf	99.34	3	Horizontal	171	1.85	-	34.00	6.10	31.09
PK	5.98G	61.27	68.20	-6.93	51.87	3	Horizontal	171	1.85	-	34.30	6.28	31.18

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56624G	54.39	74.00	-19.61	38.42	3	Vertical	0	1.80	-	39.16	8.85	32.04
AV	11.57002G	40.87	54.00	-13.13	24.88	3	Vertical	0	1.80	-	39.18	8.85	32.04
PK	17.35264G	64.77	68.20	-3.43	43.35	3	Vertical	272	1.61	-	42.82	10.97	32.37

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56538G	55.19	74.00	-18.81	39.22	3	Horizontal	178	2.27	-	39.16	8.85	32.04
AV	11.57338G	40.80	54.00	-13.20	24.79	3	Horizontal	178	2.27	-	39.19	8.85	32.03
PK	17.35334G	65.35	68.20	-2.85	43.93	3	Horizontal	119	2.38	-	42.82	10.97	32.37

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	60.22	68.20	-7.98	51.22	3	Vertical	61	2.74	-	33.92	6.10	31.02
PK	5.824G	118.73	Inf	-Inf	109.72	3	Vertical	61	2.74	-	34.00	6.12	31.11
AV	5.824G	108.70	Inf	-Inf	99.69	3	Vertical	61	2.74	-	34.00	6.12	31.11
PK	6.02G	61.32	68.20	-6.88	51.84	3	Vertical	61	2.74	-	34.38	6.30	31.20

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	61.82	68.20	-6.38	52.81	3	Horizontal	171	1.94	-	33.93	6.10	31.02
PK	5.824G	117.53	Inf	-Inf	108.52	3	Horizontal	171	1.94	-	34.00	6.12	31.11
AV	5.824G	107.94	Inf	-Inf	98.93	3	Horizontal	171	1.94	-	34.00	6.12	31.11
PK	5.97G	61.07	68.20	-7.13	51.68	3	Horizontal	171	1.94	-	34.30	6.27	31.18

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64976G	55.71	74.00	-18.29	39.43	3	Vertical	15	2.92	-	39.30	8.88	31.90
AV	11.64984G	42.26	54.00	-11.74	25.98	3	Vertical	15	2.92	-	39.30	8.88	31.90
PK	17.47224G	65.48	68.20	-2.72	43.23	3	Vertical	346	3.00	-	43.68	11.02	32.45

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6481G	56.14	74.00	-17.86	39.86	3	Horizontal	185	1.68	-	39.30	8.88	31.90
AV	11.6458G	41.51	54.00	-12.49	25.23	3	Horizontal	185	1.68	-	39.30	8.88	31.90
PK	17.47826G	65.74	68.20	-2.46	43.45	3	Horizontal	308	2.41	-	43.73	11.02	32.46

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 19.5
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	65.36	74.00	-8.64	56.67	3	Vertical	60	2.00	-	33.60	5.77	30.68
AV	5.1498G	51.09	54.00	-2.91	42.40	3	Vertical	60	2.00	-	33.60	5.77	30.68
PK	5.1796G	120.81	Inf	-Inf	112.00	3	Vertical	60	2.00	-	33.72	5.79	30.70
AV	5.1792G	108.01	Inf	-Inf	99.20	3	Vertical	60	2.00	-	33.72	5.79	30.70

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
 Setting 19.5
 02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	64.61	74.00	-9.39	55.92	3	Horizontal	196	2.94	-	33.60	5.77	30.68
AV	5.15G	50.92	54.00	-3.08	42.22	3	Horizontal	196	2.94	-	33.60	5.78	30.68
PK	5.1812G	119.07	Inf	-Inf	110.26	3	Horizontal	196	2.94	-	33.72	5.79	30.70
AV	5.1818G	106.29	Inf	-Inf	97.48	3	Horizontal	196	2.94	-	33.73	5.79	30.71

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 19.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36376G	53.74	68.20	-14.46	38.62	3	Vertical	281	1.45	-	38.47	8.43	31.78
PK	15.54434G	60.01	74.00	-13.99	43.82	3	Vertical	48	2.61	-	37.82	10.32	31.95
AV	15.53804G	46.54	54.00	-7.46	30.32	3	Vertical	48	2.61	-	37.85	10.32	31.95

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 19.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35844G	53.92	68.20	-14.28	38.79	3	Horizontal	53	2.30	-	38.48	8.43	31.78
PK	15.54466G	60.86	74.00	-13.14	44.67	3	Horizontal	158	1.18	-	37.82	10.32	31.95
AV	15.54072G	46.46	54.00	-7.54	30.25	3	Horizontal	158	1.18	-	37.84	10.32	31.95

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 20.5
 02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.87	74.00	-6.13	59.17	3	Vertical	58	2.00	-	33.60	5.78	30.68
AV	5.15G	52.62	54.00	-1.38	43.92	3	Vertical	58	2.00	-	33.60	5.78	30.68
PK	5.2008G	120.16	Inf	-Inf	111.28	3	Vertical	58	2.00	-	33.80	5.80	30.72
AV	5.1992G	108.54	Inf	-Inf	99.66	3	Vertical	58	2.00	-	33.80	5.80	30.72

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 20.5
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	63.03	74.00	-10.97	54.34	3	Horizontal	195	2.82	-	33.60	5.77	30.68
AV	5.1444G	48.61	54.00	-5.39	39.93	3	Horizontal	195	2.82	-	33.59	5.77	30.68
PK	5.2036G	118.84	Inf	-Inf	109.96	3	Horizontal	195	2.82	-	33.80	5.80	30.72
AV	5.2016G	107.09	Inf	-Inf	98.21	3	Horizontal	195	2.82	-	33.80	5.80	30.72

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 20.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40264G	54.11	68.20	-14.09	39.06	3	Vertical	158	1.20	-	38.40	8.44	31.79
PK	15.5987G	59.76	74.00	-14.24	43.68	3	Vertical	186	2.37	-	37.70	10.34	31.96
AV	15.5953G	46.26	54.00	-7.74	30.17	3	Vertical	186	2.37	-	37.71	10.34	31.96

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 20.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39516G	53.43	68.20	-14.77	38.37	3	Horizontal	249	1.32	-	38.41	8.44	31.79
PK	15.59972G	59.34	74.00	-14.66	43.26	3	Horizontal	191	1.00	-	37.70	10.34	31.96
AV	15.59752G	46.20	54.00	-7.80	30.12	3	Horizontal	191	1.00	-	37.70	10.34	31.96

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	60.29	74.00	-13.71	51.62	3	Vertical	57	2.38	-	33.57	5.77	30.67
AV	5.147G	48.07	54.00	-5.93	39.39	3	Vertical	57	2.38	-	33.59	5.77	30.68
PK	5.2382G	119.98	Inf	-Inf	111.11	3	Vertical	57	2.38	-	33.80	5.82	30.75
AV	5.2388G	109.00	Inf	-Inf	100.13	3	Vertical	57	2.38	-	33.80	5.82	30.75
PK	5.3504G	60.77	74.00	-13.23	51.73	3	Vertical	57	2.38	-	34.00	5.88	30.84
AV	5.3762G	48.12	54.00	-5.88	39.09	3	Vertical	57	2.38	-	34.00	5.89	30.86

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1386G	59.97	74.00	-14.03	51.29	3	Horizontal	57	2.38	-	33.58	5.77	30.67
AV	5.1464G	48.00	54.00	-6.00	39.32	3	Horizontal	57	2.38	-	33.59	5.77	30.68
PK	5.2394G	120.09	Inf	-Inf	111.22	3	Horizontal	57	2.38	-	33.80	5.82	30.75
AV	5.2388G	108.86	Inf	-Inf	99.99	3	Horizontal	57	2.38	-	33.80	5.82	30.75
PK	5.3816G	60.92	74.00	-13.08	51.90	3	Horizontal	57	2.38	-	34.00	5.89	30.87
AV	5.3546G	48.14	54.00	-5.86	39.10	3	Horizontal	57	2.38	-	34.00	5.88	30.84

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47958G	54.39	68.20	-13.81	39.33	3	Vertical	179	2.59	-	38.40	8.47	31.81
PK	15.72052G	58.53	74.00	-15.47	42.39	3	Vertical	7	1.04	-	37.72	10.39	31.97
AV	15.71784G	45.38	54.00	-8.62	29.23	3	Vertical	7	1.04	-	37.73	10.39	31.97

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48126G	53.44	68.20	-14.76	38.38	3	Horizontal	72	2.71	-	38.40	8.47	31.81
PK	15.71632G	59.75	74.00	-14.25	43.60	3	Horizontal	64	1.41	-	37.73	10.39	31.97
AV	15.7181G	45.42	54.00	-8.58	29.27	3	Horizontal	64	1.41	-	37.73	10.39	31.97

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.62	74.00	-14.38	50.93	3	Vertical	55	2.33	-	33.60	5.77	30.68
AV	5.149G	47.77	54.00	-6.23	39.08	3	Vertical	55	2.33	-	33.60	5.77	30.68
PK	5.2612G	121.62	Inf	-Inf	112.74	3	Vertical	55	2.33	-	33.82	5.83	30.77
AV	5.2606G	108.77	Inf	-Inf	99.89	3	Vertical	55	2.33	-	33.82	5.83	30.77
PK	5.3848G	60.98	74.00	-13.02	51.96	3	Vertical	55	2.33	-	34.00	5.89	30.87
AV	5.35G	48.46	54.00	-5.54	39.42	3	Vertical	55	2.33	-	34.00	5.88	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	60.13	74.00	-13.87	51.45	3	Horizontal	194	2.73	-	33.59	5.77	30.68
AV	5.1358G	48.10	54.00	-5.90	39.43	3	Horizontal	194	2.73	-	33.57	5.77	30.67
PK	5.2618G	120.25	Inf	-Inf	111.37	3	Horizontal	194	2.73	-	33.82	5.83	30.77
AV	5.2618G	107.69	Inf	-Inf	98.81	3	Horizontal	194	2.73	-	33.82	5.83	30.77
PK	5.3914G	60.51	74.00	-13.49	51.48	3	Horizontal	194	2.73	-	34.00	5.90	30.87
AV	5.356G	48.53	54.00	-5.47	39.49	3	Horizontal	194	2.73	-	34.00	5.88	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51692G	54.35	68.20	-13.85	39.29	3	Vertical	177	2.46	-	38.40	8.48	31.82
PK	15.77978G	58.89	74.00	-15.11	42.97	3	Vertical	26	1.05	-	37.48	10.41	31.97
AV	15.7788G	44.93	54.00	-9.07	29.01	3	Vertical	26	1.05	-	37.48	10.41	31.97

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51682G	54.03	68.20	-14.17	38.97	3	Horizontal	354	1.26	-	38.40	8.48	31.82
PK	15.77898G	58.43	74.00	-15.57	42.51	3	Horizontal	312	2.42	-	37.48	10.41	31.97
AV	15.77616G	44.86	54.00	-9.14	28.92	3	Horizontal	312	2.42	-	37.50	10.41	31.97

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	120.71	Inf	-Inf	111.76	3	Vertical	57	2.81	-	33.90	5.85	30.80
AV	5.2992G	108.44	Inf	-Inf	99.49	3	Vertical	57	2.81	-	33.90	5.85	30.80
PK	5.35G	66.93	74.00	-7.07	57.89	3	Vertical	57	2.81	-	34.00	5.88	30.84
AV	5.35G	51.70	54.00	-2.30	42.66	3	Vertical	57	2.81	-	34.00	5.88	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2972G	118.13	Inf	-Inf	109.19	3	Horizontal	174	1.94	-	33.89	5.85	30.80
AV	5.2992G	107.28	Inf	-Inf	98.33	3	Horizontal	174	1.94	-	33.90	5.85	30.80
PK	5.35G	65.07	74.00	-8.93	56.03	3	Horizontal	174	1.94	-	34.00	5.88	30.84
AV	5.35G	51.63	54.00	-2.37	42.59	3	Horizontal	174	1.94	-	34.00	5.88	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60094G	53.75	74.00	-20.25	38.69	3	Vertical	299	2.80	-	38.40	8.51	31.85
AV	10.60086G	40.87	54.00	-13.13	25.81	3	Vertical	299	2.80	-	38.40	8.51	31.85
PK	15.90484G	58.88	74.00	-15.12	43.09	3	Vertical	103	1.73	-	37.31	10.46	31.98
AV	15.90492G	45.23	54.00	-8.77	29.44	3	Vertical	103	1.73	-	37.31	10.46	31.98

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60054G	54.75	74.00	-19.25	39.69	3	Horizontal	223	1.14	-	38.40	8.51	31.85
AV	10.6037G	40.86	54.00	-13.14	25.80	3	Horizontal	223	1.14	-	38.40	8.51	31.85
PK	15.905G	58.44	74.00	-15.56	42.65	3	Horizontal	33	2.71	-	37.31	10.46	31.98
AV	15.90448G	45.12	54.00	-8.88	29.33	3	Horizontal	33	2.71	-	37.31	10.46	31.98

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 20
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	120.73	Inf	-Inf	111.75	3	Vertical	57	2.94	-	33.93	5.86	30.81
AV	5.3178G	107.94	Inf	-Inf	98.95	3	Vertical	57	2.94	-	33.94	5.86	30.81
PK	5.35G	69.81	74.00	-4.19	60.77	3	Vertical	57	2.94	-	34.00	5.88	30.84
AV	5.35G	53.15	54.00	-0.85	44.11	3	Vertical	57	2.94	-	34.00	5.88	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 20
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3184G	118.55	Inf	-Inf	109.56	3	Horizontal	174	1.94	-	33.94	5.86	30.81
AV	5.3188G	106.67	Inf	-Inf	97.69	3	Horizontal	174	1.94	-	33.94	5.86	30.82
PK	5.35G	67.53	74.00	-6.47	58.49	3	Horizontal	174	1.94	-	34.00	5.88	30.84
AV	5.35G	53.16	54.00	-0.84	44.12	3	Horizontal	174	1.94	-	34.00	5.88	30.84

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64368G	54.46	74.00	-19.54	39.39	3	Vertical	240	2.80	-	38.40	8.53	31.86
AV	10.64054G	41.07	54.00	-12.93	26.01	3	Vertical	240	2.80	-	38.40	8.52	31.86
PK	15.96486G	59.31	74.00	-14.69	43.35	3	Vertical	305	2.50	-	37.46	10.49	31.99
AV	15.962G	46.12	54.00	-7.88	30.18	3	Vertical	305	2.50	-	37.45	10.48	31.99

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63862G	54.45	74.00	-19.55	39.39	3	Horizontal	88	1.47	-	38.40	8.52	31.86
AV	10.63684G	41.05	54.00	-12.95	25.99	3	Horizontal	88	1.47	-	38.40	8.52	31.86
PK	15.95996G	60.19	74.00	-13.81	44.26	3	Horizontal	359	1.29	-	37.44	10.48	31.99
AV	15.95886G	46.16	54.00	-7.84	30.23	3	Horizontal	359	1.29	-	37.44	10.48	31.99

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 20
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	62.47	74.00	-11.53	53.34	3	Vertical	57	2.76	-	34.10	5.96	30.93
AV	5.46G	49.69	54.00	-4.31	40.56	3	Vertical	57	2.76	-	34.10	5.96	30.93
PK	5.4684G	66.40	68.20	-1.80	57.26	3	Vertical	57	2.76	-	34.10	5.97	30.93
PK	5.4992G	119.78	Inf	-Inf	110.64	3	Vertical	57	2.76	-	34.10	6.00	30.96
AV	5.4988G	107.79	Inf	-Inf	98.65	3	Vertical	57	2.76	-	34.10	6.00	30.96

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 20
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	63.35	74.00	-10.65	54.22	3	Horizontal	173	1.93	-	34.10	5.96	30.93
AV	5.4582G	50.29	54.00	-3.71	41.16	3	Horizontal	173	1.93	-	34.10	5.96	30.93
PK	5.4684G	67.73	68.20	-0.47	58.59	3	Horizontal	173	1.93	-	34.10	5.97	30.93
PK	5.4986G	119.29	Inf	-Inf	110.15	3	Horizontal	173	1.93	-	34.10	6.00	30.96
AV	5.4974G	106.23	Inf	-Inf	97.09	3	Horizontal	173	1.93	-	34.10	6.00	30.96

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9996G	53.89	74.00	-20.11	38.73	3	Vertical	80	2.93	-	38.50	8.65	31.99
AV	10.99642G	40.45	54.00	-13.55	25.29	3	Vertical	80	2.93	-	38.50	8.65	31.99
PK	16.50142G	61.67	68.20	-6.53	44.44	3	Vertical	325	1.57	-	38.90	10.68	32.35

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9995G	53.66	74.00	-20.34	38.50	3	Horizontal	205	2.86	-	38.50	8.65	31.99
AV	10.99908G	40.38	54.00	-13.62	25.22	3	Horizontal	205	2.86	-	38.50	8.65	31.99
PK	16.50238G	62.07	68.20	-6.13	44.84	3	Horizontal	0	1.67	-	38.90	10.68	32.35

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3856G	60.19	74.00	-13.81	51.17	3	Vertical	64	1.96	-	34.00	5.89	30.87
AV	5.3864G	48.69	54.00	-5.31	39.67	3	Vertical	64	1.96	-	34.00	5.89	30.87
PK	5.4696G	59.64	68.20	-8.56	50.51	3	Vertical	64	1.96	-	34.10	5.97	30.94
PK	5.5792G	120.40	Inf	-Inf	111.28	3	Vertical	64	1.96	-	34.04	6.08	31.00
AV	5.5792G	108.66	Inf	-Inf	99.54	3	Vertical	64	1.96	-	34.04	6.08	31.00
PK	5.7784G	60.24	68.20	-7.96	51.23	3	Vertical	64	1.96	-	34.00	6.10	31.09

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3856G	64.14	74.00	-9.86	55.12	3	Horizontal	174	1.99	-	34.00	5.89	30.87
AV	5.3864G	50.80	54.00	-3.20	41.78	3	Horizontal	174	1.99	-	34.00	5.89	30.87
PK	5.4688G	59.96	68.20	-8.24	50.83	3	Horizontal	174	1.99	-	34.10	5.97	30.94
PK	5.5776G	119.45	Inf	-Inf	110.33	3	Horizontal	174	1.99	-	34.04	6.08	31.00
AV	5.5768G	107.40	Inf	-Inf	98.27	3	Horizontal	174	1.99	-	34.05	6.08	31.00
PK	5.7704G	62.13	68.20	-6.07	53.11	3	Horizontal	174	1.99	-	34.00	6.10	31.08

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15702G	54.57	74.00	-19.43	39.31	3	Vertical	36	1.80	-	38.60	8.70	32.04
AV	11.16008G	40.43	54.00	-13.57	25.16	3	Vertical	36	1.80	-	38.60	8.71	32.04
PK	16.74176G	61.96	68.20	-6.24	43.39	3	Vertical	190	1.98	-	40.05	10.76	32.24

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15982G	53.37	74.00	-20.63	38.10	3	Horizontal	336	2.45	-	38.60	8.71	32.04
AV	11.15566G	40.61	54.00	-13.39	25.35	3	Horizontal	336	2.45	-	38.60	8.70	32.04
PK	16.74366G	62.14	68.20	-6.06	43.56	3	Horizontal	17	1.59	-	40.06	10.76	32.24

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 18.5
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6994G	118.15	Inf	-Inf	109.10	3	Vertical	51	2.68	-	34.00	6.10	31.05
AV	5.6992G	105.98	Inf	-Inf	96.93	3	Vertical	51	2.68	-	34.00	6.10	31.05
PK	5.7254G	64.25	68.20	-3.95	55.21	3	Vertical	51	2.68	-	34.00	6.10	31.06

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 18.5
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6972G	117.59	Inf	-Inf	108.55	3	Horizontal	186	2.69	-	33.99	6.10	31.05
AV	5.6968G	105.07	Inf	-Inf	96.03	3	Horizontal	186	2.69	-	33.99	6.10	31.05
PK	5.7268G	66.45	68.20	-1.75	57.41	3	Horizontal	186	2.69	-	34.00	6.10	31.06

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 18.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39898G	54.34	74.00	-19.66	38.98	3	Vertical	323	2.89	-	38.70	8.79	32.13
AV	11.39976G	41.07	54.00	-12.93	25.71	3	Vertical	323	2.89	-	38.70	8.79	32.13
PK	17.09622G	63.92	68.20	-4.28	43.76	3	Vertical	2	1.20	-	41.48	10.88	32.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 18.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40102G	54.29	74.00	-19.71	38.93	3	Horizontal	234	2.86	-	38.70	8.79	32.13
AV	11.39822G	40.94	54.00	-13.06	25.58	3	Horizontal	234	2.86	-	38.70	8.79	32.13
PK	17.1023G	64.54	68.20	-3.66	44.34	3	Horizontal	267	2.70	-	41.51	10.89	32.20

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	60.50	68.20	-7.70	51.39	3	Vertical	53	2.76	-	34.02	6.09	31.00
PK	5.746G	120.07	Inf	-Inf	111.04	3	Vertical	53	2.76	-	34.00	6.10	31.07
AV	5.744G	108.01	Inf	-Inf	98.98	3	Vertical	53	2.76	-	34.00	6.10	31.07
PK	5.978G	61.09	68.20	-7.11	51.69	3	Vertical	53	2.76	-	34.30	6.28	31.18

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.554G	62.14	68.20	-6.06	52.98	3	Horizontal	186	2.64	-	34.09	6.05	30.98
PK	5.742G	118.75	Inf	-Inf	109.72	3	Horizontal	186	2.64	-	34.00	6.10	31.07
AV	5.741G	106.86	Inf	-Inf	97.83	3	Horizontal	186	2.64	-	34.00	6.10	31.07
PK	5.952G	61.25	68.20	-6.95	51.87	3	Horizontal	186	2.64	-	34.30	6.25	31.17

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48622G	54.66	74.00	-19.34	39.13	3	Vertical	360	1.61	-	38.87	8.82	32.16
AV	11.49162G	41.07	54.00	-12.93	25.53	3	Vertical	360	1.61	-	38.88	8.82	32.16
PK	17.23458G	64.97	68.20	-3.23	44.36	3	Vertical	333	2.13	-	41.97	10.93	32.29

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49008G	54.96	74.00	-19.04	39.42	3	Horizontal	205	1.78	-	38.88	8.82	32.16
AV	11.49232G	40.93	54.00	-13.07	25.39	3	Horizontal	205	1.78	-	38.88	8.82	32.16
PK	17.2356G	64.42	68.20	-3.78	43.81	3	Horizontal	256	1.97	-	41.97	10.93	32.29

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.573G	61.04	68.20	-7.16	51.91	3	Vertical	74	2.23	-	34.05	6.07	30.99
PK	5.784G	119.42	Inf	-Inf	110.41	3	Vertical	74	2.23	-	34.00	6.10	31.09
AV	5.784G	108.29	Inf	-Inf	99.28	3	Vertical	74	2.23	-	34.00	6.10	31.09
PK	6.008G	60.57	68.20	-7.63	51.13	3	Vertical	74	2.23	-	34.33	6.30	31.19

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	61.67	68.20	-6.53	52.56	3	Horizontal	173	2.74	-	34.02	6.09	31.00
PK	5.782G	119.17	Inf	-Inf	110.16	3	Horizontal	173	2.74	-	34.00	6.10	31.09
AV	5.782G	106.84	Inf	-Inf	97.83	3	Horizontal	173	2.74	-	34.00	6.10	31.09
PK	5.98G	61.17	68.20	-7.03	51.77	3	Horizontal	173	2.74	-	34.30	6.28	31.18

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56766G	54.72	74.00	-19.28	38.74	3	Vertical	280	2.04	-	39.17	8.85	32.04
AV	11.56818G	41.36	54.00	-12.64	25.38	3	Vertical	280	2.04	-	39.17	8.85	32.04
PK	17.35582G	65.38	68.20	-2.82	43.95	3	Vertical	153	2.93	-	42.83	10.97	32.37

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56822G	54.87	74.00	-19.13	38.89	3	Horizontal	258	1.59	-	39.17	8.85	32.04
AV	11.56812G	41.29	54.00	-12.71	25.31	3	Horizontal	258	1.59	-	39.17	8.85	32.04
PK	17.35432G	65.06	68.20	-3.14	43.63	3	Horizontal	298	2.93	-	42.83	10.97	32.37

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	60.57	68.20	-7.63	51.55	3	Vertical	61	2.69	-	33.94	6.10	31.02
PK	5.825G	118.74	Inf	-Inf	109.73	3	Vertical	61	2.69	-	34.00	6.12	31.11
AV	5.824G	107.96	Inf	-Inf	98.95	3	Vertical	61	2.69	-	34.00	6.12	31.11
PK	6.029G	61.77	68.20	-6.43	52.25	3	Vertical	61	2.69	-	34.42	6.30	31.20

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	60.64	68.20	-7.56	51.63	3	Horizontal	188	2.71	-	33.93	6.10	31.02
PK	5.819G	118.49	Inf	-Inf	109.49	3	Horizontal	188	2.71	-	34.00	6.11	31.11
AV	5.828G	107.10	Inf	-Inf	98.09	3	Horizontal	188	2.71	-	34.00	6.12	31.11
PK	6.069G	60.70	68.20	-7.50	51.11	3	Horizontal	188	2.71	-	34.50	6.30	31.21

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64996G	56.73	74.00	-17.27	40.45	3	Vertical	22	2.97	-	39.30	8.88	31.90
AV	11.6498G	43.55	54.00	-10.45	27.27	3	Vertical	22	2.97	-	39.30	8.88	31.90
PK	17.4789G	65.88	68.20	-2.32	43.59	3	Vertical	41	2.71	-	43.73	11.02	32.46

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6469G	54.81	74.00	-19.19	38.53	3	Horizontal	335	2.92	-	39.30	8.88	31.90
AV	11.65254G	41.70	54.00	-12.30	25.40	3	Horizontal	335	2.92	-	39.31	8.88	31.89
PK	17.47722G	65.79	68.20	-2.41	43.50	3	Horizontal	144	3.00	-	43.72	11.02	32.45

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 17
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.69	74.00	-7.31	57.99	3	Vertical	45	2.50	-	33.60	5.78	30.68
AV	5.1496G	53.53	54.00	-0.47	44.84	3	Vertical	45	2.50	-	33.60	5.77	30.68
PK	5.1984G	113.81	Inf	-Inf	104.94	3	Vertical	45	2.50	-	33.79	5.80	30.72
AV	5.1888G	102.28	Inf	-Inf	93.44	3	Vertical	45	2.50	-	33.76	5.79	30.71

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 17
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.15	74.00	-9.85	55.45	3	Horizontal	194	1.92	-	33.60	5.78	30.68
AV	5.15G	51.22	54.00	-2.78	42.52	3	Horizontal	194	1.92	-	33.60	5.78	30.68
PK	5.192G	113.86	Inf	-Inf	105.00	3	Horizontal	194	1.92	-	33.77	5.80	30.71
AV	5.1912G	101.26	Inf	-Inf	92.41	3	Horizontal	194	1.92	-	33.76	5.80	30.71

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 17
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38002G	53.73	68.20	-14.47	38.65	3	Vertical	171	1.42	-	38.44	8.43	31.79
PK	15.57002G	59.85	74.00	-14.15	43.72	3	Vertical	97	1.89	-	37.76	10.33	31.96
AV	15.57464G	46.66	54.00	-7.34	30.54	3	Vertical	97	1.89	-	37.75	10.33	31.96

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 17
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37788G	53.34	68.20	-14.86	38.26	3	Horizontal	166	1.67	-	38.44	8.43	31.79
PK	15.56704G	59.76	74.00	-14.24	43.62	3	Horizontal	337	1.84	-	37.77	10.33	31.96
AV	15.57G	46.56	54.00	-7.44	30.43	3	Horizontal	337	1.84	-	37.76	10.33	31.96

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 20.5
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.52	74.00	-7.48	57.83	3	Vertical	45	2.70	-	33.60	5.77	30.68
AV	5.149G	53.48	54.00	-0.52	44.79	3	Vertical	45	2.70	-	33.60	5.77	30.68
PK	5.2288G	118.12	Inf	-Inf	109.25	3	Vertical	45	2.70	-	33.80	5.81	30.74
AV	5.2282G	106.20	Inf	-Inf	97.33	3	Vertical	45	2.70	-	33.80	5.81	30.74
PK	5.3644G	64.25	74.00	-9.75	55.22	3	Vertical	45	2.70	-	34.00	5.88	30.85
AV	5.35G	49.81	54.00	-4.19	40.77	3	Vertical	45	2.70	-	34.00	5.88	30.84

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
 Setting 20.5
 02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1406G	67.46	74.00	-6.54	58.78	3	Horizontal	196	1.98	-	33.58	5.77	30.67
AV	5.1442G	53.05	54.00	-0.95	44.37	3	Horizontal	196	1.98	-	33.59	5.77	30.68
PK	5.233G	115.72	Inf	-Inf	106.85	3	Horizontal	196	1.98	-	33.80	5.82	30.75
AV	5.2318G	104.55	Inf	-Inf	95.68	3	Horizontal	196	1.98	-	33.80	5.82	30.75
PK	5.356G	64.89	74.00	-9.11	55.85	3	Horizontal	196	1.98	-	34.00	5.88	30.84
AV	5.3572G	48.98	54.00	-5.02	39.95	3	Horizontal	196	1.98	-	34.00	5.88	30.85

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 20.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46288G	54.25	68.20	-13.95	39.19	3	Vertical	348	2.91	-	38.40	8.46	31.80
PK	15.68746G	60.16	74.00	-13.84	43.98	3	Vertical	152	1.66	-	37.77	10.37	31.96
AV	15.6919G	45.70	54.00	-8.30	29.51	3	Vertical	152	1.66	-	37.78	10.38	31.97

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 20.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46056G	54.17	68.20	-14.03	39.11	3	Horizontal	67	1.05	-	38.40	8.46	31.80
PK	15.68642G	59.48	74.00	-14.52	43.30	3	Horizontal	262	1.22	-	37.77	10.37	31.96
AV	15.68616G	45.75	54.00	-8.25	29.57	3	Horizontal	262	1.22	-	37.77	10.37	31.96

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 20.5
 02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1386G	64.42	74.00	-9.58	55.74	3	Vertical	64	2.94	-	33.58	5.77	30.67
AV	5.1458G	48.93	54.00	-5.07	40.25	3	Vertical	64	2.94	-	33.59	5.77	30.68
PK	5.2676G	117.81	Inf	-Inf	108.91	3	Vertical	64	2.94	-	33.84	5.83	30.77
AV	5.267G	105.85	Inf	-Inf	96.96	3	Vertical	64	2.94	-	33.83	5.83	30.77
PK	5.35G	69.23	74.00	-4.77	60.19	3	Vertical	64	2.94	-	34.00	5.88	30.84
AV	5.35G	53.96	54.00	-0.04	44.92	3	Vertical	64	2.94	-	34.00	5.88	30.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 20.5
 02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	61.76	74.00	-12.24	53.07	3	Horizontal	196	2.82	-	33.60	5.77	30.68
AV	5.1446G	48.39	54.00	-5.61	39.71	3	Horizontal	196	2.82	-	33.59	5.77	30.68
PK	5.273G	116.00	Inf	-Inf	107.09	3	Horizontal	196	2.82	-	33.85	5.84	30.78
AV	5.273G	104.50	Inf	-Inf	95.59	3	Horizontal	196	2.82	-	33.85	5.84	30.78
PK	5.3564G	65.52	74.00	-8.48	56.49	3	Horizontal	196	2.82	-	34.00	5.88	30.85
AV	5.3552G	51.93	54.00	-2.07	42.89	3	Horizontal	196	2.82	-	34.00	5.88	30.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 20.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53644G	54.44	68.20	-13.76	39.37	3	Vertical	140	2.86	-	38.40	8.49	31.82
PK	15.80648G	58.28	74.00	-15.72	42.44	3	Vertical	62	1.12	-	37.39	10.42	31.97
AV	15.80704G	45.04	54.00	-8.96	29.20	3	Vertical	62	1.12	-	37.39	10.42	31.97

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 20.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54414G	53.83	68.20	-14.37	38.77	3	Horizontal	297	2.22	-	38.40	8.49	31.83
PK	15.81468G	58.71	74.00	-15.29	42.89	3	Horizontal	75	2.34	-	37.37	10.43	31.98
AV	15.80794G	45.03	54.00	-8.97	29.20	3	Horizontal	75	2.34	-	37.38	10.42	31.97

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 19.5
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3076G	116.86	Inf	-Inf	107.90	3	Vertical	52	2.88	-	33.92	5.85	30.81
AV	5.308G	104.92	Inf	-Inf	95.96	3	Vertical	52	2.88	-	33.92	5.85	30.81
PK	5.3572G	69.12	74.00	-4.88	60.09	3	Vertical	52	2.88	-	34.00	5.88	30.85
AV	5.35G	53.73	54.00	-0.27	44.69	3	Vertical	52	2.88	-	34.00	5.88	30.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 19.5
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3132G	113.98	Inf	-Inf	105.00	3	Horizontal	198	2.06	-	33.93	5.86	30.81
AV	5.3116G	102.46	Inf	-Inf	93.49	3	Horizontal	198	2.06	-	33.92	5.86	30.81
PK	5.3564G	69.67	74.00	-4.33	60.64	3	Horizontal	198	2.06	-	34.00	5.88	30.85
AV	5.35G	51.09	54.00	-2.91	42.05	3	Horizontal	198	2.06	-	34.00	5.88	30.84

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 19.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62134G	54.19	74.00	-19.81	39.12	3	Vertical	291	1.88	-	38.40	8.52	31.85
AV	10.62012G	41.06	54.00	-12.94	25.99	3	Vertical	291	1.88	-	38.40	8.52	31.85
PK	15.93474G	59.65	74.00	-14.35	43.79	3	Vertical	359	1.86	-	37.37	10.47	31.98
AV	15.93448G	46.01	54.00	-7.99	30.15	3	Vertical	359	1.86	-	37.37	10.47	31.98

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 19.5
 02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61746G	54.26	74.00	-19.74	39.19	3	Horizontal	153	2.54	-	38.40	8.52	31.85
AV	10.6177G	40.83	54.00	-13.17	25.76	3	Horizontal	153	2.54	-	38.40	8.52	31.85
PK	15.93494G	59.21	74.00	-14.79	43.35	3	Horizontal	150	2.15	-	37.37	10.47	31.98
AV	15.9287G	45.90	54.00	-8.10	30.05	3	Horizontal	150	2.15	-	37.36	10.47	31.98

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 19
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	64.23	74.00	-9.77	55.10	3	Vertical	68	2.09	-	34.10	5.96	30.93
AV	5.46G	51.15	54.00	-2.85	42.02	3	Vertical	68	2.09	-	34.10	5.96	30.93
PK	5.4684G	68.04	68.20	-0.16	58.90	3	Vertical	68	2.09	-	34.10	5.97	30.93
PK	5.5112G	117.54	Inf	-Inf	108.40	3	Vertical	68	2.09	-	34.10	6.01	30.97
AV	5.5092G	105.14	Inf	-Inf	95.99	3	Vertical	68	2.09	-	34.10	6.01	30.96

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 19
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	63.99	74.00	-10.01	54.85	3	Horizontal	189	2.73	-	34.10	5.96	30.92
AV	5.4588G	49.41	54.00	-4.59	40.28	3	Horizontal	189	2.73	-	34.10	5.96	30.93
PK	5.4656G	66.64	68.20	-1.56	57.50	3	Horizontal	189	2.73	-	34.10	5.97	30.93
PK	5.506G	115.00	Inf	-Inf	105.85	3	Horizontal	189	2.73	-	34.10	6.01	30.96
AV	5.506G	103.21	Inf	-Inf	94.06	3	Horizontal	189	2.73	-	34.10	6.01	30.96

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 19
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01684G	53.89	74.00	-20.11	38.73	3	Vertical	293	1.82	-	38.50	8.66	32.00
AV	11.01846G	40.06	54.00	-13.94	24.90	3	Vertical	293	1.82	-	38.50	8.66	32.00
PK	16.53474G	63.04	68.20	-5.16	45.71	3	Vertical	124	1.67	-	38.97	10.69	32.33

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 19
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01714G	53.49	74.00	-20.51	38.33	3	Horizontal	321	2.17	-	38.50	8.66	32.00
AV	11.01592G	40.01	54.00	-13.99	24.85	3	Horizontal	321	2.17	-	38.50	8.66	32.00
PK	16.5344G	62.04	68.20	-6.16	44.71	3	Horizontal	234	1.64	-	38.97	10.69	32.33

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 20.5
 02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.43G	66.37	74.00	-7.63	57.28	3	Vertical	57	2.67	-	34.06	5.93	30.90
PK	5.4696G	66.66	68.20	-1.54	57.53	3	Vertical	57	2.67	-	34.10	5.97	30.94
AV	5.4588G	50.62	54.00	-3.38	41.49	3	Vertical	57	2.67	-	34.10	5.96	30.93
PK	5.5488G	117.69	Inf	-Inf	108.52	3	Vertical	57	2.67	-	34.10	6.05	30.98
AV	5.5488G	106.53	Inf	-Inf	97.36	3	Vertical	57	2.67	-	34.10	6.05	30.98

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 20.5
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.43G	68.43	74.00	-5.57	59.34	3	Horizontal	196	1.99	-	34.06	5.93	30.90
PK	5.4666G	66.58	68.20	-1.62	57.44	3	Horizontal	196	1.99	-	34.10	5.97	30.93
AV	5.4594G	50.50	54.00	-3.50	41.37	3	Horizontal	196	1.99	-	34.10	5.96	30.93
PK	5.547G	116.01	Inf	-Inf	106.84	3	Horizontal	196	1.99	-	34.10	6.05	30.98
AV	5.547G	104.84	Inf	-Inf	95.67	3	Horizontal	196	1.99	-	34.10	6.05	30.98

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 20.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09982G	54.04	74.00	-19.96	38.78	3	Vertical	306	1.54	-	38.60	8.68	32.02
AV	11.10274G	40.62	54.00	-13.38	25.35	3	Vertical	306	1.54	-	38.60	8.69	32.02
PK	16.65372G	61.41	68.20	-6.79	43.53	3	Vertical	93	2.10	-	39.43	10.73	32.28

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 20.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10056G	53.75	74.00	-20.25	38.48	3	Horizontal	113	1.06	-	38.60	8.69	32.02
AV	11.10236G	40.65	54.00	-13.35	25.38	3	Horizontal	113	1.06	-	38.60	8.69	32.02
PK	16.64626G	61.15	68.20	-7.05	43.32	3	Horizontal	121	2.06	-	39.39	10.73	32.29

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6696G	116.72	Inf	-Inf	107.72	3	Vertical	71	2.08	-	33.94	6.10	31.04
AV	5.6708G	104.67	Inf	-Inf	95.67	3	Vertical	71	2.08	-	33.94	6.10	31.04
PK	5.7272G	68.10	68.20	-0.10	59.06	3	Vertical	71	2.08	-	34.00	6.10	31.06

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6652G	116.02	Inf	-Inf	107.03	3	Horizontal	184	2.72	-	33.93	6.10	31.04
AV	5.6668G	103.98	Inf	-Inf	94.99	3	Horizontal	184	2.72	-	33.93	6.10	31.04
PK	5.7268G	67.84	68.20	-0.36	58.80	3	Horizontal	184	2.72	-	34.00	6.10	31.06

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3354G	53.63	74.00	-20.37	38.36	3	Vertical	273	1.89	-	38.60	8.77	32.10
AV	11.33912G	40.52	54.00	-13.48	25.26	3	Vertical	273	1.89	-	38.60	8.77	32.11
PK	17.01366G	63.89	68.20	-4.31	44.13	3	Vertical	287	1.62	-	41.05	10.85	32.14

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33576G	53.74	74.00	-20.26	38.47	3	Horizontal	232	2.81	-	38.60	8.77	32.10
AV	11.33682G	40.59	54.00	-13.41	25.32	3	Horizontal	232	2.81	-	38.60	8.77	32.10
PK	17.01384G	64.13	68.20	-4.07	44.36	3	Horizontal	236	2.83	-	41.06	10.85	32.14



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	65.57	68.20	-2.63	56.49	3	Vertical	74	2.44	-	33.99	6.10	31.01
PK	5.754G	116.62	Inf	-Inf	107.60	3	Vertical	74	2.44	-	34.00	6.10	31.08
AV	5.754G	106.03	Inf	-Inf	97.01	3	Vertical	74	2.44	-	34.00	6.10	31.08
PK	5.979G	61.18	68.20	-7.02	51.78	3	Vertical	74	2.44	-	34.30	6.28	31.18

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	63.90	68.20	-4.30	54.92	3	Horizontal	191	2.64	-	33.91	6.10	31.03
PK	5.751G	116.30	Inf	-Inf	107.28	3	Horizontal	191	2.64	-	34.00	6.10	31.08
AV	5.751G	105.46	Inf	-Inf	96.44	3	Horizontal	191	2.64	-	34.00	6.10	31.08
PK	5.942G	61.91	68.20	-6.29	52.55	3	Horizontal	191	2.64	-	34.28	6.24	31.16

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50978G	54.83	74.00	-19.17	39.20	3	Vertical	13	2.89	-	38.94	8.83	32.14
AV	11.51142G	41.40	54.00	-12.60	25.76	3	Vertical	13	2.89	-	38.95	8.83	32.14
PK	17.26264G	64.76	68.20	-3.44	44.05	3	Vertical	217	2.94	-	42.08	10.94	32.31

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50804G	54.83	74.00	-19.17	39.22	3	Horizontal	314	2.13	-	38.93	8.83	32.15
AV	11.51174G	41.14	54.00	-12.86	25.50	3	Horizontal	314	2.13	-	38.95	8.83	32.14
PK	17.26642G	64.43	68.20	-3.77	43.70	3	Horizontal	220	1.23	-	42.10	10.94	32.31



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX



15/09/2023


EUT_Z_2TX
Setting 21
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	65.43	68.20	-2.77	56.46	3	Vertical	44	2.12	-	33.90	6.10	31.03
PK	5.796G	116.62	Inf	-Inf	107.62	3	Vertical	44	2.12	-	34.00	6.10	31.10
AV	5.796G	105.28	Inf	-Inf	96.28	3	Vertical	44	2.12	-	34.00	6.10	31.10
PK	5.94G	64.04	68.20	-4.16	54.68	3	Vertical	44	2.12	-	34.28	6.24	31.16



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	63.19	68.20	-5.01	54.21	3	Horizontal	184	2.62	-	33.91	6.10	31.03
PK	5.801G	116.87	Inf	-Inf	107.88	3	Horizontal	184	2.62	-	34.00	6.09	31.10
AV	5.8G	104.85	Inf	-Inf	95.86	3	Horizontal	184	2.62	-	34.00	6.09	31.10
PK	5.927G	62.85	68.20	-5.35	53.54	3	Horizontal	184	2.62	-	34.25	6.22	31.16

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59144G	55.52	74.00	-18.48	39.39	3	Vertical	1	1.80	-	39.27	8.86	32.00
AV	11.59002G	41.89	54.00	-12.11	25.77	3	Vertical	1	1.80	-	39.26	8.86	32.00
PK	17.38158G	65.35	68.20	-2.85	43.77	3	Vertical	288	1.94	-	42.99	10.98	32.39

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59078G	54.91	74.00	-19.09	38.79	3	Horizontal	94	2.30	-	39.26	8.86	32.00
AV	11.5901G	41.81	54.00	-12.19	25.69	3	Horizontal	94	2.30	-	39.26	8.86	32.00
PK	17.38214G	64.90	68.20	-3.30	43.32	3	Horizontal	233	1.75	-	42.99	10.98	32.39

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
 Setting 18.5
 02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	66.28	74.00	-7.72	57.59	3	Vertical	54	3.00	-	33.60	5.77	30.68
AV	5.149G	52.92	54.00	-1.08	44.23	3	Vertical	54	3.00	-	33.60	5.77	30.68
PK	5.207G	112.31	Inf	-Inf	103.44	3	Vertical	54	3.00	-	33.80	5.80	30.73
AV	5.207G	100.79	Inf	-Inf	91.92	3	Vertical	54	3.00	-	33.80	5.80	30.73
PK	5.381G	60.29	74.00	-13.71	51.26	3	Vertical	54	3.00	-	34.00	5.89	30.86
AV	5.368G	48.04	54.00	-5.96	39.01	3	Vertical	54	3.00	-	34.00	5.88	30.85

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 18.5
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	63.16	74.00	-10.84	54.48	3	Horizontal	199	1.92	-	33.59	5.77	30.68
AV	5.144G	50.05	54.00	-3.95	41.37	3	Horizontal	199	1.92	-	33.59	5.77	30.68
PK	5.202G	110.95	Inf	-Inf	102.07	3	Horizontal	199	1.92	-	33.80	5.80	30.72
AV	5.204G	99.47	Inf	-Inf	90.59	3	Horizontal	199	1.92	-	33.80	5.80	30.72
PK	5.373G	60.55	74.00	-13.45	51.52	3	Horizontal	199	1.92	-	34.00	5.89	30.86
AV	5.385G	48.24	54.00	-5.76	39.22	3	Horizontal	199	1.92	-	34.00	5.89	30.87

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 18.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41702G	53.78	68.20	-14.42	38.72	3	Vertical	3	3.00	-	38.40	8.45	31.79
PK	15.63118G	59.74	74.00	-14.26	43.65	3	Vertical	282	1.21	-	37.70	10.35	31.96
AV	15.627G	46.34	54.00	-7.66	30.25	3	Vertical	282	1.21	-	37.70	10.35	31.96

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 18.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41972G	53.91	68.20	-14.29	38.85	3	Horizontal	198	2.26	-	38.40	8.45	31.79
PK	15.632G	60.02	74.00	-13.98	43.93	3	Horizontal	2	2.22	-	37.70	10.35	31.96
AV	15.62706G	46.15	54.00	-7.85	30.06	3	Horizontal	2	2.22	-	37.70	10.35	31.96

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 19.5
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	61.54	74.00	-12.46	52.86	3	Vertical	51	2.76	-	33.58	5.77	30.67
AV	5.148G	49.49	54.00	-4.51	40.80	3	Vertical	51	2.76	-	33.60	5.77	30.68
PK	5.287G	112.88	Inf	-Inf	103.96	3	Vertical	51	2.76	-	33.87	5.84	30.79
AV	5.289G	102.24	Inf	-Inf	93.31	3	Vertical	51	2.76	-	33.88	5.84	30.79
PK	5.35G	67.14	74.00	-6.86	58.10	3	Vertical	51	2.76	-	34.00	5.88	30.84
AV	5.35G	53.04	54.00	-0.96	44.00	3	Vertical	51	2.76	-	34.00	5.88	30.84
PK	5.537G	61.36	68.20	-6.84	52.20	3	Vertical	51	2.76	-	34.10	6.04	30.98

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 19.5
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.049G	60.59	74.00	-13.41	51.97	3	Horizontal	197	1.95	-	33.50	5.72	30.60
AV	5.136G	48.35	54.00	-5.65	39.68	3	Horizontal	197	1.95	-	33.57	5.77	30.67
PK	5.293G	111.32	Inf	-Inf	102.37	3	Horizontal	197	1.95	-	33.89	5.85	30.79
AV	5.293G	100.15	Inf	-Inf	91.20	3	Horizontal	197	1.95	-	33.89	5.85	30.79
PK	5.352G	68.13	74.00	-5.87	59.09	3	Horizontal	197	1.95	-	34.00	5.88	30.84
AV	5.355G	52.40	54.00	-1.60	43.36	3	Horizontal	197	1.95	-	34.00	5.88	30.84
PK	5.48G	61.19	68.20	-7.01	52.05	3	Horizontal	197	1.95	-	34.10	5.98	30.94

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 19.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57874G	54.65	68.20	-13.55	39.59	3	Vertical	348	1.80	-	38.40	8.50	31.84
PK	15.87744G	58.22	74.00	-15.78	42.45	3	Vertical	282	2.63	-	37.30	10.45	31.98
AV	15.88206G	45.14	54.00	-8.86	29.37	3	Vertical	282	2.63	-	37.30	10.45	31.98

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 19.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59368G	54.94	68.20	-13.26	39.87	3	Horizontal	304	2.87	-	38.40	8.51	31.84
PK	15.88428G	58.49	74.00	-15.51	42.72	3	Horizontal	69	1.51	-	37.30	10.45	31.98
AV	15.88218G	45.13	54.00	-8.87	29.36	3	Horizontal	69	1.51	-	37.30	10.45	31.98

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 18.5
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	60.83	68.20	-7.37	51.82	3	Vertical	57	2.70	-	33.97	5.87	30.83
AV	5.35G	48.01	54.00	-5.99	38.98	3	Vertical	57	2.70	-	34.00	5.87	30.84
PK	5.459G	62.37	74.00	-11.63	53.24	3	Vertical	57	2.70	-	34.10	5.96	30.93
AV	5.46G	50.65	54.00	-3.35	41.52	3	Vertical	57	2.70	-	34.10	5.96	30.93
PK	5.47G	64.01	68.20	-4.19	54.88	3	Vertical	57	2.70	-	34.10	5.97	30.94
PK	5.527G	112.61	Inf	-Inf	103.45	3	Vertical	57	2.70	-	34.10	6.03	30.97
AV	5.528G	102.04	Inf	-Inf	92.88	3	Vertical	57	2.70	-	34.10	6.03	30.97
PK	5.743G	59.96	68.20	-8.24	50.93	3	Vertical	57	2.70	-	34.00	6.10	31.07

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 18.5
 02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.332G	60.79	68.20	-7.41	51.79	3	Horizontal	193	2.01	-	33.96	5.87	30.83
AV	5.35G	48.30	54.00	-5.70	39.27	3	Horizontal	193	2.01	-	34.00	5.87	30.84
PK	5.458G	61.41	74.00	-12.59	52.28	3	Horizontal	193	2.01	-	34.10	5.96	30.93
AV	5.455G	49.38	54.00	-4.62	40.24	3	Horizontal	193	2.01	-	34.10	5.96	30.92
PK	5.47G	63.83	68.20	-4.37	54.70	3	Horizontal	193	2.01	-	34.10	5.97	30.94
PK	5.534G	111.07	Inf	-Inf	101.92	3	Horizontal	193	2.01	-	34.10	6.03	30.98
AV	5.527G	99.87	Inf	-Inf	90.71	3	Horizontal	193	2.01	-	34.10	6.03	30.97
PK	5.761G	60.98	68.20	-7.22	51.96	3	Horizontal	193	2.01	-	34.00	6.10	31.08

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 18.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04668G	54.89	74.00	-19.11	39.73	3	Vertical	64	1.11	-	38.50	8.67	32.01
AV	11.0741G	40.83	54.00	-13.17	25.62	3	Vertical	64	1.11	-	38.55	8.68	32.02
PK	16.58388G	61.94	68.20	-6.26	44.41	3	Vertical	170	1.34	-	39.14	10.70	32.31

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 18.5
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07494G	53.53	74.00	-20.47	38.32	3	Horizontal	220	2.31	-	38.55	8.68	32.02
AV	11.07248G	40.60	54.00	-13.40	25.39	3	Horizontal	220	2.31	-	38.54	8.68	32.01
PK	16.59438G	62.49	68.20	-5.71	44.91	3	Horizontal	291	1.55	-	39.18	10.71	32.31

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	64.71	74.00	-9.29	55.57	3	Vertical	61	2.74	-	34.10	5.96	30.92
AV	5.458G	50.39	54.00	-3.61	41.26	3	Vertical	61	2.74	-	34.10	5.96	30.93
PK	5.468G	64.20	68.20	-4.00	55.06	3	Vertical	61	2.74	-	34.10	5.97	30.93
PK	5.609G	115.13	Inf	-Inf	106.06	3	Vertical	61	2.74	-	33.98	6.10	31.01
AV	5.609G	103.88	Inf	-Inf	94.81	3	Vertical	61	2.74	-	33.98	6.10	31.01
PK	5.73G	66.86	68.20	-1.34	57.83	3	Vertical	61	2.74	-	34.00	6.10	31.07

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.437G	62.42	74.00	-11.58	53.32	3	Horizontal	191	1.94	-	34.07	5.94	30.91
PK	5.465G	61.87	68.20	-6.33	52.74	3	Horizontal	191	1.94	-	34.10	5.96	30.93
AV	5.456G	49.25	54.00	-4.75	40.11	3	Horizontal	191	1.94	-	34.10	5.96	30.92
PK	5.607G	113.29	Inf	-Inf	104.21	3	Horizontal	191	1.94	-	33.99	6.10	31.01
AV	5.607G	101.75	Inf	-Inf	92.67	3	Horizontal	191	1.94	-	33.99	6.10	31.01
PK	5.727G	67.81	68.20	-0.39	58.77	3	Horizontal	191	1.94	-	34.00	6.10	31.06

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23536G	53.77	74.00	-20.23	38.44	3	Vertical	111	1.73	-	38.67	8.73	32.07
AV	11.23422G	40.85	54.00	-13.15	25.52	3	Vertical	111	1.73	-	38.67	8.73	32.07
PK	16.8333G	62.17	68.20	-6.03	43.18	3	Vertical	19	1.31	-	40.40	10.79	32.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 20
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22336G	53.77	74.00	-20.23	38.46	3	Horizontal	86	2.91	-	38.65	8.73	32.07
AV	11.22016G	40.46	54.00	-13.54	25.15	3	Horizontal	86	2.91	-	38.64	8.73	32.06
PK	16.83354G	62.52	68.20	-5.68	43.53	3	Horizontal	33	2.30	-	40.40	10.79	32.20

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	66.39	68.20	-1.81	57.34	3	Vertical	52	1.95	-	33.96	6.10	31.01
PK	5.776G	115.40	Inf	-Inf	106.39	3	Vertical	52	1.95	-	34.00	6.10	31.09
AV	5.776G	103.36	Inf	-Inf	94.35	3	Vertical	52	1.95	-	34.00	6.10	31.09
PK	5.926G	64.26	68.20	-3.94	54.95	3	Vertical	52	1.95	-	34.25	6.22	31.16

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.93	68.20	-0.27	58.96	3	Horizontal	188	2.74	-	33.90	6.10	31.03
PK	5.781G	115.32	Inf	-Inf	106.31	3	Horizontal	188	2.74	-	34.00	6.10	31.09
AV	5.781G	103.18	Inf	-Inf	94.17	3	Horizontal	188	2.74	-	34.00	6.10	31.09
PK	5.929G	64.29	68.20	-3.91	54.96	3	Horizontal	188	2.74	-	34.26	6.23	31.16

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5464G	54.79	74.00	-19.21	38.94	3	Vertical	210	1.80	-	39.09	8.84	32.08
AV	11.5644G	41.66	54.00	-12.34	25.70	3	Vertical	210	1.80	-	39.16	8.85	32.05
PK	17.3331G	65.57	68.20	-2.63	44.33	3	Vertical	153	1.77	-	42.63	10.97	32.36

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 21
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56284G	54.77	74.00	-19.23	38.82	3	Horizontal	124	2.83	-	39.15	8.85	32.05
AV	11.56278G	41.69	54.00	-12.31	25.74	3	Horizontal	124	2.83	-	39.15	8.85	32.05
PK	17.33772G	64.34	68.20	-3.86	43.05	3	Horizontal	150	2.48	-	42.68	10.97	32.36

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5250MHz_TX




EUT_Z_2TX
Setting 18
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	66.43	74.00	-7.57	57.75	3	Vertical	56	2.45	-	33.58	5.77	30.67
AV	5.1492G	53.78	54.00	-0.22	45.09	3	Vertical	56	2.45	-	33.60	5.77	30.68
PK	5.2388G	108.24	Inf	-Inf	99.37	3	Vertical	56	2.45	-	33.80	5.82	30.75
AV	5.2388G	97.77	Inf	-Inf	88.90	3	Vertical	56	2.45	-	33.80	5.82	30.75
PK	5.35G	63.43	74.00	-10.57	54.39	3	Vertical	56	2.45	-	34.00	5.88	30.84
AV	5.3796G	50.99	54.00	-3.01	41.96	3	Vertical	56	2.45	-	34.00	5.89	30.86
PK	5.4804G	60.26	68.20	-7.94	51.12	3	Vertical	56	2.45	-	34.10	5.98	30.94

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5250MHz_TX




EUT_Z_2TX
Setting 18
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	64.94	74.00	-9.06	56.25	3	Horizontal	181	1.88	-	33.60	5.77	30.68
AV	5.1476G	53.34	54.00	-0.66	44.65	3	Horizontal	181	1.88	-	33.60	5.77	30.68
PK	5.2468G	108.26	Inf	-Inf	99.40	3	Horizontal	181	1.88	-	33.80	5.82	30.76
AV	5.2468G	95.99	Inf	-Inf	87.13	3	Horizontal	181	1.88	-	33.80	5.82	30.76
PK	5.386G	63.65	74.00	-10.35	54.63	3	Horizontal	181	1.88	-	34.00	5.89	30.87
AV	5.3556G	51.46	54.00	-2.54	42.42	3	Horizontal	181	1.88	-	34.00	5.88	30.84
PK	5.6276G	61.35	68.20	-6.85	52.33	3	Horizontal	181	1.88	-	33.94	6.10	31.02

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5250MHz_TX




EUT_Z_2TX
Setting 18
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49764G	53.49	68.20	-14.71	38.43	3	Vertical	70	1.25	-	38.40	8.47	31.81
PK	15.75038G	58.04	74.00	-15.96	42.01	3	Vertical	320	1.81	-	37.60	10.40	31.97
AV	15.75364G	45.01	54.00	-8.99	28.99	3	Vertical	320	1.81	-	37.59	10.40	31.97

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5250MHz_TX




EUT_Z_2TX
Setting 18
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5009G	53.23	68.20	-14.97	38.16	3	Horizontal	297	2.18	-	38.40	8.48	31.81
PK	15.75214G	59.55	74.00	-14.45	43.53	3	Horizontal	176	1.06	-	37.59	10.40	31.97
AV	15.74728G	44.97	54.00	-9.03	28.93	3	Horizontal	176	1.06	-	37.61	10.40	31.97

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 18
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3412G	60.89	68.20	-7.31	51.87	3	Vertical	39	1.89	-	33.98	5.87	30.83
PK	5.442G	64.98	74.00	-9.02	55.87	3	Vertical	39	1.89	-	34.08	5.94	30.91
AV	5.45G	53.81	54.00	-0.19	44.68	3	Vertical	39	1.89	-	34.10	5.95	30.92
PK	5.4612G	63.92	68.20	-4.28	54.79	3	Vertical	39	1.89	-	34.10	5.96	30.93
PK	5.5716G	108.80	Inf	-Inf	99.66	3	Vertical	39	1.89	-	34.06	6.07	30.99
AV	5.5716G	96.41	Inf	-Inf	87.27	3	Vertical	39	1.89	-	34.06	6.07	30.99
PK	5.7316G	64.08	68.20	-4.12	55.05	3	Vertical	39	1.89	-	34.00	6.10	31.07

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 18
02-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	60.84	68.20	-7.36	51.85	3	Horizontal	180	2.58	-	33.95	5.86	30.82
PK	5.434G	66.04	74.00	-7.96	56.95	3	Horizontal	180	2.58	-	34.07	5.93	30.91
AV	5.4452G	53.12	54.00	-0.88	44.00	3	Horizontal	180	2.58	-	34.09	5.95	30.92
PK	5.466G	64.66	68.20	-3.54	55.52	3	Horizontal	180	2.58	-	34.10	5.97	30.93
PK	5.5684G	108.48	Inf	-Inf	99.34	3	Horizontal	180	2.58	-	34.06	6.07	30.99
AV	5.5652G	97.32	Inf	-Inf	88.17	3	Horizontal	180	2.58	-	34.07	6.07	30.99
PK	5.7252G	64.05	68.20	-4.15	55.01	3	Horizontal	180	2.58	-	34.00	6.10	31.06

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 18
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14188G	54.69	74.00	-19.31	39.43	3	Vertical	207	1.60	-	38.60	8.70	32.04
AV	11.1411G	40.44	54.00	-13.56	25.18	3	Vertical	207	1.60	-	38.60	8.70	32.04
PK	16.70888G	61.58	68.20	-6.62	43.24	3	Vertical	356	1.91	-	39.85	10.75	32.26

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Z_2TX
Setting 18
02-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13808G	53.94	74.00	-20.06	38.68	3	Horizontal	211	2.14	-	38.60	8.70	32.04
AV	11.1389G	40.19	54.00	-13.81	24.93	3	Horizontal	211	2.14	-	38.60	8.70	32.04
PK	16.70762G	61.11	68.20	-7.09	42.77	3	Horizontal	360	1.65	-	39.85	10.75	32.26




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	53.98	54.00	-0.02	3	Vertical	180	1.80	-

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 22
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	68.48	74.00	-5.52	60.75	3	Vertical	66	1.80	-	32.10	6.99	31.36
AV	5.1498G	50.22	54.00	-3.78	42.48	3	Vertical	66	1.80	-	32.10	7.00	31.36
PK	5.1814G	117.46	Inf	-Inf	109.87	3	Vertical	66	1.80	-	31.91	7.06	31.38
AV	5.1808G	105.33	Inf	-Inf	97.73	3	Vertical	66	1.80	-	31.92	7.06	31.38

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 22
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	65.12	74.00	-8.88	57.39	3	Horizontal	203	1.80	-	32.10	6.99	31.36
AV	5.1486G	49.58	54.00	-4.42	41.84	3	Horizontal	203	1.80	-	32.10	7.00	31.36
PK	5.1814G	118.16	Inf	-Inf	110.57	3	Horizontal	203	1.80	-	31.91	7.06	31.38
AV	5.181G	106.87	Inf	-Inf	99.28	3	Horizontal	203	1.80	-	31.91	7.06	31.38

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3549G	59.72	68.20	-8.48	42.39	3	Vertical	153	1.07	-	40.01	9.92	32.60
PK	15.5511G	62.00	74.00	-12.00	45.15	3	Vertical	320	1.80	-	38.89	10.79	32.83
AV	15.5504G	48.92	54.00	-5.08	32.06	3	Vertical	320	1.80	-	38.90	10.79	32.83

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3456G	59.13	68.20	-9.07	41.84	3	Horizontal	152	1.49	-	39.97	9.92	32.60
PK	15.5498G	62.42	74.00	-11.58	45.56	3	Horizontal	188	2.41	-	38.90	10.79	32.83
AV	15.5645G	48.88	54.00	-5.12	32.11	3	Horizontal	188	2.41	-	38.81	10.79	32.83

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 24
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	66.91	74.00	-7.09	59.17	3	Vertical	71	2.90	-	32.10	7.00	31.36
AV	5.1486G	52.82	54.00	-1.18	45.08	3	Vertical	71	2.90	-	32.10	7.00	31.36
PK	5.1992G	121.26	Inf	-Inf	113.75	3	Vertical	71	2.90	-	31.80	7.10	31.39
AV	5.2008G	109.21	Inf	-Inf	101.70	3	Vertical	71	2.90	-	31.80	7.10	31.39

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 24
 06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	63.20	74.00	-10.80	55.46	3	Horizontal	192	2.04	-	32.10	7.00	31.36
AV	5.149G	50.81	54.00	-3.19	43.07	3	Horizontal	192	2.04	-	32.10	7.00	31.36
PK	5.201G	119.67	Inf	-Inf	112.16	3	Horizontal	192	2.04	-	31.80	7.10	31.39
AV	5.201G	108.41	Inf	-Inf	100.90	3	Horizontal	192	2.04	-	31.80	7.10	31.39

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 24
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41495G	59.57	68.20	-8.63	42.11	3	Vertical	217	1.80	-	40.13	9.92	32.59
PK	15.5901G	62.39	74.00	-11.61	45.77	3	Vertical	144	2.53	-	38.66	10.80	32.84
AV	15.59665G	49.77	54.00	-4.23	33.19	3	Vertical	144	2.53	-	38.62	10.80	32.84

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 24
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3819G	58.41	68.20	-9.79	41.02	3	Horizontal	105	2.52	-	40.06	9.92	32.59
PK	15.6045G	61.85	74.00	-12.15	45.33	3	Horizontal	136	1.73	-	38.56	10.80	32.84
AV	15.60005G	49.06	54.00	-4.94	32.50	3	Horizontal	136	1.73	-	38.60	10.80	32.84

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1026G	60.31	74.00	-13.69	52.64	3	Vertical	43	1.80	-	32.10	6.91	31.34
AV	5.1488G	47.80	54.00	-6.20	40.06	3	Vertical	43	1.80	-	32.10	7.00	31.36
PK	5.2427G	121.09	Inf	-Inf	113.62	3	Vertical	43	1.80	-	31.63	7.25	31.41
AV	5.2391G	109.76	Inf	-Inf	102.29	3	Vertical	43	1.80	-	31.64	7.24	31.41
PK	5.3699G	60.83	74.00	-13.17	53.08	3	Vertical	43	1.80	-	31.54	7.69	31.48
AV	5.3882G	48.26	54.00	-5.74	40.41	3	Vertical	43	1.80	-	31.58	7.76	31.49

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
 Setting 26
 06-C-R-7 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1242G	60.56	74.00	-13.44	52.86	3	Horizontal	205	1.80	-	32.10	6.95	31.35
AV	5.1449G	48.38	54.00	-5.62	40.65	3	Horizontal	205	1.80	-	32.10	6.99	31.36
PK	5.2421G	118.68	Inf	-Inf	111.21	3	Horizontal	205	1.80	-	31.63	7.25	31.41
AV	5.2409G	105.89	Inf	-Inf	98.42	3	Horizontal	205	1.80	-	31.64	7.24	31.41
PK	5.3744G	60.28	74.00	-13.72	52.50	3	Horizontal	205	1.80	-	31.55	7.71	31.48
AV	5.3768G	47.87	54.00	-6.13	40.08	3	Horizontal	205	1.80	-	31.55	7.72	31.48

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48535G	59.74	68.20	-8.46	42.26	3	Vertical	0	1.80	-	40.13	9.92	32.57
PK	15.72005G	62.91	74.00	-11.09	46.70	3	Vertical	64	2.93	-	38.24	10.83	32.86
AV	15.71965G	49.43	54.00	-4.57	33.22	3	Vertical	64	2.93	-	38.24	10.83	32.86

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47705G	59.78	68.20	-8.42	42.28	3	Horizontal	47	2.95	-	40.15	9.92	32.57
PK	15.7205G	65.91	74.00	-8.09	49.70	3	Horizontal	18	1.80	-	38.24	10.83	32.86
AV	15.71865G	51.67	54.00	-2.33	35.46	3	Horizontal	18	1.80	-	38.24	10.83	32.86

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	60.51	74.00	-13.49	52.78	3	Vertical	65	1.97	-	32.10	6.99	31.36
AV	5.1496G	47.77	54.00	-6.23	40.03	3	Vertical	65	1.97	-	32.10	7.00	31.36
PK	5.2591G	119.67	Inf	-Inf	112.20	3	Vertical	65	1.97	-	31.58	7.31	31.42
AV	5.2591G	108.92	Inf	-Inf	101.45	3	Vertical	65	1.97	-	31.58	7.31	31.42
PK	5.3617G	60.10	74.00	-13.90	52.39	3	Vertical	65	1.97	-	31.52	7.67	31.48
AV	5.3569G	48.30	54.00	-5.70	40.61	3	Vertical	65	1.97	-	31.51	7.65	31.47

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1361G	60.28	74.00	-13.72	52.56	3	Horizontal	194	1.87	-	32.10	6.97	31.35
AV	5.149G	47.63	54.00	-6.37	39.89	3	Horizontal	194	1.87	-	32.10	7.00	31.36
PK	5.2624G	120.08	Inf	-Inf	112.60	3	Horizontal	194	1.87	-	31.58	7.32	31.42
AV	5.2609G	108.54	Inf	-Inf	101.07	3	Horizontal	194	1.87	-	31.58	7.31	31.42
PK	5.41G	61.14	74.00	-12.86	53.24	3	Horizontal	194	1.87	-	31.64	7.76	31.50
AV	5.3503G	48.15	54.00	-5.85	40.49	3	Horizontal	194	1.87	-	31.50	7.63	31.47

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53105G	59.88	68.20	-8.32	42.42	3	Vertical	253	1.98	-	40.10	9.93	32.57
PK	15.7841G	62.61	74.00	-11.39	46.34	3	Vertical	9	1.98	-	38.30	10.85	32.88
AV	15.78195G	49.04	54.00	-4.96	32.77	3	Vertical	9	1.98	-	38.30	10.85	32.88

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4956G	59.64	68.20	-8.56	42.18	3	Horizontal	142	1.94	-	40.11	9.92	32.57
PK	15.78145G	65.94	74.00	-8.06	49.67	3	Horizontal	16	1.76	-	38.30	10.85	32.88
AV	15.781G	52.59	54.00	-1.41	36.32	3	Horizontal	16	1.76	-	38.30	10.85	32.88

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 26
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	121.21	Inf	-Inf	113.69	3	Vertical	46	2.06	-	31.50	7.46	31.44
AV	5.3016G	111.56	Inf	-Inf	104.04	3	Vertical	46	2.06	-	31.50	7.46	31.44
PK	5.3508G	64.19	74.00	-9.81	56.53	3	Vertical	46	2.06	-	31.50	7.63	31.47
AV	5.35G	52.69	54.00	-1.31	45.03	3	Vertical	46	2.06	-	31.50	7.63	31.47

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 26
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2924G	119.59	Inf	-Inf	112.09	3	Horizontal	170	1.80	-	31.52	7.42	31.44
AV	5.2914G	108.31	Inf	-Inf	100.81	3	Horizontal	170	1.80	-	31.52	7.42	31.44
PK	5.3778G	61.46	74.00	-12.54	53.66	3	Horizontal	170	1.80	-	31.56	7.72	31.48
AV	5.3516G	48.87	54.00	-5.13	41.21	3	Horizontal	170	1.80	-	31.50	7.63	31.47

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58715G	59.70	68.20	-8.50	42.16	3	Vertical	290	1.21	-	40.17	9.93	32.56
AV	10.6048G	46.61	54.00	-7.39	29.04	3	Vertical	290	1.21	-	40.20	9.93	32.56
PK	15.9007G	61.06	74.00	-12.94	45.08	3	Vertical	327	2.92	-	38.00	10.88	32.90
AV	15.8992G	48.34	54.00	-5.66	32.37	3	Vertical	327	2.92	-	38.00	10.87	32.90

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59815G	60.24	68.20	-7.96	42.67	3	Horizontal	290	2.43	-	40.20	9.93	32.56
PK	15.90815G	63.94	74.00	-10.06	47.98	3	Horizontal	40	1.80	-	37.98	10.88	32.90
AV	15.9005G	49.51	54.00	-4.49	33.53	3	Horizontal	40	1.80	-	38.00	10.88	32.90

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 23
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	119.48	Inf	-Inf	111.92	3	Vertical	72	1.80	-	31.50	7.51	31.45
AV	5.3208G	106.47	Inf	-Inf	98.90	3	Vertical	72	1.80	-	31.50	7.52	31.45
PK	5.3516G	73.72	74.00	-0.28	66.06	3	Vertical	72	1.80	-	31.50	7.63	31.47
AV	5.35G	53.38	54.00	-0.62	45.72	3	Vertical	72	1.80	-	31.50	7.63	31.47

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 23
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	118.62	Inf	-Inf	111.05	3	Horizontal	200	1.91	-	31.50	7.52	31.45
AV	5.321G	106.45	Inf	-Inf	98.88	3	Horizontal	200	1.91	-	31.50	7.52	31.45
PK	5.3504G	62.81	74.00	-11.19	55.15	3	Horizontal	200	1.91	-	31.50	7.63	31.47
AV	5.35G	49.59	54.00	-4.41	41.93	3	Horizontal	200	1.91	-	31.50	7.63	31.47

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 23
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6378G	59.07	74.00	-14.93	41.50	3	Vertical	19	2.84	-	40.20	9.93	32.56
AV	10.6208G	46.64	54.00	-7.36	29.07	3	Vertical	19	2.84	-	40.20	9.93	32.56
PK	15.95838G	61.06	74.00	-12.94	45.18	3	Vertical	211	1.80	-	37.90	10.89	32.91
AV	15.95787G	47.81	54.00	-6.19	31.93	3	Vertical	211	1.80	-	37.90	10.89	32.91

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 23
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6255G	59.23	74.00	-14.77	41.66	3	Horizontal	150	2.52	-	40.20	9.93	32.56
AV	10.63175G	46.50	54.00	-7.50	28.93	3	Horizontal	150	2.52	-	40.20	9.93	32.56
PK	15.95547G	63.23	74.00	-10.77	47.35	3	Horizontal	0	1.80	-	37.90	10.89	32.91
AV	15.95409G	50.26	54.00	-3.74	34.38	3	Horizontal	0	1.80	-	37.90	10.89	32.91

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 22
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4002G	60.64	74.00	-13.36	52.74	3	Vertical	49	1.96	-	31.60	7.80	31.50
AV	5.4324G	48.31	54.00	-5.69	40.42	3	Vertical	49	1.96	-	31.73	7.67	31.51
PK	5.4668G	60.91	68.20	-7.29	53.08	3	Vertical	49	1.96	-	31.83	7.53	31.53
PK	5.5014G	119.04	Inf	-Inf	111.30	3	Vertical	49	1.96	-	31.90	7.39	31.55
AV	5.499G	106.60	Inf	-Inf	98.85	3	Vertical	49	1.96	-	31.90	7.40	31.55

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 22
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4004G	61.41	74.00	-12.59	53.51	3	Horizontal	204	1.80	-	31.60	7.80	31.50
AV	5.4066G	48.50	54.00	-5.50	40.60	3	Horizontal	204	1.80	-	31.63	7.77	31.50
PK	5.4698G	61.04	68.20	-7.16	53.21	3	Horizontal	204	1.80	-	31.84	7.52	31.53
PK	5.5012G	117.98	Inf	-Inf	110.23	3	Horizontal	204	1.80	-	31.90	7.40	31.55
AV	5.501G	105.63	Inf	-Inf	97.88	3	Horizontal	204	1.80	-	31.90	7.40	31.55

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0101G	60.34	74.00	-13.66	42.46	3	Vertical	244	1.09	-	40.46	9.95	32.53
AV	10.9816G	47.42	54.00	-6.58	29.45	3	Vertical	244	1.09	-	40.54	9.95	32.52
PK	16.50305G	63.08	68.20	-5.12	44.99	3	Vertical	319	2.12	-	39.69	11.20	32.80

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99335G	60.65	74.00	-13.35	42.71	3	Horizontal	264	1.15	-	40.51	9.95	32.52
AV	10.9892G	47.49	54.00	-6.51	29.54	3	Horizontal	264	1.15	-	40.52	9.95	32.52
PK	16.497G	63.55	68.20	-4.65	45.45	3	Horizontal	350	2.76	-	39.69	11.20	32.79

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 27
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3868G	61.16	74.00	-12.84	53.33	3	Vertical	63	1.78	-	31.57	7.75	31.49
AV	5.388G	48.58	54.00	-5.42	40.73	3	Vertical	63	1.78	-	31.58	7.76	31.49
PK	5.47G	59.73	68.20	-8.47	51.90	3	Vertical	63	1.78	-	31.84	7.52	31.53
PK	5.5828G	121.98	Inf	-Inf	114.64	3	Vertical	63	1.78	-	31.83	7.07	31.56
AV	5.5816G	111.07	Inf	-Inf	103.72	3	Vertical	63	1.78	-	31.84	7.07	31.56
PK	5.7696G	60.19	68.20	-8.01	52.53	3	Vertical	63	1.78	-	32.24	7.00	31.58

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 27
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3876G	63.98	74.00	-10.02	56.13	3	Horizontal	158	1.80	-	31.58	7.76	31.49
AV	5.386G	52.66	54.00	-1.34	44.83	3	Horizontal	158	1.80	-	31.57	7.75	31.49
PK	5.4688G	60.44	68.20	-7.76	52.61	3	Horizontal	158	1.80	-	31.84	7.52	31.53
PK	5.5792G	121.53	Inf	-Inf	114.17	3	Horizontal	158	1.80	-	31.84	7.08	31.56
AV	5.5804G	110.30	Inf	-Inf	102.94	3	Horizontal	158	1.80	-	31.84	7.08	31.56
PK	5.7696G	62.61	68.20	-5.59	54.95	3	Horizontal	158	1.80	-	32.24	7.00	31.58

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 27
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1353G	58.92	74.00	-15.08	41.60	3	Vertical	186	1.85	-	39.96	9.96	32.60
AV	11.18335G	46.51	54.00	-7.49	29.34	3	Vertical	186	1.85	-	39.83	9.96	32.62
PK	16.7318G	64.02	68.20	-4.18	45.77	3	Vertical	68	1.67	-	40.09	11.34	33.18

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 27
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17835G	59.56	74.00	-14.44	42.38	3	Horizontal	101	2.22	-	39.84	9.96	32.62
AV	11.17775G	46.41	54.00	-7.59	29.23	3	Horizontal	101	2.22	-	39.84	9.96	32.62
PK	16.72505G	63.60	68.20	-4.60	45.38	3	Horizontal	360	1.80	-	40.05	11.34	33.17

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 23
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	116.34	Inf	-Inf	109.01	3	Vertical	84	1.80	-	31.90	7.00	31.57
AV	5.6994G	104.71	Inf	-Inf	97.38	3	Vertical	84	1.80	-	31.90	7.00	31.57
PK	5.7255G	68.08	68.20	-0.12	60.61	3	Vertical	84	1.80	-	32.05	7.00	31.58

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 23
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6973G	119.38	Inf	-Inf	112.06	3	Horizontal	175	3.00	-	31.89	7.00	31.57
AV	5.6988G	107.07	Inf	-Inf	99.74	3	Horizontal	175	3.00	-	31.90	7.00	31.57
PK	5.7282G	66.49	68.20	-1.71	59.00	3	Horizontal	175	3.00	-	32.07	7.00	31.58

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 23
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37535G	59.57	74.00	-14.43	42.38	3	Vertical	21	2.61	-	39.95	9.97	32.73
AV	11.4011G	46.91	54.00	-7.09	29.68	3	Vertical	21	2.61	-	40.00	9.97	32.74
PK	17.09465G	63.63	68.20	-4.57	45.33	3	Vertical	184	1.85	-	40.22	11.56	33.48

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 23
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4015G	60.11	74.00	-13.89	42.88	3	Horizontal	47	1.26	-	40.00	9.97	32.74
AV	11.37925G	47.57	54.00	-6.43	30.37	3	Horizontal	47	1.26	-	39.96	9.97	32.73
PK	17.1045G	64.37	68.20	-3.83	46.07	3	Horizontal	106	2.98	-	40.21	11.56	33.47

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 27
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5155G	60.75	68.20	-7.45	53.06	3	Vertical	55	1.80	-	31.90	7.34	31.55
PK	5.7435G	122.87	Inf	-Inf	115.29	3	Vertical	55	1.80	-	32.16	7.00	31.58
AV	5.744G	111.11	Inf	-Inf	103.53	3	Vertical	55	1.80	-	32.16	7.00	31.58
PK	5.9915G	60.62	68.20	-7.58	52.81	3	Vertical	55	1.80	-	32.52	6.90	31.61

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 27
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	65.25	68.20	-2.95	58.11	3	Horizontal	164	1.80	-	31.71	7.00	31.57
PK	5.744G	122.41	Inf	-Inf	114.83	3	Horizontal	164	1.80	-	32.16	7.00	31.58
AV	5.744G	111.33	Inf	-Inf	103.75	3	Horizontal	164	1.80	-	32.16	7.00	31.58
PK	5.9435G	62.59	68.20	-5.61	54.67	3	Horizontal	164	1.80	-	32.59	6.93	31.60

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 27
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4845G	60.04	74.00	-13.96	42.79	3	Vertical	27	1.37	-	40.07	9.97	32.79
AV	11.47965G	47.23	54.00	-6.77	29.99	3	Vertical	27	1.37	-	40.06	9.97	32.79
PK	17.24625G	64.33	68.20	-3.87	45.42	3	Vertical	268	1.23	-	40.51	11.65	33.25

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 27
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49055G	60.26	74.00	-13.74	43.00	3	Horizontal	242	2.10	-	40.08	9.97	32.79
AV	11.4823G	48.54	54.00	-5.46	31.30	3	Horizontal	242	2.10	-	40.06	9.97	32.79
PK	17.2574G	64.94	68.20	-3.26	45.98	3	Horizontal	356	1.00	-	40.54	11.65	33.23

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 27
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5425G	59.96	68.20	-8.24	52.39	3	Vertical	47	1.98	-	31.90	7.23	31.56
PK	5.783G	121.58	Inf	-Inf	113.89	3	Vertical	47	1.98	-	32.27	7.00	31.58
AV	5.786G	110.36	Inf	-Inf	102.67	3	Vertical	47	1.98	-	32.27	7.00	31.58
PK	5.9685G	60.83	68.20	-7.37	52.96	3	Vertical	47	1.98	-	32.56	6.92	31.61

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 27
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	62.56	68.20	-5.64	55.26	3	Horizontal	168	1.77	-	31.82	7.04	31.56
PK	5.783G	122.10	Inf	-Inf	114.41	3	Horizontal	168	1.77	-	32.27	7.00	31.58
AV	5.784G	111.47	Inf	-Inf	103.78	3	Horizontal	168	1.77	-	32.27	7.00	31.58
PK	5.9705G	61.69	68.20	-6.51	53.83	3	Horizontal	168	1.77	-	32.56	6.91	31.61

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 27
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5605G	60.19	74.00	-13.81	42.99	3	Vertical	140	1.80	-	40.04	9.98	32.82
AV	11.5715G	47.10	54.00	-6.90	29.98	3	Vertical	140	1.80	-	39.97	9.98	32.83
PK	17.354G	64.67	68.20	-3.53	44.69	3	Vertical	280	1.80	-	41.35	11.71	33.08

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 27
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5704G	62.25	74.00	-11.75	45.12	3	Horizontal	41	1.80	-	39.98	9.98	32.83
AV	11.57225G	49.03	54.00	-4.97	31.91	3	Horizontal	41	1.80	-	39.97	9.98	32.83
PK	17.3797G	65.33	68.20	-2.87	44.99	3	Horizontal	271	2.02	-	41.66	11.73	33.05

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 27
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5985G	59.53	68.20	-8.67	52.28	3	Vertical	58	1.92	-	31.80	7.01	31.56
PK	5.8265G	121.28	Inf	-Inf	113.58	3	Vertical	58	1.92	-	32.30	6.99	31.59
AV	5.8245G	110.74	Inf	-Inf	103.04	3	Vertical	58	1.92	-	32.30	6.99	31.59
PK	5.943G	61.39	68.20	-6.81	53.47	3	Vertical	58	1.92	-	32.59	6.93	31.60

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 27
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6345G	61.29	68.20	-6.91	54.13	3	Horizontal	183	3.00	-	31.73	7.00	31.57
PK	5.8245G	121.20	Inf	-Inf	113.50	3	Horizontal	183	3.00	-	32.30	6.99	31.59
AV	5.824G	111.05	Inf	-Inf	103.35	3	Horizontal	183	3.00	-	32.30	6.99	31.59
PK	5.9285G	61.71	68.20	-6.49	53.81	3	Horizontal	183	3.00	-	32.56	6.94	31.60

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 27
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65275G	59.48	74.00	-14.52	42.97	3	Vertical	32	1.26	-	39.39	9.98	32.86
AV	11.64675G	46.24	54.00	-7.76	29.69	3	Vertical	32	1.26	-	39.43	9.98	32.86
PK	17.46385G	66.23	68.20	-1.97	45.03	3	Vertical	71	1.76	-	42.34	11.78	32.92

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 27
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64845G	61.00	74.00	-13.00	44.47	3	Horizontal	42	1.68	-	39.41	9.98	32.86
AV	11.64985G	48.65	54.00	-5.35	32.13	3	Horizontal	42	1.68	-	39.40	9.98	32.86
PK	17.4992G	67.37	68.20	-0.83	45.74	3	Horizontal	343	2.48	-	42.69	11.80	32.86

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 21
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1015G	64.84	74.00	-9.16	57.17	3	Vertical	52	1.80	-	32.10	6.90	31.33
AV	5.1495G	51.77	54.00	-2.23	44.03	3	Vertical	52	1.80	-	32.10	7.00	31.36
PK	5.1882G	113.81	Inf	-Inf	106.24	3	Vertical	52	1.80	-	31.87	7.08	31.38
AV	5.1909G	101.93	Inf	-Inf	94.38	3	Vertical	52	1.80	-	31.85	7.08	31.38

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 21
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1339G	68.11	74.00	-5.89	60.39	3	Horizontal	194	1.77	-	32.10	6.97	31.35
AV	5.15G	49.36	54.00	-4.64	41.62	3	Horizontal	194	1.77	-	32.10	7.00	31.36
PK	5.1873G	114.95	Inf	-Inf	107.38	3	Horizontal	194	1.77	-	31.88	7.07	31.38
AV	5.1888G	103.11	Inf	-Inf	95.54	3	Horizontal	194	1.77	-	31.87	7.08	31.38

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




15/09/2023

EUT_Z_2TX
Setting 21
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3842G	59.56	68.20	-8.64	42.16	3	Vertical	306	2.78	-	40.07	9.92	32.59
PK	15.5695G	62.05	74.00	-11.95	45.31	3	Vertical	27	1.22	-	38.78	10.79	32.83
AV	15.5688G	48.95	54.00	-5.05	32.20	3	Vertical	27	1.22	-	38.79	10.79	32.83

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 21
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3823G	59.38	68.20	-8.82	41.99	3	Horizontal	39	1.80	-	40.06	9.92	32.59
PK	15.5556G	62.24	74.00	-11.76	45.41	3	Horizontal	315	1.22	-	38.87	10.79	32.83
AV	15.56495G	49.17	54.00	-4.83	32.40	3	Horizontal	315	1.22	-	38.81	10.79	32.83

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 24
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1292G	73.63	74.00	-0.37	65.92	3	Vertical	52	1.80	-	32.10	6.96	31.35
AV	5.1499G	49.01	54.00	-4.99	41.27	3	Vertical	52	1.80	-	32.10	7.00	31.36
PK	5.2312G	118.96	Inf	-Inf	111.47	3	Vertical	52	1.80	-	31.68	7.21	31.40
AV	5.2318G	106.65	Inf	-Inf	99.18	3	Vertical	52	1.80	-	31.67	7.21	31.41
PK	5.35G	68.42	74.00	-5.58	60.76	3	Vertical	52	1.80	-	31.50	7.63	31.47
AV	5.3647G	48.38	54.00	-5.62	40.65	3	Vertical	52	1.80	-	31.53	7.68	31.48

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 24
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1172G	70.27	74.00	-3.73	62.58	3	Horizontal	180	1.80	-	32.10	6.93	31.34
AV	5.1493G	48.89	54.00	-5.11	41.15	3	Horizontal	180	1.80	-	32.10	7.00	31.36
PK	5.2294G	116.52	Inf	-Inf	109.04	3	Horizontal	180	1.80	-	31.68	7.20	31.40
AV	5.2288G	105.38	Inf	-Inf	97.90	3	Horizontal	180	1.80	-	31.68	7.20	31.40
PK	5.3668G	67.01	74.00	-6.99	59.28	3	Horizontal	180	1.80	-	31.53	7.68	31.48
AV	5.3668G	48.15	54.00	-5.85	40.42	3	Horizontal	180	1.80	-	31.53	7.68	31.48

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 24
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44115G	60.25	68.20	-7.95	42.73	3	Vertical	269	1.80	-	40.18	9.92	32.58
PK	15.6948G	61.06	74.00	-12.94	44.91	3	Vertical	265	1.07	-	38.19	10.82	32.86
AV	15.70035G	48.25	54.00	-5.75	32.08	3	Vertical	265	1.07	-	38.20	10.83	32.86

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 24
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4549G	60.20	68.20	-8.00	42.67	3	Horizontal	355	1.80	-	40.19	9.92	32.58
PK	15.668G	62.46	74.00	-11.54	46.35	3	Horizontal	255	2.48	-	38.14	10.82	32.85
AV	15.67015G	48.73	54.00	-5.27	32.62	3	Horizontal	255	2.48	-	38.14	10.82	32.85

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 25
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	60.45	74.00	-13.55	52.72	3	Vertical	74	1.78	-	32.10	6.99	31.36
AV	5.1497G	48.14	54.00	-5.86	40.40	3	Vertical	74	1.78	-	32.10	7.00	31.36
PK	5.2676G	118.61	Inf	-Inf	111.13	3	Vertical	74	1.78	-	31.56	7.34	31.42
AV	5.2691G	106.87	Inf	-Inf	99.40	3	Vertical	74	1.78	-	31.56	7.34	31.43
PK	5.3555G	68.57	74.00	-5.43	60.89	3	Vertical	74	1.78	-	31.51	7.64	31.47
AV	5.351G	53.13	54.00	-0.87	45.47	3	Vertical	74	1.78	-	31.50	7.63	31.47

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 25
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.53	74.00	-12.47	53.79	3	Horizontal	196	1.80	-	32.10	7.00	31.36
AV	5.1257G	48.10	54.00	-5.90	40.40	3	Horizontal	196	1.80	-	32.10	6.95	31.35
PK	5.2667G	119.08	Inf	-Inf	111.60	3	Horizontal	196	1.80	-	31.57	7.33	31.42
AV	5.267G	107.72	Inf	-Inf	100.24	3	Horizontal	196	1.80	-	31.57	7.33	31.42
PK	5.3516G	65.35	74.00	-8.65	57.69	3	Horizontal	196	1.80	-	31.50	7.63	31.47
AV	5.351G	50.43	54.00	-3.57	42.77	3	Horizontal	196	1.80	-	31.50	7.63	31.47

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 25
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5231G	59.91	68.20	-8.29	42.45	3	Vertical	100	1.50	-	40.10	9.93	32.57
PK	15.7944G	60.03	74.00	-13.97	43.76	3	Vertical	182	2.34	-	38.30	10.85	32.88
AV	15.8137G	47.53	54.00	-6.47	31.31	3	Vertical	182	2.34	-	38.25	10.85	32.88

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 25
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54175G	59.81	68.20	-8.39	42.35	3	Horizontal	347	1.80	-	40.10	9.93	32.57
PK	15.80535G	60.74	74.00	-13.26	44.49	3	Horizontal	360	1.80	-	38.28	10.85	32.88
AV	15.8098G	48.84	54.00	-5.16	32.61	3	Horizontal	360	1.80	-	38.26	10.85	32.88

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3104G	115.10	Inf	-Inf	107.56	3	Vertical	56	1.80	-	31.50	7.49	31.45
AV	5.3112G	103.12	Inf	-Inf	95.58	3	Vertical	56	1.80	-	31.50	7.49	31.45
PK	5.3532G	71.12	74.00	-2.88	63.44	3	Vertical	56	1.80	-	31.51	7.64	31.47
AV	5.35G	53.31	54.00	-0.69	45.65	3	Vertical	56	1.80	-	31.50	7.63	31.47

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.307G	117.06	Inf	-Inf	109.54	3	Vertical	180	1.80	-	31.50	7.47	31.45
AV	5.3084G	104.92	Inf	-Inf	97.39	3	Vertical	180	1.80	-	31.50	7.48	31.45
PK	5.3506G	72.43	74.00	-1.57	64.77	3	Vertical	180	1.80	-	31.50	7.63	31.47
AV	5.3504G	53.98	54.00	-0.02	46.32	3	Vertical	180	1.80	-	31.50	7.63	31.47

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61595G	59.80	74.00	-14.20	42.23	3	Vertical	249	2.96	-	40.20	9.93	32.56
AV	10.61555G	46.78	54.00	-7.22	29.21	3	Vertical	249	2.96	-	40.20	9.93	32.56
PK	15.94715G	60.35	74.00	-13.65	44.46	3	Vertical	182	2.81	-	37.91	10.89	32.91
AV	15.92305G	47.39	54.00	-6.61	31.46	3	Vertical	182	2.81	-	37.95	10.88	32.90

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62095G	60.40	74.00	-13.60	42.83	3	Horizontal	342	2.92	-	40.20	9.93	32.56
AV	10.6144G	46.98	54.00	-7.02	29.41	3	Horizontal	342	2.92	-	40.20	9.93	32.56
PK	15.9482G	60.80	74.00	-13.20	44.92	3	Horizontal	63	1.50	-	37.90	10.89	32.91
AV	15.90715G	47.42	54.00	-6.58	31.45	3	Horizontal	63	1.50	-	37.99	10.88	32.90

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	67.87	74.00	-6.13	60.02	3	Vertical	52	2.85	-	31.81	7.57	31.53
AV	5.4598G	49.68	54.00	-4.32	41.83	3	Vertical	52	2.85	-	31.82	7.56	31.53
PK	5.4682G	66.03	68.20	-2.17	58.19	3	Vertical	52	2.85	-	31.84	7.53	31.53
PK	5.5074G	116.64	Inf	-Inf	108.92	3	Vertical	52	2.85	-	31.90	7.37	31.55
AV	5.5108G	104.98	Inf	-Inf	97.27	3	Vertical	52	2.85	-	31.90	7.36	31.55

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4484G	68.77	74.00	-5.23	60.89	3	Horizontal	178	1.73	-	31.79	7.61	31.52
PK	5.4692G	64.63	68.20	-3.57	56.80	3	Horizontal	178	1.73	-	31.84	7.52	31.53
AV	5.4598G	49.66	54.00	-4.34	41.81	3	Horizontal	178	1.73	-	31.82	7.56	31.53
PK	5.509G	115.88	Inf	-Inf	108.17	3	Horizontal	178	1.73	-	31.90	7.36	31.55
AV	5.4988G	104.26	Inf	-Inf	96.51	3	Horizontal	178	1.73	-	31.90	7.40	31.55

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03635G	60.58	74.00	-13.42	42.82	3	Vertical	116	1.80	-	40.35	9.95	32.54
AV	11.0437G	47.46	54.00	-6.54	29.72	3	Vertical	116	1.80	-	40.33	9.95	32.54
PK	16.53175G	63.59	68.20	-4.61	45.64	3	Vertical	153	1.80	-	39.57	11.22	32.84

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0232G	60.56	74.00	-13.44	42.73	3	Horizontal	291	2.82	-	40.41	9.95	32.53
AV	11.02735G	47.51	54.00	-6.49	29.71	3	Horizontal	291	2.82	-	40.39	9.95	32.54
PK	16.52715G	62.97	68.20	-5.23	45.00	3	Horizontal	176	1.05	-	39.59	11.22	32.84

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4309G	65.60	74.00	-8.40	57.71	3	Vertical	65	2.15	-	31.72	7.68	31.51
PK	5.4699G	61.16	68.20	-7.04	53.33	3	Vertical	65	2.15	-	31.84	7.52	31.53
AV	5.46G	48.81	54.00	-5.19	40.96	3	Vertical	65	2.15	-	31.82	7.56	31.53
PK	5.5515G	116.56	Inf	-Inf	109.03	3	Vertical	65	2.15	-	31.90	7.19	31.56
AV	5.5488G	104.72	Inf	-Inf	97.18	3	Vertical	65	2.15	-	31.90	7.20	31.56

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4444G	64.46	74.00	-9.54	56.58	3	Horizontal	178	1.74	-	31.78	7.62	31.52
AV	5.4534G	49.42	54.00	-4.58	41.54	3	Horizontal	178	1.74	-	31.81	7.59	31.52
PK	5.469G	61.27	68.20	-6.93	53.44	3	Horizontal	178	1.74	-	31.84	7.52	31.53
PK	5.5491G	117.11	Inf	-Inf	109.57	3	Horizontal	178	1.74	-	31.90	7.20	31.56
AV	5.5488G	105.11	Inf	-Inf	97.57	3	Horizontal	178	1.74	-	31.90	7.20	31.56

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.115G	59.61	74.00	-14.39	42.19	3	Vertical	315	1.61	-	40.04	9.96	32.58
AV	11.08935G	47.30	54.00	-6.70	29.78	3	Vertical	315	1.61	-	40.14	9.95	32.57
PK	16.6406G	62.59	68.20	-5.61	44.70	3	Vertical	266	2.11	-	39.64	11.28	33.03

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0892G	59.91	74.00	-14.09	42.39	3	Horizontal	147	2.51	-	40.14	9.95	32.57
AV	11.0767G	47.44	54.00	-6.56	29.86	3	Horizontal	147	2.51	-	40.19	9.95	32.56
PK	16.64625G	63.36	68.20	-4.84	45.43	3	Horizontal	198	2.96	-	39.68	11.29	33.04

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6736G	113.05	Inf	-Inf	105.83	3	Vertical	56	2.72	-	31.79	7.00	31.57
AV	5.6588G	103.81	Inf	-Inf	96.64	3	Vertical	56	2.72	-	31.74	7.00	31.57
PK	5.7258G	66.56	68.20	-1.64	59.09	3	Vertical	56	2.72	-	32.05	7.00	31.58

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6688G	115.67	Inf	-Inf	108.46	3	Horizontal	159	1.90	-	31.78	7.00	31.57
AV	5.671G	103.33	Inf	-Inf	96.12	3	Horizontal	159	1.90	-	31.78	7.00	31.57
PK	5.7264G	65.89	68.20	-2.31	58.41	3	Horizontal	159	1.90	-	32.06	7.00	31.58

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3418G	59.60	74.00	-14.40	42.46	3	Vertical	210	1.63	-	39.88	9.97	32.71
AV	11.36425G	46.52	54.00	-7.48	29.34	3	Vertical	210	1.63	-	39.93	9.97	32.72
PK	17.03245G	63.35	68.20	-4.85	45.08	3	Vertical	8	2.74	-	40.33	11.52	33.58

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.31835G	59.02	74.00	-14.98	41.91	3	Horizontal	349	2.19	-	39.84	9.97	32.70
AV	11.3632G	46.51	54.00	-7.49	29.33	3	Horizontal	349	2.19	-	39.93	9.97	32.72
PK	17.0065G	63.97	68.20	-4.23	45.86	3	Horizontal	357	1.47	-	40.23	11.50	33.62

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6445G	67.06	68.20	-1.14	59.92	3	Vertical	159	1.90	-	31.71	7.00	31.57
PK	5.7505G	119.15	Inf	-Inf	111.53	3	Vertical	159	1.90	-	32.20	7.00	31.58
AV	5.754G	107.32	Inf	-Inf	99.69	3	Vertical	159	1.90	-	32.21	7.00	31.58
PK	5.9485G	61.27	68.20	-6.93	53.34	3	Vertical	159	1.90	-	32.60	6.93	31.60

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	66.83	68.20	-1.37	59.70	3	Horizontal	170	1.80	-	31.70	7.00	31.57
PK	5.7525G	119.37	Inf	-Inf	111.74	3	Horizontal	170	1.80	-	32.21	7.00	31.58
AV	5.754G	107.53	Inf	-Inf	99.90	3	Horizontal	170	1.80	-	32.21	7.00	31.58
PK	5.9495G	60.85	68.20	-7.35	52.92	3	Horizontal	170	1.80	-	32.60	6.93	31.60

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5292G	59.48	74.00	-14.52	42.21	3	Vertical	289	2.43	-	40.10	9.98	32.81
AV	11.50515G	46.77	54.00	-7.23	29.49	3	Vertical	289	2.43	-	40.10	9.98	32.80
PK	17.26605G	64.06	68.20	-4.14	45.02	3	Vertical	78	2.03	-	40.60	11.66	33.22

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50435G	59.12	74.00	-14.88	41.84	3	Horizontal	44	2.74	-	40.10	9.98	32.80
AV	11.5319G	48.21	54.00	-5.79	30.94	3	Horizontal	44	2.74	-	40.10	9.98	32.81
PK	17.27765G	64.31	68.20	-3.89	45.17	3	Horizontal	47	1.80	-	40.67	11.67	33.20

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.545G	60.48	68.20	-7.72	52.92	3	Vertical	43	1.80	-	31.90	7.22	31.56
PK	5.79G	118.45	Inf	-Inf	110.75	3	Vertical	43	1.80	-	32.28	7.00	31.58
AV	5.794G	106.37	Inf	-Inf	98.67	3	Vertical	43	1.80	-	32.29	7.00	31.59
PK	5.9285G	62.25	68.20	-5.95	54.35	3	Vertical	43	1.80	-	32.56	6.94	31.60

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 26
 06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6005G	61.68	68.20	-6.52	54.44	3	Horizontal	162	1.88	-	31.80	7.00	31.56
PK	5.8005G	119.35	Inf	-Inf	111.64	3	Horizontal	162	1.88	-	32.30	7.00	31.59
AV	5.8G	108.25	Inf	-Inf	100.54	3	Horizontal	162	1.88	-	32.30	7.00	31.59
PK	5.9285G	62.69	68.20	-5.51	54.79	3	Horizontal	162	1.88	-	32.56	6.94	31.60

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57015G	59.22	74.00	-14.78	42.09	3	Vertical	137	2.82	-	39.98	9.98	32.83
AV	11.5678G	46.77	54.00	-7.23	29.63	3	Vertical	137	2.82	-	39.99	9.98	32.83
PK	17.4003G	64.78	68.20	-3.42	44.15	3	Vertical	70	1.74	-	41.90	11.74	33.01

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 26
06-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57055G	61.54	74.00	-12.46	44.41	3	Horizontal	42	1.79	-	39.98	9.98	32.83
AV	11.56715G	48.62	54.00	-5.38	31.47	3	Horizontal	42	1.79	-	40.00	9.98	32.83
PK	17.37G	65.61	68.20	-2.59	45.41	3	Horizontal	199	1.61	-	41.54	11.72	33.06

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 20
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1455G	62.66	74.00	-11.34	54.93	3	Vertical	64	1.80	-	32.10	6.99	31.36
AV	5.1495G	49.67	54.00	-4.33	41.93	3	Vertical	64	1.80	-	32.10	7.00	31.36
PK	5.2105G	110.60	Inf	-Inf	103.09	3	Vertical	64	1.80	-	31.76	7.14	31.39
AV	5.2065G	98.36	Inf	-Inf	90.86	3	Vertical	64	1.80	-	31.77	7.12	31.39
PK	5.432G	60.92	74.00	-13.08	53.03	3	Vertical	64	1.80	-	31.73	7.67	31.51
AV	5.3695G	48.29	54.00	-5.71	40.54	3	Vertical	64	1.80	-	31.54	7.69	31.48

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 20
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	69.88	74.00	-4.12	62.14	3	Horizontal	172	1.80	-	32.10	7.00	31.36
AV	5.1485G	48.54	54.00	-5.46	40.80	3	Horizontal	172	1.80	-	32.10	7.00	31.36
PK	5.214G	111.28	Inf	-Inf	103.79	3	Horizontal	172	1.80	-	31.74	7.15	31.40
AV	5.211G	100.42	Inf	-Inf	92.91	3	Horizontal	172	1.80	-	31.76	7.14	31.39
PK	5.401G	60.94	74.00	-13.06	53.04	3	Horizontal	172	1.80	-	31.60	7.80	31.50
AV	5.407G	48.77	54.00	-5.23	40.87	3	Horizontal	172	1.80	-	31.63	7.77	31.50

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 27
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42666G	59.69	68.20	-8.51	42.20	3	Vertical	360	1.80	-	40.15	9.92	32.58
PK	15.6294G	62.62	74.00	-11.38	46.35	3	Vertical	38	1.80	-	38.31	10.81	32.85
AV	15.62934G	48.87	54.00	-5.13	32.60	3	Vertical	38	1.80	-	38.31	10.81	32.85

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 27
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43062G	59.27	68.20	-8.93	41.77	3	Horizontal	253	2.16	-	40.16	9.92	32.58
PK	15.5932G	65.44	74.00	-8.56	48.84	3	Horizontal	357	1.72	-	38.64	10.80	32.84
AV	15.6344G	52.84	54.00	-1.16	36.62	3	Horizontal	357	1.72	-	38.26	10.81	32.85

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 20
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	60.86	74.00	-13.14	53.14	3	Vertical	53	1.80	-	32.10	6.97	31.35
AV	5.137G	48.07	54.00	-5.93	40.35	3	Vertical	53	1.80	-	32.10	6.97	31.35
PK	5.2855G	111.47	Inf	-Inf	103.97	3	Vertical	53	1.80	-	31.53	7.40	31.43
AV	5.289G	99.21	Inf	-Inf	91.72	3	Vertical	53	1.80	-	31.52	7.41	31.44
PK	5.3805G	73.70	74.00	-0.30	65.90	3	Vertical	53	1.80	-	31.56	7.73	31.49
AV	5.3505G	49.38	54.00	-4.62	41.72	3	Vertical	53	1.80	-	31.50	7.63	31.47
PK	5.5145G	60.83	68.20	-7.37	53.14	3	Vertical	53	1.80	-	31.90	7.34	31.55

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 20
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.11G	61.74	74.00	-12.26	54.06	3	Horizontal	166	1.98	-	32.10	6.92	31.34
AV	5.1355G	48.39	54.00	-5.61	40.67	3	Horizontal	166	1.98	-	32.10	6.97	31.35
PK	5.2895G	111.45	Inf	-Inf	103.96	3	Horizontal	166	1.98	-	31.52	7.41	31.44
AV	5.2865G	99.37	Inf	-Inf	91.87	3	Horizontal	166	1.98	-	31.53	7.40	31.43
PK	5.362G	73.51	74.00	-0.49	65.80	3	Horizontal	166	1.98	-	31.52	7.67	31.48
AV	5.3535G	49.67	54.00	-4.33	41.99	3	Horizontal	166	1.98	-	31.51	7.64	31.47
PK	5.529G	61.23	68.20	-6.97	53.60	3	Horizontal	166	1.98	-	31.90	7.28	31.55

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 27
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6271G	59.76	74.00	-14.24	42.19	3	Vertical	209	2.74	-	40.20	9.93	32.56
PK	15.8539G	60.52	74.00	-13.48	44.46	3	Vertical	139	1.98	-	38.09	10.86	32.89
AV	15.8643G	47.66	54.00	-6.34	31.61	3	Vertical	139	1.98	-	38.07	10.87	32.89

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 27
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.549G	59.86	68.20	-8.34	42.40	3	Horizontal	52	1.80	-	40.10	9.93	32.57
PK	15.8476G	62.44	74.00	-11.56	46.36	3	Horizontal	359	1.80	-	38.11	10.86	32.89
AV	15.8633G	49.53	54.00	-4.47	33.48	3	Horizontal	359	1.80	-	38.07	10.87	32.89

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 20
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3125G	61.10	68.20	-7.10	53.56	3	Vertical	85	1.80	-	31.50	7.49	31.45
PK	5.45G	65.52	74.00	-8.48	57.64	3	Vertical	85	1.80	-	31.80	7.60	31.52
AV	5.4555G	49.46	54.00	-4.54	41.60	3	Vertical	85	1.80	-	31.81	7.58	31.53
PK	5.47G	63.20	68.20	-5.00	55.37	3	Vertical	85	1.80	-	31.84	7.52	31.53
PK	5.4985G	114.57	Inf	-Inf	106.81	3	Vertical	85	1.80	-	31.90	7.41	31.55
AV	5.4985G	103.11	Inf	-Inf	95.35	3	Vertical	85	1.80	-	31.90	7.41	31.55
PK	5.7585G	60.42	68.20	-7.78	52.78	3	Vertical	85	1.80	-	32.22	7.00	31.58

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 20
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.331G	60.71	68.20	-7.49	53.11	3	Horizontal	178	1.76	-	31.50	7.56	31.46
PK	5.4305G	69.98	74.00	-4.02	62.09	3	Horizontal	178	1.76	-	31.72	7.68	31.51
AV	5.4335G	49.02	54.00	-4.98	41.13	3	Horizontal	178	1.76	-	31.73	7.67	31.51
PK	5.469G	60.49	68.20	-7.71	52.66	3	Horizontal	178	1.76	-	31.84	7.52	31.53
PK	5.532G	113.78	Inf	-Inf	106.16	3	Horizontal	178	1.76	-	31.90	7.27	31.55
AV	5.532G	101.32	Inf	-Inf	93.70	3	Horizontal	178	1.76	-	31.90	7.27	31.55
PK	5.76G	60.69	68.20	-7.51	53.05	3	Horizontal	178	1.76	-	32.22	7.00	31.58

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 27
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1079G	60.03	74.00	-13.97	42.58	3	Vertical	133	1.38	-	40.07	9.96	32.58
AV	11.0194G	47.08	54.00	-6.92	29.24	3	Vertical	133	1.38	-	40.42	9.95	32.53
PK	16.5472G	62.53	68.20	-5.67	44.66	3	Vertical	304	1.80	-	39.51	11.23	32.87

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 27
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0471G	60.48	74.00	-13.52	42.77	3	Horizontal	256	1.80	-	40.31	9.95	32.55
AV	11.0272G	47.23	54.00	-6.77	29.43	3	Horizontal	256	1.80	-	40.39	9.95	32.54
PK	16.5424G	63.65	68.20	-4.55	45.75	3	Horizontal	1	2.19	-	39.53	11.23	32.86

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.437G	62.79	74.00	-11.21	54.91	3	Vertical	71	2.24	-	31.75	7.65	31.52
AV	5.4075G	48.67	54.00	-5.33	40.77	3	Vertical	71	2.24	-	31.63	7.77	31.50
PK	5.4605G	60.75	68.20	-7.45	52.90	3	Vertical	71	2.24	-	31.82	7.56	31.53
PK	5.5745G	112.95	Inf	-Inf	105.56	3	Vertical	71	2.24	-	31.85	7.10	31.56
AV	5.611G	100.95	Inf	-Inf	93.73	3	Vertical	71	2.24	-	31.78	7.00	31.56
PK	5.739G	62.71	68.20	-5.49	55.16	3	Vertical	71	2.24	-	32.13	7.00	31.58

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 22
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4375G	68.28	74.00	-5.72	60.40	3	Horizontal	175	1.80	-	31.75	7.65	31.52
AV	5.3905G	49.70	54.00	-4.30	41.84	3	Horizontal	175	1.80	-	31.58	7.77	31.49
PK	5.463G	67.32	68.20	-0.88	59.47	3	Horizontal	175	1.80	-	31.83	7.55	31.53
PK	5.6075G	112.44	Inf	-Inf	105.21	3	Horizontal	175	1.80	-	31.79	7.00	31.56
AV	5.5815G	101.27	Inf	-Inf	93.92	3	Horizontal	175	1.80	-	31.84	7.07	31.56
PK	5.7625G	64.88	68.20	-3.32	57.23	3	Horizontal	175	1.80	-	32.23	7.00	31.58

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 27
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1736G	58.74	74.00	-15.26	41.55	3	Vertical	83	2.60	-	39.85	9.96	32.62
AV	11.2486G	46.32	54.00	-7.68	29.22	3	Vertical	83	2.60	-	39.80	9.96	32.66
PK	16.8383G	63.01	68.20	-5.19	44.49	3	Vertical	258	2.49	-	40.48	11.40	33.36

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 27
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2349G	59.59	74.00	-14.41	42.48	3	Horizontal	156	1.96	-	39.80	9.96	32.65
AV	11.2469G	46.36	54.00	-7.64	29.26	3	Horizontal	156	1.96	-	39.80	9.96	32.66
PK	16.849G	63.37	68.20	-4.83	44.84	3	Horizontal	41	1.78	-	40.50	11.41	33.38

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 23
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6475G	67.20	68.20	-1.00	60.06	3	Vertical	102.8	2.82	-	31.71	7.00	31.57
PK	5.7715G	111.73	Inf	-Inf	104.07	3	Vertical	102.8	2.82	-	32.24	7.00	31.58
AV	5.7415G	105.27	Inf	-Inf	97.70	3	Vertical	102.8	2.82	-	32.15	7.00	31.58
PK	5.9365G	61.97	68.20	-6.23	54.07	3	Vertical	102.8	2.82	-	32.57	6.93	31.60

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 23
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.587G	64.71	68.20	-3.49	57.39	3	Horizontal	168	1.80	-	31.83	7.05	31.56
PK	5.771G	112.67	Inf	-Inf	105.01	3	Horizontal	168	1.80	-	32.24	7.00	31.58
AV	5.772G	100.90	Inf	-Inf	93.24	3	Horizontal	168	1.80	-	32.24	7.00	31.58
PK	5.9495G	66.23	68.20	-1.97	58.30	3	Horizontal	168	1.80	-	32.60	6.93	31.60

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 27
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5271G	59.28	74.00	-14.72	42.01	3	Vertical	80	2.06	-	40.10	9.98	32.81
AV	11.5165G	46.57	54.00	-7.43	29.30	3	Vertical	80	2.06	-	40.10	9.98	32.81
PK	17.3701G	63.37	68.20	-4.83	43.17	3	Vertical	47	2.98	-	41.54	11.72	33.06

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 27
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5596G	60.29	74.00	-13.71	43.09	3	Horizontal	80	2.40	-	40.04	9.98	32.82
AV	11.5044G	46.48	54.00	-7.52	29.20	3	Horizontal	80	2.40	-	40.10	9.98	32.80
PK	17.3437G	64.87	68.20	-3.33	45.02	3	Horizontal	5	1.79	-	41.24	11.71	33.10

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 17
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	72.17	74.00	-1.83	64.45	3	Vertical	68	1.80	-	32.10	6.97	31.35
AV	5.1436G	48.73	54.00	-5.27	41.00	3	Vertical	68	1.80	-	32.10	6.99	31.36
PK	5.2468G	105.94	Inf	-Inf	98.48	3	Vertical	68	1.80	-	31.61	7.26	31.41
AV	5.2476G	94.08	Inf	-Inf	86.61	3	Vertical	68	1.80	-	31.61	7.27	31.41
PK	5.4068G	61.12	74.00	-12.88	53.22	3	Vertical	68	1.80	-	31.63	7.77	31.50
AV	5.3676G	48.51	54.00	-5.49	40.76	3	Vertical	68	1.80	-	31.54	7.69	31.48
PK	5.5988G	60.45	68.20	-7.75	53.21	3	Vertical	68	1.80	-	31.80	7.00	31.56

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 17
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0916G	67.61	74.00	-6.39	59.98	3	Horizontal	192	1.80	-	32.08	6.88	31.33
AV	5.15G	49.48	54.00	-4.52	41.74	3	Horizontal	192	1.80	-	32.10	7.00	31.36
PK	5.254G	105.62	Inf	-Inf	98.16	3	Horizontal	192	1.80	-	31.59	7.29	31.42
AV	5.2524G	94.43	Inf	-Inf	86.97	3	Horizontal	192	1.80	-	31.60	7.28	31.42
PK	5.3812G	72.56	74.00	-1.44	64.76	3	Horizontal	192	1.80	-	31.56	7.73	31.49
AV	5.3724G	49.44	54.00	-4.56	41.68	3	Horizontal	192	1.80	-	31.54	7.70	31.48
PK	5.4692G	59.96	68.20	-8.24	52.13	3	Horizontal	192	1.80	-	31.84	7.52	31.53

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 27
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4938G	58.69	68.20	-9.51	41.23	3	Vertical	358	2.55	-	40.11	9.92	32.57
PK	15.7398G	60.44	74.00	-13.56	44.20	3	Vertical	197	1.80	-	38.28	10.83	32.87
AV	15.7037G	48.45	54.00	-5.55	32.27	3	Vertical	197	1.80	-	38.21	10.83	32.86

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 27
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4644G	58.53	68.20	-9.67	41.02	3	Horizontal	43	1.80	-	40.17	9.92	32.58
PK	15.7045G	61.96	74.00	-12.04	45.78	3	Horizontal	360	1.79	-	38.21	10.83	32.86
AV	15.7012G	49.37	54.00	-4.63	33.20	3	Horizontal	360	1.79	-	38.20	10.83	32.86

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 17
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2796G	60.84	68.20	-7.36	53.35	3	Vertical	44	2.91	-	31.54	7.38	31.43
PK	5.4572G	70.50	74.00	-3.50	62.65	3	Vertical	44	2.91	-	31.81	7.57	31.53
AV	5.4524G	51.17	54.00	-2.83	43.30	3	Vertical	44	2.91	-	31.80	7.59	31.52
PK	5.47G	61.38	68.20	-6.82	53.55	3	Vertical	44	2.91	-	31.84	7.52	31.53
AV	5.5036G	98.31	Inf	-Inf	90.57	3	Vertical	44	2.91	-	31.90	7.39	31.55
PK	5.5844G	103.53	Inf	-Inf	96.20	3	Vertical	44	2.91	-	31.83	7.06	31.56
PK	5.754G	64.15	68.20	-4.05	56.52	3	Vertical	44	2.91	-	32.21	7.00	31.58

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 17
06-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2292G	60.67	68.20	-7.53	53.19	3	Horizontal	169	1.80	-	31.68	7.20	31.40
PK	5.4324G	62.59	74.00	-11.41	54.70	3	Horizontal	169	1.80	-	31.73	7.67	31.51
AV	5.4388G	50.76	54.00	-3.24	42.88	3	Horizontal	169	1.80	-	31.76	7.64	31.52
PK	5.462G	61.54	68.20	-6.66	53.70	3	Horizontal	169	1.80	-	31.82	7.55	31.53
PK	5.5028G	109.40	Inf	-Inf	101.66	3	Horizontal	169	1.80	-	31.90	7.39	31.55
AV	5.5732G	93.43	Inf	-Inf	86.03	3	Horizontal	169	1.80	-	31.85	7.11	31.56
PK	5.7436G	61.66	68.20	-6.54	54.08	3	Horizontal	169	1.80	-	32.16	7.00	31.58

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 27
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0926G	58.82	74.00	-15.18	41.31	3	Vertical	141	1.80	-	40.13	9.95	32.57
AV	11.0965G	46.16	54.00	-7.84	28.67	3	Vertical	141	1.80	-	40.11	9.95	32.57
PK	16.7329G	63.05	68.20	-5.15	44.79	3	Vertical	84	1.80	-	40.10	11.34	33.18

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Z_2TX
Setting 27
06-C-A-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0981G	58.57	74.00	-15.43	41.08	3	Horizontal	56	1.04	-	40.11	9.95	32.57
AV	11.0993G	46.09	54.00	-7.91	28.62	3	Horizontal	56	1.04	-	40.10	9.95	32.58
PK	16.7184G	62.52	68.20	-5.68	44.34	3	Horizontal	1	1.80	-	40.01	11.33	33.16



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.87999G	30.60	54.00	-23.40	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	2.87977G	36.92	74.00	-37.08	-1.80	3	Vertical	356	2.94	-	38.72	28.60	4.35	34.75
AV	2.87999G	30.60	54.00	-23.40	-1.80	3	Vertical	356	2.94	-	32.40	28.60	4.35	34.75

