


6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT Z_2TX
 Setting 27
 03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84492G	64.34	88.20	-23.86	41.97	3	Vertical	172	1.20	-	40.69	14.58	32.90
RMS	13.84848G	51.44	68.20	-16.76	29.06	3	Vertical	172	1.20	-	40.70	14.58	32.90

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84116G	65.26	88.20	-22.94	42.92	3	Horizontal	322	2.40	-	40.68	14.57	32.91
RMS	13.8576G	51.56	68.20	-16.64	29.14	3	Horizontal	322	2.40	-	40.72	14.59	32.89

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77312G	46.70	83.54	-36.84	43.30	1	Vertical	60	1.51	-	37.85	17.60	52.05
AV	20.7735G	34.05	63.54	-29.49	30.65	1	Vertical	60	1.51	-	37.85	17.60	52.05

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT Z_2TX
Setting 27
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7703G	47.56	83.54	-35.98	44.17	1	Horizontal	1	1.54	-	37.84	17.60	52.05
AV	20.77266G	34.13	63.54	-29.41	30.73	1	Horizontal	1	1.54	-	37.85	17.60	52.05

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 27
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0066G	118.95	Inf	-Inf	109.71	3	Vertical	184	1.51	-	35.93	8.31	35.00
RMS	7.0082G	107.79	Inf	-Inf	98.54	3	Vertical	184	1.51	-	35.93	8.32	35.00
PK	7.1554G	69.49	88.20	-18.71	59.14	3	Vertical	184	1.51	-	36.81	8.61	35.07
RMS	7.1258G	52.28	68.20	-15.92	42.14	3	Vertical	184	1.51	-	36.65	8.55	35.06

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 27
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.001G	109.01	Inf	-Inf	99.81	3	Horizontal	184	1.74	-	35.90	8.30	35.00
RMS	7.009G	98.45	Inf	-Inf	89.19	3	Horizontal	184	1.74	-	35.94	8.32	35.00
PK	7.1698G	62.21	88.20	-25.99	51.81	3	Horizontal	184	1.74	-	36.84	8.64	35.08
RMS	7.1978G	52.00	68.20	-16.20	41.49	3	Horizontal	184	1.74	-	36.90	8.70	35.09

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 27
03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00468G	65.31	88.20	-22.89	42.56	3	Vertical	99	2.01	-	40.80	14.70	32.75
RMS	14.0012G	52.31	68.20	-15.89	29.55	3	Vertical	99	2.01	-	40.80	14.70	32.74

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01288G	65.26	88.20	-22.94	42.50	3	Horizontal	342	1.23	-	40.81	14.71	32.76
RMS	14.00224G	52.49	68.20	-15.71	29.73	3	Horizontal	342	1.23	-	40.80	14.70	32.74

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 27
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0188G	47.42	83.54	-36.12	43.54	1	Vertical	109	1.54	-	38.28	17.70	52.10
AV	21.0166G	34.50	63.54	-29.04	30.61	1	Vertical	109	1.54	-	38.29	17.70	52.10

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT Z_2TX
Setting 27
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01702G	47.90	83.54	-35.64	44.01	1	Horizontal	101	1.55	-	38.29	17.70	52.10
AV	21.0139G	34.34	63.54	-29.20	30.45	1	Horizontal	101	1.55	-	38.29	17.70	52.10

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 26
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0802G	115.56	Inf	-Inf	105.80	3	Vertical	271	1.85	-	36.34	8.46	35.04
RMS	7.079G	104.70	Inf	-Inf	94.95	3	Vertical	271	1.85	-	36.33	8.46	35.04
PK	7.1294G	82.19	88.20	-6.01	72.01	3	Vertical	271	1.85	-	36.68	8.56	35.06
RMS	7.1258G	61.70	68.20	-6.50	51.56	3	Vertical	271	1.85	-	36.65	8.55	35.06

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 26
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0826G	105.69	Inf	-Inf	95.90	3	Horizontal	354	1.11	-	36.36	8.47	35.04
RMS	7.079G	95.63	Inf	-Inf	85.88	3	Horizontal	354	1.11	-	36.33	8.46	35.04
PK	7.1254G	73.69	88.20	-14.51	63.55	3	Horizontal	354	1.11	-	36.65	8.55	35.06
RMS	7.125G	55.47	68.20	-12.73	45.33	3	Horizontal	354	1.11	-	36.65	8.55	35.06

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
 Setting 26
 03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17904G	66.17	88.20	-22.03	43.34	3	Vertical	0	1.80	-	40.90	14.88	32.95
RMS	14.16708G	52.80	68.20	-15.40	29.97	3	Vertical	0	1.80	-	40.90	14.87	32.94

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
 Setting 26
 03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17084G	65.40	88.20	-22.80	42.58	3	Horizontal	247	1.22	-	40.90	14.87	32.95
RMS	14.1602G	52.58	68.20	-15.62	29.75	3	Horizontal	247	1.22	-	40.90	14.86	32.93

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT Z_2TX
Setting 27
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25988G	48.19	83.54	-35.35	44.39	1	Vertical	91	1.58	-	38.09	17.81	52.10
AV	21.25522G	34.60	63.54	-28.94	30.79	1	Vertical	91	1.58	-	38.10	17.81	52.10

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT Z_2TX
 Setting 27
 03-F-S-5EUT Y_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25684G	47.97	83.54	-35.57	44.17	1	Horizontal	37	1.50	-	38.09	17.81	52.10
AV	21.25238G	34.61	63.54	-28.93	30.81	1	Horizontal	37	1.50	-	38.10	17.80	52.10

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 26
03-F-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	83.79	88.20	-4.41	77.30	3	Vertical	92	1.59	-	34.18	7.26	34.95
RMS	5.925G	65.87	68.20	-2.33	59.41	3	Vertical	92	1.59	-	34.15	7.26	34.95
PK	5.9818G	112.38	Inf	-Inf	105.96	3	Vertical	92	1.59	-	34.10	7.29	34.97
RMS	5.9826G	101.74	Inf	-Inf	95.32	3	Vertical	92	1.59	-	34.10	7.29	34.97

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 26
03-F-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9074G	77.91	88.20	-10.29	71.42	3	Horizontal	113	2.91	-	34.19	7.25	34.95
RMS	5.9226G	63.45	68.20	-4.75	56.99	3	Horizontal	113	2.91	-	34.15	7.26	34.95
PK	5.9778G	109.79	Inf	-Inf	103.37	3	Horizontal	113	2.91	-	34.10	7.29	34.97
RMS	5.9906G	96.88	Inf	-Inf	90.45	3	Horizontal	113	2.91	-	34.10	7.30	34.97

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
 Setting 26
 03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96772G	58.80	74.00	-15.20	41.97	3	Vertical	341	1.88	-	38.84	13.08	35.09
AV	11.9739G	45.52	54.00	-8.48	28.68	3	Vertical	341	1.88	-	38.85	13.09	35.10
PK	17.96958G	66.61	74.00	-7.39	38.51	3	Vertical	360	1.80	-	44.10	17.88	33.88
AV	17.96472G	50.12	54.00	-3.88	22.07	3	Vertical	360	1.80	-	44.05	17.88	33.88

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 26
03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.95758G	58.56	74.00	-15.44	41.75	3	Horizontal	270	1.53	-	38.82	13.08	35.09
AV	11.9571G	45.46	54.00	-8.54	28.66	3	Horizontal	270	1.53	-	38.81	13.08	35.09
PK	17.9688G	66.09	74.00	-7.91	38.00	3	Horizontal	239	2.11	-	44.09	17.88	33.88
AV	17.96856G	49.96	54.00	-4.04	21.87	3	Horizontal	239	2.11	-	44.09	17.88	33.88

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.893G	58.37	88.20	-29.83	51.90	3	Vertical	98	1.55	-	34.17	7.25	34.95
RMS	5.925G	47.56	68.20	-20.64	41.10	3	Vertical	98	1.55	-	34.15	7.26	34.95
PK	6.1414G	113.03	Inf	-Inf	106.33	3	Vertical	98	1.55	-	34.18	7.51	34.99
RMS	6.1318G	102.38	Inf	-Inf	95.71	3	Vertical	98	1.55	-	34.16	7.50	34.99

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8702G	57.57	88.20	-30.63	51.19	3	Horizontal	113	2.87	-	34.08	7.24	34.94
RMS	5.9218G	47.10	68.20	-21.10	40.63	3	Horizontal	113	2.87	-	34.16	7.26	34.95
PK	6.1534G	108.92	Inf	-Inf	102.18	3	Horizontal	113	2.87	-	34.20	7.53	34.99
RMS	6.1534G	97.93	Inf	-Inf	91.19	3	Horizontal	113	2.87	-	34.20	7.53	34.99

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2972G	58.96	74.00	-15.04	41.34	3	Vertical	46	2.43	-	39.10	13.34	34.82
AV	12.29352G	45.66	54.00	-8.34	28.05	3	Vertical	46	2.43	-	39.10	13.33	34.82

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29288G	59.01	74.00	-14.99	41.40	3	Horizontal	357	2.65	-	39.10	13.33	34.82
AV	12.2962G	45.58	54.00	-8.42	27.96	3	Horizontal	357	2.65	-	39.10	13.34	34.82

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4397G	47.31	83.54	-36.23	43.33	1	Vertical	14	1.53	-	37.58	16.62	50.22
AV	18.438G	34.26	63.54	-29.28	30.27	1	Vertical	14	1.53	-	37.58	16.62	50.21

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43508G	47.27	83.54	-36.27	43.29	1	Horizontal	88	1.55	-	37.57	16.62	50.21
AV	18.43056G	34.22	63.54	-29.32	30.23	1	Horizontal	88	1.55	-	37.57	16.62	50.20

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 27
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	57.30	88.20	-30.90	50.81	3	Vertical	188	1.32	-	34.19	7.25	34.95
RMS	5.8786G	46.97	68.20	-21.23	40.56	3	Vertical	188	1.32	-	34.11	7.24	34.94
PK	6.373G	112.06	Inf	-Inf	104.78	3	Vertical	188	1.32	-	34.69	7.60	35.01
RMS	6.397G	101.74	Inf	-Inf	94.37	3	Vertical	188	1.32	-	34.79	7.60	35.02

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.833G	57.79	88.20	-30.41	51.53	3	Horizontal	237	1.80	-	33.97	7.22	34.93
RMS	5.8738G	47.01	68.20	-21.19	40.61	3	Horizontal	237	1.80	-	34.10	7.24	34.94
PK	6.373G	105.18	Inf	-Inf	97.90	3	Horizontal	237	1.80	-	34.69	7.60	35.01
RMS	6.3874G	93.49	Inf	-Inf	86.16	3	Horizontal	237	1.80	-	34.75	7.60	35.02

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76824G	59.20	88.20	-29.00	40.02	3	Vertical	216	1.44	-	39.64	13.71	34.17
RMS	12.76276G	46.52	68.20	-21.68	27.36	3	Vertical	216	1.44	-	39.63	13.71	34.18

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76204G	60.05	88.20	-28.15	40.91	3	Horizontal	15	2.63	-	39.62	13.71	34.19
RMS	12.76044G	46.47	68.20	-21.73	27.33	3	Horizontal	15	2.63	-	39.62	13.71	34.19

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 27
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15222G	46.82	83.54	-36.72	43.33	1	Vertical	190	1.50	-	37.56	16.91	50.98
AV	19.15054G	33.62	63.54	-29.92	30.13	1	Vertical	190	1.50	-	37.56	16.91	50.98

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15036G	46.49	83.54	-37.05	43.00	1	Horizontal	152	1.58	-	37.56	16.91	50.98
AV	19.1501G	33.88	63.54	-29.66	30.39	1	Horizontal	152	1.58	-	37.56	16.91	50.98

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8826G	58.13	88.20	-30.07	51.70	3	Vertical	181	1.40	-	34.13	7.24	34.94
RMS	5.854G	47.89	68.20	-20.31	41.58	3	Vertical	181	1.40	-	34.02	7.23	34.94
PK	6.4572G	112.30	Inf	-Inf	104.75	3	Vertical	181	1.40	-	34.94	7.63	35.02
RMS	6.4702G	102.27	Inf	-Inf	94.64	3	Vertical	181	1.40	-	35.02	7.64	35.03

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 27
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.854G	58.06	88.20	-30.14	51.75	3	Horizontal	336	1.54	-	34.02	7.23	34.94
RMS	5.8514G	47.87	68.20	-20.33	41.57	3	Horizontal	336	1.54	-	34.01	7.23	34.94
PK	6.4806G	108.30	Inf	-Inf	100.61	3	Horizontal	336	1.54	-	35.08	7.64	35.03
RMS	6.4546G	97.74	Inf	-Inf	90.20	3	Horizontal	336	1.54	-	34.93	7.63	35.02

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9268G	60.17	88.20	-28.03	40.34	3	Vertical	269	1.08	-	39.90	13.84	33.91
RMS	12.93584G	47.38	68.20	-20.82	27.53	3	Vertical	269	1.08	-	39.90	13.85	33.90

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 27
03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93404G	59.86	88.20	-28.34	40.01	3	Horizontal	316	1.80	-	39.90	13.85	33.90
RMS	12.94G	47.47	68.20	-20.73	27.61	3	Horizontal	316	1.80	-	39.90	13.85	33.89

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 27
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3938G	46.57	83.54	-36.97	43.17	1	Vertical	140	1.58	-	37.66	17.01	51.27
AV	19.3995G	33.37	63.54	-30.17	29.98	1	Vertical	140	1.58	-	37.66	17.01	51.28

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39346G	45.75	83.54	-37.79	42.35	1	Horizontal	111	1.55	-	37.66	17.01	51.27
AV	19.39182G	33.13	63.54	-30.41	29.73	1	Horizontal	111	1.55	-	37.66	17.01	51.27

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
Setting 27
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.845G	57.59	88.20	-30.61	51.32	3	Vertical	183	2.08	-	33.99	7.22	34.94
RMS	5.8702G	47.86	68.20	-20.34	41.48	3	Vertical	183	2.08	-	34.08	7.24	34.94
PK	6.545G	113.63	Inf	-Inf	105.43	3	Vertical	183	2.08	-	35.56	7.67	35.03
RMS	6.5478G	103.70	Inf	-Inf	95.48	3	Vertical	183	2.08	-	35.58	7.67	35.03
PK	7.217G	63.30	88.20	-24.90	52.77	3	Vertical	183	2.08	-	36.93	8.70	35.10
RMS	7.2366G	52.08	68.20	-16.12	41.52	3	Vertical	183	2.08	-	36.97	8.70	35.11

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8982G	57.91	88.20	-30.29	51.42	3	Horizontal	335	1.60	-	34.19	7.25	34.95
RMS	5.8702G	47.91	68.20	-20.29	41.53	3	Horizontal	335	1.60	-	34.08	7.24	34.94
PK	6.5506G	108.43	Inf	-Inf	100.18	3	Horizontal	335	1.60	-	35.60	7.68	35.03
RMS	6.5478G	98.86	Inf	-Inf	90.64	3	Horizontal	335	1.60	-	35.58	7.67	35.03
PK	7.2058G	62.31	88.20	-25.89	51.79	3	Horizontal	335	1.60	-	36.91	8.70	35.09
RMS	7.245G	52.16	68.20	-16.04	41.58	3	Horizontal	335	1.60	-	36.99	8.70	35.11

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08204G	61.32	88.20	-26.88	41.31	3	Vertical	28	1.53	-	39.74	13.97	33.70
RMS	13.08652G	48.05	68.20	-20.15	28.05	3	Vertical	28	1.53	-	39.73	13.97	33.70

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09292G	60.88	88.20	-27.32	40.89	3	Horizontal	2	1.09	-	39.71	13.97	33.69
RMS	13.09316G	48.13	68.20	-20.07	28.14	3	Horizontal	2	1.09	-	39.71	13.97	33.69

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.637G	46.98	83.54	-36.56	43.76	1	Vertical	263	1.50	-	37.65	17.11	51.54
AV	19.635G	33.87	63.54	-29.67	30.64	1	Vertical	263	1.50	-	37.65	17.11	51.53

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63968G	46.55	83.54	-36.99	43.34	1	Horizontal	325	1.53	-	37.64	17.11	51.54
AV	19.63256G	34.00	63.54	-29.54	30.77	1	Horizontal	325	1.53	-	37.65	17.11	51.53

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 27
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6226G	113.11	Inf	-Inf	104.56	3	Vertical	183	1.31	-	35.85	7.72	35.02
RMS	6.6418G	103.64	Inf	-Inf	95.04	3	Vertical	183	1.31	-	35.88	7.74	35.02
PK	7.2082G	62.66	88.20	-25.54	52.14	3	Vertical	183	1.31	-	36.92	8.70	35.10
RMS	7.201G	52.18	68.20	-16.02	41.67	3	Vertical	183	1.31	-	36.90	8.70	35.09

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.637G	109.58	Inf	-Inf	100.99	3	Horizontal	337	1.73	-	35.87	7.74	35.02
RMS	6.6298G	98.77	Inf	-Inf	90.20	3	Horizontal	337	1.73	-	35.86	7.73	35.02
PK	7.2202G	62.27	88.20	-25.93	51.73	3	Horizontal	337	1.73	-	36.94	8.70	35.10
RMS	7.2226G	52.05	68.20	-16.15	41.50	3	Horizontal	337	1.73	-	36.95	8.70	35.10

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24476G	60.63	88.20	-27.57	40.13	3	Vertical	205	2.89	-	39.94	14.10	33.54
RMS	13.24168G	47.68	68.20	-20.52	27.19	3	Vertical	205	2.89	-	39.94	14.09	33.54

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24512G	60.38	88.20	-27.82	39.87	3	Horizontal	176	1.44	-	39.95	14.10	33.54
RMS	13.24692G	47.73	68.20	-20.47	27.21	3	Horizontal	176	1.44	-	39.95	14.10	33.53

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8785G	46.23	83.54	-37.31	43.30	1	Vertical	179	1.52	-	37.50	17.21	51.78
AV	19.87342G	33.11	63.54	-30.43	30.17	1	Vertical	179	1.52	-	37.50	17.21	51.77

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87284G	46.30	83.54	-37.24	43.36	1	Horizontal	324	1.56	-	37.50	17.21	51.77
AV	19.87568G	33.09	63.54	-30.45	30.16	1	Horizontal	324	1.56	-	37.50	17.21	51.78

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.703G	114.84	Inf	-Inf	105.96	3	Vertical	183	1.18	-	36.10	7.80	35.02
RMS	6.715G	103.67	Inf	-Inf	94.77	3	Vertical	183	1.18	-	36.10	7.82	35.02
PK	7.139G	62.02	88.20	-26.18	51.77	3	Vertical	183	1.18	-	36.73	8.58	35.06
RMS	7.201G	52.23	68.20	-15.97	41.72	3	Vertical	183	1.18	-	36.90	8.70	35.09

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 27
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.723G	107.59	Inf	-Inf	98.69	3	Horizontal	333	1.80	-	36.10	7.82	35.02
RMS	6.707G	97.83	Inf	-Inf	88.94	3	Horizontal	333	1.80	-	36.10	7.81	35.02
PK	7.131G	62.45	88.20	-25.75	52.26	3	Horizontal	333	1.80	-	36.69	8.56	35.06
RMS	7.205G	51.97	68.20	-16.23	41.45	3	Horizontal	333	1.80	-	36.91	8.70	35.09

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 27
03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4156G	61.52	88.20	-26.68	40.25	3	Vertical	27	1.32	-	40.40	14.23	33.36
RMS	13.415G	48.25	68.20	-19.95	26.98	3	Vertical	27	1.32	-	40.40	14.23	33.36

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40856G	60.73	88.20	-27.47	39.47	3	Horizontal	73	1.58	-	40.40	14.23	33.37
RMS	13.41056G	48.18	68.20	-20.02	26.91	3	Horizontal	73	1.58	-	40.40	14.23	33.36

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1151G	47.21	83.54	-36.33	44.33	1	Vertical	8	1.53	-	37.49	17.31	51.92
AV	20.1191G	34.11	63.54	-29.43	31.22	1	Vertical	8	1.53	-	37.50	17.31	51.92

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11012G	47.18	83.54	-36.36	44.30	1	Horizontal	359	1.54	-	37.49	17.31	51.92
AV	20.11984G	34.06	63.54	-29.48	31.17	1	Horizontal	359	1.54	-	37.50	17.31	51.92

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.809G	114.67	Inf	-Inf	105.70	3	Vertical	184	1.68	-	36.06	7.92	35.01
RMS	6.7835G	103.75	Inf	-Inf	94.78	3	Vertical	184	1.68	-	36.10	7.88	35.01
PK	7.1285G	63.06	88.20	-25.14	52.89	3	Vertical	184	1.68	-	36.67	8.56	35.06
RMS	7.1525G	51.70	68.20	-16.50	41.36	3	Vertical	184	1.68	-	36.80	8.61	35.07

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 27
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.776G	107.74	Inf	-Inf	98.77	3	Horizontal	330	1.58	-	36.10	7.88	35.01
RMS	6.779G	97.47	Inf	-Inf	88.50	3	Horizontal	330	1.58	-	36.10	7.88	35.01
PK	7.133G	61.26	88.20	-26.94	51.05	3	Horizontal	330	1.58	-	36.70	8.57	35.06
RMS	7.154G	51.64	68.20	-16.56	41.29	3	Horizontal	330	1.58	-	36.81	8.61	35.07

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56596G	61.36	88.20	-26.84	39.68	3	Vertical	146	2.33	-	40.53	14.35	33.20
RMS	13.56068G	48.91	68.20	-19.29	27.25	3	Vertical	146	2.33	-	40.52	14.35	33.21

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57116G	61.51	88.20	-26.69	39.80	3	Horizontal	269	1.40	-	40.54	14.36	33.19
RMS	13.56316G	49.11	68.20	-19.09	27.43	3	Horizontal	269	1.40	-	40.53	14.35	33.20

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35252G	48.02	83.54	-35.52	44.94	1	Vertical	162	1.52	-	37.64	17.41	51.97
AV	20.35336G	35.19	63.54	-28.35	32.11	1	Vertical	162	1.52	-	37.64	17.41	51.97

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3527G	47.96	83.54	-35.58	44.88	1	Horizontal	95	1.57	-	37.64	17.41	51.97
AV	20.35736G	35.23	63.54	-28.31	32.14	1	Horizontal	95	1.57	-	37.64	17.42	51.97

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 27
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.841G	114.35	Inf	-Inf	105.44	3	Vertical	184	2.06	-	35.94	7.98	35.01
RMS	6.8602G	103.80	Inf	-Inf	94.89	3	Vertical	184	2.06	-	35.90	8.02	35.01
PK	7.1458G	62.20	88.20	-26.00	51.91	3	Vertical	184	2.06	-	36.77	8.59	35.07
RMS	7.1314G	51.75	68.20	-16.45	41.56	3	Vertical	184	2.06	-	36.69	8.56	35.06

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8758G	107.39	Inf	-Inf	98.45	3	Horizontal	173	1.53	-	35.90	8.05	35.01
RMS	6.8722G	96.64	Inf	-Inf	87.71	3	Horizontal	173	1.53	-	35.90	8.04	35.01
PK	7.1278G	63.13	88.20	-25.07	52.96	3	Horizontal	173	1.53	-	36.67	8.56	35.06
RMS	7.129G	51.63	68.20	-16.57	41.46	3	Horizontal	173	1.53	-	36.67	8.56	35.06

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73668G	63.65	88.20	-24.55	41.58	3	Vertical	340	2.31	-	40.60	14.49	33.02
RMS	13.72636G	51.03	68.20	-17.17	28.98	3	Vertical	340	2.31	-	40.60	14.48	33.03

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72324G	63.82	88.20	-24.38	41.77	3	Horizontal	212	2.11	-	40.60	14.48	33.03
RMS	13.73144G	50.80	68.20	-17.40	28.73	3	Horizontal	212	2.11	-	40.60	14.49	33.02

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 27
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5946G	46.63	83.54	-36.91	43.39	1	Vertical	33	1.50	-	37.74	17.52	52.02
AV	20.5947G	33.64	63.54	-29.90	30.40	1	Vertical	33	1.50	-	37.74	17.52	52.02

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59972G	46.41	83.54	-37.13	43.17	1	Horizontal	340	1.56	-	37.74	17.52	52.02
AV	20.59814G	33.51	63.54	-30.03	30.27	1	Horizontal	340	1.56	-	37.74	17.52	52.02

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9366G	114.09	Inf	-Inf	105.09	3	Vertical	184	1.49	-	35.83	8.17	35.00
RMS	6.9378G	104.09	Inf	-Inf	95.09	3	Vertical	184	1.49	-	35.82	8.18	35.00
PK	7.143G	63.42	88.20	-24.78	53.14	3	Vertical	184	1.49	-	36.76	8.59	35.07
RMS	7.125G	52.98	68.20	-15.22	42.84	3	Vertical	184	1.49	-	36.65	8.55	35.06

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 27
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9282G	106.79	Inf	-Inf	97.79	3	Horizontal	169	1.56	-	35.84	8.16	35.00
RMS	6.9294G	96.13	Inf	-Inf	87.13	3	Horizontal	169	1.56	-	35.84	8.16	35.00
PK	7.2186G	62.34	88.20	-25.86	51.80	3	Horizontal	169	1.56	-	36.94	8.70	35.10
RMS	7.2282G	52.02	68.20	-16.18	41.46	3	Horizontal	169	1.56	-	36.96	8.70	35.10

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89112G	64.42	88.20	-23.78	41.89	3	Vertical	6	2.88	-	40.78	14.61	32.86
RMS	13.89364G	51.64	68.20	-16.56	29.09	3	Vertical	6	2.88	-	40.79	14.61	32.85

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89912G	64.60	88.20	-23.60	42.03	3	Horizontal	173	2.05	-	40.80	14.62	32.85
RMS	13.88588G	51.46	68.20	-16.74	28.94	3	Horizontal	173	2.05	-	40.77	14.61	32.86

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT Z_2TX
Setting 27
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83028G	47.95	83.54	-35.59	44.44	1	Vertical	320	1.51	-	37.96	17.62	52.07
AV	20.83676G	34.96	63.54	-28.58	31.44	1	Vertical	320	1.51	-	37.97	17.62	52.07

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83416G	47.33	83.54	-36.21	43.81	1	Horizontal	81	1.50	-	37.97	17.62	52.07
AV	20.8398G	34.77	63.54	-28.77	31.23	1	Horizontal	81	1.50	-	37.98	17.63	52.07

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 27
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0218G	115.36	Inf	-Inf	106.04	3	Vertical	184	1.52	-	35.99	8.34	35.01
RMS	7.0178G	104.59	Inf	-Inf	95.29	3	Vertical	184	1.52	-	35.97	8.34	35.01
PK	7.1306G	78.72	88.20	-9.48	68.54	3	Vertical	184	1.52	-	36.68	8.56	35.06
RMS	7.125G	62.38	68.20	-5.82	52.24	3	Vertical	184	1.52	-	36.65	8.55	35.06

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0194G	105.43	Inf	-Inf	96.12	3	Horizontal	186	1.65	-	35.98	8.34	35.01
RMS	7.0306G	95.40	Inf	-Inf	86.03	3	Horizontal	186	1.65	-	36.02	8.36	35.01
PK	7.1258G	66.51	88.20	-21.69	56.37	3	Horizontal	186	1.65	-	36.65	8.55	35.06
RMS	7.125G	54.89	68.20	-13.31	44.75	3	Horizontal	186	1.65	-	36.65	8.55	35.06

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 27
03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04592G	64.59	88.20	-23.61	41.79	3	Vertical	80	1.83	-	40.85	14.75	32.80
RMS	14.0558G	51.95	68.20	-16.25	29.14	3	Vertical	80	1.83	-	40.86	14.76	32.81

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05772G	65.30	88.20	-22.90	42.49	3	Horizontal	140	2.25	-	40.86	14.76	32.81
RMS	14.05912G	52.08	68.20	-16.12	29.27	3	Horizontal	140	2.25	-	40.86	14.76	32.81

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT Z_2TX
Setting 27
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07726G	47.13	83.54	-36.41	43.26	1	Vertical	96	1.56	-	38.24	17.73	52.10
AV	21.0724G	34.44	63.54	-29.10	30.57	1	Vertical	96	1.56	-	38.24	17.73	52.10

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT Z_2TX
Setting 27
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0703G	47.22	83.54	-36.32	43.35	1	Horizontal	233	1.54	-	38.24	17.73	52.10
AV	21.07074G	34.24	63.54	-29.30	30.37	1	Horizontal	233	1.54	-	38.24	17.73	52.10

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 Setting 26
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.916G	85.73	88.20	-2.47	79.25	3	Vertical	94	1.60	-	34.17	7.26	34.95
AV	5.917G	67.17	68.20	-1.03	60.69	3	Vertical	94	1.60	-	34.17	7.26	34.95
PK	5.988G	111.07	Inf	-Inf	104.65	3	Vertical	94	1.60	-	34.10	7.29	34.97
AV	6.028G	100.27	Inf	-Inf	93.74	3	Vertical	94	1.60	-	34.16	7.34	34.97

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 26
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	82.52	88.20	-5.68	76.05	3	Horizontal	114	2.95	-	34.16	7.26	34.95
AV	5.922G	63.26	68.20	-4.94	56.79	3	Horizontal	114	2.95	-	34.16	7.26	34.95
PK	6.071G	107.67	Inf	-Inf	101.08	3	Horizontal	114	2.95	-	34.16	7.41	34.98
AV	6.034G	96.57	Inf	-Inf	90.02	3	Horizontal	114	2.95	-	34.17	7.35	34.97

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 Setting 26
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05772G	58.32	74.00	-15.68	41.26	3	Vertical	129	1.60	-	38.96	13.15	35.05
AV	12.0418G	44.96	54.00	-9.04	27.96	3	Vertical	129	1.60	-	38.94	13.13	35.07

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 Setting 26
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04248G	57.61	74.00	-16.39	40.61	3	Horizontal	277	1.41	-	38.94	13.13	35.07
AV	12.0414G	45.07	54.00	-8.93	28.07	3	Horizontal	277	1.41	-	38.94	13.13	35.07

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 27
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0759G	47.35	83.54	-36.19	43.09	1	Vertical	248	1.51	-	37.50	16.47	49.71
AV	18.07194G	34.24	63.54	-29.30	29.97	1	Vertical	248	1.51	-	37.50	16.47	49.70

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07598G	47.27	83.54	-36.27	43.01	1	Horizontal	64	1.51	-	37.50	16.47	49.71
AV	18.07394G	34.19	63.54	-29.35	29.92	1	Horizontal	64	1.51	-	37.50	16.47	49.70

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9138G	68.34	88.20	-19.86	61.86	3	Vertical	96	1.64	-	34.17	7.26	34.95
RMS	5.9246G	54.71	68.20	-13.49	48.25	3	Vertical	96	1.64	-	34.15	7.26	34.95
PK	6.1382G	111.66	Inf	-Inf	104.96	3	Vertical	96	1.64	-	34.18	7.51	34.99
RMS	6.1694G	100.49	Inf	-Inf	93.73	3	Vertical	96	1.64	-	34.20	7.55	34.99

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	61.44	88.20	-26.76	54.97	3	Horizontal	332	2.08	-	34.16	7.26	34.95
RMS	5.9222G	50.90	68.20	-17.30	44.43	3	Horizontal	332	2.08	-	34.16	7.26	34.95
PK	6.161G	106.83	Inf	-Inf	100.08	3	Horizontal	332	2.08	-	34.20	7.54	34.99
RMS	6.1766G	95.91	Inf	-Inf	89.14	3	Horizontal	332	2.08	-	34.20	7.56	34.99

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36896G	58.45	74.00	-15.55	40.77	3	Vertical	25	1.80	-	39.03	13.40	34.75
AV	12.369G	45.52	54.00	-8.48	27.84	3	Vertical	25	1.80	-	39.03	13.40	34.75

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36532G	59.10	74.00	-14.90	41.43	3	Horizontal	313	2.82	-	39.03	13.39	34.75
AV	12.36644G	45.50	54.00	-8.50	27.83	3	Horizontal	313	2.82	-	39.03	13.39	34.75

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55656G	46.93	83.54	-36.61	43.00	1	Vertical	34	1.53	-	37.62	16.67	50.36
AV	18.5578G	34.30	63.54	-29.24	30.37	1	Vertical	34	1.53	-	37.62	16.67	50.36

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 27
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55302G	47.87	83.54	-35.67	43.93	1	Horizontal	239	1.58	-	37.62	16.67	50.35
AV	18.55526G	34.54	63.54	-29.00	30.61	1	Horizontal	239	1.58	-	37.62	16.67	50.36

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	58.39	88.20	-29.81	51.91	3	Vertical	186	1.42	-	34.17	7.26	34.95
RMS	5.925G	48.08	68.20	-20.12	41.62	3	Vertical	186	1.42	-	34.15	7.26	34.95
PK	6.349G	111.48	Inf	-Inf	104.29	3	Vertical	186	1.42	-	34.60	7.60	35.01
RMS	6.357G	101.30	Inf	-Inf	94.08	3	Vertical	186	1.42	-	34.63	7.60	35.01

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.871G	58.62	88.20	-29.58	52.24	3	Horizontal	336	2.06	-	34.08	7.24	34.94
RMS	5.867G	47.92	68.20	-20.28	41.56	3	Horizontal	336	2.06	-	34.07	7.23	34.94
PK	6.361G	107.35	Inf	-Inf	100.12	3	Horizontal	336	2.06	-	34.64	7.60	35.01
RMS	6.353G	96.66	Inf	-Inf	89.46	3	Horizontal	336	2.06	-	34.61	7.60	35.01

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6868G	59.08	74.00	-14.92	40.25	3	Vertical	291	2.17	-	39.49	13.65	34.31
AV	12.68972G	46.46	54.00	-7.54	27.63	3	Vertical	291	2.17	-	39.49	13.65	34.31

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69804G	59.54	74.00	-14.46	40.67	3	Horizontal	323	2.99	-	39.50	13.66	34.29
AV	12.68472G	46.47	54.00	-7.53	27.65	3	Horizontal	323	2.99	-	39.48	13.65	34.31

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 27
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03622G	46.25	83.54	-37.29	42.72	1	Vertical	200	1.55	-	37.51	16.86	50.84
AV	19.03332G	33.67	63.54	-29.87	30.14	1	Vertical	200	1.55	-	37.51	16.86	50.84

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 27
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03384G	46.80	83.54	-36.74	43.27	1	Horizontal	181	1.55	-	37.51	16.86	50.84
AV	19.03358G	33.78	63.54	-29.76	30.25	1	Horizontal	181	1.55	-	37.51	16.86	50.84

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	57.95	88.20	-30.25	51.46	3	Vertical	186	1.33	-	34.19	7.25	34.95
RMS	5.8638G	47.91	68.20	-20.29	41.56	3	Vertical	186	1.33	-	34.06	7.23	34.94
PK	6.4826G	110.81	Inf	-Inf	103.10	3	Vertical	186	1.33	-	35.10	7.64	35.03
RMS	6.5274G	101.03	Inf	-Inf	92.98	3	Vertical	186	1.33	-	35.42	7.66	35.03
PK	7.1994G	62.33	88.20	-25.87	51.82	3	Vertical	186	1.33	-	36.90	8.70	35.09
RMS	7.2022G	52.00	68.20	-16.20	41.49	3	Vertical	186	1.33	-	36.90	8.70	35.09

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8554G	58.47	88.20	-29.73	52.16	3	Horizontal	338	1.58	-	34.02	7.23	34.94
RMS	5.8414G	47.87	68.20	-20.33	41.61	3	Horizontal	338	1.58	-	33.98	7.22	34.94
PK	6.4826G	106.20	Inf	-Inf	98.49	3	Horizontal	338	1.58	-	35.10	7.64	35.03
RMS	6.5246G	96.36	Inf	-Inf	88.33	3	Horizontal	338	1.58	-	35.40	7.66	35.03
PK	7.149G	62.10	88.20	-26.10	51.78	3	Horizontal	338	1.58	-	36.79	8.60	35.07
RMS	7.205G	52.02	68.20	-16.18	41.50	3	Horizontal	338	1.58	-	36.91	8.70	35.09

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01864G	60.46	88.20	-27.74	40.46	3	Vertical	141	1.61	-	39.86	13.91	33.77
RMS	13.00016G	47.47	68.20	-20.73	27.46	3	Vertical	141	1.61	-	39.90	13.90	33.79

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00436G	60.12	88.20	-28.08	40.12	3	Horizontal	240	1.21	-	39.89	13.90	33.79
RMS	13.01788G	47.39	68.20	-20.81	27.39	3	Horizontal	240	1.21	-	39.86	13.91	33.77

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51698G	46.66	83.54	-36.88	43.33	1	Vertical	121	1.52	-	37.69	17.06	51.42
AV	19.5116G	33.52	63.54	-30.02	30.17	1	Vertical	121	1.52	-	37.70	17.06	51.41

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51834G	46.64	83.54	-36.90	43.31	1	Horizontal	51	1.56	-	37.69	17.06	51.42
AV	19.51732G	33.65	63.54	-29.89	30.32	1	Horizontal	51	1.56	-	37.69	17.06	51.42

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 27
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6782G	112.10	Inf	-Inf	103.33	3	Vertical	184	1.42	-	36.01	7.78	35.02
RMS	6.6716G	101.80	Inf	-Inf	93.06	3	Vertical	184	1.42	-	35.99	7.77	35.02
PK	7.1314G	63.52	88.20	-24.68	53.33	3	Vertical	184	1.42	-	36.69	8.56	35.06
RMS	7.2106G	52.23	68.20	-15.97	41.71	3	Vertical	184	1.42	-	36.92	8.70	35.10

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6584G	106.94	Inf	-Inf	98.27	3	Horizontal	336	1.61	-	35.93	7.76	35.02
RMS	6.6474G	96.99	Inf	-Inf	88.37	3	Horizontal	336	1.61	-	35.89	7.75	35.02
PK	7.2018G	62.55	88.20	-25.65	52.04	3	Horizontal	336	1.61	-	36.90	8.70	35.09
RMS	7.215G	52.06	68.20	-16.14	41.53	3	Horizontal	336	1.61	-	36.93	8.70	35.10

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 27
03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32288G	61.14	74.00	-12.86	40.34	3	Vertical	43	1.52	-	40.09	14.16	33.45
AV	13.32904G	48.04	54.00	-5.96	27.21	3	Vertical	43	1.52	-	40.12	14.16	33.45

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3336G	61.17	74.00	-12.83	40.31	3	Horizontal	248	2.58	-	40.13	14.17	33.44
AV	13.33548G	48.10	54.00	-5.90	27.23	3	Horizontal	248	2.58	-	40.14	14.17	33.44

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 27
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9916G	45.93	83.54	-37.61	43.15	1	Vertical	146	1.53	-	37.41	17.26	51.89
AV	19.9919G	32.93	63.54	-30.61	30.15	1	Vertical	146	1.53	-	37.41	17.26	51.89

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99192G	46.33	83.54	-37.21	43.55	1	Horizontal	283	1.58	-	37.41	17.26	51.89
AV	19.99906G	32.86	63.54	-30.68	30.10	1	Horizontal	283	1.58	-	37.40	17.26	51.90

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8314G	112.35	Inf	-Inf	103.43	3	Vertical	183	1.65	-	35.97	7.96	35.01
RMS	6.8314G	101.88	Inf	-Inf	92.96	3	Vertical	183	1.65	-	35.97	7.96	35.01
PK	7.1898G	67.39	88.20	-20.81	56.92	3	Vertical	183	1.65	-	36.88	8.68	35.09
RMS	7.1274G	55.10	68.20	-13.10	44.95	3	Vertical	183	1.65	-	36.66	8.55	35.06

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7978G	105.60	Inf	-Inf	96.61	3	Horizontal	337	1.52	-	36.10	7.90	35.01
RMS	6.8138G	95.77	Inf	-Inf	86.81	3	Horizontal	337	1.52	-	36.04	7.93	35.01
PK	7.1738G	62.75	88.20	-25.45	52.33	3	Horizontal	337	1.52	-	36.85	8.65	35.08
RMS	7.2234G	52.13	68.20	-16.07	41.58	3	Horizontal	337	1.52	-	36.95	8.70	35.10

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.655G	65.09	88.20	-23.11	43.18	3	Vertical	13	2.06	-	40.60	14.42	33.11
RMS	13.65404G	50.84	68.20	-17.36	28.93	3	Vertical	13	2.06	-	40.60	14.42	33.11

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65416G	63.84	88.20	-24.36	41.93	3	Horizontal	317	2.00	-	40.60	14.42	33.11
RMS	13.65872G	51.01	68.20	-17.19	29.08	3	Horizontal	317	2.00	-	40.60	14.43	33.10

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47394G	47.31	83.54	-36.23	44.14	1	Vertical	324	1.50	-	37.69	17.47	51.99
AV	20.47284G	34.87	63.54	-28.67	31.70	1	Vertical	324	1.50	-	37.69	17.47	51.99

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47272G	48.08	83.54	-35.46	44.91	1	Horizontal	137	1.52	-	37.69	17.47	51.99
AV	20.47866G	34.62	63.54	-28.92	31.46	1	Horizontal	137	1.52	-	37.69	17.47	52.00

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 26
03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.968G	109.43	Inf	-Inf	100.35	3	Vertical	-0	1.80	-	35.84	8.24	35.00
RMS	6.962G	98.89	Inf	-Inf	89.85	3	Vertical	-0	1.80	-	35.82	8.22	35.00
PK	7.133G	85.77	88.20	-2.43	75.56	3	Vertical	-0	1.80	-	36.70	8.57	35.06
RMS	7.139G	65.40	68.20	-2.80	55.15	3	Vertical	-0	1.80	-	36.73	8.58	35.06

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
 Setting 26
 03-F-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.957G	102.63	Inf	-Inf	93.61	3	Horizontal	182	1.72	-	35.81	8.21	35.00
RMS	6.967G	92.66	Inf	-Inf	83.60	3	Horizontal	182	1.72	-	35.83	8.23	35.00
PK	7.143G	72.48	88.20	-15.72	62.20	3	Horizontal	182	1.72	-	36.76	8.59	35.07
RMS	7.13G	58.55	68.20	-9.65	48.37	3	Horizontal	182	1.72	-	36.68	8.56	35.06

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
 Setting 26
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96312G	64.24	88.20	-23.96	41.55	3	Vertical	46	1.80	-	40.80	14.67	32.78
RMS	13.97924G	51.70	68.20	-16.50	28.98	3	Vertical	46	1.80	-	40.80	14.68	32.76

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
 Setting 26
 03-F-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96224G	64.87	88.20	-23.33	42.18	3	Horizontal	200	1.80	-	40.80	14.67	32.78
RMS	13.9772G	51.77	68.20	-16.43	29.05	3	Horizontal	200	1.80	-	40.80	14.68	32.76

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95776G	48.26	83.54	-35.28	44.45	1	Vertical	104	1.50	-	38.22	17.68	52.09
AV	20.95756G	34.73	63.54	-28.81	30.92	1	Vertical	104	1.50	-	38.22	17.68	52.09

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



EUT Z_2TX
 Setting 27
 03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95962G	47.59	83.54	-35.95	43.78	1	Horizontal	175	1.54	-	38.22	17.68	52.09
AV	20.95782G	34.51	63.54	-29.03	30.70	1	Horizontal	175	1.54	-	38.22	17.68	52.09


Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	5.9588G	-2.03	6G	-50.46	-42.03	-8.43	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.403G	0.32	6.48G	-51.37	-39.68	-11.69	1
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.3882G	4.15	6.2398G	-42.91	-35.85	-7.06	1
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.03539G	9.89	6.177G	-15.94	-13.15	-2.79	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.4325G	-4.02	6.48G	-54.03	-44.02	-10.01	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.43361G	0.67	6.424G	-32.35	-19.39	-12.96	1
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.53621G	2.33	6.7202G	-48.42	-37.67	-10.75	1
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.45865G	7.29	6.2394G	-40.70	-32.71	-7.99	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.6978G	-3.60	6.6834G	-35.62	-23.63	-11.99	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.5676G	-0.70	6.48G	-50.96	-40.70	-10.26	1
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.87019G	1.57	6.7198G	-47.53	-38.43	-9.10	1
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.6698G	5.66	6.8706G	-37.03	-26.86	-10.17	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.9925G	-3.68	6.9833G	-35.64	-23.72	-11.92	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	7.0026G	-1.44	6.9838G	-34.78	-21.44	-13.34	2
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	7.03259G	1.90	7.2002G	-48.65	-38.10	-10.55	1
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.99299G	6.04	6.9002G	-27.57	-13.99	-13.58	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9588G	-2.03	6G	-50.46	-42.03	-8.43	1
5955MHz	Pass	5.9574G	-2.23	5.9668G	-34.96	-22.30	-12.66	2
6175MHz	Pass	6.1723G	-3.18	6.1634G	-35.73	-23.20	-12.53	1
6175MHz	Pass	6.1737G	-3.82	6.1633G	-36.27	-23.62	-12.65	2
6415MHz	Pass	6.4113G	-4.32	6.4033G	-36.68	-24.34	-12.34	1
6415MHz	Pass	6.4168G	-4.75	6.4029G	-39.06	-24.79	-14.27	2
6435MHz	Pass	6.4325G	-4.02	6.48G	-54.03	-44.02	-10.01	1
6435MHz	Pass	6.4311G	-4.35	6.4234G	-36.18	-23.95	-12.23	2
6475MHz	Pass	6.4765G	-2.59	6.4634G	-34.11	-22.73	-11.38	1
6475MHz	Pass	6.4738G	-3.38	6.4868G	-36.40	-23.44	-12.96	2
6515MHz	Pass	6.5173G	-4.55	6.48G	-55.62	-44.55	-11.07	1
6515MHz	Pass	6.5123G	-5.08	6.5032G	-37.78	-25.10	-12.68	2
6535MHz	Pass	6.5326G	-3.46	6.5233G	-35.87	-23.46	-12.41	1
6535MHz	Pass	6.5376G	-4.01	6.5231G	-37.01	-24.03	-12.98	2
6695MHz	Pass	6.6978G	-3.60	6.6834G	-35.62	-23.63	-11.99	1
6695MHz	Pass	6.6925G	-4.32	6.7069G	-37.85	-24.34	-13.51	2
6855MHz	Pass	6.8523G	-4.22	6.8433G	-36.90	-24.27	-12.63	1
6855MHz	Pass	6.8574G	-3.96	6.8432G	-37.04	-23.96	-13.08	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.8763G	-4.02	6.8633G	-36.76	-24.02	-12.74	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.8737G	-4.25	6.8866G	-36.58	-24.26	-12.32	2
6895MHz	Pass	6.8925G	-2.05	6.8835G	-34.34	-22.08	-12.26	1
6895MHz	Pass	6.8919G	-2.91	6.9067G	-35.81	-22.71	-13.10	2
6995MHz	Pass	6.9925G	-3.68	6.9833G	-35.64	-23.72	-11.92	1
6995MHz	Pass	6.9936G	-4.06	7.0067G	-36.87	-24.08	-12.79	2
7095MHz	Pass	7.0937G	-2.89	7.0834G	-35.16	-22.90	-12.26	1
7095MHz	Pass	7.0975G	-3.16	7.0832G	-36.19	-23.17	-13.02	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97359G	1.55	6.0274G	-51.70	-38.45	-13.25	1
5965MHz	Pass	5.9688G	1.03	5.9862G	-32.58	-19.00	-13.58	2
6165MHz	Pass	6.1626G	-0.02	6.24G	-52.27	-40.02	-12.25	1
6165MHz	Pass	6.15841G	-0.30	6.1438G	-33.61	-19.90	-13.71	2
6405MHz	Pass	6.403G	0.32	6.48G	-51.37	-39.68	-11.69	1
6405MHz	Pass	6.4076G	-0.42	6.3836G	-34.12	-20.47	-13.65	2
6445MHz	Pass	6.43361G	0.67	6.424G	-32.35	-19.39	-12.96	1
6445MHz	Pass	6.44G	-0.21	6.4236G	-34.90	-20.25	-14.65	2
6485MHz	Pass	6.4886G	0.24	6.4638G	-32.67	-19.36	-13.31	1
6485MHz	Pass	6.4872G	-0.28	6.4636G	-34.04	-20.33	-13.71	2
6525MHz Straddle 6.425-6.525GHz	Pass	6.5286G	-0.78	6.5034G	-35.41	-20.79	-14.62	1
6525MHz Straddle 6.425-6.525GHz	Pass	6.53239G	-1.42	6.5034G	-36.11	-21.49	-14.62	2
6565MHz	Pass	6.5676G	-0.70	6.48G	-50.96	-40.70	-10.26	1
6565MHz	Pass	6.5612G	-1.19	6.5434G	-36.07	-21.22	-14.85	2
6685MHz	Pass	6.69G	-0.38	6.6638G	-33.50	-19.98	-13.52	1
6685MHz	Pass	6.683G	-1.24	6.6638G	-34.23	-20.84	-13.39	2
6845MHz	Pass	6.8474G	-1.38	6.8236G	-35.19	-21.38	-13.81	1
6845MHz	Pass	6.85019G	-1.65	6.8236G	-35.67	-21.67	-14.00	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.8828G	-0.70	6.96G	-54.10	-40.70	-13.40	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.8812G	-1.05	6.8636G	-35.08	-21.11	-13.97	2
6925MHz	Pass	6.92G	-0.90	6.9464G	-34.95	-20.96	-13.99	1
6925MHz	Pass	6.9202G	-1.22	6.9036G	-35.00	-21.27	-13.73	2
7005MHz	Pass	7.0024G	-0.85	6.9836G	-34.77	-20.90	-13.87	1
7005MHz	Pass	7.0026G	-1.44	6.9838G	-34.78	-21.44	-13.34	2
7085MHz	Pass	7.0862G	-0.47	7.0636G	-34.38	-20.52	-13.86	1
7085MHz	Pass	7.0812G	-0.59	7.0636G	-34.78	-20.64	-14.14	2
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	5.99059G	4.43	6.1162G	-48.15	-35.57	-12.58	1
5985MHz	Pass	5.99299G	3.84	6.1086G	-50.07	-36.16	-13.91	2
6145MHz	Pass	6.13341G	3.05	6.103G	-28.73	-16.95	-11.78	1
6145MHz	Pass	6.15059G	2.96	6.103G	-29.77	-17.04	-12.73	2
6385MHz	Pass	6.3882G	4.15	6.2398G	-42.91	-35.85	-7.06	1
6385MHz	Pass	6.39139G	3.43	6.4274G	-30.18	-16.62	-13.56	2
6465MHz	Pass	6.45821G	3.04	6.4226G	-29.94	-17.01	-12.93	1
6465MHz	Pass	6.47099G	2.49	6.4226G	-30.79	-17.51	-13.28	2
6545MHz Straddle 6.425-6.525GHz	Pass	6.53621G	2.33	6.7202G	-48.42	-37.67	-10.75	1
6545MHz Straddle 6.425-6.525GHz	Pass	6.5418G	1.59	6.5874G	-31.63	-18.46	-13.17	2
6625MHz	Pass	6.6226G	2.50	6.5826G	-30.49	-17.55	-12.94	1
6625MHz	Pass	6.6274G	2.15	6.667G	-30.64	-17.85	-12.79	2
6705MHz	Pass	6.7086G	2.20	6.6626G	-31.44	-17.86	-13.58	1
6705MHz	Pass	6.71099G	1.98	6.663G	-30.79	-17.22	-13.57	2
6785MHz	Pass	6.79299G	1.51	6.8274G	-32.16	-18.53	-13.63	1
6785MHz	Pass	6.79059G	1.45	6.8274G	-32.05	-18.61	-13.44	2
6865MHz Straddle 6.525-6.875GHz	Pass	6.87019G	1.57	6.7198G	-47.53	-38.43	-9.10	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.8606G	1.92	6.9074G	-31.86	-18.09	-13.77	2
6945MHz	Pass	6.93941G	2.13	6.9026G	-31.50	-17.92	-13.58	1
6945MHz	Pass	6.93701G	1.84	6.9026G	-31.53	-18.22	-13.31	2
7025MHz	Pass	7.03259G	1.90	7.2002G	-48.65	-38.10	-10.55	1
7025MHz	Pass	7.01541G	1.51	6.9826G	-31.78	-18.55	-13.23	2
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.03539G	9.89	6.177G	-15.94	-13.15	-2.79	1
6025MHz	Pass	6.01141G	9.18	6.337G	-34.86	-30.07	-4.79	2
6185MHz	Pass	6.15543G	8.35	6.0362G	-27.46	-12.47	-14.99	1
6185MHz	Pass	6.15863G	7.77	6.4362G	-39.53	-32.22	-7.31	2
6345MHz	Pass	6.35059G	7.49	6.7202G	-46.12	-32.51	-13.61	1
6345MHz	Pass	6.28106G	6.89	6.2602G	-24.70	-13.17	-11.53	2
6505MHz Straddle 6.425-6.525GHz	Pass	6.45865G	7.29	6.2394G	-40.70	-32.71	-7.99	1
6505MHz Straddle 6.425-6.525GHz	Pass	6.48982G	6.97	6.4202G	-25.04	-13.08	-11.96	2
6665MHz	Pass	6.6698G	5.66	6.8706G	-37.03	-26.86	-10.17	1
6665MHz	Pass	6.67459G	5.62	6.7498G	-27.26	-14.41	-12.85	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.80262G	5.87	7.2002G	-47.44	-34.13	-13.31	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.8298G	5.99	6.9098G	-27.83	-14.06	-13.77	2
6985MHz	Pass	6.95543G	6.40	7.129G	-31.23	-14.26	-16.97	1
6985MHz	Pass	6.99299G	6.04	6.9002G	-27.57	-13.99	-13.58	2



5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6415MHz_TX

MASK

02/02/2023

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4113G	-4.32	6.4033G	-36.68	-24.34	-12.34	1
6.4168G	-4.75	6.4029G	-39.06	-24.79	-14.27	2

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6435MHz_TX

MASK

02/02/2023

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4325G	-4.02	6.48G	-54.03	-44.02	-10.01	1
6.4311G	-4.35	6.4234G	-36.18	-23.95	-12.23	2

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6475MHz_TX

MASK

02/02/2023

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4765G	-2.59	6.4634G	-34.11	-22.73	-11.38	1
6.4738G	-3.38	6.4868G	-36.40	-23.44	-12.96	2

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6515MHz_TX

MASK

02/02/2023

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5173G	-4.55	6.48G	-55.62	-44.55	-11.07	1
6.5123G	-5.08	6.5032G	-37.78	-25.10	-12.68	2

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6535MHz_TX

MASK

02/02/2023

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5326G	-3.46	6.5233G	-35.87	-23.46	-12.41	1
6.5376G	-4.01	6.5231G	-37.01	-24.03	-12.98	2

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6695MHz_TX

MASK

02/02/2023

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6978G	-3.60	6.6834G	-35.62	-23.63	-11.99	1
6.6925G	-4.32	6.7069G	-37.85	-24.34	-13.51	2

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6855MHz_TX

MASK

02/02/2023

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8523G	-4.22	6.8433G	-36.90	-24.27	-12.63	1
6.8574G	-3.96	6.8432G	-37.04	-23.96	-13.08	2

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX

MASK

02/02/2023

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8763G	-4.02	6.8633G	-36.76	-24.02	-12.74	1
6.8737G	-4.25	6.8666G	-36.58	-24.26	-12.32	2

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6895MHz_TX

MASK

02/02/2023

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8925G	-2.05	6.8835G	-34.34	-22.08	-12.26	1
6.8919G	-2.91	6.9067G	-35.81	-22.71	-13.10	2

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6995MHz_TX

MASK

02/02/2023

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9925G	-3.68	6.9833G	-35.64	-23.72	-11.92	1
6.9936G	-4.06	7.0067G	-36.87	-24.08	-12.79	2

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
7095MHz_TX

MASK

02/02/2023

CF Freq
7.095GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0937G	-2.89	7.0834G	-35.16	-22.90	-12.26	1
7.0975G	-3.16	7.0832G	-36.19	-23.17	-13.02	2

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5965MHz_TX

MASK

02/02/2023

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97359G	1.55	6.0274G	-51.70	-38.45	-13.25	1
5.9688G	1.03	5.9862G	-32.58	-19.00	-13.58	2

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6165MHz_TX

MASK

02/02/2023

CF Freq
6.165GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1626G	-0.02	6.24G	-52.27	-40.02	-12.25	1
6.15841G	-0.30	6.1438G	-33.61	-19.90	-13.71	2

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6405MHz_TX

MASK

02/02/2023

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.403G	0.32	6.48G	-51.37	-39.68	-11.69	1
6.4076G	-0.42	6.3836G	-34.12	-20.47	-13.65	2

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6445MHz_TX

MASK

02/02/2023

CF Freq
6.445GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43361G	0.67	6.424G	-32.35	-19.39	-12.96	1
6.44G	-0.21	6.4236G	-34.90	-20.25	-14.65	2

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6485MHz_TX

MASK

02/02/2023

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4886G	0.24	6.4638G	-32.67	-19.36	-13.31	1
6.4872G	-0.28	6.4636G	-34.04	-20.33	-13.71	2

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX

MASK

02/02/2023

CF Freq
6.525GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5286G	-0.78	6.5034G	-35.41	-20.79	-14.62	1
6.53239G	-1.42	6.5034G	-36.11	-21.49	-14.62	2

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6565MHz_TX

MASK

02/02/2023

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5676G	-0.70	6.48G	-50.96	-40.70	-10.26	1
6.5612G	-1.19	6.5434G	-36.07	-21.22	-14.85	2

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6685MHz_TX

MASK

02/02/2023

CF Freq
6.685GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69G	-0.38	6.6638G	-33.50	-19.98	-13.52	1
6.683G	-1.24	6.6638G	-34.23	-20.84	-13.39	2

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6845MHz_TX

MASK

02/02/2023

CF Freq
6.845GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8474G	-1.38	6.8236G	-35.19	-21.38	-13.81	1
6.85019G	-1.65	6.8236G	-35.67	-21.67	-14.00	2

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX

MASK

02/02/2023

CF Freq
6.885GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8828G	-0.70	6.96G	-54.10	-40.70	-13.40	1
6.8812G	-1.05	6.8636G	-35.08	-21.11	-13.97	2

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6925MHz_TX

MASK

02/02/2023

CF Freq
6.925GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92G	-0.90	6.9464G	-34.95	-20.96	-13.99	1
6.9202G	-1.22	6.9036G	-35.00	-21.27	-13.73	2

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7005MHz_TX

MASK

02/02/2023

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0024G	-0.85	6.9836G	-34.77	-20.90	-13.87	1
7.0026G	-1.44	6.9838G	-34.78	-21.44	-13.34	2

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7085MHz_TX

MASK

02/02/2023

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0862G	-0.47	7.0636G	-34.38	-20.52	-13.86	1
7.0812G	-0.59	7.0636G	-34.78	-20.64	-14.14	2

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5985MHz_TX

MASK

02/02/2023

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99059G	4.43	6.1162G	-48.15	-35.57	-12.58	1
5.99299G	3.84	6.1086G	-50.07	-36.16	-13.91	2

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6145MHz_TX

MASK

02/02/2023

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13341G	3.05	6.103G	-28.73	-16.95	-11.78	1
6.15059G	2.96	6.103G	-29.77	-17.04	-12.73	2

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6385MHz_TX

MASK

02/02/2023

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3882G	4.15	6.2398G	-42.91	-35.85	-7.06	1
6.39139G	3.43	6.4274G	-30.18	-16.62	-13.56	2

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6465MHz_TX

MASK

02/02/2023

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45821G	3.04	6.4226G	-29.94	-17.01	-12.93	1
6.47099G	2.49	6.4226G	-30.79	-17.51	-13.28	2

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TX

MASK

02/02/2023

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53621G	2.33	6.7202G	-48.42	-37.67	-10.75	1
6.5418G	1.59	6.5874G	-31.63	-18.46	-13.17	2

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6625MHz_TX

MASK

02/02/2023

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6226G	2.50	6.5826G	-30.49	-17.55	-12.94	1
6.6274G	2.15	6.667G	-30.64	-17.85	-12.79	2

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6705MHz_TX

MASK

02/02/2023

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7086G	2.20	6.6626G	-31.44	-17.86	-13.58	1
6.71099G	1.98	6.663G	-30.79	-17.22	-13.57	2

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6785MHz_TX

MASK

02/02/2023

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79299G	1.51	6.8274G	-32.16	-18.53	-13.63	1
6.79059G	1.45	6.8274G	-32.05	-18.61	-13.44	2

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TX

MASK

02/02/2023

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87019G	1.57	6.7198G	-47.53	-38.43	-9.10	1
6.8606G	1.92	6.9074G	-31.86	-18.09	-13.77	2

Port 1 

Port 2 

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6945MHz_TX

MASK

02/02/2023

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz


VBW
3MHz


Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93941G	2.13	6.9026G	-31.50	-17.92	-13.58	1
6.93701G	1.84	6.9026G	-31.53	-18.22	-13.31	2

Port 1 

Port 2 

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX
7025MHz_TX

MASK

02/02/2023

CF Freq
7.025GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.03259G	1.90	7.2002G	-48.65	-38.10	-10.55	1
7.01541G	1.51	6.9826G	-31.78	-18.55	-13.23	2

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6025MHz_TX

MASK

02/02/2023

CF Freq
6.025GHz


Span
800MHz


RBW
3MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.03539G	9.89	6.177G	-15.94	-13.15	-2.79	1
6.01141G	9.18	6.337G	-34.86	-30.07	-4.79	2

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6185MHz_TX

MASK

02/02/2023

CF Freq
6.185GHz


Span
800MHz


RBW
3MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15543G	8.35	6.0362G	-27.46	-12.47	-14.99	1
6.15863G	7.77	6.4362G	-39.53	-32.22	-7.31	2

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6345MHz_TX

MASK

02/02/2023

CF Freq
6.345GHz


Span
800MHz


RBW
3MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35059G	7.49	6.7202G	-46.12	-32.51	-13.61	1
6.28106G	6.89	6.2602G	-24.70	-13.17	-11.53	2

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX

MASK

02/02/2023

CF Freq
6.505GHz


Span
800MHz

RBW
3MHz


VBW
10MHz


Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45865G	7.29	6.2394G	-40.70	-32.71	-7.99	1
6.48982G	6.97	6.4202G	-25.04	-13.08	-11.96	2

Port 1 

Port 2 

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6665MHz_TX

MASK

02/02/2023

CF Freq
6.665GHz


Span
800MHz

RBW
3MHz


VBW
10MHz


Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6698G	5.66	6.8706G	-37.03	-26.86	-10.17	1
6.67459G	5.62	6.7498G	-27.26	-14.41	-12.85	2

Port 1 

Port 2 

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX

MASK

02/02/2023

CF Freq
6.825GHz


Span
800MHz


RBW
3MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80262G	5.87	7.2002G	-47.44	-34.13	-13.31	1
6.8298G	5.99	6.9098G	-27.83	-14.06	-13.77	2

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6985MHz_TX

MASK

02/02/2023

CF Freq
6.985GHz


Span
800MHz


RBW
3MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95543G	6.40	7.129G	-31.23	-14.26	-16.97	1
6.99299G	6.04	6.9002G	-27.57	-13.99	-13.58	2



Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-70.924	3.076	-74.01	≤ -62
						Minimal	-71.924	3.076	-75.00	≤ -62
						ON	-78.924	3.076	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-70.754	3.246	-74.02	≤ -62
						Minimal	-71.754	3.246	-75.00	≤ -62
						ON	-78.754	3.246	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-70.571	3.429	-74.00	≤ -62
						Minimal	-71.571	3.429	-75.00	≤ -62
						ON	-78.571	3.429	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-67.571	3.429	-71.04	≤ -62
						Minimal	-68.571	3.429	-72.00	≤ -62
						ON	-78.571	3.429	-82.00	≤ -62



Contention-Based Protocol Result

Appendix F

Contention Based Protocol Threshold Level 802.11ax HEW160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-72.924	3.076	-76.01	≤ -62
						Minimal	-73.924	3.076	-77.00	≤ -62
						ON	-78.924	3.076	-82.00	≤ -62
				Center	6185	OFF	-66.924	3.076	-70.02	≤ -62
						Minimal	-67.924	3.076	-71.00	≤ -62
						ON	-78.924	3.076	-82.00	≤ -62
				High edge	6260	OFF	-71.924	3.076	-75.00	≤ -62
						Minimal	-72.924	3.076	-76.00	≤ -62
						ON	-78.924	3.076	-82.00	≤ -62
6	111	160	6505	Low edge	6430	OFF	-72.754	3.246	-76.00	≤ -62
						Minimal	-73.754	3.246	-77.00	≤ -62
						ON	-78.754	3.246	-82.00	≤ -62
				Center	6505	OFF	-64.754	3.246	-68.08	≤ -62
						Minimal	-65.754	3.246	-69.00	≤ -62
						ON	-78.754	3.246	-82.00	≤ -62
				High edge	6580	OFF	-71.754	3.246	-75.01	≤ -62
						Minimal	-72.754	3.246	-76.00	≤ -62
						ON	-78.754	3.246	-82.00	≤ -62
7	143	160	6665	Low edge	6590	OFF	-71.571	3.429	-75.04	≤ -62
						Minimal	-72.571	3.429	-76.00	≤ -62
						ON	-78.571	3.429	-82.00	≤ -62
				Center	6665	OFF	-64.571	3.429	-68.02	≤ -62
						Minimal	-65.571	3.429	-69.00	≤ -62
						ON	-78.571	3.429	-82.00	≤ -62
				High edge	6740	OFF	-71.571	3.429	-75.03	≤ -62
						Minimal	-72.571	3.429	-76.00	≤ -62
						ON	-78.571	3.429	-82.00	≤ -62



Contention-Based Protocol Result

Appendix F

8	207	160	6985	Low edge	6910	OFF	-69.571	3.429	-73.05	≤ -62
						Minimal	-70.571	3.429	-74.00	≤ -62
						ON	-78.571	3.429	-82.00	≤ -62
				Center	6985	OFF	-62.571	3.429	-66.08	≤ -62
						Minimal	-63.571	3.429	-67.00	≤ -62
						ON	-78.571	3.429	-82.00	≤ -62
				High edge	7060	OFF	-69.571	3.429	-73.02	≤ -62
						Minimal	-70.571	3.429	-74.00	≤ -62
						ON	-78.571	3.429	-82.00	≤ -62




Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-74.01	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-74.02	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-74.00	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-71.04	OFF	10	100	90	PASS

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-76.01	OFF	10	100	90	PASS
				Center	6185	-70.02	OFF	10	100	90	PASS
				High edge	6260	-75.00	OFF	10	100	90	PASS
6	111	160	6505	Low edge	6430	-76.00	OFF	10	100	90	PASS
				Center	6505	-68.08	OFF	10	100	90	PASS
				High edge	6580	-75.01	OFF	10	100	90	PASS
7	143	160	6665	Low edge	6590	-75.04	OFF	10	100	90	PASS
				Center	6665	-68.02	OFF	10	100	90	PASS
				High edge	6740	-75.03	OFF	9	90	90	PASS
8	207	160	6985	Low edge	6910	-73.05	OFF	10	100	90	PASS
				Center	6985	-66.08	OFF	9	90	90	PASS
				High edge	7060	-73.02	OFF	10	100	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz







Date: 30.JAN.2023 12:07:24



Frequency (MHz): 6455 MHz







Date: 30.JAN.2023 12:22:38

























Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal