


5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 29
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	64.19	68.20	-4.01	57.84	3	Vertical	140	1.80	-	34.40	6.92	34.97
PK	5.747G	122.79	Inf	-Inf	116.68	3	Vertical	140	1.80	-	34.20	6.93	35.02
AV	5.746G	112.65	Inf	-Inf	106.54	3	Vertical	140	1.80	-	34.20	6.93	35.02
PK	5.933G	61.09	68.20	-7.11	54.66	3	Vertical	140	1.80	-	34.57	6.97	35.11

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 29
05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	59.03	68.20	-9.17	53.82	3	Horizontal	151	1.80	-	32.90	7.79	35.48
PK	5.744G	114.87	Inf	-Inf	108.78	3	Horizontal	151	1.80	-	33.66	7.94	35.51
AV	5.744G	104.39	Inf	-Inf	98.30	3	Horizontal	151	1.80	-	33.66	7.94	35.51
PK	5.93G	58.74	68.20	-9.46	52.01	3	Horizontal	151	1.80	-	34.20	8.11	35.58

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 29
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48614G	54.51	74.00	-19.49	37.65	3	Vertical	109	1.95	-	39.04	10.84	33.02
AV	11.493G	41.80	54.00	-12.20	24.90	3	Vertical	109	1.95	-	39.07	10.85	33.02
PK	17.23276G	59.00	68.20	-9.20	40.35	3	Vertical	104	1.43	-	38.63	13.00	32.98

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 29
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48708G	54.53	74.00	-19.47	37.66	3	Horizontal	251	1.36	-	39.05	10.84	33.02
AV	11.49224G	41.91	54.00	-12.09	25.01	3	Horizontal	251	1.36	-	39.07	10.85	33.02
PK	17.2345G	59.16	68.20	-9.04	40.50	3	Horizontal	357	2.54	-	38.64	13.00	32.98

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 29
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	61.24	68.20	-6.96	54.89	3	Vertical	121	1.94	-	34.40	6.91	34.96
PK	5.783G	123.97	Inf	-Inf	117.80	3	Vertical	121	1.94	-	34.27	6.94	35.04
AV	5.786G	113.13	Inf	-Inf	106.96	3	Vertical	121	1.94	-	34.27	6.94	35.04
PK	5.975G	62.28	68.20	-5.92	55.78	3	Vertical	121	1.94	-	34.65	6.98	35.13

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
 Setting 29
 05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	57.89	68.20	-10.31	52.68	3	Horizontal	150	1.80	-	32.90	7.79	35.48
PK	5.785G	114.57	Inf	-Inf	108.25	3	Horizontal	150	1.80	-	33.84	8.01	35.53
AV	5.784G	103.86	Inf	-Inf	97.55	3	Horizontal	150	1.80	-	33.84	8.00	35.53
PK	5.934G	58.97	68.20	-9.23	52.23	3	Horizontal	150	1.80	-	34.20	8.12	35.58

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 29
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57636G	54.75	74.00	-19.25	38.16	3	Vertical	350	1.80	-	38.79	10.88	33.08
AV	11.56886G	41.76	54.00	-12.24	25.13	3	Vertical	350	1.80	-	38.82	10.88	33.07
PK	17.36598G	58.48	68.20	-9.72	39.73	3	Vertical	311	1.80	-	38.80	13.07	33.12

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
 Setting 29
 05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56658G	55.77	74.00	-18.23	39.13	3	Horizontal	237	1.77	-	38.83	10.88	33.07
AV	11.56856G	43.01	54.00	-10.99	26.37	3	Horizontal	237	1.77	-	38.83	10.88	33.07
PK	17.35356G	58.56	68.20	-9.64	39.81	3	Horizontal	190	1.80	-	38.80	13.06	33.11

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 29
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	61.19	68.20	-7.01	54.84	3	Vertical	132	2.02	-	34.40	6.92	34.97
PK	5.822G	124.17	Inf	-Inf	117.98	3	Vertical	132	2.02	-	34.30	6.94	35.05
AV	5.826G	114.28	Inf	-Inf	108.09	3	Vertical	132	2.02	-	34.30	6.95	35.06
PK	5.931G	63.12	68.20	-5.08	56.70	3	Vertical	132	2.02	-	34.56	6.97	35.11

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 29
05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	57.93	68.20	-10.27	52.89	3	Horizontal	141	3.00	-	32.80	7.69	35.45
PK	5.826G	118.19	Inf	-Inf	111.73	3	Horizontal	141	3.00	-	33.95	8.05	35.54
AV	5.824G	105.37	Inf	-Inf	98.91	3	Horizontal	141	3.00	-	33.95	8.05	35.54
PK	6.048G	59.50	68.20	-8.70	52.75	3	Horizontal	141	3.00	-	34.10	8.17	35.52

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 29
03-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6982G	56.83	74.00	-17.17	50.14	3	Vertical	96	1.79	-	39.40	10.56	43.27
AV	11.6888G	44.66	54.00	-9.34	38.00	3	Vertical	96	1.79	-	39.38	10.55	43.27
PK	17.499G	63.45	68.20	-4.75	48.33	3	Vertical	-0	1.80	-	42.39	14.70	41.97

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
 Setting 29
 03-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64808G	57.55	74.00	-16.45	50.99	3	Horizontal	237	1.80	-	39.30	10.54	43.28
AV	11.6492G	45.98	54.00	-8.02	39.42	3	Horizontal	237	1.80	-	39.30	10.54	43.28
PK	17.48524G	63.16	68.20	-5.04	48.16	3	Horizontal	77	1.80	-	42.28	14.69	41.97

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
 Setting 21
 01-P-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	62.78	74.00	-11.22	56.35	3	Vertical	128	1.80	-	32.09	7.24	32.90
AV	5.1488G	50.86	54.00	-3.14	44.42	3	Vertical	128	1.80	-	32.10	7.24	32.90
PK	5.188G	112.89	Inf	-Inf	106.64	3	Vertical	128	1.80	-	31.87	7.27	32.89
AV	5.1942G	103.40	Inf	-Inf	97.18	3	Vertical	128	1.80	-	31.83	7.28	32.89

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
 Setting 21
 01-P-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.92	74.00	-13.08	54.48	3	Horizontal	182	1.80	-	32.10	7.24	32.90
AV	5.1496G	49.27	54.00	-4.73	42.83	3	Horizontal	182	1.80	-	32.10	7.24	32.90
PK	5.2022G	107.28	Inf	-Inf	101.11	3	Horizontal	182	1.80	-	31.78	7.28	32.89
AV	5.1972G	97.77	Inf	-Inf	91.56	3	Horizontal	182	1.80	-	31.82	7.28	32.89

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 21
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37872G	55.55	68.20	-12.65	40.07	3	Vertical	193	2.69	-	38.76	10.36	33.64
PK	15.56713G	59.03	74.00	-14.97	42.11	3	Vertical	113	1.81	-	38.13	12.28	33.49
AV	15.57468G	45.51	54.00	-8.49	28.60	3	Vertical	113	1.81	-	38.10	12.29	33.48

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 21
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37724G	55.11	68.20	-13.09	39.63	3	Horizontal	214	1.67	-	38.75	10.36	33.63
PK	15.57221G	58.48	74.00	-15.52	41.56	3	Horizontal	337	2.77	-	38.11	12.29	33.48
AV	15.57393G	45.47	54.00	-8.53	28.56	3	Horizontal	337	2.77	-	38.10	12.29	33.48

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 23
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	61.17	74.00	-12.83	55.28	3	Vertical	118	2.08	-	34.09	6.65	34.85
AV	5.15G	50.10	54.00	-3.90	44.18	3	Vertical	118	2.08	-	34.10	6.67	34.85
PK	5.2336G	115.55	Inf	-Inf	109.60	3	Vertical	118	2.08	-	34.00	6.81	34.86
AV	5.2396G	108.91	Inf	-Inf	102.96	3	Vertical	118	2.08	-	34.00	6.81	34.86
PK	5.368G	60.81	74.00	-13.19	54.40	3	Vertical	118	2.08	-	34.46	6.83	34.88
AV	5.3734G	49.07	54.00	-4.93	42.67	3	Vertical	118	2.08	-	34.45	6.83	34.88

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
 Setting 23
 05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1268G	58.48	74.00	-15.52	53.62	3	Horizontal	192	1.80	-	33.00	7.38	35.52
AV	5.1496G	45.93	54.00	-8.07	41.05	3	Horizontal	192	1.80	-	33.00	7.40	35.52
PK	5.2324G	108.41	Inf	-Inf	103.39	3	Horizontal	192	1.80	-	33.04	7.47	35.49
AV	5.2282G	95.96	Inf	-Inf	90.96	3	Horizontal	192	1.80	-	33.04	7.46	35.50
PK	5.3602G	57.26	74.00	-16.74	52.37	3	Horizontal	192	1.80	-	32.82	7.53	35.46
AV	5.3722G	45.15	54.00	-8.85	40.23	3	Horizontal	192	1.80	-	32.84	7.54	35.46

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 23
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46106G	54.45	68.20	-13.75	39.04	3	Vertical	8	1.64	-	38.80	10.39	33.78
PK	15.68692G	58.55	74.00	-15.45	41.88	3	Vertical	86	1.01	-	37.65	12.33	33.31
AV	15.68796G	45.05	54.00	-8.95	28.37	3	Vertical	86	1.01	-	37.65	12.33	33.30

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 23
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4558G	54.89	68.20	-13.31	39.47	3	Horizontal	220	1.66	-	38.80	10.39	33.77
PK	15.69318G	58.32	74.00	-15.68	41.62	3	Horizontal	144	1.25	-	37.67	12.33	33.30
AV	15.69076G	45.00	54.00	-9.00	28.31	3	Horizontal	144	1.25	-	37.66	12.33	33.30

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 23
 03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1284G	60.85	74.00	-13.15	55.03	3	Vertical	153	1.80	-	34.06	6.61	34.85
AV	5.1356G	49.83	54.00	-4.17	43.98	3	Vertical	153	1.80	-	34.07	6.63	34.85
PK	5.2712G	116.02	Inf	-Inf	109.95	3	Vertical	153	1.80	-	34.13	6.81	34.87
AV	5.2628G	106.89	Inf	-Inf	100.87	3	Vertical	153	1.80	-	34.08	6.81	34.87
PK	5.35G	61.92	74.00	-12.08	55.47	3	Vertical	153	1.80	-	34.50	6.83	34.88
AV	5.35G	50.98	54.00	-3.02	44.53	3	Vertical	153	1.80	-	34.50	6.83	34.88

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 23
05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	57.03	74.00	-16.97	52.16	3	Horizontal	202	1.80	-	33.00	7.39	35.52
AV	5.1494G	45.03	54.00	-8.97	40.15	3	Horizontal	202	1.80	-	33.00	7.40	35.52
PK	5.2712G	107.26	Inf	-Inf	102.29	3	Horizontal	202	1.80	-	32.96	7.49	35.48
AV	5.2676G	95.49	Inf	-Inf	90.54	3	Horizontal	202	1.80	-	32.96	7.48	35.49
PK	5.3918G	57.99	74.00	-16.01	53.01	3	Horizontal	202	1.80	-	32.88	7.55	35.45
AV	5.3702G	45.63	54.00	-8.37	40.71	3	Horizontal	202	1.80	-	32.84	7.54	35.46

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 23
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54394G	55.58	68.20	-12.62	40.17	3	Vertical	100	2.52	-	38.80	10.43	33.82
PK	15.80698G	57.01	74.00	-16.99	39.97	3	Vertical	88	2.17	-	37.79	12.37	33.12
AV	15.8095G	43.90	54.00	-10.10	26.87	3	Vertical	88	2.17	-	37.78	12.37	33.12

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 23
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5417G	55.39	68.20	-12.81	39.98	3	Horizontal	261	1.04	-	38.80	10.43	33.82
PK	15.81262G	57.17	74.00	-16.83	40.14	3	Horizontal	205	1.97	-	37.77	12.37	33.11
AV	15.81274G	43.87	54.00	-10.13	26.84	3	Horizontal	205	1.97	-	37.77	12.37	33.11

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 21
 03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3092G	113.88	Inf	-Inf	107.59	3	Vertical	120	1.80	-	34.34	6.82	34.87
AV	5.3024G	105.33	Inf	-Inf	99.07	3	Vertical	120	1.80	-	34.31	6.82	34.87
PK	5.4088G	61.16	74.00	-12.84	54.77	3	Vertical	120	1.80	-	34.44	6.84	34.89
AV	5.35G	49.99	54.00	-4.01	43.54	3	Vertical	120	1.80	-	34.50	6.83	34.88

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 21
05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3116G	101.79	Inf	-Inf	96.87	3	Horizontal	15	1.80	-	32.88	7.51	35.47
AV	5.3108G	89.69	Inf	-Inf	84.77	3	Horizontal	15	1.80	-	32.88	7.51	35.47
PK	5.3552G	58.62	74.00	-15.38	53.74	3	Horizontal	15	1.80	-	32.81	7.53	35.46
AV	5.3716G	45.26	54.00	-8.74	40.34	3	Horizontal	15	1.80	-	32.84	7.54	35.46

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 21
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62222G	55.23	74.00	-18.77	39.53	3	Vertical	164	1.01	-	38.99	10.46	33.75
AV	10.62432G	41.93	54.00	-12.07	26.22	3	Vertical	164	1.01	-	39.00	10.46	33.75
PK	15.93342G	56.96	74.00	-17.04	40.01	3	Vertical	359	1.57	-	37.47	12.41	32.93
AV	15.93038G	43.86	54.00	-10.14	26.91	3	Vertical	359	1.57	-	37.48	12.41	32.94

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 21
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61916G	54.54	74.00	-19.46	38.86	3	Horizontal	345	1.97	-	38.98	10.46	33.76
AV	10.61626G	41.86	54.00	-12.14	26.19	3	Horizontal	345	1.97	-	38.97	10.46	33.76
PK	15.92638G	57.09	74.00	-16.91	40.13	3	Horizontal	70	1.23	-	37.49	12.41	32.94
AV	15.9303G	43.96	54.00	-10.04	27.01	3	Horizontal	70	1.23	-	37.48	12.41	32.94

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 22
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	63.29	74.00	-10.71	56.72	3	Vertical	52	1.81	-	34.60	6.86	34.89
AV	5.46G	51.92	54.00	-2.08	45.35	3	Vertical	52	1.81	-	34.60	6.86	34.89
PK	5.4696G	65.72	68.20	-2.48	59.16	3	Vertical	52	1.81	-	34.60	6.86	34.90
PK	5.5108G	115.82	Inf	-Inf	109.25	3	Vertical	52	1.81	-	34.60	6.88	34.91
AV	5.5092G	104.98	Inf	-Inf	98.40	3	Vertical	52	1.81	-	34.60	6.88	34.90

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 22
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	61.27	74.00	-12.73	54.70	3	Horizontal	122	1.88	-	34.60	6.86	34.89
AV	5.4596G	49.68	54.00	-4.32	43.11	3	Horizontal	122	1.88	-	34.60	6.86	34.89
PK	5.4692G	62.91	68.20	-5.29	56.35	3	Horizontal	122	1.88	-	34.60	6.86	34.90
PK	5.5096G	109.42	Inf	-Inf	102.84	3	Horizontal	122	1.88	-	34.60	6.88	34.90
AV	5.5204G	100.66	Inf	-Inf	94.09	3	Horizontal	122	1.88	-	34.60	6.88	34.91

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 22
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02302G	55.14	74.00	-18.86	39.09	3	Vertical	269	1.88	-	38.85	10.64	33.44
AV	11.02744G	41.33	54.00	-12.67	25.28	3	Vertical	269	1.88	-	38.85	10.64	33.44
PK	16.5302G	59.02	68.20	-9.18	40.89	3	Vertical	264	2.16	-	38.58	12.68	33.13

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 22
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02198G	54.27	74.00	-19.73	38.21	3	Horizontal	30	1.62	-	38.86	10.64	33.44
AV	11.01936G	41.40	54.00	-12.60	25.34	3	Horizontal	30	1.62	-	38.86	10.64	33.44
PK	16.52976G	58.91	68.20	-9.29	40.78	3	Horizontal	68	1.93	-	38.58	12.68	33.13

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 27
 03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	61.77	74.00	-12.23	55.20	3	Horizontal	110	1.80	-	34.60	6.86	34.89
AV	5.4594G	50.49	54.00	-3.51	43.92	3	Horizontal	110	1.80	-	34.60	6.86	34.89
PK	5.47G	66.57	68.20	-1.63	60.01	3	Horizontal	110	1.80	-	34.60	6.86	34.90
PK	5.5506G	117.68	Inf	-Inf	111.11	3	Horizontal	110	1.80	-	34.60	6.89	34.92
AV	5.5584G	111.70	Inf	-Inf	105.16	3	Horizontal	110	1.80	-	34.57	6.90	34.93

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 27
 05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	60.40	74.00	-13.60	55.42	3	Horizontal	144	2.99	-	32.81	7.60	35.43
AV	5.4594G	47.18	54.00	-6.82	42.19	3	Horizontal	144	2.99	-	32.82	7.60	35.43
PK	5.4642G	62.37	68.20	-5.83	57.37	3	Horizontal	144	2.99	-	32.83	7.60	35.43
PK	5.5494G	111.02	Inf	-Inf	105.99	3	Horizontal	144	2.99	-	32.80	7.67	35.44
AV	5.5386G	102.57	Inf	-Inf	97.52	3	Horizontal	144	2.99	-	32.82	7.66	35.43

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX



EUT_Z_2TX
Setting 27
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09566G	54.31	74.00	-19.69	38.21	3	Vertical	270	1.72	-	38.80	10.67	33.37
AV	11.10078G	41.80	54.00	-12.20	25.70	3	Vertical	270	1.72	-	38.80	10.67	33.37
PK	16.64776G	58.71	68.20	-9.49	40.51	3	Vertical	177	2.05	-	38.50	12.73	33.03

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 27
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10234G	54.55	74.00	-19.45	38.44	3	Horizontal	293	2.85	-	38.80	10.68	33.37
AV	11.09868G	41.78	54.00	-12.22	25.68	3	Horizontal	293	2.85	-	38.80	10.67	33.37
PK	16.64992G	59.83	68.20	-8.37	41.63	3	Horizontal	22	2.05	-	38.50	12.73	33.03

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 22
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6588G	117.37	Inf	-Inf	111.07	3	Vertical	108	1.80	-	34.36	6.92	34.98
AV	5.6692G	104.45	Inf	-Inf	98.19	3	Vertical	108	1.80	-	34.32	6.92	34.98
PK	5.7264G	65.70	68.20	-2.50	59.58	3	Vertical	108	1.80	-	34.20	6.93	35.01

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 22
 05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6732G	107.70	Inf	-Inf	102.23	3	Horizontal	145	1.74	-	33.13	7.83	35.49
AV	5.672G	96.21	Inf	-Inf	90.75	3	Horizontal	145	1.74	-	33.12	7.83	35.49
PK	5.7304G	61.29	68.20	-6.91	55.30	3	Horizontal	145	1.74	-	33.58	7.92	35.51

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 22
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33782G	54.95	74.00	-19.05	38.25	3	Vertical	178	2.65	-	39.08	10.78	33.16
AV	11.3369G	42.07	54.00	-11.93	25.38	3	Vertical	178	2.65	-	39.07	10.78	33.16
PK	17.0122G	58.76	68.20	-9.44	40.49	3	Vertical	343	1.61	-	38.12	12.90	32.75

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 22
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34326G	55.65	74.00	-18.35	38.93	3	Horizontal	143	2.75	-	39.09	10.78	33.15
AV	11.3422G	42.05	54.00	-11.95	25.34	3	Horizontal	143	2.75	-	39.08	10.78	33.15
PK	17.01162G	59.04	68.20	-9.16	40.77	3	Horizontal	119	1.90	-	38.12	12.90	32.75

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 26
 03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7116G	118.08	Inf	-Inf	111.95	3	Vertical	140	1.80	-	34.20	6.93	35.00
AV	5.6964G	110.13	Inf	-Inf	103.99	3	Vertical	140	1.80	-	34.21	6.92	34.99
PK	5.8548G	66.31	68.20	-1.89	60.11	3	Vertical	140	1.80	-	34.32	6.95	35.07

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 26
 05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7092G	111.92	Inf	-Inf	106.08	3	Horizontal	146	3.00	-	33.46	7.88	35.50
AV	5.7092G	99.60	Inf	-Inf	93.76	3	Horizontal	146	3.00	-	33.46	7.88	35.50
PK	5.8684G	63.20	68.20	-5.00	56.62	3	Horizontal	146	3.00	-	34.07	8.07	35.56

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42368G	55.15	74.00	-18.85	38.46	3	Vertical	295	1.93	-	38.95	10.82	33.08
AV	11.4188G	42.37	54.00	-11.63	25.68	3	Vertical	295	1.93	-	38.96	10.81	33.08
PK	17.12674G	59.05	68.20	-9.15	40.66	3	Vertical	170	1.25	-	38.31	12.95	32.87

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42202G	55.25	74.00	-18.75	38.55	3	Horizontal	253	2.88	-	38.96	10.82	33.08
AV	11.41544G	42.49	54.00	-11.51	25.80	3	Horizontal	253	2.88	-	38.97	10.81	33.09
PK	17.12778G	59.24	68.20	-8.96	40.85	3	Horizontal	23	1.60	-	38.31	12.95	32.87

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 25
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	67.14	68.20	-1.06	60.79	3	Vertical	46	1.80	-	34.40	6.92	34.97
PK	5.751G	118.12	Inf	-Inf	112.01	3	Vertical	46	1.80	-	34.20	6.93	35.02
AV	5.754G	108.28	Inf	-Inf	102.16	3	Vertical	46	1.80	-	34.21	6.93	35.02
PK	5.932G	61.35	68.20	-6.85	54.93	3	Vertical	46	1.80	-	34.56	6.97	35.11

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 25
 05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.564G	57.72	68.20	-10.48	52.68	3	Horizontal	147	2.97	-	32.80	7.68	35.44
PK	5.752G	110.75	Inf	-Inf	104.61	3	Horizontal	147	2.97	-	33.71	7.95	35.52
AV	5.754G	100.27	Inf	-Inf	94.11	3	Horizontal	147	2.97	-	33.72	7.96	35.52
PK	5.973G	58.60	68.20	-9.60	51.91	3	Horizontal	147	2.97	-	34.15	8.14	35.60

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 25
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51112G	55.05	74.00	-18.95	38.16	3	Vertical	78	1.79	-	39.06	10.85	33.02
AV	11.51204G	41.90	54.00	-12.10	25.01	3	Vertical	78	1.79	-	39.05	10.86	33.02
PK	17.2605G	58.43	68.20	-9.77	39.72	3	Vertical	94	2.27	-	38.70	13.02	33.01

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 25
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51398G	54.70	74.00	-19.30	37.82	3	Horizontal	340	2.12	-	39.04	10.86	33.02
AV	11.50922G	41.88	54.00	-12.12	24.99	3	Horizontal	340	2.12	-	39.06	10.85	33.02
PK	17.26842G	58.61	68.20	-9.59	39.91	3	Horizontal	238	2.47	-	38.70	13.02	33.02

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 26
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	62.90	68.20	-5.30	56.55	3	Vertical	117	2.02	-	34.40	6.92	34.97
PK	5.788G	121.66	Inf	-Inf	115.48	3	Vertical	117	2.02	-	34.28	6.94	35.04
AV	5.794G	109.32	Inf	-Inf	103.13	3	Vertical	117	2.02	-	34.29	6.94	35.04
PK	5.925G	63.42	68.20	-4.78	57.00	3	Vertical	117	2.02	-	34.55	6.97	35.10

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 26
 05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.604G	57.41	68.20	-10.79	52.34	3	Horizontal	142	1.80	-	32.81	7.72	35.46
PK	5.792G	112.72	Inf	-Inf	106.36	3	Horizontal	142	1.80	-	33.87	8.02	35.53
AV	5.794G	101.10	Inf	-Inf	94.73	3	Horizontal	142	1.80	-	33.88	8.02	35.53
PK	5.926G	60.24	68.20	-7.96	53.51	3	Horizontal	142	1.80	-	34.20	8.11	35.58

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 26
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58922G	54.09	74.00	-19.91	37.55	3	Vertical	161	2.96	-	38.74	10.89	33.09
AV	11.5904G	40.82	54.00	-13.18	24.28	3	Vertical	161	2.96	-	38.74	10.89	33.09
PK	17.3847G	57.59	68.20	-10.61	38.86	3	Vertical	292	2.55	-	38.80	13.07	33.14

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 26
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58824G	53.50	74.00	-20.50	36.95	3	Horizontal	196	2.53	-	38.75	10.89	33.09
AV	11.59062G	40.82	54.00	-13.18	24.28	3	Horizontal	196	2.53	-	38.74	10.89	33.09
PK	17.39742G	57.41	68.20	-10.79	38.68	3	Horizontal	230	2.85	-	38.80	13.08	33.15

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 21
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	63.58	74.00	-10.42	57.67	3	Vertical	145	1.89	-	34.10	6.66	34.85
AV	5.15G	52.49	54.00	-1.51	46.57	3	Vertical	145	1.89	-	34.10	6.67	34.85
PK	5.247G	113.50	Inf	-Inf	107.55	3	Vertical	145	1.89	-	34.00	6.81	34.86
AV	5.211G	100.31	Inf	-Inf	94.37	3	Vertical	145	1.89	-	34.00	6.80	34.86
PK	5.46G	60.35	74.00	-13.65	53.78	3	Vertical	145	1.89	-	34.60	6.86	34.89
AV	5.455G	49.12	54.00	-4.88	42.55	3	Vertical	145	1.89	-	34.60	6.86	34.89

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 21
05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	58.84	74.00	-15.16	53.97	3	Horizontal	190	1.80	-	33.00	7.39	35.52
AV	5.15G	46.90	54.00	-7.10	42.02	3	Horizontal	190	1.80	-	33.00	7.40	35.52
PK	5.197G	107.80	Inf	-Inf	102.76	3	Horizontal	190	1.80	-	33.09	7.45	35.50
AV	5.209G	91.48	Inf	-Inf	86.45	3	Horizontal	190	1.80	-	33.08	7.45	35.50
PK	5.456G	57.17	74.00	-16.83	52.20	3	Horizontal	190	1.80	-	32.81	7.59	35.43
AV	5.372G	45.15	54.00	-8.85	40.23	3	Horizontal	190	1.80	-	32.84	7.54	35.46

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 21
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43404G	55.14	68.20	-13.06	39.69	3	Vertical	24	1.11	-	38.80	10.38	33.73
PK	15.62034G	58.09	74.00	-15.91	41.40	3	Vertical	103	1.58	-	37.80	12.30	33.41
AV	15.61698G	45.73	54.00	-8.27	29.01	3	Vertical	103	1.58	-	37.83	12.30	33.41

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 21
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4107G	54.55	68.20	-13.65	39.07	3	Horizontal	301	2.66	-	38.80	10.37	33.69
PK	15.63312G	58.05	74.00	-15.95	41.46	3	Horizontal	34	1.96	-	37.67	12.31	33.39
AV	15.62292G	45.35	54.00	-8.65	28.68	3	Horizontal	34	1.96	-	37.77	12.30	33.40

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 21
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.108G	59.87	74.00	-14.13	54.14	3	Vertical	160	1.80	-	34.02	6.56	34.85
AV	5.136G	48.90	54.00	-5.10	43.05	3	Vertical	160	1.80	-	34.07	6.63	34.85
PK	5.257G	113.14	Inf	-Inf	107.16	3	Vertical	160	1.80	-	34.04	6.81	34.87
AV	5.288G	100.63	Inf	-Inf	94.45	3	Vertical	160	1.80	-	34.23	6.82	34.87
PK	5.362G	63.10	74.00	-10.90	56.67	3	Vertical	160	1.80	-	34.48	6.83	34.88
AV	5.35G	51.62	54.00	-2.38	45.17	3	Vertical	160	1.80	-	34.50	6.83	34.88
PK	5.495G	60.83	68.20	-7.37	54.26	3	Vertical	160	1.80	-	34.60	6.87	34.90

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 21
 05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.068G	57.36	74.00	-16.64	52.52	3	Horizontal	190	1.80	-	33.06	7.32	35.54
AV	5.063G	45.27	54.00	-8.73	40.42	3	Horizontal	190	1.80	-	33.07	7.32	35.54
PK	5.291G	103.03	Inf	-Inf	98.09	3	Horizontal	190	1.80	-	32.92	7.50	35.48
AV	5.268G	91.28	Inf	-Inf	86.32	3	Horizontal	190	1.80	-	32.96	7.48	35.48
PK	5.357G	59.04	74.00	-14.96	54.16	3	Horizontal	190	1.80	-	32.81	7.53	35.46
AV	5.375G	45.28	54.00	-8.72	40.34	3	Horizontal	190	1.80	-	32.85	7.54	35.45
PK	5.462G	57.40	68.20	-10.80	52.41	3	Horizontal	190	1.80	-	32.82	7.60	35.43

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 21
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56542G	55.02	68.20	-13.18	39.55	3	Vertical	156	2.86	-	38.83	10.44	33.80
PK	15.86964G	55.78	74.00	-18.22	38.76	3	Vertical	94	1.03	-	37.66	12.39	33.03
AV	15.87366G	43.34	54.00	-10.66	26.32	3	Vertical	94	1.03	-	37.65	12.39	33.02

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 21
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56956G	54.69	68.20	-13.51	39.21	3	Horizontal	48	1.34	-	38.84	10.44	33.80
PK	15.85902G	55.90	74.00	-18.10	38.88	3	Horizontal	49	1.20	-	37.68	12.38	33.04
AV	15.87282G	43.66	54.00	-10.34	26.64	3	Horizontal	49	1.20	-	37.65	12.39	33.02

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 22
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	66.33	74.00	-7.67	59.76	3	Vertical	155	1.80	-	34.60	6.86	34.89
PK	5.462G	65.10	68.20	-3.10	58.53	3	Vertical	155	1.80	-	34.60	6.86	34.89
AV	5.46G	52.55	54.00	-1.45	45.98	3	Vertical	155	1.80	-	34.60	6.86	34.89
PK	5.537G	111.52	Inf	-Inf	104.95	3	Vertical	155	1.80	-	34.60	6.89	34.92
AV	5.565G	104.71	Inf	-Inf	98.20	3	Vertical	155	1.80	-	34.54	6.90	34.93
PK	5.76G	61.02	68.20	-7.18	54.89	3	Vertical	155	1.80	-	34.22	6.93	35.02

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 22
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.20	74.00	-12.80	54.63	3	Horizontal	136	2.00	-	34.60	6.86	34.89
AV	5.46G	50.80	54.00	-3.20	44.23	3	Horizontal	136	2.00	-	34.60	6.86	34.89
PK	5.466G	62.44	68.20	-5.76	55.88	3	Horizontal	136	2.00	-	34.60	6.86	34.90
PK	5.559G	112.81	Inf	-Inf	106.28	3	Horizontal	136	2.00	-	34.56	6.90	34.93
AV	5.532G	96.12	Inf	-Inf	89.55	3	Horizontal	136	2.00	-	34.60	6.89	34.92
PK	5.758G	60.05	68.20	-8.15	53.92	3	Horizontal	136	2.00	-	34.22	6.93	35.02

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 22
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06318G	54.10	74.00	-19.90	38.04	3	Vertical	203	2.70	-	38.80	10.66	33.40
AV	11.07158G	41.36	54.00	-12.64	25.30	3	Vertical	203	2.70	-	38.80	10.66	33.40
PK	16.60146G	58.37	68.20	-9.83	40.33	3	Vertical	215	1.68	-	38.40	12.71	33.07

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 22
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07176G	54.62	74.00	-19.38	38.56	3	Horizontal	130	2.55	-	38.80	10.66	33.40
AV	11.06486G	41.50	54.00	-12.50	25.44	3	Horizontal	130	2.55	-	38.80	10.66	33.40
PK	16.59642G	58.26	68.20	-9.94	40.21	3	Horizontal	210	2.62	-	38.41	12.71	33.07

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 23
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.84	74.00	-13.16	54.27	3	Vertical	44	2.12	-	34.60	6.86	34.89
AV	5.46G	50.02	54.00	-3.98	43.45	3	Vertical	44	2.12	-	34.60	6.86	34.89
PK	5.467G	62.45	68.20	-5.75	55.89	3	Vertical	44	2.12	-	34.60	6.86	34.90
PK	5.611G	112.94	Inf	-Inf	106.58	3	Vertical	44	2.12	-	34.40	6.91	34.95
AV	5.623G	107.51	Inf	-Inf	101.16	3	Vertical	44	2.12	-	34.40	6.91	34.96
PK	5.726G	65.83	68.20	-2.37	59.71	3	Vertical	44	2.12	-	34.20	6.93	35.01

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 23
05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.381G	58.10	74.00	-15.90	53.15	3	Horizontal	148	1.80	-	32.86	7.54	35.45
AV	5.408G	45.57	54.00	-8.43	40.58	3	Horizontal	148	1.80	-	32.88	7.56	35.45
PK	5.466G	57.49	68.20	-10.71	52.49	3	Horizontal	148	1.80	-	32.83	7.60	35.43
PK	5.612G	105.79	Inf	-Inf	100.70	3	Horizontal	148	1.80	-	32.82	7.73	35.46
AV	5.612G	93.80	Inf	-Inf	88.71	3	Horizontal	148	1.80	-	32.82	7.73	35.46
PK	5.73G	60.85	68.20	-7.35	54.86	3	Horizontal	148	1.80	-	33.58	7.92	35.51

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 23
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20722G	54.78	74.00	-19.22	38.42	3	Vertical	226	1.03	-	38.91	10.72	33.27
AV	11.20698G	42.19	54.00	-11.81	25.83	3	Vertical	226	1.03	-	38.91	10.72	33.27
PK	16.81632G	57.94	68.20	-10.26	39.85	3	Vertical	297	2.81	-	38.17	12.81	32.89

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 23
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2242G	54.71	74.00	-19.29	38.29	3	Horizontal	284	2.21	-	38.95	10.73	33.26
AV	11.20674G	42.13	54.00	-11.87	25.77	3	Horizontal	284	2.21	-	38.91	10.72	33.27
PK	16.8417G	58.33	68.20	-9.87	40.11	3	Horizontal	132	1.96	-	38.27	12.82	32.87

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 24
 03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	63.97	74.00	-10.03	57.40	3	Vertical	59	1.80	-	34.60	6.86	34.89
AV	5.457G	51.22	54.00	-2.78	44.65	3	Vertical	59	1.80	-	34.60	6.86	34.89
PK	5.47G	63.84	68.20	-4.36	57.28	3	Vertical	59	1.80	-	34.60	6.86	34.90
PK	5.673G	116.75	Inf	-Inf	110.50	3	Vertical	59	1.80	-	34.31	6.92	34.98
AV	5.685G	106.11	Inf	-Inf	99.92	3	Vertical	59	1.80	-	34.26	6.92	34.99
PK	5.856G	66.90	68.20	-1.30	60.70	3	Vertical	59	1.80	-	34.32	6.95	35.07

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 24
 05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	57.26	74.00	-16.74	52.29	3	Horizontal	256	1.80	-	32.81	7.59	35.43
AV	5.441G	45.31	54.00	-8.69	40.35	3	Horizontal	256	1.80	-	32.82	7.58	35.44
PK	5.463G	57.67	68.20	-10.53	52.67	3	Horizontal	256	1.80	-	32.83	7.60	35.43
PK	5.657G	103.68	Inf	-Inf	98.39	3	Horizontal	256	1.80	-	32.97	7.80	35.48
AV	5.691G	91.30	Inf	-Inf	85.62	3	Horizontal	256	1.80	-	33.31	7.86	35.49
PK	5.891G	59.31	68.20	-8.89	52.63	3	Horizontal	256	1.80	-	34.16	8.09	35.57

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



Legend for the spectrum plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Magenta line)
- AV (Green line)


02/01/2024

EUT_Z_2TX
Setting 24
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39111G	55.21	74.00	-18.79	38.50	3	Vertical	159	2.86	-	39.02	10.80	33.11
AV	11.39122G	42.72	54.00	-11.28	26.01	3	Vertical	159	2.86	-	39.02	10.80	33.11
PK	17.08158G	59.13	68.20	-9.07	40.82	3	Vertical	103	1.36	-	38.20	12.93	32.82

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.392G	55.47	74.00	-18.53	38.76	3	Horizontal	205	2.32	-	39.02	10.80	33.11
AV	11.39068G	42.57	54.00	-11.43	25.86	3	Horizontal	205	2.32	-	39.02	10.80	33.11
PK	17.08164G	58.30	68.20	-9.90	39.99	3	Horizontal	235	2.86	-	38.20	12.93	32.82

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 24
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	65.92	68.94	-3.02	59.57	3	Vertical	146	1.90	-	34.40	6.92	34.97
PK	5.771G	114.64	Inf	-Inf	108.49	3	Vertical	146	1.90	-	34.24	6.94	35.03
AV	5.762G	109.72	Inf	-Inf	103.60	3	Vertical	146	1.90	-	34.22	6.93	35.03
PK	5.936G	63.74	68.20	-4.46	57.31	3	Vertical	146	1.90	-	34.57	6.97	35.11

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX



Lim.PK
PK
Lim.AV
AV


02/01/2024

EUT_Z_2TX
Setting 24
05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	63.39	68.20	-4.81	58.20	3	Horizontal	139	1.80	-	32.89	7.78	35.48
PK	5.744G	112.44	Inf	-Inf	106.35	3	Horizontal	139	1.80	-	33.66	7.94	35.51
AV	5.777G	95.94	Inf	-Inf	89.67	3	Horizontal	139	1.80	-	33.81	7.99	35.53
PK	5.936G	61.12	68.20	-7.08	54.39	3	Horizontal	139	1.80	-	34.20	8.12	35.59

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 24
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55582G	54.59	74.00	-19.41	37.90	3	Vertical	195	1.58	-	38.88	10.87	33.06
AV	11.53716G	41.63	54.00	-12.37	24.85	3	Vertical	195	1.58	-	38.95	10.87	33.04
PK	17.33166G	57.42	68.20	-10.78	38.69	3	Vertical	102	1.24	-	38.76	13.05	33.08

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 24
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55054G	54.48	74.00	-19.52	37.76	3	Horizontal	65	1.39	-	38.90	10.87	33.05
AV	11.535G	41.68	54.00	-12.32	24.89	3	Horizontal	65	1.39	-	38.96	10.87	33.04
PK	17.32248G	57.38	68.20	-10.82	38.68	3	Horizontal	250	1.66	-	38.74	13.04	33.08

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 19
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	64.26	74.00	-9.74	58.41	3	Vertical	100	1.44	-	34.07	6.63	34.85
AV	5.1492G	52.91	54.00	-1.09	46.99	3	Vertical	100	1.44	-	34.10	6.67	34.85
PK	5.2452G	107.55	Inf	-Inf	101.60	3	Vertical	100	1.44	-	34.00	6.81	34.86
AV	5.2468G	96.69	Inf	-Inf	90.74	3	Vertical	100	1.44	-	34.00	6.81	34.86
PK	5.378G	61.70	74.00	-12.30	55.30	3	Vertical	100	1.44	-	34.44	6.84	34.88
AV	5.35G	50.43	54.00	-3.57	43.98	3	Vertical	100	1.44	-	34.50	6.83	34.88
PK	5.6404G	60.62	68.20	-7.58	54.27	3	Vertical	100	1.44	-	34.40	6.92	34.97

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 19
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	61.02	74.00	-12.98	55.10	3	Horizontal	181	1.80	-	34.10	6.67	34.85
AV	5.1492G	49.95	54.00	-4.05	44.03	3	Horizontal	181	1.80	-	34.10	6.67	34.85
PK	5.258G	101.46	Inf	-Inf	95.47	3	Horizontal	181	1.80	-	34.05	6.81	34.87
AV	5.2436G	94.06	Inf	-Inf	88.11	3	Horizontal	181	1.80	-	34.00	6.81	34.86
PK	5.394G	60.50	74.00	-13.50	54.14	3	Horizontal	181	1.80	-	34.41	6.84	34.89
AV	5.4564G	48.95	54.00	-5.05	42.38	3	Horizontal	181	1.80	-	34.60	6.86	34.89
PK	5.5796G	61.50	68.20	-6.70	55.06	3	Horizontal	181	1.80	-	34.48	6.90	34.94

5.25-5.35GHz 802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 19
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50948G	55.36	68.20	-12.84	39.99	3	Vertical	78	2.19	-	38.80	10.41	33.84
PK	15.73812G	57.04	74.00	-16.96	40.15	3	Vertical	111	2.51	-	37.78	12.34	33.23
AV	15.73506G	44.58	54.00	-9.42	27.70	3	Vertical	111	2.51	-	37.77	12.34	33.23

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 19
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50402G	54.30	68.20	-13.90	38.94	3	Horizontal	146	1.50	-	38.80	10.41	33.85
PK	15.75858G	57.12	74.00	-16.88	40.17	3	Horizontal	339	2.81	-	37.80	12.35	33.20
AV	15.73836G	44.56	54.00	-9.44	27.67	3	Horizontal	339	2.81	-	37.78	12.34	33.23

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 19
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.17G	60.19	68.20	-8.01	54.26	3	Vertical	42	1.70	-	34.06	6.72	34.85
PK	5.4564G	63.91	74.00	-10.09	57.34	3	Vertical	42	1.70	-	34.60	6.86	34.89
AV	5.458G	52.04	54.00	-1.96	45.47	3	Vertical	42	1.70	-	34.60	6.86	34.89
PK	5.4612G	63.63	68.20	-4.57	57.06	3	Vertical	42	1.70	-	34.60	6.86	34.89
PK	5.5684G	107.83	Inf	-Inf	101.33	3	Vertical	42	1.70	-	34.53	6.90	34.93
AV	5.6004G	100.76	Inf	-Inf	94.40	3	Vertical	42	1.70	-	34.40	6.91	34.95
PK	5.7332G	61.83	68.20	-6.37	55.71	3	Vertical	42	1.70	-	34.20	6.93	35.01

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
 Setting 19
 05-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2068G	57.58	68.20	-10.62	52.54	3	Horizontal	147	1.80	-	33.09	7.45	35.50
PK	5.4388G	58.42	74.00	-15.58	53.46	3	Horizontal	147	1.80	-	32.82	7.58	35.44
PK	5.4612G	58.09	68.20	-10.11	53.10	3	Horizontal	147	1.80	-	32.82	7.60	35.43
AV	5.4564G	46.38	54.00	-7.62	41.40	3	Horizontal	147	1.80	-	32.81	7.60	35.43
PK	5.5652G	99.09	Inf	-Inf	94.05	3	Horizontal	147	1.80	-	32.80	7.68	35.44
AV	5.5684G	87.35	Inf	-Inf	82.32	3	Horizontal	147	1.80	-	32.80	7.68	35.45
PK	5.9556G	58.93	68.20	-9.27	52.20	3	Horizontal	147	1.80	-	34.19	8.13	35.59

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 19
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1454G	54.04	74.00	-19.96	37.79	3	Vertical	298	2.04	-	38.89	10.69	33.33
AV	11.15458G	41.31	54.00	-12.69	25.03	3	Vertical	298	2.04	-	38.90	10.70	33.32
PK	16.70784G	57.28	68.20	-10.92	39.53	3	Vertical	102	1.36	-	37.97	12.76	32.98

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 19
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13496G	53.61	74.00	-20.39	37.39	3	Horizontal	334	1.15	-	38.87	10.69	33.34
AV	11.14504G	41.28	54.00	-12.72	25.03	3	Horizontal	334	1.15	-	38.89	10.69	33.33
PK	16.70262G	57.47	68.20	-10.73	39.70	3	Horizontal	88	1.71	-	37.99	12.76	32.98




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.81727G	38.13	54.00	-15.87	Vertical



Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.82546G	50.19	74.00	-23.81	-6.58	3	Horizontal	251	1.57	-	56.77	25.65	3.44	35.67
AV	1.82447G	37.44	54.00	-16.56	-6.59	3	Horizontal	251	1.57	-	44.03	25.64	3.44	35.67