


5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 30
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49546G	54.24	74.00	-19.76	47.61	3	Vertical	183	1.97	-	39.08	10.85	43.30
AV	11.48844G	41.45	54.00	-12.55	34.86	3	Vertical	183	1.97	-	39.05	10.84	43.30
PK	17.23278G	62.58	68.20	-5.62	52.98	3	Vertical	298	2.36	-	38.63	13.00	42.03

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 30
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49294G	55.47	74.00	-18.53	48.85	3	Horizontal	185	1.05	-	39.07	10.85	43.30
AV	11.49528G	41.50	54.00	-12.50	34.87	3	Horizontal	185	1.05	-	39.08	10.85	43.30
PK	17.23476G	59.05	68.20	-9.15	49.44	3	Horizontal	61	2.87	-	38.64	13.00	42.03

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
 Setting 30
 01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	61.08	68.20	-7.12	54.62	3	Vertical	169	1.01	-	31.80	7.54	32.88
PK	5.783G	123.48	Inf	-Inf	116.67	3	Vertical	169	1.01	-	32.17	7.57	32.93
AV	5.786G	113.58	Inf	-Inf	106.76	3	Vertical	169	1.01	-	32.17	7.58	32.93
PK	5.971G	61.90	68.20	-6.30	54.78	3	Vertical	169	1.01	-	32.44	7.67	32.99

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
 Setting 30
 01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.555G	60.09	68.20	-8.11	53.66	3	Horizontal	100	2.87	-	31.79	7.49	32.85
PK	5.786G	115.55	Inf	-Inf	108.73	3	Horizontal	100	2.87	-	32.17	7.58	32.93
AV	5.786G	104.12	Inf	-Inf	97.30	3	Horizontal	100	2.87	-	32.17	7.58	32.93
PK	5.937G	60.35	68.20	-7.85	53.28	3	Horizontal	100	2.87	-	32.40	7.65	32.98

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 30
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58026G	54.45	74.00	-19.55	48.07	3	Vertical	216	1.20	-	38.78	10.89	43.29
AV	11.57198G	41.89	54.00	-12.11	35.49	3	Vertical	216	1.20	-	38.81	10.88	43.29
PK	17.355G	62.43	68.20	-5.77	52.57	3	Vertical	299	2.10	-	38.80	13.06	42.00

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 30
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5634G	54.01	74.00	-19.99	47.57	3	Horizontal	282	1.03	-	38.85	10.88	43.29
AV	11.56196G	41.60	54.00	-12.40	35.16	3	Horizontal	282	1.03	-	38.85	10.88	43.29
PK	17.34594G	59.75	68.20	-8.45	49.91	3	Horizontal	285	1.56	-	38.79	13.06	42.01

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
 Setting 30
 01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	60.83	68.20	-7.37	54.38	3	Vertical	9	1.00	-	31.80	7.53	32.88
PK	5.824G	123.54	Inf	-Inf	116.69	3	Vertical	9	1.00	-	32.20	7.59	32.94
AV	5.825G	113.56	Inf	-Inf	106.71	3	Vertical	9	1.00	-	32.20	7.59	32.94
PK	6.069G	61.44	68.20	-6.76	54.20	3	Vertical	9	1.00	-	32.56	7.69	33.01

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 30
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	60.55	68.20	-7.65	54.19	3	Horizontal	354	1.01	-	31.71	7.52	32.87
PK	5.827G	113.83	Inf	-Inf	106.98	3	Horizontal	354	1.01	-	32.20	7.59	32.94
AV	5.827G	105.70	Inf	-Inf	98.85	3	Horizontal	354	1.01	-	32.20	7.59	32.94
PK	5.973G	61.43	68.20	-6.77	54.30	3	Horizontal	354	1.01	-	32.45	7.67	32.99

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 30
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6458G	54.30	74.00	-19.70	48.24	3	Vertical	182	1.73	-	38.43	10.91	43.28
AV	11.65858G	41.09	54.00	-12.91	35.02	3	Vertical	182	1.73	-	38.42	10.92	43.27
PK	17.475G	63.42	68.20	-4.78	53.33	3	Vertical	298	2.08	-	38.95	13.12	41.98

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 30
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64608G	53.54	74.00	-20.46	47.49	3	Horizontal	89	2.79	-	38.42	10.91	43.28
AV	11.65344G	41.01	54.00	-12.99	34.96	3	Horizontal	89	2.79	-	38.41	10.92	43.28
PK	17.47692G	59.65	68.20	-8.55	49.56	3	Horizontal	66	2.08	-	38.95	13.12	41.98

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 24
01-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	64.44	74.00	-9.56	58.03	3	Vertical	176	1.35	-	32.08	7.23	32.90
AV	5.1492G	52.66	54.00	-1.34	46.22	3	Vertical	176	1.35	-	32.10	7.24	32.90
PK	5.1868G	116.70	Inf	-Inf	110.44	3	Vertical	176	1.35	-	31.88	7.27	32.89
AV	5.2044G	106.72	Inf	-Inf	100.57	3	Vertical	176	1.35	-	31.76	7.28	32.89

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 24
01-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1344G	60.32	74.00	-13.68	53.96	3	Horizontal	215	1.00	-	32.04	7.22	32.90
AV	5.15G	48.95	54.00	-5.05	42.51	3	Horizontal	215	1.00	-	32.10	7.24	32.90
PK	5.1928G	107.06	Inf	-Inf	100.84	3	Horizontal	215	1.00	-	31.84	7.27	32.89
AV	5.198G	97.78	Inf	-Inf	91.58	3	Horizontal	215	1.00	-	31.81	7.28	32.89

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 24
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36704G	53.35	68.20	-14.85	47.29	3	Vertical	85	2.24	-	38.73	10.35	43.02
PK	15.5568G	56.51	74.00	-17.49	48.60	3	Vertical	76	2.13	-	38.17	12.28	42.54
AV	15.55524G	43.97	54.00	-10.03	36.06	3	Vertical	76	2.13	-	38.18	12.28	42.55

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 24
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39392G	53.41	68.20	-14.79	47.29	3	Horizontal	90	2.08	-	38.79	10.36	43.03
PK	15.57672G	56.58	74.00	-17.42	48.72	3	Horizontal	268	1.57	-	38.09	12.29	42.52
AV	15.5592G	43.88	54.00	-10.12	35.98	3	Horizontal	268	1.57	-	38.16	12.28	42.54

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 26
01-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	62.17	74.00	-11.83	55.73	3	Vertical	89	1.04	-	32.10	7.24	32.90
AV	5.15G	50.63	54.00	-3.37	44.19	3	Vertical	89	1.04	-	32.10	7.24	32.90
PK	5.2204G	120.05	Inf	-Inf	114.01	3	Vertical	89	1.04	-	31.64	7.29	32.89
AV	5.215G	109.16	Inf	-Inf	103.08	3	Vertical	89	1.04	-	31.68	7.29	32.89
PK	5.3704G	59.33	74.00	-14.67	53.39	3	Vertical	89	1.04	-	31.44	7.36	32.86
AV	5.3524G	48.30	54.00	-5.70	42.41	3	Vertical	89	1.04	-	31.40	7.35	32.86

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 26
01-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	61.14	74.00	-12.86	54.70	3	Horizontal	304	1.08	-	32.10	7.24	32.90
AV	5.15G	48.57	54.00	-5.43	42.13	3	Horizontal	304	1.08	-	32.10	7.24	32.90
PK	5.2264G	107.66	Inf	-Inf	101.66	3	Horizontal	304	1.08	-	31.59	7.29	32.88
AV	5.2366G	99.13	Inf	-Inf	93.20	3	Horizontal	304	1.08	-	31.51	7.30	32.88
PK	5.3758G	58.53	74.00	-15.47	52.57	3	Horizontal	304	1.08	-	31.45	7.36	32.85
AV	5.3722G	47.85	54.00	-6.15	41.91	3	Horizontal	304	1.08	-	31.44	7.36	32.86

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 26
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46462G	54.16	68.20	-14.04	48.01	3	Vertical	92	1.00	-	38.80	10.39	43.04
PK	15.68898G	55.22	74.00	-18.78	47.62	3	Vertical	164	1.07	-	37.66	12.33	42.39
AV	15.68958G	42.72	54.00	-11.28	35.12	3	Vertical	164	1.07	-	37.66	12.33	42.39

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 26
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4504G	53.19	68.20	-15.01	47.03	3	Horizontal	35	2.60	-	38.80	10.39	43.03
PK	15.69552G	55.25	74.00	-18.75	47.62	3	Horizontal	339	2.35	-	37.68	12.33	42.38
AV	15.68154G	42.61	54.00	-11.39	35.06	3	Horizontal	339	2.35	-	37.63	12.32	42.40

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 26
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	59.48	74.00	-14.52	53.58	3	Vertical	175	1.00	-	34.09	6.66	34.85
AV	5.1494G	48.69	54.00	-5.31	42.77	3	Vertical	175	1.00	-	34.10	6.67	34.85
PK	5.2712G	118.90	Inf	-Inf	112.83	3	Vertical	175	1.00	-	34.13	6.81	34.87
AV	5.2688G	107.88	Inf	-Inf	101.83	3	Vertical	175	1.00	-	34.11	6.81	34.87
PK	5.3558G	61.45	74.00	-12.55	55.01	3	Vertical	175	1.00	-	34.49	6.83	34.88
AV	5.35G	51.19	54.00	-2.81	44.74	3	Vertical	175	1.00	-	34.50	6.83	34.88

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 26
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1314G	59.50	74.00	-14.50	53.67	3	Horizontal	114	2.40	-	34.06	6.62	34.85
AV	5.1482G	48.31	54.00	-5.69	42.40	3	Horizontal	114	2.40	-	34.10	6.66	34.85
PK	5.2682G	108.17	Inf	-Inf	102.12	3	Horizontal	114	2.40	-	34.11	6.81	34.87
AV	5.258G	98.64	Inf	-Inf	92.65	3	Horizontal	114	2.40	-	34.05	6.81	34.87
PK	5.3528G	60.28	74.00	-13.72	53.84	3	Horizontal	114	2.40	-	34.49	6.83	34.88
AV	5.3702G	48.73	54.00	-5.27	42.32	3	Horizontal	114	2.40	-	34.46	6.83	34.88

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 26
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.55218G	57.79	68.20	-10.41	51.61	3	Vertical	182	2.15	-	38.80	10.43	43.05
PK	15.8085G	53.19	74.00	-20.81	45.29	3	Vertical	320	2.29	-	37.78	12.37	42.25
AV	15.79524G	40.63	54.00	-13.37	32.74	3	Vertical	320	2.29	-	37.80	12.36	42.27

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 26
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53832G	54.55	68.20	-13.65	48.36	3	Horizontal	267	1.22	-	38.80	10.43	43.04
PK	15.8187G	53.26	74.00	-20.74	45.37	3	Horizontal	24	2.60	-	37.76	12.37	42.24
AV	15.82362G	40.70	54.00	-13.30	32.81	3	Horizontal	24	2.60	-	37.75	12.37	42.23

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 23
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3108G	116.24	Inf	-Inf	109.95	3	Vertical	157	1.01	-	34.34	6.82	34.87
AV	5.3G	108.58	Inf	-Inf	102.33	3	Vertical	157	1.01	-	34.30	6.82	34.87
PK	5.35G	61.72	74.00	-12.28	55.27	3	Vertical	157	1.01	-	34.50	6.83	34.88
AV	5.35G	50.92	54.00	-3.08	44.47	3	Vertical	157	1.01	-	34.50	6.83	34.88

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 23
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3112G	100.83	Inf	-Inf	94.54	3	Horizontal	160	1.80	-	34.34	6.82	34.87
AV	5.3024G	92.05	Inf	-Inf	85.79	3	Horizontal	160	1.80	-	34.31	6.82	34.87
PK	5.3544G	60.57	74.00	-13.43	54.13	3	Horizontal	160	1.80	-	34.49	6.83	34.88
AV	5.4044G	48.65	54.00	-5.35	42.28	3	Horizontal	160	1.80	-	34.42	6.84	34.89

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 23
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62918G	54.34	74.00	-19.66	47.91	3	Vertical	174	2.10	-	39.02	10.47	43.06
AV	10.63302G	41.14	54.00	-12.86	34.70	3	Vertical	174	2.10	-	39.03	10.47	43.06
PK	15.92502G	56.90	74.00	-17.10	49.12	3	Vertical	316	2.60	-	37.50	12.40	42.12
AV	15.92544G	43.69	54.00	-10.31	35.90	3	Vertical	316	2.60	-	37.50	12.41	42.12

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 23
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63416G	54.46	74.00	-19.54	48.01	3	Horizontal	206	2.07	-	39.04	10.47	43.06
AV	10.63002G	41.23	54.00	-12.77	34.80	3	Horizontal	206	2.07	-	39.02	10.47	43.06
PK	15.94444G	57.02	74.00	-16.98	49.28	3	Horizontal	117	2.56	-	37.42	12.41	42.09
AV	15.93912G	43.96	54.00	-10.04	36.21	3	Horizontal	117	2.56	-	37.44	12.41	42.10

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 23
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	62.41	74.00	-11.59	55.84	3	Vertical	158	1.02	-	34.60	6.86	34.89
AV	5.4596G	51.58	54.00	-2.42	45.01	3	Vertical	158	1.02	-	34.60	6.86	34.89
PK	5.4684G	65.59	68.20	-2.61	59.03	3	Vertical	158	1.02	-	34.60	6.86	34.90
PK	5.5084G	115.89	Inf	-Inf	109.31	3	Vertical	158	1.02	-	34.60	6.88	34.90
AV	5.5G	108.17	Inf	-Inf	101.60	3	Vertical	158	1.02	-	34.60	6.87	34.90

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 23
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	60.43	74.00	-13.57	53.86	3	Horizontal	188	2.94	-	34.60	6.86	34.89
AV	5.4588G	49.13	54.00	-4.87	42.56	3	Horizontal	188	2.94	-	34.60	6.86	34.89
PK	5.47G	61.04	68.20	-7.16	54.48	3	Horizontal	188	2.94	-	34.60	6.86	34.90
PK	5.5076G	106.53	Inf	-Inf	99.95	3	Horizontal	188	2.94	-	34.60	6.88	34.90
AV	5.5108G	95.07	Inf	-Inf	88.50	3	Horizontal	188	2.94	-	34.60	6.88	34.91

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 23
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0098G	52.57	74.00	-21.43	46.16	3	Vertical	130	2.97	-	38.88	10.63	43.10
AV	11.01778G	39.84	54.00	-14.16	33.45	3	Vertical	130	2.97	-	38.86	10.64	43.11
PK	16.53612G	59.65	68.20	-8.55	50.05	3	Vertical	302	2.06	-	38.56	12.68	41.64

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 23
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00878G	52.67	74.00	-21.33	46.26	3	Horizontal	337	1.44	-	38.88	10.63	43.10
AV	11.017G	39.84	54.00	-14.16	33.44	3	Horizontal	337	1.44	-	38.87	10.64	43.11
PK	16.54074G	59.35	68.20	-8.85	49.77	3	Horizontal	237	2.04	-	38.54	12.68	41.64

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 27
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4486G	62.05	74.00	-11.95	55.49	3	Vertical	176	1.00	-	34.59	6.86	34.89
PK	5.47G	63.46	68.20	-4.74	56.90	3	Vertical	176	1.00	-	34.60	6.86	34.90
AV	5.46G	51.00	54.00	-3.00	44.43	3	Vertical	176	1.00	-	34.60	6.86	34.89
PK	5.5458G	119.77	Inf	-Inf	113.20	3	Vertical	176	1.00	-	34.60	6.89	34.92
AV	5.5374G	112.78	Inf	-Inf	106.21	3	Vertical	176	1.00	-	34.60	6.89	34.92

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 27
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	60.65	74.00	-13.35	54.08	3	Horizontal	210	3.00	-	34.60	6.86	34.89
AV	5.4528G	49.10	54.00	-4.90	42.53	3	Horizontal	210	3.00	-	34.60	6.86	34.89
PK	5.4654G	60.52	68.20	-7.68	53.96	3	Horizontal	210	3.00	-	34.60	6.86	34.90
PK	5.5356G	109.56	Inf	-Inf	102.99	3	Horizontal	210	3.00	-	34.60	6.89	34.92
AV	5.5512G	98.97	Inf	-Inf	92.40	3	Horizontal	210	3.00	-	34.60	6.89	34.92

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 27
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10924G	53.56	74.00	-20.44	47.20	3	Vertical	48	2.34	-	38.82	10.68	43.14
AV	11.1138G	40.96	54.00	-13.04	34.60	3	Vertical	48	2.34	-	38.83	10.68	43.15
PK	16.66296G	59.09	68.20	-9.11	49.74	3	Vertical	350	2.87	-	38.37	12.74	41.76

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 27
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09904G	53.23	74.00	-20.77	46.90	3	Horizontal	314	2.41	-	38.80	10.67	43.14
AV	11.10528G	41.06	54.00	-12.94	34.71	3	Horizontal	314	2.41	-	38.81	10.68	43.14
PK	16.6569G	58.37	68.20	-9.83	48.95	3	Horizontal	277	1.36	-	38.43	12.74	41.75

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 25
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6692G	117.28	Inf	-Inf	111.02	3	Vertical	96	1.10	-	34.32	6.92	34.98
AV	5.6612G	111.00	Inf	-Inf	104.70	3	Vertical	96	1.10	-	34.36	6.92	34.98
PK	5.7296G	65.83	68.20	-2.37	59.71	3	Vertical	96	1.10	-	34.20	6.93	35.01

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 25
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6728G	109.06	Inf	-Inf	102.81	3	Horizontal	99	2.87	-	34.31	6.92	34.98
AV	5.6716G	98.34	Inf	-Inf	92.09	3	Horizontal	99	2.87	-	34.31	6.92	34.98
PK	5.75G	61.97	68.20	-6.23	55.86	3	Horizontal	99	2.87	-	34.20	6.93	35.02

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




23/01/2024

EUT_Z_2TX
Setting 25
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33238G	53.27	74.00	-20.73	46.66	3	Vertical	113	2.12	-	39.06	10.78	43.23
AV	11.34236G	40.80	54.00	-13.20	34.18	3	Vertical	113	2.12	-	39.08	10.78	43.24
PK	17.01798G	58.07	68.20	-10.13	49.12	3	Vertical	5	1.07	-	38.14	12.90	42.09

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 25
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34294G	53.11	74.00	-20.89	46.48	3	Horizontal	95	1.48	-	39.09	10.78	43.24
AV	11.35206G	40.71	54.00	-13.29	34.07	3	Horizontal	95	1.48	-	39.10	10.78	43.24
PK	17.00796G	58.46	68.20	-9.74	49.53	3	Horizontal	185	2.50	-	38.12	12.90	42.09

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 30
 03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7116G	122.18	Inf	-Inf	116.05	3	Vertical	101	1.22	-	34.20	6.93	35.00
AV	5.7108G	111.16	Inf	-Inf	105.03	3	Vertical	101	1.22	-	34.20	6.93	35.00
PK	5.8668G	61.89	68.20	-6.31	55.65	3	Vertical	101	1.22	-	34.37	6.95	35.08

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 30
 03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7108G	112.48	Inf	-Inf	106.35	3	Horizontal	103	3.00	-	34.20	6.93	35.00
AV	5.7108G	102.27	Inf	-Inf	96.14	3	Horizontal	103	3.00	-	34.20	6.93	35.00
PK	5.9004G	61.60	68.20	-6.60	55.23	3	Horizontal	103	3.00	-	34.50	6.96	35.09

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 30
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41652G	54.16	74.00	-19.84	47.65	3	Vertical	311	2.25	-	38.97	10.81	43.27
AV	11.40674G	41.37	54.00	-12.63	34.83	3	Vertical	311	2.25	-	38.99	10.81	43.26
PK	17.13768G	61.67	68.20	-6.53	52.42	3	Vertical	146	1.60	-	38.35	12.96	42.06

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 30
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41178G	54.05	74.00	-19.95	47.52	3	Horizontal	28	2.75	-	38.98	10.81	43.26
AV	11.41412G	41.24	54.00	-12.76	34.73	3	Horizontal	28	2.75	-	38.97	10.81	43.27
PK	17.13912G	59.14	68.20	-9.06	49.88	3	Horizontal	96	1.10	-	38.36	12.96	42.06

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 29
 01-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	66.44	68.94	-2.50	59.98	3	Vertical	15	1.00	-	31.80	7.54	32.88
PK	5.759G	124.38	Inf	-Inf	117.61	3	Vertical	15	1.00	-	32.12	7.57	32.92
AV	5.766G	117.53	Inf	-Inf	110.75	3	Vertical	15	1.00	-	32.13	7.57	32.92
PK	5.992G	62.77	68.20	-5.43	55.61	3	Vertical	15	1.00	-	32.48	7.68	33.00

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 29
01-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	60.36	68.20	-7.84	53.92	3	Horizontal	96	3.00	-	31.79	7.53	32.88
PK	5.754G	112.47	Inf	-Inf	105.71	3	Horizontal	96	3.00	-	32.11	7.57	32.92
AV	5.76G	104.69	Inf	-Inf	97.92	3	Horizontal	96	3.00	-	32.12	7.57	32.92
PK	5.956G	62.16	68.20	-6.04	55.08	3	Horizontal	96	3.00	-	32.41	7.66	32.99

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 29
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49848G	54.57	74.00	-19.43	47.93	3	Vertical	282	2.86	-	39.09	10.85	43.30
AV	11.49698G	41.28	54.00	-12.72	34.64	3	Vertical	282	2.86	-	39.09	10.85	43.30
PK	17.25096G	60.26	68.20	-7.94	50.58	3	Vertical	130	2.83	-	38.70	13.01	42.03

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 29
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52488G	54.60	74.00	-19.40	48.04	3	Horizontal	244	2.13	-	39.00	10.86	43.30
AV	11.49758G	41.29	54.00	-12.71	34.65	3	Horizontal	244	2.13	-	39.09	10.85	43.30
PK	17.26824G	59.24	68.20	-8.96	49.55	3	Horizontal	115	1.77	-	38.70	13.02	42.03

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 30
 01-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	60.96	68.20	-7.24	54.53	3	Vertical	172	1.07	-	31.78	7.53	32.88
PK	5.796G	121.52	Inf	-Inf	114.68	3	Vertical	172	1.07	-	32.19	7.58	32.93
AV	5.782G	111.66	Inf	-Inf	104.86	3	Vertical	172	1.07	-	32.16	7.57	32.93
PK	5.937G	62.79	68.20	-5.41	55.72	3	Vertical	172	1.07	-	32.40	7.65	32.98

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 30
 01-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.55G	59.94	68.20	-8.26	53.51	3	Horizontal	65	2.97	-	31.80	7.48	32.85
PK	5.78G	111.32	Inf	-Inf	104.52	3	Horizontal	65	2.97	-	32.16	7.57	32.93
AV	5.791G	101.02	Inf	-Inf	94.19	3	Horizontal	65	2.97	-	32.18	7.58	32.93
PK	6.004G	61.73	68.20	-6.47	54.54	3	Horizontal	65	2.97	-	32.51	7.68	33.00

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 30
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59882G	54.87	74.00	-19.13	48.56	3	Vertical	132	2.24	-	38.70	10.89	43.28
AV	11.59478G	41.95	54.00	-12.05	35.62	3	Vertical	132	2.24	-	38.72	10.89	43.28
PK	17.38272G	61.52	68.20	-6.68	51.65	3	Vertical	57	1.20	-	38.80	13.07	42.00

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 30
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58028G	54.70	74.00	-19.30	48.32	3	Horizontal	252	2.68	-	38.78	10.89	43.29
AV	11.58952G	41.90	54.00	-12.10	35.56	3	Horizontal	252	2.68	-	38.74	10.89	43.29
PK	17.38056G	58.76	68.20	-9.44	48.89	3	Horizontal	212	1.61	-	38.80	13.07	42.00

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 24
04-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	64.31	74.00	-9.69	59.08	3	Vertical	203	1.21	-	32.59	5.90	33.26
AV	5.149G	52.60	54.00	-1.40	47.36	3	Vertical	203	1.21	-	32.60	5.90	33.26
PK	5.217G	111.60	Inf	-Inf	106.25	3	Vertical	203	1.21	-	32.70	5.94	33.29
AV	5.201G	105.93	Inf	-Inf	100.59	3	Vertical	203	1.21	-	32.70	5.92	33.28
PK	5.454G	58.85	74.00	-15.15	52.75	3	Vertical	203	1.21	-	33.32	6.15	33.37
AV	5.401G	46.61	54.00	-7.39	40.74	3	Vertical	203	1.21	-	33.10	6.12	33.35

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 24
04-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	58.76	74.00	-15.24	53.55	3	Horizontal	115	2.47	-	32.58	5.89	33.26
AV	5.148G	47.03	54.00	-6.97	41.79	3	Horizontal	115	2.47	-	32.60	5.90	33.26
PK	5.211G	99.59	Inf	-Inf	94.25	3	Horizontal	115	2.47	-	32.70	5.93	33.29
AV	5.213G	88.26	Inf	-Inf	82.92	3	Horizontal	115	2.47	-	32.70	5.93	33.29
PK	5.456G	59.01	74.00	-14.99	52.89	3	Horizontal	115	2.47	-	33.34	6.15	33.37
AV	5.402G	46.38	54.00	-7.62	40.50	3	Horizontal	115	2.47	-	33.11	6.12	33.35

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 24
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40848G	54.82	68.20	-13.38	48.68	3	Vertical	323	2.83	-	38.80	10.37	43.03
PK	15.62934G	56.26	74.00	-17.74	48.70	3	Vertical	261	1.13	-	37.71	12.31	42.46
AV	15.63852G	42.48	54.00	-11.52	35.01	3	Vertical	261	1.13	-	37.61	12.31	42.45

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 24
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41478G	53.78	68.20	-14.42	47.64	3	Horizontal	354	2.89	-	38.80	10.37	43.03
PK	15.62172G	55.80	74.00	-18.20	48.19	3	Horizontal	268	2.86	-	37.78	12.30	42.47
AV	15.62958G	42.53	54.00	-11.47	34.98	3	Horizontal	268	2.86	-	37.70	12.31	42.46

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 24
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	60.02	74.00	-13.98	54.15	3	Vertical	8	1.02	-	34.08	6.64	34.85
AV	5.139G	49.61	54.00	-4.39	43.74	3	Vertical	8	1.02	-	34.08	6.64	34.85
PK	5.253G	116.27	Inf	-Inf	110.31	3	Vertical	8	1.02	-	34.02	6.81	34.87
AV	5.289G	104.14	Inf	-Inf	97.96	3	Vertical	8	1.02	-	34.23	6.82	34.87
PK	5.354G	62.79	74.00	-11.21	56.35	3	Vertical	8	1.02	-	34.49	6.83	34.88
AV	5.351G	51.47	54.00	-2.53	45.02	3	Vertical	8	1.02	-	34.50	6.83	34.88
PK	5.529G	61.07	68.20	-7.13	54.49	3	Vertical	8	1.02	-	34.60	6.89	34.91

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 24
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.127G	59.32	74.00	-14.68	53.51	3	Horizontal	111	2.41	-	34.05	6.61	34.85
AV	5.149G	48.31	54.00	-5.69	42.40	3	Horizontal	111	2.41	-	34.10	6.66	34.85
PK	5.288G	102.93	Inf	-Inf	96.75	3	Horizontal	111	2.41	-	34.23	6.82	34.87
AV	5.262G	94.45	Inf	-Inf	88.44	3	Horizontal	111	2.41	-	34.07	6.81	34.87
PK	5.432G	61.03	74.00	-12.97	54.54	3	Horizontal	111	2.41	-	34.53	6.85	34.89
AV	5.425G	48.93	54.00	-5.07	42.47	3	Horizontal	111	2.41	-	34.50	6.85	34.89
PK	5.483G	60.57	68.20	-7.63	54.00	3	Horizontal	111	2.41	-	34.60	6.87	34.90

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 24
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59212G	54.04	68.20	-14.16	47.76	3	Vertical	281	2.27	-	38.88	10.45	43.05
PK	15.87744G	55.80	74.00	-18.20	47.93	3	Vertical	235	2.56	-	37.65	12.39	42.17
AV	15.87636G	42.75	54.00	-11.25	34.88	3	Vertical	235	2.56	-	37.65	12.39	42.17

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 24
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57094G	54.23	68.20	-13.97	48.00	3	Horizontal	278	2.80	-	38.84	10.44	43.05
PK	15.87414G	56.39	74.00	-17.61	48.53	3	Horizontal	106	1.92	-	37.65	12.39	42.18
AV	15.8847G	42.89	54.00	-11.11	35.03	3	Horizontal	106	1.92	-	37.63	12.39	42.16

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 24
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.313G	60.78	68.20	-7.42	54.48	3	Vertical	167	2.60	-	34.35	6.82	34.87
AV	5.35G	48.51	54.00	-5.49	42.06	3	Vertical	167	2.60	-	34.50	6.83	34.88
PK	5.458G	63.07	74.00	-10.93	56.50	3	Vertical	167	2.60	-	34.60	6.86	34.89
AV	5.459G	51.29	54.00	-2.71	44.72	3	Vertical	167	2.60	-	34.60	6.86	34.89
PK	5.466G	62.56	68.20	-5.64	56.00	3	Vertical	167	2.60	-	34.60	6.86	34.90
PK	5.526G	113.02	Inf	-Inf	106.45	3	Vertical	167	2.60	-	34.60	6.88	34.91
AV	5.501G	109.66	Inf	-Inf	103.08	3	Vertical	167	2.60	-	34.60	6.88	34.90
PK	5.76G	60.64	68.20	-7.56	54.51	3	Vertical	167	2.60	-	34.22	6.93	35.02

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX



Lim.PK
PK
Lim.AV
AV


16/01/2024

EUT_Z_2TX
Setting 24
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	60.05	68.20	-8.15	53.74	3	Horizontal	61	2.40	-	34.36	6.82	34.87
AV	5.35G	48.33	54.00	-5.67	41.88	3	Horizontal	61	2.40	-	34.50	6.83	34.88
PK	5.443G	60.90	74.00	-13.10	54.36	3	Horizontal	61	2.40	-	34.57	6.86	34.89
AV	5.45G	49.27	54.00	-4.73	42.70	3	Horizontal	61	2.40	-	34.60	6.86	34.89
PK	5.469G	59.80	68.20	-8.40	53.24	3	Horizontal	61	2.40	-	34.60	6.86	34.90
PK	5.532G	104.20	Inf	-Inf	97.63	3	Horizontal	61	2.40	-	34.60	6.89	34.92
AV	5.505G	97.38	Inf	-Inf	90.80	3	Horizontal	61	2.40	-	34.60	6.88	34.90
PK	5.765G	60.74	68.20	-7.46	54.61	3	Horizontal	61	2.40	-	34.23	6.93	35.03

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 24
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0732G	53.69	74.00	-20.31	47.36	3	Vertical	328	1.24	-	38.80	10.66	43.13
AV	11.07422G	41.06	54.00	-12.94	34.73	3	Vertical	328	1.24	-	38.80	10.66	43.13
PK	16.59618G	59.71	68.20	-8.49	50.28	3	Vertical	156	1.95	-	38.41	12.71	41.69

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 24
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06798G	54.79	74.00	-19.21	48.46	3	Horizontal	333	1.04	-	38.80	10.66	43.13
AV	11.07332G	40.91	54.00	-13.09	34.58	3	Horizontal	333	1.04	-	38.80	10.66	43.13
PK	16.57602G	59.36	68.20	-8.84	49.88	3	Horizontal	125	1.32	-	38.45	12.70	41.67

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 25
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.433G	61.31	74.00	-12.69	54.82	3	Vertical	99	1.10	-	34.53	6.85	34.89
PK	5.467G	60.78	68.20	-7.42	54.22	3	Vertical	99	1.10	-	34.60	6.86	34.90
AV	5.456G	49.66	54.00	-4.34	43.09	3	Vertical	99	1.10	-	34.60	6.86	34.89
PK	5.614G	115.34	Inf	-Inf	108.98	3	Vertical	99	1.10	-	34.40	6.91	34.95
AV	5.586G	109.66	Inf	-Inf	103.23	3	Vertical	99	1.10	-	34.46	6.91	34.94
PK	5.725G	63.41	68.20	-4.79	57.29	3	Vertical	99	1.10	-	34.20	6.93	35.01

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
 Setting 25
 03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	60.73	74.00	-13.27	54.16	3	Horizontal	108	2.43	-	34.60	6.86	34.89
AV	5.46G	48.95	54.00	-5.05	42.38	3	Horizontal	108	2.43	-	34.60	6.86	34.89
PK	5.467G	59.79	68.20	-8.41	53.23	3	Horizontal	108	2.43	-	34.60	6.86	34.90
PK	5.615G	104.58	Inf	-Inf	98.23	3	Horizontal	108	2.43	-	34.40	6.91	34.96
AV	5.586G	98.93	Inf	-Inf	92.50	3	Horizontal	108	2.43	-	34.46	6.91	34.94
PK	5.838G	60.89	68.20	-7.31	54.70	3	Horizontal	108	2.43	-	34.30	6.95	35.06

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 25
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22084G	53.75	74.00	-20.25	47.27	3	Vertical	321	2.80	-	38.94	10.73	43.19
AV	11.23422G	41.40	54.00	-12.60	34.89	3	Vertical	321	2.80	-	38.97	10.73	43.19
PK	16.82382G	57.34	68.20	-10.86	48.25	3	Vertical	320	1.69	-	38.20	12.81	41.92

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 25
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23128G	54.15	74.00	-19.85	47.65	3	Horizontal	301	1.07	-	38.96	10.73	43.19
AV	11.23422G	41.35	54.00	-12.65	34.84	3	Horizontal	301	1.07	-	38.97	10.73	43.19
PK	16.83834G	57.00	68.20	-11.20	47.86	3	Horizontal	243	2.01	-	38.25	12.82	41.93

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	61.26	74.00	-12.74	54.71	3	Vertical	351	1.07	-	34.58	6.86	34.89
AV	5.454G	49.65	54.00	-4.35	43.08	3	Vertical	351	1.07	-	34.60	6.86	34.89
PK	5.47G	60.55	68.20	-7.65	53.99	3	Vertical	351	1.07	-	34.60	6.86	34.90
PK	5.691G	118.91	Inf	-Inf	112.74	3	Vertical	351	1.07	-	34.24	6.92	34.99
AV	5.691G	107.64	Inf	-Inf	101.47	3	Vertical	351	1.07	-	34.24	6.92	34.99
PK	5.851G	65.51	68.20	-2.69	59.33	3	Vertical	351	1.07	-	34.30	6.95	35.07

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	60.83	74.00	-13.17	54.28	3	Horizontal	105	2.70	-	34.58	6.86	34.89
AV	5.448G	49.25	54.00	-4.75	42.69	3	Horizontal	105	2.70	-	34.59	6.86	34.89
PK	5.464G	60.00	68.20	-8.20	53.43	3	Horizontal	105	2.70	-	34.60	6.86	34.89
PK	5.686G	108.15	Inf	-Inf	101.96	3	Horizontal	105	2.70	-	34.26	6.92	34.99
AV	5.688G	97.82	Inf	-Inf	91.64	3	Horizontal	105	2.70	-	34.25	6.92	34.99
PK	5.859G	60.97	68.20	-7.23	54.75	3	Horizontal	105	2.70	-	34.34	6.95	35.07

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37172G	54.49	74.00	-19.51	47.89	3	Vertical	92	1.38	-	39.06	10.79	43.25
AV	11.3893G	41.69	54.00	-12.31	35.13	3	Vertical	92	1.38	-	39.02	10.80	43.26
PK	17.0709G	59.85	68.20	-8.35	50.79	3	Vertical	167	2.23	-	38.20	12.93	42.07

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.371G	54.90	74.00	-19.10	48.30	3	Horizontal	225	1.72	-	39.06	10.79	43.25
AV	11.38828G	41.67	54.00	-12.33	35.11	3	Horizontal	225	1.72	-	39.02	10.80	43.26
PK	17.0778G	58.41	68.20	-9.79	49.35	3	Horizontal	332	2.40	-	38.20	12.93	42.07

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 26
 01-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	64.53	68.20	-3.67	58.09	3	Vertical	169	1.04	-	31.79	7.53	32.88
PK	5.773G	116.73	Inf	-Inf	109.93	3	Vertical	169	1.04	-	32.15	7.57	32.92
AV	5.801G	112.07	Inf	-Inf	105.22	3	Vertical	169	1.04	-	32.20	7.58	32.93
PK	5.931G	63.32	68.20	-4.88	56.25	3	Vertical	169	1.04	-	32.40	7.65	32.98

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 26
 01-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.576G	60.93	68.20	-7.27	54.54	3	Horizontal	99	2.83	-	31.75	7.50	32.86
PK	5.771G	107.43	Inf	-Inf	100.64	3	Horizontal	99	2.83	-	32.14	7.57	32.92
AV	5.804G	101.92	Inf	-Inf	95.07	3	Horizontal	99	2.83	-	32.20	7.58	32.93
PK	5.943G	61.65	68.20	-6.55	54.58	3	Horizontal	99	2.83	-	32.40	7.65	32.98

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 26
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56152G	54.35	74.00	-19.65	47.91	3	Vertical	305	2.20	-	38.85	10.88	43.29
AV	11.55954G	41.77	54.00	-12.23	35.32	3	Vertical	305	2.20	-	38.86	10.88	43.29
PK	17.31354G	58.31	68.20	-9.89	48.55	3	Vertical	319	1.71	-	38.73	13.04	42.01

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 26
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56176G	55.44	74.00	-18.56	49.00	3	Horizontal	229	1.98	-	38.85	10.88	43.29
AV	11.56314G	41.57	54.00	-12.43	35.13	3	Horizontal	229	1.98	-	38.85	10.88	43.29
PK	17.3148G	57.52	68.20	-10.68	47.76	3	Horizontal	268	1.75	-	38.73	13.04	42.01

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 22
03-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	67.32	74.00	-6.68	61.47	3	Vertical	-0	1.30	-	34.07	6.63	34.85
AV	5.1412G	52.98	54.00	-1.02	47.11	3	Vertical	-0	1.30	-	34.08	6.64	34.85
PK	5.2532G	108.11	Inf	-Inf	102.15	3	Vertical	-0	1.30	-	34.02	6.81	34.87
PK	5.3508G	61.06	74.00	-12.94	54.61	3	Vertical	-0	1.30	-	34.50	6.83	34.88
AV	5.3204G	108.16	Inf	-Inf	101.83	3	Vertical	-0	1.30	-	34.38	6.82	34.87
AV	5.35G	50.34	54.00	-3.66	43.89	3	Vertical	-0	1.30	-	34.50	6.83	34.88
PK	5.49G	60.76	68.20	-7.44	54.19	3	Vertical	-0	1.30	-	34.60	6.87	34.90

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 22
03-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	59.49	74.00	-14.51	53.64	3	Horizontal	53	2.31	-	34.07	6.63	34.85
AV	5.138G	48.60	54.00	-5.40	42.73	3	Horizontal	53	2.31	-	34.08	6.64	34.85
PK	5.322G	107.09	Inf	-Inf	100.76	3	Horizontal	53	2.31	-	34.39	6.82	34.88
AV	5.3236G	89.80	Inf	-Inf	83.47	3	Horizontal	53	2.31	-	34.39	6.82	34.88
PK	5.3812G	60.20	74.00	-13.80	53.80	3	Horizontal	53	2.31	-	34.44	6.84	34.88
AV	5.4308G	49.00	54.00	-5.00	42.52	3	Horizontal	53	2.31	-	34.52	6.85	34.89
PK	5.506G	61.26	68.20	-6.94	54.68	3	Horizontal	53	2.31	-	34.60	6.88	34.90

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 22
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49892G	54.47	68.20	-13.73	48.30	3	Vertical	311	2.81	-	38.80	10.41	43.04
PK	15.7515G	54.37	74.00	-19.63	46.54	3	Vertical	239	2.09	-	37.80	12.35	42.32
AV	15.76098G	41.54	54.00	-12.46	33.70	3	Vertical	239	2.09	-	37.80	12.35	42.31

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 22
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49358G	53.55	68.20	-14.65	47.38	3	Horizontal	171	1.14	-	38.80	10.41	43.04
PK	15.76116G	54.62	74.00	-19.38	46.78	3	Horizontal	192	1.78	-	37.80	12.35	42.31
AV	15.76236G	41.70	54.00	-12.30	33.86	3	Horizontal	192	1.78	-	37.80	12.35	42.31

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 22
03-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.326G	60.66	68.20	-7.54	54.31	3	Vertical	13.6	1.00	-	34.40	6.83	34.88
PK	5.458G	66.49	74.00	-7.51	59.92	3	Vertical	13.6	1.00	-	34.60	6.86	34.89
AV	5.46G	53.03	54.00	-0.97	46.46	3	Vertical	13.6	1.00	-	34.60	6.86	34.89
PK	5.468G	65.27	68.20	-2.93	58.71	3	Vertical	13.6	1.00	-	34.60	6.86	34.90
PK	5.632G	114.84	Inf	-Inf	108.49	3	Vertical	13.6	1.00	-	34.40	6.91	34.96
AV	5.639G	106.29	Inf	-Inf	99.94	3	Vertical	13.6	1.00	-	34.40	6.92	34.97
PK	5.789G	62.03	68.20	-6.17	55.85	3	Vertical	13.6	1.00	-	34.28	6.94	35.04

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 22
03-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.331G	59.91	68.20	-8.29	53.54	3	Horizontal	109	2.74	-	34.42	6.83	34.88
PK	5.447G	61.78	74.00	-12.22	55.22	3	Horizontal	109	2.74	-	34.59	6.86	34.89
AV	5.45G	49.63	54.00	-4.37	43.06	3	Horizontal	109	2.74	-	34.60	6.86	34.89
PK	5.462G	60.41	68.20	-7.79	53.84	3	Horizontal	109	2.74	-	34.60	6.86	34.89
PK	5.637G	104.97	Inf	-Inf	98.62	3	Horizontal	109	2.74	-	34.40	6.92	34.97
AV	5.637G	97.72	Inf	-Inf	91.37	3	Horizontal	109	2.74	-	34.40	6.92	34.97
PK	5.78G	61.13	68.20	-7.07	54.96	3	Horizontal	109	2.74	-	34.26	6.94	35.03

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 22
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13334G	53.73	74.00	-20.27	47.32	3	Vertical	195	1.45	-	38.87	10.69	43.15
AV	11.13028G	40.93	54.00	-13.07	34.53	3	Vertical	195	1.45	-	38.86	10.69	43.15
PK	16.6977G	58.83	68.20	-9.37	49.85	3	Vertical	335	2.13	-	38.02	12.75	41.79

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Z_2TX
Setting 22
05-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13736G	53.41	74.00	-20.59	47.00	3	Horizontal	115	2.97	-	38.87	10.69	43.15
AV	11.1295G	41.02	54.00	-12.98	34.62	3	Horizontal	115	2.97	-	38.86	10.69	43.15
PK	16.71042G	58.01	68.20	-10.19	49.10	3	Horizontal	63	2.23	-	37.96	12.76	41.81