


5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35032G	54.76	68.20	-13.44	47.74	3	Horizontal	103	2.36	-	37.85	12.19	43.02
PK	15.53956G	59.98	74.00	-14.02	48.06	3	Horizontal	146	2.30	-	38.24	16.24	42.56
AV	15.54948G	45.91	54.00	-8.09	34.01	3	Horizontal	146	2.30	-	38.20	16.25	42.55

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	68.36	74.00	-5.64	62.49	3	Vertical	193	1.80	-	34.00	6.75	34.88
AV	5.15G	51.87	54.00	-2.13	46.00	3	Vertical	193	1.80	-	34.00	6.75	34.88
PK	5.1916G	119.59	Inf	-Inf	113.51	3	Vertical	193	1.80	-	34.17	6.79	34.88
AV	5.1928G	107.22	Inf	-Inf	101.14	3	Vertical	193	1.80	-	34.17	6.79	34.88

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	60.06	74.00	-13.94	54.09	3	Horizontal	167	2.67	-	34.10	6.75	34.88
AV	5.15G	46.87	54.00	-7.13	40.90	3	Horizontal	167	2.67	-	34.10	6.75	34.88
PK	5.2052G	109.40	Inf	-Inf	103.48	3	Horizontal	167	2.67	-	34.00	6.80	34.88
AV	5.2052G	95.45	Inf	-Inf	89.53	3	Horizontal	167	2.67	-	34.00	6.80	34.88

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40168G	54.21	68.20	-13.99	47.12	3	Vertical	6	1.58	-	37.90	12.22	43.03
PK	15.60724G	59.12	74.00	-14.88	47.29	3	Vertical	65	1.93	-	38.01	16.31	42.49
AV	15.60436G	45.51	54.00	-8.49	33.70	3	Vertical	65	1.93	-	38.00	16.30	42.49

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40284G	54.39	68.20	-13.81	47.30	3	Horizontal	252	1.63	-	37.90	12.22	43.03
PK	15.6016G	59.11	74.00	-14.89	47.30	3	Horizontal	132	1.48	-	38.00	16.30	42.49
AV	15.60436G	45.58	54.00	-8.42	33.77	3	Horizontal	132	1.48	-	38.00	16.30	42.49

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
 Setting 24
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	66.83	74.00	-7.17	60.99	3	Vertical	354	1.52	-	33.98	6.74	34.88
AV	5.15G	52.08	54.00	-1.92	46.21	3	Vertical	354	1.52	-	34.00	6.75	34.88
PK	5.2412G	122.16	Inf	-Inf	115.86	3	Vertical	354	1.52	-	34.36	6.82	34.88
AV	5.2472G	109.48	Inf	-Inf	103.15	3	Vertical	354	1.52	-	34.39	6.82	34.88
PK	5.3516G	66.04	74.00	-7.96	59.53	3	Vertical	354	1.52	-	34.50	6.88	34.87
AV	5.351G	50.57	54.00	-3.43	44.06	3	Vertical	354	1.52	-	34.50	6.88	34.87

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
 Setting 24
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1278G	58.54	74.00	-15.46	52.63	3	Horizontal	318	2.66	-	34.06	6.73	34.88
AV	5.15G	45.74	54.00	-8.26	39.77	3	Horizontal	318	2.66	-	34.10	6.75	34.88
PK	5.2346G	110.24	Inf	-Inf	104.30	3	Horizontal	318	2.66	-	34.00	6.82	34.88
AV	5.2478G	97.77	Inf	-Inf	91.83	3	Horizontal	318	2.66	-	34.00	6.82	34.88
PK	5.3618G	59.37	74.00	-14.63	52.88	3	Horizontal	318	2.66	-	34.48	6.88	34.87
AV	5.3708G	46.21	54.00	-7.79	39.73	3	Horizontal	318	2.66	-	34.46	6.89	34.87

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
 Setting 24
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47748G	54.14	68.20	-14.06	46.94	3	Vertical	226	2.96	-	37.98	12.26	43.04
PK	15.72648G	58.31	74.00	-15.69	46.29	3	Vertical	135	2.62	-	37.94	16.43	42.35
AV	15.71176G	44.87	54.00	-9.13	32.79	3	Vertical	135	2.62	-	38.03	16.41	42.36

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
 Setting 24
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4738G	54.43	68.20	-13.77	47.24	3	Horizontal	217	1.03	-	37.97	12.26	43.04
PK	15.71468G	57.94	74.00	-16.06	45.88	3	Horizontal	216	1.85	-	38.01	16.41	42.36
AV	15.71156G	44.82	54.00	-9.18	32.74	3	Horizontal	216	1.85	-	38.03	16.41	42.36

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 24
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1154G	60.81	74.00	-13.19	55.04	3	Vertical	174	2.15	-	33.93	6.72	34.88
AV	5.1148G	47.73	54.00	-6.27	41.97	3	Vertical	174	2.15	-	33.93	6.71	34.88
PK	5.263G	122.00	Inf	-Inf	115.61	3	Vertical	174	2.15	-	34.43	6.83	34.87
AV	5.2684G	108.38	Inf	-Inf	101.98	3	Vertical	174	2.15	-	34.44	6.83	34.87
PK	5.4094G	60.74	74.00	-13.26	54.12	3	Vertical	174	2.15	-	34.58	6.91	34.87
AV	5.4064G	48.32	54.00	-5.68	41.69	3	Vertical	174	2.15	-	34.59	6.91	34.87

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Z_2TX
 Setting 24
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1196G	57.88	74.00	-16.12	52.00	3	Horizontal	309	2.72	-	34.04	6.72	34.88
AV	5.1136G	45.32	54.00	-8.68	39.46	3	Horizontal	309	2.72	-	34.03	6.71	34.88
PK	5.263G	110.95	Inf	-Inf	104.91	3	Horizontal	309	2.72	-	34.08	6.83	34.87
AV	5.2666G	97.10	Inf	-Inf	91.04	3	Horizontal	309	2.72	-	34.10	6.83	34.87
PK	5.4082G	59.38	74.00	-14.62	52.91	3	Horizontal	309	2.72	-	34.43	6.91	34.87
AV	5.3956G	46.15	54.00	-7.85	39.71	3	Horizontal	309	2.72	-	34.41	6.90	34.87

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 24
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52136G	54.67	68.20	-13.53	47.40	3	Vertical	290	1.37	-	38.02	12.29	43.04
PK	15.7828G	58.06	74.00	-15.94	46.26	3	Vertical	72	1.39	-	37.60	16.48	42.28
AV	15.773G	44.51	54.00	-9.49	32.67	3	Vertical	72	1.39	-	37.66	16.47	42.29

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 24
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.516G	54.14	68.20	-14.06	46.88	3	Horizontal	278	2.21	-	38.02	12.28	43.04
PK	15.77048G	57.92	74.00	-16.08	46.07	3	Horizontal	34	1.16	-	37.68	16.47	42.30
AV	15.77284G	44.42	54.00	-9.58	32.58	3	Horizontal	34	1.16	-	37.66	16.47	42.29

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 23
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	120.56	Inf	-Inf	114.09	3	Vertical	360	1.10	-	34.49	6.85	34.87
AV	5.2948G	107.12	Inf	-Inf	100.65	3	Vertical	360	1.10	-	34.49	6.85	34.87
PK	5.3552G	64.93	74.00	-9.07	58.41	3	Vertical	360	1.10	-	34.51	6.88	34.87
AV	5.3512G	50.89	54.00	-3.11	44.38	3	Vertical	360	1.10	-	34.50	6.88	34.87

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 23
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	107.86	Inf	-Inf	101.55	3	Horizontal	232	2.01	-	34.33	6.85	34.87
AV	5.3076G	94.76	Inf	-Inf	88.45	3	Horizontal	232	2.01	-	34.33	6.85	34.87
PK	5.3848G	59.70	74.00	-14.30	53.25	3	Horizontal	232	2.01	-	34.43	6.89	34.87
AV	5.35G	47.00	54.00	-7.00	40.49	3	Horizontal	232	2.01	-	34.50	6.88	34.87

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 23
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59144G	54.35	68.20	-13.85	46.98	3	Vertical	121	2.67	-	38.09	12.33	43.05
PK	15.9008G	57.42	74.00	-16.58	45.37	3	Vertical	305	2.28	-	37.60	16.60	42.15
AV	15.9058G	43.94	54.00	-10.06	31.88	3	Vertical	305	2.28	-	37.59	16.61	42.14

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 23
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59012G	54.22	68.20	-13.98	46.86	3	Horizontal	106	1.23	-	38.09	12.32	43.05
PK	15.89772G	57.26	74.00	-16.74	45.21	3	Horizontal	4	1.98	-	37.60	16.60	42.15
AV	15.90896G	43.96	54.00	-10.04	31.90	3	Horizontal	4	1.98	-	37.59	16.61	42.14

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 21
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	118.59	Inf	-Inf	112.10	3	Vertical	193	1.54	-	34.50	6.86	34.87
AV	5.3182G	104.95	Inf	-Inf	98.46	3	Vertical	193	1.54	-	34.50	6.86	34.87
PK	5.36G	62.93	74.00	-11.07	56.40	3	Vertical	193	1.54	-	34.52	6.88	34.87
AV	5.35G	48.72	54.00	-5.28	42.21	3	Vertical	193	1.54	-	34.50	6.88	34.87

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	107.37	Inf	-Inf	101.02	3	Horizontal	303	2.68	-	34.36	6.86	34.87
AV	5.328G	93.94	Inf	-Inf	87.54	3	Horizontal	303	2.68	-	34.41	6.86	34.87
PK	5.366G	59.70	74.00	-14.30	53.22	3	Horizontal	303	2.68	-	34.47	6.88	34.87
AV	5.3644G	45.95	54.00	-8.05	39.47	3	Horizontal	303	2.68	-	34.47	6.88	34.87

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63216G	53.87	74.00	-20.13	46.48	3	Vertical	89	2.01	-	38.10	12.35	43.06
AV	10.64956G	40.43	54.00	-13.57	33.03	3	Vertical	89	2.01	-	38.10	12.36	43.06
PK	15.95576G	57.62	74.00	-16.38	45.50	3	Vertical	261	1.62	-	37.54	16.66	42.08
AV	15.96996G	44.11	54.00	-9.89	31.97	3	Vertical	261	1.62	-	37.53	16.67	42.06

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63684G	53.82	74.00	-20.18	46.43	3	Horizontal	36	1.42	-	38.10	12.35	43.06
AV	10.64948G	40.39	54.00	-13.61	32.99	3	Horizontal	36	1.42	-	38.10	12.36	43.06
PK	15.96744G	58.10	74.00	-15.90	45.97	3	Horizontal	117	2.72	-	37.53	16.67	42.07
AV	15.96988G	44.07	54.00	-9.93	31.93	3	Horizontal	117	2.72	-	37.53	16.67	42.06

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 22
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	63.14	74.00	-10.86	56.52	3	Vertical	352	2.07	-	34.52	6.96	34.86
AV	5.4592G	50.35	54.00	-3.65	43.73	3	Vertical	352	2.07	-	34.52	6.96	34.86
PK	5.4678G	65.37	68.20	-2.83	58.72	3	Vertical	352	2.07	-	34.54	6.97	34.86
PK	5.5054G	121.58	Inf	-Inf	114.83	3	Vertical	352	2.07	-	34.60	7.01	34.86
AV	5.5016G	107.52	Inf	-Inf	100.78	3	Vertical	352	2.07	-	34.60	7.00	34.86

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4542G	59.32	74.00	-14.68	52.63	3	Horizontal	144	1.80	-	34.60	6.95	34.86
AV	5.4598G	46.40	54.00	-7.60	39.70	3	Horizontal	144	1.80	-	34.60	6.96	34.86
PK	5.4698G	60.39	68.20	-7.81	53.68	3	Horizontal	144	1.80	-	34.60	6.97	34.86
PK	5.4968G	108.84	Inf	-Inf	102.10	3	Horizontal	144	1.80	-	34.60	7.00	34.86
AV	5.5082G	95.52	Inf	-Inf	88.77	3	Horizontal	144	1.80	-	34.60	7.01	34.86

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99172G	55.53	74.00	-18.47	47.79	3	Vertical	178	1.49	-	38.29	12.55	43.10
AV	10.993G	41.47	54.00	-12.53	33.73	3	Vertical	178	1.49	-	38.29	12.55	43.10
PK	16.50956G	59.37	68.20	-8.83	46.02	3	Vertical	203	1.57	-	37.95	17.01	41.61

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00216G	55.44	74.00	-18.56	47.69	3	Horizontal	119	1.22	-	38.30	12.55	43.10
AV	10.9936G	41.43	54.00	-12.57	33.69	3	Horizontal	119	1.22	-	38.29	12.55	43.10
PK	16.50372G	59.33	68.20	-8.87	46.01	3	Horizontal	237	2.84	-	37.92	17.00	41.60

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 25
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4312G	61.54	74.00	-12.46	54.93	3	Vertical	350	1.80	-	34.54	6.93	34.86
AV	5.42G	47.67	54.00	-6.33	41.05	3	Vertical	350	1.80	-	34.56	6.92	34.86
PK	5.468G	60.03	68.20	-8.17	53.38	3	Vertical	350	1.80	-	34.54	6.97	34.86
PK	5.5864G	119.60	Inf	-Inf	112.79	3	Vertical	350	1.80	-	34.60	7.09	34.88
AV	5.576G	107.05	Inf	-Inf	100.25	3	Vertical	350	1.80	-	34.60	7.08	34.88
PK	5.7424G	59.71	68.20	-8.49	53.23	3	Vertical	350	1.80	-	34.22	7.17	34.91

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 25
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4128G	58.96	74.00	-15.04	52.47	3	Horizontal	142	1.80	-	34.45	6.91	34.87
AV	5.4224G	46.13	54.00	-7.87	39.58	3	Horizontal	142	1.80	-	34.49	6.92	34.86
PK	5.4624G	59.02	68.20	-9.18	52.32	3	Horizontal	142	1.80	-	34.60	6.96	34.86
PK	5.588G	107.86	Inf	-Inf	101.20	3	Horizontal	142	1.80	-	34.45	7.09	34.88
AV	5.5864G	95.25	Inf	-Inf	88.59	3	Horizontal	142	1.80	-	34.45	7.09	34.88
PK	5.764G	59.11	68.20	-9.09	52.62	3	Horizontal	142	1.80	-	34.23	7.18	34.92

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 25
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16552G	54.90	74.00	-19.10	46.90	3	Vertical	300	2.13	-	38.53	12.64	43.17
AV	11.16712G	41.37	54.00	-12.63	33.37	3	Vertical	300	2.13	-	38.53	12.64	43.17
PK	16.74548G	61.26	68.20	-6.94	47.01	3	Vertical	61	1.52	-	38.94	17.15	41.84

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 25
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1546G	54.93	74.00	-19.07	46.94	3	Horizontal	61	1.33	-	38.51	12.64	43.16
AV	11.16368G	41.31	54.00	-12.69	33.31	3	Horizontal	61	1.33	-	38.53	12.64	43.17
PK	16.74972G	60.94	68.20	-7.26	46.68	3	Horizontal	274	2.60	-	38.95	17.15	41.84

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 20
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7006G	119.09	Inf	-Inf	112.54	3	Vertical	200	1.58	-	34.30	7.15	34.90
AV	5.7024G	105.53	Inf	-Inf	98.98	3	Vertical	200	1.58	-	34.30	7.15	34.90
PK	5.725G	64.70	68.20	-3.50	58.20	3	Vertical	200	1.58	-	34.25	7.16	34.91

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 20
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6928G	104.80	Inf	-Inf	98.32	3	Horizontal	141	1.78	-	34.23	7.15	34.90
AV	5.6932G	91.21	Inf	-Inf	84.73	3	Horizontal	141	1.78	-	34.23	7.15	34.90
PK	5.7386G	59.60	68.20	-8.60	53.14	3	Horizontal	141	1.78	-	34.20	7.17	34.91

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 20
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40984G	57.52	74.00	-16.48	49.27	3	Vertical	204	2.78	-	38.73	12.78	43.26
AV	11.39784G	42.41	54.00	-11.59	34.20	3	Vertical	204	2.78	-	38.70	12.77	43.26
PK	17.0932G	62.28	68.20	-5.92	46.80	3	Vertical	110	1.85	-	40.19	17.36	42.07

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 20
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40004G	56.47	74.00	-17.53	48.26	3	Horizontal	232	1.95	-	38.70	12.77	43.26
AV	11.39852G	42.45	54.00	-11.55	34.24	3	Horizontal	232	1.95	-	38.70	12.77	43.26
PK	17.09304G	62.18	68.20	-6.02	46.70	3	Horizontal	338	1.85	-	40.19	17.36	42.07

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3966G	60.00	74.00	-14.00	53.38	3	Vertical	11	2.08	-	34.59	6.90	34.87
AV	5.4078G	47.56	54.00	-6.44	40.94	3	Vertical	11	2.08	-	34.58	6.91	34.87
PK	5.461G	59.50	68.20	-8.70	52.88	3	Vertical	11	2.08	-	34.52	6.96	34.86
PK	5.7144G	121.16	Inf	-Inf	114.64	3	Vertical	11	2.08	-	34.27	7.16	34.91
AV	5.713G	107.97	Inf	-Inf	101.45	3	Vertical	11	2.08	-	34.27	7.16	34.91
PK	5.8544G	59.33	68.20	-8.87	52.71	3	Vertical	11	2.08	-	34.33	7.23	34.94

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 23
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4386G	58.81	74.00	-15.19	52.18	3	Horizontal	145	1.89	-	34.55	6.94	34.86
AV	5.426G	46.18	54.00	-7.82	39.61	3	Horizontal	145	1.89	-	34.50	6.93	34.86
PK	5.4652G	57.55	68.20	-10.65	50.84	3	Horizontal	145	1.89	-	34.60	6.97	34.86
PK	5.7228G	106.30	Inf	-Inf	99.85	3	Horizontal	145	1.89	-	34.20	7.16	34.91
AV	5.7242G	94.51	Inf	-Inf	88.06	3	Horizontal	145	1.89	-	34.20	7.16	34.91
PK	5.9776G	58.83	68.20	-9.37	51.85	3	Horizontal	145	1.89	-	34.66	7.29	34.97

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 23
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4448G	55.63	74.00	-18.37	47.29	3	Vertical	45	1.83	-	38.83	12.79	43.28
AV	11.44872G	41.98	54.00	-12.02	33.61	3	Vertical	45	1.83	-	38.85	12.80	43.28
PK	17.16264G	61.83	68.20	-6.37	46.09	3	Vertical	245	2.50	-	40.39	17.40	42.05

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 23
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43228G	55.67	74.00	-18.33	47.35	3	Horizontal	333	1.17	-	38.80	12.79	43.27
AV	11.44916G	41.95	54.00	-12.05	33.58	3	Horizontal	333	1.17	-	38.85	12.80	43.28
PK	17.15004G	61.66	68.20	-6.54	45.97	3	Horizontal	145	2.45	-	40.35	17.39	42.05

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
 Setting 24
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	66.77	68.94	-2.17	60.03	3	Vertical	16	1.80	-	34.50	7.13	34.89
PK	5.752G	122.18	Inf	-Inf	115.72	3	Vertical	16	1.80	-	34.20	7.18	34.92
AV	5.754G	108.58	Inf	-Inf	102.12	3	Vertical	16	1.80	-	34.20	7.18	34.92
PK	5.957G	60.18	68.20	-8.02	53.06	3	Vertical	16	1.80	-	34.80	7.28	34.96

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
 Setting 24
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.604G	60.12	68.20	-8.08	53.50	3	Horizontal	146	1.99	-	34.40	7.10	34.88
PK	5.753G	107.16	Inf	-Inf	100.69	3	Horizontal	146	1.99	-	34.21	7.18	34.92
AV	5.736G	94.82	Inf	-Inf	88.36	3	Horizontal	146	1.99	-	34.20	7.17	34.91
PK	5.973G	59.25	68.20	-8.95	52.27	3	Horizontal	146	1.99	-	34.65	7.29	34.96

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
 Setting 24
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48732G	55.46	74.00	-18.54	46.97	3	Vertical	268	1.81	-	38.96	12.82	43.29
AV	11.4996G	41.86	54.00	-12.14	33.34	3	Vertical	268	1.81	-	39.00	12.82	43.30
PK	17.2274G	61.52	68.20	-6.68	45.48	3	Vertical	185	2.51	-	40.64	17.44	42.04

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49472G	56.47	74.00	-17.53	47.97	3	Horizontal	220	2.54	-	38.98	12.82	43.30
AV	11.48G	41.92	54.00	-12.08	33.46	3	Horizontal	220	2.54	-	38.94	12.81	43.29
PK	17.23324G	61.20	68.20	-7.00	45.12	3	Horizontal	243	2.74	-	40.67	17.44	42.03

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
 Setting 25
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	62.33	68.20	-5.87	55.56	3	Vertical	16	1.80	-	34.54	7.12	34.89
PK	5.782G	123.37	Inf	-Inf	116.90	3	Vertical	16	1.80	-	34.20	7.19	34.92
AV	5.782G	109.90	Inf	-Inf	103.43	3	Vertical	16	1.80	-	34.20	7.19	34.92
PK	5.94G	61.47	68.20	-6.73	54.40	3	Vertical	16	1.80	-	34.76	7.27	34.96

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 25
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.535G	59.15	68.20	-9.05	52.38	3	Horizontal	17	2.64	-	34.60	7.04	34.87
PK	5.777G	108.02	Inf	-Inf	101.50	3	Horizontal	17	2.64	-	34.25	7.19	34.92
AV	5.793G	95.57	Inf	-Inf	89.00	3	Horizontal	17	2.64	-	34.29	7.20	34.92
PK	5.946G	58.76	68.20	-9.44	51.86	3	Horizontal	17	2.64	-	34.59	7.27	34.96

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
 Setting 25
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56816G	56.15	74.00	-17.85	47.38	3	Vertical	250	1.99	-	39.20	12.86	43.29
AV	11.57496G	42.11	54.00	-11.89	33.31	3	Vertical	250	1.99	-	39.22	12.87	43.29
PK	17.349G	60.89	68.20	-7.31	44.05	3	Vertical	25	2.11	-	41.34	17.51	42.01

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
 Setting 25
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57104G	55.86	74.00	-18.14	47.08	3	Horizontal	107	2.82	-	39.21	12.86	43.29
AV	11.57512G	42.06	54.00	-11.94	33.25	3	Horizontal	107	2.82	-	39.23	12.87	43.29
PK	17.34868G	61.34	68.20	-6.86	44.50	3	Horizontal	48	1.16	-	41.34	17.51	42.01

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
 Setting 25
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	61.00	68.20	-7.20	54.19	3	Vertical	16	1.79	-	34.58	7.11	34.88
PK	5.832G	121.51	Inf	-Inf	114.96	3	Vertical	16	1.79	-	34.26	7.22	34.93
AV	5.816G	108.83	Inf	-Inf	102.32	3	Vertical	16	1.79	-	34.23	7.21	34.93
PK	5.959G	60.49	68.20	-7.71	53.37	3	Vertical	16	1.79	-	34.80	7.28	34.96

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
 Setting 25
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	60.23	68.20	-7.97	53.60	3	Horizontal	323	2.93	-	34.40	7.12	34.89
PK	5.822G	110.44	Inf	-Inf	103.86	3	Horizontal	323	2.93	-	34.30	7.21	34.93
AV	5.821G	97.05	Inf	-Inf	90.47	3	Horizontal	323	2.93	-	34.30	7.21	34.93
PK	6.067G	59.70	68.20	-8.50	52.41	3	Horizontal	323	2.93	-	34.87	7.40	34.98

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
 Setting 25
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64976G	56.63	74.00	-17.37	47.65	3	Vertical	76	1.80	-	39.35	12.91	43.28
AV	11.64988G	42.36	54.00	-11.64	33.38	3	Vertical	76	1.80	-	39.35	12.91	43.28
PK	17.47484G	64.02	68.20	-4.18	46.20	3	Vertical	28	1.80	-	42.22	17.58	41.98

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
 Setting 25
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65032G	56.19	74.00	-17.81	47.21	3	Horizontal	112	1.61	-	39.35	12.91	43.28
AV	11.64988G	42.60	54.00	-11.40	33.62	3	Horizontal	112	1.61	-	39.35	12.91	43.28
PK	17.48424G	64.29	68.20	-3.91	46.38	3	Horizontal	153	1.17	-	42.29	17.59	41.97

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	64.54	74.00	-9.46	58.67	3	Vertical	169	1.80	-	34.00	6.75	34.88
AV	5.1492G	52.14	54.00	-1.86	46.27	3	Vertical	169	1.80	-	34.00	6.75	34.88
PK	5.198G	115.55	Inf	-Inf	109.44	3	Vertical	169	1.80	-	34.19	6.80	34.88
AV	5.1916G	103.01	Inf	-Inf	96.93	3	Vertical	169	1.80	-	34.17	6.79	34.88

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	58.82	74.00	-15.18	52.88	3	Horizontal	237	2.24	-	34.08	6.74	34.88
AV	5.1492G	45.57	54.00	-8.43	39.60	3	Horizontal	237	2.24	-	34.10	6.75	34.88
PK	5.1772G	99.89	Inf	-Inf	93.94	3	Horizontal	237	2.24	-	34.05	6.78	34.88
AV	5.208G	87.22	Inf	-Inf	81.30	3	Horizontal	237	2.24	-	34.00	6.80	34.88

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.386G	54.49	68.20	-13.71	47.42	3	Vertical	241	2.53	-	37.89	12.21	43.03
PK	15.57832G	59.18	74.00	-14.82	47.33	3	Vertical	139	1.28	-	38.09	16.28	42.52
AV	15.56568G	45.72	54.00	-8.28	33.84	3	Vertical	139	1.28	-	38.14	16.27	42.53

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 21
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37004G	53.95	68.20	-14.25	46.90	3	Horizontal	64	1.60	-	37.87	12.20	43.02
PK	15.57396G	59.17	74.00	-14.83	47.32	3	Horizontal	181	1.74	-	38.10	16.27	42.52
AV	15.5622G	45.73	54.00	-8.27	33.86	3	Horizontal	181	1.74	-	38.15	16.26	42.54

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.131G	64.79	74.00	-9.21	58.98	3	Vertical	195	1.99	-	33.96	6.73	34.88
AV	5.15G	51.28	54.00	-2.72	45.41	3	Vertical	195	1.99	-	34.00	6.75	34.88
PK	5.2456G	119.51	Inf	-Inf	113.19	3	Vertical	195	1.99	-	34.38	6.82	34.88
AV	5.2132G	104.41	Inf	-Inf	98.23	3	Vertical	195	1.99	-	34.25	6.81	34.88
PK	5.3608G	61.04	74.00	-12.96	54.51	3	Vertical	195	1.99	-	34.52	6.88	34.87
AV	5.3686G	48.94	54.00	-5.06	42.39	3	Vertical	195	1.99	-	34.54	6.88	34.87

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Z_2TX
 Setting 22
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	61.27	74.00	-12.73	55.33	3	Horizontal	164	3.00	-	34.08	6.74	34.88
AV	5.1496G	46.86	54.00	-7.14	40.89	3	Horizontal	164	3.00	-	34.10	6.75	34.88
PK	5.2204G	105.63	Inf	-Inf	99.70	3	Horizontal	164	3.00	-	34.00	6.81	34.88
AV	5.2162G	93.39	Inf	-Inf	87.46	3	Horizontal	164	3.00	-	34.00	6.81	34.88
PK	5.377G	58.49	74.00	-15.51	52.02	3	Horizontal	164	3.00	-	34.45	6.89	34.87
AV	5.374G	46.14	54.00	-7.86	39.67	3	Horizontal	164	3.00	-	34.45	6.89	34.87

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46088G	54.42	68.20	-13.78	47.25	3	Vertical	360	2.53	-	37.96	12.25	43.04
PK	15.68284G	58.27	74.00	-15.73	46.21	3	Vertical	319	2.81	-	38.08	16.38	42.40
AV	15.68264G	45.53	54.00	-8.47	33.47	3	Vertical	319	2.81	-	38.08	16.38	42.40

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46624G	54.74	68.20	-13.46	47.55	3	Horizontal	255	2.71	-	37.97	12.26	43.04
PK	15.683G	58.77	74.00	-15.23	46.71	3	Horizontal	88	1.89	-	38.08	16.38	42.40
AV	15.6828G	45.43	54.00	-8.57	33.37	3	Horizontal	88	1.89	-	38.08	16.38	42.40

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 23
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	62.78	74.00	-11.22	56.92	3	Vertical	197	1.74	-	33.99	6.75	34.88
AV	5.15G	48.97	54.00	-5.03	43.10	3	Vertical	197	1.74	-	34.00	6.75	34.88
PK	5.2658G	120.54	Inf	-Inf	114.15	3	Vertical	197	1.74	-	34.43	6.83	34.87
AV	5.2874G	105.30	Inf	-Inf	98.86	3	Vertical	197	1.74	-	34.47	6.84	34.87
PK	5.3612G	69.05	74.00	-4.95	62.52	3	Vertical	197	1.74	-	34.52	6.88	34.87
AV	5.35G	50.67	54.00	-3.33	44.16	3	Vertical	197	1.74	-	34.50	6.88	34.87

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Z_2TX
 Setting 23
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	58.70	74.00	-15.30	52.74	3	Horizontal	316	2.92	-	34.09	6.75	34.88
AV	5.1494G	45.95	54.00	-8.05	39.98	3	Horizontal	316	2.92	-	34.10	6.75	34.88
PK	5.2622G	107.50	Inf	-Inf	101.47	3	Horizontal	316	2.92	-	34.07	6.83	34.87
AV	5.258G	94.82	Inf	-Inf	88.81	3	Horizontal	316	2.92	-	34.05	6.83	34.87
PK	5.35G	61.54	74.00	-12.46	55.03	3	Horizontal	316	2.92	-	34.50	6.88	34.87
AV	5.351G	47.42	54.00	-6.58	40.91	3	Horizontal	316	2.92	-	34.50	6.88	34.87

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 23
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53384G	55.27	68.20	-12.93	47.99	3	Vertical	310	1.68	-	38.03	12.29	43.04
PK	15.81292G	56.41	74.00	-17.59	44.64	3	Vertical	354	2.52	-	37.51	16.51	42.25
AV	15.818G	43.23	54.00	-10.77	31.43	3	Vertical	354	2.52	-	37.52	16.52	42.24

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 23
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53888G	54.55	68.20	-13.65	47.25	3	Horizontal	107	1.55	-	38.04	12.30	43.04
PK	15.80632G	56.60	74.00	-17.40	44.83	3	Horizontal	13	2.70	-	37.51	16.51	42.25
AV	15.81168G	43.19	54.00	-10.81	31.42	3	Horizontal	13	2.70	-	37.51	16.51	42.25

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.296G	115.42	Inf	-Inf	108.95	3	Vertical	198	1.80	-	34.49	6.85	34.87
AV	5.3068G	102.93	Inf	-Inf	96.45	3	Vertical	198	1.80	-	34.50	6.85	34.87
PK	5.3508G	65.50	74.00	-8.50	58.99	3	Vertical	198	1.80	-	34.50	6.88	34.87
AV	5.3504G	52.94	54.00	-1.06	46.43	3	Vertical	198	1.80	-	34.50	6.88	34.87

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 21
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	101.97	Inf	-Inf	95.68	3	Horizontal	120	2.00	-	34.31	6.85	34.87
AV	5.2952G	89.53	Inf	-Inf	83.28	3	Horizontal	120	2.00	-	34.27	6.85	34.87
PK	5.3952G	60.40	74.00	-13.60	53.96	3	Horizontal	120	2.00	-	34.41	6.90	34.87
AV	5.3516G	46.30	54.00	-7.70	39.79	3	Horizontal	120	2.00	-	34.50	6.88	34.87

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 21
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62296G	54.19	74.00	-19.81	46.80	3	Vertical	308	1.71	-	38.10	12.34	43.05
AV	10.62632G	40.38	54.00	-13.62	33.00	3	Vertical	308	1.71	-	38.10	12.34	43.06
PK	15.92968G	57.45	74.00	-16.55	45.36	3	Vertical	200	1.35	-	37.57	16.63	42.11
AV	15.92256G	43.90	54.00	-10.10	31.82	3	Vertical	200	1.35	-	37.58	16.62	42.12

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 21
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6256G	53.84	74.00	-20.16	46.46	3	Horizontal	186	1.14	-	38.10	12.34	43.06
AV	10.61108G	40.33	54.00	-13.67	32.94	3	Horizontal	186	1.14	-	38.10	12.34	43.05
PK	15.93012G	57.88	74.00	-16.12	45.79	3	Horizontal	208	2.09	-	37.57	16.63	42.11
AV	15.92528G	43.89	54.00	-10.11	31.81	3	Horizontal	208	2.09	-	37.57	16.63	42.12

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	63.73	74.00	-10.27	57.11	3	Vertical	167	1.51	-	34.52	6.96	34.86
AV	5.46G	50.90	54.00	-3.10	44.28	3	Vertical	167	1.51	-	34.52	6.96	34.86
PK	5.464G	65.09	68.20	-3.11	58.46	3	Vertical	167	1.51	-	34.53	6.96	34.86
PK	5.5256G	116.37	Inf	-Inf	109.61	3	Vertical	167	1.51	-	34.60	7.03	34.87
AV	5.5016G	103.66	Inf	-Inf	96.92	3	Vertical	167	1.51	-	34.60	7.00	34.86

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	60.36	74.00	-13.64	53.67	3	Horizontal	198	1.50	-	34.60	6.95	34.86
AV	5.4504G	46.49	54.00	-7.51	39.80	3	Horizontal	198	1.50	-	34.60	6.95	34.86
PK	5.4676G	59.24	68.20	-8.96	52.53	3	Horizontal	198	1.50	-	34.60	6.97	34.86
PK	5.5056G	107.88	Inf	-Inf	101.13	3	Horizontal	198	1.50	-	34.60	7.01	34.86
AV	5.5276G	92.68	Inf	-Inf	85.92	3	Horizontal	198	1.50	-	34.60	7.03	34.87

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 21
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02016G	54.75	74.00	-19.25	46.98	3	Vertical	177	1.55	-	38.32	12.56	43.11
AV	11.0282G	41.35	54.00	-12.65	33.56	3	Vertical	177	1.55	-	38.33	12.57	43.11
PK	16.52012G	60.17	68.20	-8.03	46.78	3	Vertical	10	1.96	-	38.00	17.01	41.62

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 21
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02008G	55.42	74.00	-18.58	47.65	3	Horizontal	113	1.25	-	38.32	12.56	43.11
AV	11.01984G	41.29	54.00	-12.71	33.52	3	Horizontal	113	1.25	-	38.32	12.56	43.11
PK	16.53504G	60.05	68.20	-8.15	46.58	3	Horizontal	346	1.31	-	38.08	17.02	41.63

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.13	74.00	-11.87	55.51	3	Vertical	13	1.34	-	34.52	6.96	34.86
AV	5.4492G	49.37	54.00	-4.63	42.78	3	Vertical	13	1.34	-	34.50	6.95	34.86
PK	5.4672G	61.81	68.20	-6.39	55.17	3	Vertical	13	1.34	-	34.53	6.97	34.86
PK	5.5566G	119.27	Inf	-Inf	112.48	3	Vertical	13	1.34	-	34.60	7.06	34.87
AV	5.5632G	104.47	Inf	-Inf	97.68	3	Vertical	13	1.34	-	34.60	7.06	34.87

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4078G	59.24	74.00	-14.76	52.77	3	Horizontal	147	2.08	-	34.43	6.91	34.87
PK	5.4666G	58.16	68.20	-10.04	51.45	3	Horizontal	147	2.08	-	34.60	6.97	34.86
AV	5.442G	46.36	54.00	-7.64	39.71	3	Horizontal	147	2.08	-	34.57	6.94	34.86
PK	5.5458G	107.33	Inf	-Inf	100.55	3	Horizontal	147	2.08	-	34.60	7.05	34.87
AV	5.5374G	93.35	Inf	-Inf	86.58	3	Horizontal	147	2.08	-	34.60	7.04	34.87

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10536G	55.30	74.00	-18.70	47.42	3	Vertical	221	1.41	-	38.41	12.61	43.14
AV	11.09956G	41.17	54.00	-12.83	33.31	3	Vertical	221	1.41	-	38.40	12.60	43.14
PK	16.65616G	60.74	68.20	-7.46	46.78	3	Vertical	156	2.50	-	38.62	17.09	41.75

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09528G	54.76	74.00	-19.24	46.90	3	Horizontal	77	2.80	-	38.40	12.60	43.14
AV	11.10144G	41.08	54.00	-12.92	33.21	3	Horizontal	77	2.80	-	38.40	12.61	43.14
PK	16.6572G	60.81	68.20	-7.39	46.84	3	Horizontal	231	2.83	-	38.63	17.09	41.75

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6672G	118.35	Inf	-Inf	111.69	3	Vertical	81	2.21	-	34.43	7.13	34.90
AV	5.6512G	103.68	Inf	-Inf	96.94	3	Vertical	81	2.21	-	34.50	7.13	34.89
PK	5.7252G	66.09	68.20	-2.11	59.59	3	Vertical	81	2.21	-	34.25	7.16	34.91

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6564G	104.41	Inf	-Inf	97.80	3	Horizontal	143	1.81	-	34.37	7.13	34.89
AV	5.6536G	91.53	Inf	-Inf	84.90	3	Horizontal	143	1.81	-	34.39	7.13	34.89
PK	5.7264G	59.80	68.20	-8.40	53.35	3	Horizontal	143	1.81	-	34.20	7.16	34.91

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33424G	56.68	74.00	-17.32	48.61	3	Vertical	55	1.02	-	38.57	12.73	43.23
AV	11.34328G	42.44	54.00	-11.56	34.35	3	Vertical	55	1.02	-	38.59	12.74	43.24
PK	17.00008G	61.17	68.20	-7.03	45.96	3	Vertical	66	2.74	-	40.00	17.30	42.09

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 21
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33028G	55.87	74.00	-18.13	47.81	3	Horizontal	360	2.91	-	38.56	12.73	43.23
AV	11.3412G	42.50	54.00	-11.50	34.42	3	Horizontal	360	2.91	-	38.58	12.74	43.24
PK	17.0154G	61.27	68.20	-6.93	46.02	3	Horizontal	136	1.27	-	40.03	17.31	42.09

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 19
 04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6996G	114.10	Inf	-Inf	106.74	3	Vertical	-0	1.80	-	34.20	5.65	32.49
AV	5.7132G	101.35	Inf	-Inf	93.95	3	Vertical	-0	1.80	-	34.23	5.66	32.49
PK	5.8564G	59.87	68.20	-8.33	52.22	3	Vertical	-0	1.80	-	34.46	5.73	32.54

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 19
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	104.08	Inf	-Inf	97.61	3	Horizontal	297	2.47	-	34.22	7.15	34.90
AV	5.6932G	89.61	Inf	-Inf	83.13	3	Horizontal	297	2.47	-	34.23	7.15	34.90
PK	5.8692G	58.65	68.20	-9.55	51.98	3	Horizontal	297	2.47	-	34.38	7.23	34.94

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 19
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41892G	55.76	74.00	-18.24	47.49	3	Vertical	324	2.43	-	38.76	12.78	43.27
AV	11.41036G	42.52	54.00	-11.48	34.27	3	Vertical	324	2.43	-	38.73	12.78	43.26
PK	17.12856G	61.88	68.20	-6.32	46.27	3	Vertical	102	1.92	-	40.29	17.38	42.06

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 19
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41752G	55.82	74.00	-18.18	47.56	3	Horizontal	88	2.30	-	38.75	12.78	43.27
AV	11.41236G	42.30	54.00	-11.70	34.04	3	Horizontal	88	2.30	-	38.74	12.78	43.26
PK	17.13648G	61.90	68.20	-6.30	46.27	3	Horizontal	52	2.19	-	40.31	17.38	42.06

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	66.83	68.20	-1.37	60.08	3	Vertical	20	1.80	-	34.52	7.12	34.89
PK	5.757G	116.00	Inf	-Inf	109.54	3	Vertical	20	1.80	-	34.20	7.18	34.92
AV	5.761G	103.75	Inf	-Inf	97.29	3	Vertical	20	1.80	-	34.20	7.18	34.92
PK	5.964G	60.12	68.20	-8.08	53.00	3	Vertical	20	1.80	-	34.80	7.28	34.96

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.56G	59.09	68.20	-9.11	52.34	3	Horizontal	21	3.00	-	34.56	7.06	34.87
PK	5.754G	103.57	Inf	-Inf	97.10	3	Horizontal	21	3.00	-	34.21	7.18	34.92
AV	5.758G	90.48	Inf	-Inf	84.00	3	Horizontal	21	3.00	-	34.22	7.18	34.92
PK	5.96G	59.69	68.20	-8.51	52.75	3	Horizontal	21	3.00	-	34.62	7.28	34.96

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50372G	55.60	74.00	-18.40	47.06	3	Vertical	326	2.79	-	39.01	12.83	43.30
AV	11.51536G	42.25	54.00	-11.75	33.67	3	Vertical	326	2.79	-	39.05	12.83	43.30
PK	17.25832G	60.62	68.20	-7.58	44.41	3	Vertical	292	2.13	-	40.79	17.45	42.03

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51712G	56.01	74.00	-17.99	47.43	3	Horizontal	166	2.83	-	39.05	12.83	43.30
AV	11.502G	42.14	54.00	-11.86	33.60	3	Horizontal	166	2.83	-	39.01	12.83	43.30
PK	17.27148G	60.44	68.20	-7.76	44.14	3	Horizontal	242	2.32	-	40.86	17.46	42.02

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	64.96	68.20	-3.24	58.21	3	Vertical	201	1.88	-	34.52	7.12	34.89
PK	5.786G	116.39	Inf	-Inf	109.92	3	Vertical	201	1.88	-	34.20	7.19	34.92
AV	5.777G	104.35	Inf	-Inf	97.88	3	Vertical	201	1.88	-	34.20	7.19	34.92
PK	6.044G	60.91	68.20	-7.29	53.63	3	Vertical	201	1.88	-	34.89	7.37	34.98

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.594G	59.36	68.20	-8.84	52.73	3	Horizontal	146	1.84	-	34.42	7.09	34.88
PK	5.793G	101.43	Inf	-Inf	94.86	3	Horizontal	146	1.84	-	34.29	7.20	34.92
AV	5.79G	89.65	Inf	-Inf	83.09	3	Horizontal	146	1.84	-	34.28	7.20	34.92
PK	5.985G	60.66	68.20	-7.54	53.67	3	Horizontal	146	1.84	-	34.67	7.29	34.97

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5924G	56.05	74.00	-17.95	47.18	3	Vertical	42	2.90	-	39.28	12.88	43.29
AV	11.58452G	42.34	54.00	-11.66	33.51	3	Vertical	42	2.90	-	39.25	12.87	43.29
PK	17.39444G	62.26	68.20	-5.94	45.06	3	Vertical	111	2.36	-	41.66	17.54	42.00

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59088G	55.87	74.00	-18.13	47.02	3	Horizontal	337	2.23	-	39.27	12.87	43.29
AV	11.58584G	42.33	54.00	-11.67	33.49	3	Horizontal	337	2.23	-	39.26	12.87	43.29
PK	17.39424G	61.25	68.20	-6.95	44.05	3	Horizontal	190	1.81	-	41.66	17.54	42.00

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 21
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	64.23	74.00	-9.77	58.36	3	Vertical	176	2.10	-	34.00	6.75	34.88
AV	5.15G	52.75	54.00	-1.25	46.88	3	Vertical	176	2.10	-	34.00	6.75	34.88
PK	5.242G	112.92	Inf	-Inf	106.61	3	Vertical	176	2.10	-	34.37	6.82	34.88
AV	5.189G	100.38	Inf	-Inf	94.31	3	Vertical	176	2.10	-	34.16	6.79	34.88
PK	5.432G	61.26	74.00	-12.74	54.65	3	Vertical	176	2.10	-	34.54	6.93	34.86
AV	5.38G	48.96	54.00	-5.04	42.38	3	Vertical	176	2.10	-	34.56	6.89	34.87

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	58.28	74.00	-15.72	52.31	3	Horizontal	146	2.96	-	34.10	6.75	34.88
AV	5.149G	46.25	54.00	-7.75	40.28	3	Horizontal	146	2.96	-	34.10	6.75	34.88
PK	5.176G	102.76	Inf	-Inf	96.81	3	Horizontal	146	2.96	-	34.05	6.78	34.88
AV	5.175G	89.06	Inf	-Inf	83.12	3	Horizontal	146	2.96	-	34.05	6.77	34.88
PK	5.416G	59.40	74.00	-14.60	52.89	3	Horizontal	146	2.96	-	34.46	6.92	34.87
AV	5.438G	46.21	54.00	-7.79	39.58	3	Horizontal	146	2.96	-	34.55	6.94	34.86

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42636G	54.30	68.20	-13.90	47.17	3	Vertical	45	2.13	-	37.93	12.23	43.03
PK	15.62484G	59.45	74.00	-14.55	47.58	3	Vertical	287	1.47	-	38.02	16.32	42.47
AV	15.62088G	45.76	54.00	-8.24	33.89	3	Vertical	287	1.47	-	38.02	16.32	42.47

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41816G	55.42	68.20	-12.78	48.30	3	Horizontal	53	1.42	-	37.92	12.23	43.03
PK	15.63204G	59.72	74.00	-14.28	47.82	3	Horizontal	113	1.84	-	38.03	16.33	42.46
AV	15.62424G	45.81	54.00	-8.19	33.94	3	Horizontal	113	1.84	-	38.02	16.32	42.47

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 20
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.112G	60.11	74.00	-13.89	54.36	3	Vertical	-0	1.59	-	33.92	6.71	34.88
AV	5.15G	47.76	54.00	-6.24	41.89	3	Vertical	-0	1.59	-	34.00	6.75	34.88
PK	5.298G	112.80	Inf	-Inf	106.32	3	Vertical	-0	1.59	-	34.50	6.85	34.87
AV	5.277G	98.94	Inf	-Inf	92.52	3	Vertical	-0	1.59	-	34.45	6.84	34.87
PK	5.358G	64.70	74.00	-9.30	58.17	3	Vertical	-0	1.59	-	34.52	6.88	34.87
AV	5.35G	52.93	54.00	-1.07	46.42	3	Vertical	-0	1.59	-	34.50	6.88	34.87
PK	5.478G	60.45	68.20	-7.75	53.77	3	Vertical	-0	1.59	-	34.56	6.98	34.86

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 20
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.115G	58.89	74.00	-15.11	53.03	3	Horizontal	155	2.97	-	34.03	6.71	34.88
AV	5.1G	45.65	54.00	-8.35	39.83	3	Horizontal	155	2.97	-	34.00	6.70	34.88
PK	5.274G	100.45	Inf	-Inf	94.34	3	Horizontal	155	2.97	-	34.14	6.84	34.87
AV	5.276G	87.58	Inf	-Inf	81.45	3	Horizontal	155	2.97	-	34.16	6.84	34.87
PK	5.398G	58.86	74.00	-15.14	52.43	3	Horizontal	155	2.97	-	34.40	6.90	34.87
AV	5.377G	46.25	54.00	-7.75	39.78	3	Horizontal	155	2.97	-	34.45	6.89	34.87
PK	5.5G	58.99	68.20	-9.21	52.25	3	Horizontal	155	2.97	-	34.60	7.00	34.86

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5796G	54.60	68.20	-13.60	47.25	3	Vertical	92	1.20	-	38.08	12.32	43.05
PK	15.87028G	56.69	74.00	-17.31	44.73	3	Vertical	125	1.51	-	37.57	16.57	42.18
AV	15.86556G	43.64	54.00	-10.36	31.69	3	Vertical	125	1.51	-	37.57	16.57	42.19

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Z_2TX
 Setting 20
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58696G	54.33	68.20	-13.87	46.97	3	Horizontal	108	2.34	-	38.09	12.32	43.05
PK	15.8726G	56.81	74.00	-17.19	44.85	3	Horizontal	253	2.45	-	37.57	16.57	42.18
AV	15.8778G	43.52	54.00	-10.48	31.53	3	Horizontal	253	2.45	-	37.58	16.58	42.17

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.328G	61.45	68.20	-6.75	54.96	3	Vertical	201	1.80	-	34.50	6.86	34.87
PK	5.441G	65.63	74.00	-8.37	59.03	3	Vertical	201	1.80	-	34.52	6.94	34.86
PK	5.463G	65.84	68.20	-2.36	59.21	3	Vertical	201	1.80	-	34.53	6.96	34.86
AV	5.46G	52.82	54.00	-1.18	46.20	3	Vertical	201	1.80	-	34.52	6.96	34.86
PK	5.566G	114.43	Inf	-Inf	107.63	3	Vertical	201	1.80	-	34.60	7.07	34.87
AV	5.565G	101.39	Inf	-Inf	94.60	3	Vertical	201	1.80	-	34.60	7.06	34.87
PK	5.738G	61.04	68.20	-7.16	54.56	3	Vertical	201	1.80	-	34.22	7.17	34.91

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	58.49	68.20	-9.71	52.02	3	Horizontal	187	2.67	-	34.47	6.87	34.87
PK	5.437G	60.46	74.00	-13.54	53.83	3	Horizontal	187	2.67	-	34.55	6.94	34.86
PK	5.463G	60.92	68.20	-7.28	54.22	3	Horizontal	187	2.67	-	34.60	6.96	34.86
AV	5.457G	47.52	54.00	-6.48	40.82	3	Horizontal	187	2.67	-	34.60	6.96	34.86
PK	5.514G	100.03	Inf	-Inf	93.28	3	Horizontal	187	2.67	-	34.60	7.01	34.86
AV	5.515G	87.73	Inf	-Inf	80.98	3	Horizontal	187	2.67	-	34.60	7.01	34.86
PK	5.743G	58.45	68.20	-9.75	51.99	3	Horizontal	187	2.67	-	34.20	7.17	34.91

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05244G	55.06	74.00	-18.94	47.25	3	Vertical	265	1.73	-	38.35	12.58	43.12
AV	11.06008G	41.58	54.00	-12.42	33.76	3	Vertical	265	1.73	-	38.36	12.58	43.12
PK	16.59688G	59.86	68.20	-8.34	46.11	3	Vertical	208	1.62	-	38.38	17.06	41.69

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05896G	55.19	74.00	-18.81	47.37	3	Horizontal	139	2.93	-	38.36	12.58	43.12
AV	11.05632G	41.55	54.00	-12.45	33.73	3	Horizontal	139	2.93	-	38.36	12.58	43.12
PK	16.59488G	60.71	68.20	-7.49	46.97	3	Horizontal	350	2.54	-	38.37	17.06	41.69

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 22
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	63.16	74.00	-10.84	56.54	3	Vertical	167	1.84	-	34.52	6.96	34.86
AV	5.46G	50.37	54.00	-3.63	43.75	3	Vertical	167	1.84	-	34.52	6.96	34.86
PK	5.465G	63.34	68.20	-4.86	56.71	3	Vertical	167	1.84	-	34.53	6.96	34.86
PK	5.604G	119.20	Inf	-Inf	112.39	3	Vertical	167	1.84	-	34.59	7.10	34.88
AV	5.606G	100.70	Inf	-Inf	93.89	3	Vertical	167	1.84	-	34.59	7.10	34.88
PK	5.727G	63.12	68.20	-5.08	56.62	3	Vertical	167	1.84	-	34.25	7.16	34.91

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




25/02/2023

EUT_Z_2TX
Setting 22
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.368G	59.53	74.00	-14.47	53.06	3	Horizontal	308	2.66	-	34.46	6.88	34.87
PK	5.465G	58.45	68.20	-9.75	51.75	3	Horizontal	308	2.66	-	34.60	6.96	34.86
AV	5.444G	46.77	54.00	-7.23	40.11	3	Horizontal	308	2.66	-	34.58	6.94	34.86
PK	5.581G	103.28	Inf	-Inf	96.60	3	Horizontal	308	2.66	-	34.48	7.08	34.88
AV	5.581G	91.13	Inf	-Inf	84.45	3	Horizontal	308	2.66	-	34.48	7.08	34.88
PK	5.739G	59.28	68.20	-8.92	52.82	3	Horizontal	308	2.66	-	34.20	7.17	34.91

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21424G	55.83	74.00	-18.17	47.76	3	Vertical	40	1.32	-	38.59	12.67	43.19
AV	11.22968G	41.93	54.00	-12.07	33.87	3	Vertical	40	1.32	-	38.57	12.68	43.19
PK	16.82008G	60.89	68.20	-7.31	46.45	3	Vertical	240	1.30	-	39.16	17.19	41.91

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2268G	55.63	74.00	-18.37	47.58	3	Horizontal	98	1.01	-	38.57	12.67	43.19
AV	11.2282G	41.86	54.00	-12.14	33.80	3	Horizontal	98	1.01	-	38.57	12.68	43.19
PK	16.82376G	61.11	68.20	-7.09	46.67	3	Horizontal	4	1.61	-	39.17	17.19	41.92

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 19
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	58.57	74.00	-15.43	51.69	3	Vertical	-0	2.40	-	33.72	5.60	32.44
AV	5.441G	46.59	54.00	-7.41	39.79	3	Vertical	-0	2.40	-	33.65	5.60	32.45
PK	5.465G	58.40	68.20	-9.80	51.51	3	Vertical	-0	2.40	-	33.73	5.60	32.44
PK	5.659G	112.62	Inf	-Inf	105.35	3	Vertical	-0	2.40	-	34.12	5.63	32.48
AV	5.703G	99.02	Inf	-Inf	91.65	3	Vertical	-0	2.40	-	34.21	5.65	32.49
PK	5.853G	60.74	68.20	-7.46	53.12	3	Vertical	-0	2.40	-	34.43	5.73	32.54

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 19
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	58.85	74.00	-15.15	52.18	3	Horizontal	301	2.24	-	34.58	6.95	34.86
AV	5.44G	46.50	54.00	-7.50	39.86	3	Horizontal	301	2.24	-	34.56	6.94	34.86
PK	5.469G	58.49	68.20	-9.71	51.78	3	Horizontal	301	2.24	-	34.60	6.97	34.86
PK	5.661G	104.94	Inf	-Inf	98.35	3	Horizontal	301	2.24	-	34.36	7.13	34.90
AV	5.653G	87.94	Inf	-Inf	81.31	3	Horizontal	301	2.24	-	34.39	7.13	34.89
PK	5.904G	59.14	68.20	-9.06	52.33	3	Horizontal	301	2.24	-	34.51	7.25	34.95

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 19
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37344G	56.43	74.00	-17.57	48.27	3	Vertical	357	1.63	-	38.65	12.76	43.25
AV	11.38712G	42.49	54.00	-11.51	34.31	3	Vertical	357	1.63	-	38.67	12.76	43.25
PK	17.06796G	62.11	68.20	-6.09	46.70	3	Vertical	312	2.59	-	40.14	17.34	42.07

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 19
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37268G	56.17	74.00	-17.83	48.02	3	Horizontal	45	1.51	-	38.65	12.75	43.25
AV	11.38712G	42.46	54.00	-11.54	34.28	3	Horizontal	45	1.51	-	38.67	12.76	43.25
PK	17.06652G	62.29	68.20	-5.91	46.89	3	Horizontal	235	2.45	-	40.13	17.34	42.07

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	65.23	68.20	-2.97	58.49	3	Vertical	80	1.36	-	34.51	7.12	34.89
PK	5.748G	117.77	Inf	-Inf	111.31	3	Vertical	80	1.36	-	34.20	7.17	34.91
AV	5.76G	100.50	Inf	-Inf	94.04	3	Vertical	80	1.36	-	34.20	7.18	34.92
PK	5.977G	60.88	68.20	-7.32	53.75	3	Vertical	80	1.36	-	34.80	7.29	34.96

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.588G	59.33	68.20	-8.87	52.67	3	Horizontal	21	2.79	-	34.45	7.09	34.88
PK	5.768G	99.91	Inf	-Inf	93.41	3	Horizontal	21	2.79	-	34.24	7.18	34.92
AV	5.768G	86.64	Inf	-Inf	80.14	3	Horizontal	21	2.79	-	34.24	7.18	34.92
PK	6.006G	59.42	68.20	-8.78	52.37	3	Horizontal	21	2.79	-	34.71	7.31	34.97

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55812G	56.21	74.00	-17.79	47.47	3	Vertical	137	2.02	-	39.17	12.86	43.29
AV	11.5404G	41.83	54.00	-12.17	33.15	3	Vertical	137	2.02	-	39.12	12.85	43.29
PK	17.32072G	61.17	68.20	-7.03	44.54	3	Vertical	58	1.66	-	41.15	17.49	42.01

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55024G	55.67	74.00	-18.33	46.96	3	Horizontal	47	1.42	-	39.15	12.85	43.29
AV	11.55912G	41.92	54.00	-12.08	33.17	3	Horizontal	47	1.42	-	39.18	12.86	43.29
PK	17.32432G	61.67	68.20	-6.53	45.02	3	Horizontal	266	2.09	-	41.17	17.49	42.01

5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 18
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	63.99	74.00	-10.01	58.18	3	Vertical	360	2.13	-	33.96	6.73	34.88
AV	5.1188G	50.43	54.00	-3.57	44.65	3	Vertical	360	2.13	-	33.94	6.72	34.88
PK	5.3076G	107.74	Inf	-Inf	101.26	3	Vertical	360	2.13	-	34.50	6.85	34.87
AV	5.3268G	94.86	Inf	-Inf	88.37	3	Vertical	360	2.13	-	34.50	6.86	34.87
PK	5.354G	64.67	74.00	-9.33	58.15	3	Vertical	360	2.13	-	34.51	6.88	34.87
AV	5.35G	51.84	54.00	-2.16	45.33	3	Vertical	360	2.13	-	34.50	6.88	34.87
PK	5.5604G	60.78	68.20	-7.42	53.99	3	Vertical	360	2.13	-	34.60	7.06	34.87

5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
 Setting 18
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0548G	59.75	74.00	-14.25	54.18	3	Horizontal	178	2.13	-	33.81	6.65	34.89
AV	5.1092G	46.76	54.00	-7.24	41.01	3	Horizontal	178	2.13	-	33.92	6.71	34.88
PK	5.1716G	101.74	Inf	-Inf	95.76	3	Horizontal	178	2.13	-	34.09	6.77	34.88
AV	5.2212G	83.20	Inf	-Inf	76.99	3	Horizontal	178	2.13	-	34.28	6.81	34.88
PK	5.4244G	59.91	74.00	-14.09	53.30	3	Horizontal	178	2.13	-	34.55	6.92	34.86
AV	5.3988G	47.53	54.00	-6.47	40.90	3	Horizontal	178	2.13	-	34.60	6.90	34.87
PK	5.4692G	60.18	68.20	-8.02	53.53	3	Horizontal	178	2.13	-	34.54	6.97	34.86

5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
 Setting 18
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49108G	54.48	68.20	-13.72	47.26	3	Vertical	155	1.89	-	37.99	12.27	43.04
PK	15.74816G	57.37	74.00	-16.63	45.43	3	Vertical	25	2.35	-	37.81	16.45	42.32
AV	15.75364G	44.26	54.00	-9.74	32.35	3	Vertical	25	2.35	-	37.78	16.45	42.32

5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
 Setting 18
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49024G	53.99	68.20	-14.21	46.77	3	Horizontal	213	2.58	-	37.99	12.27	43.04
PK	15.7576G	57.80	74.00	-16.20	45.90	3	Horizontal	192	2.68	-	37.75	16.46	42.31
AV	15.75992G	44.34	54.00	-9.66	32.45	3	Horizontal	192	2.68	-	37.74	16.46	42.31

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT Z_2TX
 Setting 21
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2836G	62.50	68.20	-5.70	56.06	3	Vertical	197	1.80	-	34.47	6.84	34.87
PK	5.4548G	64.78	74.00	-9.22	58.18	3	Vertical	197	1.80	-	34.51	6.95	34.86
AV	5.4404G	52.05	54.00	-1.95	45.45	3	Vertical	197	1.80	-	34.52	6.94	34.86
PK	5.4692G	64.98	68.20	-3.22	58.33	3	Vertical	197	1.80	-	34.54	6.97	34.86
PK	5.6004G	109.93	Inf	-Inf	103.11	3	Vertical	197	1.80	-	34.60	7.10	34.88
AV	5.5972G	97.14	Inf	-Inf	90.32	3	Vertical	197	1.80	-	34.60	7.10	34.88
PK	5.7284G	64.12	68.20	-4.08	57.63	3	Vertical	197	1.80	-	34.24	7.16	34.91

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.178G	58.28	68.20	-9.92	52.34	3	Horizontal	198	1.58	-	34.04	6.78	34.88
PK	5.4564G	59.73	74.00	-14.27	53.03	3	Horizontal	198	1.58	-	34.60	6.96	34.86
AV	5.4564G	47.38	54.00	-6.62	40.68	3	Horizontal	198	1.58	-	34.60	6.96	34.86
PK	5.4676G	60.28	68.20	-7.92	53.57	3	Horizontal	198	1.58	-	34.60	6.97	34.86
PK	5.6196G	99.92	Inf	-Inf	93.30	3	Horizontal	198	1.58	-	34.40	7.11	34.89
AV	5.5828G	85.57	Inf	-Inf	78.90	3	Horizontal	198	1.58	-	34.47	7.08	34.88
PK	5.7524G	60.95	68.20	-7.25	54.49	3	Horizontal	198	1.58	-	34.20	7.18	34.92

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13664G	54.77	74.00	-19.23	46.82	3	Vertical	89	2.02	-	38.47	12.63	43.15
AV	11.1478G	41.02	54.00	-12.98	33.05	3	Vertical	89	2.02	-	38.50	12.63	43.16
PK	16.71192G	60.07	68.20	-8.13	45.91	3	Vertical	339	2.68	-	38.84	17.13	41.81

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
 Setting 21
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1478G	55.54	74.00	-18.46	47.57	3	Horizontal	279	2.30	-	38.50	12.63	43.16
AV	11.14788G	41.14	54.00	-12.86	33.17	3	Horizontal	279	2.30	-	38.50	12.63	43.16
PK	16.71184G	60.72	68.20	-7.48	46.56	3	Horizontal	294	2.29	-	38.84	17.13	41.81

5.47-5.725GHz_EHT240-BF_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 16
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.338G	61.33	68.20	-6.87	54.83	3	Vertical	354	1.80	-	34.50	6.87	34.87
PK	5.4548G	67.51	74.00	-6.49	60.91	3	Vertical	354	1.80	-	34.51	6.95	34.86
AV	5.4052G	50.19	54.00	-3.81	43.56	3	Vertical	354	1.80	-	34.59	6.91	34.87
PK	5.466G	66.45	68.20	-1.75	59.81	3	Vertical	354	1.80	-	34.53	6.97	34.86
PK	5.53G	103.68	Inf	-Inf	96.92	3	Vertical	354	1.80	-	34.60	7.03	34.87
AV	5.5636G	91.19	Inf	-Inf	84.40	3	Vertical	354	1.80	-	34.60	7.06	34.87
PK	5.9684G	59.86	68.20	-8.34	52.74	3	Vertical	354	1.80	-	34.80	7.28	34.96

5.47-5.725GHz_EHT240-BF_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 16
 03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3396G	59.94	68.20	-8.26	53.48	3	Horizontal	205	1.66	-	34.46	6.87	34.87
PK	5.4484G	60.69	74.00	-13.31	54.01	3	Horizontal	205	1.66	-	34.59	6.95	34.86
AV	5.4164G	47.51	54.00	-6.49	40.99	3	Horizontal	205	1.66	-	34.47	6.92	34.87
PK	5.4692G	60.78	68.20	-7.42	54.07	3	Horizontal	205	1.66	-	34.60	6.97	34.86
PK	5.538G	94.43	Inf	-Inf	87.66	3	Horizontal	205	1.66	-	34.60	7.04	34.87
AV	5.5076G	81.25	Inf	-Inf	74.50	3	Horizontal	205	1.66	-	34.60	7.01	34.86
PK	5.9364G	61.17	68.20	-7.03	54.29	3	Horizontal	205	1.66	-	34.57	7.27	34.96

5.47-5.725GHz_EHT240-BF_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 16
 03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21324G	57.21	74.00	-16.79	40.76	3	Vertical	352	1.80	-	38.59	12.67	34.81
AV	11.21796G	43.60	54.00	-10.40	27.16	3	Vertical	352	1.80	-	38.58	12.67	34.81

5.47-5.725GHz_EHT240-BF_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
 Setting 16
 03-C-R-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22368G	57.50	74.00	-16.50	41.06	3	Horizontal	65	1.80	-	38.58	12.67	34.81
AV	11.21436G	43.72	54.00	-10.28	27.27	3	Horizontal	65	1.80	-	38.59	12.67	34.81



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.75142G	27.12	54.00	-26.88	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.75236G	39.11	74.00	-34.89	-5.12	3	Vertical	266	1.50	-	44.23	25.40	4.24	34.76
AV	1.75142G	27.12	54.00	-26.88	-5.12	3	Vertical	266	1.50	"Worst"	32.24	25.40	4.24	34.76

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.7527G	38.07	74.00	-35.93	-5.11	3	Horizontal	325	1.50	-	43.18	25.41	4.24	34.76
AV	1.7598G	26.99	54.00	-27.01	-5.08	3	Horizontal	325	1.50	"Worst"	32.07	25.42	4.25	34.75