Appendix B: Photographs of EUT

Product: PORTABLE POWER STATION
Model: AC300
External Photos

BLUETTI
DC OUTPUT
12VDC/10A
24VDC/10A
DC OUTPUT
USB-C 100W
OUTPUT 100-120VAC 3000W
20A MAX
AC300 3000W

INPUT 100-120VAC/30A
Communication Interface



BLUETTI
PORTABLE POWER STATION

BLUETTI
PORTABLE POWER STATION
Model No.: AC300
External battery capacity: 51.2VDC, 60-240Ah, 3072-12288Wh
Input
AC port: 100-120VAC,50/60Hz,30A
DC port: 12-150VDC, 12A × 2
Adapter: 58.8VDC, 8A
Discharge Temperature: -20-40℃
Charging Temperature: 0-40℃
Working Humidity: 10%-90%
Output
AC × 6: 100-120VAC, 50/60Hz, 20A Max for each
AC × 1: 100-120VAC, 50/60Hz, 30A Max
AC output 3000W total
Aviation Sockets × 1: 12VDC, 30A
USB-A × 2: 3.6-12VDC, 3A; 18W × 2 Total
USB-A × 2: 5VDC, 3A,15W Total
USB-C × 1: 5-15VDC, 3A; 20VDC, 5A,100W
Cigarette Lighter × 1: 24VDC, 10A
Wireless Charging × 2: 5/7.5/10/15W × 2
SHENZHEN POWEROAK NEWENER CO.,LTD
MADE IN CHINA
P/N:17.0301.0947-00A0