

Date: 2024/2/19

**SOFTWARE SECURITY REQUIREMENTS FOR U-NII DEVICES**  
**(594280 D02 U-NII Device Security v01r03, 11/12/2015)**

**FCC ID:2AYT5-S4GPRO**  
**Product Name:POS Station**  
**Model No.: MTPOS-S4G Pro**

<b>SOFTWARE SECURITY DESCRIPTION</b>	
<b>General Description</b>	
Q.	1. Describe how any software/firmware updates for elements that can affect the device's RF parameters will be obtained, downloaded, validated and installed. For software that is accessed through manufacturer's website or device's management system, describe the different levels of security as appropriate.
A.	Not applicable for the RF parameter
Q.	2. Describe the RF parameters that are modified by any software/firmware without any hardware changes. Are these parameters in some way limited such that any other software/firmware changes will not allow the device to exceed the authorized RF characteristics?
A.	Not Applicable for the RF parameters change
Q.	3. Describe in detail the authentication protocols that are in place to ensure that the source of the RF-related software/firmware is valid. Describe in detail how the RF-related software is protected against modification.
A.	Need the authorization access the software lab from the manufacturer
Q.	4. Describe in detail any encryption methods used to support the use of legitimate RF-related software/firmware.
A.	Not applicable
Q.	5. For a device that can be configured as a master and client (with active or passive scanning), explain how the device ensures compliance for each mode? In particular, if the device acts as master in some band of operation and client in another; how is compliance ensured in each band of operation?
A.	Only the Client device


<b>Third-Party Access Control</b>	
Q.	1. Explain if any third parties have the capability to operate a U.S.-sold device on any other

	regulatory domain, frequencies, or in any manner that may allow the device to operate in violation of the device's authorization if activated in the U.S.
A.	Not Applicable
Q.	2. Describe, if the device permits third-party software or firmware installation, what mechanisms are provided by the manufacturer to permit integration of such functions while ensuring that the RF parameters of the device cannot be operated outside its authorization for operation in the U.S. In the description include what controls and/or agreements are in place with providers of third-party functionality to ensure the devices' underlying RF parameters are unchanged and how the manufacturer verifies the functionality.
A.	No, it is impossible. We do not provide the interface to load device for third parties.
Q.	3. For Certified Transmitter modular devices, describe how the module grantee ensures that host manufacturers fully comply with these software security requirements for U-NII devices. If the module is controlled through driver software loaded in the host, describe how the drivers are controlled and managed such that the modular transmitter RF parameters are not modified outside the grant of authorization.
A.	This module is controlled by host. The host has driver. The modular transmitter parameters of module are decided by special settings file and command. Only the specific settings are allowed to work with the module. And the host manufacturer can only download/change the settings not over the setting of the one certified with help of the modular transmitter manufacturer

SOFTWARE CONFIGURATION DESCRIPTION	
USER- CONFIGURATION GUIDE	
Q.	1. Describe the user configurations permitted through the UI. If different levels of access are permitted for professional installers, system integrators or end-users, describe the differences.
A.	Professional installer
Q	a. What parameters are viewable and configurable by different parties? <sup>9</sup>
A	Professional installer can access power setting and frequency band.
Q	b. What parameters are accessible or modifiable by the professional installer or system integrators?
A	Professional installer can access power setting and frequency band.
Q	(1) Are the parameters in some way limited, so that the installers will not enter parameters that exceed those authorized?
A	We declare to use same parameter of this certification to them. So professional installer don't use parameters that exceed those authorized.
Q	(2) What controls exist that the user cannot operate the device outside its authorization in the U.S.?

A	End user can't operate the device outside its authorization in FCC regulation.
Q	c. What parameters are accessible or modifiable by the end-user?
A	End user can't configure parameter of range which impacted RF
Q	(1) Are the parameters in some way limited, so that the user or installers will not enter parameters that exceed those authorized?
A	Yes
Q	(2) What controls exist so that the user cannot operate the device outside its authorization in the U.S.?
A	End user can't operate the device outside its authorization in FCC regulation.
Q	d. Is the country code factory set? Can it be changed in the UI?
A	The country code is set by the factory and can't be changed in UI.
Q	(1) If it can be changed, what controls exist to ensure that the device can only operate within its authorization in the U.S.?
A	The country code is set by the factory and can't be changed.
Q	e. What are the default parameters when the device is restarted?
A	FCC region code setting have default and maximum parameter settings as defined by regulatory testing.
Q.	2. Can the radio be configured in bridge or mesh mode? If yes, an attestation may be required. Further information is available in KDB Publication 905462 D02.
A.	Not Applicable
Q.	3. For a device that can be configured as a master and client (with active or passive scanning), if this is user configurable, describe what controls exist, within the UI, to ensure compliance for each mode. If the device acts as a master in some bands and client in others, how is this configured to ensure compliance?
A.	Client device
Q.	4. For a device that can be configured as different types of access points, such as point-to-point or point-to-multipoint, and use different types of antennas, describe what controls exist to ensure compliance with applicable limits and the proper antenna is used for each mode of operation.
A.	Not Applicable

Signature



Company: Hefei BOE Vision-electronic Technology Co., Ltd.

Address:

NO.2177 Dongfang RD, Xinzhan General Pilot Zone  
HeFei, Anhui, 230012, P.R.China