


4. Spurious Emissions at antenna terminal


GSM850

GSM MODE:




Channel 189 1GHz~10GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.



Channel 189 30MHz~1GHz(dBm)


GPRS MODE:



Date: 13.AUG.2021 10:45:25

Channel 189 1GHz~10GHz(dBm)


Note: The signal beyond the limit is the signal transmitted by EUT.




Date: 13.AUG.2021 10:45:18

Channel 189 30MHz~1GHz(dBm)

PCS1900
GSM MODE:




Channel 661 30MHz~1GHz(dBm)




Channel 661 1GHz~20GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.

GPRS MODE:



Channel 661 30MHz~1GHz(dBm)




Channel 661 1GHz~20GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.


5. Band Edges Compliance

GSM850

GSM MODE:




Channel 128




Channel 251

GPRS MODE:



Date: 13.AUG.2021 10:43:35


Channel 128




Date: 13.AUG.2021 10:45:44

Channel 251

PCS1900
GSM MODE:




Channel 512




Channel 810

GPRS MODE:



Date: 3.AUG.2021 09:33:18

Channel 512



Date: 3.AUG.2021 09:35:31

Channel 810

6. Frequency Stability

GSM850

GSM MODE:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 128	Channel 189	Channel 251
-10	-0.004	0.001	-0.004
0	-0.004	0.003	-0.001
+10	-0.003	0.004	-0.002
+20	0.000	0.000	0.000
+30	0.002	-0.004	-0.003
+40	-0.005	0.004	0.005
+50	0.002	0.000	0.000
Voltage	Test Result (ppm)@NT		
	Channel 128	Channel 189	Channel 251
LV	0.007	0.004	0.003
HV	-0.003	0.012	0.015

GPRS MODE:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 128	Channel 189	Channel 251
-10	-0.002	0.005	-0.001
0	0.002	0.005	0.000
+10	0.001	0.003	0.003
+20	0.000	0.000	0.000
+30	0.001	0.001	0.000
+40	0.008	0.008	0.007
+50	-0.002	0.002	0.002
Voltage	Test Result (ppm)@NT		
	Channel 128	Channel 189	Channel 251
LV	0.000	-0.001	-0.005
HV	0.006	0.009	0.003

PCS1900

GSM MODE:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 512	Channel 661	Channel 810
-10	0.004	-0.002	0.002
0	-0.001	-0.001	-0.001
+10	0.000	0.001	0.001
+20	0.000	0.000	0.000
+30	0.004	0.000	0.002
+40	-0.001	0.000	0.001
+50	-0.001	0.002	0.001
Voltage	Test Result (ppm)@NT		
	Channel 512	Channel 661	Channel 810
LV	-0.002	-0.001	0.000
HV	0.005	0.001	0.000


GPRS MODE:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 512	Channel 661	Channel 810
-10	-0.001	0.003	0.001
0	-0.001	0.000	0.000
+10	0.000	0.001	0.004
+20	0.000	0.000	0.000
+30	0.003	0.001	0.002
+40	0.003	0.002	0.003
+50	0.002	0.000	0.001
Voltage	Test Result (ppm)@NT		
	Channel 512	Channel 661	Channel 810
LV	0.002	0.002	0.000
HV	0.000	-0.001	0.003


7. Peak-Average Ratio

GSM850


GSM MODE:



Channel 128




Channel 189




Channel 251

GPRS MODE:




Channel 128



Date: 13.AUG.2021 10:44:13

Channel 189



Date: 13.AUG.2021 10:45:09

Channel 251