

Test Mode:802. 11ac VHT20

Carrier frequency (MHz)	Chain	Occupied Bandwidth (MHz)
5500	Chain0	18.104
5580	Chain0	18.127
5700	Chain0	18.232
5720	Chain0	18.180

Test Mode:802. 11ac VHT20 Chain0




Test Mode:802. 11ac VHT20 Chain0



Test Mode:802. 11ac VHT20 Chain0




Test Mode:802. 11ac VHT20 Chain0




Test Mode:802. 11ac VHT40

Carrier frequency (MHz)	Chain	Occupied Bandwidth (MHz)
5510	Chain0	36.322
5590	Chain0	36.372
5670	Chain0	36.302
5710	Chain0	36.273

Test Mode:802. 11ac VHT40 Chain0




Test Mode:802. 11ac VHT40 Chain0



Test Mode:802. 11ac VHT40 Chain0



Test Mode:802. 11ac VHT40 Chain0




Test Mode:802. 11ac VHT80

Carrier frequency (MHz)	Chain	Occupied Bandwidth (MHz)
5530	Chain0	75.588
5610	Chain0	75.777
5690	Chain0	75.599


Test Mode:802. 11ac VHT80 Chain0



Test Mode:802. 11ac VHT80 Chain0



Test Mode:802. 11ac VHT80 Chain0




Transmitter Power Spectral Density

Offset 11.5dB = Attenuator 10dB+ Temporary antenna connector loss 0.5dB+ Cable loss 1dB

Test Mode:802.11a

Carrier frequency (MHz)	Correction Factor(dB)	Chain	Power Density (dBm)
5500	0.04	Chain0	2.739
5580		Chain0	3.046
5700		Chain0	2.562
5720	0.00	Chain0	1.118

Test Mode:802.11a Chain0



Test Mode:802.11a Chain0



Test Mode:802.11a Chain0



Test Mode:802.11a Chain0




Test Mode:802. 11n HT20

Carrier frequency (MHz)	Correction Factor(dB)	Chain	Power Density (dBm)
5500	0.05	Chain0	2.304
5580		Chain0	2.717
5700		Chain0	2.140
5720	0.00	Chain0	0.619

Test Mode:802. 11n HT20 Chain0



Test Mode:802. 11n HT20 Chain0



Test Mode:802. 11n HT20 Chain0




Test Mode:802. 11n HT20 Chain0



Test Mode:802. 11n HT40

Carrier frequency (MHz)	Correction Factor(dB)	Chain	Power Density (dBm)
5510	0.09	Chain0	-0.264
5590		Chain0	-0.111
5670		Chain0	-0.178
5710	0.00	Chain0	-2.284


Test Mode:802. 11n HT40 Chain0



Test Mode:802. 11n HT40 Chain0



Test Mode:802. 11n HT40 Chain0



Test Mode:802. 11n HT40 Chain0



Test Mode:802. 11ac VHT20

Carrier frequency (MHz)	Correction Factor(dB)	Chain	Power Density (dBm)
5500	0.05	Chain0	2.227
5580		Chain0	2.488
5700		Chain0	2.139
5720	0.00	Chain0	0.641

Test Mode:802. 11ac VHT20 Chain0

Test Mode:802. 11ac VHT20 Chain0


Test Mode:802. 11ac VHT20 Chain0

Test Mode:802. 11ac VHT20 Chain0

Test Mode:802. 11ac VHT40

Carrier frequency (MHz)	Correction Factor(dB)	Chain	Power Density (dBm)
5510	0.09	Chain0	-0.300
5590		Chain0	-0.099
5670		Chain0	-0.086
5710	0.00	Chain0	-2.266


Test Mode:802. 11ac VHT40 Chain0




Test Mode:802. 11ac VHT40 Chain0



Test Mode:802. 11ac VHT40 Chain0



Test Mode:802. 11ac VHT40 Chain0




Test Mode:802. 11ac VHT80

Carrier frequency (MHz)	Correction Factor(dB)	Chain	Power Density (dBm)
5530	0.17	Chain0	-3.643
5610		Chain0	-3.146
5690	0.09	Chain0	-5.448

Test Mode:802. 11ac VHT80 Chain0



Test Mode:802. 11ac VHT80 Chain0



Test Mode:802. 11ac VHT80 Chain0

