


The products are divided into controller, IR remote and LED strip.

When the DC power supply (5V \sim 24V) supplies power to the product, the LED strip will be on by default. At this time, you can operate the LED strip on and off through the IR remoter, change different colors, preset flash mode andmicrophone rhythm mode, and adjust the brightness of the LED.



In addition, the same operation can be realized through mobile app:



FCC Statement

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, purs uant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmfu l interference in a residential installation. This equipment generates uses and can radiate radio frequency e nergy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular install ation. If this equipment does cause harmful interference to radio or television reception, which can be dete rmined by turning the equipment off and on, the user is encouraged to try to correct the interference by on e or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
 Consult the dealer or an experienced radio/TV technician for help important announcement
 Important Note:

Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.