

深圳众城无线技术有限公司


Shenzhen unity wireless technology co., ltd

天线测试报告

Antenna Test Report

频段: 2.4G/5.8G

工程图纸Engineering drawings:



重点:

- 1、线材整洁外皮无损伤
- 2、成品100%全检
- 3、焊接端拉力: 1.5KG
- 4、未注公差请以一般公差为准
- 5、阴影区铺铜 其它区域净空成品表面刷黑油
- 6、符合ROHS

Focus:

- 1. The wire is neat and tidy, and the skin is not damaged
- 2. 100% full inspection of finished products
- 3. WELDING END TENSILE FORCE: 1.5KG
- 4. If the tolerance is not noted, please refer to the general tolerance
- 5. Copper is poured in the shadow area, and the surface of the finished product is brushed with black oil in other areas
- 6. ROHS compliant


单位: mm

深圳众城无线技术有限公司

Shenzhen unity wireless technology co., ltd

2 天线匹配 (原天线匹配) Antenna matching (original antenna matching)

	E1	E2	E3
	N/A	0 欧	N/A




WIFI 2.4-5.8G 无源测试结果: WIFI 2.4-5.8G Passive Test Results:

Freq (MHz)	Effi (%)	Gain (dBi)
2400	59.39	2.79
2410	57.92	2.95
2420	58.66	2.27
2430	55.26	2.19
2440	58.39	2.51
2450	53.88	2.1
2460	56.84	2.34
2470	55.16	2.1
2480	55.17	2.01
2490	56.81	2.98
2500	50.5	2.26

Freq (MHz)	Effi (%)	Gain (dBi)
5000	53.32	2.61
5100	56.35	2.57
5200	58.56	2.55
5300	53.78	2.48
5400	55.14	2.11
5500	54.1	2.73
5600	54.07	2.91
5700	56.97	2.05
5800	54.79	2

天线方向图: Antenna pattern



深圳众城无线技术有限公司

Shenzhen unity wireless technology co., ltd

