




11A_Ant1_5700




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5220




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5300



11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5580




11N20SISO_Ant1_5700




11N20SISO_Ant1_5745



11N20SISO_Ant1_5785



11N20SISO_Ant1_5825



Appendix E: Band edge measurements

Test Result B1/2/3


TestMode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-54.79	≤-27	PASS
		High	5240	-54.15	≤-27	PASS
		Low	5260	-55.36	≤-27	PASS
		High	5320	-52.79	≤-27	PASS
		Low	5500	-53.96	≤-27	PASS
		High	5700	-48.92	≤-27	PASS
11N20SISO	Ant1	Low	5180	-55.15	≤-27	PASS
		High	5240	-53.79	≤-27	PASS
		Low	5260	-54.32	≤-27	PASS
		High	5320	-52.18	≤-27	PASS
		Low	5500	-53.66	≤-27	PASS
		High	5700	-47.16	≤-27	PASS

Test Result B4


TestMode	Antenna	ChName	Frequency[MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5650~5700	-52.52	≤-16.27	PASS
				5700~5720	-49.43	≤15.09	PASS
				5720~5725	-45.02	≤27.00	PASS
				5760~5650	-54.76	≤-27	PASS
		High	5825	5850~5855	-52.24	≤18.48	PASS
				5855~5875	-52.87	≤10.16	PASS
				5875~5925	-53.26	≤-4.17	PASS
				5925~5935	-53.94	≤-27	PASS
11N20SI SO	Ant1	Low	5745	5650~5700	-52.79	≤9.75	PASS
				5700~5720	-47.87	≤15.55	PASS
				5720~5725	-43.04	≤25.86	PASS
				5760~5650	-54.09	≤-27	PASS
		High	5825	5850~5855	-51.13	≤16.25	PASS
				5855~5875	-52.86	≤11.31	PASS
				5875~5925	-53.17	≤-3.74	PASS
				5925~5935	-54.06	≤-27	PASS

Test Graphs B1/2/3


11A_Ant1_Low_5180




11A_Ant1_High_5240




11A_Ant1_Low_5260




11A_Ant1_High_5320




11A_Ant1_Low_5500



11A_Ant1_High_5700




11N20SISO_Ant1_Low_5180



11N20SISO_Ant1_High_5240




11N20SISO_Ant1_Low_5260




11N20SISO_Ant1_High_5320



11N20SISO_Ant1_Low_5500




11N20SISO_Ant1_High_5700




Test Graphs B4

11A_Ant1_Low_5745




11A_Ant1_High_5825



11N20SISO_Ant1_Low_5745



11N20SISO_Ant1_High_5825



Appendix F: Conducted Spurious Emission


Test Result

TestMode	Antenna	Frequency [MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	5009.44	-36.1	≤-27	PASS
			5360~40000	39105.7	-32.25	≤-27	PASS
		5220	30~5140	4691.44	-35.26	≤-27	PASS
			5360~40000	39649.6	-32.07	≤-27	PASS
		5240	30~5140	4428.8	-35.68	≤-27	PASS
			5360~40000	39702.7	-31.36	≤-27	PASS
		5260	30~5140	3993.78	-36.26	≤-27	PASS
			5360~40000	39564.1	-31.98	≤-27	PASS
		5300	30~5140	4976.57	-35.75	≤-27	PASS
			5360~40000	39754.6	-31.81	≤-27	PASS
		5320	30~5140	5115.56	-36.11	≤-27	PASS
			5360~40000	39213.1	-31.57	≤-27	PASS
		5500	30~5460	5411.22	-35.17	≤-27	PASS
			5735~40000	39130.3	-31.87	≤-27	PASS
		5580	30~5460	4597.11	-35.13	≤-27	PASS
			5735~40000	39124.6	-31.88	≤-27	PASS
		5700	30~5460	5362.53	-34.83	≤-27	PASS
			5735~40000	39590.5	-31.96	≤-27	PASS
		5745	30~5650	5223.18	-29.36	≤-27	PASS
			5925~40000	36496.6	-27.9	≤-27	PASS
5785	30~5650	5311.22	-29.42	≤-27	PASS		
	5925~40000	39933.6	-28.4	≤-27	PASS		
5825	30~5650	5467.64	-29.96	≤-27	PASS		
	5925~40000	39181.7	-27.34	≤-27	PASS		
11N20SISO	Ant1	5180	30~5140	4117.44	-36.43	≤-27	PASS
			5360~40000	39224.7	-32.04	≤-27	PASS
		5220	30~5140	5089.67	-36.22	≤-27	PASS
			5360~40000	39262.8	-32.22	≤-27	PASS
		5240	30~5140	5010.47	-36.45	≤-27	PASS
			5360~40000	39715.4	-32.26	≤-27	PASS
		5260	30~5140	4649.54	-36.32	≤-27	PASS
			5360~40000	39295.1	-31.7	≤-27	PASS
		5300	30~5140	5003.82	-35.55	≤-27	PASS
			5360~40000	39133.5	-31.85	≤-27	PASS
		5320	30~5140	5035.16	-36.14	≤-27	PASS
			5360~40000	39274.3	-31.39	≤-27	PASS
5500	30~5460	5407.78	-34.72	≤-27	PASS		


		5735~40000	39647.7	-31.66	≤-27	PASS
	5580	30~5460	5331.4	-35.59	≤-27	PASS
		5735~40000	39578	-31.25	≤-27	PASS
	5700	30~5460	5408.51	-34.68	≤-27	PASS
		5735~40000	39686.5	-31.92	≤-27	PASS
	5745	30~5650	4704.84	-29.24	≤-27	PASS
		5925~40000	39608.7	-28.17	≤-27	PASS
	5785	30~5650	5491.61	-29.34	≤-27	PASS
		5925~40000	39796.1	-28.01	≤-27	PASS
	5825	30~5650	5260.83	-29.99	≤-27	PASS
		5925~40000	39188.5	-28.08	≤-27	PASS

Test Graphs


11A_Ant1_5180_30~5140




11A_Ant1_5180_5360~40000




11A_Ant1_5220_30~5140




11A_Ant1_5220_5360~4000




11A_Ant1_5240_30~5140




11A_Ant1_5240_5360~40000




11A_Ant1_5260_30~5140




11A_Ant1_5260_5360~40000




11A_Ant1_5300_30~5140




11A_Ant1_5300_5360~40000




11A_Ant1_5320_30~5140




11A_Ant1_5320_5360~40000




11A_Ant1_5500_30~5460




11A_Ant1_5500_5735~4000




11A_Ant1_5580_30~5460




11A_Ant1_5580_5735~40000




11A_Ant1_5700_30~5460




11A_Ant1_5700_5735~40000




11A_Ant1_5745_30~5650




11A_Ant1_5745_5925~40000




11A_Ant1_5785_30~5650




11A_Ant1_5785_5925~40000




11A_Ant1_5825_30~5650




11A_Ant1_5825_5925~40000




11N20SISO_Ant1_5180_30~5140




11N20SISO_Ant1_5180_5360~40000




11N20SISO_Ant1_5220_30~5140




11N20SISO_Ant1_5220_5360~40000




11N20SISO_Ant1_5240_30~5140




11N20SISO_Ant1_5240_5360~40000




11N20SISO_Ant1_5260_30~5140




11N20SISO_Ant1_5260_5360~40000




11N20SISO_Ant1_5300_30~5140




11N20SISO_Ant1_5300_5360-40000




11N20SISO_Ant1_5320_30~5140




11N20SISO_Ant1_5320_5360~40000




11N20SISO_Ant1_5500_30~5460




11N20SISO_Ant1_5500_5735~40000




11N20SISO_Ant1_5580_30~5460




11N20SISO_Ant1_5580_5735~40000




11N20SISO_Ant1_5700_30~5460




11N20SISO_Ant1_5700_5735~40000




11N20SISO_Ant1_5745_30~5650




11N20SISO_Ant1_5745_5925-40000




11N20SISO_Ant1_5785_30~5650




11N20SISO_Ant1_5785_5925~40000



11N20SISO_Ant1_5825_30~5650



11N20SISO_Ant1_5825_5925~40000



Appendix G: Frequency Stability

Test Result

TestMode	Antenna	Frequency [MHz]	Voltage			Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			Voltage [Vdc]	Temperature (°C)					
11A	Ant1	5180	NV	NT		0.00	0.000000	20	PASS
			LV	NT		0.00	0.000000	20	PASS
			HV	NT		0.00	0.000000	20	PASS
		5220	NV	NT		0.00	0.000000	20	PASS
			LV	NT		-20000.00	-3.831418	20	PASS
			HV	NT		-20000.00	-3.831418	20	PASS
		5240	NV	NT		0.00	0.000000	20	PASS
			LV	NT		20000.00	3.816794	20	PASS
			HV	NT		0.00	0.000000	20	PASS
		5260	NV	NT		0.00	0.000000	20	PASS
			LV	NT		0.00	0.000000	20	PASS
			HV	NT		0.00	0.000000	20	PASS
		5300	NV	NT		0.00	0.000000	20	PASS
			LV	NT		-20000.00	-3.773585	20	PASS
			HV	NT		0.00	0.000000	20	PASS
		5320	NV	NT		-20000.00	-3.759398	20	PASS
			LV	NT		0.00	0.000000	20	PASS
			HV	NT		-20000.00	-3.759398	20	PASS
		5500	NV	NT		0.00	0.000000	20	PASS
			LV	NT		0.00	0.000000	20	PASS
			HV	NT		0.00	0.000000	20	PASS
		5580	NV	NT		-20000.00	-3.584229	20	PASS
			LV	NT		20000.00	3.584229	20	PASS
			HV	NT		0.00	0.000000	20	PASS
		5700	NV	NT		-20000.00	-3.508772	20	PASS
			LV	NT		0.00	0.000000	20	PASS
			HV	NT		0.00	0.000000	20	PASS
		5745	NV	NT		0.00	0.000000	20	PASS
			LV	NT		0.00	0.000000	20	PASS
			HV	NT		0.00	0.000000	20	PASS
		5785	NV	NT		0.00	0.000000	20	PASS
			LV	NT		-20000.00	-3.457217	20	PASS
			HV	NT		0.00	0.000000	20	PASS
		5825	NV	NT		-20000.00	-3.433476	20	PASS
			LV	NT		-20000.00	-3.433476	20	PASS
			HV	NT		-20000.00	-3.433476	20	PASS

11N20SI SO	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5220	NV	NT	-20000.00	-3.831418	20	PASS
			LV	NT	-20000.00	-3.831418	20	PASS
			HV	NT	-20000.00	-3.831418	20	PASS
		5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
		5260	NV	NT	-40000.00	-7.604563	20	PASS
			LV	NT	-20000.00	-3.802281	20	PASS
			HV	NT	-20000.00	-3.802281	20	PASS
		5300	NV	NT	-20000.00	-3.773585	20	PASS
			LV	NT	-40000.00	-7.547170	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5320	NV	NT	-20000.00	-3.759398	20	PASS
			LV	NT	-40000.00	-7.518797	20	PASS
			HV	NT	-20000.00	-3.759398	20	PASS
		5500	NV	NT	-20000.00	-3.636364	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5580	NV	NT	-20000.00	-3.584229	20	PASS
			LV	NT	-20000.00	-3.584229	20	PASS
			HV	NT	-20000.00	-3.584229	20	PASS
		5700	NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	-20000.00	-3.508772	20	PASS
		5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-40000.00	-6.914434	20	PASS
			HV	NT	-60000.00	-10.371651	20	PASS
		5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS

Temperature								
TestMode	Antenna	Frequency[MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS

			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.861004	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5220	NV	-30	-20000.00	-3.831418	20	PASS
			NV	-20	-20000.00	-3.831418	20	PASS
			NV	-10	-20000.00	-3.831418	20	PASS
			NV	0	-20000.00	-3.831418	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.831418	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5240	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.816794	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.816794	20	PASS
			NV	50	-20000.00	-3.816794	20	PASS
		5260	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	20000.00	3.802281	20	PASS
			NV	20	-20000.00	-3.802281	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-20000.00	-3.802281	20	PASS
		5300	NV	-30	-20000.00	-3.773585	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	20000.00	3.773585	20	PASS
			NV	0	-20000.00	-3.773585	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	20000.00	3.773585	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.773585	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5320	NV	-30	-20000.00	-3.759398	20	PASS

			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.759398	20	PASS
			NV	40	-20000.00	-3.759398	20	PASS
			NV	50	-20000.00	-3.759398	20	PASS
		5500	NV	-30	20000.00	3.636364	20	PASS
			NV	-20	20000.00	3.636364	20	PASS
			NV	-10	-20000.00	-3.636364	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.636364	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.636364	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-20000.00	-3.636364	20	PASS
		5580	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.584229	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.584229	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5700	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.508772	20	PASS
			NV	-10	-20000.00	-3.508772	20	PASS
			NV	0	-20000.00	-3.508772	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.508772	20	PASS
			NV	30	-40000.00	-7.017544	20	PASS
			NV	40	-20000.00	-3.508772	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5745	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.481288	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS

		5785	NV	50	-20000.00	-3.481288	20	PASS		
			NV	-30	0.00	0.000000	20	PASS		
			NV	-20	0.00	0.000000	20	PASS		
			NV	-10	-20000.00	-3.457217	20	PASS		
			NV	0	0.00	0.000000	20	PASS		
			NV	10	0.00	0.000000	20	PASS		
			NV	20	0.00	0.000000	20	PASS		
			NV	30	-20000.00	-3.457217	20	PASS		
			NV	40	0.00	0.000000	20	PASS		
			NV	50	-20000.00	-3.457217	20	PASS		
		5825	NV	-30	0.00	0.000000	20	PASS		
			NV	-20	-20000.00	-3.433476	20	PASS		
			NV	-10	0.00	0.000000	20	PASS		
			NV	0	0.00	0.000000	20	PASS		
			NV	10	0.00	0.000000	20	PASS		
			NV	20	-20000.00	-3.433476	20	PASS		
			NV	30	0.00	0.000000	20	PASS		
			NV	40	0.00	0.000000	20	PASS		
		11N20SI SO	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
					NV	-20	-20000.00	-3.861004	20	PASS
NV	-10				0.00	0.000000	20	PASS		
NV	0				0.00	0.000000	20	PASS		
NV	10				-20000.00	-3.861004	20	PASS		
NV	20				-40000.00	-7.722008	20	PASS		
NV	30				-20000.00	-3.861004	20	PASS		
NV	40				-20000.00	-3.861004	20	PASS		
5220	NV			50	-20000.00	-3.861004	20	PASS		
	NV			-30	-20000.00	-3.831418	20	PASS		
	NV			-20	-20000.00	-3.831418	20	PASS		
	NV			-10	-20000.00	-3.831418	20	PASS		
	NV			0	-20000.00	-3.831418	20	PASS		
	NV			10	0.00	0.000000	20	PASS		
	NV			20	0.00	0.000000	20	PASS		
	NV			30	-20000.00	-3.831418	20	PASS		
5240	NV			40	-20000.00	-3.831418	20	PASS		
	NV			50	-20000.00	-3.831418	20	PASS		
	NV			-30	-20000.00	-3.816794	20	PASS		
	NV			-20	0.00	0.000000	20	PASS		
	NV	-10	0.00	0.000000	20	PASS				
	NV	0	0.00	0.000000	20	PASS				
			NV	10	-20000.00	-3.816794	20	PASS		
			NV	20	0.00	0.000000	20	PASS		

			NV	30	0.00	0.000000	20	PASS	
			NV	40	0.00	0.000000	20	PASS	
			NV	50	-20000.00	-3.816794	20	PASS	
		5260	NV	-30	-20000.00	-3.802281	20	PASS	
			NV	-20	-40000.00	-7.604563	20	PASS	
			NV	-10	0.00	0.000000	20	PASS	
			NV	0	0.00	0.000000	20	PASS	
			NV	10	-20000.00	-3.802281	20	PASS	
			NV	20	-40000.00	-7.604563	20	PASS	
			NV	30	-20000.00	-3.802281	20	PASS	
			NV	40	-20000.00	-3.802281	20	PASS	
			NV	50	-60000.00	-11.406844	20	PASS	
			5300	NV	-30	-20000.00	-3.773585	20	PASS
				NV	-20	-40000.00	-7.547170	20	PASS
		NV		-10	-20000.00	-3.773585	20	PASS	
		NV		0	-40000.00	-7.547170	20	PASS	
		NV		10	-20000.00	-3.773585	20	PASS	
		NV		20	-20000.00	-3.773585	20	PASS	
		NV		30	0.00	0.000000	20	PASS	
		NV		40	-20000.00	-3.773585	20	PASS	
		5320	NV	50	-20000.00	-3.773585	20	PASS	
			NV	-30	-20000.00	-3.759398	20	PASS	
			NV	-20	-40000.00	-7.518797	20	PASS	
			NV	-10	0.00	0.000000	20	PASS	
			NV	0	0.00	0.000000	20	PASS	
			NV	10	0.00	0.000000	20	PASS	
			NV	20	0.00	0.000000	20	PASS	
			NV	30	0.00	0.000000	20	PASS	
		5500	NV	40	0.00	0.000000	20	PASS	
			NV	50	0.00	0.000000	20	PASS	
			NV	-30	-20000.00	-3.636364	20	PASS	
			NV	-20	-20000.00	-3.636364	20	PASS	
			NV	-10	-40000.00	-7.272727	20	PASS	
			NV	0	0.00	0.000000	20	PASS	
			NV	10	-20000.00	-3.636364	20	PASS	
			NV	20	-40000.00	-7.272727	20	PASS	
		5580	NV	30	-40000.00	-7.272727	20	PASS	
			NV	40	0.00	0.000000	20	PASS	
			NV	50	-20000.00	-3.636364	20	PASS	
			NV	-30	0.00	0.000000	20	PASS	
			NV	-20	-40000.00	-7.168459	20	PASS	
			NV	-10	0.00	0.000000	20	PASS	
			NV	0	-40000.00	-7.168459	20	PASS	
			NV	0	-40000.00	-7.168459	20	PASS	


			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.584229	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5700	NV	-30	-20000.00	-3.508772	20	PASS
			NV	-20	-20000.00	-3.508772	20	PASS
			NV	-10	-40000.00	-7.017544	20	PASS
			NV	0	-40000.00	-7.017544	20	PASS
			NV	10	-20000.00	-3.508772	20	PASS
			NV	20	-20000.00	-3.508772	20	PASS
			NV	30	-20000.00	-3.508772	20	PASS
			NV	40	-40000.00	-7.017544	20	PASS
			NV	50	-40000.00	-7.017544	20	PASS
		5745	NV	-30	-40000.00	-6.962576	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-40000.00	-6.962576	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS
			NV	50	-60000.00	-10.443864	20	PASS
		5785	NV	-30	-20000.00	-3.457217	20	PASS
			NV	-20	-20000.00	-3.457217	20	PASS
			NV	-10	-20000.00	-3.457217	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	-40000.00	-6.914434	20	PASS
			NV	50	-40000.00	-6.914434	20	PASS
		5825	NV	-30	-20000.00	-3.433476	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
			NV	50	-20000.00	-3.433476	20	PASS

Appendix H: DFS Detection Thresholds

Test Result

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11A	5260	Type0	-62.02	-62.00	PASS

Test Graphs




Appendix I: Channel Move Time and Channel Closing

Transmission Time

Test Result

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11A	5260	200+31.4	200+60	2104.7	10000	PASS

Test Graphs



Appendix J: Non-Occupancy Period

Test Result

TestMode	Frequency[MHz]	Result	Limit[s]	Verdict
A	5260	Result	Limit	PASS

Test Graphs

