



Appendix D. Radiated Spurious Emission Plots

Note symbol

-L	Low channel location
-R	High channel location







Bluetooth LE 1Mbps

2.4GHz 2400~2483.5MHz

BLE (Band Edge @ 3m)

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
	BLE CH00 2402MHz																																																											
	Horizontal	Fundamental																																																										
Peak	<p>Site : 032006-K3 Condition : FCC PART 15C 3m 3117.5M 79557 HORIZONTAL Economic & Technical Development Zone, Jiangsu, China Project : FR082617-01 Mode : 4 Plane : T Full-directivity : 00010E04154000K42 IMEI : 86010E04154000K42 Power setting : 7/0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2321.70</td> <td>54.39</td> <td>-19.43</td> <td>74.00</td> <td>47.95</td> <td>31.95</td> <td>7.95</td> <td>33.44</td> <td>126</td> <td>215</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor	cn	deg	1	2321.70	54.39	-19.43	74.00	47.95	31.95	7.95	33.44	126	215	Peak	HORIZONTAL	<p>Site : 032006-K3 Condition : FCC PART 15C 3m 3117.5M 79557 HORIZONTAL Economic & Technical Development Zone, Jiangsu, China Project : FR082617-01 Mode : 4 Plane : T Full-directivity : 00010E04154000K42 IMEI : 86010E04154000K42 Power setting : 7/0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>103.38</td> <td>29.38</td> <td>74.00</td> <td>96.53</td> <td>32.20</td> <td>8.09</td> <td>33.44</td> <td>126</td> <td>215</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor	cn	deg	1	2402.00	103.38	29.38	74.00	96.53	32.20	8.09	33.44	126	215	Peak	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	cn	deg																																																					
1	2321.70	54.39	-19.43	74.00	47.95	31.95	7.95	33.44	126	215	Peak	HORIZONTAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	cn	deg																																																					
1	2402.00	103.38	29.38	74.00	96.53	32.20	8.09	33.44	126	215	Peak	HORIZONTAL																																																
Avg.	<p>Site : 032006-K3 Condition : FCC PART 15C (AVG) 3m 3117.5M 79557 HORIZONTAL Economic & Technical Development Zone, Jiangsu, China Project : FR082617-01 Mode : 4 Plane : T Full-directivity : 00010E04154000K42 IMEI : 86010E04154000K42 Power setting : 7/0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.43</td> <td>44.27</td> <td>-9.73</td> <td>54.00</td> <td>37.48</td> <td>32.15</td> <td>8.09</td> <td>33.44</td> <td>126</td> <td>215</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor	cn	deg	1	2389.43	44.27	-9.73	54.00	37.48	32.15	8.09	33.44	126	215	Average	HORIZONTAL	<p>Site : 032006-K3 Condition : FCC PART 15C (AVG) 3m 3117.5M 79557 HORIZONTAL Economic & Technical Development Zone, Jiangsu, China Project : FR082617-01 Mode : 4 Plane : T Full-directivity : 00010E04154000K42 IMEI : 86010E04154000K42 Power setting : 7/0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>102.76</td> <td>48.76</td> <td>54.00</td> <td>95.91</td> <td>32.20</td> <td>8.09</td> <td>33.44</td> <td>126</td> <td>215</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor	cn	deg	1	2402.00	102.76	48.76	54.00	95.91	32.20	8.09	33.44	126	215	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	cn	deg																																																					
1	2389.43	44.27	-9.73	54.00	37.48	32.15	8.09	33.44	126	215	Average	HORIZONTAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	cn	deg																																																					
1	2402.00	102.76	48.76	54.00	95.91	32.20	8.09	33.44	126	215	Average	HORIZONTAL																																																



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
BLE CH00 2402MHZ																																																																				
	Vertical	Fundamental																																																																		
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSM 1000 000kHz VSW:3000 000kHz SMT:Auto Mode : (FR)082617-01 Plane : 4 Full-directivity : 0301604154000042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2369.93</td> <td>55.32</td> <td>-18.68</td> <td>74.00</td> <td>47.42</td> <td>33.29</td> <td>8.06</td> <td>33.45</td> <td>180</td> <td>181</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2369.93	55.32	-18.68	74.00	47.42	33.29	8.06	33.45	180	181	Peak	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSM 1000 000kHz VSW:3000 000kHz SMT:Auto Mode : (FR)082617-01 Plane : 4 Full-directivity : 0301604154000042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>100.94</td> <td>26.94</td> <td>74.00</td> <td>92.79</td> <td>33.50</td> <td>8.09</td> <td>33.44</td> <td>180</td> <td>181</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2402.00	100.94	26.94	74.00	92.79	33.50	8.09	33.44	180	181	Peak	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																													
1	2369.93	55.32	-18.68	74.00	47.42	33.29	8.06	33.45	180	181	Peak	VERTICAL																																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																													
1	2402.00	100.94	26.94	74.00	92.79	33.50	8.09	33.44	180	181	Peak	VERTICAL																																																								
<p>Avg</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RSM 1000 000kHz VSW:3.7000kHz SMT:Auto Mode : (FR)082617-01 Plane : 4 Full-directivity : 0301604154000042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2381.24</td> <td>45.61</td> <td>-8.39</td> <td>54.00</td> <td>37.71</td> <td>33.29</td> <td>8.06</td> <td>33.45</td> <td>180</td> <td>181</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2381.24	45.61	-8.39	54.00	37.71	33.29	8.06	33.45	180	181	Average	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RSM 1000 000kHz VSW:3.7000kHz SMT:Auto Mode : (FR)082617-01 Plane : 4 Full-directivity : 0301604154000042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>100.30</td> <td>46.30</td> <td>54.00</td> <td>92.15</td> <td>33.50</td> <td>8.09</td> <td>33.44</td> <td>180</td> <td>181</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2402.00	100.30	46.30	54.00	92.15	33.50	8.09	33.44	180	181	Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																													
1	2381.24	45.61	-8.39	54.00	37.71	33.29	8.06	33.45	180	181	Average	VERTICAL																																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																													
1	2402.00	100.30	46.30	54.00	92.15	33.50	8.09	33.44	180	181	Average	VERTICAL																																																								







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
BLE CH19 2440MHz - L																																																																				
Horizontal		Fundamental																																																																		
<p>Peak</p>	<p>Site: 030806-KS Condition: FCC PART 15C 3m 3117 SN 79597 HORIZONTAL Project: RRM-1000-0000RU VEM-3000-0000RU SRT-Auto Mode: S Plane: Y Full-directivity: 0 IMEI: 0901604115400082 Powersetting: 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2326.51</td> <td>54.39</td> <td>-19.61</td> <td>74.00</td> <td>47.95</td> <td>31.95</td> <td>7.95</td> <td>33.46</td> <td>148</td> <td>214 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg			1	2326.51	54.39	-19.61	74.00	47.95	31.95	7.95	33.46	148	214 Peak	<p>Site: 030806-KS Condition: FCC PART 15C 3m 3117 SN 79597 HORIZONTAL Project: RRM-1000-0000RU VEM-3000-0000RU SRT-Auto Mode: S Plane: Y Full-directivity: 0 IMEI: 0901604115400082 Powersetting: 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>102.33</td> <td>28.33</td> <td>74.00</td> <td>95.60</td> <td>32.00</td> <td>8.16</td> <td>33.43</td> <td>148</td> <td>214 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg			1	2440.00	102.33	28.33	74.00	95.60	32.00	8.16	33.43	148	214 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg																																																												
1	2326.51	54.39	-19.61	74.00	47.95	31.95	7.95	33.46	148	214 Peak																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg																																																												
1	2440.00	102.33	28.33	74.00	95.60	32.00	8.16	33.43	148	214 Peak																																																										
<p>Avg.</p>	<p>Site: 030806-KS Condition: FCC PART 15C (AVG) 3m 3117 SN 79597 HORIZONTAL Project: RRM-1000-0000RU VEM-3-7000RU SRT-Auto Mode: S Plane: Y Full-directivity: 0 IMEI: 0901604115400082 Powersetting: 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2381.76</td> <td>44.34</td> <td>-9.66</td> <td>54.00</td> <td>37.63</td> <td>32.10</td> <td>8.06</td> <td>33.45</td> <td>148</td> <td>214 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg			1	2381.76	44.34	-9.66	54.00	37.63	32.10	8.06	33.45	148	214 Average	<p>Site: 030806-KS Condition: FCC PART 15C (AVG) 3m 3117 SN 79597 HORIZONTAL Project: RRM-1000-0000RU VEM-3-7000RU SRT-Auto Mode: S Plane: Y Full-directivity: 0 IMEI: 0901604115400082 Powersetting: 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>101.72</td> <td>47.72</td> <td>54.00</td> <td>94.99</td> <td>32.00</td> <td>8.16</td> <td>33.43</td> <td>148</td> <td>214 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg			1	2440.00	101.72	47.72	54.00	94.99	32.00	8.16	33.43	148	214 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg																																																												
1	2381.76	44.34	-9.66	54.00	37.63	32.10	8.06	33.45	148	214 Average																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg																																																												
1	2440.00	101.72	47.72	54.00	94.99	32.00	8.16	33.43	148	214 Average																																																										





BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																													
BLE CH19 2440MHz - R																														
Horizontal		Fundamental																												
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03090a-k3 Condition : FCC PART 15C 3m 3117 SN 79957 HORIZONTAL Project : RBW:1000.000MHz VBW:3000.000MHz SFT:Auto FR082617-01 Mode : S Plane : H Full-directivity : 00116041154000042 PowerSetting : 7/0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2486.98</td> <td>53.59</td> <td>-20.41</td> <td>74.00</td> <td>47.09</td> <td>31.70</td> <td>8.22</td> <td>33.42</td> <td>148</td> <td>214</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1 2486.98	53.59	-20.41	74.00	47.09	31.70	8.22	33.42	148	214	Peak	HORIZONTAL	<p>—</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																							
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																							
1 2486.98	53.59	-20.41	74.00	47.09	31.70	8.22	33.42	148	214	Peak	HORIZONTAL																			
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03090a-k3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 HORIZONTAL Project : RBW:1000.000MHz VBW:3.700MHz SFT:Auto FR082617-01 Mode : S Plane : H Full-directivity : 00116041154000042 PowerSetting : 7/0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2485.24</td> <td>44.22</td> <td>-9.78</td> <td>54.00</td> <td>37.73</td> <td>31.70</td> <td>8.22</td> <td>33.43</td> <td>148</td> <td>214</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1 2485.24	44.22	-9.78	54.00	37.73	31.70	8.22	33.43	148	214	Average	HORIZONTAL	<p>—</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																							
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																							
1 2485.24	44.22	-9.78	54.00	37.73	31.70	8.22	33.43	148	214	Average	HORIZONTAL																			







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
BLE CH19 2440MHz - L																																																																		
Vertical		Fundamental																																																																
Peak	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode : 5 Plane : 1 Full-directivity : 0010401154000042 IMEI : 0010401154000042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2325.86</td> <td>55.42</td> <td>-18.58</td> <td>74.00</td> <td>48.27</td> <td>32.66</td> <td>7.95</td> <td>33.46</td> <td>154</td> <td>188 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2325.86	55.42	-18.58	74.00	48.27	32.66	7.95	33.46	154	188 Peak	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode : 5 Plane : 1 Full-directivity : 0010401154000042 IMEI : 0010401154000042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>96.68</td> <td>22.68</td> <td>74.00</td> <td>88.84</td> <td>33.11</td> <td>8.16</td> <td>33.43</td> <td>154</td> <td>188 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2440.00	96.68	22.68	74.00	88.84	33.11	8.16	33.43	154	188 Peak	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	2325.86	55.42	-18.58	74.00	48.27	32.66	7.95	33.46	154	188 Peak	VERTICAL																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	2440.00	96.68	22.68	74.00	88.84	33.11	8.16	33.43	154	188 Peak	VERTICAL																																																							
Avg.	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000MHz VSW:3.7000MHz SMT:Auto Mode : 5 Plane : 1 Full-directivity : 0010401154000042 IMEI : 0010401154000042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2381.37</td> <td>45.51</td> <td>-8.49</td> <td>54.00</td> <td>37.61</td> <td>33.29</td> <td>8.06</td> <td>33.45</td> <td>154</td> <td>188 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2381.37	45.51	-8.49	54.00	37.61	33.29	8.06	33.45	154	188 Average	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000MHz VSW:3.7000MHz SMT:Auto Mode : 5 Plane : 1 Full-directivity : 0010401154000042 IMEI : 0010401154000042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>96.06</td> <td>42.00</td> <td>54.00</td> <td>88.22</td> <td>33.11</td> <td>8.16</td> <td>33.43</td> <td>154</td> <td>188 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2440.00	96.06	42.00	54.00	88.22	33.11	8.16	33.43	154	188 Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	2381.37	45.51	-8.49	54.00	37.61	33.29	8.06	33.45	154	188 Average	VERTICAL																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	2440.00	96.06	42.00	54.00	88.22	33.11	8.16	33.43	154	188 Average	VERTICAL																																																							







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																														
BLE CH19 2440MHz - R																															
Vertical		Fundamental																													
<p>Peak</p>	<div style="text-align: right; font-size: small;"> No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn </div>  <p>Site : 03090a-ks Condition : FCC PART 15C 3m 3117 5N 79957 VERTICAL Project : RSM 1000 0000Hz YBR 3000 0000Hz SRT Auto Mode : S Plane : V IMEI : 35014601154000042 Powersetting : 7/0</p> <table border="1" style="font-size: x-small; width: 100%;"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.12</td> <td>55.87</td> <td>-18.13</td> <td>74.00</td> <td>48.22</td> <td>32.86</td> <td>8.22</td> <td>33.43</td> <td>154</td> <td>188</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dBuV/m	dBuV	dB	cm	deg			1	2485.12	55.87	-18.13	74.00	48.22	32.86	8.22	33.43	154	188	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
dB	dBuV/m	dBuV	dB	cm	deg																										
1	2485.12	55.87	-18.13	74.00	48.22	32.86	8.22	33.43	154	188	Peak	VERTICAL																			
<p>Avg.</p>	 <p>Site : 03090a-ks Condition : FCC PART 15C (AVG) 3m 3117 5N 79957 VERTICAL Project : RSM 1000 0000Hz YBR 3000 0000Hz SRT Auto Mode : S Plane : V IMEI : 35014601154000042 Powersetting : 7/0</p> <table border="1" style="font-size: x-small; width: 100%;"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.86</td> <td>45.18</td> <td>-8.82</td> <td>54.00</td> <td>37.53</td> <td>32.86</td> <td>8.22</td> <td>33.43</td> <td>154</td> <td>188</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dBuV/m	dBuV	dB	cm	deg			1	2483.86	45.18	-8.82	54.00	37.53	32.86	8.22	33.43	154	188	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
dB	dBuV/m	dBuV	dB	cm	deg																										
1	2483.86	45.18	-8.82	54.00	37.53	32.86	8.22	33.43	154	188	Average	VERTICAL																			



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
BLE CH39 2480MHZ																																																														
	Horizontal	Fundamental																																																												
<p>Peak</p>	 <p>Site : 03090-KS Condition : FCC PART 15C 3m 3117 SN 79957 HORIZONTAL Project : RSM 1000 000kHz VSW:3000.000kHz SMT Auto FR082617-01 Mode : 0 Plane : 1 Full-directivity 0801004154000042 IMEI Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2480.00</td> <td>101.48</td> <td>27.48</td> <td>74.00</td> <td>94.89</td> <td>31.80</td> <td>8.22</td> <td>33.43</td> <td>127</td> <td>217 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg			1 * 2480.00	101.48	27.48	74.00	94.89	31.80	8.22	33.43	127	217 Peak	 <p>Site : 03090-KS Condition : FCC PART 15C 3m 3117 SN 79957 HORIZONTAL Project : RSM 1000 000kHz VSW:3000.000kHz SMT Auto FR082617-01 Mode : 0 Plane : 1 Full-directivity 0801004154000042 IMEI Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2483.98</td> <td>55.55</td> <td>-18.45</td> <td>74.00</td> <td>48.96</td> <td>31.80</td> <td>8.22</td> <td>33.43</td> <td>127</td> <td>217 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg			1 2483.98	55.55	-18.45	74.00	48.96	31.80	8.22	33.43	127	217 Peak
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg																																																							
1 * 2480.00	101.48	27.48	74.00	94.89	31.80	8.22	33.43	127	217 Peak																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg																																																							
1 2483.98	55.55	-18.45	74.00	48.96	31.80	8.22	33.43	127	217 Peak																																																					
<p>Avg.</p>	 <p>Site : 03090-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 HORIZONTAL Project : RSM 1000 000kHz VSW:3.7000kHz SMT Auto FR082617-01 Mode : 0 Plane : 1 Full-directivity 0801004154000042 IMEI Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2480.00</td> <td>98.83</td> <td>44.83</td> <td>54.00</td> <td>92.24</td> <td>31.80</td> <td>8.22</td> <td>33.43</td> <td>127</td> <td>217 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg			1 * 2480.00	98.83	44.83	54.00	92.24	31.80	8.22	33.43	127	217 Average	 <p>Site : 03090-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 HORIZONTAL Project : RSM 1000 000kHz VSW:3.7000kHz SMT Auto FR082617-01 Mode : 0 Plane : 1 Full-directivity 0801004154000042 IMEI Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>45.58</td> <td>-8.42</td> <td>54.00</td> <td>38.99</td> <td>31.80</td> <td>8.22</td> <td>33.43</td> <td>127</td> <td>217 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg			1 2483.50	45.58	-8.42	54.00	38.99	31.80	8.22	33.43	127	217 Average
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg																																																							
1 * 2480.00	98.83	44.83	54.00	92.24	31.80	8.22	33.43	127	217 Average																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg																																																							
1 2483.50	45.58	-8.42	54.00	38.99	31.80	8.22	33.43	127	217 Average																																																					



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
BLE CH39 2480MHZ																																																														
Vertical		Fundamental																																																												
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000kHz VSW:3000.000kHz SMT:Auto Mode : 0 Plane : 1 Full-directivity : 0001024115400042 IMEI : 0001024115400042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2480.00</td> <td>93.92</td> <td>19.92</td> <td>74.00</td> <td>86.27</td> <td>32.86</td> <td>8.22</td> <td>33.43</td> <td>102</td> <td>135 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 2480.00	93.92	19.92	74.00	86.27	32.86	8.22	33.43	102	135 Peak VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000kHz VSW:3000.000kHz SMT:Auto Mode : 0 Plane : 1 Full-directivity : 0001024115400042 IMEI : 0001024115400042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2483.74</td> <td>54.95</td> <td>-19.05</td> <td>74.00</td> <td>47.30</td> <td>32.86</td> <td>8.22</td> <td>33.43</td> <td>102</td> <td>135 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 2483.74	54.95	-19.05	74.00	47.30	32.86	8.22	33.43	102	135 Peak VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 * 2480.00	93.92	19.92	74.00	86.27	32.86	8.22	33.43	102	135 Peak VERTICAL																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 2483.74	54.95	-19.05	74.00	47.30	32.86	8.22	33.43	102	135 Peak VERTICAL																																																					
<p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000kHz VSW:3.7000kHz SMT:Auto Mode : 0 Plane : 1 Full-directivity : 0001024115400042 IMEI : 0001024115400042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2480.00</td> <td>93.24</td> <td>39.24</td> <td>54.00</td> <td>85.59</td> <td>32.86</td> <td>8.22</td> <td>33.43</td> <td>102</td> <td>135 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 2480.00	93.24	39.24	54.00	85.59	32.86	8.22	33.43	102	135 Average VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000kHz VSW:3.7000kHz SMT:Auto Mode : 0 Plane : 1 Full-directivity : 0001024115400042 IMEI : 0001024115400042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2485.84</td> <td>45.31</td> <td>-8.69</td> <td>54.00</td> <td>37.65</td> <td>32.86</td> <td>8.22</td> <td>33.42</td> <td>102</td> <td>135 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 2485.84	45.31	-8.69	54.00	37.65	32.86	8.22	33.42	102	135 Average VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 * 2480.00	93.24	39.24	54.00	85.59	32.86	8.22	33.43	102	135 Average VERTICAL																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 2485.84	45.31	-8.69	54.00	37.65	32.86	8.22	33.42	102	135 Average VERTICAL																																																					



2.4GHz 2400~2483.5MHz
BLE (Harmonic @ 3m)

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																					
	BLE CH00 2402MHz																																																																					
	Horizontal	Vertical																																																																				
Peak Avg.	<p>Site : 030906-KS Condition : FCC PART 15C 3m 3117 SW 79957 HORIZONTAL Project : RSM 1000 000KHz VSW 3000 000KHz SRT Auto Mode : 4 Plane : T Full-directivity : 00014004154000042 IMEI : 86014004154000042</p> <table border="1"> <thead> <tr> <th>Power setting</th> <th>7/0</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4806.00</td> <td>38.53</td> <td>-35.47</td> <td>74.00</td> <td>53.78</td> <td>34.96</td> <td>11.51</td> <td>61.72</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Power setting	7/0	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	dB	1	4806.00	38.53	-35.47	74.00	53.78	34.96	11.51	61.72	300	0 Peak	HORIZONTAL	<p>Site : 030906-KS Condition : FCC PART 15C 3m 3117 SW 79957 VERTICAL Project : RSM 1000 000KHz VSW 3000 000KHz SRT Auto Mode : 4 Plane : T Full-directivity : 00014004154000042 IMEI : 86014004154000042</p> <table border="1"> <thead> <tr> <th>Power setting</th> <th>7/0</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4806.00</td> <td>38.59</td> <td>-35.41</td> <td>74.00</td> <td>53.96</td> <td>34.84</td> <td>11.51</td> <td>61.72</td> <td>300</td> <td>300 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Power setting	7/0	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	dB	1	4806.00	38.59	-35.41	74.00	53.96	34.84	11.51	61.72	300	300 Peak	VERTICAL
	Power setting	7/0	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	dB																																																												
1	4806.00	38.53	-35.47	74.00	53.78	34.96	11.51	61.72	300	0 Peak	HORIZONTAL																																																											
Power setting	7/0	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	dB																																																												
1	4806.00	38.59	-35.41	74.00	53.96	34.84	11.51	61.72	300	300 Peak	VERTICAL																																																											



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																	
BLE CH19 2440MHz																																																																		
Horizontal		Vertical																																																																
<p>Peak</p> <p>Avg.</p>	<p>Site : 030904-KS Condition : FCC PART 15C 3m 3117 5N 79957 HORIZONTAL Project : RRM 1000 000KHz YBR 3000 000KHz SRT Auto Mode : 5 Plane : 1 Full-directivity : 0301024115000042 IMEI : 3501024115000042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>4878.00</td> <td>37.77</td> <td>-36.23</td> <td>74.00</td> <td>52.84</td> <td>35.04</td> <td>11.60</td> <td>65.71</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>7320.00</td> <td>41.44</td> <td>-32.56</td> <td>74.00</td> <td>51.79</td> <td>36.86</td> <td>14.69</td> <td>65.90</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	4878.00	37.77	-36.23	74.00	52.84	35.04	11.60	65.71	300	0 Peak	HORIZONTAL	7320.00	41.44	-32.56	74.00	51.79	36.86	14.69	65.90	300	0 Peak	HORIZONTAL	<p>Site : 030904-KS Condition : FCC PART 15C 3m 3117 5N 79957 VERTICAL Project : RRM 1000 000KHz YBR 3000 000KHz SRT Auto Mode : 5 Plane : 1 Full-directivity : 0301024115000042 IMEI : 3501024115000042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>4878.00</td> <td>38.82</td> <td>-35.18</td> <td>74.00</td> <td>54.10</td> <td>34.83</td> <td>11.60</td> <td>61.71</td> <td>300</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>7320.00</td> <td>41.66</td> <td>-32.34</td> <td>74.00</td> <td>52.47</td> <td>36.40</td> <td>14.69</td> <td>61.90</td> <td>300</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	4878.00	38.82	-35.18	74.00	54.10	34.83	11.60	61.71	300	360 Peak	VERTICAL	7320.00	41.66	-32.34	74.00	52.47	36.40	14.69	61.90	300	360 Peak	VERTICAL
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																								
4878.00	37.77	-36.23	74.00	52.84	35.04	11.60	65.71	300	0 Peak	HORIZONTAL																																																								
7320.00	41.44	-32.56	74.00	51.79	36.86	14.69	65.90	300	0 Peak	HORIZONTAL																																																								
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																									
4878.00	38.82	-35.18	74.00	54.10	34.83	11.60	61.71	300	360 Peak	VERTICAL																																																								
7320.00	41.66	-32.34	74.00	52.47	36.40	14.69	61.90	300	360 Peak	VERTICAL																																																								



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																													
BLE CH39 2480MHz																																																														
Horizontal		Vertical																																																												
Peak	<p>Site : 030804-KS Condition : FCC PART 15C 3m 3117 SW 79957 HORIZONTA Project : RRM 1000 000MHz VSW:3000 000MHz SMT:Auto Mode : 0 Plane : 1 Full-directivity : 0 IMEI : 80016204156000642 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ca</th> <th>req</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1 4962.00</td> <td>38.42</td> <td>-35.58</td> <td>74.00</td> <td>53.27</td> <td>35.14</td> <td>11.71</td> <td>65.70</td> <td>0 Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2 7440.00</td> <td>41.51</td> <td>-32.49</td> <td>74.00</td> <td>51.64</td> <td>36.89</td> <td>14.88</td> <td>61.90</td> <td>0 Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ca	req	Remark	Pol/Phas	1 4962.00	38.42	-35.58	74.00	53.27	35.14	11.71	65.70	0 Peak	HORIZONT	2 7440.00	41.51	-32.49	74.00	51.64	36.89	14.88	61.90	0 Peak	HORIZONT	<p>Site : 030804-KS Condition : FCC PART 15C 3m 3117 SW 79957 VERTICAL Project : RRM 1000 000MHz VSW:3000 000MHz SMT:Auto Mode : 0 Plane : 1 Full-directivity : 0 IMEI : 80016204156000642 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ca</th> <th>req</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1 4962.00</td> <td>37.76</td> <td>-36.24</td> <td>74.00</td> <td>52.94</td> <td>34.81</td> <td>11.71</td> <td>61.70</td> <td>300 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 7440.00</td> <td>40.32</td> <td>-33.68</td> <td>74.00</td> <td>50.87</td> <td>36.47</td> <td>14.88</td> <td>61.90</td> <td>300 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ca	req	Remark	Pol/Phas	1 4962.00	37.76	-36.24	74.00	52.94	34.81	11.71	61.70	300 Peak	VERTICAL	2 7440.00	40.32	-33.68	74.00	50.87	36.47	14.88	61.90	300 Peak	VERTICAL
	Freq	Level	Limit	Line	Level Factor	Loss Factor	ca	req	Remark	Pol/Phas																																																				
1 4962.00	38.42	-35.58	74.00	53.27	35.14	11.71	65.70	0 Peak	HORIZONT																																																					
2 7440.00	41.51	-32.49	74.00	51.64	36.89	14.88	61.90	0 Peak	HORIZONT																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	ca	req	Remark	Pol/Phas																																																					
1 4962.00	37.76	-36.24	74.00	52.94	34.81	11.71	61.70	300 Peak	VERTICAL																																																					
2 7440.00	40.32	-33.68	74.00	50.87	36.47	14.88	61.90	300 Peak	VERTICAL																																																					



Emission below 1GHz
2.4GHz BLE (LF)

BLE	2.4GHz 2400~2483.5MHz																																																																																																																																																																																																																															
	BLE LF																																																																																																																																																																																																																															
	Horizontal	Vertical																																																																																																																																																																																																																														
QP / Peak	<p>Site : 02090-K5 Condition : FCC PART 15C 3m CB1612D SN23188 HORIZONTAL Project : RRM 100.000KHz VSW:300.000KHz SWT:Auto Model : FRS02317-01 Mode : Y Plane : Y Full-directivity IME1 : 00016E04154200K62</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>22.41</td> <td>-16.09</td> <td>40.00</td> <td>30.53</td> <td>25.50</td> <td>0.58</td> <td>32.70</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>110.51</td> <td>26.66</td> <td>-16.09</td> <td>43.50</td> <td>38.58</td> <td>17.50</td> <td>1.73</td> <td>32.88</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>148.46</td> <td>26.36</td> <td>-16.09</td> <td>43.50</td> <td>41.10</td> <td>16.58</td> <td>1.93</td> <td>32.81</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>209.80</td> <td>27.31</td> <td>-16.09</td> <td>44.00</td> <td>35.14</td> <td>20.37</td> <td>3.08</td> <td>32.88</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5</td> <td>400.56</td> <td>28.59</td> <td>-17.91</td> <td>46.00</td> <td>31.70</td> <td>24.40</td> <td>2.99</td> <td>32.50</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>6</td> <td>831.22</td> <td>41.47</td> <td>-4.53</td> <td>46.00</td> <td>42.98</td> <td>26.35</td> <td>4.70</td> <td>32.56</td> <td>152</td> <td>70</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	Loss	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg			1	30.00	22.41	-16.09	40.00	30.53	25.50	0.58	32.70	---	---	---	Peak	HORIZONTAL	2	110.51	26.66	-16.09	43.50	38.58	17.50	1.73	32.88	---	---	---	Peak	HORIZONTAL	3	148.46	26.36	-16.09	43.50	41.10	16.58	1.93	32.81	---	---	---	Peak	HORIZONTAL	4	209.80	27.31	-16.09	44.00	35.14	20.37	3.08	32.88	---	---	---	Peak	HORIZONTAL	5	400.56	28.59	-17.91	46.00	31.70	24.40	2.99	32.50	---	---	---	Peak	HORIZONTAL	6	831.22	41.47	-4.53	46.00	42.98	26.35	4.70	32.56	152	70	Peak	HORIZONTAL	<p>Site : 02090-K5 Condition : FCC PART 15C 3m CB1612D SN23188 VERTICAL Project : RRM 100.000KHz VSW:300.000KHz SWT:Auto Model : FRS02317-01 Mode : Y Plane : Y Full-directivity IME1 : 00016E04154200K62</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>28.87</td> <td>-11.13</td> <td>40.00</td> <td>35.49</td> <td>25.50</td> <td>0.58</td> <td>32.70</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>110.51</td> <td>32.20</td> <td>-10.30</td> <td>43.50</td> <td>46.42</td> <td>17.80</td> <td>3.79</td> <td>32.86</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>148.30</td> <td>34.81</td> <td>-18.68</td> <td>43.50</td> <td>38.36</td> <td>17.19</td> <td>3.37</td> <td>32.10</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>209.80</td> <td>30.30</td> <td>-16.64</td> <td>46.00</td> <td>48.31</td> <td>21.65</td> <td>3.08</td> <td>32.88</td> <td>125</td> <td>40</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5</td> <td>399.57</td> <td>33.02</td> <td>-15.98</td> <td>46.00</td> <td>39.66</td> <td>22.70</td> <td>3.52</td> <td>32.80</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>6</td> <td>827.34</td> <td>32.24</td> <td>-13.76</td> <td>46.00</td> <td>33.95</td> <td>27.04</td> <td>4.68</td> <td>32.55</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	Loss	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg			1	30.00	28.87	-11.13	40.00	35.49	25.50	0.58	32.70	---	---	---	Peak	VERTICAL	2	110.51	32.20	-10.30	43.50	46.42	17.80	3.79	32.86	---	---	---	Peak	VERTICAL	3	148.30	34.81	-18.68	43.50	38.36	17.19	3.37	32.10	---	---	---	Peak	VERTICAL	4	209.80	30.30	-16.64	46.00	48.31	21.65	3.08	32.88	125	40	Peak	VERTICAL	5	399.57	33.02	-15.98	46.00	39.66	22.70	3.52	32.80	---	---	---	Peak	VERTICAL	6	827.34	32.24	-13.76	46.00	33.95	27.04	4.68	32.55	---	---	---	Peak	VERTICAL
Line	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	Loss	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																																			
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																					
1	30.00	22.41	-16.09	40.00	30.53	25.50	0.58	32.70	---	---	---	Peak	HORIZONTAL																																																																																																																																																																																																																			
2	110.51	26.66	-16.09	43.50	38.58	17.50	1.73	32.88	---	---	---	Peak	HORIZONTAL																																																																																																																																																																																																																			
3	148.46	26.36	-16.09	43.50	41.10	16.58	1.93	32.81	---	---	---	Peak	HORIZONTAL																																																																																																																																																																																																																			
4	209.80	27.31	-16.09	44.00	35.14	20.37	3.08	32.88	---	---	---	Peak	HORIZONTAL																																																																																																																																																																																																																			
5	400.56	28.59	-17.91	46.00	31.70	24.40	2.99	32.50	---	---	---	Peak	HORIZONTAL																																																																																																																																																																																																																			
6	831.22	41.47	-4.53	46.00	42.98	26.35	4.70	32.56	152	70	Peak	HORIZONTAL																																																																																																																																																																																																																				
Line	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	Loss	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																																			
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																					
1	30.00	28.87	-11.13	40.00	35.49	25.50	0.58	32.70	---	---	---	Peak	VERTICAL																																																																																																																																																																																																																			
2	110.51	32.20	-10.30	43.50	46.42	17.80	3.79	32.86	---	---	---	Peak	VERTICAL																																																																																																																																																																																																																			
3	148.30	34.81	-18.68	43.50	38.36	17.19	3.37	32.10	---	---	---	Peak	VERTICAL																																																																																																																																																																																																																			
4	209.80	30.30	-16.64	46.00	48.31	21.65	3.08	32.88	125	40	Peak	VERTICAL																																																																																																																																																																																																																				
5	399.57	33.02	-15.98	46.00	39.66	22.70	3.52	32.80	---	---	---	Peak	VERTICAL																																																																																																																																																																																																																			
6	827.34	32.24	-13.76	46.00	33.95	27.04	4.68	32.55	---	---	---	Peak	VERTICAL																																																																																																																																																																																																																			







Bluetooth LE 2Mbps

2.4GHz 2400~2483.5MHz





BLE (Band Edge @ 3m)

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																											
	BLE CH00 2402MHz																																																																											
	Horizontal	Fundamental																																																																										
Peak	<p>Site : 032006-K3 Condition : FCC PART 15C 3m 3117.5M 7957 HORIZONTAL Economic & Technical Development Zone, Jiangsu, China Project : FR082617-01 Mode : 7 Plane : T Full-directivity : 0010E04154000K2 IPE1 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2376.43</td> <td>54.05</td> <td>-19.95</td> <td>74.00</td> <td>47.34</td> <td>32.10</td> <td>8.06</td> <td>33.45</td> <td>119</td> <td>210</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBm	dB	dBm	dBm	dB	dB	dB	1	2376.43	54.05	-19.95	74.00	47.34	32.10	8.06	33.45	119	210	Peak	HORIZONTAL	<p>Site : 032006-K3 Condition : FCC PART 15C 3m 3117.5M 7957 HORIZONTAL Economic & Technical Development Zone, Jiangsu, China Project : FR082617-01 Mode : 7 Plane : T Full-directivity : 0010E04154000K2 IPE1 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>102.72</td> <td>28.72</td> <td>74.00</td> <td>95.87</td> <td>32.20</td> <td>8.09</td> <td>33.44</td> <td>119</td> <td>210</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBm	dB	dBm	dBm	dB	dB	dB	1	2402.00	102.72	28.72	74.00	95.87	32.20	8.09	33.44	119	210	Peak	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBm	dB	dBm	dBm	dB	dB	dB																																																																					
1	2376.43	54.05	-19.95	74.00	47.34	32.10	8.06	33.45	119	210	Peak	HORIZONTAL																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBm	dB	dBm	dBm	dB	dB	dB																																																																					
1	2402.00	102.72	28.72	74.00	95.87	32.20	8.09	33.44	119	210	Peak	HORIZONTAL																																																																
Avg.	<p>Site : 032006-K3 Condition : FCC PART 15C (AVG) 3m 3117.5M 7957 HORIZONTAL Economic & Technical Development Zone, Jiangsu, China Project : FR082617-01 Mode : 7 Plane : T Full-directivity : 0010E04154000K2 IPE1 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2376.26</td> <td>44.99</td> <td>-9.01</td> <td>54.00</td> <td>38.28</td> <td>32.10</td> <td>8.06</td> <td>33.45</td> <td>119</td> <td>212</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBm	dB	dBm	dBm	dB	dB	dB	1	2376.26	44.99	-9.01	54.00	38.28	32.10	8.06	33.45	119	212	Average	HORIZONTAL	<p>Site : 032006-K3 Condition : FCC PART 15C (AVG) 3m 3117.5M 7957 HORIZONTAL Economic & Technical Development Zone, Jiangsu, China Project : FR082617-01 Mode : 7 Plane : T Full-directivity : 0010E04154000K2 IPE1 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>101.28</td> <td>47.28</td> <td>54.00</td> <td>94.43</td> <td>32.20</td> <td>8.09</td> <td>33.44</td> <td>119</td> <td>212</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBm	dB	dBm	dBm	dB	dB	dB	1	2402.00	101.28	47.28	54.00	94.43	32.20	8.09	33.44	119	212	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBm	dB	dBm	dBm	dB	dB	dB																																																																					
1	2376.26	44.99	-9.01	54.00	38.28	32.10	8.06	33.45	119	212	Average	HORIZONTAL																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBm	dB	dBm	dBm	dB	dB	dB																																																																					
1	2402.00	101.28	47.28	54.00	94.43	32.20	8.09	33.44	119	212	Average	HORIZONTAL																																																																



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
	BLE CH00 2402MHZ																																																													
	Vertical	Fundamental																																																												
<p>Peak</p>	 <p>Site : 032806-KS Condition : FCC PART 15C 3m 3117 SN 79597 VERTICAL Project : RSM 1000 0000Hz VBR 3000 0000Hz SMT Auto Bode : (FR)082617-01 Mode : 7 Plane : 1 Full-directivity : 0301624115400042 IMEI : 0301624115400042 PowerSetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2368.89</td> <td>55.51</td> <td>-18.39</td> <td>74.00</td> <td>47.71</td> <td>33.29</td> <td>8.06</td> <td>33.45</td> <td>181 171 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 2368.89	55.51	-18.39	74.00	47.71	33.29	8.06	33.45	181 171 Peak	VERTICAL	 <p>Site : 032806-KS Condition : FCC PART 15C 3m 3117 SN 79597 VERTICAL Project : RSM 1000 0000Hz VBR 3000 0000Hz SMT Auto Bode : (FR)082617-01 Mode : 7 Plane : 1 Full-directivity : 0301624115400042 IMEI : 0301624115400042 PowerSetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2402.00</td> <td>101.85</td> <td>27.85</td> <td>74.00</td> <td>93.70</td> <td>33.50</td> <td>8.09</td> <td>33.44</td> <td>181 171 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 2402.00	101.85	27.85	74.00	93.70	33.50	8.09	33.44	181 171 Peak	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 2368.89	55.51	-18.39	74.00	47.71	33.29	8.06	33.45	181 171 Peak	VERTICAL																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 * 2402.00	101.85	27.85	74.00	93.70	33.50	8.09	33.44	181 171 Peak	VERTICAL																																																					
<p>Avg</p>	 <p>Site : 032806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79597 VERTICAL Project : RSM 1000 0000Hz VBR 3.0000Hz SMT Auto Bode : (FR)082617-01 Mode : 7 Plane : 1 Full-directivity : 0301624115400042 IMEI : 0301624115400042 PowerSetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2383.45</td> <td>45.21</td> <td>-8.79</td> <td>54.00</td> <td>37.31</td> <td>33.29</td> <td>8.06</td> <td>33.45</td> <td>181 171 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 2383.45	45.21	-8.79	54.00	37.31	33.29	8.06	33.45	181 171 Average	VERTICAL	 <p>Site : 032806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79597 VERTICAL Project : RSM 1000 0000Hz VBR 3.0000Hz SMT Auto Bode : (FR)082617-01 Mode : 7 Plane : 1 Full-directivity : 0301624115400042 IMEI : 0301624115400042 PowerSetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2402.00</td> <td>100.40</td> <td>46.40</td> <td>54.00</td> <td>92.25</td> <td>33.50</td> <td>8.09</td> <td>33.44</td> <td>181 171 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 2402.00	100.40	46.40	54.00	92.25	33.50	8.09	33.44	181 171 Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 2383.45	45.21	-8.79	54.00	37.31	33.29	8.06	33.45	181 171 Average	VERTICAL																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 * 2402.00	100.40	46.40	54.00	92.25	33.50	8.09	33.44	181 171 Average	VERTICAL																																																					







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
BLE CH19 2440MHz - L																																																																						
	Horizontal	Fundamental																																																																				
<p>Peak</p>	 <p>Site : 03D06-KS Condition : FCC PART 15C 3e 3117 SN 75957 HORIZONTAL Project : FR082617-01 Mode : S Plane : Y Full-directivity : Full-directivity IMEI : 05016E041154000K2 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2350.82</td> <td>54.57</td> <td>-19.43</td> <td>74.00</td> <td>47.98</td> <td>32.05</td> <td>7.99</td> <td>33.45</td> <td>117</td> <td>151 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2350.82	54.57	-19.43	74.00	47.98	32.05	7.99	33.45	117	151 Peak	HORIZONTAL	 <p>Site : 03D06-KS Condition : FCC PART 15C 3e 3117 SN 75957 HORIZONTAL Project : FR082617-01 Mode : S Plane : Y Full-directivity : Full-directivity IMEI : 05016E041154000K2 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2440.00</td> <td>101.91</td> <td>27.91</td> <td>74.00</td> <td>95.18</td> <td>32.00</td> <td>8.16</td> <td>33.43</td> <td>117</td> <td>151 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 *	2440.00	101.91	27.91	74.00	95.18	32.00	8.16	33.43	117	151 Peak	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2350.82	54.57	-19.43	74.00	47.98	32.05	7.99	33.45	117	151 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1 *	2440.00	101.91	27.91	74.00	95.18	32.00	8.16	33.43	117	151 Peak	HORIZONTAL																																																											
<p>Avg.</p>	 <p>Site : 03D06-KS Condition : FCC PART 15C (AVG) 3e 3117 SN 75957 HORIZONTAL Project : FR082617-01 Mode : S Plane : Y Full-directivity : Full-directivity IMEI : 05016E041154000K2 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2338.99</td> <td>44.67</td> <td>-9.33</td> <td>54.00</td> <td>38.14</td> <td>32.00</td> <td>7.99</td> <td>33.45</td> <td>117</td> <td>151 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2338.99	44.67	-9.33	54.00	38.14	32.00	7.99	33.45	117	151 Average	HORIZONTAL	 <p>Site : 03D06-KS Condition : FCC PART 15C (AVG) 3e 3117 SN 75957 HORIZONTAL Project : FR082617-01 Mode : S Plane : Y Full-directivity : Full-directivity IMEI : 05016E041154000K2 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2440.00</td> <td>100.51</td> <td>46.51</td> <td>54.00</td> <td>93.78</td> <td>32.00</td> <td>8.16</td> <td>33.43</td> <td>117</td> <td>151 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 *	2440.00	100.51	46.51	54.00	93.78	32.00	8.16	33.43	117	151 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2338.99	44.67	-9.33	54.00	38.14	32.00	7.99	33.45	117	151 Average	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1 *	2440.00	100.51	46.51	54.00	93.78	32.00	8.16	33.43	117	151 Average	HORIZONTAL																																																											



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																
BLE CH19 2440MHz - R																																	
Horizontal		Fundamental																															
<p>Peak</p>	<p>Site : 03090a-k3 Condition : FCC PART 15C 3m 3117 SN 79957 HORIZONTAL Project : RBW 1000.000kHz VBW 3000.000kHz SMT Auto Mode : FRI082617-01 Plane : 0 MEI : Full-directivity Powersetting : 00116041154000042</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2493.52</td> <td>54.17</td> <td>-19.83</td> <td>74.00</td> <td>47.65</td> <td>31.70</td> <td>8.24</td> <td>33.42</td> <td>117</td> <td>151</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm deg	deg	1	2493.52	54.17	-19.83	74.00	47.65	31.70	8.24	33.42	117	151	Peak	HORIZONTAL	<p>-</p>
1	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																									
MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm deg	deg																									
1	2493.52	54.17	-19.83	74.00	47.65	31.70	8.24	33.42	117	151	Peak	HORIZONTAL																					
<p>Avg.</p>	<p>Site : 03090a-k3 Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 HORIZONTAL Project : RBW 1000.000kHz VBW 3.000kHz SMT Auto Mode : FRI082617-01 Plane : 0 MEI : Full-directivity Powersetting : 00116041154000042</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.48</td> <td>44.58</td> <td>-9.42</td> <td>54.00</td> <td>38.06</td> <td>31.70</td> <td>8.24</td> <td>33.42</td> <td>117</td> <td>151</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm deg	deg	1	2488.48	44.58	-9.42	54.00	38.06	31.70	8.24	33.42	117	151	Average	HORIZONTAL	<p>-</p>
1	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																									
MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm deg	deg																									
1	2488.48	44.58	-9.42	54.00	38.06	31.70	8.24	33.42	117	151	Average	HORIZONTAL																					







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
BLE CH19 2440MHz - L																																																																		
Vertical		Fundamental																																																																
Peak	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode : S Plane : 1 Full-directivity : 0011624115400042 IMEI : 0011624115400042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.91</td> <td>55.50</td> <td>-18.40</td> <td>74.00</td> <td>47.46</td> <td>33.50</td> <td>8.09</td> <td>33.45</td> <td>306</td> <td>251 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2388.91	55.50	-18.40	74.00	47.46	33.50	8.09	33.45	306	251 Peak	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode : S Plane : 1 Full-directivity : 0011624115400042 IMEI : 0011624115400042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>97.35</td> <td>23.35</td> <td>74.00</td> <td>89.51</td> <td>33.11</td> <td>8.16</td> <td>33.43</td> <td>306</td> <td>251 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2440.00	97.35	23.35	74.00	89.51	33.11	8.16	33.43	306	251 Peak	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	2388.91	55.50	-18.40	74.00	47.46	33.50	8.09	33.45	306	251 Peak	VERTICAL																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	2440.00	97.35	23.35	74.00	89.51	33.11	8.16	33.43	306	251 Peak	VERTICAL																																																							
Avg.	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000MHz VSW:3.000MHz SMT:Auto Mode : S Plane : 1 Full-directivity : 0011624115400042 IMEI : 0011624115400042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.09</td> <td>45.13</td> <td>-8.97</td> <td>54.00</td> <td>35.99</td> <td>33.50</td> <td>8.09</td> <td>33.45</td> <td>306</td> <td>251 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2387.09	45.13	-8.97	54.00	35.99	33.50	8.09	33.45	306	251 Average	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000MHz VSW:3.000MHz SMT:Auto Mode : S Plane : 1 Full-directivity : 0011624115400042 IMEI : 0011624115400042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>95.97</td> <td>41.97</td> <td>54.00</td> <td>88.13</td> <td>33.11</td> <td>8.16</td> <td>33.43</td> <td>306</td> <td>251 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2440.00	95.97	41.97	54.00	88.13	33.11	8.16	33.43	306	251 Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	2387.09	45.13	-8.97	54.00	35.99	33.50	8.09	33.45	306	251 Average	VERTICAL																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	2440.00	95.97	41.97	54.00	88.13	33.11	8.16	33.43	306	251 Average	VERTICAL																																																							







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																											
BLE CH19 2440MHz - R																																												
Vertical		Fundamental																																										
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03090a-k3 Condition : FCC PART 15C 3m 3117 5N 7957 VERTICAL Project : RBW:1000.000MHz VBW:3000.000MHz SMT:Auto Mode : S Plane : E Full-directivity : Full-directivity IMEI : 8601604154000042</p> <table border="1"> <thead> <tr> <th>PowerSetting</th> <th>7/0</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2490.40</td> <td>55.42</td> <td>-18.38</td> <td>74.00</td> <td>48.07</td> <td>32.73</td> <td>8.24</td> <td>33.42</td> <td>306</td> <td>251 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>		PowerSetting	7/0	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor			MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg	1	2490.40	55.42	-18.38	74.00	48.07	32.73	8.24	33.42	306	251 Peak	VERTICAL
PowerSetting	7/0	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																					
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg																																			
1	2490.40	55.42	-18.38	74.00	48.07	32.73	8.24	33.42	306	251 Peak	VERTICAL																																	
Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03090a-k3 Condition : FCC PART 15C (AVG) 3m 3117 5N 7957 VERTICAL Project : RBW:1000.000MHz VBW:3.000MHz SMT:Auto Mode : S Plane : E Full-directivity : Full-directivity IMEI : 8601604154000042</p> <table border="1"> <thead> <tr> <th>PowerSetting</th> <th>7/0</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.94</td> <td>45.32</td> <td>-8.68</td> <td>54.00</td> <td>37.77</td> <td>32.73</td> <td>8.24</td> <td>33.42</td> <td>306</td> <td>251 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>		PowerSetting	7/0	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor			MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg	1	2487.94	45.32	-8.68	54.00	37.77	32.73	8.24	33.42	306	251 Average	VERTICAL
PowerSetting	7/0	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																					
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg																																			
1	2487.94	45.32	-8.68	54.00	37.77	32.73	8.24	33.42	306	251 Average	VERTICAL																																	



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
BLE CH39 2480MHZ																																																														
Horizontal		Fundamental																																																												
<p>Peak</p>	 <p>Site : 032806-KS Condition : FCC PART 15C 3m 3117 SN 79597 HORIZONTAL Project : RSM 1000 000kHz VBR 3000 000kHz SMT Auto Mode : FR082617-01 Plane : 9 Full-directivity : 080160415400062 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2480.00</td> <td>98.87</td> <td>24.87</td> <td>74.00</td> <td>92.28</td> <td>31.80</td> <td>8.22</td> <td>33.43</td> <td>129</td> <td>217 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 2480.00	98.87	24.87	74.00	92.28	31.80	8.22	33.43	129	217 Peak	 <p>Site : 032806-KS Condition : FCC PART 15C 3m 3117 SN 79597 HORIZONTAL Project : RSM 1000 000kHz VBR 3000 000kHz SMT Auto Mode : FR082617-01 Plane : 9 Full-directivity : 080160415400062 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2484.28</td> <td>54.17</td> <td>-19.83</td> <td>74.00</td> <td>47.58</td> <td>31.80</td> <td>8.22</td> <td>33.43</td> <td>129</td> <td>217 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 2484.28	54.17	-19.83	74.00	47.58	31.80	8.22	33.43	129	217 Peak
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 * 2480.00	98.87	24.87	74.00	92.28	31.80	8.22	33.43	129	217 Peak																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 2484.28	54.17	-19.83	74.00	47.58	31.80	8.22	33.43	129	217 Peak																																																					
<p>Avg.</p>	 <p>Site : 032806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79597 HORIZONTAL Project : RSM 1000 000kHz VBR 3.000kHz SMT Auto Mode : FR082617-01 Plane : 9 Full-directivity : 080160415400062 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2480.00</td> <td>97.42</td> <td>43.42</td> <td>54.00</td> <td>90.83</td> <td>31.80</td> <td>8.22</td> <td>33.43</td> <td>129</td> <td>217 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 2480.00	97.42	43.42	54.00	90.83	31.80	8.22	33.43	129	217 Average	 <p>Site : 032806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79597 HORIZONTAL Project : RSM 1000 000kHz VBR 3.000kHz SMT Auto Mode : FR082617-01 Plane : 9 Full-directivity : 080160415400062 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>45.54</td> <td>-8.46</td> <td>54.00</td> <td>38.95</td> <td>31.80</td> <td>8.22</td> <td>33.43</td> <td>129</td> <td>217 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 2483.50	45.54	-8.46	54.00	38.95	31.80	8.22	33.43	129	217 Average
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 * 2480.00	97.42	43.42	54.00	90.83	31.80	8.22	33.43	129	217 Average																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 2483.50	45.54	-8.46	54.00	38.95	31.80	8.22	33.43	129	217 Average																																																					



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
BLE CH39 2480MHZ																																																														
Vertical		Fundamental																																																												
Peak	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode : FR082617-01 Plane : Y Full-directivity : 0001024115400042 IMEI : 0001024115400042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2480.00</td> <td>93.82</td> <td>19.82</td> <td>74.00</td> <td>86.17</td> <td>32.86</td> <td>8.22</td> <td>33.43</td> <td>299</td> <td>250 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 2480.00	93.82	19.82	74.00	86.17	32.86	8.22	33.43	299	250 Peak VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode : FR082617-01 Plane : Y Full-directivity : 0001024115400042 IMEI : 0001024115400042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2485.66</td> <td>55.34</td> <td>-18.66</td> <td>74.00</td> <td>47.69</td> <td>32.86</td> <td>8.22</td> <td>33.43</td> <td>299</td> <td>250 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 2485.66	55.34	-18.66	74.00	47.69	32.86	8.22	33.43	299	250 Peak VERTICAL
	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 * 2480.00	93.82	19.82	74.00	86.17	32.86	8.22	33.43	299	250 Peak VERTICAL																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 2485.66	55.34	-18.66	74.00	47.69	32.86	8.22	33.43	299	250 Peak VERTICAL																																																					
Avg.	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000MHz VSW:3.600MHz SMT:Auto Mode : FR082617-01 Plane : Y Full-directivity : 0001024115400042 IMEI : 0001024115400042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2480.00</td> <td>92.35</td> <td>38.35</td> <td>54.00</td> <td>84.70</td> <td>32.86</td> <td>8.22</td> <td>33.43</td> <td>299</td> <td>250 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 2480.00	92.35	38.35	54.00	84.70	32.86	8.22	33.43	299	250 Average VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 VERTICAL Project : RSM 1000.000MHz VSW:3.600MHz SMT:Auto Mode : FR082617-01 Plane : Y Full-directivity : 0001024115400042 IMEI : 0001024115400042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>45.06</td> <td>-8.94</td> <td>54.00</td> <td>37.41</td> <td>32.86</td> <td>8.22</td> <td>33.43</td> <td>299</td> <td>250 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 2483.50	45.06	-8.94	54.00	37.41	32.86	8.22	33.43	299	250 Average VERTICAL
	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 * 2480.00	92.35	38.35	54.00	84.70	32.86	8.22	33.43	299	250 Average VERTICAL																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 2483.50	45.06	-8.94	54.00	37.41	32.86	8.22	33.43	299	250 Average VERTICAL																																																					



2.4GHz 2400~2483.5MHz
BLE (Harmonic @ 3m)

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																									
	BLE CH00 2402MHz																																									
	Horizontal	Vertical																																								
Peak Avg.	<p>Site : 030906-KS Condition : FCC PART 15C 3m 3117 SW 79957 HORIZONTAL Project : RSM 1000 000KHz VSW 3000 000KHz SRT Auto Mode : 7 Plane : 1 Full-directivity : 00014041154000042 IMEI : 86014041154000042</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Poz</th> <th>T/Poz</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1 4804.00</td> <td>40.36</td> <td>-33.64</td> <td>74.00</td> <td>55.61</td> <td>34.96</td> <td>11.51</td> <td>61.72</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Poz	T/Poz	Remark	Pol/Phas	1 4804.00	40.36	-33.64	74.00	55.61	34.96	11.51	61.72	300	0 Peak HORIZONTAL	<p>Site : 030906-KS Condition : FCC PART 15C 3m 3117 SW 79957 VERTICAL Project : RSM 1000 000KHz VSW 3000 000KHz SRT Auto Mode : 7 Plane : 1 Full-directivity : 00014041154000042 IMEI : 86014041154000042</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Poz</th> <th>T/Poz</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1 4804.00</td> <td>40.30</td> <td>-33.70</td> <td>74.00</td> <td>55.67</td> <td>34.86</td> <td>11.51</td> <td>61.72</td> <td>300</td> <td>300 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Poz	T/Poz	Remark	Pol/Phas	1 4804.00	40.30	-33.70	74.00	55.67	34.86	11.51	61.72	300	300 Peak VERTICAL
	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Poz	T/Poz	Remark	Pol/Phas																																
1 4804.00	40.36	-33.64	74.00	55.61	34.96	11.51	61.72	300	0 Peak HORIZONTAL																																	
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Poz	T/Poz	Remark	Pol/Phas																																	
1 4804.00	40.30	-33.70	74.00	55.67	34.86	11.51	61.72	300	300 Peak VERTICAL																																	



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																													
BLE CH19 2440MHz																																																														
Horizontal		Vertical																																																												
<p>Peak</p> <p>Avg.</p>	<p>Site : 030904-KS Condition : FCC PART 15C 3m 3117 5N 79957 HORIZONTAL Project : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Mode : S Plane : H Full-directivity : 0201624115000042 PowerSetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cn</th> <th>oe</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>4878.00</td> <td>39.55</td> <td>-34.45</td> <td>74.00</td> <td>54.62</td> <td>35.04</td> <td>11.60</td> <td>65.71</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>7320.00</td> <td>41.63</td> <td>-32.37</td> <td>74.00</td> <td>51.98</td> <td>36.86</td> <td>14.69</td> <td>61.90</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	cn	oe	Remark	Pol/Phas	4878.00	39.55	-34.45	74.00	54.62	35.04	11.60	65.71	300	0 Peak HORIZONTAL	7320.00	41.63	-32.37	74.00	51.98	36.86	14.69	61.90	300	0 Peak HORIZONTAL	<p>Site : 030904-KS Condition : FCC PART 15C 3m 3117 5N 79957 VERTICAL Project : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Mode : S Plane : V Full-directivity : 0201624115000042 PowerSetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cn</th> <th>oe</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>4878.00</td> <td>40.36</td> <td>-33.64</td> <td>74.00</td> <td>55.64</td> <td>34.83</td> <td>11.60</td> <td>61.71</td> <td>300</td> <td>360 Peak VERTICAL</td> </tr> <tr> <td>7320.00</td> <td>40.63</td> <td>-33.37</td> <td>74.00</td> <td>51.44</td> <td>36.40</td> <td>14.69</td> <td>61.90</td> <td>300</td> <td>360 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	cn	oe	Remark	Pol/Phas	4878.00	40.36	-33.64	74.00	55.64	34.83	11.60	61.71	300	360 Peak VERTICAL	7320.00	40.63	-33.37	74.00	51.44	36.40	14.69	61.90	300	360 Peak VERTICAL
	Freq	Level	Limit	Line	Level Factor	Loss Factor	cn	oe	Remark	Pol/Phas																																																				
4878.00	39.55	-34.45	74.00	54.62	35.04	11.60	65.71	300	0 Peak HORIZONTAL																																																					
7320.00	41.63	-32.37	74.00	51.98	36.86	14.69	61.90	300	0 Peak HORIZONTAL																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	cn	oe	Remark	Pol/Phas																																																					
4878.00	40.36	-33.64	74.00	55.64	34.83	11.60	61.71	300	360 Peak VERTICAL																																																					
7320.00	40.63	-33.37	74.00	51.44	36.40	14.69	61.90	300	360 Peak VERTICAL																																																					



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
	BLE CH39 2480MHz																																																																																					
	Horizontal	Vertical																																																																																				
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030804-KS Condition : FCC PART 15C 3m 3117 SW 79957 HORIZONTA Project : RBW 1000 000kHz VBW 3000 000kHz SMT Auto FR082617-01 Mode : 9 Plane : 1 Full-directivity : 0 IMEI : 35018204154000042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss</th> <th>Antenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4962.00</td> <td>38.88</td> <td>-35.12</td> <td>74.00</td> <td>53.73</td> <td>35.14</td> <td>11.71</td> <td>65.70</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONT</td> <td></td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>41.24</td> <td>-32.76</td> <td>74.00</td> <td>51.37</td> <td>36.89</td> <td>14.88</td> <td>61.90</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONT</td> <td></td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Loss	Antenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	4962.00	38.88	-35.12	74.00	53.73	35.14	11.71	65.70	300	0	Peak	HORIZONT		2	7440.00	41.24	-32.76	74.00	51.37	36.89	14.88	61.90	300	0	Peak	HORIZONT		<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030804-KS Condition : FCC PART 15C 3m 3117 SW 79957 VERTICAL Project : RBW 1000 000kHz VBW 3000 000kHz SMT Auto FR082617-01 Mode : 9 Plane : 1 Full-directivity : 0 IMEI : 35018204154000042 Powersetting : 7/0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss</th> <th>Antenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4962.00</td> <td>40.02</td> <td>-33.98</td> <td>74.00</td> <td>55.20</td> <td>34.81</td> <td>11.71</td> <td>61.70</td> <td>300</td> <td>360</td> <td>Peak</td> <td>VERTICAL</td> <td></td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>40.74</td> <td>-33.26</td> <td>74.00</td> <td>51.29</td> <td>36.47</td> <td>14.88</td> <td>61.90</td> <td>300</td> <td>360</td> <td>Peak</td> <td>VERTICAL</td> <td></td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Loss	Antenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	4962.00	40.02	-33.98	74.00	55.20	34.81	11.71	61.70	300	360	Peak	VERTICAL		2	7440.00	40.74	-33.26	74.00	51.29	36.47	14.88	61.90	300	360	Peak	VERTICAL	
Freq	Level	Limit	Line	Level Factor	Loss Factor	Loss	Antenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
1	4962.00	38.88	-35.12	74.00	53.73	35.14	11.71	65.70	300	0	Peak	HORIZONT																																																																										
2	7440.00	41.24	-32.76	74.00	51.37	36.89	14.88	61.90	300	0	Peak	HORIZONT																																																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor	Loss	Antenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
1	4962.00	40.02	-33.98	74.00	55.20	34.81	11.71	61.70	300	360	Peak	VERTICAL																																																																										
2	7440.00	40.74	-33.26	74.00	51.29	36.47	14.88	61.90	300	360	Peak	VERTICAL																																																																										



Emission below 1GHz
2.4GHz BLE (LF)

BLE	2.4GHz 2400~2483.5MHz																																																																																					
	BLE LF																																																																																					
	Horizontal	Vertical																																																																																				
QP / Peak	<p>Site : 02090-K5 Condition : FCC PART 15C 3m CB6.112D SN23188 HORIZONTAL Project : RRM-100.000KHz VSW:300.000KHz SWT:Auto SFR:020317-01 Mode : Y Plane : Full-directivity IME1 : 60616E041154200K62 Power setting : 7.0</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> </tr> </thead> <tbody> <tr> <td>112.45</td> <td>24.51</td> <td>-18.99</td> <td>43.50</td> <td>38.64</td> <td>17.03</td> </tr> <tr> <td>170.21</td> <td>24.54</td> <td>-18.98</td> <td>43.50</td> <td>38.70</td> <td>16.92</td> </tr> <tr> <td>144.46</td> <td>24.53</td> <td>-18.59</td> <td>43.50</td> <td>39.23</td> <td>16.58</td> </tr> <tr> <td>236.91</td> <td>26.50</td> <td>-16.08</td> <td>46.00</td> <td>39.55</td> <td>17.29</td> </tr> <tr> <td>359.80</td> <td>29.01</td> <td>-16.99</td> <td>46.00</td> <td>38.04</td> <td>20.77</td> </tr> <tr> <td>831.22</td> <td>38.37</td> <td>-7.73</td> <td>40.00</td> <td>39.78</td> <td>26.35</td> </tr> </tbody> </table>	1	2	3	4	5	6	112.45	24.51	-18.99	43.50	38.64	17.03	170.21	24.54	-18.98	43.50	38.70	16.92	144.46	24.53	-18.59	43.50	39.23	16.58	236.91	26.50	-16.08	46.00	39.55	17.29	359.80	29.01	-16.99	46.00	38.04	20.77	831.22	38.37	-7.73	40.00	39.78	26.35	<p>Site : 02090-K5 Condition : FCC PART 15C 3m CB6.112D SN23188 VERTICAL Project : RRM-100.000KHz VSW:300.000KHz SWT:Auto SFR:020317-01 Mode : Y Plane : Full-directivity IME1 : 60616E041154200K62 Power setting : 7.0</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> </tr> </thead> <tbody> <tr> <td>30.00</td> <td>29.86</td> <td>-10.14</td> <td>40.00</td> <td>36.48</td> <td>25.50</td> </tr> <tr> <td>130.21</td> <td>38.58</td> <td>-14.02</td> <td>43.00</td> <td>41.80</td> <td>27.88</td> </tr> <tr> <td>359.80</td> <td>39.95</td> <td>-14.00</td> <td>46.00</td> <td>48.10</td> <td>27.85</td> </tr> <tr> <td>399.87</td> <td>39.55</td> <td>-14.45</td> <td>46.00</td> <td>37.39</td> <td>27.75</td> </tr> <tr> <td>827.34</td> <td>37.78</td> <td>-8.22</td> <td>46.00</td> <td>38.59</td> <td>27.54</td> </tr> <tr> <td>831.22</td> <td>39.48</td> <td>-8.22</td> <td>46.00</td> <td>40.45</td> <td>27.09</td> </tr> </tbody> </table>	1	2	3	4	5	6	30.00	29.86	-10.14	40.00	36.48	25.50	130.21	38.58	-14.02	43.00	41.80	27.88	359.80	39.95	-14.00	46.00	48.10	27.85	399.87	39.55	-14.45	46.00	37.39	27.75	827.34	37.78	-8.22	46.00	38.59	27.54	831.22	39.48	-8.22	46.00	40.45	27.09
1	2	3	4	5	6																																																																																	
112.45	24.51	-18.99	43.50	38.64	17.03																																																																																	
170.21	24.54	-18.98	43.50	38.70	16.92																																																																																	
144.46	24.53	-18.59	43.50	39.23	16.58																																																																																	
236.91	26.50	-16.08	46.00	39.55	17.29																																																																																	
359.80	29.01	-16.99	46.00	38.04	20.77																																																																																	
831.22	38.37	-7.73	40.00	39.78	26.35																																																																																	
1	2	3	4	5	6																																																																																	
30.00	29.86	-10.14	40.00	36.48	25.50																																																																																	
130.21	38.58	-14.02	43.00	41.80	27.88																																																																																	
359.80	39.95	-14.00	46.00	48.10	27.85																																																																																	
399.87	39.55	-14.45	46.00	37.39	27.75																																																																																	
827.34	37.78	-8.22	46.00	38.59	27.54																																																																																	
831.22	39.48	-8.22	46.00	40.45	27.09																																																																																	


Note: For above testing, we have also tested from 18GHz to 25GHz and found no emissions.



Appendix E. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	Duty Factor(dB)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps	60.65	0.37971	2.17	2.634	2.7KHz
Bluetooth LE 2Mbps	47.10	0.2942	3.27	3.399	3.6KHz

Bluetooth LE 1Mbps





Bluetooth LE 2Mbps

