



WPS-HP201T

Hyshare Pro Pod



HDMI[®]
HIGH DEFINITION MULTIMEDIA INTERFACE


Quick Start Guide

PACKAGE CONTENTS

1. Hyshare Pro Pod x 2
2. Quick Start Guide x 1

HYSHARE PRO POD OVERVIEW

- LED
- Cast Button
- Function Button
- USB-C, Power Rating: 5V 900mA



START USING HYSHARE PRO POD

1. Pair Hyshare Pro Pod

Step 1. Ensure Hyshare Pro firmware version is 1.0.0.36 or newer.

Step 2. Connect the Pod to the USB-C port of Hyshare Pro.

Step 3. Users may check the main screen message for pairing status.

Breathing green: paring; steady green: pairing finished

2. Start the presentation

Step 1. Connect the Pod to your device's USB-C port.

Step 2. Wait until the LED light becomes steady white, press the cast button to share. The LED light is steady blue while screen sharing

Step 3. Long press cast button to switch between full-screen and split-screen.

Step 4. Press cast button again and stop sharing.



CYPRESS TECHNOLOGY CO., LTD.

www.cypress.com.tw

LED COLOR DEFINITION

LED Color	Category	Definition
Breathing green	Firmware	Checking new version/ upgrade complete
	Pairing	Pairing
Steady green	Pairing	Pairing finished
Breathing white	Presentation	Preparing for presentation
Steady white	Presentation	Standby (ready to present)
Steady blue	Presentation	Presenting
Breathing blue + red	Firmware	Firmware upgrading
Steady Red	Pairing	Pairing failed
	Connection	Wi-Fi connection failed or disconnected Please pair with the Station again
Amber	Connection	Station connection failed or disconnected Please replug the Pod
Pink	Connection	USB-C doesn't support A/V output



CYPRESS TECHNOLOGY CO., LTD.

www.cypress.com.tw

FEDERAL COMMUNICATIONS COMMISSION (FCC) STATEMENT

This equipment has been tested and found to comply with the limits for a **Class B** digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful

interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

IMPORTANT NOTE:

This device has been tested with 5mm separation distance SAR, and it is compliant with the general population/uncontrolled RF exposure limit.

NCC Warning Statement

根據 NCC LP0002 低功率射頻器材技術規範_章節3.8.2：

取得審驗證明之低功率射頻器材，非經核准，公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。

低功率射頻器材之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。

前述合法通信，指依電信管理法規定作業之無線電通信。低功率射頻器材須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。



CYPRESS TECHNOLOGY CO., LTD.

www.cypress.com.tw