



Report No.: File reference No.:	TW2104215E 2021-04-28
Applicant:	TECHNOFASHION INC.
Product:	WIRELESS HEADPHONE
Model No.:	NTHP01
Brand Name:	Nautica

Test Standards: FCC Part 15.249

Test result: It is herewith confirmed and found to comply with the requirements set up by ANSI C63.10 &FCC Part 15 Subpart C, Paragraph 15.249 regulations for the evaluation of electromagnetic compatibility

Approved By

Jack Chung

Jack Chung

Manager

Dated:

April 28, 2021

Results appearing herein relate only to the sample tested The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

Industry Canada (IC) — Registration No.: 5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

A2LA (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Report Conclusion Content

1.0	General Details	4
1.1	Test Lab Details	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Submitted Sample	4
1.5	Test Duration	5
1.6	Test Uncertainty	5
1.7	Test By	5
2.0	List of Measurement Equipment	6
3.0	Technical Details	7
3.1	Summary of Test Results	7
3.2	Test Standards	7
4.0	EUT Modification	7
5.0	Power Line Conducted Emission Test	8
5.1	Schematics of the Test	8
5.2	Test Method and Test Procedure	8
5.3	Configuration of the EUT	8
5.4	EUT Operating Condition	9
5.5	Conducted Emission Limit	9
5.6	Test Result	9
6.0	Radiated Emission test	12
6.1	Test Method and Test Procedure	12
6.2	Configuration of the EUT	12
6.3	EUT Operation Condition	12
6.4	Radiated Emission Limit	13
6.5	Test Result	14
7.0	Band Edge	23
7.1	Test Method and Test Procedure	23
7.2	Radiated Test Setup	23
7.3	Configuration of the EUT	23
7.4	EUT Operating Condition	23
7.5	Band Edge Limit	23
7.6	Band Edge Test Result	24
8.0	Antenna Requirement	28
9.0	20dB bandwidth measurement	29
10.0	FCC ID Label	38
11.0	Photo of Test Setup and EUT View	39

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



1.0 General Details

1.1 Test Lab Details

Name :SHENZHEN TIMEWAY TESTING LABORATORIES.Address:Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le
Village, Nanshan District, Shenzhen, ChinaTelephone:(755) 83448688Fax:(755) 83442996

Site on File with the Federal Communications Commission - United Sates

Registration Number: 744189

For 3m Anechoic Chamber

1.2 Applicant Details

Applicant:TECHNOFASHION INC.Address:26, Park Street Ste#2340, Montclair, NJ, USA, 07042Telephone:+1 (347) 510-2340Fax:--

1.3 Description of EUT

WIRELESS HEADPHONE
TECHNOFASHION INC.
26, Park Street Ste#2340, Montclair, NJ, USA, 07042
Nautica
NTHP01
N/A
PCB: BSX-BT18_v2.1
(Nautica H120) _2021040301
NTHP01202103
DC5V, 500mA or Built-in DC3.7V, 500mAh, 1.11Wh Li-ion battery
GFSK, Pi/4D-QPSK, 8DPSK (Bluetooth)
2402-2480MHz
1MHz
79
PCB antenna with gain 2.3dBi Max (Get from the antenna specification
provided by the applicant)

1.4 Submitted Sample: 1 Sample

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



- 1.5 Test Duration 2021-04-16 to 2021-04-27
- 1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB Radiated Emissions below 1GHz Uncertainty =4.7dB Radiated Emissions above 1GHz Uncertainty =6.0dB Conducted Power Uncertainty =6.0dB Occupied Channel Bandwidth Uncertainty =5% Conducted Emissions Uncertainty =3.6dB Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

1.7 Test Engineer

Terry lang

The sample tested by

Print Name: Terry Tang

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



2.0 Test Equipment					
Instrument Type	Manufacturer	Model	Serial No.	Date of Cal.	Due Date
ESPI Test Receiver	R&S	ESPI 3	100379	2020-06-23	2021-06-22
LISN	R&S	EZH3-Z5	100294	2020-06-23	2021-06-22
LISN	R&S	EZH3-Z5	100253	2020-06-23	2021-06-22
Impuls-Begrenzer	R&S	ESH3-Z2	100281	2020-06-23	2021-06-22
Loop Antenna	EMCO	6507	00078608	2018-06-25	2021-06-24
Spectrum	R&S	FSIQ26	100292	2020-06-23	2021-06-22
Horn Antenna	A-INFO	LB-180400-KF	J211060660	2020-06-23	2021-06-22
Horn Antenna	R&S	BBHA 9120D	9120D-631	2018-07-09	2021-07-08
Power meter	Anritsu	ML2487A	6K00003613	2020-06-23	2021-06-22
Power sensor	Anritsu	MA2491A	32263	2020-06-23	2021-06-22
Bilog Antenna	Schwarebeck	VULB9163	9163/340	2018-07-04	2021-07-03
9*6*6 Anechoic			N/A	2020-07-06	2021-07-05
EMI Test Receiver	RS	ESVB	826156/011	2020-06-23	2021-06-22
EMI Test Receiver	RS	ESH3	860904/006	2020-06-23	2021-06-22
Spectrum	HP/Agilent	ESA-L1500A	US37451154	2020-06-23	2021-06-22
Spectrum	HP/Agilent	E4407B	MY50441392	2020-06-23	2021-06-22
Spectrum	RS	FSP	1164.4391.38	2021-01-16	2022-01-15
RF Cable	Zhengdi	ZT26-NJ-NJ-8 M/FA		2020-06-23	2021-06-22
RF Cable	Zhengdi	7m		2020-06-23	2021-06-22
RF Switch	EM	EMSW18	060391	2020-06-23	2021-06-22
Pre-Amplifier	Schwarebeck	BBV9743	#218	2020-06-23	2021-06-22
Pre-Amplifier	HP/Agilent	8449B	3008A00160	2020-06-23	2021-06-22
LISN	SCHAFFNER	NNB42	00012	2021-01-06	2022-01-05

2.2 Automation Test Software

For Conducted Emission Test

Name	Version	
EZ-EMC	Ver.EMC-CON 3A1.1	

For Radiated Emissions

Name	Version
EMI Test Software BL410-EV18.91	V18.905
EMI Test Software BL410-EV18.806 High Frequency	V18.06

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



3.0 Technical Details

3.1 Summary of test results

The EUT has been tested according to the following specifications:			
Standard	Test Type	Result	Notes
FCC Part 15, Paragraph 15.207	Conducted Emission Test	PASS	Complies
FCC Part 15 Subpart C Paragraph 15.249(a) & 15.249(b) Limit	Field Strength of Fundamental	PASS	Complies
FCC Part 15, Paragraph 15.209	Radiated Emission Test	PASS	Complies
FCC Part 15 Subpart C Paragraph 15.249(d) Limit	Band Edge Test	PASS	Complies

3.2 Test Standards

FCC Part 15 Subpart C, Paragraph 15.249 , ANSI C63.4 :2014 and ANSI C63.10 :2013

4.0 EUT Modification

No modification by SHENZHEN TIMEWAY TESTING LABORATORIES


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



5. Power Line Conducted Emission Test




EUT: Equipment Under Test

5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.10-2013. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 500hm/50uH as specified by section 5.1 of ANSI C63.10-2013.

Block diagram of Test setup



5.3 Configuration of The EUT

The EUT was configured according to ANSI C63.10-2013. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below. One channels are provided to the EUT

A.	EUT
А.	

Device	Manufacturer	Model	FCC ID
WIRELESS	TECHNICEASHION INC	NTHP01	247DO N00009
HEADPHONE	TECHNOFASHION INC.	NTHPUI	2AZBO-N00008

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



B. Internal Device

Device	Manufacturer	Model	FCC ID/DOC
N/A			

C. Peripherals

Device	Manufacturer	Model	Rating
Power Supply	KEYU	KA23-0502000DEU	Input: 100-240V~, 50/60Hz, 0.35A;
			Output: DC5V, 2A

5.4 EUT Operating Condition

Operating condition is according to ANSI C63.10-2013

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

5.5 Power line conducted Emission Limit according to Paragraph 15.207

Frequency	Limits (dB µ V)	
(MHz)	Quasi-peak Level	Average Level
$0.15~\sim~0.50$	66.0~56.0*	56.0~46.0*
$0.50~\sim~5.00$	56.0	46.0
$5.00 \sim 30.00$	60.0	50.0

Notes: 1. *Decreasing linearly with logarithm of frequency.

2. The tighter limit shall apply at the transition frequencies

5.6 Test Results:

Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Conducted Emission on Live Terminal (150kHz to 30MHz) A: **EUT Operating Environment** Temperature: 25°C Humidity: 65%RH Atmospheric Pressure: 101 kPa EUT set Condition: Charging and Communication by BT Model: NTHP01 **Results: PASS** Please refer to following diagram for individual dBu¥ 80.0 70 FCC Part15 CE-Class B_QP 60 FCC Part 5 CE-Class B_AVe 50 40 30 peak 20 AVG 10 0 -10 -20 30.000 0.150 (MHz)

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.5322	22.49	9.77	32.26	56.00	-23.74	QP	Ρ
2	0.5322	14.77	9.77	24.54	46.00	-21.46	AVG	Ρ
3	1.4487	10.50	9.79	20.29	56.00	-35.71	QP	Ρ
4	1.4487	3.01	9.79	12.80	46.00	-33.20	AVG	Ρ
5	3.7878	8.71	9.88	18.59	56.00	-37.41	QP	Ρ
6	3.7878	2.63	9.88	12.51	46.00	-33.49	AVG	Ρ
7	12.0363	11.58	10.25	21.83	60.00	-38.17	QP	Ρ
8	12.0363	4.60	10.25	14.85	50.00	-35.15	AVG	Ρ

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



B: Conducted Emission on Neutral Terminal (150kHz to 30MHz) **EUT Operating Environment** Temperature: 25°C Humidity: 65%RH Atmospheric Pressure: 101 kPa EUT set Condition: Charging and Communication by BT Model: NTHP01 **Results: Pass** Please refer to following diagram for individual dBu¥ 80.0 70 FCC Part15 CE-Class B_QP 60 FCC Part 5 CE-Class B_AVe 50 40 30 peak 20 ã AVG 10 0 -10 -20 (MHz) 30.000 0.150

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.5205	15.54	9.77	25.31	56.00	-30.69	QP	Ρ
2	0.5205	4.85	9.77	14.62	46.00	-31.38	AVG	Р
3	1.3629	11.35	9.79	21.14	56.00	-34.86	QP	Ρ
4	1.3629	0.91	9.79	10.70	46.00	-35.30	AVG	Ρ
5	4.8798	4.85	9.92	14.77	56.00	-41.23	QP	Ρ
6	4.8798	-0.51	9.92	9.41	46.00	-36.59	AVG	Ρ
7	10.9911	8.41	10.20	18.61	60.00	-41.39	QP	Р
8	10.9911	3.40	10.20	13.60	50.00	-36.40	AVG	Ρ

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




6 Radiated Emission Test

- 6.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are quasi-peak values with a resolution bandwidth of 120 kHz. All readings are above 1 GHz, peak values with a resolution bandwidth of 1 MHz (Note: for Fundamental frequency radiated emission measurement, RBW=3MHz, VBW=10MHz). Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) The antenna polarization: Vertical polarization and Horizontal polarization.

Block diagram of Test setup

For radiated emissions from 9kHz to 30MHz




The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



For radiated emissions from 30MHz to1GHz



For radiated emissions above 1GHz



- 6.2 Configuration of The EUT Same as section 5.3 of this report
- 6.3 EUT Operating Condition Same as section 5.4 of this report.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

A FCC Part 15 Subpart C Paragraph 15.249(a) Limit

Fundamental Frequency	Field Stre	ength of Fundame	ntal (3m)	Field St	trength of Harmo	onics (3m)
(MHz)	mV/m	dBu	V/m	uV/m	dBuV/m	
2400-2483.5	50	94 (Average) 114 (Peak)		500	54 (Average)	74 (Peak)

Note: 1. RF Field Strength (dBuV) = 20 log RF Voltage (uV)

2.Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.

3. The emission limit in this paragraph is based on measurement instrumentation employing an average detector.

B. Frequencies in restricted band are complied to limit on Paragraph 15.209.

Frequency Range (MHz)	Distance (m)	Field strength (dB μ V/m)
30-88	3	40.0
88-216	3	43.5
216-960	3	46.0
Above 960	3	54.0

Note: 1. RF Voltage $(dBuV) = 20 \log RF$ Voltage (uV)

2. In the Above Table, the tighter limit applies at the band edges.

3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT

4. This is a handhold device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), After pre-test. It was found that the worse radiated emission was get at the lying position.

5. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-25G, the final emission level got using PK. For fundamental measurement, PK detector used.

6. Battery full charged during tests.

7. The three modulation modes of GFSK, Pi/4D-QPSK, and 8DPSK were tested. And only the worst case was recorded in the test report. GFSK was the worst case.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




6.5 Test result

A Fundamental & Harmonics Radiated Emission Data

Please refer to the following test plots for details: Low Channel-2402MHz

Horizontal




No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	2402.500	94.51	-3.57	114.0	-19.49	Peak	155.00	100	Horizontal	Pass
1*	2402.500	83.72	-3.57	94.0	-10.28	AV	155.00	100	Horizontal	Pass
2	4803.750	50.11	3.13	74.0	-23.89	Peak	138.00	100	Horizontal	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	2402.500	84.69	-3.57	114.0	-29.31	Peak	42.00	100	Vertical	Pass


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Please refer to the following test plots for details: High Channel-2441MHz

Horizontal




No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	2440.750	94.83	-3.57	114.0	-19.17	Peak	160.00	100	Horizontal	Pass
1*	2440.750	83.95	-3.57	94.0	-10.05	AV	160.00	100	Horizontal	Pass
2	4880.250	51.12	3.20	74.0	-22.88	Peak	146.00	100	Horizontal	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	2440.750	84.43	-3.57	114.0	-29.57	Peak	136.00	100	Vertical	Pass


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



$Please \ refer \ to \ the \ following \ test \ plots \ for \ details: \ High \ Channel-2480 MHz$

Horizontal




No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	2479.750	94.34	-3.57	114.0	-19.66	Peak	194.00	100	Horizontal	Pass
1*	2479.750	83.67	-3.57	94.0	-10.33	AV	194.00	100	Horizontal	Pass
2	4956.750	49.89	3.35	74.0	-24.11	Peak	135.00	100	Horizontal	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	2479.750	85.18	-3.57	114.0	-28.82	Peak	216.00	100	Vertical	Pass

Note: (2) Emission Level = Reading Level + Antenna Factor + Cable Loss-Amplifier

(3) Margin=Emission-Limits

- (4) According to section 15.35(b), the peak limit is 20dB higher than the average limit
- (5) For test purpose, keep EUT continuous transmitting
- (5) For emission above 18GHz and Below 30MHz, It is only the floor noise. No necessary to take down.
- (6) the measured PK value less than the AV limit.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




B. General Radiated Emission Data Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual

FCC_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	51.577	15.73	-11.41	40.0	-24.27	Peak	31.00	100	Horizontal	Pass
2	110.490	13.45	-13.63	43.5	-30.05	Peak	139.00	100	Horizontal	Pass
3	170.615	16.70	-15.92	43.5	-26.80	Peak	101.00	100	Horizontal	Pass
4	310.260	19.51	-10.71	46.0	-26.49	Peak	137.00	100	Horizontal	Pass
5	687.496	24.40	-4.30	46.0	-21.60	Peak	172.00	100	Horizontal	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual

FCC_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	51.820	16.03	-11.42	40.0	-23.97	Peak	280.00	100	Vertical	Pass
2	95.944	13.27	-14.16	43.5	-30.23	Peak	352.00	100	Vertical	Pass
3	202.617	16.98	-13.40	43.5	-26.52	Peak	337.00	100	Vertical	Pass
4	308.563	17.55	-10.88	46.0	-28.45	Peak	312.00	100	Vertical	Pass
5	735.014	23.84	-3.69	46.0	-22.16	Peak	360.00	100	Vertical	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




7. Band Edge

7.1 Test Method and test Procedure:

- The EUT was tested according to ANSI C63.10–2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) Set Spectrum as RBW=1MHz, VBW=3MHz and Peak detector used for PK value. RBW=1MHz, VBW=10Hz and Peak detector used for AV value.
- (3) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (4) The antenna polarization: Vertical polarization and Horizontal polarization.

7.2 Radiated Test Setup



For the actual test configuration , please refer to the related items – Photos of Testing

7.3 Configuration of The EUT

Same as section 5.3 of this report

7.4 EUT Operating Condition

Same as section 5.4 of this report.

7.5 Band Edge Limit

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least

50 dB below the level of the fundamental or to the general radiated emission limits in Section 15.209, whichever is the lesser attenuation.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



7.6 Test Result

Р	roduct:	W	IRELES	SS HEADPH	IONE	Pola	arity		Horizonta	al
	Mode		Keepin	g Transmitti	ing	Test V	/oltage		DC3.7V	r
Ter	nperature		2	4 deg. C,		Hum	nidity		56% RH	[
Tes	st Result:			Pass		-				
CC Part 15 1.0E+2	5C Class B 1GHz-18GF	l z -2	24 deg. C, Humidity 56% RH							
90 80	-									
70	-									
60	-									
							M3		dille 1912	
2 50	-								1 0	Mallala ba
(m//m) 50			11	المحدانين () ب ، ب	Hinde Seb 74 Partie Sting Provident	under normalization of the lines	Laterna the Back of the State		1 ×	The later is the
level (dBuV/m) 40		entering with the state of	and a get a second and	الهوج الانبيل إجلد المعتاد ووارحم ومرجع بالمطل	a la fa fa ta	erdenne fotorette idente	L. Alexandred Territory and the		•	The state of the s
00 50 Feed (dBr/m) 40 30 30		enter la stal d'arte terre alle a	ofteninght, security first	and for the former of the last of the second se	it is a faith a start of the description	nitario-skalanashitati	Ladie Leenstra & Statistic Stration	a ballana an tha an t	•	Martin Landa
level (dBuV/m 05		enfetialitistation (States)	athering of a general street	antionen inserant antionisme	hick and build and a start and	หสถางกระสะสะหร่างไม่ง	Latio providente Antipoporate	a bail fair an ann ann an tharrann	•	
لورم (Angp) 40 30		a-filed,asidddaddoraeddau	atte da git human diret	an frank of the second seco	hicheon ann an Anna Anna Anna Anna Anna Anna An	enternen einethereiteten has	denti ternetindente dirette		•	
اوروا (dBury) عرب المراجع عرب المراجع المرجع المراجع الممراحي المراحع المراجع المراجع المراحع المراحم الم	-	noofer land at the first state of the	ofte la gil seconi d'al	n na sharan	h change pour de la constant	91.187.99.93.94.49.94.94.91.49.9	La the provide the first start of the start			
40 40 40 40 40 40 40 40	-	องรู้ถือผู้ ครั้งได้ ใช้ ใช้ ใช้ ใช้ ใช้ ใช้ ใช้ ใช้ ใช้ ใช	ofte dagt herein die t	an frank an	Frequency		de stie fremeline her fer die die state die state die state die state die state die state state state state st			2410
40 40 40 40 40 40 40 40	-	Results	Factor	Limit			Table (o)	Height	ANT	
للار/mgp 40 30 20 10 0.0 2				1	Frequency	(MHz)				2410
للار/mgp 40 30 20 10 0.0 2		Results	Factor	Limit	Frequency Over Limit	(MHz)		Height		2410
40 30 20 10 0.0 2 NO.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Frequency Over Limit (dB)	(MHz) Detector	Table (o)	Height (cm)	ANT	2410 Verdict

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



	Product:	VV	IRELES	S HEADPH	IONE	Detec	tor		Vertical	
	Mode		Keeping	g Transmitti	ng	Test Vol	tage	Ι	DC3.7V	
Te	emperature		24	l deg. C,		Humic	lity	5	6% RH	
Te	est Result:			Pass						
C Part 1.0E+	15C Class B 1GHz-18GHz 2-	2 -2								
a	10-								M1	
									\wedge	
8									/	
7	0-								/ \	
6	i0 -								/ - +	
5	i0-						N13		₩2 ●	
		متنا معالم	la francitika of h	it land the dislater state of the	մեսները է են հետերինել	dunksi washaanikilaad				Mandala tala In
. 5 4							allb			
3	-0-									
2										
	0-									
1	0-									
1					Frequency (M	Hz)				24
1	0-	Deculto	Factor	Limit	Frequency (M			Hoight		
1	0- 2350 Frequency	Results	Factor	Limit (dRu\//m)	Over Limit	Hz) Detector	Table (o)	Height	ANT	1
1 0. No.	0- 2350 Frequency (MHz)	(dBuV/m)	(dB)	(dBuV/m)	Over Limit (dB)	Detector		(cm)		24 Verdict
1	0- 2350 Frequency				Over Limit		Table (o) 220.00 220.00	•	ANT Vertical	1

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.



I	Product:	W	IRELES	S HEADPH	IONE	Polari	ty		Horizontal	
	Mode		Keeping	g Transmitti	ng	Test Vol	tage		DC3.7V	
Te	mperature		24	4 deg. C,		Humid	ity		56% RH	
Te	est Result:			Pass						
CC Part 1 1.0E+2	15C Class B 1GHz-18GHz	-2								
90 80 70	0									
			A Martin Contraction of the Cont		\mathbf{X}					
60	0-	معلوله المتعلمان وروادا والم	r		M2 10					
					M2				Killinininininininininininini	d. 10 mar an
					M2		and a straight and the		the product of the second s	la ta marti ultralla u
	0-		r			- Anthonia and a subscription	Berlinkiskoppinskister		ารไม่สารารประการประการประการประการ	de the same to advert be a
(m//ngp) 40	0						And the loss of the bold for		n filderen die server false	de Bannere abelijen
(m/\ngp) 40 30	0					a Marina Marina and a substance and a	Beri incluis parta antista frig	latik meterketer	a filologi ta ang ipa sa sa fala ang	6.00.00%.0%()();;;
50 40 30 20	0 0					Anthonio and a state	Bart San Lada para kata da		n filologia ang fiposa ang kao a	in the second
50 40 30 20 10	0 0				M2 Annu Ling 2483.5 Frequency (MH		And in the second s		addatatesterestyreteetedeksels	2500
50 40 30 20 10	0	Results	Factor	Limit	2483.5		Table (o)	Height	ANT	
50 40 30 20 10 0.0 2	0		Factor (dB)	Limit (dBuV/m)	2483.5 Frequency (MH	z)				2500
50 40 30 20 10 0.0 2	0	Results			2483.5 Frequency (MH Over Limit	z)		Height		2500

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.



Pro	oduct:	W	IRELES	S HEADPH	IONE	Detect	or		Vertical	
N	/lode		Keeping	g Transmitti	ng	Test Volt	tage		DC3.7V	
Temp	perature		24	deg. C,		Humid	ity	:	56% RH	
Test	Result:			Pass						
CC Part 15C (1.0E+2- 90- 80- 70-	Class B 1GHz-18GHz	-2		\sim						
60- 50- 40-	lay hala kalang kapatan	oldin from the object	we -		and a start of the	dhad a tariha tariha kaya dag	ahisishin disantu	Hannelettel stelatet	k, philaluhan na kilikin	ylyyl Mayaddal
10- 0.0- 2470		oldin fundi famali in anti-			2483.5 Frequency (MH	z)	ing kantalan di kantala	iterrelesistentelar d	k, philologua an	2500
50- 40- 30- 20- 10- 2470	Prequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	2483.5		Table (o)	Height (cm)	ANT	2500

Note: 1. The PK emission level less than the AV limit. No necessary to record the AV emission level.

2. This is a handhold device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), After pre-test. It was found that the worse radiated emission was get at the lying position.

3. The three modulation modes of GFSK, Pi/4D-QPSK, and 8DPSK were tested. And only the worst case was recorded in the test report. GFSK was the worst case.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



8.0 Antenna Requirement

Applicable Standard

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

This product has a PCB antenna. The antenna gain is 2.3dBi Max. It fulfills the requirement of this section. Test Result: Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



FSK Modulation	ı									
Product: Mode		ELESS HEA				est Mode: est Voltage		Keep trar DC3	-	
Temperature		24 deg.	C,		I	Iumidity		56%	RH	
Test Result:		Pass				Detector		P	K	
20dB Bandwidth		811.62kI	Hz					_	_	
Ref Lvl 10 dBm	Marker 1 [T1 ndB] ndB 20.00 dB BW 811.62324649 kHz				BW BW WT	30 kH 100 kH 8.5 ms	Hz	RF Att 20 d		ı
10							[T1]	-1 2.40199		A
-10				m		ndB BW ⊽ _{T1}	81 [_ <u>T1</u>]	20 1.62324 -20	0.94 dBm	
-20		T1	~/~ [/]		5	▼ _{T2}	[T1]	-20	419 GHz .90 dBm 581 GHz	
-30										111
-40		<u>لم</u>					hy .			
-50	m /						η	\sim		
-60	V						u.	h h	ul mulin	
-70										
- 8 0										
-90 Center 2.	402 GHz		300	kHz/				Spa	an 3 MHz	Į

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Product:	V	VIRELES	SS HEADI	PHONE		Т	est Mode:		Keep tra	ansmitting	
Mode		Keepin	g Transmi	tting		Te	est Voltage	,	DC	3.7V	
Temperature		2	4 deg. C,]	Humidity		56%	6 RH	
Test Result:			Pass				Detector		I	PK	
0dB Bandwidth		81	17.64kHz								
R		Marker	1 [T1 n	ndB]	1	RBW	30 k	Hz RI	F Att	20 dB	
Ref Lvl		ndB	20.	00 dB	v	VBW	100 k	Hz			
10 dBm		BW 817	7.635270)54 kHz		SWT	8.5 m	s Ui	nit	dBn	n
10							v 1	[T1]	-1	.68 dBm	A
				1					2.44099	699 GHz	
0				~~~~			ndE		20	.00 dB	-
					~~~		BW ⊽⊤1	81 [T1]	7.63527	054 kHz .98 dBm	
-10						7			2.44058	818 GHz	
			T10	<b>U</b> -		Ĩ,	$\nabla_{T2}$	2 [T1]	-21	.04 dBm	
-20 1MAX			<u></u>				The second secon		2.44140	581 GHz	1MA
-30			$\sim$				Ly .				
- 30		^	p				U	كرم			
-40	$\mathcal{M}$	/							$\sim$		
-50 Man		]							m	human	
-60											
-70											
- 80											
- 90											
Center 2	.441 GH	[z		300	kHz,	/			Spa	.n 3 MHz	-

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Product:	V	WIRELES	S HEADI	PHONE		Т	est Mode:		Keep tra	ansmitting	
Mode		Keepin	g Transmi	tting		Te	est Voltage		DC	C3.7V	
Temperature		2	4 deg. C,			]	Humidity		56%	% RH	
Test Result:			Pass				Detector		]	PK	
0dB Bandwidth		81	17.64kHz								
		Marker	1 [T1 r	ndB]	R	BW	30 kH	Iz Rl	F Att	20 dB	
Ref Lvl		ndB	20.	00 dB	V	'ВW	100 kH	Iz			
10 dBm		BW 817	7.635270	)54 kHz	S	WT	8.5 ms	s Ui	nit	dBn	n
10							<b>v</b> 1	[T1]	-2	.40 dBm	A
				1					2.47999	699 GHz	
0					ĺ		ndB		20	0.00 dB	
					M		BW ⊽ _{T1}	81 [T1]	7.63527	054 kHz .64 dBm	
-10				$\wedge$	- · · ·	5	± +		2.47958	818 GHz	
			/	$\sim$		h	$\nabla_{\mathrm{T2}}$	[T1]	-21		
-20							Y.		2.48040	581 GHz	1MA
-30			$\sim$								IMA
- 30		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	J				, A	L.			
-40	M	7						h	m		
-50 J. My	w	$\checkmark$								maren	
-60											
-70											
- 80											
-90											
Center 2	.48 GHz	2		300	kHz/				Spa	an 3 MHz	

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Product:	WIRELESS	S HEADPHONE	Test Mode	: Keej	o transmitting
Mode	Keeping	Transmitting	Test Voltag	-	DC3.7V
Temperature		deg. C,	Humidity		56% RH
Test Result:		Pass	Detector		РК
20dB Bandwidth	1.2	57MHz			
R	Marker 1	l [T1 ndB]	RBW 30 ]	kHz RF Att	20 dB
Ref Lvl	ndB	20.00 dB	VBW 100 1		
10 dBm	BW 1	.25651303 MHz	SWT 8.5 t	ms Unit	dBm
			▼1	[T1] 2.40	-1.23 dBm
0			nd	B	20.00 dB
		$  \land / \land$			
-10		$\mathcal{M}$	- home	2.40	<u>-21.14 dBm</u> 137174 GHz
					-21.10 dBm
-20				2.40:	262826 GHz 1MA
- 3 0					
-40					
-50 Miny M.					mun
-60					
-70					
- 8 0					
-90 Center 2.	402 GHz	300 ki	Hz /		Span 3 MHz

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Product:	Mode K nperature			PHONE	r	Fest Mode:		Keep tra	ansmitting	
Mode	nperature			tting	Г	est Voltage		DC	23.7V	
Temperature		2	4 deg. C,			Humidity		56%	% RH	
Test Result:			Pass			Detector		]	PK	
20dB Bandwidth		1.	257MHz							
R A	Ν	Marker	1 [T1 n	ldB]	RBW	W 30 kHz		F Att	20 dB	
Ref Lvl	r	ndB		00 dB	VBW	100 ki				
10 dBm 10	E	3W 1	.256513	03 MHz	SWT	8.5 m	s Uı	nit	dBm	ı
						<b>v</b> 1	[T1]	-1	.66 dBm	A
0				1				2.44099	699 GHz	
0						ndB		20	.00 dB	
1.0					$\backslash \cap$	BW VT1	[T1]	1.25651 -21	303 MHz 56 dBm	
-10			$\sim$	$\mathcal{N}$		m		2.44037	174  GHz	
		TT 1	$\checkmark$			\ \ \ \ \ \ \ \ \ \ \ \ \ \	[T1]	-21	.54 dBm	
-20		گر	-					2.44162	826 GHz	1 <b>MA</b>
-30										
-40										
10	Aut	~					$\bigvee$	0		
-50 - 10 - 10 - 10 - 50	<u>"A.N</u>								Mar Mark	
-60										
-70										
-80										
-90 Center 2	.441 GH	z		300	kHz/			Spa	ın 3 MHz	

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Product:	V	VIRELES	SS HEADI	PHONE		Т	est Mode:		Keep tra	insmitting	
Mode	Aode  Kee    perature	Keepir	ıg Transmi	tting		Te	est Voltage		DC	3.7V	
Temperature		2	4 deg. C,			]	Humidity		56%	6 RH	
Test Result:			Pass				Detector		I	РК	
OdB Bandwidth		1	.257MHz								
k A	I	Marker	1 [T1 n	ldB]	F	RBW	30 kH	z RI	F Att	20 dB	
Ref Lvl	1	ndB	20.	00 dB	7	/BW	100 kH	Z			
10 dBm	1	BW :	1.256513	03 MHz	S	SWT	8.5 ms	Ur	nit	dBm	L
10							▼1 [	T1]	-2	.46 dBm	A
				1					2.47999	699 GHz	
0				<u> </u>			ndB		20	.00 dB	
				$  \land  $	$\land$		BW ⊽⊤1	[T1]	1.25651	303 MHz	
-10			m	$\sqrt{\sqrt{1}}$		L	m	[11]	2.47937	174 GHz	
							$\nabla_{\mathbb{T}^2}$	[T1]	-22	.39 dBm	
-20		<u> </u>						2	2.48062	826 GHz	1MA
-30		<i></i>									THE
-40	~	M						M	2		
-50								)	~	my ment	
- 60											
-70											
- 80											
-90											
Center 2.	48 GHz			300	kHz/	/			Spa	n 3 MHz	

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Product:		WIRELES	SS HEADI	PHONE		Test Mode:		Keep tra	ansmitting	
Mode		Keepin	g Transmi	tting		Test Voltage	e	DC	C3.7V	
Temperature		2	4 deg. C,			Humidity		569	% RH	
Test Result:			Pass			Detector		]	PK	
DdB Bandwidth		1	.244MHz							
k A	Marker 1 [T1 ndB] ndB 20.00 dB					W 30 k	Hz RI	F Att	20 dB	
Ref Lvl		ndB	20.	00 dB	VB					
10 dBm		BW	L.244488	98 MHz	SW	T 8.5 m	us Ui	nit	dBm	L
10						<b>v</b> ₁	[T1]	- 1	l.25 dBm	A
				1				2.40199	699 GHz	
0						ndI	6	20	0.00 dB	
				$ \Lambda $	$\backslash \Lambda$	BW VT	[T1]	1.24448	898 MHz 1.44 dBm	
-10			$\sim$	$\mathcal{N}$		M		2.40137	7174  GHz	
		т	$\checkmark$				2 [T1] [2	-21	l.26 dBm	
-20		۲						2.40261	623 GHz	1M2
-30										
-40		mu					M	M		
-50	www.						<u>\</u>		we wow	
-60										
-70										
-80										
-90 Center 2	.402 GH	Hz		300	kHz/			Spa	an 3 MHz	


The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to



Product:	V	WIRELES	SS HEADI	PHONE		Т	est Mode:		Keep tra	ansmitting	
Mode	ature sult:			tting		Te	est Voltage		DC	C3.7V	
Temperature		2	4 deg. C,			]	Humidity		569	% RH	
Test Result:			Pass				Detector		]	PK	
dB Bandwidth		1	.257MHz								
Ref Lvl 10 dBm	Marker 1 [T1 ndB] ndB 20.00 dB				R	BW	30 kH	z RFAtt 20 dB			
Ref Lvl		ndB	20.	00 dB	v	ВW	100 kH	Z			
10 dBm		BW	1.256513	03 MHz	S	WT	8.5 ms	Uı	nit	dBm	ı
10							▼1 [	T1]	-1	l.65 dBm	A
				1					2.44099	699 GHz	
0							ndB		20	0.00 dB	
					$\land \land$		BW ▼ _{T1}	[T1]	1.25651 -21	.303 MHz L.66 dBm	
-10			m	$\mathcal{N}$		$\sim$	wit		2.44037	174  GHz	
			1				$\nabla_{T_{2}}^{2}$	[T1]	-21	.62 dBm	
-20		<u>y</u>					- W		2.44162	826 GHz	1M2
		ſ									
-30											
-40		Ma									
	M							~ \ \	$\wedge$		
-50	~~~ ···									Myn	
-60											
-70											
-80											
-90	4.4.1	T		200							
Center 2.	HHI GP	12		300	kHz/				Spa	an 3 MHz	

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Page 38 of 44

### 10.0 FCC ID Label

#### FCC ID: 2AZBO-N00008

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

# Mark Location:




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



#### 11.0 Photo of testing


#### 11.1 Conducted test View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to




Radiated emission test view



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



#### 11.2 Photographs – EUT



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Inside view




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Inside view



--End of the report--

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to