

Report No.:	TW2206116-01E
File reference No.:	2022-06-27
Applicant:	TECHNOFASHION INC.
Product:	NAUTICA PORTABLE WIRELESS SPEAKER
Model No.:	NTSP03
Trademark:	N/A
Test Standards:	FCC Part 15.249
Test result:	It is herewith confirmed and found to comply with the requirements set up by ANSI C63.10 & FCC Part 15 Subpart C, Paragraph 15.249 regulations for the evaluation of electromagnetic compatibility
Approved By	
Terry Tang	
Terry Tang	
Manager	

Dated:

June 27, 2022

Results appearing herein relate only to the sample tested The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2017 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

Industry Canada (IC) — Registration No.: 5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

A2LA (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Report Conclusion Content

1.0	General Details	4
1.1	Test Lab Details	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Submitted Sample	4
1.5	Test Duration	5
1.6	Test Uncertainty	5
1.7	Test By	5
2.0	List of Measurement Equipment	6
3.0	Technical Details	7
3.1	Summary of Test Results	7
3.2	Test Standards	7
4.0	EUT Modification	7
5.0	Power Line Conducted Emission Test	8
5.1	Schematics of the Test	8
5.2	Test Method and Test Procedure	8
5.3	Configuration of the EUT	8
5.4	EUT Operating Condition	9
5.5	Conducted Emission Limit	9
5.6	Test Result	9
6.0	Radiated Emission test	12
6.1	Test Method and Test Procedure	12
6.2	Configuration of the EUT	13
6.3	EUT Operation Condition	13
6.4	Radiated Emission Limit	13
6.5	Test Result	15
7.0	Band Edge	23
7.1	Test Method and Test Procedure	23
7.2	Radiated Test Setup	23
7.3	Configuration of the EUT	23
7.4	EUT Operating Condition	23
7.5	Band Edge Limit	23
7.6	Band Edge Test Result	24
8.0	Antenna Requirement	28
9.0	20dB bandwidth measurement	29
10.0	FCC ID Label	38
11.0	Photo of Test Setup and EUT View	39

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into an will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.



1.0 General Details

1.1 Test Lab Details

Name:SHENZHEN TIMEWAY TESTING LABORATORIES.Address:Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le
Village, Nanshan District, Shenzhen, ChinaTelephone:(755) 83448688Fax:(755) 83442996Site on File with the Federal Communications Commission – United SatesRegistration Number: 744189

For 3m Anechoic Chamber

1.2 Applicant Details

Applicant:	TECHNOFASHION INC.
Address:	127, Kingsland Ave, Clifton, NJ, USA, 07014
Telephone:	+1 (973) 866 7373
Fax:	

1.3 Description of EUT

Product:	NAUTICA PORTABLE WIRELESS SPEAKER
Manufacturer:	TECHNOFASHION INC.
Address:	127, Kingsland Ave, Clifton, NJ, USA, 07014
Trademark:	N/A
Model Number:	NTSP03
Additional Model Name	N/A
Rating:	DC5V, 1A
Battery:	DC3.7V, 1200mAh Li-ion battery
Modulation Type:	GFSK, Л/4DQPSK and 8DPSK for Bluetooth
Operation Frequency:	2402-2480MHz
Channel Number:	79
Channel Separation:	1MHz
Hardware Version:	2.0
Software Version:	1.0
Serial No.:	NTSP03202206
Antenna Designation	PCB antenna with gain 1.3dBi Max (Get from the antenna specification)

1.4 Submitted Sample: 1 Sample

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



- 1.5 Test Duration 2022-06-10 to 2022-06-27
- 1.6 Test Uncertainty Conducted Emissions Uncertainty =3.6dB Radiated Emissions below 1GHz Uncertainty =4.7dB Radiated Emissions above 1GHz Uncertainty =6.0dB Conducted Power Uncertainty =6.0dB Occupied Channel Bandwidth Uncertainty =5% Conducted Emissions Uncertainty =3.6dB Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.
- 1.7 Test Engineer

Andy - Xing

The sample tested by

Print Name: Andy Xing

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



2.0 Test Equipment					
Instrument Type	Manufacturer	Model	Serial No.	Date of Cal.	Due Date
ESPI Test Receiver	R&S	ESPI 3	100379	2022-06-17	2023-06-16
LISN	R&S	EZH3-Z5	100294	2022-06-17	2023-06-16
LISN	R&S	EZH3-Z5	100253	2022-06-17	2023-06-16
Impuls-Begrenzer	R&S	ESH3-Z2	100281	2022-06-17	2023-06-16
Loop Antenna	EMCO	6507	00078608	2021-06-18	2024-06-17
Spectrum	R&S	FSIQ26	100292	2022-06-17	2023-06-16
Horn Antenna	A-INFO	LB-180400-KF	J211060660	2021-07-02	2024-07-01
Horn Antenna	R&S	BBHA 9120D	9120D-631	2021-07-02	2024-07-01
Power meter	Anritsu	ML2487A	6K00003613	2022-06-17	2023-06-16
Power sensor	Anritsu	MA2491A	32263	2022-06-17	2023-06-16
Bilog Antenna	Schwarebeck	VULB9163	9163/340	2021-07-02	2024-07-01
9*6*6 Anechoic			N/A	2021-07-02	2022-07-01
EMI Test Receiver	RS	ESVB	826156/011	2022-06-17	2023-06-16
EMI Test Receiver	RS	ESH3	860904/006	2022-06-17	2023-06-16
Spectrum	HP/Agilent	ESA-L1500A	US37451154	2022-06-17	2023-06-16
Spectrum	HP/Agilent	E4407B	MY50441392	2022-06-17	2023-06-16
Spectrum	RS	FSP	1164.4391.38	2022-01-05	2023-01-04
RF Cable	Zhengdi	ZT26-NJ-NJ-8M/FA		2022-06-17	2023-06-16
RF Cable	Zhengdi	7m		2022-06-17	2023-06-16
RF Switch	EM	EMSW18	060391	2022-06-17	2023-06-16
Pre-Amplifier	Schwarebeck	BBV9743	#218	2022-06-17	2023-06-16
Pre-Amplifier	HP/Agilent	8449B	3008A00160	2022-06-17	2023-06-16
LISN	SCHAFFNER	NNB42	00012	2022-01-05	2023-01-04

2.2 Automation Test Software

For Conducted Emission Test

Name	Version
EZ-EMC	Ver.EMC-CON 3A1.1

For Radiated Emissions

Name	Version
EMI Test Software BL410-EV18.91	V18.905
EMI Test Software BL410-EV18.806 High Frequency	V18.06

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



3.0 Technical Details

3.1 Summary of test results

The EUT has been tested according to the following specifications:				
Standard	Test Type	Result	Notes	
FCC Part 15, Paragraph 15.203	Antenna Requirement	Pass	Complies	
FCC Part 15, Paragraph 15.207	Conducted Emission Test	Pass	Complies	
FCC Part 15 Subpart C Paragraph 15.249(a) & 15.249(b) Limit	Field Strength of Fundamental	Pass	Complies	
FCC Part 15, Paragraph 15.209 and RSS-210	Radiated Emission Test	Pass	Complies	
FCC Part 15 Subpart C Paragraph 15.249(d) Limit	Band Edge Test	Pass	Complies	

3.2 Test Standards

FCC Part 15 Subpart C, Paragraph 15.249, ANSI C63.4 :2014 and ANSI C63.10 :2013

4.0 EUT Modification

No modification by SHENZHEN TIMEWAY TESTING LABORATORIES


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



5. Power Line Conducted Emission Test

5.1 Schematics of the test




EUT: Equipment Under Test

5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2014. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2014. Test Voltage: 120V~, 60Hz

Block diagram of Test setup



5.3 Configuration of The EUT

The EUT was configured according to ANSI C63.4-2014. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below. 79 channels are provided to the EUT

A.	EUT
	201

Device	Manufacturer	Model	FCC ID
NAUTICA PORTABLE	TECHNOFASHIONING	NTSP03	24 7DO N00019
WIRELESS SPEAKER	TECHNOFASHION INC.	NTSP03	2AZBO-N00018

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



B. Internal Device

Device	Manufacturer	Model	FCC ID/DOC
N/A			

C. Peripherals

Device	Manufacturer	Model	Rating
Power Supply	KEYU	KA23-0502000DEU	Input: 100-240V~, 50/60Hz, 0.35A;
			Output: DC5.0V, 2A

5.4 EUT Operating Condition

Operating condition is according to ANSI C63.4 -2014

A Setup the EUT and simulators as shown on follow

B Enable AF signal and confirm EUT active to normal condition

5.5 Power line conducted Emission Limit according to Paragraph 15.207

1			
	Frequency	Limits (d	lBμV)
	(MHz)	Quasi-peak Level	Average Level
	$0.15~\sim~0.50$	66.0~56.0*	56.0~46.0*
	$0.50~\sim~5.00$	56.0	46.0
	$5.00~\sim~30.00$	60.0	50.0

Notes: 1. *Decreasing linearly with logarithm of frequency.

2. The tighter limit shall apply at the transition frequencies

5.6 Test Results:

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



A: Conducted Emission on Live Terminal (150kHz to 30MHz) **EUT Operating Environment** Humidity: 65%RH Atmospheric Pressure: 101 kPa Temperature: 25°C EUT set Condition: Charging + Communication by BT **Results: Pass** Please refer to following diagram for individual dBu∀ 80.0 70 FCC Part15 CE-Class B_QP 60 FCC Part15 CE-Class B_AVe 50 40 11 30 peak 20 AVG 10 0 -10 -20 0.150 (MHz) 30.000 Reading Frequency Factor Level Limit Margin Detector No. P/F (MHz) (dBuV) (dBuV) (dB) (dB)(dBuV) 0.1578 32.33 9.78 42.11 65.58 -23.47 QP Ρ 1 2 0.1578 14.72 9.78 24.50 -31.08 AVG Ρ 55.58 3 0.2124 28.53 9.75 38.28 63.11 -24.83QP Ρ 4 0.2124 12.93 9.75 22.68 53.11 -30.43 AVG Ρ 5 0.3177 30.32 9.76 40.08 59.77 QP Ρ -19.696 0.3177 13.64 9.76 23.40 49.77 -26.37 AVG Ρ 7 0.6336 33.33 43.11 -12.89 QP Ρ 9.78 56.00 8 0.6336 26.13 9.78 35.91 46.00 -10.09 AVG Ρ 9 8.7759 10.93 10.10 21.03 60.00 -38.97 QP Ρ 10 8.7759 2.91 10.10 13.01 50.00 -36.99 AVG Ρ 11 24.2901 18.77 10.95 29.72 60.00 -30.28 QP Ρ 12 24.2901 7.69 10.95 18.64 50.00 -31.36 AVG Ρ

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



EUT	Operating Envi	ronment						
Tempo	erature: 25°C	Humidity:	65%RH	Atmospheri	c Pressure:	l01 kPa		
	set Condition: C	Charging + C	ommunicat	ion by BT				
	ts: Pass							
Please 0 dBu¥	e refer to followin	ng diagram fo	r individual					
					F	CC Part15 CE	E-Class B_QP	
					FC	C Part 5 CE-	Class B_AVe	
		5 X						
NA NO	1.1MMMHH		MMUN-8					A
 [*] <u>/</u>		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		My marine		n manual	mon	₩ <u>₩</u>
	MARANAMAN		MAR	M A P P	man			2
ΓW^{\prime}	a la		''''	VWWW	man	man	mm	\sim
0.150	1	T T	(M	Hz)	1	1		
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.1812	28.55	9.76	38.31	64.43	-26.12	QP	Ρ
2	0.1812	11.18	9.76	20.94	54.43	-33.49	AVG	Ρ
3	0.2904	29.92	9.76	39.68	60.51	-20.83	QP	Ρ
4	0.2904	13.11	9.76	22.87	50.51	-27.64	AVG	Ρ
5	0.6609	34.15	9.78	43.93	56.00	-12.07	QP	Ρ
6	0.6609	27.29	9.78	37.07	46.00	-8.93	AVG	Ρ
7	1.0002	29.12	9.79	38.91	56.00	-17.09	QP	Р
8	1.0002	16.48	9.79	26.27	46.00	-19.73	AVG	Ρ
9	1.8465	24.07	9.80	33.87	56.00	-22.13	QP	Р
10	1.8465	14.62	9.80	24.42	46.00	-21.58	AVG	Р
11	24.6177	20.63	10.97	31.60	60.00	-28.40	QP	Р
12	24.6177	8.60	10.97	19.57	50.00	-30.43	AVG	Р

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.




6 Radiated Emission Test


- 6.1 Test Method and test Procedure:
- The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are quasi-peak values with a resolution bandwidth of 120 kHz. All readings are above 1 GHz, peak values with a resolution bandwidth of 1 MHz (Note: for Fundamental frequency radiated emission measurement, RBW=3MHz, VBW=10MHz). Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) The antenna polarization: Vertical polarization and Horizontal polarization.

Block diagram of Test setup

For radiated emissions from 9kHz to 30MHz



For radiated emissions from 30MHz to1GHz




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



For radiated emissions above 1GHz



- 6.2 Configuration of The EUT Same as section 5.3 of this report
- 6.3 EUT Operating Condition Same as section 5.4 of this report.
- 6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

A FCC Part 15 Subpart C Paragraph 15.249(a) Limit

Fundamental Frequency	Field Stre	ength of Fundame	ntal (3m)	Field St	trength of Harmo	nics (3m)
(MHz)	mV/m	dBu	V/m	uV/m	dBu	V/m
2400-2483.5	50	94 (Average)	114 (Peak)	500	54 (Average)	74 (Peak)

Note: 1. RF Field Strength $(dBuV) = 20 \log RF$ Voltage (uV)

2.Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.

3. The emission limit in this paragraph is based on measurement instrumentation employing an average detector.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Distance (m) Field strength (dB μ V/m) Frequency Range (MHz) 0.009-0.490 3 20log(2400/F(kHz)) +40log (300/3) 0.490-1.705 3 $20\log(24000/F(kHz)) + 40\log(30/3)$ 3 69.5 1.705-30 30-80 3 40.0 3 88-216 43.5 216-960 3 46.0 Above 960 3 54.0

B. Frequencies in restricted band are complied to limit on Paragraph 15.209.

Note: 1. RF Voltage $(dBuV) = 20 \log RF$ Voltage (uV)

2. In the Above Table, the tighter limit applies at the band edges.

3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT

4. This is a handhold device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), After pre-test. It was found that the worse radiated emission was get at the lying position.

5. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-25G, the final emission level got using PK. For fundamental measurement, PK detector used.

6. For radiated emissions from 9kHz to 30MHz, the emission level is much less than the limit for more than 20dB. No necessary to take down the record.

7. Battery fully charged was used during tests.

8. Three modulation types were tested and the worst case was reported and GFSK was the worst case

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



6.5 Test resultA Fundamental & Harmonics Radiated Emission Data

Please refer to the following test plots for details: Low Channel-2402MHz

Horizontal



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	2402	91.03	-3.57	114.0	-22.97	Peak	210.00	100	Horizontal	Pass
2	4802.799	50.32	3.12	74.0	-23.68	Peak	95.00	100	Horizontal	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

2402


1

79.37

-3.57

114.0





-34.63

352.00

100

Vertical

Pass

Peak


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Please refer to the following test plots for details: Middle Channel-2441MHz

Horizontal




No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2441	88.34	-3.57	114.0	-25.66	Peak	105.00	100	Horizontal	Pass
2	4883.529	48.14	3.20	74.0	-25.86	Peak	69.00	100	Horizontal	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.






No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2441	79.43	-3.57	114.0	-34.57	Peak	359.00	100	Vertical	Pass
2	4862.284	49.61	3.18	74.0	-24.39	Peak	111.00	100	Vertical	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Please refer to the following test plots for details: High Channel-2480MHz **Horizontal**




No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2480	90.68	-3.57	114.0	-23.32	Peak	200.00	100	Horizontal	Pass
2	4960.010	48.40	3.36	74.0	-25.60	Peak	217.00	100	Horizontal	Pass

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.





No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict	
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)			l
1	2480	79.65	-3.57	114.0	-34.35	Peak	265.00	100	Vertical	Pass	

Note: (2) Emission Level = Reading Level + Antenna Factor + Cable Loss-Amplifier

(3)Margin=Emission-Limits

- (4)According to section 15.35(b), the peak limit is 20dB higher than the average limit
- (5) For test purpose, keep EUT continuous transmitting
- (5)For emission above 18GHz and Below 30MHz, It is only the floor noise. No necessary to take down.
- (6) the measured PK value less than the AV limit.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




B. General Radiated Emission Data Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual

FCC_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	46.971	20.25	-11.45	40.0	-19.75	Peak	360.00	100	Horizontal	Pass
2	64.426	18.79	-13.43	40.0	-21.21	Peak	59.00	100	Horizontal	Pass
3	184.191	22.11	-14.98	43.5	-21.39	Peak	25.00	100	Horizontal	Pass
4	245.771	26.04	-12.20	46.0	-19.96	Peak	256.00	100	Horizontal	Pass
5	368.688	30.13	-9.51	46.0	-15.87	Peak	200.00	100	Horizontal	Pass
6	887.993	31.91	-1.99	46.0	-14.09	Peak	198.00	100	Horizontal	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual

FCC_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	35.091	30.05	-14.00	40.0	-9.95	Peak	129.00	100	Vertical	Pass
2	54.486	23.40	-11.66	40.0	-16.60	Peak	86.00	100	Vertical	Pass
3	108.065	20.40	-13.42	43.5	-23.10	Peak	334.00	100	Vertical	Pass
4	221.042	22.11	-13.27	46.0	-23.89	Peak	185.00	100	Vertical	Pass
5	260.802	22.24	-11.84	46.0	-23.76	Peak	2.00	100	Vertical	Pass
6	860.355	31.80	-2.38	46.0	-14.20	Peak	94.00	100	Vertical	Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




7. Band Edge

7.1 Test Method and test Procedure:

- The EUT was tested according to ANSI C63.10–2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) Set Spectrum as RBW=1MHz, VBW=3MHz and Peak detector used for PK value. RBW=1MHz, VBW=10Hz and Peak detector used for AV value.
- (3) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (4) The antenna polarization: Vertical polarization and Horizontal polarization.

7.2 Radiated Test Setup



For the actual test configuration, please refer to the related items - Photos of Testing

7.3 Configuration of The EUT

Same as section 5.3 of this report

7.4 EUT Operating Condition

Same as section 5.4 of this report.

7.5 Band Edge Limit

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in Section 15.209, whichever is the lesser attenuation.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



7.6 Test Result

	Product:	NAUTICA	PORTAB	LE WIRELE	SS SPEAKI	ER	Polarity		Horizo	ontal
	Mode		Keeping	; Transmitting	g	Т	est Volta	ge	DC3.	7V
Te	mperature		24	deg. C,			Humidit	у	56%]	RH
Te	est Result:			Pass						
C Part 1 1.0E+	15C Class B 1GHz-18GHz 2-r	-2								
	10-								M1	
8								/	<u> </u>	
7								/		
6	i0 -									
	io -							/M2		
r .										
(in/angn) 4	10 - 1 date a man to add dense meth	New Welterschauser, an one die seine kante kan	and anotate to date a sub-destee	all transferration and a fate of the	alaan ah balanan ah b	M3	della della del con	a land		II an an
11/Annn 4	,	lin, sidile waaraa waa daalaa ku waa	and and a short and a source of the start of	elka i isadin tutpa ng nani bitang ng ng	adarantara da	M3	table. It is all and	ul lu		dinganais,
11/Annn 4	10 - Lunhana ar in gold de chaadd 10 -	bin alifett part of a literation of the	and and the same free and the shares	olipai-sucedis tristan-section internetionation	alesent on die heid Astrophysika in de	M3		y har		hiluganais,
1/Annon) 4	,	lin, alluli yatimen dan dan (dan (dan bari)	antan tala kanadahin	nige i senig ter general internet	alana kana kana kana kana kana kana kana	M3	l dela sela sela se			lil-ganasi,
3	0-	lin, illisik yötene <u>n nim</u> destellin iseri	entent telestations	niga takanin kata ang kana kata kata kata kata kata kata kata	alesotae, de hâh Assilia, er pha		il.Mid-III.sh.Mil.etu	delade/		hl-gorali,
3	0	lin, allaite yaar mee maan daac (damiaar i	andrait tain faran daibhti	nige in the second s	arkenne son der kälv föld förstor, och d		i Alia III A Alian	uihulki/		
3	10 - 10 -	lån, alli slegati nego skan den den film i sage	and and the loc for an of the second states		naverský kolometrik (Military v do se	Ma unite elimenes and di	i dela se anti-	uihuku/		2410
3 2 1	0	Results	Factor			Detector	Table	Height	ANT	
2 1 0	0				Frequency (MHz)			Height (cm)		2410
2 1 0	0- 0- 2350 Frequency	Results	Factor	Limit	Frequency (MHz)		Table	-		2410
3 2 1 0 No.	0- 0- 2350 Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Frequency (MHz) Over Limit (dB)	Detector	Table (o)	(cm)	ANT	2410 Verdict
4 2 1 0 No.	Frequency (MHz) 2402.082	Results (dBuV/m) 90.84	Factor (dB) -3.57	Limit (dBuV/m) 74.0	Frequency (MHz) Over Limit (dB) 16.84	Detector Peak	Table (o) 208.00	(cm) 100	ANT Horizontal	2410 Verdict N/A

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



	Product:	NAUTICA	PORTABL	LE WIRELES	SS SPEAKE	R De	tector		Vertical	
	Mode		Keeping	Transmitting	5	Test	Voltage		DC3.7V	
Te	mperature		24	deg. C,		Hu	midity		56% RH	
Τe	est Result:			Pass						
C Part 1 1.0E+	15C Class B 1GHz-18GHz	-2				ł				
q	90-									
-									M1	
8	30 -							/	1	
7	70-							/		
6	50 -									
5	50-						1.1.1			
5			etitida en al mandamenta		n han an ta ^{ba} na an ing bagan tinang ba	horse along the Mill		M2		i dalah sila d
4	10- allia ha than a single	n dalam da a da d	a third a still all many blacks	halan ku an	al sin he de la catalana ha			M2		letaletastast
4		ndationton du dedicente, as	a shini da aya da ay	helmenden kunste her her son al der	daan dila siya siyaan ka			M2		lation of the second
4	10- allia ha than a single	al data a for the state of the sector of the	مر نیون اور میران اور میران اور میران اور میران اور میران اور میران و اور میران و اور میران و اور میران و اور م مرابع	han jalen han han an a	et vot "Bellen vote et die gestenen ber	toria de la Maria	ula based and a state of the st	M2		ti parte de la constante de la
4 3 2	10 - <u>atulatis tiesetsteeriki</u> 30 -	alderin der der der der der	n stadio a se la face de la face d	interspectation due texture and see	al un ta kl <mark>an valan</mark> tet attane ka			M2		latelation of
4 3 2 1	10	nd darin ito on dra shedaranin, na	مېرىمىلۇ تىرىم لەلەيدىر بالىرىمىلۇرىيى مەرىپىرىكى بىرىمىلىرىكى بىرىمىلىرىكى بىرىكى بىرىكى بىرىكى بىرىكى بىرىكى	holonistan (ha da kon a la	al sal, kil <mark>an yulaqhi, adharri ka</mark>	tray to define	alajaadi, Kasalawa	M2		li fichotorio
4 3 2 1	40 - <mark>19 - 19 - 19 - 19 - 19 - 19 - 19 - 1</mark>	nd de don don de	an a		requency (MHz)		alapan), Kurdundi	M2		1990-000 (WPT * 626
4 3 2 1	10 - 2011 July 1	Results	Factor			Detector	Table	Height	ANT	241
4 3 2 1	10				requency (MHz)			Height (cm)		2410 Verdie
4 3 2 1	10	Results	Factor	Limit	Frequency (MHz)		Table	-		241
4 3 2 1 0. No.	40	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Trequency (MHz) Over Limit (dB)	Detector	Table (o)	(cm)	ANT	241 Verdi
4 3 2 1 0. No.	40 - 2010	Results (dBuV/m) 79.35	Factor (dB) -3.57	Limit (dBuV/m) 74.0	Over Limit (dB) 5.35	Detector Peak	Table (o) 355.00	(cm) 100	ANT	241 Verdi

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.



Product:		NAUTIC	ABLE WIR	Pola	rity	Horizontal				
Mode			ping Transn	Test Vo	oltage	DC3.7V				
Temperature Test Result:			24 deg. C	Humi	dity	56% RH				
			Pass							
C Part 15 1.0E+2	5C Class B 1GHz-18GHz	-2							4	
90				M1						
80			A							
70)-									
60				4N	<u>\</u>					
			l.		YN					
50			×		1					
50)-	J	1		M2					
50 - 40		underson and a start of the second start of the	/		M	Linning of the states of the	gerðangar Systering var stransfigar sínda og svi þjó	negan der flern von for an	adhealation.comatal.ht.Macauste	a.liihpelagaselesiingergadi
) — Heinelingte gesen des seite die gebeure des sons der bei	when we also and the second	<i>y</i> r		M	Lipaaningiteerteytykijääkääanegisu	goldafesters division databilit	ebyen Librifice succeds an	edipedent on a state his the assis	a, b. p. Haydara belt saynad
40)- 	n se	<i>y</i> ı		M		golda Salata na Anglan Salata Salata	representative second and	asimeter men skiller hørersen	a, l. e the physical and the physical states of the physical states
40 30			/		M		an a	nogen diseiten wenden	almine me analise de server	a, L. f. Handhall and belling on a
40 30 20		n ng kanang kana ka	/		M		goldaf Sylaty on Brylloniki ang bila	ner fan de ferenne ste en	adiyadarasaliki karazer	a, l. e Harting de Huger, é
40 30 20 10 0.0		and a set of the set o			2483.5		an a	agaa daaqaa aadaa	estration on a standard de service	
40 30 20 10 0.0 2					2483.5 Frequency (MH	z)				250
40 30 20 10 0.0		Results	Factor	Limit	2483.5 Frequency (MH Over Limit		Table (o)	Height	ANT	250 Verdict
40 30 20 10 0.0 2			Factor (dB)	Limit (dBuV/m)	2483.5 Frequency (MH	z)				250
40 30 20 10 0.0 2		Results			2483.5 Frequency (MH Over Limit	z)		Height		250
40 30 20 10 0.0 2 NO.	Frequency (MHz)	Results (dBuV/m)	(dB)	(dBuV/m)	2483.5 Frequency (MH Over Limit (dB)	^{z)} Detector	Table (o)	Height (cm)	ANT	250 Verdict

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.



-	Product:	NAUTICA	A PORTAI	BLE WIREL	ER	Detecto	r	Vertical		
	Mode		Keepir	-	Fest Volta	ıge	DC3.7V			
Te	mperature		2		Humidit	y	56% RH			
Τe	est Result:		24 deg. C, Pass							
CC Part 1 1.0E+	15C Class B 1GHz-18GHz	-2								
1.0E+	-2-									
g	90 -									
8	30 -		M1							
-	70-		-							
	-									
6	50 -		1							
	50 -	/	/	M2						
	50-		/	M2	ha minta routh talaha dha	d. 1. 181 11 11m	ar. Mu M	o, du, ta, e,		had
		enden under weiter auf	/	M2	hangaithe crue i h feile stalie e	Ash, eddadam, offitig	ator by all lines and strong se, he	of a line has a straight of high	silisaidhliteachtrailliteach	
(m//m)	50-	entrantinententranten	/	M2	homosofika a san kabaka sala a	And side the second state	and the second	stalige-bacementh of back	sili oshlikada sulla osh	and the second
(muv)m) ever (apriv) 3	50 - 10 - <mark>11 11 11 11 11 11 11 1</mark>	erebalentersechendenter ander	/	M2	housesta constituted with a	dady edda blann a blitte	andriktion and the second	staligi kana kala ka	addir of block and a sufficient	
(uu/)un iennei 3	50 - 10 - <mark>A. Jul</mark> <i>II. J. Ann. Juli, Al. Jul II.</i> 50 - 20 -	endersonligen handerson ander	/	M2	hongitheesen kalakaadie	holoidhailean abhili	and the second second	otalige hours and Lieb	ati vetikula di vet	and the second
level (dBuV/m) 3 2	10	enderenderenderen ander	/	M2	hongolde ereit hielde ide	dah elderkarın olluk	andri ku undara ya	stalige have an a stal from	and a state of the second	n heith.
(m / ngp) 4 3 2 1	50 - 10 - <mark>A. Jul</mark> <i>II. J. Ann. Juli, Al. Jul II.</i> 50 - 20 -	endersonligen handerson ander	/	2453.5		hel,eidistainestätt	undrillenendmont	ostallyge hyseraethauthauthauthauthaut	atteret kenteret in de	2500
(m//m) 4 3 2 1 1	i0			2483.5 Fre	zquency (MHz)				T	2500
(W/\nngp) 4 3 2 1	0 10 10 10 10 10 10 10 10 10 1	Results	Factor	2483.5 Fre Limit	equency (MHz)	Detector	Table	Height	ANT	2500
(w//ngo) 4 3 2 1 0	i0		Factor (dB)	2483.5 Fre	zquency (MHz)				T	2500
(w//ngo) 4 3 2 1 0	0 10 10 10 10 10 10 10 10 10 1	Results		2483.5 Fre Limit	equency (MHz)		Table	Height	T	

Note: 1. The PK emission level less than the AV limit. No necessary to record the AV emission level.

2. Three modulation Types were tested and only the worst case was recorded in the test report and GFSK modulation was the worst case.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



8.0 Antenna Requirement

Applicable Standard


An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

This product has a PCB antenna. The antenna gain is 1.3dBi Max. It fulfills the requirement of this section. Test Result: Pass

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Product:	NAUTICA P		Test Mode:	Keep transmitting DC3.7V					
Mode	Keepi	,	Test Voltage						
Temperature		24 deg. C,			Humidity	56% RH			
Test Result:		Pass			Detector	РК			
20dB Bandwidth		1.202MHz							
Ref Lvl 10 dBm	ndB	1 [T1 ndE 20.00 1.20240483) dB	RBW VBW SWI	1 100 ki	Hz	F Att nit	20 dB dBm	L
			1		▼1 ndB	[T1]	-6 2.40202 20	.00 dB	A
-10		~~~~	\mathcal{M}	\mathcal{V}		[T1] [T1]		.41 dBm 174 GHz .50 dBm	
-30		V			Ť2 V		2.40257	415 GHz	1MA
-40									
-50	~~~~					\mathcal{M}	my	<u> </u>	
-60									
-70									
-80									
-90 Center 2.4 Date: 27.	402 GHz JUN.2022 14		300 kHz	/			Spa	n 3 MHz	ļ

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




8DPSK				99							
Product:	NAUTICA PORTABLE WIRELESS SPEAKER					est Mode:		Keep transmitting			
Mode	Keep	oing Transm	itting		Test Voltage Humidity		;	DC3.7V 56% RH			
Temperature		24 deg. C,									
Test Result:	Pass				Detector			РК			
20dB Bandwidth		1.208MHz									
Ref Lvl 10 dBm	ndB	1 [T1 r. 20. 1.208416	00 dB		3W 3W WT	30 k 100 k 8.5 m	Hz	F Att nit	20 dB	n	
10								-		71	
						▼1	[T1]	-6 2.40202	.54 dBm 104 GHz	A	
0			^	1		ndE BW	8	20 1.20841			
-10		0		٢٠			[T1]	-26	579 GHz		
-20			V		V		2 [T1]	-27	.10 dBm		
1MAX		T/ Y					'2 7	2.40200	4ZI GHZ	1M2	
- 30											
-50	M						\square	M.			
	~ ~							V			
-60											
-70											
- 80											
-90											
Center 2.	402 GHz		300	kHz/				Spa	n 3 MHz		
Date: 27.	JUN.2022 1	4:12:41									

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




10.0 FCC ID Label

FCC ID: 2AZBO-N00018

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



11.0 Photo of testing

11.1 Conducted test View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.



Radiated emission test view



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




11.2 Photographs – EUT

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Outside View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Inside View



The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Inside View



--End of the report--

The report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.