





Tx. Spurious NVNT n40 2422MHz Ant0 Ref




Tx. Spurious NVNT n40 2422MHz Ant0 Emission






Tx. Spurious NVNT n40 2437MHz Ant0 Ref




Tx. Spurious NVNT n40 2437MHz Ant0 Emission






Tx. Spurious NVNT n40 2452MHz Ant0 Ref



Tx. Spurious NVNT n40 2452MHz Ant0 Emission





Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-49.78	-20	Pass
NVNT	b	2437	Ant1	-49.26	-20	Pass
NVNT	b	2462	Ant1	-50.07	-20	Pass
NVNT	g	2412	Ant1	-44.82	-20	Pass
NVNT	g	2437	Ant1	-43.39	-20	Pass
NVNT	g	2462	Ant1	-43.51	-20	Pass
NVNT	n20	2412	Ant1	-42.54	-20	Pass
NVNT	n20	2437	Ant1	-43.91	-20	Pass
NVNT	n20	2462	Ant1	-42.44	-20	Pass
NVNT	n40	2422	Ant1	-40.34	-20	Pass
NVNT	n40	2437	Ant1	-42.52	-20	Pass
NVNT	n40	2452	Ant1	-40.31	-20	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 Ref



Tx. Spurious NVNT b 2412MHz Ant1 Emission






Tx. Spurious NVNT b 2437MHz Ant1 Ref



Tx. Spurious NVNT b 2437MHz Ant1 Emission






Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission






Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission








Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission






Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission






Tx. Spurious NVNT n20 2412MHz Ant1 Ref




Tx. Spurious NVNT n20 2412MHz Ant1 Emission






Tx. Spurious NVNT n20 2437MHz Ant1 Ref




Tx. Spurious NVNT n20 2437MHz Ant1 Emission






Tx. Spurious NVNT n20 2462MHz Ant1 Ref




Tx. Spurious NVNT n20 2462MHz Ant1 Emission






Tx. Spurious NVNT n40 2422MHz Ant1 Ref




Tx. Spurious NVNT n40 2422MHz Ant1 Emission






Tx. Spurious NVNT n40 2437MHz Ant1 Ref




Tx. Spurious NVNT n40 2437MHz Ant1 Emission






Tx. Spurious NVNT n40 2452MHz Ant1 Ref



Tx. Spurious NVNT n40 2452MHz Ant1 Emission







### C.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant0	98.26	0	0.12
NVNT	b	2437	Ant0	98.26	0	0.12
NVNT	b	2462	Ant0	98.28	0	0.12
NVNT	g	2412	Ant0	90.13	0.45	0.72
NVNT	g	2437	Ant0	90.13	0.45	0.72
NVNT	g	2462	Ant0	88.97	0.51	0.72
NVNT	n20	2412	Ant0	88.5	0.53	0.85
NVNT	n20	2437	Ant0	88.5	0.53	0.85
NVNT	n20	2462	Ant0	89.19	0.5	0.85
NVNT	n40	2422	Ant0	80.22	0.96	1.71
NVNT	n40	2437	Ant0	80.44	0.95	1.71
NVNT	n40	2452	Ant0	80.33	0.95	1.71




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity






Test Graphs



Duty Cycle NVNT b 2412MHz Ant0







Duty Cycle NVNT b 2437MHz Ant0















Duty Cycle NVNT n40 2437MHz Ant0



Duty Cycle NVNT n40 2452MHz Ant0





Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	98.17	0	0.12
NVNT	b	2437	Ant1	98.26	0	0.12
NVNT	b	2462	Ant1	98.19	0	0.12
NVNT	g	2412	Ant1	90.01	0.46	0.72
NVNT	g	2437	Ant1	90.13	0.45	0.72
NVNT	g	2462	Ant1	90.6	0.43	0.72
NVNT	n20	2412	Ant1	88.5	0.53	0.85
NVNT	n20	2437	Ant1	88.52	0.53	0.85
NVNT	n20	2462	Ant1	88.37	0.54	0.85
NVNT	n40	2422	Ant1	79.35	1	1.71
NVNT	n40	2437	Ant1	80.22	0.96	1.71
NVNT	n40	2452	Ant1	78.39	1.06	1.71




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity








Test Graphs



Duty Cycle NVNT b 2412MHz Ant1



Duty Cycle NVNT b 2437MHz Ant1











Duty Cycle NVNT n20 2412MHz Ant1




Duty Cycle NVNT n20 2437MHz Ant1






Duty Cycle NVNT n20 2462MHz Ant1




Duty Cycle NVNT n40 2422MHz Ant1






Duty Cycle NVNT n40 2437MHz Ant1



Duty Cycle NVNT n40 2452MHz Ant1





### C.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant0	2310	-48.97	2	48.29	Peak	74	Pass
NVNT	b	2412	Ant0	2310	-56.94	2	40.32	Average	54	Pass
NVNT	b	2412	Ant0	2389.794	-43.16	2	54.1	Peak	74	Pass
NVNT	b	2412	Ant0	2389.911	-49.6	2	47.66	Average	54	Pass
NVNT	b	2412	Ant0	2390	-43.9	2	53.36	Peak	74	Pass
NVNT	b	2412	Ant0	2390	-49.26	2	48	Average	54	Pass
NVNT	b	2462	Ant0	2483.5	-42.16	2	55.1	Peak	74	Pass
NVNT	b	2462	Ant0	2483.5	-49.23	2	48.03	Average	54	Pass
NVNT	b	2462	Ant0	2483.517	-42.16	2	55.1	Peak	74	Pass
NVNT	b	2462	Ant0	2483.517	-49.23	2	48.03	Average	54	Pass
NVNT	b	2462	Ant0	2500	-49.19	2	48.07	Peak	74	Pass
NVNT	b	2462	Ant0	2500	-56.26	2	41	Average	54	Pass
NVNT	g	2412	Ant0	2310	-49.64	2	47.62	Peak	74	Pass
NVNT	g	2412	Ant0	2310	-56.48	2	40.78	Average	54	Pass
NVNT	g	2412	Ant0	2388.741	-35.78	2	61.48	Peak	74	Pass
NVNT	g	2412	Ant0	2389.794	-50.69	2	46.57	Average	54	Pass
NVNT	g	2412	Ant0	2390	-38.66	2	58.6	Peak	74	Pass
NVNT	g	2412	Ant0	2390	-50.74	2	46.52	Average	54	Pass
NVNT	g	2462	Ant0	2483.5	-38.49	2	58.77	Peak	74	Pass
NVNT	g	2462	Ant0	2483.5	-48.56	2	48.7	Average	54	Pass
NVNT	g	2462	Ant0	2484.1	-33.46	2	63.8	Peak	74	Pass
NVNT	g	2462	Ant0	2483.57	-48.5	2	48.76	Average	54	Pass
NVNT	g	2462	Ant0	2500	-48.57	2	48.69	Peak	74	Pass
NVNT	g	2462	Ant0	2500	-55.84	2	41.42	Average	54	Pass
NVNT	n20	2412	Ant0	2310	-48.42	2	48.84	Peak	74	Pass
NVNT	n20	2412	Ant0	2310	-56.55	2	40.71	Average	54	Pass
NVNT	n20	2412	Ant0	2388.507	-37.59	2	59.67	Peak	74	Pass
NVNT	n20	2412	Ant0	2389.911	-50.49	2	46.77	Average	54	Pass
NVNT	n20	2412	Ant0	2390	-39.79	2	57.47	Peak	74	Pass
NVNT	n20	2412	Ant0	2390	-50.34	2	46.92	Average	54	Pass
NVNT	n20	2462	Ant0	2483.5	-35.45	2	61.81	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.5	-49.02	2	48.24	Average	54	Pass
NVNT	n20	2462	Ant0	2484.471	-32.4	2	64.86	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.57	-48.55	2	48.71	Average	54	Pass
NVNT	n20	2462	Ant0	2500	-48.73	2	48.53	Peak	74	Pass
NVNT	n20	2462	Ant0	2500	-55.79	2	41.47	Average	54	Pass
NVNT	n40	2422	Ant0	2310	-47.89	2	49.37	Peak	74	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



NVNT	n40	2422	Ant0	2310	-56.47	2	40.79	Average	54	Pass
NVNT	n40	2422	Ant0	2389.662	-34.79	2	62.47	Peak	74	Pass
NVNT	n40	2422	Ant0	2389.804	-46.45	2	50.81	Average	54	Pass
NVNT	n40	2422	Ant0	2390	-35.8	2	61.46	Peak	74	Pass
NVNT	n40	2422	Ant0	2390	-46.52	2	50.74	Average	54	Pass
NVNT	n40	2452	Ant0	2483.5	-30.83	2	66.43	Peak	74	Pass
NVNT	n40	2452	Ant0	2483.5	-44.9	2	52.36	Average	54	Pass
NVNT	n40	2452	Ant0	2483.932	-31.76	2	65.5	Peak	74	Pass
NVNT	n40	2452	Ant0	2483.542	-45.06	2	52.2	Average	54	Pass
NVNT	n40	2452	Ant0	2500	-48.16	2	49.1	Peak	74	Pass
NVNT	n40	2452	Ant0	2500	-55.66	2	41.6	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity






Test Graphs

Restrict Band NVNT b 2412MHz Ant0 Peak




Restrict Band NVNT b 2412MHz Ant0 Average






Restrict Band NVNT b 2462MHz Ant0 Peak




Restrict Band NVNT b 2462MHz Ant0 Average






Restrict Band NVNT g 2412MHz Ant0 Peak




Restrict Band NVNT g 2412MHz Ant0 Average






Restrict Band NVNT g 2462MHz Ant0 Peak




Restrict Band NVNT g 2462MHz Ant0 Average






Restrict Band NVNT n20 2412MHz Ant0 Peak




Restrict Band NVNT n20 2412MHz Ant0 Average






Restrict Band NVNT n20 2462MHz Ant0 Peak




Restrict Band NVNT n20 2462MHz Ant0 Average






Restrict Band NVNT n40 2422MHz Ant0 Peak




Restrict Band NVNT n40 2422MHz Ant0 Average






Restrict Band NVNT n40 2452MHz Ant0 Peak



Restrict Band NVNT n40 2452MHz Ant0 Average







Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-49.83	2	47.43	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-56.97	2	40.29	Average	54	Pass
NVNT	b	2412	Ant1	2389.56	-43.82	2	53.44	Peak	74	Pass
NVNT	b	2412	Ant1	2389.443	-50.05	2	47.21	Average	54	Pass
NVNT	b	2412	Ant1	2390	-44.07	2	53.19	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-50.85	2	46.41	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-45.84	2	51.42	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-51.33	2	45.93	Average	54	Pass
NVNT	b	2462	Ant1	2484.153	-43.37	2	53.89	Peak	74	Pass
NVNT	b	2462	Ant1	2483.517	-51.33	2	45.93	Average	54	Pass
NVNT	b	2462	Ant1	2500	-49.9	2	47.36	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-56.23	2	41.03	Average	54	Pass
NVNT	g	2412	Ant1	2310	-48.36	2	48.9	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-56.54	2	40.72	Average	54	Pass
NVNT	g	2412	Ant1	2388.975	-38.7	2	58.56	Peak	74	Pass
NVNT	g	2412	Ant1	2389.794	-50.36	2	46.9	Average	54	Pass
NVNT	g	2412	Ant1	2390	-42.53	2	54.73	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-50.47	2	46.79	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-34.8	2	62.46	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-48.77	2	48.49	Average	54	Pass
NVNT	g	2462	Ant1	2483.517	-34.8	2	62.46	Peak	74	Pass
NVNT	g	2462	Ant1	2483.517	-48.77	2	48.49	Average	54	Pass
NVNT	g	2462	Ant1	2500	-47.52	2	49.74	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-55.88	2	41.38	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-48.43	2	48.83	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-56.4	2	40.86	Average	54	Pass
NVNT	n20	2412	Ant1	2389.677	-35.84	2	61.42	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.794	-50.2	2	47.06	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-36.8	2	60.46	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-49.85	2	47.41	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-36.7	2	60.56	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-48.12	2	49.14	Average	54	Pass
NVNT	n20	2462	Ant1	2483.676	-26.51	2	70.75	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.623	-47.53	2	49.73	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-48.26	2	49	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-55.93	2	41.33	Average	54	Pass
NVNT	n40	2422	Ant1	2310	-48.61	2	48.65	Peak	74	Pass
NVNT	n40	2422	Ant1	2310	-56.38	2	40.88	Average	54	Pass





NVNT	n40	2422	Ant1	2389.662	-35.24	2	62.02	Peak	74	Pass
NVNT	n40	2422	Ant1	2389.378	-46.74	2	50.52	Average	54	Pass
NVNT	n40	2422	Ant1	2390	-38.72	2	58.54	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-46.88	2	50.38	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-34.06	2	63.2	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-45.1	2	52.16	Average	54	Pass
NVNT	n40	2452	Ant1	2484.478	-29.29	2	67.97	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.542	-45.19	2	52.07	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-47.06	2	50.2	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-55.63	2	41.63	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak




Restrict Band NVNT b 2412MHz Ant1 Average






Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average






Restrict Band NVNT g 2412MHz Ant1 Peak




Restrict Band NVNT g 2412MHz Ant1 Average






Restrict Band NVNT g 2462MHz Ant1 Peak




Restrict Band NVNT g 2462MHz Ant1 Average






Restrict Band NVNT n20 2412MHz Ant1 Peak




Restrict Band NVNT n20 2412MHz Ant1 Average






Restrict Band NVNT n20 2462MHz Ant1 Peak




Restrict Band NVNT n20 2462MHz Ant1 Average








Restrict Band NVNT n40 2422MHz Ant1 Peak




Restrict Band NVNT n40 2422MHz Ant1 Average






Restrict Band NVNT n40 2452MHz Ant1 Peak



Restrict Band NVNT n40 2452MHz Ant1 Average





MIMO

Condition	Mode	Frequency (MHz)	ANT0 Power (dBm)	ANT1 Power (dBm)	Gain (dBi)	Total E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	2412	-48.42	-48.43	5.01	54.85	Peak	74	Pass
NVNT	n20	2412	-56.55	-56.4	5.01	46.80	Average	54	Pass
NVNT	n20	2412	-37.59	-35.84	5.01	66.65	Peak	74	Pass
NVNT	n20	2412	-50.49	-50.2	5.01	52.94	Average	54	Pass
NVNT	n20	2412	-39.79	-36.8	5.01	65.24	Peak	74	Pass
NVNT	n20	2412	-50.34	-49.85	5.01	53.19	Average	54	Pass
NVNT	n20	2462	-35.45	-36.7	5.01	67.25	Peak	74	Pass
NVNT	n20	2462	-55.64	-54.43	5.01	48.28	Average	54	Pass
NVNT	n20	2462	-32.4	-26.51	5.01	74.75	Peak	74	Pass
NVNT	n20	2462	-52.16	-53.34	5.01	50.57	Average	54	Pass
NVNT	n20	2462	-48.73	-48.26	5.01	54.79	Peak	74	Pass
NVNT	n20	2462	-55.79	-55.93	5.01	47.42	Average	54	Pass
NVNT	n40	2422	-47.89	-48.61	5.01	55.04	Peak	74	Pass
NVNT	n40	2422	-56.47	-56.38	5.01	46.85	Average	54	Pass
NVNT	n40	2422	-34.79	-35.24	5.01	68.27	Peak	74	Pass
NVNT	n40	2422	-52.81	-54.28	5.01	49.79	Average	54	Pass
NVNT	n40	2422	-35.8	-38.72	5.01	66.26	Peak	74	Pass
NVNT	n40	2422	-52.46	-54.18	5.01	50.04	Average	54	Pass
NVNT	n40	2452	-30.83	-34.06	5.01	71.13	Peak	74	Pass
NVNT	n40	2452	-54.82	-52.38	5.01	49.85	Average	54	Pass
NVNT	n40	2452	-31.76	-29.29	5.01	72.93	Peak	74	Pass
NVNT	n40	2452	-55.53	-54.82	5.01	48.12	Average	54	Pass
NVNT	n40	2452	-48.16	-47.06	5.01	55.70	Peak	74	Pass
NVNT	n40	2452	-55.66	-55.63	5.01	47.63	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity