



Mode	1																																																																																																							
	Band Edge																																																																																																							
	2400-2483.5_Bluetooth_CH00_2402MHz																																																																																																							
ANT	5																																																																																																							
Pol.	Horizontal	Fundamental																																																																																																						
Peak	<p>Date: 2023-03-22</p> <p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 1 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.94</td> <td>50.68</td> <td>74.00</td> <td>-23.32</td> <td>42.74</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>100</td> <td>306</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2388.94</td> <td>25.89</td> <td>54.00</td> <td>-28.11</td> <td>17.95</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>100</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2388.94	50.68	74.00	-23.32	42.74	32.26	7.76	32.08	100	306	PEAK	2	2388.94	25.89	54.00	-28.11	17.95	32.26	7.76	32.08	100	306	AVERAGE	<p>Date: 2023-03-22</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 1 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>110.79</td> <td>-----</td> <td>-----</td> <td>102.80</td> <td>32.28</td> <td>7.79</td> <td>32.08</td> <td>100</td> <td>306</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>86.00</td> <td>-----</td> <td>-----</td> <td>78.01</td> <td>32.28</td> <td>7.79</td> <td>32.08</td> <td>100</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2402.00	110.79	-----	-----	102.80	32.28	7.79	32.08	100	306	PEAK	2	2402.00	86.00	-----	-----	78.01	32.28	7.79	32.08	100	306	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																
1	2388.94	50.68	74.00	-23.32	42.74	32.26	7.76	32.08	100	306	PEAK																																																																																													
2	2388.94	25.89	54.00	-28.11	17.95	32.26	7.76	32.08	100	306	AVERAGE																																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																
1	2402.00	110.79	-----	-----	102.80	32.28	7.79	32.08	100	306	PEAK																																																																																													
2	2402.00	86.00	-----	-----	78.01	32.28	7.79	32.08	100	306	AVERAGE																																																																																													



Mode	1																																																																																																							
	Band Edge																																																																																																							
	2400-2483.5_Bluetooth_CH00_2402MHz																																																																																																							
ANT	5																																																																																																							
Pol.	Vertical	Fundamental																																																																																																						
Peak	<p style="text-align: right;">Date: 2023-03-22</p> <p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 VERTICAL Mode : 1 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.67</td> <td>51.02</td> <td>74.00</td> <td>-22.98</td> <td>43.08</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>400</td> <td>340</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2389.67</td> <td>26.23</td> <td>54.00</td> <td>-27.77</td> <td>18.29</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>400</td> <td>340</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2389.67	51.02	74.00	-22.98	43.08	32.26	7.76	32.08	400	340	PEAK	2	2389.67	26.23	54.00	-27.77	18.29	32.26	7.76	32.08	400	340	AVERAGE	<p style="text-align: right;">Date: 2023-03-22</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 1 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>109.02</td> <td>-----</td> <td>-----</td> <td>101.03</td> <td>32.28</td> <td>7.79</td> <td>32.08</td> <td>400</td> <td>340</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>84.23</td> <td>-----</td> <td>-----</td> <td>76.24</td> <td>32.28</td> <td>7.79</td> <td>32.08</td> <td>400</td> <td>340</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2402.00	109.02	-----	-----	101.03	32.28	7.79	32.08	400	340	PEAK	2	2402.00	84.23	-----	-----	76.24	32.28	7.79	32.08	400	340	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																
1	2389.67	51.02	74.00	-22.98	43.08	32.26	7.76	32.08	400	340	PEAK																																																																																													
2	2389.67	26.23	54.00	-27.77	18.29	32.26	7.76	32.08	400	340	AVERAGE																																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																
1	2402.00	109.02	-----	-----	101.03	32.28	7.79	32.08	400	340	PEAK																																																																																													
2	2402.00	84.23	-----	-----	76.24	32.28	7.79	32.08	400	340	AVERAGE																																																																																													



Mode	1																																																																											
	Harmonic																																																																											
	2400-2483.5_Bluetooth_CH00_2402MHz																																																																											
ANT	5																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 1 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1DHS</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>46.24</td> <td>74.00</td> <td>-27.76</td> <td>51.93</td> <td>34.82</td> <td>11.07</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	Tpos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4804.00	46.24	74.00	-27.76	51.93	34.82	11.07	51.58	---	---	Peak	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 1 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1DHS</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>46.83</td> <td>74.00</td> <td>-27.17</td> <td>52.52</td> <td>34.82</td> <td>11.07</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	Tpos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4804.00	46.83	74.00	-27.17	52.52	34.82	11.07	51.58	---	---	Peak
	Limit	Read	Ant	Cable Preamp	Apos	Tpos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	4804.00	46.24	74.00	-27.76	51.93	34.82	11.07	51.58	---	---	Peak																																																																	
Limit	Read	Ant	Cable Preamp	Apos	Tpos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	4804.00	46.83	74.00	-27.17	52.52	34.82	11.07	51.58	---	---	Peak																																																																	



Mode	2																																																																																	
	Harmonic																																																																																	
	2400-2483.5_Bluetooth_CH39_2441MHz																																																																																	
ANT	5																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 2 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 10H5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4882.00 45.37 74.00 -28.63</td> <td>51.00 34.85 11.10 51.58</td> <td>---</td> <td>---</td> <td>Peak</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 7323.00 47.80 74.00 -26.20</td> <td>49.55 36.33 13.09 51.17</td> <td>---</td> <td>---</td> <td>Peak</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg		1 4882.00 45.37 74.00 -28.63	51.00 34.85 11.10 51.58	---	---	Peak				2 7323.00 47.80 74.00 -26.20	49.55 36.33 13.09 51.17	---	---	Peak				<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 2 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 10H5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4882.00 45.04 74.00 -28.96</td> <td>50.67 34.85 11.10 51.58</td> <td>---</td> <td>---</td> <td>Peak</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 7323.00 47.30 74.00 -26.70</td> <td>49.05 36.33 13.09 51.17</td> <td>---</td> <td>---</td> <td>Peak</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg		1 4882.00 45.04 74.00 -28.96	50.67 34.85 11.10 51.58	---	---	Peak				2 7323.00 47.30 74.00 -26.70	49.05 36.33 13.09 51.17	---	---	Peak			
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor																																																																															
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg																																																																												
1 4882.00 45.37 74.00 -28.63	51.00 34.85 11.10 51.58	---	---	Peak																																																																														
2 7323.00 47.80 74.00 -26.20	49.55 36.33 13.09 51.17	---	---	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor																																																																															
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg																																																																												
1 4882.00 45.04 74.00 -28.96	50.67 34.85 11.10 51.58	---	---	Peak																																																																														
2 7323.00 47.30 74.00 -26.70	49.05 36.33 13.09 51.17	---	---	Peak																																																																														



Mode	3																																																																																																							
	Band Edge																																																																																																							
	2400-2483.5_Bluetooth_CH78_2480MHz																																																																																																							
ANT	5																																																																																																							
Pol.	Horizontal	Fundamental																																																																																																						
Peak	<p style="text-align: right;">Date: 2023-03-22</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 3 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.60</td> <td>60.35</td> <td>74.00</td> <td>-13.65</td> <td>52.11</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>100</td> <td>327</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2483.60</td> <td>35.56</td> <td>54.00</td> <td>-18.44</td> <td>27.32</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>100</td> <td>327</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.60	60.35	74.00	-13.65	52.11	32.46	7.88	32.10	100	327	PEAK	2	2483.60	35.56	54.00	-18.44	27.32	32.46	7.88	32.10	100	327	AVERAGE	<p style="text-align: right;">Date: 2023-03-22</p> <p style="text-align: right;">PEAK_74</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 3 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>110.96</td> <td>77.94</td> <td>-32.98</td> <td>102.73</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>100</td> <td>327</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>86.17</td> <td>77.94</td> <td>-8.23</td> <td>77.94</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>100</td> <td>327</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	110.96	77.94	-32.98	102.73	32.46	7.87	32.10	100	327	PEAK	2	2480.00	86.17	77.94	-8.23	77.94	32.46	7.87	32.10	100	327	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	2483.60	60.35	74.00	-13.65	52.11	32.46	7.88	32.10	100	327	PEAK																																																																																													
2	2483.60	35.56	54.00	-18.44	27.32	32.46	7.88	32.10	100	327	AVERAGE																																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	2480.00	110.96	77.94	-32.98	102.73	32.46	7.87	32.10	100	327	PEAK																																																																																													
2	2480.00	86.17	77.94	-8.23	77.94	32.46	7.87	32.10	100	327	AVERAGE																																																																																													



Mode	3																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth_CH78_2480MHz																																																																																																			
ANT	5																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak	<p style="text-align: right;">Date: 2023-03-22</p> <p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 VERTICAL Mode : 3 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.60</td> <td>59.74</td> <td>74.00</td> <td>-14.26</td> <td>51.50</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>332</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>2483.60</td> <td>34.95</td> <td>54.00</td> <td>-19.05</td> <td>26.71</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>332</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.60	59.74	74.00	-14.26	51.50	32.46	7.88	32.10	332	0 PEAK	2	2483.60	34.95	54.00	-19.05	26.71	32.46	7.88	32.10	332	0 AVERAGE	<p style="text-align: right;">Date: 2023-03-22</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 3 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>110.31</td> <td>-----</td> <td>-----</td> <td>102.08</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>332</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>85.52</td> <td>-----</td> <td>-----</td> <td>77.29</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>332</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	110.31	-----	-----	102.08	32.46	7.87	32.10	332	0 PEAK	2	2480.00	85.52	-----	-----	77.29	32.46	7.87	32.10	332	0 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2483.60	59.74	74.00	-14.26	51.50	32.46	7.88	32.10	332	0 PEAK																																																																																										
2	2483.60	34.95	54.00	-19.05	26.71	32.46	7.88	32.10	332	0 AVERAGE																																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2480.00	110.31	-----	-----	102.08	32.46	7.87	32.10	332	0 PEAK																																																																																										
2	2480.00	85.52	-----	-----	77.29	32.46	7.87	32.10	332	0 AVERAGE																																																																																										



Mode	3																																																																					
	Harmonic																																																																					
	2400-2483.5_Bluetooth_CH78_2480MHz																																																																					
ANT	5																																																																					
Pol.	Horizontal	Vertical																																																																				
Peak Avg	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 3 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1DH5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>4960.00</td> <td>46.59</td> <td>74.00</td> <td>-27.41</td> <td>52.15</td> <td>34.88</td> <td>11.14</td> <td>51.58</td> <td>--- Peak</td> </tr> <tr> <td>7440.00</td> <td>47.38</td> <td>74.00</td> <td>-26.62</td> <td>49.22</td> <td>36.38</td> <td>12.97</td> <td>51.19</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	4960.00	46.59	74.00	-27.41	52.15	34.88	11.14	51.58	--- Peak	7440.00	47.38	74.00	-26.62	49.22	36.38	12.97	51.19	--- Peak	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 3 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1DH5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>4960.00</td> <td>45.30</td> <td>74.00</td> <td>-28.70</td> <td>50.86</td> <td>34.88</td> <td>11.14</td> <td>51.58</td> <td>--- Peak</td> </tr> <tr> <td>7440.00</td> <td>47.00</td> <td>74.00</td> <td>-27.00</td> <td>48.84</td> <td>36.38</td> <td>12.97</td> <td>51.19</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	4960.00	45.30	74.00	-28.70	50.86	34.88	11.14	51.58	--- Peak	7440.00	47.00	74.00	-27.00	48.84	36.38	12.97	51.19	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
4960.00	46.59	74.00	-27.41	52.15	34.88	11.14	51.58	--- Peak																																																														
7440.00	47.38	74.00	-26.62	49.22	36.38	12.97	51.19	--- Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
4960.00	45.30	74.00	-28.70	50.86	34.88	11.14	51.58	--- Peak																																																														
7440.00	47.00	74.00	-27.00	48.84	36.38	12.97	51.19	--- Peak																																																														



	4																																																																																																																																																																																	
Mode	LF																																																																																																																																																																																	
	2400-2483.5_Bluetooth _CH78_2480MHz																																																																																																																																																																																	
ANT	5																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																
Peak	<div style="text-align: right; font-size: small;">Data: 1 Date: 2023-03-31</div> <div style="font-size: x-small; margin-top: 5px;"> Site : 03CH01-SZ Condition : FCC CLASS-B 3m VULB9168-01003 HORIZONTAL Mode : 4 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : IDH5 </div> <table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>34.850</td><td>18.91</td><td>-21.09</td><td>40.00</td><td>33.74</td><td>18.68</td><td>1.29</td><td>34.80</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>94.020</td><td>20.93</td><td>-22.57</td><td>43.50</td><td>39.51</td><td>14.18</td><td>2.04</td><td>34.80</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>172.590</td><td>23.48</td><td>-20.02</td><td>43.50</td><td>38.10</td><td>17.63</td><td>2.45</td><td>34.70</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>353.010</td><td>24.36</td><td>-21.64</td><td>46.00</td><td>35.23</td><td>20.29</td><td>3.43</td><td>34.59</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>595.510</td><td>27.66</td><td>-18.34</td><td>46.00</td><td>32.76</td><td>25.91</td><td>3.58</td><td>34.59</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>847.710</td><td>29.18</td><td>-16.82</td><td>46.00</td><td>30.34</td><td>28.76</td><td>4.38</td><td>34.30</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	34.850	18.91	-21.09	40.00	33.74	18.68	1.29	34.80	---	Peak	2	94.020	20.93	-22.57	43.50	39.51	14.18	2.04	34.80	---	Peak	3	172.590	23.48	-20.02	43.50	38.10	17.63	2.45	34.70	---	Peak	4	353.010	24.36	-21.64	46.00	35.23	20.29	3.43	34.59	---	Peak	5	595.510	27.66	-18.34	46.00	32.76	25.91	3.58	34.59	---	Peak	6	847.710	29.18	-16.82	46.00	30.34	28.76	4.38	34.30	---	Peak	<div style="text-align: right; font-size: small;">Data: 2 Date: 2023-03-31</div> <div style="font-size: x-small; margin-top: 5px;"> Site : 03CH01-SZ Condition : FCC CLASS-B 3m VULB9168-01003 VERTICAL Mode : 4 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : IDH5 </div> <table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>34.850</td><td>31.21</td><td>-8.79</td><td>40.00</td><td>46.04</td><td>18.68</td><td>1.29</td><td>34.80</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>86.260</td><td>31.60</td><td>-8.40</td><td>40.00</td><td>50.18</td><td>14.22</td><td>1.96</td><td>34.76</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>176.470</td><td>34.09</td><td>-9.41</td><td>43.50</td><td>48.91</td><td>17.40</td><td>2.48</td><td>34.70</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>258.920</td><td>25.35</td><td>-20.65</td><td>46.00</td><td>39.14</td><td>17.84</td><td>3.05</td><td>34.68</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>552.830</td><td>28.76</td><td>-17.24</td><td>46.00</td><td>35.46</td><td>24.30</td><td>3.51</td><td>34.51</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>836.070</td><td>29.90</td><td>-16.10</td><td>46.00</td><td>31.28</td><td>28.54</td><td>4.38</td><td>34.30</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	34.850	31.21	-8.79	40.00	46.04	18.68	1.29	34.80	---	Peak	2	86.260	31.60	-8.40	40.00	50.18	14.22	1.96	34.76	---	Peak	3	176.470	34.09	-9.41	43.50	48.91	17.40	2.48	34.70	---	Peak	4	258.920	25.35	-20.65	46.00	39.14	17.84	3.05	34.68	---	Peak	5	552.830	28.76	-17.24	46.00	35.46	24.30	3.51	34.51	---	Peak	6	836.070	29.90	-16.10	46.00	31.28	28.54	4.38	34.30	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	34.850	18.91	-21.09	40.00	33.74	18.68	1.29	34.80	---	Peak																																																																																																																																																																								
2	94.020	20.93	-22.57	43.50	39.51	14.18	2.04	34.80	---	Peak																																																																																																																																																																								
3	172.590	23.48	-20.02	43.50	38.10	17.63	2.45	34.70	---	Peak																																																																																																																																																																								
4	353.010	24.36	-21.64	46.00	35.23	20.29	3.43	34.59	---	Peak																																																																																																																																																																								
5	595.510	27.66	-18.34	46.00	32.76	25.91	3.58	34.59	---	Peak																																																																																																																																																																								
6	847.710	29.18	-16.82	46.00	30.34	28.76	4.38	34.30	---	Peak																																																																																																																																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	34.850	31.21	-8.79	40.00	46.04	18.68	1.29	34.80	---	Peak																																																																																																																																																																								
2	86.260	31.60	-8.40	40.00	50.18	14.22	1.96	34.76	---	Peak																																																																																																																																																																								
3	176.470	34.09	-9.41	43.50	48.91	17.40	2.48	34.70	---	Peak																																																																																																																																																																								
4	258.920	25.35	-20.65	46.00	39.14	17.84	3.05	34.68	---	Peak																																																																																																																																																																								
5	552.830	28.76	-17.24	46.00	35.46	24.30	3.51	34.51	---	Peak																																																																																																																																																																								
6	836.070	29.90	-16.10	46.00	31.28	28.54	4.38	34.30	---	Peak																																																																																																																																																																								



Mode	5																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth _CH00_2402MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 1 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2363.73</td> <td>50.41</td> <td>74.00</td> <td>-23.59</td> <td>42.59</td> <td>32.20</td> <td>7.69</td> <td>32.07</td> <td>351</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>2363.73</td> <td>25.62</td> <td>54.00</td> <td>-28.38</td> <td>17.80</td> <td>32.20</td> <td>7.69</td> <td>32.07</td> <td>351</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2363.73	50.41	74.00	-23.59	42.59	32.20	7.69	32.07	351	0 PEAK	2	2363.73	25.62	54.00	-28.38	17.80	32.20	7.69	32.07	351	0 AVERAGE	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 1 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>102.47</td> <td>-----</td> <td>94.48</td> <td>32.28</td> <td>7.79</td> <td>32.08</td> <td>351</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>77.68</td> <td>-----</td> <td>69.69</td> <td>32.28</td> <td>7.79</td> <td>32.08</td> <td>351</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	102.47	-----	94.48	32.28	7.79	32.08	351	0 PEAK	2	2402.00	77.68	-----	69.69	32.28	7.79	32.08	351	0 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2363.73	50.41	74.00	-23.59	42.59	32.20	7.69	32.07	351	0 PEAK																																																																																								
2	2363.73	25.62	54.00	-28.38	17.80	32.20	7.69	32.07	351	0 AVERAGE																																																																																								
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	102.47	-----	94.48	32.28	7.79	32.08	351	0 PEAK																																																																																									
2	2402.00	77.68	-----	69.69	32.28	7.79	32.08	351	0 AVERAGE																																																																																									



Mode	5																																																																							
	Band Edge																																																																							
	2400-2483.5_Bluetooth_CH00_2402MHz																																																																							
ANT	6																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<p>Date: 2023-03-22</p> <p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 VERTICAL Mode : 1 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2347.72 50.28 74.00 -23.72</td> <td>42.55 32.16</td> <td>7.64 32.07</td> <td>100</td> <td>83</td> <td></td> <td>PEAK</td> </tr> <tr> <td>2 2347.72 25.49 54.00 -28.51</td> <td>17.76 32.16</td> <td>7.64 32.07</td> <td>100</td> <td>83</td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV dB/m	dB	dB	cm	deg		1 2347.72 50.28 74.00 -23.72	42.55 32.16	7.64 32.07	100	83		PEAK	2 2347.72 25.49 54.00 -28.51	17.76 32.16	7.64 32.07	100	83		AVERAGE	<p>Date: 2023-03-22</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 1 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2402.00 92.71 -----</td> <td>84.72 32.28</td> <td>7.79 32.08</td> <td>100</td> <td>83</td> <td></td> <td>PEAK</td> </tr> <tr> <td>2 2402.00 67.92 -----</td> <td>59.93 32.28</td> <td>7.79 32.08</td> <td>100</td> <td>83</td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV dB/m	dB	dB	cm	deg		1 2402.00 92.71 -----	84.72 32.28	7.79 32.08	100	83		PEAK	2 2402.00 67.92 -----	59.93 32.28	7.79 32.08	100	83		AVERAGE
	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																	
Freq Level Line (dB)	Level Factor	Loss Factor																																																																						
MHz dBuV/m dBuV/m	dBuV dB/m	dB	dB	cm	deg																																																																			
1 2347.72 50.28 74.00 -23.72	42.55 32.16	7.64 32.07	100	83		PEAK																																																																		
2 2347.72 25.49 54.00 -28.51	17.76 32.16	7.64 32.07	100	83		AVERAGE																																																																		
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																		
Freq Level Line (dB)	Level Factor	Loss Factor																																																																						
MHz dBuV/m dBuV/m	dBuV dB/m	dB	dB	cm	deg																																																																			
1 2402.00 92.71 -----	84.72 32.28	7.79 32.08	100	83		PEAK																																																																		
2 2402.00 67.92 -----	59.93 32.28	7.79 32.08	100	83		AVERAGE																																																																		



Mode	5																																																																									
	Harmonic																																																																									
	2400-2483.5_Bluetooth_CH00_2402MHz																																																																									
ANT	6																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 1 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1DH5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Peak</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>45.52</td> <td>74.00</td> <td>-28.48</td> <td>51.21</td> <td>34.82</td> <td>11.07</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	Tpos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Peak	1	4804.00	45.52	74.00	-28.48	51.21	34.82	11.07	51.58	---	---	Peak	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 1 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1DH5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Peak</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>46.40</td> <td>74.00</td> <td>-27.60</td> <td>52.09</td> <td>34.82</td> <td>11.07</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	Tpos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Peak	1	4804.00	46.40	74.00	-27.60	52.09	34.82	11.07	51.58	---	---	Peak
	Limit	Read	Ant	Cable Preamp	Apos	Tpos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Peak																																																																	
1	4804.00	45.52	74.00	-28.48	51.21	34.82	11.07	51.58	---	---	Peak																																																															
Limit	Read	Ant	Cable Preamp	Apos	Tpos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Peak																																																																	
1	4804.00	46.40	74.00	-27.60	52.09	34.82	11.07	51.58	---	---	Peak																																																															



Mode	6																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_Bluetooth_CH39_2441MHz																																																																																																					
ANT	6																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 2 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1DH5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>44.69</td> <td>74.00</td> <td>-29.31</td> <td>50.32</td> <td>34.85</td> <td>11.10</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>47.24</td> <td>74.00</td> <td>-26.76</td> <td>48.99</td> <td>36.33</td> <td>13.09</td> <td>51.17</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq Level Line Margin	Level Factor	Loss Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	44.69	74.00	-29.31	50.32	34.85	11.10	51.58	---	---	Peak	2	7323.00	47.24	74.00	-26.76	48.99	36.33	13.09	51.17	---	---	Peak	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 2 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1DH5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>44.62</td> <td>74.00</td> <td>-29.38</td> <td>50.25</td> <td>34.85</td> <td>11.10</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>47.06</td> <td>74.00</td> <td>-26.94</td> <td>48.81</td> <td>36.33</td> <td>13.09</td> <td>51.17</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq Level Line Margin	Level Factor	Loss Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	44.62	74.00	-29.38	50.25	34.85	11.10	51.58	---	---	Peak	2	7323.00	47.06	74.00	-26.94	48.81	36.33	13.09	51.17	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																														
Freq Level Line Margin	Level Factor	Loss Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	4882.00	44.69	74.00	-29.31	50.32	34.85	11.10	51.58	---	---	Peak																																																																																											
2	7323.00	47.24	74.00	-26.76	48.99	36.33	13.09	51.17	---	---	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																															
Freq Level Line Margin	Level Factor	Loss Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	4882.00	44.62	74.00	-29.38	50.25	34.85	11.10	51.58	---	---	Peak																																																																																											
2	7323.00	47.06	74.00	-26.94	48.81	36.33	13.09	51.17	---	---	Peak																																																																																											



Mode	7																																																																																																							
	Band Edge																																																																																																							
	2400-2483.5_Bluetooth_CH78_2480MHz																																																																																																							
ANT	6																																																																																																							
Pol.	Horizontal	Fundamental																																																																																																						
Peak	<p style="text-align: right;">Date: 2023-03-22</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 3 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>53.67</td> <td>74.00</td> <td>-20.33</td> <td>45.43</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2483.54</td> <td>28.88</td> <td>54.00</td> <td>-25.12</td> <td>20.64</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>100</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	53.67	74.00	-20.33	45.43	32.46	7.88	32.10	100	303	PEAK	2	2483.54	28.88	54.00	-25.12	20.64	32.46	7.88	32.10	100	303	AVERAGE	<p style="text-align: right;">Date: 2023-03-22</p> <p style="text-align: right;">PEAK_74</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 3 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>103.14</td> <td>-----</td> <td>-----</td> <td>94.91</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>78.35</td> <td>-----</td> <td>-----</td> <td>70.12</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>100</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.14	-----	-----	94.91	32.46	7.87	32.10	100	303	PEAK	2	2480.00	78.35	-----	-----	70.12	32.46	7.87	32.10	100	303	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	2483.54	53.67	74.00	-20.33	45.43	32.46	7.88	32.10	100	303	PEAK																																																																																													
2	2483.54	28.88	54.00	-25.12	20.64	32.46	7.88	32.10	100	303	AVERAGE																																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	2480.00	103.14	-----	-----	94.91	32.46	7.87	32.10	100	303	PEAK																																																																																													
2	2480.00	78.35	-----	-----	70.12	32.46	7.87	32.10	100	303	AVERAGE																																																																																													



Mode	7																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth_CH78_2480MHz																																																																																																			
ANT	6																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak	<p style="text-align: right;">Date: 2023-03-23</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 VERTICAL Mode : 3 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>51.58</td> <td>74.00</td> <td>-22.42</td> <td>43.34</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>332</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>2483.54</td> <td>26.79</td> <td>54.00</td> <td>-27.21</td> <td>18.55</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>332</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	51.58	74.00	-22.42	43.34	32.46	7.88	32.10	332	0 PEAK	2	2483.54	26.79	54.00	-27.21	18.55	32.46	7.88	32.10	332	0 AVERAGE	<p style="text-align: right;">Date: 2023-03-23</p> <p style="text-align: right;">PEAK_74</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 3 Setting : 1DH5 Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>103.65</td> <td>-----</td> <td>-----</td> <td>95.42</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>332</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>78.86</td> <td>-----</td> <td>-----</td> <td>70.63</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>332</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.65	-----	-----	95.42	32.46	7.87	32.10	332	0 PEAK	2	2480.00	78.86	-----	-----	70.63	32.46	7.87	32.10	332	0 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2483.54	51.58	74.00	-22.42	43.34	32.46	7.88	32.10	332	0 PEAK																																																																																										
2	2483.54	26.79	54.00	-27.21	18.55	32.46	7.88	32.10	332	0 AVERAGE																																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2480.00	103.65	-----	-----	95.42	32.46	7.87	32.10	332	0 PEAK																																																																																										
2	2480.00	78.86	-----	-----	70.63	32.46	7.87	32.10	332	0 AVERAGE																																																																																										



Mode	7																																																																																	
	Harmonic																																																																																	
	2400-2483.5_Bluetooth_CH78_2480MHz																																																																																	
ANT	6																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 3 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1DH5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4960.00 46.92 74.00 -27.08</td> <td>52.48 34.88 11.14 51.58</td> <td>---</td> <td>---</td> <td>Peak</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 7440.00 46.85 74.00 -27.15</td> <td>48.69 36.38 12.97 51.19</td> <td>---</td> <td>---</td> <td>Peak</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq Level Line Margin	Level Factor	Loss Factor						MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg		1 4960.00 46.92 74.00 -27.08	52.48 34.88 11.14 51.58	---	---	Peak				2 7440.00 46.85 74.00 -27.15	48.69 36.38 12.97 51.19	---	---	Peak				<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 3 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1DH5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4960.00 45.16 74.00 -28.84</td> <td>50.72 34.88 11.14 51.58</td> <td>---</td> <td>---</td> <td>Peak</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 7440.00 47.13 74.00 -26.87</td> <td>48.97 36.38 12.97 51.19</td> <td>---</td> <td>---</td> <td>Peak</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq Level Line Margin	Level Factor	Loss Factor						MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg		1 4960.00 45.16 74.00 -28.84	50.72 34.88 11.14 51.58	---	---	Peak				2 7440.00 47.13 74.00 -26.87	48.97 36.38 12.97 51.19	---	---	Peak			
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																										
Freq Level Line Margin	Level Factor	Loss Factor																																																																																
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg																																																																												
1 4960.00 46.92 74.00 -27.08	52.48 34.88 11.14 51.58	---	---	Peak																																																																														
2 7440.00 46.85 74.00 -27.15	48.69 36.38 12.97 51.19	---	---	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																											
Freq Level Line Margin	Level Factor	Loss Factor																																																																																
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg																																																																												
1 4960.00 45.16 74.00 -28.84	50.72 34.88 11.14 51.58	---	---	Peak																																																																														
2 7440.00 47.13 74.00 -26.87	48.97 36.38 12.97 51.19	---	---	Peak																																																																														




	8																																																																																																																																																																																	
Mode	LF																																																																																																																																																																																	
	2400-2483.5_Bluetooth _CH78_2480MHz																																																																																																																																																																																	
ANT	6																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																
Peak Avg	<div style="text-align: right; font-size: small;">Data: 3 Date: 2023-03-31</div> <p style="font-size: x-small;">Site : 03CH01-SZ Condition : FCC CLASS-B 3m VULB9168-01003 HORIZONTAL Mode : 4 IMEI : 352134980043864/352134980043872 Plane : X with Accessories Plane : IDH5</p> <table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>92.080</td><td>20.51</td><td>-22.99</td><td>43.50</td><td>39.36</td><td>13.94</td><td>2.01</td><td>34.80</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>172.590</td><td>23.87</td><td>-19.63</td><td>43.50</td><td>38.49</td><td>17.63</td><td>2.45</td><td>34.70</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>282.200</td><td>20.63</td><td>-25.37</td><td>46.00</td><td>33.56</td><td>18.57</td><td>3.14</td><td>34.64</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>355.920</td><td>23.04</td><td>-22.96</td><td>46.00</td><td>33.85</td><td>20.36</td><td>3.42</td><td>34.59</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>529.550</td><td>25.60</td><td>-20.40</td><td>46.00</td><td>32.80</td><td>23.85</td><td>3.45</td><td>34.50</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>683.780</td><td>26.98</td><td>-19.02</td><td>46.00</td><td>30.87</td><td>26.82</td><td>3.72</td><td>34.43</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	92.080	20.51	-22.99	43.50	39.36	13.94	2.01	34.80	---	Peak	2	172.590	23.87	-19.63	43.50	38.49	17.63	2.45	34.70	---	Peak	3	282.200	20.63	-25.37	46.00	33.56	18.57	3.14	34.64	---	Peak	4	355.920	23.04	-22.96	46.00	33.85	20.36	3.42	34.59	---	Peak	5	529.550	25.60	-20.40	46.00	32.80	23.85	3.45	34.50	---	Peak	6	683.780	26.98	-19.02	46.00	30.87	26.82	3.72	34.43	---	Peak	<div style="text-align: right; font-size: small;">Data: 4 Date: 2023-03-31</div> <p style="font-size: x-small;">Site : 03CH01-SZ Condition : FCC CLASS-B 3m VULB9168-01003 VERTICAL Mode : 4 IMEI : 352134980043864/352134980043872 Plane : X with Accessories Plane : IDH5</p> <table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>33.880</td><td>31.48</td><td>-8.52</td><td>40.00</td><td>46.53</td><td>18.46</td><td>1.27</td><td>34.78</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>84.320</td><td>32.03</td><td>-7.97</td><td>40.00</td><td>50.36</td><td>14.47</td><td>1.94</td><td>34.74</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>173.560</td><td>34.35</td><td>-9.15</td><td>43.50</td><td>49.02</td><td>17.57</td><td>2.46</td><td>34.70</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>254.070</td><td>24.96</td><td>-21.04</td><td>46.00</td><td>38.93</td><td>17.69</td><td>3.03</td><td>34.69</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>331.670</td><td>22.67</td><td>-23.33</td><td>46.00</td><td>34.09</td><td>19.82</td><td>3.36</td><td>34.60</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>571.260</td><td>29.00</td><td>-17.00</td><td>46.00</td><td>35.01</td><td>24.99</td><td>3.54</td><td>34.54</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	33.880	31.48	-8.52	40.00	46.53	18.46	1.27	34.78	---	Peak	2	84.320	32.03	-7.97	40.00	50.36	14.47	1.94	34.74	---	Peak	3	173.560	34.35	-9.15	43.50	49.02	17.57	2.46	34.70	---	Peak	4	254.070	24.96	-21.04	46.00	38.93	17.69	3.03	34.69	---	Peak	5	331.670	22.67	-23.33	46.00	34.09	19.82	3.36	34.60	---	Peak	6	571.260	29.00	-17.00	46.00	35.01	24.99	3.54	34.54	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																																																																									
1	92.080	20.51	-22.99	43.50	39.36	13.94	2.01	34.80	---	Peak																																																																																																																																																																								
2	172.590	23.87	-19.63	43.50	38.49	17.63	2.45	34.70	---	Peak																																																																																																																																																																								
3	282.200	20.63	-25.37	46.00	33.56	18.57	3.14	34.64	---	Peak																																																																																																																																																																								
4	355.920	23.04	-22.96	46.00	33.85	20.36	3.42	34.59	---	Peak																																																																																																																																																																								
5	529.550	25.60	-20.40	46.00	32.80	23.85	3.45	34.50	---	Peak																																																																																																																																																																								
6	683.780	26.98	-19.02	46.00	30.87	26.82	3.72	34.43	---	Peak																																																																																																																																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																																																																									
1	33.880	31.48	-8.52	40.00	46.53	18.46	1.27	34.78	---	Peak																																																																																																																																																																								
2	84.320	32.03	-7.97	40.00	50.36	14.47	1.94	34.74	---	Peak																																																																																																																																																																								
3	173.560	34.35	-9.15	43.50	49.02	17.57	2.46	34.70	---	Peak																																																																																																																																																																								
4	254.070	24.96	-21.04	46.00	38.93	17.69	3.03	34.69	---	Peak																																																																																																																																																																								
5	331.670	22.67	-23.33	46.00	34.09	19.82	3.36	34.60	---	Peak																																																																																																																																																																								
6	571.260	29.00	-17.00	46.00	35.01	24.99	3.54	34.54	---	Peak																																																																																																																																																																								




Appendix D. Duty Cycle Plots

Ant 5

2DH5 on time (One Pulse) Plot on Channel 39



2DH5 on time (Count Pulses) Plot on Channel 39




Note:

1. Worst case Duty cycle = on time/100 milliseconds = 2 * 2.88 / 100 = 5.76 %
2. Worst case Duty cycle correction factor = 20*log(Duty cycle) = -24.79 dB
3. 2DH5 has the highest duty cycle worst case and is reported.




Ant 6

3DH5 on time (One Pulse) Plot on Channel 39



3DH5 on time (Count Pulses) Plot on Channel 39



Note:

4. Worst case Duty cycle = on time/100 milliseconds = 2 * 2.88 / 100 = 5.76 %
5. Worst case Duty cycle correction factor = 20*log(Duty cycle) = -24.79 dB
6. 3DH5 has the highest duty cycle worst case and is reported.