







Mode	1																																																																															
	Band Edge																																																																															
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																															
ANT	5																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.12</td> <td>53.73</td> <td>74.00</td> <td>-20.27</td> <td>45.79</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>394</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.12	53.73	74.00	-20.27	45.79	32.26	7.76	32.08	394	360	PEAK	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>97.23</td> <td>-----</td> <td>-----</td> <td>89.24</td> <td>32.28</td> <td>7.79</td> <td>32.08</td> <td>394</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	97.23	-----	-----	89.24	32.28	7.79	32.08	394	360	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.12	53.73	74.00	-20.27	45.79	32.26	7.76	32.08	394	360	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2402.00	97.23	-----	-----	89.24	32.28	7.79	32.08	394	360	PEAK																																																																					
Avg	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.49</td> <td>40.73</td> <td>54.00</td> <td>-13.27</td> <td>32.79</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>394</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.49	40.73	54.00	-13.27	32.79	32.26	7.76	32.08	394	360	AVERAGE	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>96.25</td> <td>-----</td> <td>-----</td> <td>88.26</td> <td>32.28</td> <td>7.79</td> <td>32.08</td> <td>394</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	96.25	-----	-----	88.26	32.28	7.79	32.08	394	360	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.49	40.73	54.00	-13.27	32.79	32.26	7.76	32.08	394	360	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2402.00	96.25	-----	-----	88.26	32.28	7.79	32.08	394	360	AVERAGE																																																																					



Mode	1																																																																															
	Band Edge																																																																															
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																															
ANT	5																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.76</td> <td>59.17</td> <td>74.00</td> <td>-14.83</td> <td>51.23</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2389.76	59.17	74.00	-14.83	51.23	32.26	7.76	32.08	100	72	PEAK	 <p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>87.77</td> <td>-----</td> <td>-----</td> <td>79.78</td> <td>32.28</td> <td>7.79</td> <td>32.08</td> <td>100</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2402.00	87.77	-----	-----	79.78	32.28	7.79	32.08	100	72	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2389.76	59.17	74.00	-14.83	51.23	32.26	7.76	32.08	100	72	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2402.00	87.77	-----	-----	79.78	32.28	7.79	32.08	100	72	PEAK																																																																					
Avg	 <p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.66</td> <td>44.88</td> <td>54.00</td> <td>-9.12</td> <td>36.94</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>100</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2388.66	44.88	54.00	-9.12	36.94	32.26	7.76	32.08	100	72	AVERAGE	 <p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Mode : 5 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>86.71</td> <td>-----</td> <td>-----</td> <td>78.72</td> <td>32.28</td> <td>7.79</td> <td>32.08</td> <td>100</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2402.00	86.71	-----	-----	78.72	32.28	7.79	32.08	100	72	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2388.66	44.88	54.00	-9.12	36.94	32.26	7.76	32.08	100	72	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2402.00	86.71	-----	-----	78.72	32.28	7.79	32.08	100	72	AVERAGE																																																																					



Mode	1																																																																									
	Harmonic																																																																									
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																									
ANT	5																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 5 IMEI : 352134900043864/352134900043872 Plane : X with Accessories : 1M</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>45.87</td> <td>74.00</td> <td>-28.13</td> <td>51.56</td> <td>34.82</td> <td>11.07</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	45.87	74.00	-28.13	51.56	34.82	11.07	51.58	---	---	Peak	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 5 IMEI : 352134900043864/352134900043872 Plane : X with Accessories : 1M</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>45.31</td> <td>74.00</td> <td>-28.69</td> <td>51.00</td> <td>34.82</td> <td>11.07</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	45.31	74.00	-28.69	51.00	34.82	11.07	51.58	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	4804.00	45.87	74.00	-28.13	51.56	34.82	11.07	51.58	---	---	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	4804.00	45.31	74.00	-28.69	51.00	34.82	11.07	51.58	---	---	Peak																																																															



Mode	2																																																																																									
	Harmonic																																																																																									
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																									
ANT	5																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 6 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1M</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>44.66</td> <td>74.00</td> <td>-29.34</td> <td>50.29</td> <td>34.85</td> <td>11.10</td> <td>51.58</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>47.74</td> <td>74.00</td> <td>-26.26</td> <td>49.48</td> <td>36.33</td> <td>13.09</td> <td>51.16</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4880.00	44.66	74.00	-29.34	50.29	34.85	11.10	51.58	--- --- Peak	2	7320.00	47.74	74.00	-26.26	49.48	36.33	13.09	51.16	--- --- Peak	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 6 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1M</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>45.75</td> <td>74.00</td> <td>-28.25</td> <td>51.38</td> <td>34.85</td> <td>11.10</td> <td>51.58</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>47.61</td> <td>74.00</td> <td>-26.39</td> <td>49.35</td> <td>36.33</td> <td>13.09</td> <td>51.16</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4880.00	45.75	74.00	-28.25	51.38	34.85	11.10	51.58	--- --- Peak	2	7320.00	47.61	74.00	-26.39	49.35	36.33	13.09	51.16	--- --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	4880.00	44.66	74.00	-29.34	50.29	34.85	11.10	51.58	--- --- Peak																																																																																	
2	7320.00	47.74	74.00	-26.26	49.48	36.33	13.09	51.16	--- --- Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	4880.00	45.75	74.00	-28.25	51.38	34.85	11.10	51.58	--- --- Peak																																																																																	
2	7320.00	47.61	74.00	-26.39	49.35	36.33	13.09	51.16	--- --- Peak																																																																																	



Mode	3																																																																															
	Band Edge																																																																															
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																															
ANT	5																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.70</td> <td>52.18</td> <td>74.00</td> <td>-21.82</td> <td>43.94</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>120</td> <td>320</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.70	52.18	74.00	-21.82	43.94	32.46	7.88	32.10	120	320	PEAK	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.33</td> <td>-----</td> <td>-----</td> <td>93.10</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>120</td> <td>320</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.33	-----	-----	93.10	32.46	7.87	32.10	120	320	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.70	52.18	74.00	-21.82	43.94	32.46	7.88	32.10	120	320	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2480.00	101.33	-----	-----	93.10	32.46	7.87	32.10	120	320	PEAK																																																																					
Avg	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.92</td> <td>39.78</td> <td>54.00</td> <td>-14.22</td> <td>31.53</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>120</td> <td>320</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.92	39.78	54.00	-14.22	31.53	32.47	7.88	32.10	120	320	AVERAGE	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.51</td> <td>-----</td> <td>-----</td> <td>92.28</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>120</td> <td>320</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.51	-----	-----	92.28	32.46	7.87	32.10	120	320	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2484.92	39.78	54.00	-14.22	31.53	32.47	7.88	32.10	120	320	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2480.00	100.51	-----	-----	92.28	32.46	7.87	32.10	120	320	AVERAGE																																																																					



		3																																																																												
Mode	Band Edge																																																																													
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																													
ANT	5																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<p style="text-align: right;">Date: 2023-03-23</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.60</td> <td>51.38</td> <td>74.00</td> <td>-22.62</td> <td>43.14</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>332</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.60	51.38	74.00	-22.62	43.14	32.46	7.88	32.10	332	0 PEAK	<p style="text-align: right;">Date: 2023-03-23</p> <p style="text-align: right;">PEAK_74</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.04</td> <td>-----</td> <td>-----</td> <td>91.81</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>332</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.04	-----	-----	91.81	32.46	7.87	32.10	332	0 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2483.60	51.38	74.00	-22.62	43.14	32.46	7.88	32.10	332	0 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2480.00	100.04	-----	-----	91.81	32.46	7.87	32.10	332	0 PEAK																																																																				
Avg	<p style="text-align: right;">Date: 2023-03-23</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2490.08</td> <td>39.36</td> <td>54.00</td> <td>-14.64</td> <td>31.10</td> <td>32.48</td> <td>7.88</td> <td>32.10</td> <td>332</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2490.08	39.36	54.00	-14.64	31.10	32.48	7.88	32.10	332	0 AVERAGE	<p style="text-align: right;">Date: 2023-03-23</p> <p style="text-align: right;">AVG_54</p> <p>Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Mode : 7 Setting : 1M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.21</td> <td>-----</td> <td>-----</td> <td>90.98</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>332</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.21	-----	-----	90.98	32.46	7.87	32.10	332	0 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2490.08	39.36	54.00	-14.64	31.10	32.48	7.88	32.10	332	0 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2480.00	99.21	-----	-----	90.98	32.46	7.87	32.10	332	0 AVERAGE																																																																				







Mode	3																																																																																	
	Harmonic																																																																																	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																	
ANT	5																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 7 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1M</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4960.00 45.59 74.00 -28.41</td> <td>51.15</td> <td>34.88</td> <td>11.14</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 7440.00 46.98 74.00 -27.02</td> <td>48.82</td> <td>36.38</td> <td>12.97</td> <td>51.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 4960.00 45.59 74.00 -28.41	51.15	34.88	11.14	51.58	---	---	Peak	2 7440.00 46.98 74.00 -27.02	48.82	36.38	12.97	51.19	---	---	Peak	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 7 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 1M</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4960.00 45.89 74.00 -28.11</td> <td>51.45</td> <td>34.88</td> <td>11.14</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 7440.00 47.52 74.00 -26.48</td> <td>49.36</td> <td>36.38</td> <td>12.97</td> <td>51.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 4960.00 45.89 74.00 -28.11	51.45	34.88	11.14	51.58	---	---	Peak	2 7440.00 47.52 74.00 -26.48	49.36	36.38	12.97	51.19	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level Factor	Loss Factor																																																																																
MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 4960.00 45.59 74.00 -28.41	51.15	34.88	11.14	51.58	---	---	Peak																																																																											
2 7440.00 46.98 74.00 -27.02	48.82	36.38	12.97	51.19	---	---	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq Level Line Margin	Level Factor	Loss Factor																																																																																
MHz dBuV/m dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 4960.00 45.89 74.00 -28.11	51.45	34.88	11.14	51.58	---	---	Peak																																																																											
2 7440.00 47.52 74.00 -26.48	49.36	36.38	12.97	51.19	---	---	Peak																																																																											



		4																																																																														
Mode	Band Edge																																																																															
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																															
ANT	5																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.49</td> <td>56.58</td> <td>74.00</td> <td>-17.42</td> <td>48.64</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>316</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.49	56.58	74.00	-17.42	48.64	32.26	7.76	32.08	316	65	PEAK	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>105.64</td> <td>-----</td> <td>-----</td> <td>97.65</td> <td>32.28</td> <td>7.79</td> <td>32.08</td> <td>316</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.64	-----	-----	97.65	32.28	7.79	32.08	316	65	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.49	56.58	74.00	-17.42	48.64	32.26	7.76	32.08	316	65	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2402.00	105.64	-----	-----	97.65	32.28	7.79	32.08	316	65	PEAK																																																																					
Avg	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.94</td> <td>42.59</td> <td>54.00</td> <td>-11.41</td> <td>34.65</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>316</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.94	42.59	54.00	-11.41	34.65	32.26	7.76	32.08	316	65	AVERAGE	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>103.66</td> <td>-----</td> <td>-----</td> <td>95.67</td> <td>32.28</td> <td>7.79</td> <td>32.08</td> <td>316</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	103.66	-----	-----	95.67	32.28	7.79	32.08	316	65	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2388.94	42.59	54.00	-11.41	34.65	32.26	7.76	32.08	316	65	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2402.00	103.66	-----	-----	95.67	32.28	7.79	32.08	316	65	AVERAGE																																																																					



		4																																																																														
Mode	Band Edge																																																																															
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																															
ANT	5																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.67</td> <td>59.31</td> <td>74.00</td> <td>-14.69</td> <td>51.37</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>166</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2389.67	59.31	74.00	-14.69	51.37	32.26	7.76	32.08	166	74 PEAK	 <p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>80.69</td> <td>-----</td> <td>-----</td> <td>72.70</td> <td>32.28</td> <td>7.79</td> <td>32.08</td> <td>166</td> <td>74 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2402.00	80.69	-----	-----	72.70	32.28	7.79	32.08	166	74 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2389.67	59.31	74.00	-14.69	51.37	32.26	7.76	32.08	166	74 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2402.00	80.69	-----	-----	72.70	32.28	7.79	32.08	166	74 PEAK																																																																						
Avg	 <p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.67</td> <td>49.89</td> <td>54.00</td> <td>-4.11</td> <td>41.95</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>166</td> <td>74 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2389.67	49.89	54.00	-4.11	41.95	32.26	7.76	32.08	166	74 AVERAGE	 <p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 8 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>78.52</td> <td>-----</td> <td>-----</td> <td>70.53</td> <td>32.28</td> <td>7.79</td> <td>32.08</td> <td>166</td> <td>74 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2402.00	78.52	-----	-----	70.53	32.28	7.79	32.08	166	74 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2389.67	49.89	54.00	-4.11	41.95	32.26	7.76	32.08	166	74 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2402.00	78.52	-----	-----	70.53	32.28	7.79	32.08	166	74 AVERAGE																																																																						



Mode	4																																											
	Harmonic																																											
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																											
ANT	5																																											
Pol.	Horizontal	Vertical																																										
Peak Avg	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 8 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2N</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4804.00 46.25 74.00 -27.75</td> <td>51.94</td> <td>34.82</td> <td>11.07</td> <td>51.58</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor		cm	deg		1 4804.00 46.25 74.00 -27.75	51.94	34.82	11.07	51.58	---	Peak	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 8 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2N</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4804.00 45.89 74.00 -28.11</td> <td>51.58</td> <td>34.82</td> <td>11.07</td> <td>51.58</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor		cm	deg		1 4804.00 45.89 74.00 -28.11	51.58	34.82	11.07	51.58	---	Peak
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																					
Freq Level Line Margin	Level Factor	Loss Factor		cm	deg																																							
1 4804.00 46.25 74.00 -27.75	51.94	34.82	11.07	51.58	---	Peak																																						
Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																						
Freq Level Line Margin	Level Factor	Loss Factor		cm	deg																																							
1 4804.00 45.89 74.00 -28.11	51.58	34.82	11.07	51.58	---	Peak																																						



Mode	5	
	Harmonic	
	2400-2483.5_Bluetooth-LE_CH19_2440MHz	
ANT	5	
Pol.	Horizontal	Vertical
Peak Avg		
	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 9 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M</p>	<p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 9 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M</p>



6																																								
Mode	Band Edge																																							
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																							
ANT	5																																							
Pol.	Horizontal																																							
Peak	Fundamental																																							
	<p style="text-align: right;">Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>59.23</td> <td>74.00</td> <td>-14.77</td> <td>50.99</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>100</td> <td>324</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2483.52	59.23	74.00	-14.77	50.99	32.46	7.88	32.10	100	324	PEAK
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																
1	2483.52	59.23	74.00	-14.77	50.99	32.46	7.88	32.10	100	324	PEAK																													
Avg	<p style="text-align: right;">Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>45.33</td> <td>74.00</td> <td>-8.67</td> <td>37.09</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>100</td> <td>324</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2483.52	45.33	74.00	-8.67	37.09	32.46	7.88	32.10	100	324	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																
1	2483.52	45.33	74.00	-8.67	37.09	32.46	7.88	32.10	100	324	AVERAGE																													
Peak	<p style="text-align: right;">Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>109.23</td> <td>101.00</td> <td>8.23</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>100</td> <td>324</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2480.00	109.23	101.00	8.23	32.46	7.87	32.10	100	324	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																
1	2480.00	109.23	101.00	8.23	32.46	7.87	32.10	100	324	PEAK																														
Avg	<p style="text-align: right;">Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>107.34</td> <td>99.11</td> <td>8.23</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>100</td> <td>324</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2480.00	107.34	99.11	8.23	32.46	7.87	32.10	100	324	AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																
1	2480.00	107.34	99.11	8.23	32.46	7.87	32.10	100	324	AVERAGE																														



		6																																																																														
Mode	Band Edge																																																																															
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																															
ANT	5																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-03-23</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>58.88</td> <td>74.00</td> <td>-15.12</td> <td>50.64</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>330</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	58.88	74.00	-15.12	50.64	32.46	7.88	32.10	330	0 PEAK	<p style="text-align: right;">Date: 2023-03-23</p> <p style="text-align: right;">PEAK_74</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>109.01</td> <td>-----</td> <td>-----</td> <td>100.78</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>330</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	109.01	-----	-----	100.78	32.46	7.87	32.10	330	0 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2483.54	58.88	74.00	-15.12	50.64	32.46	7.88	32.10	330	0 PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2480.00	109.01	-----	-----	100.78	32.46	7.87	32.10	330	0 PEAK																																																																						
Avg	<p style="text-align: right;">Date: 2023-03-23</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>44.62</td> <td>54.00</td> <td>-9.38</td> <td>36.38</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>330</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	44.62	54.00	-9.38	36.38	32.46	7.88	32.10	330	0 AVERAGE	<p style="text-align: right;">Date: 2023-03-23</p> <p style="text-align: right;">AVG_54</p> <p>Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT(3117)_22 VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 10 Setting : 2M Plane : X with Accessories : 352134980043864/352134980043872</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>107.02</td> <td>-----</td> <td>-----</td> <td>98.79</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>330</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.02	-----	-----	98.79	32.46	7.87	32.10	330	0 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2483.52	44.62	54.00	-9.38	36.38	32.46	7.88	32.10	330	0 AVERAGE																																																																						
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2480.00	107.02	-----	-----	98.79	32.46	7.87	32.10	330	0 AVERAGE																																																																						



Mode	6																																																																																					
	Harmonic																																																																																					
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																					
ANT	5																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 10 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>46.33</td> <td>74.00</td> <td>-27.67</td> <td>51.89</td> <td>34.88</td> <td>11.14</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>47.47</td> <td>74.00</td> <td>-26.53</td> <td>49.31</td> <td>36.38</td> <td>12.97</td> <td>51.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1	4960.00	46.33	74.00	-27.67	51.89	34.88	11.14	51.58	---	---	Peak	2	7440.00	47.47	74.00	-26.53	49.31	36.38	12.97	51.19	---	---	Peak	<p>Date: 2023-03-23</p> <p>Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 10 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>45.56</td> <td>74.00</td> <td>-28.44</td> <td>51.12</td> <td>34.88</td> <td>11.14</td> <td>51.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>47.34</td> <td>74.00</td> <td>-26.66</td> <td>49.18</td> <td>36.38</td> <td>12.97</td> <td>51.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1	4960.00	45.56	74.00	-28.44	51.12	34.88	11.14	51.58	---	---	Peak	2	7440.00	47.34	74.00	-26.66	49.18	36.38	12.97	51.19	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																													
1	4960.00	46.33	74.00	-27.67	51.89	34.88	11.14	51.58	---	---	Peak																																																																											
2	7440.00	47.47	74.00	-26.53	49.31	36.38	12.97	51.19	---	---	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																													
1	4960.00	45.56	74.00	-28.44	51.12	34.88	11.14	51.58	---	---	Peak																																																																											
2	7440.00	47.34	74.00	-26.66	49.18	36.38	12.97	51.19	---	---	Peak																																																																											



Mode	7																																																																																																																																																																																	
	LF																																																																																																																																																																																	
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																																																																																																	
ANT	5																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																
Peak Avg	<p>Data: 5 Date: 2023-03-31</p> <p>Site : 03CH01-SZ Condition : FCC CLASS-B 3m VULB9168-01003 HORIZONTAL Mode : 11 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>86.260</td><td>22.00</td><td>-18.00</td><td>40.00</td><td>40.58</td><td>14.22</td><td>1.96</td><td>34.76</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>173.560</td><td>23.19</td><td>-20.31</td><td>43.50</td><td>37.86</td><td>17.57</td><td>2.46</td><td>34.70</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>351.070</td><td>23.53</td><td>-22.47</td><td>46.00</td><td>34.45</td><td>20.24</td><td>3.44</td><td>34.60</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>445.160</td><td>26.19</td><td>-19.81</td><td>46.00</td><td>34.62</td><td>22.62</td><td>3.45</td><td>34.50</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>605.210</td><td>26.58</td><td>-19.42</td><td>46.00</td><td>31.46</td><td>26.11</td><td>3.60</td><td>34.59</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>722.580</td><td>27.89</td><td>-18.11</td><td>46.00</td><td>31.23</td><td>27.32</td><td>3.74</td><td>34.40</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	86.260	22.00	-18.00	40.00	40.58	14.22	1.96	34.76	---	Peak	2	173.560	23.19	-20.31	43.50	37.86	17.57	2.46	34.70	---	Peak	3	351.070	23.53	-22.47	46.00	34.45	20.24	3.44	34.60	---	Peak	4	445.160	26.19	-19.81	46.00	34.62	22.62	3.45	34.50	---	Peak	5	605.210	26.58	-19.42	46.00	31.46	26.11	3.60	34.59	---	Peak	6	722.580	27.89	-18.11	46.00	31.23	27.32	3.74	34.40	---	Peak	<p>Data: 6 Date: 2023-03-31</p> <p>Site : 03CH01-SZ Condition : FCC CLASS-B 3m VULB9168-01003 VERTICAL Mode : 11 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>34.850</td><td>31.44</td><td>-8.56</td><td>40.00</td><td>46.27</td><td>18.68</td><td>1.29</td><td>34.80</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>85.290</td><td>32.19</td><td>-7.81</td><td>40.00</td><td>50.65</td><td>14.34</td><td>1.95</td><td>34.75</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>174.530</td><td>33.67</td><td>-9.83</td><td>43.50</td><td>48.39</td><td>17.51</td><td>2.47</td><td>34.70</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>256.010</td><td>24.45</td><td>-21.55</td><td>46.00</td><td>38.36</td><td>17.75</td><td>3.03</td><td>34.69</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>574.170</td><td>29.72</td><td>-16.28</td><td>46.00</td><td>35.63</td><td>25.10</td><td>3.54</td><td>34.55</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>778.840</td><td>28.88</td><td>-17.12</td><td>46.00</td><td>31.38</td><td>27.73</td><td>4.11</td><td>34.34</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	34.850	31.44	-8.56	40.00	46.27	18.68	1.29	34.80	---	Peak	2	85.290	32.19	-7.81	40.00	50.65	14.34	1.95	34.75	---	Peak	3	174.530	33.67	-9.83	43.50	48.39	17.51	2.47	34.70	---	Peak	4	256.010	24.45	-21.55	46.00	38.36	17.75	3.03	34.69	---	Peak	5	574.170	29.72	-16.28	46.00	35.63	25.10	3.54	34.55	---	Peak	6	778.840	28.88	-17.12	46.00	31.38	27.73	4.11	34.34	---	Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	86.260	22.00	-18.00	40.00	40.58	14.22	1.96	34.76	---	Peak																																																																																																																																																																								
2	173.560	23.19	-20.31	43.50	37.86	17.57	2.46	34.70	---	Peak																																																																																																																																																																								
3	351.070	23.53	-22.47	46.00	34.45	20.24	3.44	34.60	---	Peak																																																																																																																																																																								
4	445.160	26.19	-19.81	46.00	34.62	22.62	3.45	34.50	---	Peak																																																																																																																																																																								
5	605.210	26.58	-19.42	46.00	31.46	26.11	3.60	34.59	---	Peak																																																																																																																																																																								
6	722.580	27.89	-18.11	46.00	31.23	27.32	3.74	34.40	---	Peak																																																																																																																																																																								
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	34.850	31.44	-8.56	40.00	46.27	18.68	1.29	34.80	---	Peak																																																																																																																																																																								
2	85.290	32.19	-7.81	40.00	50.65	14.34	1.95	34.75	---	Peak																																																																																																																																																																								
3	174.530	33.67	-9.83	43.50	48.39	17.51	2.47	34.70	---	Peak																																																																																																																																																																								
4	256.010	24.45	-21.55	46.00	38.36	17.75	3.03	34.69	---	Peak																																																																																																																																																																								
5	574.170	29.72	-16.28	46.00	35.63	25.10	3.54	34.55	---	Peak																																																																																																																																																																								
6	778.840	28.88	-17.12	46.00	31.38	27.73	4.11	34.34	---	Peak																																																																																																																																																																								



Co-location

2.4GHz 2400~2483.5MHz

BLE CH00 2402MHz+Band48 (Band Edge @ 3m)

BLE ANT	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
5	BLE CH00 2402MHz+Band48 Co-location	
	Horizontal	Fundamental
Peak	<p>Date: 1 Date: 2023-03-30</p> <p>Site : 03CH01-SZ Condition : PEAK_BE_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz Mode : 27 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M</p>	<p>Date: 3 Date: 2023-03-30</p> <p>Site : 03CH01-SZ Condition : PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz Mode : 27 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M</p>
Avg.	<p>Date: 2 Date: 2023-03-30</p> <p>Site : 03CH01-SZ Condition : AVG_BE_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000KHz VBW:10.000KHz Mode : 27 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M</p>	<p>Date: 4 Date: 2023-03-30</p> <p>Site : 03CH01-SZ Condition : AVG_54 3m HF_ANT(3117)_22 HORIZONTAL : RBW:1000.000KHz VBW:10.000KHz Mode : 27 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M</p>



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH00 2402MHz+Band48 Co-location	
5	Vertical	Fundamental
Peak	<p> Date: 5 Level (dBm/Vm) Date: 2023-03-30 Frequency (MHz) </p> <p> Site : 03CH01-SZ Condition : PEAK_BE_74 3m HF_ANT(3117)_22 VERTICAL Mode : RBW:1000.000KHz VBW:3000.000KHz : 27 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M </p>	<p> Date: 7 Level (dBm/Vm) Date: 2023-03-30 Frequency (MHz) </p> <p> Site : 03CH01-SZ Condition : PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : RBW:1000.000KHz VBW:3000.000KHz : 27 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M </p>
	<p> Date: 6 Level (dBm/Vm) Date: 2023-03-30 Frequency (MHz) </p> <p> Site : 03CH01-SZ Condition : AVG_BE_54 3m HF_ANT(3117)_22 VERTICAL Mode : RBW:1000.000KHz VBW:10.000KHz : 27 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M </p>	<p> Date: 8 Level (dBm/Vm) Date: 2023-03-30 Frequency (MHz) </p> <p> Site : 03CH01-SZ Condition : AVG_54 3m HF_ANT(3117)_22 VERTICAL Mode : RBW:1000.000KHz VBW:10.000KHz : 27 IMEI : 352134980043864/352134980043872 Plane : X with Accessories : 2M </p>
Avg		



BLE CH00 2402MHz+Band48 (Harmonic @ 3m)


BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	BLE CH00 2402MHz+Band48 Co-location	
5	Horizontal	Vertical
Peak Avg.	<p> Date: 15 Level (dBuV/m) Date: 2023-03-30 PEAK_74 AVG_54 Site : 03CH01-SZ Condition : PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 27 TIME : 352134980043864/352134980043872 Plane : X with Accessories : 2M </p>	<p> Date: 16 Level (dBuV/m) Date: 2023-03-30 PEAK_74 AVG_54 Site : 03CH01-SZ Condition : PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 27 TIME : 352134980043864/352134980043872 Plane : X with Accessories : 2M </p>

Note: the highest signal over limit is LTE Band 48 fundamental signal.

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps	62.037	0.388	2.575	3KHz
Bluetooth LE 2Mbps	32.871	0.206	4.860	10KHZ

Bluetooth LE 1Mbps





Bluetooth LE 2Mbps



Date: 8.MAR.2023 10:33:28