





LTE Band 71 / 10MHz / QPSK

Lowest Band Edge / 1 RB




Date: 20.MAR.2023 16:49:05

Highest Band Edge / 1 RB




Date: 20.MAR.2023 17:01:17

Lowest Band Edge / Full RB



Date: 20.MAR.2023 16:51:12

Highest Band Edge / Full RB




Date: 20.MAR.2023 17:03:24




LTE Band 71 / 10MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 20.MAR.2023 16:50:08

Highest Band Edge / 1 RB




Date: 20.MAR.2023 17:02:20

Lowest Band Edge / Full RB



Date: 20.MAR.2023 16:52:15

Highest Band Edge / Full RB




Date: 20.MAR.2023 17:04:27




LTE Band 71 / 10MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 20.MAR.2023 17:17:12

Highest Band Edge / 1 RB




Date: 20.MAR.2023 17:22:59

Lowest Band Edge / Full RB



Date: 20.MAR.2023 17:18:15

Highest Band Edge / Full RB




Date: 20.MAR.2023 17:24:03




LTE Band 71 / 15MHz / QPSK

Lowest Band Edge / 1 RB




Date: 20.MAR.2023 17:27:58

Highest Band Edge / 1 RB




Date: 20.MAR.2023 17:40:10

Lowest Band Edge / Full RB



Date: 20.MAR.2023 17:30:05

Highest Band Edge / Full RB




Date: 20.MAR.2023 17:42:18




LTE Band 71 / 15MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 20.MAR.2023 17:29:02

Highest Band Edge / 1 RB




Date: 20.MAR.2023 17:41:14

Lowest Band Edge / Full RB



Date: 20.MAR.2023 17:31:09

Highest Band Edge / Full RB




Date: 20.MAR.2023 17:43:21



LTE Band 71 / 15MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 20.MAR.2023 17:47:28

Highest Band Edge / 1 RB




Date: 20.MAR.2023 17:53:15

Lowest Band Edge / Full RB



Date: 20.MAR.2023 17:48:31

Highest Band Edge / Full RB




Date: 20.MAR.2023 17:54:19



LTE Band 71 / 20MHz / QPSK

Lowest Band Edge / 1 RB




Date: 20.MAR.2023 17:58:13

Highest Band Edge / 1 RB




Date: 20.MAR.2023 18:10:25

Lowest Band Edge / Full RB



Date: 20.MAR.2023 18:00:20

Highest Band Edge / Full RB




Date: 20.MAR.2023 18:13:36



LTE Band 71 / 20MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 20.MAR.2023 17:59:16

Highest Band Edge / 1RB




Date: 20.MAR.2023 18:11:29

Lowest Band Edge / Full RB



Date: 20.MAR.2023 18:01:23

Highest Band Edge / Full RB




Date: 20.MAR.2023 18:12:33




LTE Band 71 / 20MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 20.MAR.2023 18:17:43

Highest Band Edge / 1 RB




Date: 20.MAR.2023 18:23:31

Lowest Band Edge / Full RB



Date: 20.MAR.2023 18:18:47


Highest Band Edge / Full RB



Date: 20.MAR.2023 18:24:35



Conducted Spurious Emission







LTE Band 71 / 5MHz

Highest Channel / QPSK

Highest Channel / 16QAM





Date: 20.MAR.2023 16:35:24

Date: 20.MAR.2023 16:36:36

LTE Band 71 / 10MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM



Date: 20.MAR.2023 16:53:27


Date: 20.MAR.2023 16:54:40




LTE Band 71 / 10MHz

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 20.MAR.2023 16:57:26




Date: 20.MAR.2023 16:58:37

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 20.MAR.2023 17:14:18




Date: 20.MAR.2023 17:15:30




LTE Band 71 / 15MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM




Date: 20.MAR.2023 17:32:21




Date: 20.MAR.2023 17:33:34

Middle Channel / QPSK

Middle Channel / 16QAM



Date: 20.MAR.2023 17:36:20




Date: 20.MAR.2023 17:37:31




LTE Band71 / 15MHz

Highest Channel / QPSK



Date: 20.MAR.2023 17:44:33


Highest Channel / 16QAM



Date: 20.MAR.2023 17:45:45


LTE Band 71 / 20MHz

Lowest Channel / QPSK



Date: 20.MAR.2023 18:02:35

Lowest Channel / 16QAM




Date: 20.MAR.2023 18:03:48




LTE Band 71 / 20MHz

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 20.MAR.2023 18:06:34




Date: 20.MAR.2023 18:07:46

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 20.MAR.2023 18:14:48





Date: 20.MAR.2023 18:16:00



LTE Band 71 / 5MHz

Lowest Channel / 64QAM

Middle Channel / 64QAM




Date: 20.MAR.2023 16:40:35


Date: 20.MAR.2023 16:42:26

Highest Channel / 64QAM

NA



Date: 20.MAR.2023 16:46:25







LTE Band 71 / 15MHz

Lowest Channel / 64QAM

Middle Channel / 64QAM




Date: 20.MAR.2023 17:49:43



Date: 20.MAR.2023 17:51:33

Highest Channel / 64QAM

NA




Date: 20.MAR.2023 17:55:31




LTE Band 71 / 20MHz

Lowest Channel / 64QAM

Middle Channel / 64QAM




Date: 20.MAR.2023 18:19:59



Date: 20.MAR.2023 18:21:49

Highest Channel / 64QAM

NA



Date: 20.MAR.2023 18:25:47



Frequency Stability

| Test Conditions | | LTE Band 71 (QPSK) / Middle Channel | Limit |
|------------------|-------------------|-------------------------------------|---------|
| Temperature (°C) | Voltage (Volt) | BW 10MHz | Note 2. |
| | | Deviation (ppm) | Result |
| 50 | Normal Voltage | 0.0018 | PASS |
| 40 | Normal Voltage | 0.0006 | |
| 30 | Normal Voltage | 0.0012 | |
| 20(Ref.) | Normal Voltage | 0.0000 | |
| 10 | Normal Voltage | 0.0003 | |
| 0 | Normal Voltage | 0.0009 | |
| -10 | Normal Voltage | 0.0001 | |
| -20 | Normal Voltage | 0.0013 | |
| -30 | Normal Voltage | 0.0016 | |
| 20 | Maximum Voltage | 0.0007 | |
| 20 | Normal Voltage | 0.0018 | |
| 20 | Battery End Point | 0.0010 | |

Note:

1. Normal Voltage =3.89 V. ; Battery End Point (BEP) =3.6 V. ; Maximum Voltage =4.48 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

| | | | |
|-----------------|-----------|---------------------|---------|
| Test Engineer : | Kuang Jia | Temperature : | 22~25°C |
| | | Relative Humidity : | 48~52% |

| LTE Band 12 / 10MHz / QPSK Ant0 | | | | | | | | | |
|---------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 1399 | -61.82 | -13 | -48.82 | -70.27 | -65.05 | 3.98 | 9.36 | H |
| | 2098.5 | -64.94 | -13 | -51.94 | -75.62 | -68.49 | 4.85 | 10.55 | H |
| | 2798 | -62.79 | -13 | -49.79 | -75.93 | -67.72 | 5.50 | 12.58 | H |
| | 1399 | -62.93 | -13 | -49.93 | -71.28 | -66.16 | 3.98 | 9.36 | V |
| | 2098.5 | -64.61 | -13 | -51.61 | -75.52 | -68.16 | 4.85 | 10.55 | V |
| | 2798 | -62.95 | -13 | -49.95 | -76.02 | -67.88 | 5.50 | 12.58 | V |
| Middle | 1406 | -65.04 | -13 | -52.04 | -73.54 | -68.29 | 4.00 | 9.40 | H |
| | 2109 | -65.36 | -13 | -52.36 | -76.16 | -68.93 | 4.88 | 10.60 | H |
| | 2812 | -62.81 | -13 | -49.81 | -75.98 | -63.66 | 8.60 | 11.60 | H |
| | 1406 | -65.12 | -13 | -52.12 | -73.51 | -68.37 | 4.00 | 9.40 | V |
| | 2109 | -65.12 | -13 | -52.12 | -76.15 | -68.69 | 4.88 | 10.60 | V |
| | 2812 | -62.98 | -13 | -49.98 | -76.08 | -67.91 | 5.52 | 12.60 | V |
| Highest | 1413 | -63.37 | -13 | -50.37 | -71.90 | -66.54 | 4.10 | 9.42 | H |
| | 2119.5 | -65.06 | -13 | -52.06 | -75.97 | -68.64 | 4.90 | 10.63 | H |
| | 2826 | -62.87 | -13 | -49.87 | -76.08 | -67.79 | 5.55 | 12.62 | H |
| | 1413 | -63.77 | -13 | -50.77 | -72.18 | -66.94 | 4.10 | 9.42 | V |
| | 2119.5 | -65.16 | -13 | -52.16 | -76.32 | -68.74 | 4.90 | 10.63 | V |
| | 2826 | -63.01 | -13 | -50.01 | -76.15 | -67.93 | 5.55 | 12.62 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 25 / 20MHz / QPSK Ant3 | | | | | | | | | |
|---------------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 3702 | -62.85 | -13 | -49.85 | -78.41 | -69.61 | 5.82 | 12.58 | H |
| | 5553 | -61.79 | -13 | -48.79 | -80.34 | -67.51 | 7.28 | 13.00 | H |
| | 7404 | -55.05 | -13 | -42.05 | -80.05 | -58.21 | 8.32 | 11.48 | H |
| | 3702 | -63.27 | -13 | -50.27 | -78.57 | -70.03 | 5.82 | 12.58 | V |
| | 5553 | -61.91 | -13 | -48.91 | -80.31 | -67.63 | 7.28 | 13.00 | V |
| | 7404 | -54.85 | -13 | -41.85 | -80.17 | -58.01 | 8.32 | 11.48 | V |
| Middle | 3747 | -62.20 | -13 | -49.20 | -77.94 | -68.95 | 5.85 | 12.60 | H |
| | 5620.5 | -61.29 | -13 | -48.29 | -80.23 | -67.09 | 7.30 | 13.10 | H |
| | 7494 | -55.48 | -13 | -42.48 | -80.37 | -58.63 | 8.35 | 11.50 | H |
| | 3747 | -62.91 | -13 | -49.91 | -78.25 | -69.66 | 5.85 | 12.60 | V |
| | 5620.5 | -61.87 | -13 | -48.87 | -80.11 | -67.67 | 7.30 | 13.10 | V |
| | 7494 | -54.99 | -13 | -41.99 | -80.27 | -58.14 | 8.35 | 11.50 | V |
| Highest | 3792 | -62.56 | -13 | -49.56 | -78.47 | -69.30 | 5.88 | 12.62 | H |
| | 5688 | -60.27 | -13 | -47.27 | -80.17 | -66.08 | 7.32 | 13.13 | H |
| | 7584 | -55.31 | -13 | -42.31 | -80.06 | -58.47 | 8.38 | 11.54 | H |
| | 3792 | -63.13 | -13 | -50.13 | -78.5 | -69.87 | 5.88 | 12.62 | V |
| | 5688 | -61.21 | -13 | -48.21 | -80.1 | -67.02 | 7.32 | 13.13 | V |
| | 7584 | -54.94 | -13 | -41.94 | -80.17 | -58.10 | 8.38 | 11.54 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 26 / 15MHz / QPSK Ant0 | | | | | | | | | |
|---------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 1629.5 | -63.17 | -13 | -50.17 | -71.35 | -66.40 | 3.98 | 9.36 | H |
| | 2444.25 | -57.06 | -13 | -44.06 | -68.47 | -60.61 | 4.85 | 10.55 | H |
| | 3259 | -63.38 | -13 | -50.38 | -77.73 | -68.31 | 5.50 | 12.58 | H |
| | 1629.5 | -64.76 | -13 | -51.76 | -72.87 | -67.99 | 3.98 | 9.36 | V |
| | 2444.25 | -57.54 | -13 | -44.54 | -68.92 | -61.09 | 4.85 | 10.55 | V |
| | 3259 | -63.74 | -13 | -50.74 | -77.93 | -68.67 | 5.50 | 12.58 | V |
| Middle | 1649.5 | -64.88 | -13 | -51.88 | -72.62 | -68.13 | 4.00 | 9.40 | H |
| | 2474.5 | -57.87 | -13 | -44.87 | -69.32 | -61.44 | 4.88 | 10.60 | H |
| | 3299 | -63.03 | -13 | -50.03 | -77.27 | -67.96 | 5.52 | 12.60 | H |
| | 1649.5 | -66.63 | -13 | -53.63 | -74.42 | -69.88 | 4.00 | 9.40 | V |
| | 2474.5 | -58.40 | -13 | -45.40 | -69.88 | -61.97 | 4.88 | 10.60 | V |
| | 3299 | -63.15 | -13 | -50.15 | -77.31 | -68.08 | 5.52 | 12.60 | V |
| Highest | 1669.5 | -67.15 | -13 | -54.15 | -74.46 | -70.32 | 4.10 | 9.42 | H |
| | 2504.25 | -57.62 | -13 | -44.62 | -69.09 | -61.20 | 4.90 | 10.63 | H |
| | 3339 | -63.64 | -13 | -50.64 | -77.77 | -68.56 | 5.55 | 12.62 | H |
| | 1669.5 | -67.28 | -13 | -54.28 | -74.76 | -70.45 | 4.10 | 9.42 | V |
| | 2504.25 | -58.05 | -13 | -45.05 | -69.62 | -61.63 | 4.90 | 10.63 | V |
| | 3339 | -63.41 | -13 | -50.41 | -77.55 | -68.33 | 5.55 | 12.62 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 66 / 20MHz / QPSK Ant3 | | | | | | | | | |
|---------------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 3422 | -63.69 | -13 | -50.69 | -77.86 | -70.57 | 5.60 | 12.48 | H |
| | 5133 | -61.37 | -13 | -48.37 | -80.65 | -67.05 | 7.10 | 12.78 | H |
| | 6844 | -57.62 | -13 | -44.62 | -80.38 | -61.01 | 8.38 | 11.77 | H |
| | 3422 | -63.60 | -13 | -50.60 | -77.78 | -70.48 | 5.60 | 12.48 | V |
| | 5133 | -61.32 | -13 | -48.32 | -80.34 | -67.00 | 7.10 | 12.78 | V |
| | 6844 | -57.26 | -13 | -44.26 | -80.44 | -60.65 | 8.38 | 11.77 | V |
| Middle | 3472 | -63.56 | -13 | -50.56 | -78.00 | -70.41 | 5.65 | 12.50 | H |
| | 5208 | -61.38 | -13 | -48.38 | -80.51 | -67.05 | 7.13 | 12.80 | H |
| | 6944 | -57.29 | -13 | -44.29 | -80.28 | -60.69 | 8.40 | 11.80 | H |
| | 3472 | -63.26 | -13 | -50.26 | -77.73 | -70.11 | 5.65 | 12.50 | V |
| | 5208 | -61.46 | -13 | -48.46 | -80.2 | -67.13 | 7.13 | 12.80 | V |
| | 6944 | -57.04 | -13 | -44.04 | -80.3 | -60.44 | 8.40 | 11.80 | V |
| Highest | 3522 | -63.48 | -13 | -50.48 | -78.20 | -70.32 | 5.68 | 12.52 | H |
| | 5283 | -62.01 | -13 | -49.01 | -80.80 | -67.68 | 7.15 | 12.82 | H |
| | 7044 | -56.73 | -13 | -43.73 | -80.03 | -60.16 | 8.42 | 11.85 | H |
| | 3522 | -63.36 | -13 | -50.36 | -78.12 | -70.20 | 5.68 | 12.52 | V |
| | 5283 | -62.68 | -13 | -49.68 | -81.11 | -68.35 | 7.15 | 12.82 | V |
| | 7044 | -56.37 | -13 | -43.37 | -80 | -59.80 | 8.42 | 11.85 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 66C / 20MHz + 20MHz / QPSK Ant 3 | | | | | | | | | |
|---|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 3422 | -62.89 | -13 | -49.89 | -77.06 | -69.77 | 5.60 | 12.48 | H |
| | 5133 | -61.27 | -13 | -48.27 | -80.55 | -66.95 | 7.10 | 12.78 | H |
| | 6844 | -57.77 | -13 | -44.77 | -80.53 | -61.16 | 8.38 | 11.77 | H |
| | 3422 | -63.11 | -13 | -50.11 | -77.29 | -69.99 | 5.60 | 12.48 | V |
| | 5133 | -61.19 | -13 | -48.19 | -80.21 | -66.87 | 7.10 | 12.78 | V |
| | 6844 | -57.09 | -13 | -44.09 | -80.27 | -60.48 | 8.38 | 11.77 | V |
| Middle | 3472.2 | -63.14 | -13 | -50.14 | -77.58 | -69.99 | 5.65 | 12.50 | H |
| | 5208.3 | -61.30 | -13 | -48.30 | -80.43 | -66.97 | 7.13 | 12.80 | H |
| | 6944.4 | -57.23 | -13 | -44.23 | -80.22 | -60.63 | 8.40 | 11.80 | H |
| | 3472.2 | -62.98 | -13 | -49.98 | -77.45 | -69.83 | 5.65 | 12.50 | V |
| | 5208.3 | -61.40 | -13 | -48.40 | -80.14 | -67.07 | 7.13 | 12.80 | V |
| | 6944.4 | -57.02 | -13 | -44.02 | -80.28 | -60.42 | 8.40 | 11.80 | V |
| Highest | 3497 | -63.29 | -13 | -50.29 | -77.87 | -70.13 | 5.68 | 12.52 | H |
| | 5245.5 | -61.96 | -13 | -48.96 | -80.67 | -67.63 | 7.15 | 12.82 | H |
| | 6994 | -57.22 | -13 | -44.22 | -80.33 | -60.65 | 8.42 | 11.85 | H |
| | 3497 | -62.80 | -13 | -49.80 | -77.41 | -69.64 | 5.68 | 12.52 | V |
| | 5245.5 | -62.53 | -13 | -49.53 | -80.8 | -68.20 | 7.15 | 12.82 | V |
| | 6994 | -56.96 | -13 | -43.96 | -80.26 | -60.39 | 8.42 | 11.85 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 71 / 20MHz / QPSK Ant 0 | | | | | | | | | |
|----------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 1328 | -63.03 | -13 | -50.03 | -70.38 | -66.26 | 3.98 | 9.36 | H |
| | 1992 | -66.39 | -13 | -53.39 | -75.98 | -69.94 | 4.85 | 10.55 | H |
| | 2656 | -63.72 | -13 | -50.72 | -76.18 | -68.65 | 5.50 | 12.58 | H |
| | 1328 | -64.12 | -13 | -51.12 | -71.41 | -67.35 | 3.98 | 9.36 | V |
| | 1992 | -66.22 | -13 | -53.22 | -75.91 | -69.77 | 4.85 | 10.55 | V |
| | 2656 | -64.18 | -13 | -51.18 | -76.51 | -69.11 | 5.50 | 12.58 | V |
| Middle | 1348 | -65.58 | -13 | -52.58 | -73.24 | -68.83 | 4.00 | 9.40 | H |
| | 2022 | -54.07 | -13 | -41.07 | -63.96 | -57.64 | 4.88 | 10.60 | H |
| | 2696 | -64.44 | -13 | -51.44 | -77.09 | -69.37 | 5.52 | 12.60 | H |
| | 1348 | -65.68 | -13 | -52.68 | -73.27 | -68.93 | 4.00 | 9.40 | V |
| | 2022 | -65.65 | -13 | -52.65 | -75.66 | -69.22 | 4.88 | 10.60 | V |
| | 2696 | -64.72 | -13 | -51.72 | -77.26 | -69.65 | 5.52 | 12.60 | V |
| Highest | 1358 | -64.78 | -13 | -51.78 | -72.60 | -67.95 | 4.10 | 9.42 | H |
| | 2037 | -65.63 | -13 | -52.63 | -75.67 | -69.21 | 4.90 | 10.63 | H |
| | 2716 | -63.72 | -13 | -50.72 | -76.46 | -68.64 | 5.55 | 12.62 | H |
| | 1358 | -65.53 | -13 | -52.53 | -73.27 | -68.70 | 4.10 | 9.42 | V |
| | 2037 | -65.47 | -13 | -52.47 | -75.65 | -69.05 | 4.90 | 10.63 | V |
| | 2716 | -63.68 | -13 | -50.68 | -76.32 | -68.60 | 5.55 | 12.62 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.