



Duty Cycle NVNT ac20 5240MHz Ant2




Date: 19.JUN.2024 11:00:29

Duty Cycle NVNT ac40 5190MHz Ant2




Date: 19.JUN.2024 10:57:36

Duty Cycle NVNT ac40 5230MHz Ant2




Date: 19.JUN.2024 10:56:23

Duty Cycle NVNT ac80 5210MHz Ant2




Date: 19.JUN.2024 10:54:10

Duty Cycle NVNT n20 5180MHz Ant2




Date: 19.JUN.2024 11:02:17

Duty Cycle NVNT n20 5200MHz Ant2




Date: 19.JUN.2024 11:02:44

Duty Cycle NVNT n20 5240MHz Ant2




Date: 19.JUN.2024 11:03:13

Duty Cycle NVNT n40 5190MHz Ant2



Date: 19.JUN.2024 10:58:26

Duty Cycle NVNT n40 5230MHz Ant2



Date: 19.JUN.2024 10:59:25

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5180	MIMO	10.656	21.16	Pass
NVNT	ac20	5200	MIMO	10.257	21.16	Pass
NVNT	ac20	5240	MIMO	10.446	21.16	Pass
NVNT	ac40	5190	MIMO	10.770	21.16	Pass
NVNT	ac40	5230	MIMO	11.164	21.16	Pass
NVNT	ac80	5210	MIMO	11.615	21.16	Pass
NVNT	n20	5180	MIMO	10.259	21.16	Pass
NVNT	n20	5200	MIMO	10.432	21.16	Pass
NVNT	n20	5240	MIMO	10.177	21.16	Pass
NVNT	n40	5190	MIMO	11.019	21.16	Pass
NVNT	n40	5230	MIMO	10.909	21.16	Pass

Note: 1. Directional gain=8.84dBi, so the Conducted Power Limit need to reduce 2.84.


Band 4 (5725 – 5850 MHz)

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	9.468	30	Pass
NVNT	a	5785	Ant1	9.136	30	Pass
NVNT	a	5825	Ant1	9.005	30	Pass
NVNT	ac20	5745	Ant1	8.404	30	Pass
NVNT	ac20	5785	Ant1	7.53	30	Pass
NVNT	ac20	5825	Ant1	8.21	30	Pass
NVNT	ac40	5755	Ant1	9.106	30	Pass
NVNT	ac40	5795	Ant1	8.179	30	Pass
NVNT	ac80	5775	Ant1	7.99	30	Pass
NVNT	n20	5745	Ant1	8.064	30	Pass
NVNT	n20	5785	Ant1	8.006	30	Pass
NVNT	n20	5825	Ant1	7.603	30	Pass
NVNT	n40	5755	Ant1	8.528	30	Pass
NVNT	n40	5795	Ant1	8.773	30	Pass

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5745	Ant1	93.5	0.29
NVNT	a	5785	Ant1	93.5	0.29
NVNT	a	5825	Ant1	93.22	0.3
NVNT	ac20	5745	Ant1	79.62	0.99
NVNT	ac20	5785	Ant1	79.2	1.01
NVNT	ac20	5825	Ant1	79.3	1.01
NVNT	ac40	5755	Ant1	80.54	0.94
NVNT	ac40	5795	Ant1	79.21	1.01
NVNT	ac80	5775	Ant1	79.25	1.01
NVNT	n20	5745	Ant1	79.87	0.98
NVNT	n20	5785	Ant1	80.73	0.93
NVNT	n20	5825	Ant1	79.22	1.01
NVNT	n40	5755	Ant1	79.02	1.02
NVNT	n40	5795	Ant1	79.26	1.01

Duty Cycle NVNT a 5745MHz Ant1




Date: 19.JUN.2024 11:08:55

Duty Cycle NVNT a 5785MHz Ant1




Date: 19.JUN.2024 11:09:39

Duty Cycle NVNT a 5825MHz Ant1




Date: 19.JUN.2024 11:11:41

Duty Cycle NVNT ac20 5745MHz Ant1




Date: 19.JUN.2024 11:16:34

Duty Cycle NVNT ac20 5785MHz Ant1




Date: 19.JUN.2024 11:18:30


Duty Cycle NVNT ac20 5825MHz Ant1



Duty Cycle NVNT ac40 5755MHz Ant1




Duty Cycle NVNT ac40 5795MHz Ant1




Date: 19.JUN.2024 11:23:51

Duty Cycle NVNT ac80 5775MHz Ant1




Date: 19.JUN.2024 11:25:14

Duty Cycle NVNT n20 5745MHz Ant1




Date: 19.JUN.2024 11:15:50

Duty Cycle NVNT n20 5785MHz Ant1




Date: 19.JUN.2024 11:14:31

Duty Cycle NVNT n20 5825MHz Ant1




Date: 19.JUN.2024 11:13:45

Duty Cycle NVNT n40 5755MHz Ant1



Date: 19.JUN.2024 11:20:50

Duty Cycle NVNT n40 5795MHz Ant1




Date: 19.JUN.2024 11:22:38

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant2	9.545	30	Pass
NVNT	a	5785	Ant2	9.324	30	Pass
NVNT	a	5825	Ant2	9.894	30	Pass
NVNT	ac20	5745	Ant2	8.718	30	Pass
NVNT	ac20	5785	Ant2	8.486	30	Pass
NVNT	ac20	5825	Ant2	8.947	30	Pass
NVNT	ac40	5755	Ant2	8.849	30	Pass
NVNT	ac40	5795	Ant2	8.659	30	Pass
NVNT	ac80	5775	Ant2	8.774	30	Pass
NVNT	n20	5745	Ant2	8.858	30	Pass
NVNT	n20	5785	Ant2	8.434	30	Pass
NVNT	n20	5825	Ant2	8.247	30	Pass
NVNT	n40	5755	Ant2	8.782	30	Pass
NVNT	n40	5795	Ant2	8.612	30	Pass

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5745	Ant2	92.59	0.33
NVNT	a	5785	Ant2	93.12	0.31
NVNT	a	5825	Ant2	92.66	0.33
NVNT	ac20	5745	Ant2	79.23	1.01
NVNT	ac20	5785	Ant2	80.21	0.96
NVNT	ac20	5825	Ant2	80.11	0.96
NVNT	ac40	5755	Ant2	80.62	0.94
NVNT	ac40	5795	Ant2	79.11	1.02
NVNT	ac80	5775	Ant2	79.12	1.02
NVNT	n20	5745	Ant2	80.72	0.93
NVNT	n20	5785	Ant2	79.1	1.02
NVNT	n20	5825	Ant2	80.75	0.93
NVNT	n40	5755	Ant2	80.61	0.94
NVNT	n40	5795	Ant2	79.19	1.01

Duty Cycle NVNT a 5745MHz Ant2




Date: 19.JUN.2024 11:39:27

Duty Cycle NVNT a 5785MHz Ant2




Date: 19.JUN.2024 11:39:06

Duty Cycle NVNT a 5825MHz Ant2




Date: 19.JUN.2024 11:38:06

Duty Cycle NVNT ac20 5745MHz Ant2




Date: 19.JUN.2024 12:12:38

Duty Cycle NVNT ac20 5785MHz Ant2




Date: 19.JUN.2024 12:12:12

Duty Cycle NVNT ac20 5825MHz Ant2




Date: 19.JUN.2024 12:11:28

Duty Cycle NVNT ac40 5755MHz Ant2




Date: 19.JUN.2024 11:30:06

Duty Cycle NVNT ac40 5795MHz Ant2




Date: 19.JUN.2024 11:29:35

Duty Cycle NVNT ac80 5775MHz Ant2




Date: 19.JUN.2024 11:26:32

Duty Cycle NVNT n20 5745MHz Ant2




Date: 19.JUN.2024 12:09:50

Duty Cycle NVNT n20 5785MHz Ant2




Date: 19.JUN.2024 12:10:14

Duty Cycle NVNT n20 5825MHz Ant2




Date: 19.JUN.2024 12:10:37

Duty Cycle NVNT n40 5755MHz Ant2



Date: 19.JUN.2024 11:30:39

Duty Cycle NVNT n40 5795MHz Ant2




Date: 19.JUN.2024 11:32:10

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5745	MIMO	11.574	27.16	Pass
NVNT	ac20	5785	MIMO	11.045	27.16	Pass
NVNT	ac20	5825	MIMO	11.604	27.16	Pass
NVNT	ac40	5755	MIMO	11.990	27.16	Pass
NVNT	ac40	5795	MIMO	11.436	27.16	Pass
NVNT	ac80	5775	MIMO	11.410	27.16	Pass
NVNT	n20	5745	MIMO	11.489	27.16	Pass
NVNT	n20	5785	MIMO	11.236	27.16	Pass
NVNT	n20	5825	MIMO	10.947	27.16	Pass
NVNT	n40	5755	MIMO	11.667	27.16	Pass
NVNT	n40	5795	MIMO	11.704	27.16	Pass

Note: 1. Directional gain=8.84dBi, so the Conducted Power Limit need to reduce2.84.


4.5 Power Spectral Density

Test Requirement:	FCC Part15 E Section 15.407
Test Method:	KDB 789033 D02 General UNII Test Procedures New Rules v02r01
Limit:	<p>FCC: 1. $\leq 11.00 \text{ dBm/MHz}$ for 5150MHz-5250MHz, 5250-5350MHz and 5470-5725 MHz</p> <p>2. $\leq 30.00 \text{ dBm/500KHz}$ for 5725MHz-5850MHz</p> <p>IC: 1. For the 5.15-5.25 GHz, The e.i.r.p. spectral density shall not exceed 10 dBm in any 1.0 MHz band.</p> <p>2. For the 5.25-5.35 GHz and 5.47-5.725 GHz bands, The power spectral density shall not exceed 11 dBm in any 1.0 MHz band.</p>
Test setup:	 <p>The diagram illustrates the test setup. A Spectrum Analyzer is connected to an E.U.T. (Equipment Under Test) via a red cable. Both are placed on a Non-Conducted Table, which is supported by a Ground Reference Plane.</p>
Test procedure:	<ol style="list-style-type: none"> 1) Create an average power spectrum for the EUT operating mode being tested by following the instructions in section E)2) for measuring maximum conducted output power using a spectrum analyzer or EMI receiver: select the appropriate test method (SA-1, SA-2, SA-3, or alternatives to each) and apply it up to, but not including, the step labeled, "Compute power...". 2) Use the peak search function on the instrument to find the peak of the spectrum. 3) Make the following adjustments to the peak value of the spectrum, if applicable: <ol style="list-style-type: none"> a) If Method SA-2 or SA-2 Alternative was used, add $10 \log(1/x)$, where x is the duty cycle, to the peak of the spectrum. b) If Method SA-3 Alternative was used and the linear mode was used in step E)2)g)(viii), add 1 dB to the final result to compensate for the difference between linear averaging and power averaging. 4) The result is the PSD. 5) <ol style="list-style-type: none"> 1. Antenna assembly gain G in dBi of the individual antenna. 2. $\text{EIRP PSD} = \text{Max PSD} + G$ (When testing, the line loss has already been added to the antenna gain, so the test result is EIRP PSD)
Test Instruments:	Refer to section 3 for details
Test mode:	Refer to section 2.2 for details
Test results:	Pass

Measurement Data
Band 1 (5150-5250 MHz)


Condition	Mode	Frequency (MHz)	Antenna	Correction Factor (dB)	Conducted PSD (dBm)	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	0.3	-0.303	-0.003	11	Pass
NVNT	a	5200	Ant1	0.3	-0.265	0.035	11	Pass
NVNT	a	5240	Ant1	0.3	0.156	0.456	11	Pass
NVNT	ac20	5180	Ant1	0.97	-0.694	0.276	11	Pass
NVNT	ac20	5200	Ant1	0.99	-0.717	0.273	11	Pass
NVNT	ac20	5240	Ant1	1.01	-0.47	0.54	11	Pass
NVNT	ac40	5190	Ant1	0.95	-3.303	-2.353	11	Pass
NVNT	ac40	5230	Ant1	1.02	-2.986	-1.966	11	Pass
NVNT	ac80	5210	Ant1	1	-5.99	-4.99	11	Pass
NVNT	n20	5180	Ant1	1.01	-0.635	0.375	11	Pass
NVNT	n20	5200	Ant1	0.96	-0.57	0.39	11	Pass
NVNT	n20	5240	Ant1	1.01	-0.661	0.349	11	Pass
NVNT	n40	5190	Ant1	1.02	-3.528	-2.508	11	Pass
NVNT	n40	5230	Ant1	1	-2.801	-1.801	11	Pass

PSD NVNT a 5180MHz Ant1




Date: 18.JUN.2024 18:34:52

PSD NVNT a 5200MHz Ant1




Date: 18.JUN.2024 18:35:46

PSD NVNT a 5240MHz Ant1




Date: 18.JUN.2024 18:36:44

PSD NVNT ac20 5180MHz Ant1




Date: 18.JUN.2024 18:27:36

PSD NVNT ac20 5200MHz Ant1




Date: 18.JUN.2024 18:28:18

PSD NVNT ac20 5240MHz Ant1




Date: 18.JUN.2024 18:28:53

PSD NVNT ac40 5190MHz Ant1




Date: 18.JUN.2024 18:21:45


PSD NVNT ac40 5230MHz Ant1



PSD NVNT ac80 5210MHz Ant1




PSD NVNT n20 5180MHz Ant1




Date: 18.JUN.2024 18:33:21

PSD NVNT n20 5200MHz Ant1




Date: 18.JUN.2024 18:32:44

PSD NVNT n20 5240MHz Ant1




Date: 18.JUN.2024 18:32:11

PSD NVNT n40 5190MHz Ant1




Date: 18.JUN.2024 18:26:32

PSD NVNT n40 5230MHz Ant1




Condition	Mode	Frequency (MHz)	Antenna	Correction Factor (dB)	Conducted PSD (dBm)	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant2	0.29	-1.175	-0.885	11	Pass
NVNT	a	5200	Ant2	0.29	-1.568	-1.278	11	Pass
NVNT	a	5240	Ant2	0.29	-1.045	-0.755	11	Pass
NVNT	ac20	5180	Ant2	1.01	-1.544	-0.534	11	Pass
NVNT	ac20	5200	Ant2	0.94	-1.359	-0.419	11	Pass
NVNT	ac20	5240	Ant2	0.93	-1.697	-0.767	11	Pass
NVNT	ac40	5190	Ant2	1.01	-3.997	-2.987	11	Pass
NVNT	ac40	5230	Ant2	1.02	-3.804	-2.784	11	Pass
NVNT	ac80	5210	Ant2	0.94	-6.996	-6.056	11	Pass
NVNT	n20	5180	Ant2	1.01	-1.16	-0.15	11	Pass
NVNT	n20	5200	Ant2	1.01	-1.534	-0.524	11	Pass
NVNT	n20	5240	Ant2	0.95	-1.385	-0.435	11	Pass
NVNT	n40	5190	Ant2	1.03	-4.646	-3.616	11	Pass
NVNT	n40	5230	Ant2	1.01	-3.905	-2.895	11	Pass

PSD NVNT a 5180MHz Ant2




Date: 18.JUN.2024 17:35:54

PSD NVNT a 5200MHz Ant2




Date: 18.JUN.2024 17:43:38

PSD NVNT a 5240MHz Ant2




Date: 18.JUN.2024 17:41:49

PSD NVNT ac20 5180MHz Ant2




Date: 18.JUN.2024 17:53:44

PSD NVNT ac20 5200MHz Ant2




Date: 18.JUN.2024 17:55:08

PSD NVNT ac20 5240MHz Ant2




Date: 18.JUN.2024 17:56:49

PSD NVNT ac40 5190MHz Ant2




Date: 18.JUN.2024 18:09:19

PSD NVNT ac40 5230MHz Ant2




Date: 18.JUN.2024 18:08:25


PSD NVNT ac80 5210MHz Ant2



PSD NVNT n20 5180MHz Ant2




PSD NVNT n20 5200MHz Ant2




Date: 18.JUN.2024 17:49:11

PSD NVNT n20 5240MHz Ant2




Date: 18.JUN.2024 17:51:34

PSD NVNT n40 5190MHz Ant2



PSD NVNT n40 5230MHz Ant2




Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD(dBm)	Limit (dBm)	Verdict
NVNT	ac20	5180	MIMO	1.912	8.16	Pass
NVNT	ac20	5200	MIMO	1.984	8.16	Pass
NVNT	ac20	5240	MIMO	1.970	8.16	Pass
NVNT	ac40	5190	MIMO	-0.626	8.16	Pass
NVNT	ac40	5230	MIMO	-0.365	8.16	Pass
NVNT	ac80	5210	MIMO	-3.454	8.16	Pass
NVNT	n20	5180	MIMO	2.121	8.16	Pass
NVNT	n20	5200	MIMO	1.985	8.16	Pass
NVNT	n20	5240	MIMO	2.002	8.16	Pass
NVNT	n40	5190	MIMO	-1.041	8.16	Pass
NVNT	n40	5230	MIMO	-0.308	8.16	Pass

Note: 1. Directional gain=8.84dBi, so the Conducted Power Limit need to reduce 2.84.

Band 4 (5725 – 5850 MHz)


Condition	Mode	Frequency (MHz)	Antenna	Correction Factor (dB)	Conducted PSD (dBm)	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	0.29	1.175	1.465	30	Pass
NVNT	a	5785	Ant1	0.29	0.791	1.081	30	Pass
NVNT	a	5825	Ant1	0.3	1.492	1.792	30	Pass
NVNT	ac20	5745	Ant1	0.99	1.484	2.474	30	Pass
NVNT	ac20	5785	Ant1	1.01	0.875	1.885	30	Pass
NVNT	ac20	5825	Ant1	1.01	1.634	2.644	30	Pass
NVNT	ac40	5755	Ant1	0.94	-1.125	-0.185	30	Pass
NVNT	ac40	5795	Ant1	1.01	-1.886	-0.876	30	Pass
NVNT	ac80	5775	Ant1	1.01	-4.347	-3.337	30	Pass
NVNT	n20	5745	Ant1	0.98	0.907	1.887	30	Pass
NVNT	n20	5785	Ant1	0.93	0.673	1.603	30	Pass
NVNT	n20	5825	Ant1	1.01	1.474	2.484	30	Pass
NVNT	n40	5755	Ant1	1.02	-1.068	-0.048	30	Pass
NVNT	n40	5795	Ant1	1.01	-1.691	-0.681	30	Pass

PSD NVNT a 5745MHz Ant1




Date: 18.JUN.2024 20:10:39

PSD NVNT a 5785MHz Ant1




Date: 18.JUN.2024 20:11:19

PSD NVNT a 5825MHz Ant1




Date: 18.JUN.2024 20:12:48


PSD NVNT ac20 5745MHz Ant1



PSD NVNT ac20 5785MHz Ant1




PSD NVNT ac20 5825MHz Ant1




Date: 18.JUN.2024 20:05:23

PSD NVNT ac40 5755MHz Ant1




Date: 18.JUN.2024 20:00:13

PSD NVNT ac40 5795MHz Ant1




Date: 18.JUN.2024 20:00:58

PSD NVNT ac80 5775MHz Ant1




Date: 18.JUN.2024 19:58:37


PSD NVNT n20 5745MHz Ant1



PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1




Date: 18.JUN.2024 20:06:19

PSD NVNT n40 5755MHz Ant1



Date: 18.JUN.2024 20:03:13


PSD NVNT n40 5795MHz Ant1



Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Correction Factor (dB)	Conducted PSD (dBm)	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant2	0.33	2.049	2.379	30	Pass
NVNT	a	5785	Ant2	0.31	1.113	1.423	30	Pass
NVNT	a	5825	Ant2	0.33	1.79	2.12	30	Pass
NVNT	ac20	5745	Ant2	1.01	1.385	2.395	30	Pass
NVNT	ac20	5785	Ant2	0.96	0.717	1.677	30	Pass
NVNT	ac20	5825	Ant2	0.96	1.22	2.18	30	Pass
NVNT	ac40	5755	Ant2	0.94	-1.039	-0.099	30	Pass
NVNT	ac40	5795	Ant2	1.02	-2.592	-1.572	30	Pass
NVNT	ac80	5775	Ant2	1.02	-4.069	-3.049	30	Pass
NVNT	n20	5745	Ant2	0.93	1.474	2.404	30	Pass
NVNT	n20	5785	Ant2	1.02	0.746	1.766	30	Pass
NVNT	n20	5825	Ant2	0.93	1.669	2.599	30	Pass
NVNT	n40	5755	Ant2	0.94	-0.936	0.004	30	Pass
NVNT	n40	5795	Ant2	1.01	-2.129	-1.119	30	Pass

PSD NVNT a 5745MHz Ant2




Date: 18.JUN.2024 18:40:30

PSD NVNT a 5785MHz Ant2




Date: 18.JUN.2024 18:41:55

PSD NVNT a 5825MHz Ant2



Date: 18.JUN.2024 18:43:14

PSD NVNT ac20 5745MHz Ant2



Date: 18.JUN.2024 18:47:17