


Annex A.5 Spurious Emission at Antenna Terminals

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.97	-13	Pass	401
0.15	30	0.01	Peak	0.48	-65.39	-13	Pass	2985
30	1000	0.1	Peak	870.328	-53.09	-13	Pass	9699
1000	3000	1	Peak	1853.427	22.73	-13	N/A	2000
3000	20000	1	Peak	17149.727	-22.46	-13	Pass	17000




1.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.54	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.3	-13	Pass	2985
30	1000	0.1	Peak	835.798	-53.02	-13	Pass	9699
1000	3000	1	Peak	1878.439	22.85	-13	N/A	2000
3000	20000	1	Peak	19946.914	-22.67	-13	Pass	17000



1.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.48	-13	Pass	401
0.15	30	0.01	Peak	0.66	-65.31	-13	Pass	2985
30	1000	0.1	Peak	993.091	-53.2	-13	Pass	9699
1000	3000	1	Peak	1908.454	22.89	-13	N/A	2000
3000	20000	1	Peak	16360.631	-22.44	-13	Pass	17000



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.96	-13	Pass	401
0.15	30	0.01	Peak	0.3	-65.52	-13	Pass	2985
30	1000	0.1	Peak	944.126	-53.31	-13	Pass	9699
1000	3000	1	Peak	1711.356	23.48	-13	N/A	2000
3000	20000	1	Peak	19508.202	-22.8	-13	Pass	17000




2.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.02	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.5	-13	Pass	2985
30	1000	0.1	Peak	894.36	-53.09	-13	Pass	9699
1000	3000	1	Peak	1733.367	23.39	-13	N/A	2000
3000	20000	1	Peak	19875.798	-22.5	-13	Pass	17000



2.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.7	-13	Pass	401
0.15	30	0.01	Peak	0.56	-63.63	-13	Pass	2985
30	1000	0.1	Peak	749.688	-53.07	-13	Pass	9699
1000	3000	1	Peak	1751.376	23.07	-13	N/A	2000
3000	20000	1	Peak	19133.969	-22.65	-13	Pass	17000



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.99	-13	Pass	401
0.15	30	0.01	Peak	0.38	-65.18	-13	Pass	2985
30	500	0.1	Peak	395.378	-53.44	-13	Pass	4700
500	1000	0.1	Peak	827.666	17.42	-13	N/A	5000
1000	10000	1	Peak	7563.801	-30.48	-13	Pass	9000




3.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.67	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.31	-13	Pass	2985
30	500	0.1	Peak	470.394	-53.51	-13	Pass	4700
500	1000	0.1	Peak	835.567	18.99	-13	N/A	5000
1000	10000	1	Peak	6971.729	-30.72	-13	Pass	9000



3.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.88	-13	Pass	401
0.15	30	0.01	Peak	0.33	-64.55	-13	Pass	2985
30	500	0.1	Peak	385.576	-52.92	-13	Pass	4700
500	1000	0.1	Peak	847.87	17.57	-13	N/A	5000
1000	10000	1	Peak	6967.728	-30.1	-13	Pass	9000



4. LTE_Band2


**4.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	844.799	-64.31	-13	Pass	9699
1000	1840	1	RMS	1838.999	-50.64	-13	Pass	840
1840	1920	1	RMS	1850.2	22.82	60	Pass	401
1920	3000	1	RMS	2959.963	-49.42	-13	Pass	1080
3000	12000	1	RMS	11992.991	-41.03	-13	Pass	9000
12000	20000	1	RMS	19400.925	-34.08	-13	Pass	8000




4.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.9	-13	Pass	2985
30	1000	0.1	RMS	832.098	-64.17	-13	Pass	9699
1000	1840	1	RMS	1838.999	-50.99	-13	Pass	840
1840	1920	1	RMS	1850.2	21.83	60	Pass	401
1920	3000	1	RMS	2956.96	-49.4	-13	Pass	1080
3000	12000	1	RMS	11990.989	-40.96	-13	Pass	9000
12000	20000	1	RMS	19405.926	-34.11	-13	Pass	8000




4.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.25	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.35	-13	Pass	2985
30	1000	0.1	RMS	828.397	-63.92	-13	Pass	9699
1000	1840	1	RMS	1832.992	-52.27	-13	Pass	840
1840	1920	1	RMS	1879.4	22.78	60	Pass	401
1920	3000	1	RMS	2961.965	-49.44	-13	Pass	1080
3000	12000	1	RMS	11986.984	-41.01	-13	Pass	9000
12000	20000	1	RMS	19396.925	-34.16	-13	Pass	8000




4.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	1000	0.1	RMS	855.208	-64.21	-13	Pass	9699
1000	1840	1	RMS	1840	-52.28	-13	Pass	840
1840	1920	1	RMS	1879.4	21.84	60	Pass	401
1920	3000	1	RMS	2958.962	-49.41	-13	Pass	1080
3000	12000	1	RMS	11988.986	-41.03	-13	Pass	9000
12000	20000	1	RMS	19398.925	-34.15	-13	Pass	8000




**4.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-13	Pass	2985
30	1000	0.1	RMS	834.798	-64.2	-13	Pass	9699
1000	1840	1	RMS	1831.99	-52.28	-13	Pass	840
1840	1920	1	RMS	1908.8	22.8	60	Pass	401
1920	3000	1	RMS	2964.968	-49.45	-13	Pass	1080
3000	12000	1	RMS	12000	-40.96	-13	Pass	9000
12000	20000	1	RMS	19402.925	-34.13	-13	Pass	8000




4.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-13	Pass	2985
30	1000	0.1	RMS	830.598	-64.32	-13	Pass	9699
1000	1840	1	RMS	1831.99	-52.28	-13	Pass	840
1840	1920	1	RMS	1908.8	21.9	60	Pass	401
1920	3000	1	RMS	2959.963	-49.44	-13	Pass	1080
3000	12000	1	RMS	11995.995	-40.96	-13	Pass	9000
12000	20000	1	RMS	19397.925	-34.07	-13	Pass	8000




4.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2985
30	1000	0.1	RMS	848.5	-64.24	-13	Pass	9699
1000	1840	1	RMS	1838.999	-50.61	-13	Pass	840
1840	1920	1	RMS	1850.2	22.85	60	Pass	401
1920	3000	1	RMS	2960.964	-49.43	-13	Pass	1080
3000	12000	1	RMS	11994.994	-41	-13	Pass	9000
12000	20000	1	RMS	19400.925	-34.09	-13	Pass	8000




4.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	858.913	-64.36	-13	Pass	9699
1000	1840	1	RMS	1838.999	-50.75	-13	Pass	840
1840	1920	1	RMS	1850.2	22.03	60	Pass	401
1920	3000	1	RMS	2965.968	-49.41	-13	Pass	1080
3000	12000	1	RMS	11992.991	-40.92	-13	Pass	9000
12000	20000	1	RMS	19400.925	-34.12	-13	Pass	8000




4.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	Pass	2985
30	1000	0.1	RMS	850.201	-64.16	-13	Pass	9699
1000	1840	1	RMS	1840	-52.36	-13	Pass	840
1840	1920	1	RMS	1878.6	22.8	60	Pass	401
1920	3000	1	RMS	2950.955	-49.48	-13	Pass	1080
3000	12000	1	RMS	12000	-40.92	-13	Pass	9000
12000	20000	1	RMS	19402.925	-34.15	-13	Pass	8000




4.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2985
30	1000	0.1	RMS	994.793	-64.23	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.32	-13	Pass	840
1840	1920	1	RMS	1878.6	21.87	60	Pass	401
1920	3000	1	RMS	2969.972	-49.44	-13	Pass	1080
3000	12000	1	RMS	11987.985	-40.98	-13	Pass	9000
12000	20000	1	RMS	19401.925	-34.16	-13	Pass	8000




4.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	Pass	2985
30	1000	0.1	RMS	867.024	-64.09	-13	Pass	9699
1000	1840	1	RMS	1817.974	-52.33	-13	Pass	840
1840	1920	1	RMS	1907.2	22.83	60	Pass	401
1920	3000	1	RMS	2962.966	-49.4	-13	Pass	1080
3000	12000	1	RMS	11995.995	-40.98	-13	Pass	9000
12000	20000	1	RMS	19396.925	-34.06	-13	Pass	8000




4.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.16	-13	Pass	2985
30	1000	0.1	RMS	828.998	-64.29	-13	Pass	9699
1000	1840	1	RMS	1831.99	-52.32	-13	Pass	840
1840	1920	1	RMS	1907.2	21.94	60	Pass	401
1920	3000	1	RMS	2956.96	-49.41	-13	Pass	1080
3000	12000	1	RMS	11997.998	-41.01	-13	Pass	9000
12000	20000	1	RMS	19399.925	-34.04	-13	Pass	8000




4.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2985
30	1000	0.1	RMS	854.707	-64.22	-13	Pass	9699
1000	1840	1	RMS	1840	-50.6	-13	Pass	840
1840	1920	1	RMS	1850.2	22.82	60	Pass	401
1920	3000	1	RMS	2953.957	-49.46	-13	Pass	1080
3000	12000	1	RMS	11994.994	-40.86	-13	Pass	9000
12000	20000	1	RMS	19402.925	-34.09	-13	Pass	8000




4.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.9	-13	Pass	2985
30	1000	0.1	RMS	854.607	-64.31	-13	Pass	9699
1000	1840	1	RMS	1840	-50.79	-13	Pass	840
1840	1920	1	RMS	1850.2	22	60	Pass	401
1920	3000	1	RMS	2956.96	-49.46	-13	Pass	1080
3000	12000	1	RMS	11990.989	-40.93	-13	Pass	9000
12000	20000	1	RMS	19404.926	-34.13	-13	Pass	8000




4.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.68	-13	Pass	2985
30	1000	0.1	RMS	846.5	-64.09	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.29	-13	Pass	840
1840	1920	1	RMS	1877.8	22.79	60	Pass	401
1920	3000	1	RMS	2961.965	-49.42	-13	Pass	1080
3000	12000	1	RMS	11996.996	-40.95	-13	Pass	9000
12000	20000	1	RMS	19399.925	-34.14	-13	Pass	8000




4.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2985
30	1000	0.1	RMS	849.5	-64.24	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.36	-13	Pass	840
1840	1920	1	RMS	1877.8	21.91	60	Pass	401
1920	3000	1	RMS	2969.972	-49.47	-13	Pass	1080
3000	12000	1	RMS	11989.988	-40.97	-13	Pass	9000
12000	20000	1	RMS	19397.925	-34.14	-13	Pass	8000




4.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.55	-13	Pass	2985
30	1000	0.1	RMS	833.698	-64.2	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.34	-13	Pass	840
1840	1920	1	RMS	1905.2	22.82	60	Pass	401
1920	3000	1	RMS	2961.965	-49.39	-13	Pass	1080
3000	12000	1	RMS	11995.995	-40.99	-13	Pass	9000
12000	20000	1	RMS	19405.926	-34.14	-13	Pass	8000




4.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.58	-13	Pass	2985
30	1000	0.1	RMS	825.497	-64.24	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.35	-13	Pass	840
1840	1920	1	RMS	1905.2	22.11	60	Pass	401
1920	3000	1	RMS	2957.961	-49.45	-13	Pass	1080
3000	12000	1	RMS	11995.995	-40.97	-13	Pass	9000
12000	20000	1	RMS	19400.925	-34.2	-13	Pass	8000




**4.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.8	-13	Pass	2985
30	1000	0.1	RMS	831.198	-64.36	-13	Pass	9699
1000	1840	1	RMS	1832.992	-48.82	-13	Pass	840
1840	1920	1	RMS	1850.4	22.88	60	Pass	401
1920	3000	1	RMS	2960.964	-49.43	-13	Pass	1080
3000	12000	1	RMS	11996.996	-40.99	-13	Pass	9000
12000	20000	1	RMS	19397.925	-34.16	-13	Pass	8000




4.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	Pass	2985
30	1000	0.1	RMS	814.896	-64.37	-13	Pass	9699
1000	1840	1	RMS	1832.992	-49.17	-13	Pass	840
1840	1920	1	RMS	1850.4	22.25	60	Pass	401
1920	3000	1	RMS	2952.956	-49.44	-13	Pass	1080
3000	12000	1	RMS	12000	-40.93	-13	Pass	9000
12000	20000	1	RMS	19397.925	-34.12	-13	Pass	8000




**4.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	Pass	2985
30	1000	0.1	RMS	853.105	-64.23	-13	Pass	9699
1000	1840	1	RMS	1835.995	-52.33	-13	Pass	840
1840	1920	1	RMS	1875.4	22.81	60	Pass	401
1920	3000	1	RMS	2968.971	-49.43	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.93	-13	Pass	9000
12000	20000	1	RMS	19402.925	-34.1	-13	Pass	8000




4.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2985
30	1000	0.1	RMS	854.107	-64.11	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.31	-13	Pass	840
1840	1920	1	RMS	1875.4	21.78	60	Pass	401
1920	3000	1	RMS	2956.96	-49.39	-13	Pass	1080
3000	12000	1	RMS	11990.989	-41	-13	Pass	9000
12000	20000	1	RMS	19406.926	-34.12	-13	Pass	8000




**4.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	Pass	2985
30	1000	0.1	RMS	852.805	-64.09	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.3	-13	Pass	840
1840	1920	1	RMS	1900.4	22.87	60	Pass	401
1920	3000	1	RMS	2957.961	-49.35	-13	Pass	1080
3000	12000	1	RMS	12000	-40.96	-13	Pass	9000
12000	20000	1	RMS	19390.924	-34.11	-13	Pass	8000




4.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.7	-13	Pass	2985
30	1000	0.1	RMS	846.9	-64.24	-13	Pass	9699
1000	1840	1	RMS	1824.982	-52.35	-13	Pass	840
1840	1920	1	RMS	1900.4	21.92	60	Pass	401
1920	3000	1	RMS	2956.96	-49.41	-13	Pass	1080
3000	12000	1	RMS	11992.991	-40.93	-13	Pass	9000
12000	20000	1	RMS	19397.925	-34.13	-13	Pass	8000




**4.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-13	Pass	2985
30	1000	0.1	RMS	825.797	-64.29	-13	Pass	9699
1000	1840	1	RMS	1836.996	-49.89	-13	Pass	840
1840	1920	1	RMS	1850.8	22.82	60	Pass	401
1920	3000	1	RMS	2949.954	-49.39	-13	Pass	1080
3000	12000	1	RMS	11994.994	-40.95	-13	Pass	9000
12000	20000	1	RMS	19397.925	-34.07	-13	Pass	8000




4.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	Pass	2985
30	1000	0.1	RMS	840.799	-64.14	-13	Pass	9699
1000	1840	1	RMS	1836.996	-50.16	-13	Pass	840
1840	1920	1	RMS	1850.8	22	60	Pass	401
1920	3000	1	RMS	2957.961	-49.39	-13	Pass	1080
3000	12000	1	RMS	11996.996	-40.93	-13	Pass	9000
12000	20000	1	RMS	19400.925	-34.11	-13	Pass	8000




**4.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	Pass	2985
30	1000	0.1	RMS	862.017	-64.24	-13	Pass	9699
1000	1840	1	RMS	1840	-52.22	-13	Pass	840
1840	1920	1	RMS	1873.2	22.72	60	Pass	401
1920	3000	1	RMS	2963.967	-49.44	-13	Pass	1080
3000	12000	1	RMS	12000	-41	-13	Pass	9000
12000	20000	1	RMS	19397.925	-34.09	-13	Pass	8000




4.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-13	Pass	2985
30	1000	0.1	RMS	862.117	-64.19	-13	Pass	9699
1000	1840	1	RMS	1840	-52.28	-13	Pass	840
1840	1920	1	RMS	1873.2	21.77	60	Pass	401
1920	3000	1	RMS	2957.961	-49.46	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.94	-13	Pass	9000
12000	20000	1	RMS	19400.925	-34.12	-13	Pass	8000




**4.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-13	Pass	2985
30	1000	0.1	RMS	833.598	-64.26	-13	Pass	9699
1000	1840	1	RMS	1829.988	-52.33	-13	Pass	840
1840	1920	1	RMS	1895.8	22.85	60	Pass	401
1920	3000	1	RMS	1922.002	-48.46	-13	Pass	1080
3000	12000	1	RMS	11996.996	-40.99	-13	Pass	9000
12000	20000	1	RMS	19402.925	-34.1	-13	Pass	8000




4.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-13	Pass	2985
30	1000	0.1	RMS	859.514	-64.23	-13	Pass	9699
1000	1840	1	RMS	1836.996	-52.33	-13	Pass	840
1840	1920	1	RMS	1895.8	22.02	60	Pass	401
1920	3000	1	RMS	1922.002	-48.83	-13	Pass	1080
3000	12000	1	RMS	11989.988	-40.98	-13	Pass	9000
12000	20000	1	RMS	19394.924	-34.14	-13	Pass	8000




**4.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-13	Pass	2985
30	1000	0.1	RMS	861.616	-64.3	-13	Pass	9699
1000	1840	1	RMS	1840	-50.12	-13	Pass	840
1840	1920	1	RMS	1851	22.96	60	Pass	401
1920	3000	1	RMS	2951.956	-49.41	-13	Pass	1080
3000	12000	1	RMS	11981.978	-40.91	-13	Pass	9000
12000	20000	1	RMS	19407.926	-34.14	-13	Pass	8000




4.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-13	Pass	2985
30	1000	0.1	RMS	853.406	-64.26	-13	Pass	9699
1000	1840	1	RMS	1840	-50.52	-13	Pass	840
1840	1920	1	RMS	1851	22.2	60	Pass	401
1920	3000	1	RMS	2957.961	-49.39	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.94	-13	Pass	9000
12000	20000	1	RMS	19402.925	-34.05	-13	Pass	8000




**4.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2985
30	1000	0.1	RMS	826.897	-64.29	-13	Pass	9699
1000	1840	1	RMS	1834.994	-50.78	-13	Pass	840
1840	1920	1	RMS	1871	22.91	60	Pass	401
1920	3000	1	RMS	2959.963	-49.41	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.92	-13	Pass	9000
12000	20000	1	RMS	19402.925	-34.07	-13	Pass	8000




4.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.73	-13	Pass	2985
30	1000	0.1	RMS	850.301	-64.28	-13	Pass	9699
1000	1840	1	RMS	1834.994	-51.29	-13	Pass	840
1840	1920	1	RMS	1871	21.93	60	Pass	401
1920	3000	1	RMS	2965.968	-49.39	-13	Pass	1080
3000	12000	1	RMS	11995.995	-40.96	-13	Pass	9000
12000	20000	1	RMS	19399.925	-34.12	-13	Pass	8000




**4.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2985
30	1000	0.1	RMS	826.197	-64.23	-13	Pass	9699
1000	1840	1	RMS	1831.99	-52.27	-13	Pass	840
1840	1920	1	RMS	1891	22.91	60	Pass	401
1920	3000	1	RMS	2952.956	-49.43	-13	Pass	1080
3000	12000	1	RMS	11994.994	-40.94	-13	Pass	9000
12000	20000	1	RMS	19400.925	-33.98	-13	Pass	8000



4.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	Pass	2985
30	1000	0.1	RMS	835.698	-64.28	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.34	-13	Pass	840
1840	1920	1	RMS	1891	21.98	60	Pass	401
1920	3000	1	RMS	2963.967	-49.4	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.94	-13	Pass	9000
12000	20000	1	RMS	19406.926	-34.12	-13	Pass	8000



5. LTE_Band4


5.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.48	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.07	-13	Pass	2985
30	1000	0.1	RMS	851.103	-64.32	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.25	-13	Pass	700
1700	1765	1	RMS	1710.238	22.6	60	Pass	401
1765	3000	1	RMS	2956.965	-49.38	-13	Pass	1235
3000	12000	1	RMS	11991.99	-40.99	-13	Pass	9000
12000	20000	1	RMS	19399.925	-34.16	-13	Pass	8000




5.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.85	-13	Pass	2985
30	1000	0.1	RMS	830.998	-64.24	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.53	-13	Pass	700
1700	1765	1	RMS	1710.238	21.66	60	Pass	401
1765	3000	1	RMS	2958.967	-49.46	-13	Pass	1235
3000	12000	1	RMS	11993.993	-40.96	-13	Pass	9000
12000	20000	1	RMS	19404.926	-34.07	-13	Pass	8000




5.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	Pass	2985
30	1000	0.1	RMS	866.223	-64.25	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.67	-13	Pass	700
1700	1765	1	RMS	1732.013	22.62	60	Pass	401
1765	3000	1	RMS	2965.972	-49.42	-13	Pass	1235
3000	12000	1	RMS	11985.983	-41.03	-13	Pass	9000
12000	20000	1	RMS	19397.925	-34.13	-13	Pass	8000




5.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.04	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.83	-13	Pass	2985
30	1000	0.1	RMS	846.5	-64.36	-13	Pass	9699
1000	1700	1	RMS	1694.993	-52.68	-13	Pass	700
1700	1765	1	RMS	1732.013	21.63	60	Pass	401
1765	3000	1	RMS	2962.97	-49.38	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.98	-13	Pass	9000
12000	20000	1	RMS	19400.925	-34.11	-13	Pass	8000




**5.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2985
30	1000	0.1	RMS	840.699	-64.25	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.65	-13	Pass	700
1700	1765	1	RMS	1753.788	22.43	60	Pass	401
1765	3000	1	RMS	1768.002	-47.5	-13	Pass	1235
3000	12000	1	RMS	11996.996	-40.96	-13	Pass	9000
12000	20000	1	RMS	19405.926	-34.06	-13	Pass	8000




**5.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.39	-13	Pass	2985
30	1000	0.1	RMS	830.198	-64.19	-13	Pass	9699
1000	1700	1	RMS	1700	-52.77	-13	Pass	700
1700	1765	1	RMS	1753.788	21.56	60	Pass	401
1765	3000	1	RMS	1768.002	-48.08	-13	Pass	1235
3000	12000	1	RMS	11996.996	-40.96	-13	Pass	9000
12000	20000	1	RMS	19394.924	-34.11	-13	Pass	8000




5.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	1000	0.1	RMS	843.599	-64.23	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.17	-13	Pass	700
1700	1765	1	RMS	1710.238	22.64	60	Pass	401
1765	3000	1	RMS	2962.97	-49.36	-13	Pass	1235
3000	12000	1	RMS	11996.996	-40.92	-13	Pass	9000
12000	20000	1	RMS	19402.925	-34.12	-13	Pass	8000




**5.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2985
30	1000	0.1	RMS	832.398	-64.17	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.45	-13	Pass	700
1700	1765	1	RMS	1710.238	21.8	60	Pass	401
1765	3000	1	RMS	2956.965	-49.34	-13	Pass	1235
3000	12000	1	RMS	12000	-40.97	-13	Pass	9000
12000	20000	1	RMS	19402.925	-34.11	-13	Pass	8000




5.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2985
30	1000	0.1	RMS	849.4	-64.26	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.65	-13	Pass	700
1700	1765	1	RMS	1731.2	22.66	60	Pass	401
1765	3000	1	RMS	2964.972	-49.44	-13	Pass	1235
3000	12000	1	RMS	11993.993	-40.88	-13	Pass	9000
12000	20000	1	RMS	19403.925	-34.15	-13	Pass	8000




5.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	Pass	2985
30	1000	0.1	RMS	844.699	-64.13	-13	Pass	9699
1000	1700	1	RMS	1700	-52.64	-13	Pass	700
1700	1765	1	RMS	1731.2	21.67	60	Pass	401
1765	3000	1	RMS	2956.965	-49.45	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.9	-13	Pass	9000
12000	20000	1	RMS	19400.925	-34.12	-13	Pass	8000




5.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.74	-13	Pass	2985
30	1000	0.1	RMS	861.116	-64.23	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.73	-13	Pass	700
1700	1765	1	RMS	1752.163	22.53	60	Pass	401
1765	3000	1	RMS	1766.001	-48.67	-13	Pass	1235
3000	12000	1	RMS	11996.996	-40.9	-13	Pass	9000
12000	20000	1	RMS	19400.925	-34.15	-13	Pass	8000




5.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.78	-13	Pass	2985
30	1000	0.1	RMS	840.099	-64.06	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.76	-13	Pass	700
1700	1765	1	RMS	1752.163	21.53	60	Pass	401
1765	3000	1	RMS	1766.001	-48.95	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.9	-13	Pass	9000
12000	20000	1	RMS	19394.924	-34.06	-13	Pass	8000




5.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	1000	0.1	RMS	850.001	-64.24	-13	Pass	9699
1000	1700	1	RMS	1700	-51.23	-13	Pass	700
1700	1765	1	RMS	1710.238	22.74	60	Pass	401
1765	3000	1	RMS	2957.966	-49.44	-13	Pass	1235
3000	12000	1	RMS	12000	-40.94	-13	Pass	9000
12000	20000	1	RMS	19404.926	-34.16	-13	Pass	8000




5.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	Pass	2985
30	1000	0.1	RMS	839.999	-64.21	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.44	-13	Pass	700
1700	1765	1	RMS	1710.238	21.81	60	Pass	401
1765	3000	1	RMS	2960.968	-49.38	-13	Pass	1235
3000	12000	1	RMS	11991.99	-41.02	-13	Pass	9000
12000	20000	1	RMS	19407.926	-34.12	-13	Pass	8000




5.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	Pass	2985
30	1000	0.1	RMS	843.599	-64.31	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.67	-13	Pass	700
1700	1765	1	RMS	1730.225	22.61	60	Pass	401
1765	3000	1	RMS	2956.965	-49.48	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.93	-13	Pass	9000
12000	20000	1	RMS	19389.924	-34.15	-13	Pass	8000




5.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	Pass	2985
30	1000	0.1	RMS	838.199	-64.31	-13	Pass	9699
1000	1700	1	RMS	1700	-52.64	-13	Pass	700
1700	1765	1	RMS	1730.225	21.8	60	Pass	401
1765	3000	1	RMS	2952.962	-49.41	-13	Pass	1235
3000	12000	1	RMS	11986.984	-40.98	-13	Pass	9000
12000	20000	1	RMS	19402.925	-34.08	-13	Pass	8000




5.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.18	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.88	-13	Pass	2985
30	1000	0.1	RMS	839.899	-64.31	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.76	-13	Pass	700
1700	1765	1	RMS	1750.213	22.4	60	Pass	401
1765	3000	1	RMS	2969.976	-49.41	-13	Pass	1235
3000	12000	1	RMS	11994.994	-40.97	-13	Pass	9000
12000	20000	1	RMS	19403.925	-34	-13	Pass	8000




5.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.35	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.45	-13	Pass	2985
30	1000	0.1	RMS	851.002	-64.13	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.64	-13	Pass	700
1700	1765	1	RMS	1750.213	21.71	60	Pass	401
1765	3000	1	RMS	2962.97	-49.46	-13	Pass	1235
3000	12000	1	RMS	11992.991	-41.02	-13	Pass	9000
12000	20000	1	RMS	19401.925	-34.1	-13	Pass	8000




**5.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-13	Pass	2985
30	1000	0.1	RMS	831.598	-64.27	-13	Pass	9699
1000	1700	1	RMS	1692.99	-47.57	-13	Pass	700
1700	1765	1	RMS	1710.563	22.71	60	Pass	401
1765	3000	1	RMS	2959.968	-49.44	-13	Pass	1235
3000	12000	1	RMS	11996.996	-41	-13	Pass	9000
12000	20000	1	RMS	19402.925	-34.06	-13	Pass	8000




5.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.03	-13	Pass	2985
30	1000	0.1	RMS	996.796	-64.38	-13	Pass	9699
1000	1700	1	RMS	1692.99	-48.6	-13	Pass	700
1700	1765	1	RMS	1710.563	21.86	60	Pass	401
1765	3000	1	RMS	2956.965	-49.42	-13	Pass	1235
3000	12000	1	RMS	11995.995	-41.03	-13	Pass	9000
12000	20000	1	RMS	19398.925	-34.14	-13	Pass	8000




**5.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	Pass	2985
30	1000	0.1	RMS	827.497	-64.2	-13	Pass	9699
1000	1700	1	RMS	1700	-52.55	-13	Pass	700
1700	1765	1	RMS	1727.95	22.69	60	Pass	401
1765	3000	1	RMS	2967.974	-49.46	-13	Pass	1235
3000	12000	1	RMS	11991.99	-40.97	-13	Pass	9000
12000	20000	1	RMS	19404.926	-34.12	-13	Pass	8000




5.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.88	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.62	-13	Pass	2985
30	1000	0.1	RMS	832.598	-64.34	-13	Pass	9699
1000	1700	1	RMS	1700	-52.57	-13	Pass	700
1700	1765	1	RMS	1727.95	21.71	60	Pass	401
1765	3000	1	RMS	2957.966	-49.41	-13	Pass	1235
3000	12000	1	RMS	11997.998	-41.01	-13	Pass	9000
12000	20000	1	RMS	19399.925	-34.16	-13	Pass	8000




**5.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.91	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.94	-13	Pass	2985
30	1000	0.1	RMS	854.707	-64.27	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.71	-13	Pass	700
1700	1765	1	RMS	1745.5	22.48	60	Pass	401
1765	3000	1	RMS	2957.966	-49.45	-13	Pass	1235
3000	12000	1	RMS	11992.991	-40.89	-13	Pass	9000
12000	20000	1	RMS	19398.925	-34.14	-13	Pass	8000




5.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.85	-13	Pass	2985
30	1000	0.1	RMS	854.006	-64.32	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.72	-13	Pass	700
1700	1765	1	RMS	1745.5	21.6	60	Pass	401
1765	3000	1	RMS	2954.964	-49.45	-13	Pass	1235
3000	12000	1	RMS	11993.993	-41.04	-13	Pass	9000
12000	20000	1	RMS	19396.925	-34.13	-13	Pass	8000




**5.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.44	-13	Pass	2985
30	1000	0.1	RMS	852.304	-64.18	-13	Pass	9699
1000	1700	1	RMS	1683.977	-47.46	-13	Pass	700
1700	1765	1	RMS	1710.725	22.68	60	Pass	401
1765	3000	1	RMS	2964.972	-49.43	-13	Pass	1235
3000	12000	1	RMS	11993.993	-40.97	-13	Pass	9000
12000	20000	1	RMS	19396.925	-34.15	-13	Pass	8000




5.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.81	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.48	-13	Pass	2985
30	1000	0.1	RMS	852.504	-64.21	-13	Pass	9699
1000	1700	1	RMS	1683.977	-47.8	-13	Pass	700
1700	1765	1	RMS	1710.725	21.9	60	Pass	401
1765	3000	1	RMS	2955.964	-49.44	-13	Pass	1235
3000	12000	1	RMS	11995.995	-41.01	-13	Pass	9000
12000	20000	1	RMS	19403.925	-34.18	-13	Pass	8000




**5.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2985
30	1000	0.1	RMS	855.809	-64.33	-13	Pass	9699
1000	1700	1	RMS	1698.999	-47.42	-13	Pass	700
1700	1765	1	RMS	1725.838	22.66	60	Pass	401
1765	3000	1	RMS	2956.965	-49.39	-13	Pass	1235
3000	12000	1	RMS	12000	-40.98	-13	Pass	9000
12000	20000	1	RMS	19399.925	-34.08	-13	Pass	8000




5.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	1000	0.1	RMS	850.101	-64.33	-13	Pass	9699
1000	1700	1	RMS	1698.999	-48.88	-13	Pass	700
1700	1765	1	RMS	1725.675	21.65	60	Pass	401
1765	3000	1	RMS	2955.964	-49.46	-13	Pass	1235
3000	12000	1	RMS	11994.994	-40.95	-13	Pass	9000
12000	20000	1	RMS	19399.925	-34.15	-13	Pass	8000




**5.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.7	-13	Pass	2985
30	1000	0.1	RMS	854.507	-64.27	-13	Pass	9699
1000	1700	1	RMS	1700	-52.7	-13	Pass	700
1700	1765	1	RMS	1740.788	22.62	60	Pass	401
1765	3000	1	RMS	1767.002	-40.03	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.95	-13	Pass	9000
12000	20000	1	RMS	19399.925	-34.06	-13	Pass	8000




5.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.63	-13	Pass	2985
30	1000	0.1	RMS	850.702	-64.25	-13	Pass	9699
1000	1700	1	RMS	1700	-52.74	-13	Pass	700
1700	1765	1	RMS	1740.788	21.78	60	Pass	401
1765	3000	1	RMS	1767.002	-41.24	-13	Pass	1235
3000	12000	1	RMS	11994.994	-40.97	-13	Pass	9000
12000	20000	1	RMS	19396.925	-34.13	-13	Pass	8000




**5.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2985
30	1000	0.1	RMS	842.299	-64.24	-13	Pass	9699
1000	1700	1	RMS	1692.99	-48.53	-13	Pass	700
1700	1765	1	RMS	1711.05	22.69	60	Pass	401
1765	3000	1	RMS	2956.965	-49.47	-13	Pass	1235
3000	12000	1	RMS	11996.996	-40.96	-13	Pass	9000
12000	20000	1	RMS	19401.925	-34.11	-13	Pass	8000




5.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.85	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.57	-13	Pass	2985
30	1000	0.1	RMS	847.9	-64.29	-13	Pass	9699
1000	1700	1	RMS	1692.99	-49.31	-13	Pass	700
1700	1765	1	RMS	1711.05	21.85	60	Pass	401
1765	3000	1	RMS	2966.973	-49.4	-13	Pass	1235
3000	12000	1	RMS	11991.99	-40.98	-13	Pass	9000
12000	20000	1	RMS	19405.926	-34.09	-13	Pass	8000




**5.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	Pass	2985
30	1000	0.1	RMS	855.308	-64.04	-13	Pass	9699
1000	1700	1	RMS	1687.983	-48.94	-13	Pass	700
1700	1765	1	RMS	1723.563	22.66	60	Pass	401
1765	3000	1	RMS	2959.968	-49.43	-13	Pass	1235
3000	12000	1	RMS	12000	-40.98	-13	Pass	9000
12000	20000	1	RMS	19402.925	-34.14	-13	Pass	8000




5.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.93	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.07	-13	Pass	2985
30	1000	0.1	RMS	832.298	-64.33	-13	Pass	9699
1000	1700	1	RMS	1687.983	-49.96	-13	Pass	700
1700	1765	1	RMS	1723.563	21.73	60	Pass	401
1765	3000	1	RMS	2961.969	-49.42	-13	Pass	1235
3000	12000	1	RMS	11991.99	-40.9	-13	Pass	9000
12000	20000	1	RMS	19402.925	-34.13	-13	Pass	8000




**5.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2985
30	1000	0.1	RMS	825.797	-64.32	-13	Pass	9699
1000	1700	1	RMS	1700	-48.4	-13	Pass	700
1700	1765	1	RMS	1736.075	22.57	60	Pass	401
1765	3000	1	RMS	1772.006	-34.63	-13	Pass	1235
3000	12000	1	RMS	11995.995	-40.94	-13	Pass	9000
12000	20000	1	RMS	19394.924	-34.05	-13	Pass	8000



**5.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.89	-13	Pass	2985
30	1000	0.1	RMS	846.2	-64.34	-13	Pass	9699
1000	1700	1	RMS	1700	-49.39	-13	Pass	700
1700	1765	1	RMS	1736.075	21.73	60	Pass	401
1765	3000	1	RMS	1772.006	-36.24	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.88	-13	Pass	9000
12000	20000	1	RMS	19397.925	-34.13	-13	Pass	8000



6. LTE_Band5


6.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.3	-13	Pass	7840
814	860	0.1	RMS	824.222	19.99	60	Pass	460
860	1000	0.1	RMS	860.2	-64.42	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.78	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.91	-13	Pass	7000




6.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.28	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.56	-13	Pass	7840
814	860	0.1	RMS	824.222	18.99	60	Pass	460
860	1000	0.1	RMS	996.698	-64.41	-13	Pass	1400
1000	3000	1	RMS	2955.978	-49.39	-13	Pass	2000
3000	10000	1	RMS	6967.567	-41.93	-13	Pass	7000




**6.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.35	-13	Pass	2985
30	814	0.1	RMS	810.2	-64.53	-13	Pass	7840
814	860	0.1	RMS	836.048	20.3	60	Pass	460
860	1000	0.1	RMS	863.302	-64.43	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.05	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.87	-13	Pass	7000




6.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2985
30	814	0.1	RMS	812.2	-64.57	-13	Pass	7840
814	860	0.1	RMS	836.048	19.3	60	Pass	460
860	1000	0.1	RMS	931.551	-64.35	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.95	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.8	-13	Pass	7000




**6.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	Pass	2985
30	814	0.1	RMS	725.689	-64.56	-13	Pass	7840
814	860	0.1	RMS	847.874	20.15	60	Pass	460
860	1000	0.1	RMS	861.801	-63.08	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.01	-13	Pass	2000
3000	10000	1	RMS	6972.568	-41.9	-13	Pass	7000




6.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2985
30	814	0.1	RMS	810.6	-64.59	-13	Pass	7840
814	860	0.1	RMS	847.874	19.15	60	Pass	460
860	1000	0.1	RMS	861.701	-63.67	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.98	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.94	-13	Pass	7000




6.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.09	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.41	-13	Pass	7840
814	860	0.1	RMS	824.222	20.22	60	Pass	460
860	1000	0.1	RMS	866.305	-64.45	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.62	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.87	-13	Pass	7000




6.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.74	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.71	-13	Pass	7840
814	860	0.1	RMS	824.222	19.21	60	Pass	460
860	1000	0.1	RMS	874.41	-64.39	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.4	-13	Pass	2000
3000	10000	1	RMS	6966.567	-41.91	-13	Pass	7000




6.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	Pass	2985
30	814	0.1	RMS	758.693	-64.52	-13	Pass	7840
814	860	0.1	RMS	835.246	20.39	60	Pass	460
860	1000	0.1	RMS	860.1	-64.37	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.28	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.85	-13	Pass	7000




6.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-13	Pass	2985
30	814	0.1	RMS	809.899	-64.59	-13	Pass	7840
814	860	0.1	RMS	835.246	19.37	60	Pass	460
860	1000	0.1	RMS	862.102	-64.36	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.15	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.89	-13	Pass	7000




6.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.96	-13	Pass	2985
30	814	0.1	RMS	813.7	-64.57	-13	Pass	7840
814	860	0.1	RMS	846.27	20.01	60	Pass	460
860	1000	0.1	RMS	860.1	-62.29	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.54	-13	Pass	2000
3000	10000	1	RMS	6970.567	-41.9	-13	Pass	7000




6.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-13	Pass	2985
30	814	0.1	RMS	806.799	-64.58	-13	Pass	7840
814	860	0.1	RMS	846.27	19.13	60	Pass	460
860	1000	0.1	RMS	860.2	-62.66	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.33	-13	Pass	2000
3000	10000	1	RMS	6967.567	-41.93	-13	Pass	7000




6.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.16	-13	Pass	7840
814	860	0.1	RMS	824.322	20.04	60	Pass	460
860	1000	0.1	RMS	871.108	-64.29	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.1	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.91	-13	Pass	7000




6.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.84	-13	Pass	7840
814	860	0.1	RMS	824.322	19.17	60	Pass	460
860	1000	0.1	RMS	870.407	-64.38	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.04	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.84	-13	Pass	7000




6.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.47	-13	Pass	7840
814	860	0.1	RMS	834.344	20.3	60	Pass	460
860	1000	0.1	RMS	865.204	-64.38	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.83	-13	Pass	2000
3000	10000	1	RMS	6960.566	-41.91	-13	Pass	7000




6.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	Pass	2985
30	814	0.1	RMS	813	-64.61	-13	Pass	7840
814	860	0.1	RMS	834.344	19.52	60	Pass	460
860	1000	0.1	RMS	864.103	-64.43	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.71	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.9	-13	Pass	7000




6.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	Pass	2985
30	814	0.1	RMS	752.892	-64.5	-13	Pass	7840
814	860	0.1	RMS	844.366	19.9	60	Pass	460
860	1000	0.1	RMS	861.001	-63.93	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.76	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.89	-13	Pass	7000




**6.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-13	Pass	2985
30	814	0.1	RMS	813.7	-64.46	-13	Pass	7840
814	860	0.1	RMS	844.366	19.25	60	Pass	460
860	1000	0.1	RMS	861.001	-63.81	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.71	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.87	-13	Pass	7000




**6.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.58	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.29	-13	Pass	7840
814	860	0.1	RMS	824.623	19.84	60	Pass	460
860	1000	0.1	RMS	869.507	-64.37	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.76	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.94	-13	Pass	7000




6.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.97	-13	Pass	7840
814	860	0.1	RMS	824.623	19.12	60	Pass	460
860	1000	0.1	RMS	861.801	-64.45	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.38	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.93	-13	Pass	7000




**6.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.85	-13	Pass	2985
30	814	0.1	RMS	812.6	-64.54	-13	Pass	7840
814	860	0.1	RMS	832.139	19.73	60	Pass	460
860	1000	0.1	RMS	982.187	-64.38	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.55	-13	Pass	2000
3000	10000	1	RMS	6965.567	-41.92	-13	Pass	7000




6.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.17	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.89	-13	Pass	2985
30	814	0.1	RMS	802.399	-64.55	-13	Pass	7840
814	860	0.1	RMS	832.139	18.69	60	Pass	460
860	1000	0.1	RMS	984.189	-64.52	-13	Pass	1400
1000	3000	1	RMS	2956.978	-49.45	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.91	-13	Pass	7000




**6.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.18	-13	Pass	2985
30	814	0.1	RMS	813.1	-64.64	-13	Pass	7840
814	860	0.1	RMS	839.556	20.03	60	Pass	460
860	1000	0.1	RMS	861.301	-64.39	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.03	-13	Pass	2000
3000	10000	1	RMS	6971.567	-41.9	-13	Pass	7000



6.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.79	-13	Pass	2985
30	814	0.1	RMS	812.8	-64.6	-13	Pass	7840
814	860	0.1	RMS	839.556	19.18	60	Pass	460
860	1000	0.1	RMS	892.723	-64.44	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.83	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.86	-13	Pass	7000



7. LTE_Band40(2305-2315)


**7.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.32	-40	Pass	401
0.15	30	0.01	RMS	0.19	-68.31	-40	Pass	2985
30	1000	0.1	RMS	849.601	-59.96	-40	Pass	9699
1000	2200	1	RMS	2056.881	-46.87	-40	Pass	1200
2200	2395	1	RMS	2305.3	12.36	60	Pass	401
2395	3000	1	RMS	2959.934	-45.26	-40	Pass	605
3000	12000	1	RMS	11997.998	-57.04	-40	Pass	9000
12000	26500	1	RMS	26006.922	-55.26	-40	Pass	14500




7.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:38725, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.27	-40	Pass	401
0.15	30	0.01	RMS	0.18	-68.35	-40	Pass	2985
30	1000	0.1	RMS	846.6	-59.93	-40	Pass	9699
1000	2200	1	RMS	2072.894	-46.91	-40	Pass	1200
2200	2395	1	RMS	2305.3	11.81	60	Pass	401
2395	3000	1	RMS	2958.932	-45.26	-40	Pass	605
3000	12000	1	RMS	12000	-57.03	-40	Pass	9000
12000	26500	1	RMS	26009.922	-55.32	-40	Pass	14500




7.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38750, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.69	-40	Pass	401
0.15	30	0.01	RMS	0.17	-68.73	-40	Pass	2985
30	1000	0.1	RMS	847.9	-60.07	-40	Pass	9699
1000	2200	1	RMS	2066.889	-46.92	-40	Pass	1200
2200	2395	1	RMS	2307.25	12.09	60	Pass	401
2395	3000	1	RMS	2955.927	-45.24	-40	Pass	605
3000	12000	1	RMS	11997.998	-56.98	-40	Pass	9000
12000	26500	1	RMS	26002.921	-55.29	-40	Pass	14500




7.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:38750, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.5	-40	Pass	401
0.15	30	0.01	RMS	0.18	-69.11	-40	Pass	2985
30	1000	0.1	RMS	817.796	-59.93	-40	Pass	9699
1000	2200	1	RMS	2057.882	-46.84	-40	Pass	1200
2200	2395	1	RMS	2307.738	12.36	60	Pass	401
2395	3000	1	RMS	2964.942	-45.26	-40	Pass	605
3000	12000	1	RMS	11992.991	-56.97	-40	Pass	9000
12000	26500	1	RMS	26000.921	-55.19	-40	Pass	14500




**7.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.63	-40	Pass	401
0.15	30	0.01	RMS	0.17	-68.18	-40	Pass	2985
30	1000	0.1	RMS	854.908	-59.84	-40	Pass	9699
1000	2200	1	RMS	2064.887	-46.92	-40	Pass	1200
2200	2395	1	RMS	2310.175	12.86	60	Pass	401
2395	3000	1	RMS	2957.93	-45.26	-40	Pass	605
3000	12000	1	RMS	11996.996	-57	-40	Pass	9000
12000	26500	1	RMS	25996.92	-55.3	-40	Pass	14500




**7.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.81	-40	Pass	401
0.15	30	0.01	RMS	0.2	-69.01	-40	Pass	2985
30	1000	0.1	RMS	846.8	-59.86	-40	Pass	9699
1000	2200	1	RMS	2057.882	-46.88	-40	Pass	1200
2200	2395	1	RMS	2310.175	12.01	60	Pass	401
2395	3000	1	RMS	2965.944	-45.19	-40	Pass	605
3000	12000	1	RMS	11995.995	-57.01	-40	Pass	9000
12000	26500	1	RMS	26011.923	-55.3	-40	Pass	14500




**7.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.56	-40	Pass	401
0.15	30	0.01	RMS	0.16	-68	-40	Pass	2985
30	1000	0.1	RMS	986.382	-60.08	-40	Pass	9699
1000	2200	1	RMS	2064.887	-46.87	-40	Pass	1200
2200	2395	1	RMS	2305.3	13.35	60	Pass	401
2395	3000	1	RMS	2959.934	-45.2	-40	Pass	605
3000	12000	1	RMS	11996.996	-56.98	-40	Pass	9000
12000	26500	1	RMS	26003.921	-55.21	-40	Pass	14500



7.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:38750, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.35	-40	Pass	401
0.15	30	0.01	RMS	0.18	-68.68	-40	Pass	2985
30	1000	0.1	RMS	852.504	-59.97	-40	Pass	9699
1000	2200	1	RMS	2073.895	-46.82	-40	Pass	1200
2200	2395	1	RMS	2305.3	11.79	60	Pass	401
2395	3000	1	RMS	2969.95	-45.2	-40	Pass	605
3000	12000	1	RMS	11989.988	-57.02	-40	Pass	9000
12000	26500	1	RMS	26001.921	-55.26	-40	Pass	14500



8. LTE_Band40(2350-2360)


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.52	-40	Pass	401
0.15	30	0.01	RMS	0.16	-68.05	-40	Pass	2985
30	1000	0.1	RMS	848.7	-59.89	-40	Pass	9699
1000	2200	1	RMS	2067.89	-46.87	-40	Pass	1200
2200	2395	1	RMS	2350.15	11.79	60	Pass	401
2395	3000	1	RMS	2958.932	-45.22	-40	Pass	605
3000	12000	1	RMS	11998.999	-57.03	-40	Pass	9000
12000	26500	1	RMS	26010.922	-55.26	-40	Pass	14500




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.83	-40	Pass	401
0.15	30	0.01	RMS	0.17	-68.91	-40	Pass	2985
30	1000	0.1	RMS	834.898	-60.03	-40	Pass	9699
1000	2200	1	RMS	2077.898	-46.9	-40	Pass	1200
2200	2395	1	RMS	2350.15	11.28	60	Pass	401
2395	3000	1	RMS	2964.942	-45.24	-40	Pass	605
3000	12000	1	RMS	11992.991	-56.89	-40	Pass	9000
12000	26500	1	RMS	26007.922	-55.24	-40	Pass	14500




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:39200, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.82	-40	Pass	401
0.15	30	0.01	RMS	0.21	-68.49	-40	Pass	2985
30	1000	0.1	RMS	826.797	-60.05	-40	Pass	9699
1000	2200	1	RMS	2071.893	-46.85	-40	Pass	1200
2200	2395	1	RMS	2352.588	12.34	60	Pass	401
2395	3000	1	RMS	2958.932	-45.23	-40	Pass	605
3000	12000	1	RMS	11998.999	-57	-40	Pass	9000
12000	26500	1	RMS	26003.921	-55.28	-40	Pass	14500




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:39200, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-40	Pass	401
0.15	30	0.01	RMS	0.18	-68.39	-40	Pass	2985
30	1000	0.1	RMS	851.203	-60.03	-40	Pass	9699
1000	2200	1	RMS	2058.882	-46.82	-40	Pass	1200
2200	2395	1	RMS	2352.588	11.28	60	Pass	401
2395	3000	1	RMS	2958.932	-45.21	-40	Pass	605
3000	12000	1	RMS	11991.99	-56.99	-40	Pass	9000
12000	26500	1	RMS	26008.922	-55.29	-40	Pass	14500




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:39225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.41	-40	Pass	401
0.15	30	0.01	RMS	0.16	-68.48	-40	Pass	2985
30	1000	0.1	RMS	849.701	-60.12	-40	Pass	9699
1000	2200	1	RMS	2053.878	-46.89	-40	Pass	1200
2200	2395	1	RMS	2355.025	11.8	60	Pass	401
2395	3000	1	RMS	2956.929	-45.19	-40	Pass	605
3000	12000	1	RMS	11998.999	-57	-40	Pass	9000
12000	26500	1	RMS	26005.922	-55.27	-40	Pass	14500




8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:39225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.26	-40	Pass	401
0.15	30	0.01	RMS	0.17	-68.53	-40	Pass	2985
30	1000	0.1	RMS	820.897	-59.97	-40	Pass	9699
1000	2200	1	RMS	2067.89	-46.85	-40	Pass	1200
2200	2395	1	RMS	2355.025	12.34	60	Pass	401
2395	3000	1	RMS	2967.947	-45.24	-40	Pass	605
3000	12000	1	RMS	11991.99	-56.95	-40	Pass	9000
12000	26500	1	RMS	26006.922	-55.23	-40	Pass	14500




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.97	-40	Pass	401
0.15	30	0.01	RMS	0.17	-69.06	-40	Pass	2985
30	1000	0.1	RMS	859.814	-60.01	-40	Pass	9699
1000	2200	1	RMS	2063.887	-46.89	-40	Pass	1200
2200	2395	1	RMS	2350.638	12.35	60	Pass	401
2395	3000	1	RMS	2958.932	-45.27	-40	Pass	605
3000	12000	1	RMS	11992.991	-56.98	-40	Pass	9000
12000	26500	1	RMS	25996.92	-55.23	-40	Pass	14500



8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:39200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.95	-40	Pass	401
0.15	30	0.01	RMS	0.15	-67.9	-40	Pass	2985
30	1000	0.1	RMS	845.9	-59.97	-40	Pass	9699
1000	2200	1	RMS	2065.888	-46.88	-40	Pass	1200
2200	2395	1	RMS	2350.638	11.33	60	Pass	401
2395	3000	1	RMS	2956.929	-45.2	-40	Pass	605
3000	12000	1	RMS	12000	-56.99	-40	Pass	9000
12000	26500	1	RMS	25995.92	-55.26	-40	Pass	14500



9. LTE_Band42 3450-3550


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.81	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.6	-13	Pass	2985
30	1000	0.1	RMS	842.699	-60.08	-13	Pass	9699
1000	3000	1	RMS	2964.982	-45.27	-13	Pass	2000
3000	3430	1	RMS	3295.688	-43.07	-13	Pass	430
3430	3570	1	RMS	3449.95	12.56	60	Pass	401
3570	6500	1	RMS	6499	-41.8	-13	Pass	2930
6500	26000	1	RMS	25988.996	-45.33	-13	Pass	19500




9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.24	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.57	-13	Pass	2985
30	1000	0.1	RMS	845.2	-60.19	-13	Pass	9699
1000	3000	1	RMS	2955.978	-45.21	-13	Pass	2000
3000	3430	1	RMS	3296.69	-43.06	-13	Pass	430
3430	3570	1	RMS	3450.3	11.39	60	Pass	401
3570	6500	1	RMS	6491.997	-41.83	-13	Pass	2930
6500	26000	1	RMS	25999	-45.21	-13	Pass	19500




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:42590, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.45	-13	Pass	2985
30	1000	0.1	RMS	834.698	-60.1	-13	Pass	9699
1000	3000	1	RMS	2967.984	-45.24	-13	Pass	2000
3000	3430	1	RMS	3292.681	-43.05	-13	Pass	430
3430	3570	1	RMS	3497.9	11.88	60	Pass	401
3570	6500	1	RMS	6496.999	-41.79	-13	Pass	2930
6500	26000	1	RMS	26000	-45.31	-13	Pass	19500




9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:42590, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.2	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.64	-13	Pass	2985
30	1000	0.1	RMS	838.399	-60.1	-13	Pass	9699
1000	3000	1	RMS	2957.979	-45.23	-13	Pass	2000
3000	3430	1	RMS	3295.688	-43.05	-13	Pass	430
3430	3570	1	RMS	3497.55	11.94	60	Pass	401
3570	6500	1	RMS	6497.999	-41.79	-13	Pass	2930
6500	26000	1	RMS	25994.998	-45.22	-13	Pass	19500




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.62	-13	Pass	2985
30	1000	0.1	RMS	825.897	-60.07	-13	Pass	9699
1000	3000	1	RMS	2948.974	-45.23	-13	Pass	2000
3000	3430	1	RMS	3297.692	-43.06	-13	Pass	430
3430	3570	1	RMS	3545.15	11.45	60	Pass	401
3570	6500	1	RMS	6487.996	-41.77	-13	Pass	2930
6500	26000	1	RMS	25999	-45.19	-13	Pass	19500




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.56	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.54	-13	Pass	2985
30	1000	0.1	RMS	858.212	-60.01	-13	Pass	9699
1000	3000	1	RMS	2955.978	-45.25	-13	Pass	2000
3000	3430	1	RMS	3178.415	-26.93	-13	Pass	430
3430	3570	1	RMS	3545.15	11.42	60	Pass	401
3570	6500	1	RMS	6491.997	-41.78	-13	Pass	2930
6500	26000	1	RMS	25997.999	-45.11	-13	Pass	19500




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.55	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.73	-13	Pass	2985
30	1000	0.1	RMS	833.398	-59.99	-13	Pass	9699
1000	3000	1	RMS	2953.977	-45.25	-13	Pass	2000
3000	3430	1	RMS	3298.695	-43.05	-13	Pass	430
3430	3570	1	RMS	3450.3	12.04	60	Pass	401
3570	6500	1	RMS	6478.993	-41.76	-13	Pass	2930
6500	26000	1	RMS	25987.996	-45.21	-13	Pass	19500




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-13	Pass	2985
30	1000	0.1	RMS	843.999	-60.09	-13	Pass	9699
1000	3000	1	RMS	2966.983	-45.23	-13	Pass	2000
3000	3430	1	RMS	3293.683	-43.08	-13	Pass	430
3430	3570	1	RMS	3450.3	11.77	60	Pass	401
3570	6500	1	RMS	6497.999	-41.78	-13	Pass	2930
6500	26000	1	RMS	25990.997	-45.25	-13	Pass	19500




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:42590, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.67	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.77	-13	Pass	2985
30	1000	0.1	RMS	842.699	-60.03	-13	Pass	9699
1000	3000	1	RMS	2958.979	-45.28	-13	Pass	2000
3000	3430	1	RMS	3295.688	-43.06	-13	Pass	430
3430	3570	1	RMS	3495.45	12.89	60	Pass	401
3570	6500	1	RMS	6495.999	-41.8	-13	Pass	2930
6500	26000	1	RMS	25995.999	-45.29	-13	Pass	19500




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:42590, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.44	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.34	-13	Pass	2985
30	1000	0.1	RMS	841.499	-60.02	-13	Pass	9699
1000	3000	1	RMS	2954.977	-45.15	-13	Pass	2000
3000	3430	1	RMS	3294.685	-43.07	-13	Pass	430
3430	3570	1	RMS	3495.45	11.87	60	Pass	401
3570	6500	1	RMS	6491.997	-41.84	-13	Pass	2930
6500	26000	1	RMS	26000	-45.17	-13	Pass	19500




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.83	-13	Pass	2985
30	1000	0.1	RMS	819.996	-60.15	-13	Pass	9699
1000	3000	1	RMS	2961.981	-45.24	-13	Pass	2000
3000	3430	1	RMS	3292.681	-43.07	-13	Pass	430
3430	3570	1	RMS	3540.6	11.64	60	Pass	401
3570	6500	1	RMS	6499	-41.75	-13	Pass	2930
6500	26000	1	RMS	25999	-45.17	-13	Pass	19500




9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.49	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.51	-13	Pass	2985
30	1000	0.1	RMS	837.899	-60.14	-13	Pass	9699
1000	3000	1	RMS	2960.98	-45.21	-13	Pass	2000
3000	3430	1	RMS	3293.683	-43.06	-13	Pass	430
3430	3570	1	RMS	3540.6	11.04	60	Pass	401
3570	6500	1	RMS	6485.995	-41.82	-13	Pass	2930
6500	26000	1	RMS	25995.999	-45.3	-13	Pass	19500




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.91	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.13	-13	Pass	2985
30	1000	0.1	RMS	834.698	-60.05	-13	Pass	9699
1000	3000	1	RMS	2965.983	-45.31	-13	Pass	2000
3000	3430	1	RMS	3292.681	-43.08	-13	Pass	430
3430	3570	1	RMS	3450.65	11.87	60	Pass	401
3570	6500	1	RMS	6500	-41.83	-13	Pass	2930
6500	26000	1	RMS	25984.995	-45.27	-13	Pass	19500




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.4	-13	Pass	2985
30	1000	0.1	RMS	851.002	-59.9	-13	Pass	9699
1000	3000	1	RMS	2955.978	-45.25	-13	Pass	2000
3000	3430	1	RMS	3292.681	-43.07	-13	Pass	430
3430	3570	1	RMS	3450.65	12.23	60	Pass	401
3570	6500	1	RMS	6486.996	-41.8	-13	Pass	2930
6500	26000	1	RMS	25991.997	-45.33	-13	Pass	19500




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:42590, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.27	-13	Pass	2985
30	1000	0.1	RMS	853.706	-60.1	-13	Pass	9699
1000	3000	1	RMS	2969.985	-45.23	-13	Pass	2000
3000	3430	1	RMS	3295.688	-43.08	-13	Pass	430
3430	3570	1	RMS	3493.35	12.36	60	Pass	401
3570	6500	1	RMS	6484.995	-41.75	-13	Pass	2930
6500	26000	1	RMS	26000	-45.16	-13	Pass	19500




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:42590, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.99	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.02	-13	Pass	2985
30	1000	0.1	RMS	861.616	-59.97	-13	Pass	9699
1000	3000	1	RMS	2955.978	-45.26	-13	Pass	2000
3000	3430	1	RMS	3292.681	-43.06	-13	Pass	430
3430	3570	1	RMS	3493.35	11.46	60	Pass	401
3570	6500	1	RMS	6486.996	-41.75	-13	Pass	2930
6500	26000	1	RMS	25999	-45.25	-13	Pass	19500




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-13	Pass	2985
30	1000	0.1	RMS	848.5	-60.13	-13	Pass	9699
1000	3000	1	RMS	2967.984	-45.19	-13	Pass	2000
3000	3430	1	RMS	3294.685	-43.06	-13	Pass	430
3430	3570	1	RMS	3535.7	11.58	60	Pass	401
3570	6500	1	RMS	6496.999	-41.8	-13	Pass	2930
6500	26000	1	RMS	25984.995	-45.33	-13	Pass	19500




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.76	-13	Pass	401
0.15	30	0.01	RMS	0.23	-69.03	-13	Pass	2985
30	1000	0.1	RMS	836.898	-60.14	-13	Pass	9699
1000	3000	1	RMS	2960.98	-45.16	-13	Pass	2000
3000	3430	1	RMS	3291.678	-43.07	-13	Pass	430
3430	3570	1	RMS	3535.35	10.36	60	Pass	401
3570	6500	1	RMS	6488.996	-41.74	-13	Pass	2930
6500	26000	1	RMS	25984.995	-45.26	-13	Pass	19500




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.18	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.92	-13	Pass	2985
30	1000	0.1	RMS	852.204	-60.06	-13	Pass	9699
1000	3000	1	RMS	2964.982	-45.25	-13	Pass	2000
3000	3430	1	RMS	3292.681	-43.06	-13	Pass	430
3430	3570	1	RMS	3450.65	12.01	60	Pass	401
3570	6500	1	RMS	6489.997	-41.78	-13	Pass	2930
6500	26000	1	RMS	25992.998	-45.13	-13	Pass	19500




9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.2	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.3	-13	Pass	2985
30	1000	0.1	RMS	855.809	-60.09	-13	Pass	9699
1000	3000	1	RMS	2964.982	-45.26	-13	Pass	2000
3000	3430	1	RMS	3293.683	-43.05	-13	Pass	430
3430	3570	1	RMS	3451	11.29	60	Pass	401
3570	6500	1	RMS	6496.999	-41.73	-13	Pass	2930
6500	26000	1	RMS	25973.992	-45.38	-13	Pass	19500




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.3	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.64	-13	Pass	2985
30	1000	0.1	RMS	855.208	-60.13	-13	Pass	9699
1000	3000	1	RMS	2961.981	-45.27	-13	Pass	2000
3000	3430	1	RMS	3291.678	-43.05	-13	Pass	430
3430	3570	1	RMS	3490.9	12.33	60	Pass	401
3570	6500	1	RMS	6500	-41.76	-13	Pass	2930
6500	26000	1	RMS	26000	-45.25	-13	Pass	19500




9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:42590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.04	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.58	-13	Pass	2985
30	1000	0.1	RMS	851.803	-59.96	-13	Pass	9699
1000	3000	1	RMS	2961.981	-45.27	-13	Pass	2000
3000	3430	1	RMS	3296.69	-43.05	-13	Pass	430
3430	3570	1	RMS	3490.9	11.46	60	Pass	401
3570	6500	1	RMS	6475.992	-41.79	-13	Pass	2930
6500	26000	1	RMS	25999	-45.23	-13	Pass	19500




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.04	-13	Pass	2985
30	1000	0.1	RMS	849.2	-60.1	-13	Pass	9699
1000	3000	1	RMS	2958.979	-45.26	-13	Pass	2000
3000	3430	1	RMS	3293.683	-43.06	-13	Pass	430
3430	3570	1	RMS	3530.8	11.65	60	Pass	401
3570	6500	1	RMS	6488.996	-41.81	-13	Pass	2930
6500	26000	1	RMS	26000	-45.22	-13	Pass	19500



9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.57	-13	Pass	2985
30	1000	0.1	RMS	855.008	-59.88	-13	Pass	9699
1000	3000	1	RMS	2953.977	-45.3	-13	Pass	2000
3000	3430	1	RMS	3296.69	-43.08	-13	Pass	430
3430	3570	1	RMS	3530.8	11.26	60	Pass	401
3570	6500	1	RMS	6496.999	-41.76	-13	Pass	2930
6500	26000	1	RMS	25994.998	-45.26	-13	Pass	19500



10. LTE_Band43 3700-3800


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:44615, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.89	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.94	-13	Pass	2985
30	1000	0.1	RMS	851.403	-60.08	-13	Pass	9699
1000	3000	1	RMS	2961.981	-45.35	-13	Pass	2000
3000	3680	1	RMS	3296.436	-43.02	-13	Pass	680
3680	3820	1	RMS	3699.95	10.69	60	Pass	401
3820	6500	1	RMS	6499	-41.89	-13	Pass	2680
6500	26000	1	RMS	25999	-45.27	-13	Pass	19500




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:44615, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.02	-13	Pass	2985
30	1000	0.1	RMS	845.9	-60.09	-13	Pass	9699
1000	3000	1	RMS	2955.978	-45.32	-13	Pass	2000
3000	3680	1	RMS	3298.439	-43.04	-13	Pass	680
3680	3820	1	RMS	3700.3	10.21	60	Pass	401
3820	6500	1	RMS	6496.999	-41.83	-13	Pass	2680
6500	26000	1	RMS	25992.998	-45.3	-13	Pass	19500




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:45090, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.78	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.05	-13	Pass	2985
30	1000	0.1	RMS	855.709	-60.12	-13	Pass	9699
1000	3000	1	RMS	2963.982	-45.34	-13	Pass	2000
3000	3680	1	RMS	3294.433	-43.08	-13	Pass	680
3680	3820	1	RMS	3747.55	10.29	60	Pass	401
3820	6500	1	RMS	6478.992	-41.86	-13	Pass	2680
6500	26000	1	RMS	25979.994	-45.39	-13	Pass	19500




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:45090, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.35	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.27	-13	Pass	2985
30	1000	0.1	RMS	858.112	-60.13	-13	Pass	9699
1000	3000	1	RMS	2958.979	-45.33	-13	Pass	2000
3000	3680	1	RMS	3296.436	-43.04	-13	Pass	680
3680	3820	1	RMS	3747.55	9.91	60	Pass	401
3820	6500	1	RMS	6490.997	-41.8	-13	Pass	2680
6500	26000	1	RMS	25995.999	-45.27	-13	Pass	19500




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:45565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.86	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.91	-13	Pass	2985
30	1000	0.1	RMS	846.7	-60.17	-13	Pass	9699
1000	3000	1	RMS	2956.978	-45.3	-13	Pass	2000
3000	3680	1	RMS	3297.437	-42.95	-13	Pass	680
3680	3820	1	RMS	3795.15	11.53	60	Pass	401
3820	6500	1	RMS	6494.998	-41.84	-13	Pass	2680
6500	26000	1	RMS	25996.999	-45.31	-13	Pass	19500




10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:45565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.36	-13	Pass	2985
30	1000	0.1	RMS	844.799	-60.13	-13	Pass	9699
1000	3000	1	RMS	2958.979	-45.32	-13	Pass	2000
3000	3680	1	RMS	3299.44	-43	-13	Pass	680
3680	3820	1	RMS	3795.15	10.24	60	Pass	401
3820	6500	1	RMS	6491.997	-41.82	-13	Pass	2680
6500	26000	1	RMS	25994.998	-45.31	-13	Pass	19500




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:44640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.62	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.57	-13	Pass	2985
30	1000	0.1	RMS	830.998	-60.04	-13	Pass	9699
1000	3000	1	RMS	2954.977	-45.32	-13	Pass	2000
3000	3680	1	RMS	3294.433	-43.02	-13	Pass	680
3680	3820	1	RMS	3700.3	10.92	60	Pass	401
3820	6500	1	RMS	6495.999	-41.8	-13	Pass	2680
6500	26000	1	RMS	25990.997	-45.32	-13	Pass	19500




10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:44640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.15	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.45	-13	Pass	2985
30	1000	0.1	RMS	840.499	-60.08	-13	Pass	9699
1000	3000	1	RMS	2969.985	-45.33	-13	Pass	2000
3000	3680	1	RMS	3296.436	-42.99	-13	Pass	680
3680	3820	1	RMS	3700.3	10.06	60	Pass	401
3820	6500	1	RMS	6479.993	-41.89	-13	Pass	2680
6500	26000	1	RMS	25996.999	-45.37	-13	Pass	19500




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:45090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.59	-13	Pass	401
0.15	30	0.01	RMS	0.23	-68.3	-13	Pass	2985
30	1000	0.1	RMS	843.199	-60	-13	Pass	9699
1000	3000	1	RMS	2956.978	-45.29	-13	Pass	2000
3000	3680	1	RMS	3290.427	-43.03	-13	Pass	680
3680	3820	1	RMS	3745.1	10.27	60	Pass	401
3820	6500	1	RMS	6499	-41.87	-13	Pass	2680
6500	26000	1	RMS	25994.998	-45.27	-13	Pass	19500




10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:45090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.15	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.89	-13	Pass	2985
30	1000	0.1	RMS	818.596	-59.95	-13	Pass	9699
1000	3000	1	RMS	2968.984	-45.3	-13	Pass	2000
3000	3680	1	RMS	3290.427	-43.05	-13	Pass	680
3680	3820	1	RMS	3745.45	9.83	60	Pass	401
3820	6500	1	RMS	6491.997	-41.84	-13	Pass	2680
6500	26000	1	RMS	25976.993	-45.35	-13	Pass	19500




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:45540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.64	-13	Pass	2985
30	1000	0.1	RMS	857.211	-60.08	-13	Pass	9699
1000	3000	1	RMS	2963.982	-45.31	-13	Pass	2000
3000	3680	1	RMS	3297.437	-43.05	-13	Pass	680
3680	3820	1	RMS	3790.25	10.5	60	Pass	401
3820	6500	1	RMS	6482.994	-41.9	-13	Pass	2680
6500	26000	1	RMS	25990.997	-45.37	-13	Pass	19500




10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:45540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.46	-13	Pass	2985
30	1000	0.1	RMS	862.918	-60.15	-13	Pass	9699
1000	3000	1	RMS	2964.982	-45.33	-13	Pass	2000
3000	3680	1	RMS	3295.434	-43.01	-13	Pass	680
3680	3820	1	RMS	3790.6	9.8	60	Pass	401
3820	6500	1	RMS	6494.998	-41.9	-13	Pass	2680
6500	26000	1	RMS	25989.997	-45.36	-13	Pass	19500




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:44665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.65	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.73	-13	Pass	2985
30	1000	0.1	RMS	825.897	-60.08	-13	Pass	9699
1000	3000	1	RMS	2956.978	-45.32	-13	Pass	2000
3000	3680	1	RMS	3296.436	-43.01	-13	Pass	680
3680	3820	1	RMS	3700.65	10.79	60	Pass	401
3820	6500	1	RMS	6499	-41.84	-13	Pass	2680
6500	26000	1	RMS	25999	-45.37	-13	Pass	19500




10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:44665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.9	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.03	-13	Pass	2985
30	1000	0.1	RMS	850.402	-60.02	-13	Pass	9699
1000	3000	1	RMS	2965.983	-45.3	-13	Pass	2000
3000	3680	1	RMS	3297.437	-43	-13	Pass	680
3680	3820	1	RMS	3700.65	9.7	60	Pass	401
3820	6500	1	RMS	6485.995	-41.79	-13	Pass	2680
6500	26000	1	RMS	25984.995	-45.28	-13	Pass	19500




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:45090, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.07	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.89	-13	Pass	2985
30	1000	0.1	RMS	817.796	-59.98	-13	Pass	9699
1000	3000	1	RMS	2960.98	-45.29	-13	Pass	2000
3000	3680	1	RMS	3293.432	-42.99	-13	Pass	680
3680	3820	1	RMS	3743.35	10.47	60	Pass	401
3820	6500	1	RMS	6492.997	-41.81	-13	Pass	2680
6500	26000	1	RMS	25999	-45.28	-13	Pass	19500




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:45090, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.42	-13	Pass	2985
30	1000	0.1	RMS	992.79	-60.12	-13	Pass	9699
1000	3000	1	RMS	2963.982	-45.28	-13	Pass	2000
3000	3680	1	RMS	3297.437	-42.98	-13	Pass	680
3680	3820	1	RMS	3743.35	9.34	60	Pass	401
3820	6500	1	RMS	6492.997	-41.8	-13	Pass	2680
6500	26000	1	RMS	25996.999	-45.37	-13	Pass	19500




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:45515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.99	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.92	-13	Pass	2985
30	1000	0.1	RMS	849.5	-60.02	-13	Pass	9699
1000	3000	1	RMS	2956.978	-45.28	-13	Pass	2000
3000	3680	1	RMS	3293.432	-43	-13	Pass	680
3680	3820	1	RMS	3785.35	10.28	60	Pass	401
3820	6500	1	RMS	6490.997	-41.83	-13	Pass	2680
6500	26000	1	RMS	25993.998	-45.35	-13	Pass	19500




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:45515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.07	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.16	-13	Pass	2985
30	1000	0.1	RMS	998.899	-60.15	-13	Pass	9699
1000	3000	1	RMS	2962.981	-45.32	-13	Pass	2000
3000	3680	1	RMS	3296.436	-42.95	-13	Pass	680
3680	3820	1	RMS	3785.35	9.69	60	Pass	401
3820	6500	1	RMS	6489.996	-41.87	-13	Pass	2680
6500	26000	1	RMS	25997.999	-45.31	-13	Pass	19500




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:44690, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.49	-13	Pass	2985
30	1000	0.1	RMS	823.397	-60.11	-13	Pass	9699
1000	3000	1	RMS	2960.98	-45.31	-13	Pass	2000
3000	3680	1	RMS	3298.439	-43.02	-13	Pass	680
3680	3820	1	RMS	3700.65	10.24	60	Pass	401
3820	6500	1	RMS	6494.998	-41.86	-13	Pass	2680
6500	26000	1	RMS	25990.997	-45.35	-13	Pass	19500




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:44690, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.18	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.97	-13	Pass	2985
30	1000	0.1	RMS	840.099	-60.06	-13	Pass	9699
1000	3000	1	RMS	2964.982	-45.32	-13	Pass	2000
3000	3680	1	RMS	3179.264	-31.47	-13	Pass	680
3680	3820	1	RMS	3700.65	9.25	60	Pass	401
3820	6500	1	RMS	6487.996	-41.82	-13	Pass	2680
6500	26000	1	RMS	26000	-45.21	-13	Pass	19500




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:45090, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.86	-13	Pass	2985
30	1000	0.1	RMS	854.407	-60.03	-13	Pass	9699
1000	3000	1	RMS	2955.978	-45.31	-13	Pass	2000
3000	3680	1	RMS	3297.437	-43.03	-13	Pass	680
3680	3820	1	RMS	3740.9	9.94	60	Pass	401
3820	6500	1	RMS	6497.999	-41.82	-13	Pass	2680
6500	26000	1	RMS	25984.995	-45.32	-13	Pass	19500




10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:45090, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.29	-13	Pass	2985
30	1000	0.1	RMS	842.199	-60.03	-13	Pass	9699
1000	3000	1	RMS	2955.978	-45.3	-13	Pass	2000
3000	3680	1	RMS	3287.423	-43.06	-13	Pass	680
3680	3820	1	RMS	3740.9	9.58	60	Pass	401
3820	6500	1	RMS	6495.999	-41.87	-13	Pass	2680
6500	26000	1	RMS	25984.995	-45.35	-13	Pass	19500




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:45490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.95	-13	Pass	2985
30	1000	0.1	RMS	849.5	-60.04	-13	Pass	9699
1000	3000	1	RMS	2956.978	-45.31	-13	Pass	2000
3000	3680	1	RMS	3293.432	-42.97	-13	Pass	680
3680	3820	1	RMS	3780.8	10.18	60	Pass	401
3820	6500	1	RMS	6499	-41.82	-13	Pass	2680
6500	26000	1	RMS	25996.999	-45.31	-13	Pass	19500



10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:45490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.92	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.29	-13	Pass	2985
30	1000	0.1	RMS	863.118	-60.07	-13	Pass	9699
1000	3000	1	RMS	2960.98	-45.28	-13	Pass	2000
3000	3680	1	RMS	3299.44	-42.98	-13	Pass	680
3680	3820	1	RMS	3780.8	10.08	60	Pass	401
3820	6500	1	RMS	6500	-41.79	-13	Pass	2680
6500	26000	1	RMS	26000	-45.36	-13	Pass	19500



11. LTE_Band48


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.61	-40	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-40	Pass	2985
30	1000	0.1	RMS	987.784	-63.87	-40	Pass	9699
1000	3000	1	RMS	2963.982	-49.22	-40	Pass	2000
3000	3500	1	RMS	3292.585	-46.95	-40	Pass	500
3500	3750	1	RMS	3550	11.91	60	Pass	401
3750	6500	1	RMS	6499	-45.73	-40	Pass	2750
6500	26500	1	RMS	26008.864	-55.38	-40	Pass	20000




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.74	-40	Pass	401
0.15	30	0.01	RMS	0.16	-72.77	-40	Pass	2985
30	1000	0.1	RMS	813.796	-63.78	-40	Pass	9699
1000	3000	1	RMS	2956.978	-49.17	-40	Pass	2000
3000	3500	1	RMS	3294.589	-46.95	-40	Pass	500
3500	3750	1	RMS	3550	11.06	60	Pass	401
3750	6500	1	RMS	6499	-45.74	-40	Pass	2750
6500	26500	1	RMS	25988.859	-55.4	-40	Pass	20000




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.01	-40	Pass	401
0.15	30	0.01	RMS	0.17	-72.79	-40	Pass	2985
30	1000	0.1	RMS	830.098	-63.85	-40	Pass	9699
1000	3000	1	RMS	2956.978	-49.18	-40	Pass	2000
3000	3500	1	RMS	3290.581	-46.97	-40	Pass	500
3500	3750	1	RMS	3622.5	12.1	60	Pass	401
3750	6500	1	RMS	6500	-45.71	-40	Pass	2750
6500	26500	1	RMS	26022.868	-55.31	-40	Pass	20000




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:55990, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.49	-40	Pass	401
0.15	30	0.01	RMS	0.19	-72.17	-40	Pass	2985
30	1000	0.1	RMS	849.3	-63.85	-40	Pass	9699
1000	3000	1	RMS	2956.978	-49.22	-40	Pass	2000
3000	3500	1	RMS	3295.591	-46.95	-40	Pass	500
3500	3750	1	RMS	3622.5	11.25	60	Pass	401
3750	6500	1	RMS	6494.998	-45.73	-40	Pass	2750
6500	26500	1	RMS	26013.866	-55.46	-40	Pass	20000




11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.65	-40	Pass	401
0.15	30	0.01	RMS	0.22	-72.89	-40	Pass	2985
30	1000	0.1	RMS	841.999	-63.85	-40	Pass	9699
1000	3000	1	RMS	2961.981	-49.21	-40	Pass	2000
3000	3500	1	RMS	3294.589	-46.93	-40	Pass	500
3500	3750	1	RMS	3695	11.32	60	Pass	401
3750	6500	1	RMS	6480.993	-45.68	-40	Pass	2750
6500	26500	1	RMS	26005.863	-55.47	-40	Pass	20000




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.17	-40	Pass	401
0.15	30	0.01	RMS	0.16	-72.86	-40	Pass	2985
30	1000	0.1	RMS	852.004	-63.95	-40	Pass	9699
1000	3000	1	RMS	2959.98	-49.18	-40	Pass	2000
3000	3500	1	RMS	3299.599	-46.92	-40	Pass	500
3500	3750	1	RMS	3695	10.59	60	Pass	401
3750	6500	1	RMS	6495.999	-45.68	-40	Pass	2750
6500	26500	1	RMS	26005.863	-55.41	-40	Pass	20000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.06	-40	Pass	401
0.15	30	0.01	RMS	0.15	-73.02	-40	Pass	2985
30	1000	0.1	RMS	835.898	-63.84	-40	Pass	9699
1000	3000	1	RMS	2971.986	-49.14	-40	Pass	2000
3000	3500	1	RMS	3300.601	-46.94	-40	Pass	500
3500	3750	1	RMS	3550	12.25	60	Pass	401
3750	6500	1	RMS	6494.998	-45.66	-40	Pass	2750
6500	26500	1	RMS	26026.869	-55.41	-40	Pass	20000




11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-40	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-40	Pass	2985
30	1000	0.1	RMS	825.697	-63.79	-40	Pass	9699
1000	3000	1	RMS	2948.974	-49.18	-40	Pass	2000
3000	3500	1	RMS	3296.593	-46.94	-40	Pass	500
3500	3750	1	RMS	3550	11.35	60	Pass	401
3750	6500	1	RMS	6496.999	-45.65	-40	Pass	2750
6500	26500	1	RMS	26014.866	-55.38	-40	Pass	20000




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.64	-40	Pass	401
0.15	30	0.01	RMS	0.19	-72.3	-40	Pass	2985
30	1000	0.1	RMS	848.9	-63.9	-40	Pass	9699
1000	3000	1	RMS	2956.978	-49.2	-40	Pass	2000
3000	3500	1	RMS	3481.964	-46.9	-40	Pass	500
3500	3750	1	RMS	3620	12.17	60	Pass	401
3750	6500	1	RMS	6496.999	-45.68	-40	Pass	2750
6500	26500	1	RMS	26038.872	-55.36	-40	Pass	20000




11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:55990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.32	-40	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-40	Pass	2985
30	1000	0.1	RMS	823.497	-63.83	-40	Pass	9699
1000	3000	1	RMS	2956.978	-49.11	-40	Pass	2000
3000	3500	1	RMS	3295.591	-46.92	-40	Pass	500
3500	3750	1	RMS	3620	11.18	60	Pass	401
3750	6500	1	RMS	6482.994	-45.66	-40	Pass	2750
6500	26500	1	RMS	26009.864	-55.41	-40	Pass	20000




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-40	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-40	Pass	2985
30	1000	0.1	RMS	846.5	-63.84	-40	Pass	9699
1000	3000	1	RMS	2963.982	-49.22	-40	Pass	2000
3000	3500	1	RMS	3290.581	-46.95	-40	Pass	500
3500	3750	1	RMS	3690	11.7	60	Pass	401
3750	6500	1	RMS	6481.993	-45.72	-40	Pass	2750
6500	26500	1	RMS	26017.867	-55.37	-40	Pass	20000




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.41	-40	Pass	401
0.15	30	0.01	RMS	0.19	-73.09	-40	Pass	2985
30	1000	0.1	RMS	849	-63.92	-40	Pass	9699
1000	3000	1	RMS	2955.978	-49.2	-40	Pass	2000
3000	3500	1	RMS	3290.581	-46.92	-40	Pass	500
3500	3750	1	RMS	3690	10.75	60	Pass	401
3750	6500	1	RMS	6496.999	-45.66	-40	Pass	2750
6500	26500	1	RMS	26012.865	-55.38	-40	Pass	20000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.5	-40	Pass	401
0.15	30	0.01	RMS	0.19	-72.58	-40	Pass	2985
30	1000	0.1	RMS	991.489	-63.82	-40	Pass	9699
1000	3000	1	RMS	2956.978	-49.19	-40	Pass	2000
3000	3500	1	RMS	3295.591	-46.92	-40	Pass	500
3500	3750	1	RMS	3550.625	11.4	60	Pass	401
3750	6500	1	RMS	6479.993	-45.71	-40	Pass	2750
6500	26500	1	RMS	26021.868	-55.39	-40	Pass	20000




11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.56	-40	Pass	401
0.15	30	0.01	RMS	0.16	-72.75	-40	Pass	2985
30	1000	0.1	RMS	838.599	-63.83	-40	Pass	9699
1000	3000	1	RMS	2948.974	-49.17	-40	Pass	2000
3000	3500	1	RMS	3297.595	-46.96	-40	Pass	500
3500	3750	1	RMS	3550.625	10.5	60	Pass	401
3750	6500	1	RMS	6492.997	-45.7	-40	Pass	2750
6500	26500	1	RMS	26008.864	-55.37	-40	Pass	20000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.98	-40	Pass	401
0.15	30	0.01	RMS	0.21	-72.69	-40	Pass	2985
30	1000	0.1	RMS	844.499	-63.73	-40	Pass	9699
1000	3000	1	RMS	2956.978	-49.18	-40	Pass	2000
3000	3500	1	RMS	3293.587	-46.94	-40	Pass	500
3500	3750	1	RMS	3617.5	11.21	60	Pass	401
3750	6500	1	RMS	6499	-45.69	-40	Pass	2750
6500	26500	1	RMS	25999.862	-55.4	-40	Pass	20000




11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:55990, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.99	-40	Pass	401
0.15	30	0.01	RMS	0.2	-72.41	-40	Pass	2985
30	1000	0.1	RMS	829.698	-63.92	-40	Pass	9699
1000	3000	1	RMS	2959.98	-49.21	-40	Pass	2000
3000	3500	1	RMS	3293.587	-46.95	-40	Pass	500
3500	3750	1	RMS	3618.125	10.22	60	Pass	401
3750	6500	1	RMS	6483.994	-45.69	-40	Pass	2750
6500	26500	1	RMS	25993.86	-55.31	-40	Pass	20000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.94	-40	Pass	401
0.15	30	0.01	RMS	0.16	-72.6	-40	Pass	2985
30	1000	0.1	RMS	857.711	-63.93	-40	Pass	9699
1000	3000	1	RMS	2968.984	-49.2	-40	Pass	2000
3000	3500	1	RMS	3297.595	-46.95	-40	Pass	500
3500	3750	1	RMS	3685.625	10.95	60	Pass	401
3750	6500	1	RMS	6483.994	-45.7	-40	Pass	2750
6500	26500	1	RMS	25998.861	-55.43	-40	Pass	20000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.1	-40	Pass	401
0.15	30	0.01	RMS	0.23	-72.62	-40	Pass	2985
30	1000	0.1	RMS	815.396	-63.83	-40	Pass	9699
1000	3000	1	RMS	2950.975	-49.19	-40	Pass	2000
3000	3500	1	RMS	3291.583	-46.94	-40	Pass	500
3500	3750	1	RMS	3685.625	9.89	60	Pass	401
3750	6500	1	RMS	6496.999	-45.71	-40	Pass	2750
6500	26500	1	RMS	25988.859	-55.47	-40	Pass	20000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.27	-40	Pass	401
0.15	30	0.01	RMS	0.28	-72.89	-40	Pass	2985
30	1000	0.1	RMS	815.696	-63.87	-40	Pass	9699
1000	3000	1	RMS	2969.985	-49.18	-40	Pass	2000
3000	3500	1	RMS	3294.589	-46.92	-40	Pass	500
3500	3750	1	RMS	3550.625	12.23	60	Pass	401
3750	6500	1	RMS	6496.999	-45.69	-40	Pass	2750
6500	26500	1	RMS	25998.861	-55.33	-40	Pass	20000




11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.1	-40	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-40	Pass	2985
30	1000	0.1	RMS	815.796	-63.92	-40	Pass	9699
1000	3000	1	RMS	2968.984	-49.19	-40	Pass	2000
3000	3500	1	RMS	3275.551	-46.95	-40	Pass	500
3500	3750	1	RMS	3550.625	11.39	60	Pass	401
3750	6500	1	RMS	6487.996	-45.73	-40	Pass	2750
6500	26500	1	RMS	25993.86	-55.34	-40	Pass	20000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.63	-40	Pass	401
0.15	30	0.01	RMS	0.28	-72.62	-40	Pass	2985
30	1000	0.1	RMS	820.597	-63.73	-40	Pass	9699
1000	3000	1	RMS	2964.982	-49.21	-40	Pass	2000
3000	3500	1	RMS	3339.679	-46.71	-40	Pass	500
3500	3750	1	RMS	3615.625	12.12	60	Pass	401
3750	6500	1	RMS	6490.997	-45.7	-40	Pass	2750
6500	26500	1	RMS	26001.862	-55.37	-40	Pass	20000




11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:55990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.16	-40	Pass	401
0.15	30	0.01	RMS	0.17	-72.42	-40	Pass	2985
30	1000	0.1	RMS	839.399	-63.8	-40	Pass	9699
1000	3000	1	RMS	2953.977	-49.17	-40	Pass	2000
3000	3500	1	RMS	3339.679	-46.76	-40	Pass	500
3500	3750	1	RMS	3615.625	11.17	60	Pass	401
3750	6500	1	RMS	6500	-45.67	-40	Pass	2750
6500	26500	1	RMS	26036.872	-55.4	-40	Pass	20000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.56	-40	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-40	Pass	2985
30	1000	0.1	RMS	855.408	-63.77	-40	Pass	9699
1000	3000	1	RMS	2967.984	-49.16	-40	Pass	2000
3000	3500	1	RMS	3298.597	-46.95	-40	Pass	500
3500	3750	1	RMS	3680.625	11.92	60	Pass	401
3750	6500	1	RMS	6491.997	-45.73	-40	Pass	2750
6500	26500	1	RMS	26005.863	-55.43	-40	Pass	20000



11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.96	-40	Pass	401
0.15	30	0.01	RMS	0.2	-72.64	-40	Pass	2985
30	1000	0.1	RMS	851.103	-63.88	-40	Pass	9699
1000	3000	1	RMS	2956.978	-49.19	-40	Pass	2000
3000	3500	1	RMS	3298.597	-46.95	-40	Pass	500
3500	3750	1	RMS	3680.625	10.97	60	Pass	401
3750	6500	1	RMS	6500	-45.72	-40	Pass	2750
6500	26500	1	RMS	26010.865	-55.36	-40	Pass	20000



12. CA_5B


**12.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.66	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.83	-13	Pass	2985
30	814	0.1	RMS	811.5	-64.47	-13	Pass	7840
814	859	0.1	RMS	838.354	8.41	60	Pass	450
859	1000	0.1	RMS	860.501	-64.44	-13	Pass	1410
1000	3000	1	RMS	2945.973	-49.18	-13	Pass	2000
3000	10000	1	RMS	6962.566	-62.02	-13	Pass	7000




**12.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.63	-13	Pass	2985
30	814	0.1	RMS	749.192	-64.4	-13	Pass	7840
814	859	0.1	RMS	834.145	3.38	60	Pass	450
859	1000	0.1	RMS	859	-55.82	-13	Pass	1410
1000	3000	1	RMS	2955.978	-49.19	-13	Pass	2000
3000	10000	1	RMS	6960.566	-62.11	-13	Pass	7000




**12.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.11	-13	Pass	2985
30	814	0.1	RMS	751.092	-64.32	-13	Pass	7840
814	859	0.1	RMS	838.354	8.24	60	Pass	450
859	1000	0.1	RMS	860.401	-64.59	-13	Pass	1410
1000	3000	1	RMS	2957.979	-49.16	-13	Pass	2000
3000	10000	1	RMS	6963.566	-62.02	-13	Pass	7000




**12.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.31	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.07	-13	Pass	2985
30	814	0.1	RMS	813.8	-64.19	-13	Pass	7840
814	859	0.1	RMS	834.345	2.59	60	Pass	450
859	1000	0.1	RMS	859	-57.36	-13	Pass	1410
1000	3000	1	RMS	2959.98	-49.2	-13	Pass	2000
3000	10000	1	RMS	6966.567	-62.1	-13	Pass	7000




**12.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20500|20572, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.49	-13	Pass	2985
30	814	0.1	RMS	729.089	-64.47	-13	Pass	7840
814	859	0.1	RMS	843.365	8.44	60	Pass	450
859	1000	0.1	RMS	859.6	-64.54	-13	Pass	1410
1000	3000	1	RMS	2949.975	-49.15	-13	Pass	2000
3000	10000	1	RMS	6965.567	-61.98	-13	Pass	7000




**12.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20500|20572, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.31	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.08	-13	Pass	2985
30	814	0.1	RMS	738.19	-64.33	-13	Pass	7840
814	859	0.1	RMS	839.557	3.06	60	Pass	450
859	1000	0.1	RMS	859	-52.41	-13	Pass	1410
1000	3000	1	RMS	2943.972	-49.21	-13	Pass	2000
3000	10000	1	RMS	6962.566	-62.1	-13	Pass	7000




**12.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20500|20572, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.31	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.94	-13	Pass	2985
30	814	0.1	RMS	803.499	-64.42	-13	Pass	7840
814	859	0.1	RMS	843.365	8.47	60	Pass	450
859	1000	0.1	RMS	860.101	-64.54	-13	Pass	1410
1000	3000	1	RMS	2956.978	-49.12	-13	Pass	2000
3000	10000	1	RMS	6961.566	-62.05	-13	Pass	7000




**12.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20500|20572, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2985
30	814	0.1	RMS	813.2	-64.18	-13	Pass	7840
814	859	0.1	RMS	839.156	2.08	60	Pass	450
859	1000	0.1	RMS	859	-53.84	-13	Pass	1410
1000	3000	1	RMS	2947.974	-49.15	-13	Pass	2000
3000	10000	1	RMS	6963.566	-62.03	-13	Pass	7000




**12.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.28	-73.04	-13	Pass	2985
30	814	0.1	RMS	809.699	-64.39	-13	Pass	7840
814	859	0.1	RMS	848.376	8.38	60	Pass	450
859	1000	0.1	RMS	862.102	-48.67	-13	Pass	1410
1000	3000	1	RMS	2956.978	-49.19	-13	Pass	2000
3000	10000	1	RMS	6960.566	-62.1	-13	Pass	7000




**12.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.57	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.15	-13	Pass	2985
30	814	0.1	RMS	812	-64.44	-13	Pass	7840
814	859	0.1	RMS	845.771	3.31	60	Pass	450
859	1000	0.1	RMS	859	-48.01	-13	Pass	1410
1000	3000	1	RMS	2950.975	-49.14	-13	Pass	2000
3000	10000	1	RMS	6966.567	-62.06	-13	Pass	7000




**12.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.17	-13	Pass	401
0.15	30	0.01	RMS	0.33	-73.12	-13	Pass	2985
30	814	0.1	RMS	744.491	-64.56	-13	Pass	7840
814	859	0.1	RMS	848.376	8.31	60	Pass	450
859	1000	0.1	RMS	862.102	-48.99	-13	Pass	1410
1000	3000	1	RMS	2956.978	-49.12	-13	Pass	2000
3000	10000	1	RMS	6964.566	-62.02	-13	Pass	7000




**12.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.74	-13	Pass	2985
30	814	0.1	RMS	812.5	-64.37	-13	Pass	7840
814	859	0.1	RMS	845.47	2.26	60	Pass	450
859	1000	0.1	RMS	859	-49.6	-13	Pass	1410
1000	3000	1	RMS	2956.978	-49.13	-13	Pass	2000
3000	10000	1	RMS	6960.566	-62.09	-13	Pass	7000




**12.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.89	-13	Pass	2985
30	814	0.1	RMS	813.2	-64.33	-13	Pass	7840
814	859	0.1	RMS	824.624	7.76	60	Pass	450
859	1000	0.1	RMS	862.002	-47.01	-13	Pass	1410
1000	3000	1	RMS	2954.977	-49.09	-13	Pass	2000
3000	10000	1	RMS	6964.566	-62.06	-13	Pass	7000




**12.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.85	-13	Pass	2985
30	814	0.1	RMS	813.3	-64.44	-13	Pass	7840
814	859	0.1	RMS	834.947	0.6	60	Pass	450
859	1000	0.1	RMS	859	-52.44	-13	Pass	1410
1000	3000	1	RMS	2954.977	-49.2	-13	Pass	2000
3000	10000	1	RMS	6961.566	-62.03	-13	Pass	7000




**12.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2985
30	814	0.1	RMS	746.491	-64.41	-13	Pass	7840
814	859	0.1	RMS	824.624	7.64	60	Pass	450
859	1000	0.1	RMS	862.002	-47.9	-13	Pass	1410
1000	3000	1	RMS	2951.976	-49.18	-13	Pass	2000
3000	10000	1	RMS	6963.566	-62.06	-13	Pass	7000




**12.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.23	-13	Pass	2985
30	814	0.1	RMS	759.793	-64.43	-13	Pass	7840
814	859	0.1	RMS	834.646	-0.42	60	Pass	450
859	1000	0.1	RMS	859	-54.25	-13	Pass	1410
1000	3000	1	RMS	2945.973	-49.13	-13	Pass	2000
3000	10000	1	RMS	6962.566	-62.07	-13	Pass	7000




**12.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20476|20575, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.46	-13	Pass	2985
30	814	0.1	RMS	785.696	-64.42	-13	Pass	7840
814	859	0.1	RMS	827.229	7.56	60	Pass	450
859	1000	0.1	RMS	864.604	-63.66	-13	Pass	1410
1000	3000	1	RMS	2957.979	-49.18	-13	Pass	2000
3000	10000	1	RMS	6960.566	-62.06	-13	Pass	7000




**12.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20476|20575, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.65	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.5	-13	Pass	2985
30	814	0.1	RMS	812.6	-64.44	-13	Pass	7840
814	859	0.1	RMS	830.437	0.5	60	Pass	450
859	1000	0.1	RMS	859	-50.76	-13	Pass	1410
1000	3000	1	RMS	2946.973	-49.17	-13	Pass	2000
3000	10000	1	RMS	6960.566	-62.06	-13	Pass	7000




**12.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20476|20575, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.57	-13	Pass	401
0.15	30	0.01	RMS	0.21	-73.17	-13	Pass	2985
30	814	0.1	RMS	809.899	-64.4	-13	Pass	7840
814	859	0.1	RMS	845.871	7.59	60	Pass	450
859	1000	0.1	RMS	864.604	-63.72	-13	Pass	1410
1000	3000	1	RMS	2957.979	-49.2	-13	Pass	2000
3000	10000	1	RMS	6960.566	-62.09	-13	Pass	7000




**12.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20476|20575, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-13	Pass	2985
30	814	0.1	RMS	810.4	-64.42	-13	Pass	7840
814	859	0.1	RMS	830.837	-0.48	60	Pass	450
859	1000	0.1	RMS	859.1	-52.38	-13	Pass	1410
1000	3000	1	RMS	2948.974	-49.2	-13	Pass	2000
3000	10000	1	RMS	6961.566	-62.07	-13	Pass	7000




**12.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.61	-13	Pass	2985
30	814	0.1	RMS	760.693	-64.52	-13	Pass	7840
814	859	0.1	RMS	848.376	7.59	60	Pass	450
859	1000	0.1	RMS	861.001	-61.8	-13	Pass	1410
1000	3000	1	RMS	2956.978	-49.19	-13	Pass	2000
3000	10000	1	RMS	6963.566	-62.12	-13	Pass	7000




**12.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.55	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.8	-13	Pass	2985
30	814	0.1	RMS	813.7	-64.28	-13	Pass	7840
814	859	0.1	RMS	831.038	0.51	60	Pass	450
859	1000	0.1	RMS	859	-48.61	-13	Pass	1410
1000	3000	1	RMS	2956.978	-49.19	-13	Pass	2000
3000	10000	1	RMS	6967.567	-62.08	-13	Pass	7000




**12.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.67	-13	Pass	2985
30	814	0.1	RMS	811.6	-64.25	-13	Pass	7840
814	859	0.1	RMS	848.376	7.7	60	Pass	450
859	1000	0.1	RMS	861.001	-60.52	-13	Pass	1410
1000	3000	1	RMS	2937.969	-49.18	-13	Pass	2000
3000	10000	1	RMS	6960.566	-62.03	-13	Pass	7000



**12.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	Pass	2985
30	814	0.1	RMS	783.696	-64.4	-13	Pass	7840
814	859	0.1	RMS	832.541	-0.58	60	Pass	450
859	1000	0.1	RMS	859	-50.59	-13	Pass	1410
1000	3000	1	RMS	2954.977	-49.2	-13	Pass	2000
3000	10000	1	RMS	6961.566	-62.04	-13	Pass	7000



13. CA_42C 3450-3550


**13.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:42190|42307, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.32	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.73	-13	Pass	2985
30	1000	0.1	RMS	839.699	-59.87	-13	Pass	9699
1000	3000	1	RMS	2952.976	-45.26	-13	Pass	2000
3000	3410	1	RMS	3404.988	-26.69	-13	Pass	410
3410	3590	1	RMS	3473.45	20.52	60	Pass	401
3590	6500	1	RMS	3758.058	-41.54	-13	Pass	2910
6500	26000	1	RMS	25985.996	-45.3	-13	Pass	19500




**13.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:42190|42307, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.93	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.69	-13	Pass	2985
30	1000	0.1	RMS	853.205	-60.13	-13	Pass	9699
1000	3000	1	RMS	2965.983	-45.16	-13	Pass	2000
3000	3410	1	RMS	3294.719	-43.06	-13	Pass	410
3410	3590	1	RMS	3471.2	1.98	60	Pass	401
3590	6500	1	RMS	6493.998	-41.87	-13	Pass	2910
6500	26000	1	RMS	25997.999	-45.29	-13	Pass	19500




**13.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:42190|42307, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.26	-13	Pass	2985
30	1000	0.1	RMS	849.2	-60.07	-13	Pass	9699
1000	3000	1	RMS	2969.985	-45.25	-13	Pass	2000
3000	3410	1	RMS	3295.721	-43.06	-13	Pass	410
3410	3590	1	RMS	3450.5	1.6	60	Pass	401
3590	6500	1	RMS	6497.999	-41.88	-13	Pass	2910
6500	26000	1	RMS	25989.997	-45.22	-13	Pass	19500




**13.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:42190|42307, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.89	-13	Pass	2985
30	1000	0.1	RMS	847.4	-60.08	-13	Pass	9699
1000	3000	1	RMS	2957.979	-45.26	-13	Pass	2000
3000	3410	1	RMS	3296.724	-43.07	-13	Pass	410
3410	3590	1	RMS	3471.65	1.09	60	Pass	401
3590	6500	1	RMS	6493.998	-41.86	-13	Pass	2910
6500	26000	1	RMS	25985.996	-45.34	-13	Pass	19500




**13.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:42569|42686, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.76	-13	Pass	2985
30	1000	0.1	RMS	869.727	-60.12	-13	Pass	9699
1000	3000	1	RMS	2956.978	-45.29	-13	Pass	2000
3000	3410	1	RMS	3293.716	-43.07	-13	Pass	410
3410	3590	1	RMS	3511.25	1.68	60	Pass	401
3590	6500	1	RMS	6497.999	-41.85	-13	Pass	2910
6500	26000	1	RMS	25995.999	-45.3	-13	Pass	19500




**13.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:42569|42686, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.02	-13	Pass	401
0.15	30	0.01	RMS	0.36	-68.61	-13	Pass	2985
30	1000	0.1	RMS	843.899	-60.05	-13	Pass	9699
1000	3000	1	RMS	2970.985	-45.24	-13	Pass	2000
3000	3410	1	RMS	3296.724	-43.08	-13	Pass	410
3410	3590	1	RMS	3510.35	1.57	60	Pass	401
3590	6500	1	RMS	6495.999	-41.82	-13	Pass	2910
6500	26000	1	RMS	25975.992	-45.24	-13	Pass	19500




**13.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:42569|42686, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.89	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.85	-13	Pass	2985
30	1000	0.1	RMS	829.298	-59.97	-13	Pass	9699
1000	3000	1	RMS	2961.981	-45.19	-13	Pass	2000
3000	3410	1	RMS	3293.716	-43.06	-13	Pass	410
3410	3590	1	RMS	3511.25	1.54	60	Pass	401
3590	6500	1	RMS	6487.996	-41.86	-13	Pass	2910
6500	26000	1	RMS	25996.999	-45.38	-13	Pass	19500




**13.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:42569|42686, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.76	-13	Pass	401
0.15	30	0.01	RMS	0.25	-68.77	-13	Pass	2985
30	1000	0.1	RMS	847.5	-60.21	-13	Pass	9699
1000	3000	1	RMS	2968.984	-45.21	-13	Pass	2000
3000	3410	1	RMS	3297.726	-43.06	-13	Pass	410
3410	3590	1	RMS	3509.9	0.56	60	Pass	401
3590	6500	1	RMS	6499	-41.86	-13	Pass	2910
6500	26000	1	RMS	25984.995	-45.28	-13	Pass	19500




**13.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:42948|43065, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.4	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.73	-13	Pass	2985
30	1000	0.1	RMS	851.503	-59.98	-13	Pass	9699
1000	3000	1	RMS	2955.978	-45.26	-13	Pass	2000
3000	3410	1	RMS	3297.726	-43.06	-13	Pass	410
3410	3590	1	RMS	3526.55	0.83	60	Pass	401
3590	6500	1	RMS	6493.998	-41.88	-13	Pass	2910
6500	26000	1	RMS	25990.997	-45.32	-13	Pass	19500




**13.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:42948|43065, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.45	-13	Pass	2985
30	1000	0.1	RMS	851.904	-60.01	-13	Pass	9699
1000	3000	1	RMS	2954.977	-45.26	-13	Pass	2000
3000	3410	1	RMS	3292.714	-43.05	-13	Pass	410
3410	3590	1	RMS	3546.8	1.26	60	Pass	401
3590	6500	1	RMS	6496.999	-41.83	-13	Pass	2910
6500	26000	1	RMS	25994.998	-45.28	-13	Pass	19500




**13.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:42948|43065, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.62	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.84	-13	Pass	2985
30	1000	0.1	RMS	983.178	-60.11	-13	Pass	9699
1000	3000	1	RMS	2956.978	-45.27	-13	Pass	2000
3000	3410	1	RMS	3293.716	-43.05	-13	Pass	410
3410	3590	1	RMS	3526.55	-10.8	60	Pass	401
3590	6500	1	RMS	6495.999	-41.89	-13	Pass	2910
6500	26000	1	RMS	25999	-45.2	-13	Pass	19500




**13.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:42948|43065, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.27	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.08	-13	Pass	2985
30	1000	0.1	RMS	845.099	-59.98	-13	Pass	9699
1000	3000	1	RMS	2952.976	-45.23	-13	Pass	2000
3000	3410	1	RMS	3293.716	-43.06	-13	Pass	410
3410	3590	1	RMS	3546.35	0.37	60	Pass	401
3590	6500	1	RMS	6490.997	-41.85	-13	Pass	2910
6500	26000	1	RMS	25997.999	-45.3	-13	Pass	19500




**13.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:42190|42388, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.89	-13	Pass	401
0.15	30	0.01	RMS	0.32	-68.27	-13	Pass	2985
30	1000	0.1	RMS	843.599	-59.94	-13	Pass	9699
1000	3000	1	RMS	2961.981	-45.23	-13	Pass	2000
3000	3410	1	RMS	3299.731	-43.07	-13	Pass	410
3410	3590	1	RMS	3488.3	1.54	60	Pass	401
3590	6500	1	RMS	6496.999	-41.86	-13	Pass	2910
6500	26000	1	RMS	25994.998	-45.24	-13	Pass	19500




**13.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:42190|42388, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.66	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.35	-13	Pass	2985
30	1000	0.1	RMS	852.705	-60.05	-13	Pass	9699
1000	3000	1	RMS	2957.979	-45.26	-13	Pass	2000
3000	3410	1	RMS	3294.719	-43.05	-13	Pass	410
3410	3590	1	RMS	3482.9	-3.88	60	Pass	401
3590	6500	1	RMS	6496.999	-41.85	-13	Pass	2910
6500	26000	1	RMS	26000	-45.19	-13	Pass	19500




**13.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:42190|42388, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.59	-13	Pass	2985
30	1000	0.1	RMS	851.103	-60.05	-13	Pass	9699
1000	3000	1	RMS	2959.98	-45.23	-13	Pass	2000
3000	3410	1	RMS	3180.44	-43.05	-13	Pass	410
3410	3590	1	RMS	3450.5	1.38	60	Pass	401
3590	6500	1	RMS	6500	-41.86	-13	Pass	2910
6500	26000	1	RMS	25997.999	-45.2	-13	Pass	19500




**13.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:42190|42388, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.63	-13	Pass	401
0.15	30	0.01	RMS	0.23	-68.44	-13	Pass	2985
30	1000	0.1	RMS	827.097	-60.01	-13	Pass	9699
1000	3000	1	RMS	2965.983	-45.21	-13	Pass	2000
3000	3410	1	RMS	3298.729	-43.04	-13	Pass	410
3410	3590	1	RMS	3486.5	-4.85	60	Pass	401
3590	6500	1	RMS	6486.996	-41.84	-13	Pass	2910
6500	26000	1	RMS	25995.999	-45.24	-13	Pass	19500




**13.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:42491|42689, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.53	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.02	-13	Pass	2985
30	1000	0.1	RMS	848.5	-60.01	-13	Pass	9699
1000	3000	1	RMS	2968.984	-45.14	-13	Pass	2000
3000	3410	1	RMS	3292.714	-43.05	-13	Pass	410
3410	3590	1	RMS	3480.65	1.25	60	Pass	401
3590	6500	1	RMS	6494.998	-41.83	-13	Pass	2910
6500	26000	1	RMS	25994.998	-45.15	-13	Pass	19500




**13.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:42491|42689, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.57	-13	Pass	2985
30	1000	0.1	RMS	836.798	-60.13	-13	Pass	9699
1000	3000	1	RMS	2956.978	-45.28	-13	Pass	2000
3000	3410	1	RMS	3296.724	-43.04	-13	Pass	410
3410	3590	1	RMS	3492.8	-3.99	60	Pass	401
3590	6500	1	RMS	6497.999	-41.81	-13	Pass	2910
6500	26000	1	RMS	25994.998	-45.16	-13	Pass	19500




**13.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:42491|42689, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.91	-13	Pass	2985
30	1000	0.1	RMS	858.913	-59.81	-13	Pass	9699
1000	3000	1	RMS	2964.982	-45.28	-13	Pass	2000
3000	3410	1	RMS	3291.711	-43.05	-13	Pass	410
3410	3590	1	RMS	3518.45	1.23	60	Pass	401
3590	6500	1	RMS	6499	-41.87	-13	Pass	2910
6500	26000	1	RMS	25993.998	-45.15	-13	Pass	19500




**13.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:42491|42689, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.56	-13	Pass	401
0.15	30	0.01	RMS	0.23	-68.59	-13	Pass	2985
30	1000	0.1	RMS	849.901	-60.05	-13	Pass	9699
1000	3000	1	RMS	2947.974	-45.26	-13	Pass	2000
3000	3410	1	RMS	3295.721	-43.05	-13	Pass	410
3410	3590	1	RMS	3492.35	-4.97	60	Pass	401
3590	6500	1	RMS	6499	-41.86	-13	Pass	2910
6500	26000	1	RMS	25992.998	-45.32	-13	Pass	19500




**13.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:42792|42990, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.56	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.81	-13	Pass	2985
30	1000	0.1	RMS	844.099	-59.95	-13	Pass	9699
1000	3000	1	RMS	2952.976	-45.2	-13	Pass	2000
3000	3410	1	RMS	3294.719	-43.06	-13	Pass	410
3410	3590	1	RMS	3510.8	0.9	60	Pass	401
3590	6500	1	RMS	6497.999	-41.79	-13	Pass	2910
6500	26000	1	RMS	25989.997	-45.18	-13	Pass	19500




**13.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:42792|42990, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.65	-13	Pass	2985
30	1000	0.1	RMS	996.595	-60.14	-13	Pass	9699
1000	3000	1	RMS	2952.976	-45.24	-13	Pass	2000
3000	3410	1	RMS	3295.721	-43.04	-13	Pass	410
3410	3590	1	RMS	3527.45	-4.53	60	Pass	401
3590	6500	1	RMS	6496.999	-41.85	-13	Pass	2910
6500	26000	1	RMS	25980.994	-45.29	-13	Pass	19500




**13.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:42792|42990, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.29	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.7	-13	Pass	2985
30	1000	0.1	RMS	825.597	-60.02	-13	Pass	9699
1000	3000	1	RMS	2964.982	-45.27	-13	Pass	2000
3000	3410	1	RMS	3297.726	-43.05	-13	Pass	410
3410	3590	1	RMS	3510.8	0.91	60	Pass	401
3590	6500	1	RMS	6496.999	-41.81	-13	Pass	2910
6500	26000	1	RMS	25999	-45.08	-13	Pass	19500



**13.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:42792|42990, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.21	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.68	-13	Pass	2985
30	1000	0.1	RMS	845.8	-60.11	-13	Pass	9699
1000	3000	1	RMS	2968.984	-45.24	-13	Pass	2000
3000	3410	1	RMS	3291.711	-43.05	-13	Pass	410
3410	3590	1	RMS	3525.2	-5.56	60	Pass	401
3590	6500	1	RMS	6500	-41.81	-13	Pass	2910
6500	26000	1	RMS	25997.999	-45.19	-13	Pass	19500



--BLANK BELOW--