

Report No.: TW2303072E

Applicant: Shenzhen Zigxico Technology Co., Ltd.

Product: Smart Wi-Fi Camera

Model No.: S43, S43-KB, S47, S48, S49, R3569, SF-G09D,

SF-G09D-4MP, SF-C383T, SF-C383T-4G, SF-A09

Trademark: Zigxico

Test Standards: FCC Part 15.247

Test result:

It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.10, FCC Part 15.247 for

the evaluation of electromagnetic compatibility

Approved By

Terry Tang

Manager


Dated: March 24, 2023

Results appearing herein relate only to the sample tested The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com



Report No.: TW2303072E Page 2 of 97

Date: 2023-03-24



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAL. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAL-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAL/AC01:2002 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2017 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

Industry Canada (IC) — Registration No.:5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

A2LA (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

Page 3 of 97

Report No.: TW2303072E

Date: 2023-03-24



Test Report Conclusion

Content

| 1.0 | General Details. | 4 |
|------|-------------------------------------|----|
| 1.1 | Test Lab Details. | 4 |
| 1.2 | Applicant Details | 4 |
| 1.3 | Description of EUT | 4 |
| 1.4 | Submitted Sample | 5 |
| 1.5 | Test Duration. | 5 |
| 1.6 | Test Uncertainty. | 5 |
| 1.7 | Test By | 5 |
| 2.0 | List of Measurement Equipment. | 6 |
| 3.0 | Technical Details | 8 |
| 3.1 | Summary of Test Results | 8 |
| 3.2 | Test Standards. | 8 |
| 4.0 | EUT Modification. | 8 |
| 5.0 | Power Line Conducted Emission Test. | 9 |
| 5.1 | Schematics of the Test. | 9 |
| 5.2 | Test Method and Test Procedure. | 9 |
| 5.3 | Configuration of the EUT | 9 |
| 5.4 | EUT Operating Condition. | 10 |
| 5.5 | Conducted Emission Limit. | 10 |
| 5.6 | Test Result. | 10 |
| 6.0 | Radiated Emission test | 13 |
| 5.1 | Test Method and Test Procedure. | 13 |
| 5.2 | Configuration of the EUT | 14 |
| 5.3 | EUT Operation Condition. | 14 |
| 5.4 | Radiated Emission Limit. | 14 |
| 7.0 | 6dB Bandwidth Measurement | 24 |
| 8.0 | Maximum Output Power | 44 |
| 9.0 | Power Spectral Density Measurement | 47 |
| 10.0 | Out of Band Measurement. | 65 |
| 11.0 | Antenna Requirement. | 83 |
| 12.0 | FCC ID Label | 84 |
| 13.0 | Photo of Test Setup and EUT View. | 85 |

Report No.: TW2303072E Page 4 of 97

Date: 2023-03-24



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le

Village, Nanshan District, Shenzhen, China

Telephone: (755) 83448688 Fax: (755) 83442996

Site Listed with Federal Communications commission (FCC)

Registration Number:744189 For 3m Anechoic Chamber

Site Listed with Industry Canada of Ottawa, Canada

Registration Number: IC: 5205A

For 3m Anechoic Chamber

1.2 Applicant Details

Applicant: Shenzhen Zigxico Technology Co., Ltd.

Address: 3F, building B, Shuichanjingwan First Industrial Park, Gushu, Xixiang Street, Baoan District,

Shenzhen, China.

Telephone: 15820477919

Fax: --

1.3 Description of EUT

Product: Smart Wi-Fi Camera

Manufacturer: Shenzhen Zigxico Technology Co., Ltd.

Address: 3F, building B, Shuichanjingwan First Industrial Park, Gushu, Xixiang Street,

Baoan District, Shenzhen, China.

Trademark: Zigxico Model Number: S43

Additional Model Number: \$43-KB, \$47, \$48, \$49, \$3569, \$F-G09D, \$F-G09D-4MP, \$F-C383T,

SF-C383T-4G, SF-A09

Rating: DC5.0V, 1A

Battery: DC3.7V, 5200mAh Li-ion battery

Type of Modulation IEEE 802.11b: DSSS (CCK, QPSK, DBPSK)

IEEE 802.11g/n (HT20, HT40): OFDM (64QAM, 16QAM, QPSK, BPSK)

Frequency range IEEE 802.11b/g/n (HT20): 2412-2462MHz;

IEEE 802.11n HT40: 2422-2452MHz

Channel Spacing 5MHz for IEEE 802.11b/g/n (HT20, HT40)

Air Data Rate IEEE 802.11b: 11, 5.5, 2, 1 Mbps

IEEE 802.11g: 54, 48,36, 24, 18, 12, 9, 6 Mbps

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2303072E Page 5 of 97

Date: 2023-03-24



IEEE 802.11n HT20/HT40: mcs0-mcs7

Frequency Selection By software

Channel Number IEEE 802.11b/g/n (HT20): 11 Channels;

IEEE 802.11n (HT40): 7 Channels;

Antenna: Integral antenna with gain 3.0dBi Max (Get from the antenna specification)

1.4 Submitted Sample: 2 Samples

1.5 Test Duration

2023-03-02 to 2023-03-24

1.6 Test Uncertainty

Conducted Emissions Uncertainty = 3.6dB

Radiated Emissions below 1GHz Uncertainty =4.7dB

Radiated Emissions above 1GHz Uncertainty =6.0dB

Conducted Power Uncertainty =6.0dB

Occupied Channel Bandwidth Uncertainty = 5%

Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

1.7 Test Engineer

The sample tested by

Print Name: Andy Xing

Andy - Xing

Page 6 of 97

Report No.: TW2303072E

Date: 2023-03-24



| 2.0 Test Equipment | | | | | |
|--------------------|--------------|--------------|--------------|--------------|------------|
| Instrument Type | Manufacturer | Model | Serial No. | Date of Cal. | Due Date |
| ESPI Test Receiver | R&S | ESPI 3 | 100379 | 2022-07-15 | 2023-07-14 |
| LISN | R&S | EZH3-Z5 | 100294 | 2022-07-18 | 2023-07-17 |
| LISN | R&S | EZH3-Z5 | 100253 | 2022-07-18 | 2023-07-17 |
| Impuls-Begrenzer | R&S | ESH3-Z2 | 100281 | 2022-07-18 | 2023-07-17 |
| Loop Antenna | EMCO | 6507 | 00078608 | 2022-07-18 | 2025-07-17 |
| Spectrum | R&S | FSIQ26 | 100292 | 2022-07-15 | 2023-07-14 |
| Horn Antenna | A-INFO | LB-180400-KF | J211060660 | 2022-07-18 | 2025-07-17 |
| Horn Antenna | R&S | BBHA 9120D | 9120D-631 | 2022-07-18 | 2024-07-17 |
| Power meter | Anritsu | ML2487A | 6K00003613 | 2022-07-18 | 2023-07-17 |
| Power sensor | Anritsu | MA2491A | 32263 | 2022-07-18 | 2023-07-17 |
| Bilog Antenna | Schwarebeck | VULB9163 | 9163/340 | 2022-07-18 | 2025-07-17 |
| 9*6*6 Anechoic | | | N/A | 2022-07-26 | 2025-07-25 |
| EMI Test Receiver | RS | ESVB | 826156/011 | 2022-07-15 | 2023-07-14 |
| EMI Test Receiver | RS | ESCS 30 | 834115/006 | 2022-07-15 | 2023-07-14 |
| Spectrum | HP/Agilent | E4407B | MY50441392 | 2022-07-15 | 2023-07-14 |
| Spectrum | RS | FSP | 1164.4391.38 | 2022-07-15 | 2023-07-14 |
| RF Cable | 7h an adi | ZT26-NJ-NJ-8 | | 2022-07-15 | 2023-07-14 |
| RF Cable | Zhengdi | M/FA | | | |
| RF Cable | Zhengdi | 7m | | 2022-07-15 | 2023-07-14 |
| Pre-Amplifier | Schwarebeck | BBV9743 | #218 | 2022-07-15 | 2023-07-14 |
| Pre-Amplifier | HP/Agilent | 8449B | 3008A00160 | 2022-07-15 | 2023-07-14 |
| LISN | SCHAFFNER | NNB42 | 00012 | 2022-08-18 | 2023-07-17 |

2.2 Automation Test Software

For Conducted Emission Test

| Name | Version |
|--------|-------------------|
| EZ-EMC | Ver.EMC-CON 3A1.1 |

For Radiated Emissions

| Name | Version |
|---|---------|
| EMI Test Software BL410-EV18.91 | V18.905 |
| EMI Test Software BL410-EV18.806 High Frequency | V18.06 |

Report No.: TW2303072E Page 7 of 97

Date: 2023-03-24



3. DESCRIPTION OF TEST MODES

IEEE 802.11b, 802.11g, 802.11n (HT20) mode

The EUT had been tested under operating condition. There are three channels have been tested as following:

| Channel | Frequency (MHz) |
|---------|-----------------|
| Low | 2412 |
| Middle | 2437 |
| High | 2462 |

IEEE 802.11b mode: 1Mbps data rate (worst case) was chosen for full testing. IEEE 802.11g mode: 6Mbps data rate (worst case) was chosen for full testing. IEEE 802.11n (HT20) mode: mcs0 (worst case) were chosen for full testing;

IEEE 802.11n (HT40) mode

The EUT had been tested under operating condition. There are three channels have been tested as following:

| Channel | Frequency (MHz) |
|---------|-----------------|
| Low | 2422 |
| Middle | 2437 |
| High | 2452 |

IEEE 802.11n (HT40) mode: mcs0 data rate (worst case) were chosen for full testing

Note: During the test, the duty cycle was set up to >98%

Page 8 of 97

Report No.: TW2303072E

Date: 2023-03-24



3.0 **Technical Details**

3.1 **Summary of test results**

| Standard | Test Type | Result | Notes | | |
|-------------------------------------|----------------------------------|--------|----------|--|--|
| FCC Part 15, Paragraph15.203 | Antenna Requirement | Pass | Complies | | |
| FCC Part 15, Paragraph15.207 | Conducted Emission Test | Pass | Complies | | |
| | Spectrum bandwidth of a | Pass | Complies | | |
| ECC Post 15 Subscrit C | Orthogonal Frequency | | | | |
| FCC Part 15 Subpart C | Division Multiplex System | | | | |
| Paragraph 15.247(a)(2) Limit | Limit: 6dB | | | | |
| | bandwidth>500kHz | | | | |
| ECC Part 15 Paragraph | Maximum peak output | Pass | | | |
| FCC Part 15, Paragraph 15.247(b) | power | | Complies | | |
| | Limit: max. 30dBm | | | | |
| FCC Part 15, Paragraph | Transmitter Radiated | Pass | Complies | | |
| 15.109,15.205 & 15.209 | Emission | | | | |
| | Limit: Table 15.209 | | | | |
| FCC Part 15, Paragraph | Power Spectral Density | Pass | Complies | | |
| 15.247(e) | Limit: max. 8dBm/3kHz | | | | |
| FCC Part 15, Paragraph | Out of Band Emission and | Pass | Complies | | |
| 15.247(d) | Restricted Band | | | | |
| | Radiation | | | | |
| | Limit: 20dB less than | | | | |
| | peak value of fundamental | | | | |
| | frequency | | | | |
| | Restricted band limit: | | | | |
| | Table 15.209 | | | | |

3.2 **Test Standards**

FCC Part 15 Subpart & Subpart C, Paragraph 15.247

4.0 **EUT Modification**

No modification by SHENZHEN TIMEWAY TESTING LABORATORIES.


Report No.: TW2303072E

Date: 2023-03-24



5.0 Power Line Conducted Emission Test

5.1 Schematics of the test




EUT: Equipment Under Test

5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.10-2013. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.10-2013.

Test Voltage: 120V~, 60Hz Block diagram of Test setup



5.3 Configuration of the EUT

The EUT was configured according to ANSI C63.10-2013. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

A. EUT

| Device | Manufacturer | Model | FCC ID |
|-----------------------|--|--|-----------|
| Smart Wi-Fi Camera | Shenzhen Zigxico Technology Co., Ltd. | S43, S43-KB, S47, S48, S49, R3569, SF-G09D, SF-G09D-4MP, SF-C383T, SF-C383T-4G, SF-A09 | 2AZHU-S43 |

B. Internal Device

| Device | Manufacturer | Model | FCC ID/DOC |
|--------|--------------|-------|------------|
| N/A | | | |

C. Peripherals

| Device | Manufacturer | Model | FCC ID/DOC | Cable |
|--------|--------------|-------|------------|-------|
| | | | | |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2303072E Page 10 of 97

Date: 2023-03-24



EUT Operating Condition 5.4

Operating condition is according to ANSI C63.10-2013.

- Α Setup the EUT and simulators as shown on follow
- В Enable AF signal and confirm EUT active to normal condition

5.5 Power line conducted Emission Limit according to Paragraph 15.207

| Frequency | Limits (d | lB μ V) |
|------------------|------------------|---------------|
| (MHz) | Quasi-peak Level | Average Level |
| 0.15 ~ 0.50 | 66.0~56.0* | 56.0~46.0* |
| $0.50 \sim 5.00$ | 56.0 | 46.0 |
| 5.00 ~ 30.00 | 60.0 | 50.0 |

Notes:

- 1. *Decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

5.6 **Test Results**

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

Date: 2023-03-24

Report No.: TW2303072E



Conducted Emission on Live Terminal (150kHz to 30MHz) A:


EUT Operating Environment

Humidity: 65%RH Atmospheric Pressure: 101 kPa Temperature: 26°C

EUT set Condition: Keep WIFI Transmitting

Results: Pass

Please refer to following diagram for individual



| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Detector | P/F |
|-----|--------------------|-------------------|----------------|-----------------|-----------------|----------------|----------|-----|
| 1 | 0.2241 | 3.09 | 9.75 | 12.84 | 62.67 | -49.83 | QP | Р |
| 2 | 0.2241 | -4.65 | 9.75 | 5.10 | 52.67 | -47.57 | AVG | Р |
| 3 | 0.5400 | 9.25 | 9.77 | 19.02 | 56.00 | -36.98 | QP | Р |
| 4 | 0.5400 | -3.99 | 9.77 | 5.78 | 46.00 | -40.22 | AVG | Р |
| 5 | 0.9582 | -0.51 | 9.79 | 9.28 | 56.00 | -46.72 | QP | Р |
| 6 | 0.9582 | -5.25 | 9.79 | 4.54 | 46.00 | -41.46 | AVG | Р |
| 7 | 3.7410 | -0.57 | 9.88 | 9.31 | 56.00 | -46.69 | QP | Р |
| 8 | 3.7410 | -5.00 | 9.88 | 4.88 | 46.00 | -41.12 | AVG | Р |
| 9 | 13.3389 | 4.29 | 10.31 | 14.60 | 60.00 | -45.40 | QP | Р |
| 10 | 13.3389 | -1.94 | 10.31 | 8.37 | 50.00 | -41.63 | AVG | Р |
| 11 | 22.2192 | 6.84 | 10.82 | 17.66 | 60.00 | -42.34 | QP | Р |
| 12 | 22.2192 | -1.06 | 10.82 | 9.76 | 50.00 | -40.24 | AVG | Р |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.

Date: 2023-03-24



B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)


EUT Operating Environment

Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 kPa

EUT set Condition: Keep WIFI Transmitting

Results: Pass

Please refer to following diagram for individual



| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Detector | P/F |
|-----|--------------------|-------------------|----------------|-----------------|-----------------|----------------|----------|-----|
| 1 | 0.1929 | 5.75 | 9.75 | 15.50 | 63.91 | -48.41 | QP | Р |
| 2 | 0.1929 | 0.38 | 9.75 | 10.13 | 53.91 | -43.78 | AVG | Р |
| 3 | 0.5595 | 1.67 | 9.77 | 11.44 | 56.00 | -44.56 | QP | Р |
| 4 | 0.5595 | -5.13 | 9.77 | 4.64 | 46.00 | -41.36 | AVG | Р |
| 5 | 1.2966 | -1.16 | 9.79 | 8.63 | 56.00 | -47.37 | QP | Р |
| 6 | 1.2966 | -5.38 | 9.79 | 4.41 | 46.00 | -41.59 | AVG | Р |
| 7 | 4.0803 | -0.61 | 9.89 | 9.28 | 56.00 | -46.72 | QP | Р |
| 8 | 4.0803 | -5.04 | 9.89 | 4.85 | 46.00 | -41.15 | AVG | Р |
| 9 | 8.1168 | 1.26 | 10.07 | 11.33 | 60.00 | -48.67 | QP | Р |
| 10 | 8.1168 | -3.55 | 10.07 | 6.52 | 50.00 | -43.48 | AVG | Р |
| 11 | 25.1871 | 3.50 | 11.00 | 14.50 | 60.00 | -45.50 | QP | Р |
| 12 | 25.1871 | -1.58 | 11.00 | 9.42 | 50.00 | -40.58 | AVG | Р |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report

discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2303072E Page 13 of 97

Date: 2023-03-24




6 Radiated Emission Test

- 6.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are Quasi-peak values with a resolution bandwidth of 120 kHz. F For measurement above 1GHz, peak values with RBW=1MHz VBW=3MHz and PK detector. AV value with RBW=1MHz, VBW=3MHz and RMS detector. Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) Maximizing procedure was performed on the six (6) highest emissions to ensure EUT compliance is with all installation combinations. All data was recorded in the peak detection mode. Quasi-peak readings was performed only when an emission was found to be marginal (within -4 dB of specification limit), and are distinguished with a "**QP**" in the data table.
- (6) The antenna polarization: Vertical polarization and Horizontal polarization.

Block diagram of Test setup

For radiated emissions from 9kHz to 30MHz




Page 14 of 97

Report No.: TW2303072E


Date: 2023-03-24



For radiated emissions from 30MHz to1GHz



For radiated emissions above 1GHz



6.2 Configuration of The EUT Same as section 5.3 of this report

6.3 EUT Operating Condition Same as section 5.4 of this report.

6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

Report No.: TW2303072E Page 15 of 97

Date: 2023-03-24



Frequencies in restricted band are complied to limit on Paragraph 15.209

| Frequency Range (MHz) | Distance (m) | Field strength (dB μ V/m) |
|-----------------------|--------------|-----------------------------------|
| 0.009-0.049 | 3 | 20log(2400/F(kHz)) +40log (300/3) |
| 0.490-1.705 | 3 | 20log(24000/F(kHz)) +40log (30/3) |
| 1.705-30 | 3 | 69.5 |
| 30-88 | 3 | 40.0 |
| 88-216 | 3 | 43.5 |
| 216-960 | 3 | 46.0 |
| Above 960 | 3 | 54.0 |

Note:

- 1. RF Voltage $(dBuV) = 20 \log RF \text{ Voltage } (uV)$
- 2. In the Above Table, the tighter limit applies at the band edges.
- 3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
- 4. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-25G, the final emission level got using PK. For fundamental measurement, PK detector used.
- 5. For radiated emissions from 9kHz to 30MHz, the emission level is much less than the limit for more than 20dB. No necessary to take down the record.
- 6. Worse case were recorded in the test report. 802.11g was the worst case.
- 7. Battery fully charged was used during the test

Report No.: TW2303072E Page 16 of 97

Date: 2023-03-24




Test result General Radiated Emission Data and Harmonics Radiated Emission Data

Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Keep Transmitting

Results: Pass



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 48.425 | 21.30 | -11.22 | 40.0 | -18.70 | Peak | 360.00 | 200 | Horizontal | Pass |
| 2 | 100.065 | 20.12 | -13.52 | 43.5 | -23.38 | Peak | 243.00 | 200 | Horizontal | Pass |
| 3 | 388.083 | 38.21 | -8.94 | 46.0 | -7.79 | Peak | 116.00 | 400 | Horizontal | Pass |
| 4 | 412.084 | 38.43 | -8.44 | 46.0 | -7.57 | Peak | 116.00 | 400 | Horizontal | Pass |
| 5 | 483.847 | 37.62 | -7.37 | 46.0 | -8.38 | Peak | 113.00 | 400 | Horizontal | Pass |
| 6 | 799.745 | 37.54 | -2.97 | 46.0 | -8.46 | Peak | 288.00 | 100 | Horizontal | Pass |

Report No.: TW2303072E Page 17 of 97

Date: 2023-03-24




Test result General Radiated Emission Data and Harmonics Radiated Emission Data

Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: **Keep Transmitting**

Results: Pass



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 50.850 | 20.63 | -11.40 | 40.0 | -19.37 | Peak | 59.00 | 100 | Vertical | Pass |
| 2 | 101.520 | 20.49 | -13.44 | 43.5 | -23.01 | Peak | 360.00 | 200 | Vertical | Pass |
| 3 | 195.829 | 18.84 | -13.66 | 43.5 | -24.66 | Peak | 360.00 | 200 | Vertical | Pass |
| 4 | 320.927 | 21.83 | -10.56 | 46.0 | -24.17 | Peak | 0.00 | 300 | Vertical | Pass |
| 5 | 414.751 | 25.22 | -8.22 | 46.0 | -20.78 | Peak | 0.00 | 100 | Vertical | Pass |
| 6 | 707.376 | 29.08 | -3.87 | 46.0 | -16.92 | Peak | 360.00 | 200 | Vertical | Pass |


Page 18 of 97 Report No.: TW2303072E

Date: 2023-03-24



Please refer to the following test plots for details:

CH01 for 11g at 6Mbps: Horizontal




| No. | Frequency | Results | Factor | Limit | Over | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | Limit (dB) | | (o) | (cm) | | |
| 1 | 2414.896 | 94.99 | -3.57 | 74.0 | 20.99 | Peak | 113.00 | 100 | Horizontal | N/A |
| 2 | 4824.044 | 64.83 | 3.14 | 74.0 | -9.17 | Peak | 113.00 | 100 | Horizontal | Pass |
| 2** | 4824.044 | 49.80 | 3.14 | 54.0 | -4.20 | AV | 113.00 | 100 | Horizontal | Pass |

Report No.: TW2303072E Page 19 of 97

Date: 2023-03-24



CH01 for 11g at 6Mbps: Vertical




| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table (o) | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|-----------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | | (cm) | | |
| 1 | 2410.647 | 88.45 | -3.57 | 74.0 | 14.45 | Peak | 159.00 | 100 | Vertical | N/A |
| 2 | 4824.044 | 53.72 | 3.14 | 74.0 | -20.28 | Peak | 159.00 | 100 | Vertical | Pass |

Report No.: TW2303072E Page 20 of 97

Date: 2023-03-24



CH06 for 11g at 6Mbps: Horizontal




| No. | Frequency | Results | Factor | Limit | Over | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | Limit (dB) | | (o) | (cm) | | |
| 1 | 2436.141 | 93.93 | -3.57 | 74.0 | 19.93 | Peak | 108.00 | 100 | Horizontal | N/A |
| 2 | 4875.031 | 62.85 | 3.19 | 74.0 | -11.15 | Peak | 108.00 | 100 | Horizontal | Pass |
| 2** | 4875.031 | 50.82 | 3.19 | 54.0 | -3.18 | AV | 108.00 | 100 | Horizontal | Pass |

Report No.: TW2303072E Page 21 of 97

Date: 2023-03-24



CH06 for 11g at 6Mbps: Vertical




| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2436.141 | 88.94 | -3.57 | 74.0 | 14.94 | Peak | 149.00 | 100 | Vertical | N/A |
| 2 | 4875.031 | 48.95 | 3.19 | 74.0 | -25.05 | Peak | 154.00 | 100 | Vertical | Pass |

Report No.: TW2303072E Page 22 of 97

Date: 2023-03-24



CH11 for 11g at 6Mbps: Horizontal




| No. | Frequency | Results | Factor | Limit | Over | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | Limit (dB) | | (o) | (cm) | | |
| 1 | 2461.635 | 94.85 | -3.57 | 74.0 | 20.85 | Peak | 112.00 | 100 | Horizontal | N/A |
| 2 | 4921.770 | 62.33 | 3.27 | 74.0 | -11.67 | Peak | 112.00 | 100 | Horizontal | Pass |
| 2** | 4921.770 | 48.63 | 3.27 | 54.0 | -5.37 | AV | 112.00 | 100 | Horizontal | Pass |

Report No.: TW2303072E Page 23 of 97

Date: 2023-03-24



CH11 for 11g at 6Mbps: Vertical



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2461.635 | 88.04 | -3.57 | 74.0 | 14.04 | Peak | 164.00 | 100 | Vertical | N/A |
| 2 | 4926.018 | 48.50 | 3.28 | 74.0 | -25.50 | Peak | 159.00 | 100 | Vertical | Pass |

Note: 1. Result Level = Reading + Factor

- 2. Factor= AF + Cable Loss- Preamp
- 3. Margin = Result– Limit
- 4. For radiated Emissions from 18-25GHz and below 30MHz, it is only the floor noise and less than the limit for more than 20dB. No necessary to take down.
- 5. Note: the final peak measurement results less than the AV limit. No necessary to take down the final AV measurement result


Report No.: TW2303072E Page 24 of 97

Date: 2023-03-24



7.0 6dB Bandwidth Measurement

7.1 Test Setup



7.2 Limits of 6dB Bandwidth Measurement

The minimum of 6dB Bandwidth Measurement is >500 kHz

7.3 Test Procedure

- 1. Set resolution bandwidth (RBW) = 100 kHz
- 2. Set the video bandwidth $(VBW) \ge 3 \times RBW$.
- 3. Detector = Peak.
- 4. Trace mode = max hold.
- 5. Sweep = auto couple.
- 6. Allow the trace to stabilize.
- 7. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

7.4 Test Result

Page 25 of 97 Report No.: TW2303072E

Date: 2023-03-24



6dB Occupied Bandwidth


| EUT | | Sn | nart Wi-Fi (| Camera | Model | | S43 |
|----------|------|-----------------------|---------------------------|-------------------------|-----------------|--------|------------|
| Mode | | | 802.111 |) | Test Voltage | Ι | DC3.7V |
| Temperat | ure | | 24 deg. 0 | C, | Humidity | 56% RH | |
| Channel | | el Frequency (MHz) | Data Transfer Rate (Mbps) | 6 dB Bandwidth (MHz) | Minimum (MHz | | Pass/ Fail |
| 1 | | 2412 | 1 | 9.02 | 0.5 | | Pass |
| 6 | | 2437 | 1 | 9.08 | 0.5 | | Pass |
| 11 | | 2462 | 1 | 9.08 | 0.5 | | Pass |
| 1 | | 2412 | 11 | 8.60 | 0.5 | | Pass |
| 6 | | 2437 | 11 | 9.08 | 0.5 | | Pass |
| 11 | 2462 | | 11 9.32 | | 0.5 | | Pass |

Report No.: TW2303072E Page 26 of 97

Date: 2023-03-24



1. 802.11b at 1Mbps of CH01




Date: 20.MAR.2023 09:53:00 Report No.: TW2303072E Page 27 of 97

Date: 2023-03-24



2. 802.11b at 1Mbps of CH06




Date: 20.MAR.2023 13:59:06 Report No.: TW2303072E Page 28 of 97

Date: 2023-03-24



3. 802.11b at 1Mbps of CH11




Date: 20.MAR.2023 14:08:01 Report No.: TW2303072E Page 29 of 97

Date: 2023-03-24



4. 802.11b at 11Mbps of CH01




Date: 20.MAR.2023 13:08:06 Report No.: TW2303072E Page 30 of 97

Date: 2023-03-24



5. 802.11b at 11Mbps of CH06




Date: 20.MAR.2023 13:27:07 Report No.: TW2303072E Page 31 of 97

Date: 2023-03-24



6. 802.11b at 11Mbps of CH11



Date: 20.MAR.2023 14:30:22

Page 32 of 97 Report No.: TW2303072E

Date: 2023-03-24



6dB Occupied Bandwidth

| EUT | | Sn | nart Wi-Fi | Camera | Model | S43 |
|----------|-----|-----------------------|------------------------------------|-------------------------|----------------------|---------------|
| Mode | | | 802.11 | g | Test Voltage | DC3.7V |
| Temperat | ure | | 24 deg. | C, | Humidity | 56% RH |
| Channel | | el Frequency (MHz) | Data Transfer Rate (Mbps) | 6 dB Bandwidth (MHz) | Minimum Lim (MHz) | it Pass/ Fail |
| 1 | | 2412 | 6 | 16.41 | 0.5 | Pass |
| 6 | | 2437 | 6 | 16.35 | 0.5 | Pass |
| 11 | | 2462 | 6 | 16.41 | 0.5 | Pass |


Report No.: TW2303072E Page 33 of 97

Date: 2023-03-24



Test Plots:

1. 802.11g at 6Mbps of CH01




20.MAR.2023 09:59:42 Date:

Report No.: TW2303072E Page 34 of 97

Date: 2023-03-24



2. 802.11g at 6Mbps of CH06




Date: 20.MAR.2023 13:34:48 Report No.: TW2303072E Page 35 of 97

Date: 2023-03-24



3. 802.11g at 6Mbps of CH11



Date: 20.MAR.2023 14:21:18

Page 36 of 97 Report No.: TW2303072E

Date: 2023-03-24



6dB Occupied Bandwidth

| EUT | | Smart Wi-Fi Camera | | | Model | S43 | |
|-------------|----------------------------|--------------------|---------------------------|-------------------------|--------------|------------------------|------|
| Mode | | 802.11n HT20 | | | Test Voltage | DC3.7V | |
| Temperature | | 24 deg. C, | | | Humidity | 56% RH | |
| Channel | Channel Frequency (MHz) | | Data Transfer Rate (Mbps) | 6 dB Bandwidth (MHz) | | Minimum Limit (MHz) | |
| 1 | | 2412 | mcs0 | 17.56 | 0.5 | 0.5 | |
| 6 | | 2437 | mcs0 | 17.56 | 0.5 | | Pass |
| 11 | | 2462 | mcs0 | 17.56 | 0.5 | 0.5 | |


Report No.: TW2303072E Page 37 of 97

Date: 2023-03-24



Test Plots:

1. 802.11n at HT20 of CH01




20.MAR.2023 15:28:28 Date:

Report No.: TW2303072E Page 38 of 97

Date: 2023-03-24



2. 802.11n at HT20 of CH06




Date: 20.MAR.2023 15:19:38 Report No.: TW2303072E Page 39 of 97

Date: 2023-03-24



3. 802.11n at HT20 of CH11



Date: 20.MAR.2023 14:52:13

Page 40 of 97 Report No.: TW2303072E

Date: 2023-03-24



6dB Occupied Bandwidth

| EUT | | Smart Wi-Fi Camera | | | Model | | S43 | |
|----------|-------------------------|--------------------|---------------------------|-------------------------|----------|------------------------|--------|------------|
| Mode | | 802.11n HT40 | | | Test Vol | tage | DC3.7V | |
| Temperat | ure | 2 | 4 deg. C, | | Humidi | ty | 5 | 6% RH |
| Channel | Channel Frequency (MHz) | | Data Transfer Rate (Mbps) | 6 dB Bandwidth (MHz) | | Minimum Limit (MHz) | | Pass/ Fail |
| 3 | | 2422 | mcs0 | 35.5 | 6 | 0.5 | | Pass |
| 6 | | 2437 | mcs0 | 35.3 | 35.36 | | | Pass |
| 9 | | 2452 | | 35.5 | 9 | 0.5 | | Pass |


Report No.: TW2303072E Page 41 of 97

Date: 2023-03-24



Test Plots:

1. 802.11n at HT40 of CH03




Date: 20.MAR.2023 15:34:05 Report No.: TW2303072E Page 42 of 97

Date: 2023-03-24



2. 802.11n at HT40 of CH06




Date: 20.MAR.2023 15:38:19 Report No.: TW2303072E Page 43 of 97

Date: 2023-03-24



3. 802.11n at HT40 of CH09



Date: 20.MAR.2023 15:42:33 Report No.: TW2303072E


Date: 2023-03-24



Page 44 of 97

8. Maximum Output Power

8.1 Test Setup



8.2 Limits of Maximum Output Power

The Maximum Output Power Measurement is 30dBm.

8.3 Test Procedure

The RF power output was measured with a Power meter connected to the RF Antenna connector (conducted measurement) while EUT was operating in transmit mode at the appropriate centre frequency.

Note: The PK power was measured

Page 45 of 97

Report No.: TW2303072E

Date: 2023-03-24



8.4Test Results

| EUT | | Smart Wi-Fi Camera | | Model | | S43 | |
|----------|---------------|--------------------|----------------|-------------------|--------------|------------|--|
| Mode | | | 802.11b | Test Voltage | | DC3.7V | |
| Temperat | ure | | 24 deg. C, | Humidity | Humidity 56% | | |
| Channel | Frequ (MH: | uency z) | PK Power (dBm) | Power Limit (dBm) | | Pass/ Fail | |
| 1 | 2412 | | 12.82 | 30 | | Pass | |
| 6 | 2437 | | 13.16 | 30 | | Pass | |
| 11 | 2462 | | 13.44 | 30 | | Pass | |

Note: 1. At finial test to get the worst-case emission at 1Mbps for CH01, CH06 and CH11

2. The result basic equation calculation as follow: Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded

| EUT | | | Smart Wi-Fi Camera | Model | S43 |
|----------|-------------------------|--|--------------------|-------------------|------------|
| Mode | 802.11g Test Volt | | Test Voltage | DC3.7V | |
| Temperat | ure | | 24 deg. C, | Humidity | 56% RH |
| Channel | Channel Frequency (MHz) | | PK Power (dBm) | Power Limit (dBm) | Pass/ Fail |
| 1 | 2412 | | 10.07 | 30 | Pass |
| 6 | 2437 | | 10.22 | 30 | Pass |
| 11 | 2462 | | 10.49 | 30 | Pass |

Note: 1. At finial test to get the worst-case emission at 6Mbps for CH01, CH06 and CH11

2. The result basic equation calculation as follow: Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded

Report No.: TW2303072E Page 46 of 97

Date: 2023-03-24



| EUT | | | Smart Wi-Fi Camera | | Model | | S43 | |
|----------|-------------------------|--|--------------------|--------------|-------------------|--------|------------|--|
| Mode | | | 802.11n (HT20) | Test Voltage | | DC3.7V | | |
| Temperat | ure | | 24 deg. C, | Hur | umidity | | 56% RH | |
| Channel | Channel Frequency (MHz) | | PK Power (dBm) | | Power Limit (dBm) | | Pass/ Fail | |
| 1 | 1 2412 | | 10.09 | | 30 | | Pass | |
| 6 | 5 2437 | | 10.45 | | 30 | | Pass | |
| 11 | 11 2462 | | 10.47 | 10.47 | | 30 | | |

Note: 1. At finial test to get the worst-case emission at mcs0 of 11n HT20 for CH01, CH06 and CH11

2. The result basic equation calculation as follow: Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded

| EUT | | Smart Wi-Fi Camera | | Model | | S43 | |
|----------|--------------|--------------------|----------------|--------------|---------|-------------|------------|
| Mode | | 802.11n (HT40) | | Test Voltage | | DC3.7V | |
| Temperat | ure | | 24 deg. C, | Hum | idity | lity 56% RH | |
| Channel | Frequ (MH | uency z) | PK Power (dBm) | | Power l | | Pass/ Fail |
| 3 | 3 2422 | | 10.02 | | 30 | | Pass |
| 6 | 2437 | | 10.04 | | 30 | | Pass |
| 9 | 2452 | | 10.28 | | 30 | | Pass |

Note: 1. At finial test to get the worst-case emission at msc0 of 11n HT40 for CH03, CH06 and CH09

2. The result basic equation calculation as follow: Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded


Report No.: TW2303072E Page 47 of 97

Date: 2023-03-24



9. Power Spectral Density Measurement

9.1 Test Setup



9.2 Limits of Power Spectral Density Measurement

The Maximum Power Spectral Density Measurement is 8dBm/3kHz.

9.3 Test Procedure

- 1. Use this procedure when the maximum peak conducted output power in the fundamental emission is used to demonstrate compliance.
- 2. Set the RBW = 10 kHz.
- 3. Set the VBW \geq 30 kHz.
- 4. Set the span to 1.5 times the DTS channel bandwidth.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.
- 10. If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.
- 11. The resulting peak PSD level must be $\leq 8 \text{ dBm/3kHz}$.

Report No.: TW2303072E Page 48 of 97

Date: 2023-03-24



9.4Test Result

| EUT | | | Smart Wi-Fi Camera | Model | S | 43 |
|----------|------|-------|------------------------------------|--------------|------------|------------|
| Mode | | | 802.11b 11Mbps | Test Voltage | DC: | 3.7V |
| Temperat | ure | | 24 deg. C, | Humidity | 56% | RH |
| Channel | Freq | uency | Power Spectral Density (dBm/10kHz) | | Limit | Pass/ Fail |
| | (M | (Hz) | | | (dBm/3kHz) | |
| 1 | 24 | 412 | -2.08 | | 8 | Pass |
| 6 | 24 | 437 | -1.07 | | 8 | Pass |
| 11 | 24 | 462 | -1.28 | | 8 | Pass |

| EUT | | | Smart Wi-Fi Camera | Model | S4 | 3 | |
|----------|------|---------------|------------------------------------|--------------|------------|------------|--|
| Mode | | 802.11b 1Mbps | | Test Voltage | DC3 | .7V | |
| Temperat | ure | | 24 deg. C, | Humidity | 56% | 56% RH | |
| Channel | Freq | uency | Power Spectral Density (dBm/10kHz) | | Limit | Pass/ Fail | |
| | (M | (Hz) | | | (dBm/3kHz) | | |
| 1 | 24 | 412 | -0.58 | | 8 | Pass | |
| 6 | 24 | 137 | -1.48 | | 8 | Pass | |
| 11 | 24 | 162 | -0.16 | | 8 | Pass | |

| EUT | | | Smart Wi-Fi Camera | Model | S4 | -3 | |
|----------|-----------|-------|-----------------------------|--------------|------------|------------|--|
| Mode | | | 802.11g 6Mbps | Test Voltage | DC3 | DC3.7V | |
| Temperat | mperature | | 24 deg. C, | Humidity | 56% | 56% RH | |
| Channel | Freq | uency | Power Spectral Density (dBm | n/10kHz) | Limit | Pass/ Fail | |
| | (M | (Hz) | | | (dBm/3kHz) | | |
| 1 | 24 | 112 | -17.40 | | 8 | Pass | |
| 6 | 24 | 137 | -17.30 | -17.30 | | Pass | |
| 11 | 24 | 162 | -16.88 | | 8 | Pass | |

Report No.: TW2303072E Page 49 of 97

Date: 2023-03-24



| EUT | | | Smart Wi-Fi Camera | Model | S43 | | |
|----------|------|-------------------|------------------------------------|--------------|------------|------------|--|
| Mode | : | 802.11n HT20 mcs0 | | Test Voltage | DC3 | .7V | |
| Temperat | ture | | 24 deg. C, | Humidity | 56% | 56% RH | |
| Channel | Freq | uency | Power Spectral Density (dBm/10kHz) | | Limit | Pass/ Fail | |
| | (M | (Hz) | | | (dBm/3kHz) | | |
| 1 | 24 | -17.26 | | | 8 | Pass | |
| 6 | 24 | 137 | -17.18 | | 8 | Pass | |
| 11 | 24 | 162 | -17.01 | | 8 | Pass | |

| EUT | | | Smart Wi-Fi Camera | Model | S4 | 3 | |
|----------|------|-------------------|-----------------------------|------------------------------------|------------|------------|--|
| Mode | | 802.11n HT40 mcs0 | | Test Voltage | DC3 | DC3.7V | |
| Temperat | ure | | 24 deg. C, | Humidity | 56% | RH | |
| Channel | Freq | uency | Power Spectral Density (dBm | Power Spectral Density (dBm/10kHz) | | Pass/ Fail | |
| | (M | (Hz) | | | (dBm/3kHz) | | |
| 3 | 24 | 122 | -17.55 | | 8 | Pass | |
| 6 | 24 | 137 | -17.31 | | 8 | Pass | |
| 9 | 24 | 152 | -17.15 | | 8 | Pass | |


Page 50 of 97 Report No.: TW2303072E

Date: 2023-03-24



9.5 Photo of Power Spectral Density Measurement

1.802.11b at 11Mbps of CH01




21.MAR.2023 10:32:05 Date:

Report No.: TW2303072E Page 51 of 97

Date: 2023-03-24



2. 802.11b at 11Mbps at CH06




Date: 21.MAR.2023 10:37:11 Report No.: TW2303072E Page 52 of 97

Date: 2023-03-24



3. 802.11b at 11Mbps of CH11




Date: 21.MAR.2023 10:42:03 Report No.: TW2303072E Page 53 of 97

Date: 2023-03-24



4. 802.11b at 1Mbps of CH1




Date: 21.MAR.2023 11:09:06 Report No.: TW2303072E Page 54 of 97

Date: 2023-03-24



5. 802.11b at 1Mbps of CH6




Date: 21.MAR.2023 11:10:57 Report No.: TW2303072E Page 55 of 97

Date: 2023-03-24



6. 802.11b at 1Mbps of CH11




Date: 21.MAR.2023 11:15:04 Report No.: TW2303072E Page 56 of 97

Date: 2023-03-24



7. 802.11g at 6Mbps of CH1




Date: 21.MAR.2023 11:03:23 Report No.: TW2303072E Page 57 of 97

Date: 2023-03-24



8. 802.11g at 6Mbps of CH6




Date: 21.MAR.2023 10:59:38 Report No.: TW2303072E Page 58 of 97

Date: 2023-03-24



9. 802.11g at 6Mbps of CH11




Date: 21.MAR.2023 10:52:40 Report No.: TW2303072E Page 59 of 97

Date: 2023-03-24



10. 802.11n at HT20 of CH01




Date: 21.MAR.2023 11:23:10 Report No.: TW2303072E Page 60 of 97

Date: 2023-03-24



11. 802.11n at HT20 of CH06




Date: 21.MAR.2023 11:19:51 Report No.: TW2303072E Page 61 of 97

Date: 2023-03-24



12. 802.11n at HT20 of CH11




Date: 21.MAR.2023 11:18:01 Report No.: TW2303072E Page 62 of 97

Date: 2023-03-24



13. 802.11n at HT40 of CH03




Date: 21.MAR.2023 11:24:06 Report No.: TW2303072E Page 63 of 97

Date: 2023-03-24



14. 802.11n at HT40 of CH06




Date: 21.MAR.2023 11:25:21 Report No.: TW2303072E Page 64 of 97

Date: 2023-03-24



15. 802.11n at HT40 of CH09




Date: 21.MAR.2023 11:28:15 Report No.: TW2303072E Page 65 of 97

Date: 2023-03-24



10 Out of Band Measurement 10.1 Test Setup for band edge



The restricted band requirement based on radiated emission test; please see the clause 6 for the test setup

10.2 Limits of Out of Band Emissions Measurement

- 1. Below –20dB of the highest emission level of operating band (in 100kHz Resolution Bandwidth).
- 2. Fall in the restricted bands listed in section 15.205. The maximum permitted average field strength is listed in section 15.209.

10.3 Test Procedure

For signals in the restricted bands above and below the 2.4-2.483GHz allocated band a measurement was made of radiated emission test. (Peak values with RBW=VBW=1MHz and PK detector. AV value with RBW=1MHz, VBW=10Hz and PK detector)

For bandage test, the spectrum set as follows: RBW=100, VBW=300 kHz. A conducted measurement used

10.4 Test Result

Please see next pages

Note: 1. For band-edge measurement, the frequency from 30MHz-25GHz was tested. And It met the FCC rule.

Page 66 of 97

Report No.: TW2303072E

Date: 2023-03-24




For 802.11b mode

CH01 at 1Mbps

10.4 Band-edge Measurement

| EUT | Smart Wi-Fi Camera | Model | S43 |
|--------------|----------------------|--------------|--------|
| Mode | Keeping Transmitting | Test Voltage | DC3.7V |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | Detector | PK |

Test Figure:



Date: 21.MAR.2023 13:50:59

Page 67 of 97

Report No.: TW2303072E

Date: 2023-03-24




CH11 at 1Mbps

10.4 Band-edge Measurement

| EUT | Smart Wi-Fi Camera | Model | S43 |
|--------------|----------------------|--------------|--------|
| Mode | Keeping Transmitting | Test Voltage | DC3.7V |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | Detector | PK |

Test Figure:



21.MAR.2023 Date: 14:15:41

Page 68 of 97

Report No.: TW2303072E

Date: 2023-03-24




For 802.11b mode

CH01 at 11Mbps

10.4 Band-edge Measurement

| EUT | Smart Wi-Fi Camera | Model | S43 |
|--------------|----------------------|--------------|--------|
| Mode | Keeping Transmitting | Test Voltage | DC3.7V |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | Detector | PK |

Test Figure:



Date: 21.MAR.2023 14:01:04

Page 69 of 97

Report No.: TW2303072E

Date: 2023-03-24




CH11 at 11Mbps

10.4 Band-edge Measurement

| EUT | Smart Wi-Fi Camera | Model | S43 |
|--------------|----------------------|--------------|--------|
| Mode | Keeping Transmitting | Test Voltage | DC3.7V |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | Detector | PK |

Test Figure:



21.MAR.2023 Date: 14:02:35

Page 70 of 97

Report No.: TW2303072E

Date: 2023-03-24




For 802.11g mode

CH01 at 6Mbps

10.4 Band-edge Measurement

| EUT | Smart Wi-Fi Camera | Model | S43 |
|--------------|----------------------|--------------|--------|
| Mode | Keeping Transmitting | Test Voltage | DC3.7V |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | Detector | PK |

Test Figure:



Page 71 of 97

Report No.: TW2303072E

Date: 2023-03-24




CH11 at 6Mbps

Band-edge Measurement 10.4

| EUT | Smart Wi-Fi Camera | Model | S43 |
|--------------|----------------------|--------------|--------|
| Mode | Keeping Transmitting | Test Voltage | DC3.7V |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | Detector | PK |

Test Figure:



21.MAR.2023 Date: 14:07:11

Page 72 of 97

Report No.: TW2303072E

Date: 2023-03-24




For 802.11n (HT20) mode

CH01 at mcs0

10.4 Band-edge Measurement

| EUT | Smart Wi-Fi Camera | Model | S43 |
|--------------|----------------------|--------------|--------|
| Mode | Keeping Transmitting | Test Voltage | DC3.7V |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | Detector | PK |

Test Figure:



Date: 21.MAR.2023 13:47:50

Page 73 of 97

Report No.: TW2303072E

Date: 2023-03-24




CH11 at mcs0

10.4 Band-edge Measurement

| EUT | Smart Wi-Fi Camera | Model | S43 |
|--------------|----------------------|--------------|--------|
| Mode | Keeping Transmitting | Test Voltage | DC3.7V |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | Detector | PK |

Test Figure:



21.MAR.2023 Date: 14:24:01

Page 74 of 97

Report No.: TW2303072E

Date: 2023-03-24




For 802.11n (HT40) mode

CH03 at msc0

10.4 Band-edge and Restricted band Measurement

| EUT | Smart Wi-Fi Camera | Model | S43 |
|--------------|----------------------|--------------|--------|
| Mode | Keeping Transmitting | Test Voltage | DC3.7V |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | Detector | PK |

Test Figure:



Date: 21.MAR.2023 13:43:53

Page 75 of 97

Report No.: TW2303072E

Date: 2023-03-24




CH09 at msc0

10.4 Band-edge and Restricted band Measurement

| EUT | Smart Wi-Fi Camera | Model | S43 |
|--------------|----------------------|--------------|--------|
| Mode | Keeping Transmitting | Test Voltage | DC3.7V |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | Detector | PK |

Test Figure:



21.MAR.2023 Date: 13:31:03 Report No.: TW2303072E Page 76 of 97

Date: 2023-03-24



10.5 Restricted band Measurement

| EUT | Sn | nart Wi-Fi Camera | | Mo | odel | S43 | | | |
|--------------|---------------------------------------|--------------------|----------|--------------|------------|-----------------|--|--|--|
| Mode | Kee | eping Transmitting | | Test Voltage | | DC3.7V | | | |
| Temperature | | 24 deg. C, | | | nidity | 56% RH | | | |
| Test Result: | | | Dete | ector | PK | | | | |
| | 802.11b mode, Low Channel, Horizontal | | | | | | | | |
| 2390 | PK (dBμV/m) | 38.85 | Τ.:. | :4 | | $74(dB\mu V/m)$ | | | |
| | AV (dBμV/m) | | Lii | mit | 54(dBμV/m) | | | | |
| | | 802.11b mode, Low | Channel, | Vertical | | | | | |
| 2390 | PK (dBμV/m) | 40.34 | Limit | | 74(dBμV/m) | | | | |
| | AV (dBμV/m) | | | IIII | 54(dBμV/m) | | | | |

| EUT | Sn | nart Wi-Fi Camera | | Model | | S43 | | |
|--|------------------|--------------------|------------|--------------|-----------------|------------|--|--|
| Mode | Ke | eping Transmitting | | Test Voltage | | DC3.7V | | |
| Temperature | | 24 deg. C, | | Humidity | | 56% RH | | |
| Test Result: | | Pass | | Det | Detector PK | | | |
| 802.11b mode, High Channel, Horizontal | | | | | | | | |
| 2483.5 | PK (dBμV/m) | 39.68 | | ., | 74(dBμV/m) | | | |
| | AV $(dB\mu V/m)$ | | Limi | IT | $54(dB\mu V/m)$ | | | |
| | | 802.11b mode, High | Channel, V | /ertical | | | | |
| 2483.5 | PK (dBμV/m) | 37.34 | T ins | :4 | $74(dB\mu V/m)$ | | | |
| | AV (dBμV/m) | | Limi | Il | | 54(dBμV/m) | | |

Report No.: TW2303072E Page 77 of 97

Date: 2023-03-24



10.5 Restricted band Measurement

| EUT | Sm | nart Wi-Fi Camera | | Model | | S43 | | |
|--------------|---------------------------------------|----------------------|----------|----------|-----------------|-----------------|--|--|
| Mode | Kee | Keeping Transmitting | | | | DC3.7V | | |
| Temperature | | 24 deg. C, | | | nidity | 56% RH | | |
| Test Result: | | Pass | | | | PK | | |
| | 802.11g mode, Low Channel, Horizontal | | | | | | | |
| 2390 | PK (dBµV/m) | 49.68 | т:. | !4 | | $74(dB\mu V/m)$ | | |
| | AV (dBμV/m) | | Lii | nit | $54(dB\mu V/m)$ | | | |
| | | 802.11g mode, Low | Channel, | Vertical | | | | |
| 2390 | PK (dBµV/m) | 41.47 | т:. | Limit | | $74(dB\mu V/m)$ | | |
| | AV (dBμV/m) | | LII | IIIt | | $54(dB\mu V/m)$ | | |

| EUT | Sı | nart Wi-Fi Camera | | M | odel | S43 | | |
|--|-------------|----------------------|------------|----------|------------|-----------------|--|--|
| Mode | Ke | Keeping Transmitting | | | | DC3.7V | | |
| Temperature | | 24 deg. C, | | | nidity | 56% RH | | |
| Test Result: | | Pass | | | | PK | | |
| 802.11g mode, High Channel, Horizontal | | | | | | | | |
| 2483.5 | PK (dBµV/m) | 38.35 | T : | :4 | 74(dBμV/m) | | | |
| | AV (dBμV/m) | | Limi | It | 54(dBμV/m) | | | |
| | | 802.11g mode, High | Channel, V | /ertical | | | | |
| 2483.5 | PK (dBµV/m) | 37.51 | Limi | T * */ | | 74(dBμV/m) | | |
| | AV (dBμV/m) | | LIIII | IL | | $54(dB\mu V/m)$ | | |

Report No.: TW2303072E Page 78 of 97

Date: 2023-03-24



10.5 Restricted band Measurement

| EUT | Sn | nart Wi-Fi Camera | | Mo | del | S43 | | | |
|--------------|--|----------------------|----------|--------------|------------|-----------------|--|--|--|
| Mode | Ke | eping Transmitting | | Test Voltage | | DC3.7V | | | |
| Temperature | 24 deg. C, | | | Hun | nidity | 56% RH | | | |
| Test Result: | | | Dete | ector | PK | | | | |
| | 802.11n HT20 mode, Low Channel, Horizontal | | | | | | | | |
| 2390 | PK (dBμV/m) | 39.01 | т:. | :4 | | $74(dB\mu V/m)$ | | | |
| | AV ($dB\mu V/m$) | | LII | nit | 54(dBμV/m) | | | | |
| | | 802.11n HT20 mode, L | ow Chanr | nel, Vertic | al | | | | |
| 2390 | PK (dBμV/m) | 42.86 | Limit | | 74(dBμV/m) | | | | |
| | AV ($dB\mu V/m$) | | | IIIt | 54(dBμV/m) | | | | |

| EUT | Sn | nart Wi-Fi Camera | | Model | | S43 | | |
|---|------------------|----------------------|-----------|-----------|------------|------------------|--|--|
| Mode | Ke | Keeping Transmitting | | | Voltage | DC3.7V | | |
| Temperature | | 24 deg. C, | | | nidity | 56% RH | | |
| Test Result: | Pass Detector | | | | | PK | | |
| 802.11n HT20 mode, High Channel, Horizontal | | | | | | | | |
| 2483.5 | PK (dBμV/m) | 40.23 | T : | ., | | $74(dB\mu V/m)$ | | |
| | AV $(dB\mu V/m)$ | | Limi | IT | | $54 (dB\mu V/m)$ | | |
| | 8 | 02.11n HT20 mode, Hi | gh Channe | l, Vertic | cal | | | |
| 2483.5 | PK (dBµV/m) | 38.13 | Limi | 4 | 74(dBμV/m) | | | |
| | AV (dBμV/m) | | Limit | | | $54(dB\mu V/m)$ | | |

Page 79 of 97 Report No.: TW2303072E


Date: 2023-03-24



10.5 Restricted band Measurement

| EUT | Sm | nart Wi-Fi Camera | | M | odel | S43 | | | |
|--------------|--|----------------------|---------|--------------|-----------------|------------|--|--|--|
| Mode | Kee | eping Transmitting | | Test Voltage | | DC3.7V | | | |
| Temperature | | 24 deg. C, | | | nidity | 56% RH | | | |
| Test Result: | | Pass | | Detector PK | | | | | |
| | 802.11n HT40 mode, Low Channel, Horizontal | | | | | | | | |
| 2390 | PK (dBµV/m) | 39.50 | т:. | :4 | $74(dB\mu V/m)$ | | | | |
| | AV (dBμV/m) | | Lii | nit | 54(dBμV/m) | | | | |
| | | 802.11n HT40 mode, L | ow Chan | nel Vertic | al | | | | |
| 2390 | PK (dBμV/m) | 44.39 | Limit | | | 74(dBμV/m) | | | |
| | AV (dBμV/m) | | | IIIL | 54(dBμV/m) | | | | |

Test Plots



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table (o) | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|-----------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | | (cm) | | |
| 3 | 2390.000 | 39.50 | -3.53 | 74.0 | -34.50 | Peak | 156.40 | 100 | Horizontal | Pass |

The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 80 of 97 Report No.: TW2303072E

Date: 2023-03-24






| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 3 | 2390.000 | 38.42 | -3.53 | 74.0 | -35.58 | Peak | 236.60 | 100 | Vertical | Pass |

Page 81 of 97 Report No.: TW2303072E

Date: 2023-03-24



| EUT | Smart Wi-Fi Camera | | | | Model (| S43 | | | |
|---|----------------------|-------|-------|---------|-----------------|-----------------|--|--|--|
| Mode | Keeping Transmitting | | | | Voltage | DC3.7V | | | |
| Temperature | 24 deg. C, | | | | ımidity | 56% RH | | | |
| Test Result: | | Pass | De | etector | PK | | | | |
| 802.11n HT40 mode, High Channel, Horizontal | | | | | | | | | |
| 2483.5 | PK (dBµV/m) | 40.59 | T . | •, | $74(dB\mu V/m)$ | | | | |
| | AV $(dB\mu V/m)$ | | Lim | IT | 54(dBμV/m) | | | | |
| 802.11n HT40 mode, High Channel, Vertical | | | | | | | | | |
| 2483.5 | PK (dBµV/m) | 37.77 | T : | :4 | | 74(dBμV/m) | | | |
| | AV (dBμV/m) | | Limit | | | $54(dB\mu V/m)$ | | | |




| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 2 | 2483.500 | 40.59 | -3.57 | 74.0 | -33.41 | Peak | 245.44 | 100 | Horizontal | Pass |

Report No.: TW2303072E Page 82 of 97

Date: 2023-03-24





| ١ | No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|---|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 2 | 2 | 2483.500 | 37.77 | -3.57 | 74.0 | -36.23 | Peak | 159.56 | 100 | Vertical | Pass |

Report No.: TW2303072E

Date: 2023-03-24



Page 83 of 97

11.0 Antenna Requirement

11.1 Standard Applicable

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

And according to FCC 47 CFR Section 15.247 (b), if transmitter antennas of directional gain greater than 6 dBi are used, the power shall be reduced by the mount in dB that the directional gain of the antenna exceeds 6 dBi.

11.2 Antenna Connected construction

Integral antenna with gain 3.0dBi Max (Get from the antenna specification)

Report No.: TW2303072E Page 84 of 97

Date: 2023-03-24




12.0 FCC ID Label

FCC ID: 2AZHU-S43

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



Page 85 of 97 Report No.: TW2303072E

Date: 2023-03-24



13.0 Photo of testing

Conducted Emission Test Setup:



Page 86 of 97

Report No.: TW2303072E

Date: 2023-03-24



Radiated Emission Test Setup:




Page 87 of 97

Report No.: TW2303072E

Date: 2023-03-24



Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report released in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 88 of 97

Report No.: TW2303072E

Date: 2023-03-24



Outside View





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 89 of 97

Report No.: TW2303072E

Date: 2023-03-24



Outside View





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2303072E Page 90 of 97

Date: 2023-03-24



Inside view



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 91 of 97

Report No.: TW2303072E

Date: 2023-03-24



Inside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 92 of 97

Report No.: TW2303072E

Date: 2023-03-24





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 93 of 97

Report No.: TW2303072E

Date: 2023-03-24



Inside view



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 94 of 97


Report No.: TW2303072E

Date: 2023-03-24



Inside view






Page 95 of 97

Report No.: TW2303072E

Date: 2023-03-24



Inside view



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 96 of 97

Report No.: TW2303072E

Date: 2023-03-24



Inside view



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the propert. discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Report No.: TW2303072E Page 97 of 97

Date: 2023-03-24



Inside view



-End of the report-