## Shenzhen CTA Testing Technology Co., Ltd.



Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, China

CIL		FCC PART 15.231	
Report Refe	erence No	CTA22122900601	
-		2AZIJ-AS345	
Compiled by ( position+pr	/ rinted name+signature):	File administrators Zoey Cao	en con
Supervised I	by		Ng Tecunolog
(position+pr	rinted name+signature):	Project Engineer Amy Wen	n Aver S
Approved by ( position+pr	/ rinted name+signature):	G RF Manager Eric Wang	Vang
Date of issue	e	Jan. 13, 2023	0
Testing Lat	ooratory Name:	Shenzhen CTA Testing Technology Co., Ltd.	
Address	:	Room 106, Building 1, Yibaolai Industrial Park, G Fuhai Street, Bao'an District, Shenzhen, China	Qiaotou Communit
Applicant's	name:	Dongguan AISI Health Care Product Co., Ltd.	
Address	ESTING	Floor 4, Building J, Fulin Industrial Park, Taigong Dalingshan Town, Dongguan, Guangdong, China	• •
Test specifi	ication:	TING	
	ication:	FCC Part 15.231	NG
Standard Shenzhen C This publicat Shenzhen C material. Sh	<b>CTA Testing Technology</b> tion may be reproduced in CTA Testing Technology Co enzhen CTA Testing Techn amages resulting from the	FCC Part 15.231 Co., Ltd. All rights reserved. whole or in part for non-commercial purposes as l b., Ltd. is acknowledged as copyright owner and so nology Co., Ltd. takes no responsibility for and wil reader's interpretation of the reproduced material	ong as the ource of the I not assume
Standard Shenzhen C This publicat Shenzhen C material. She liability for da placement a	<b>CTA Testing Technology</b> tion may be reproduced in CTA Testing Technology Co enzhen CTA Testing Techn amages resulting from the	<b>Co., Ltd. All rights reserved.</b> whole or in part for non-commercial purposes as l b., Ltd. is acknowledged as copyright owner and so nology Co., Ltd. takes no responsibility for and wil	ong as the ource of the I not assume
Standard Shenzhen C This publicat Shenzhen C material. She liability for da placement a Test item de	<b>CTA Testing Technology</b> tion may be reproduced in CTA Testing Technology Co enzhen CTA Testing Tech amages resulting from the and context.	Co., Ltd. All rights reserved. whole or in part for non-commercial purposes as l b., Ltd. is acknowledged as copyright owner and so nology Co., Ltd. takes no responsibility for and wil reader's interpretation of the reproduced material Massager	ong as the ource of the I not assume
Standard Shenzhen C This publicat Shenzhen C material. She liability for da placement a Test item da Trade Mark	CTA Testing Technology tion may be reproduced in CTA Testing Technology Co enzhen CTA Testing Techn amages resulting from the and context.	Co., Ltd. All rights reserved. whole or in part for non-commercial purposes as lo., Ltd. is acknowledged as copyright owner and sinology Co., Ltd. takes no responsibility for and will reader's interpretation of the reproduced material Massager N/A Dongguan AISI Health Care Product Co., Ltd.	ong as the ource of the I not assume
Standard Shenzhen C This publicat Shenzhen C material. She liability for da placement a Test item da Trade Mark Manufacture	CTA Testing Technology tion may be reproduced in CTA Testing Technology Co enzhen CTA Testing Techn amages resulting from the and context. escription	Co., Ltd. All rights reserved. whole or in part for non-commercial purposes as l b., Ltd. is acknowledged as copyright owner and so nology Co., Ltd. takes no responsibility for and wil reader's interpretation of the reproduced material Massager N/A Dongguan AISI Health Care Product Co., Ltd. AS345	ong as the ource of the I not assume due to its
Standard Shenzhen C This publica Shenzhen C material. She liability for da placement a Test item de Trade Mark Manufacture Model/Type	CTA Testing Technology tion may be reproduced in CTA Testing Technology Co enzhen CTA Testing Techn amages resulting from the and context. escription	Co., Ltd. All rights reserved. whole or in part for non-commercial purposes as l b., Ltd. is acknowledged as copyright owner and so nology Co., Ltd. takes no responsibility for and wil reader's interpretation of the reproduced material Massager N/A Dongguan AISI Health Care Product Co., Ltd. AS345	ong as the ource of the I not assume due to its
Standard Shenzhen C This publicat Shenzhen C material. She liability for da placement a Test item de Trade Mark Manufacture Model/Type Listed Mode	CTA Testing Technology tion may be reproduced in CTA Testing Technology Co enzhen CTA Testing Techn amages resulting from the and context. escription	Co., Ltd. All rights reserved. whole or in part for non-commercial purposes as l b., Ltd. is acknowledged as copyright owner and so nology Co., Ltd. takes no responsibility for and wil reader's interpretation of the reproduced material Massager N/A Dongguan AISI Health Care Product Co., Ltd. AS345	ong as the ource of the I not assume due to its
Standard Shenzhen C This publicat Shenzhen C material. She liability for da placement a Test item da Trade Mark Manufacture Model/Type Listed Mode Modulation	CTA Testing Technology tion may be reproduced in CTA Testing Technology Co enzhen CTA Testing Techn amages resulting from the and context. escription	Co., Ltd. All rights reserved. whole or in part for non-commercial purposes as l b., Ltd. is acknowledged as copyright owner and so nology Co., Ltd. takes no responsibility for and wil reader's interpretation of the reproduced material Massager N/A Dongguan AISI Health Care Product Co., Ltd. AS345	ong as the ource of the I not assume due to its
Standard Shenzhen C This publicat Shenzhen C material. She liability for da placement a Test item de Trade Mark Manufacture Model/Type Listed Mode Modulation Frequency	CTA Testing Technology tion may be reproduced in CTA Testing Technology Co enzhen CTA Testing Techn amages resulting from the and context. escription	Co., Ltd. All rights reserved. whole or in part for non-commercial purposes as l b., Ltd. is acknowledged as copyright owner and so nology Co., Ltd. takes no responsibility for and wil reader's interpretation of the reproduced material Massager N/A Dongguan AISI Health Care Product Co., Ltd. AS345	ong as the ource of the I not assume

		TEST REPORT
Equipment under Test	: M	Massager
Model /Type	: A	AS345
Listed Models	: A	AS294
Model Declaration		PCB board, structure and internal of these model(s) are the same, So no additional models were tested.
Applicant	ATEC	Dongguan AISI Health Care Product Co., Ltd.
Address		Floor 4, Building J, Fulin Industrial Park, Taigongling Village, Dalingshan Town, Dongguan, Guangdong, China
Manufacturer	: D	Dongguan AISI Health Care Product Co., Ltd.
Address		Floor 4, Building J, Fulin Industrial Park, Taigongling Village, Dalingshan Town, Dongguan, Guangdong, China
Test	Result	It: PASS
ING		

The test report merely corresponds to the test sample.

CTATESTING It is not permitted to copy extracts of these test result without the written permission of the test CTA TESTING laboratory. CTAT

## Contents

	<u>1</u>	TEST STANDARDS	
		SUMMARY	F
	2		<u></u>
		General Remarks Product Description Equipment Under Test Short description of the Equipment under Test (EUT)	
	2.1	General Remarks	5
	2.2	Product Description	5
	2.3	Equipment Under Test	5
	2.4	Short description of the Equipment under Test (EUT)	5 5 5
	2.5	Block Diagram of Test Setup	5
	2.6	Special Accessories	5
	2.7	Related Submittal(s) / Grant (s)	6
	2.8	Modifications	6
	2.0	inourioutoris	Ŭ
	<u>3</u>	TEST ENVIRONMENT	7
		Address of the test laboratory Test Facility Environmental conditions	
	3.1	Address of the test laboratory	7.0
	3.1 3.2	Test Facility	
	3.2 3.3	Environmental conditions	TEST TO
		Environmental conditions	
	3.4	Summary of measurement results	8
	3.5	Statement of the measurement uncertainty	TATEST7 8 8
	3.6	Equipments Used during the Test	9
	<u>4</u>	TEST CONDITIONS AND RESULTS	
	<u> </u>	131	<u></u>
		TAIL	
	4.1	AC Power Conducted Emission	10
	4.2	Radiated Emission	11
	4.3	AC Power Conducted Emission Radiated Emission 20dB Bandwidth Deactivation Time	15
	4.4	Deactivation Time	16
	4.5	Antenna Requirement	17
		Radiated Emission 20dB Bandwidth Deactivation Time Antenna Requirement	
	-		10
	<u>5</u>	TEST SETUP PHOTOS OF THE EUT	<u>18</u>
	6	PHOTOS OF THE EUT	
	9 <u>6</u> MG		<u> </u>
1A7			
		GA CTATES	
		TES	

## 1 <u>TEST STANDARDS</u>

The tests were performed according to following standards:

FCC Rules Part 15.231: Periodic operation in the band 40.66-40.70 MHz and above 70 MHz. ANSI C63.10:2013 : American National Standard for Testing Unlicensed Wireless Devices

#### 2 SUMMARY

## 2.1 General Remarks

Date of receipt of test sample	:	Dec. 29, 2022
		0.1
Testing commenced on		Dec. 29, 2022
Testing concluded on	:	Jan. 13, 2023

#### 2.2 Product Description

	Testing concluded on	: Jan. 13, 2023
	2.2 Product Description	CTF CTF
	Product Name:	Massager
CTAT	Model/Type reference:	AS345
	Testing sample ID:	CTA221229006-1# (Engineer sample), CTA221229006-2#(Normal sample)
	Power supply:	DC 1.5V From Battery
	Modulation:	ASK
	Operation frequency:	433.85MHz
	Channel number:	1
	Antenna type:	PCB antenna
	Antenna gain:	0 dBi


Power supply system	utilised	CTATES			
Power supply voltage		O 230V / 50 Hz	0 120	0V / 60Hz	
		0 12 V DC	0 24	V DC	
		Other (specified)	in blank below)		TP

## 2.4 Short description of the Equipment under Test (EUT)

This is a Massager.

CTATESTING For more details, refer to the user's manual of the EUT.

#### 2.5 **Block Diagram of Test Setup**



## 2.6 Special Accessories

Follow auxiliary equipment(s) test with EUT that provided by the manufacturer or laboratory is listed as follow:

	Description	Manufacturer	Model	Technical Parameters	Certificate	Provided by	
	/	/	/	1	/	/	TE
	/	/	/	/	/		AT
CTA L			ING				

### 2.7 Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for the device filing to comply with Section 15.231 of the FCC Part 15, Subpart C Rules.

### 2.8 Modifications

No modifications were implemented to meet testing criteria.

#### 3 TEST ENVIRONMENT

#### 3.1 Address of the test laboratory

#### Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community, Fuhai Street, Bao 'an District, Shenzhen, China

#### 3.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### FCC-Registration No.: 517856 Designation Number: CN1318

Shenzhen CTA Testing Technology Co., Ltd. has been listed on the US Federal Communications Commission list of test facilities recognized to perform electromagnetic emissions measurements.

#### Industry Canada Registration Number. Is: 27890 CAB identifier: CN0127

The Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing.

#### A2LA-Lab Cert. No.: 6534.01

Shenzhen CTA Testing Technology Co., Ltd. has been listed by American Association for Laboratory Accreditation to perform electromagnetic emission measurement.

The 3m-Semi anechoic test site fulfils CISPR 16-1-4 according to ANSI C63.10 and CISPR 16-1-4:2010.

#### 3.3 Environmental conditions

GA CTATESTING During the measurement the environmental conditions were within the listed ranges:

Radiated Emission:

	25 ° C	Temperature:
	45 %	Humidity:
nbar	950-1050mbar	Atmospheric pressure:
r	950-1050m	Atmospheric pressure:

CTATES Conducted testing:

Temperature:	25 ° C	
TAIL		GING
Humidity:	44 %	-ESTIN
		ALL
Atmospheric pressure:	950-1050mbar	

#### Summary of measurement results 3.4

FCC and IC Requirements			
FCC Part 15.207	Conducted Emission	N/A	
FCC Part 15.231(a)(2)	Automatically Deactivate	PASS	
FCC Part 15.231(b)	Electric Field Strength of Fundamental Emission	PASS	
FCC Part 15.205 &15.209& 15.231(b)	Electric Field Strength of Spurious Emission	PASS	
FCC Part 15.231(c)	-20dB bandwidth	PASS	
Remark: The measurement uncertainty is	not included in the test result.		

#### 3.5 Statement of the measurement uncertainty

The data and results referenced in this document are true and accurate. The reader is cautioned that there may be errors within the calibration limits of the equipment and facilities. The measurement uncertainty was calculated for all measurements listed in this test report acc. to TR-100028-01" Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 1" and TR-100028-02 "Electromagnetic compatibility and Radio spectrum Matters (ERM);Uncertainties in the measurement of mobile radio equipment characteristics; Part 2 " and is documented in the Shenzhen CTA Testing Technology Co., Ltd. quality system acc. to DIN EN ISO/IEC 17025. Furthermore, component and process variability of devices similar to that tested may result in additional deviation. The manufacturer has the sole responsibility of continued compliance of the device. Hereafter the best measurement capability for Shenzhen CTA Testing Technology Co., Ltd. :

	Test	Range	Measurement Uncertainty	Notes
	Radiated Emission	30~1000MHz	4.10 dB	(1)
P	Radiated Emission	1~18GHz	4.32 dB	(1)
	Radiated Emission	18-40GHz	5.54 dB	(1)
ĺ	Conducted Disturbance	0.15~30MHz	3.12 dB	(1)

(1) This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.


## 3.6 Equipments Used during the Test

LISN LISN Test Receiver Test Receiver Test Receiver trum Analyzer ector Signal generator nalog Signal Generator iversal Radio mmunication nperature and imidity meter ra-Broadband Antenna	R&S R&S R&S R&S Agilent R&S Agilent R&S CMW500 Chigo Schwarzbeck	ENV216 ENV216 ESPI ESCI N9020A FSP N5182A SML03 R&S ZG-7020 VULB9163	CTA-308 CTA-314 CTA-307 CTA-306 CTA-301 CTA-307 CTA-305 CTA-304 CTA-302 CTA-326 CTA-310	2022/08/03 2022/08/03 2022/08/03 2022/08/03 2022/08/03 2022/08/03 2022/08/03 2022/08/03 2022/08/03	2023/08/02 2023/08/02 2023/08/02 2023/08/02 2023/08/02 2023/08/02 2023/08/02 2023/08/02
Test Receiver Test Receiver ctrum Analyzer ctrum Analyzer ector Signal generator nalog Signal Generator iversal Radio mmunication nperature and imidity meter ra-Broadband Antenna	R&S R&S Agilent R&S Agilent R&S CMW500 Chigo Schwarzbeck	ESPI ESCI N9020A FSP N5182A SML03 R&S ZG-7020	CTA-307 CTA-306 CTA-301 CTA-337 CTA-305 CTA-304 CTA-302 CTA-326	2022/08/03 2022/08/03 2022/08/03 2022/08/03 2022/08/03 2022/08/03 2022/08/03	2023/08/02 2023/08/02 2023/08/02 2023/08/02 2023/08/02 2023/08/02 2023/08/02
Test Receiver ctrum Analyzer ctrum Analyzer ector Signal generator nalog Signal Generator iversal Radio mmunication nperature and imidity meter ra-Broadband Antenna	R&S Agilent R&S Agilent R&S CMW500 Chigo Schwarzbeck	ESCI N9020A FSP N5182A SML03 R&S ZG-7020	CTA-306 CTA-301 CTA-337 CTA-305 CTA-304 CTA-302 CTA-326	2022/08/03 2022/08/03 2022/08/03 2022/08/03 2022/08/03 2022/08/03	2023/08/02 2023/08/02 2023/08/02 2023/08/02 2023/08/02 2023/08/02
ctrum Analyzer ctrum Analyzer ector Signal generator nalog Signal Generator iversal Radio mmunication nperature and imidity meter ra-Broadband Antenna	Agilent R&S Agilent R&S CMW500 Chigo Schwarzbeck	N9020A FSP N5182A SML03 R&S ZG-7020	CTA-301 CTA-337 CTA-305 CTA-304 CTA-302 CTA-326	2022/08/03 2022/08/03 2022/08/03 2022/08/03 2022/08/03 2022/08/03	2023/08/02 2023/08/02 2023/08/02 2023/08/02 2023/08/02 2023/08/02
ctrum Analyzer ector Signal generator nalog Signal Generator iversal Radio mmunication nperature and imidity meter ra-Broadband Antenna	R&S Agilent R&S CMW500 Chigo Schwarzbeck	FSP N5182A SML03 R&S ZG-7020	CTA-337 CTA-305 CTA-304 CTA-302 CTA-326	2022/08/03 2022/08/03 2022/08/03 2022/08/03 2022/08/03	2023/08/02 2023/08/02 2023/08/02 2023/08/02 2023/08/02
ector Signal generator nalog Signal Generator iversal Radio mmunication nperature and imidity meter ra-Broadband Antenna	Agilent R&S CMW500 Chigo Schwarzbeck	N5182A SML03 R&S ZG-7020	CTA-305 CTA-304 CTA-302 CTA-326	2022/08/03 2022/08/03 2022/08/03 2022/08/03	2023/08/02 2023/08/02 2023/08/02 2023/08/02
generator nalog Signal Generator iversal Radio mmunication nperature and imidity meter ra-Broadband Antenna	R&S CMW500 Chigo Schwarzbeck	SML03 R&S ZG-7020	CTA-304 CTA-302 CTA-326	2022/08/03 2022/08/03 2022/08/03	2023/08/02 2023/08/02 2023/08/02
Generator iversal Radio ommunication nperature and imidity meter ra-Broadband Antenna	CMW500 Chigo Schwarzbeck	R&S ZG-7020	CTA-302 CTA-326	2022/08/03 2022/08/03	2023/08/02 2023/08/02
mmunication nperature and imidity meter ra-Broadband Antenna	Chigo Schwarzbeck	ZG-7020	CTA-326	2022/08/03	2023/08/02
midity meter ra-Broadband Antenna	G Schwarzbeck			No. of Concession, State	
Antenna	U	VULB9163	CTA-310	0004/00/07	
orn Antenna			017 010	2021/08/07	2024/08/06
	Schwarzbeck	BBHA 9120D	CTA-309	2021/08/07	2024/08/06
oop Antenna	Zhinan	ZN30900C	CTA-311	2021/08/07	2024/08/06
orn Antenna	Beijing Hangwei Dayang	OBH100400	CTA-336	2021/08/07	2024/08/06
Amplifier	Schwarzbeck	BBV 9745	CTA-312	2022/08/03	2023/08/02
Amplifier	Taiwan chengyi	EMC051845B	CTA-313	2022/08/03	2023/08/02
ctional coupler	NARDA	4226-10	CTA-303	2022/08/03	2023/08/02
h-Pass Filter	XingBo	XBLBQ-GTA18	CTA-402	2022/08/03	2023/08/02
h-Pass Filter	XingBo	XBLBQ-GTA27	CTA-403	2022/08/03	2023/08/02
tomated filter bank	Tonscend	JS0806-F	CTA-404	2022/08/03	2023/08/02
ower Sensor	Agilent	U2021XA	CTA-405	2022/08/03	2023/08/02
Amplifier	Schwarzbeck	BBV9719	CTA-406	2022/08/03	2023/08/02
		GM CTA		CCT	ATESTING
1	tomated filter bank ower Sensor	tomated filter bank Tonscend ower Sensor Agilent	tomated filter bank Tonscend JS0806-F ower Sensor Agilent U2021XA	tomated filter bank Tonscend JS0806-F CTA-404 ower Sensor Agilent U2021XA CTA-405	tomated filter bankTonscendJS0806-FCTA-4042022/08/03ower SensorAgilentU2021XACTA-4052022/08/03AmplifierSchwarzbeckBBV9719CTA-4062022/08/03

## 4 TEST CONDITIONS AND RESULTS

# 4.1 AC Power Conducted Emission

#### **TEST CONFIGURATION**



#### TEST PROCEDURE

1 The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. The EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10-2013.

2 Support equipment, if needed, was placed as per ANSI C63.10-2013

3 All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10-2013

4 The EUT received DC 12V power from adapter, the adapter received AC120V/60Hz and AC 240V/60Hz power through a Line Impedance Stabilization Network (LISN) which supplied power source and was grounded to the ground plane.

5 All support equipments received AC power from a second LISN, if any.

6 The EUT test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT.The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.

7 Analyzer / Receiver scanned from 150 KHz to 30MHz for emissions in each of the test modes. 8 During the above scans, the emissions were maximized by cable manipulation.

#### AC Power Conducted Emission Limit

For intentional device, according to § 15.207(a) AC Power Conducted Emission Limits is as following :

Fraguaney, range (MHz)	Limit (dBuV)		
Frequency range (MHz)	Quasi-peak	Average	
0.15-0.5	66 to 56*	56 to 46*	
0.5-5	56	46	
5-30	60	50	

\* Decreases with the logarithm of the frequency.

#### TEST RESULTS

The EUT is powered by the Battery ,So this test item is not applicable for the EUT.

CTATE

### 4.2 Radiated Emission

#### <u>Limit</u>

For intentional device, according to 15.209(a) the general requirement of field strength of radiated emission from intentional radiators at a distance of 3 meters shall not exceed the following table.

	Frequency (MHz)	Distance (Meters)	Radiated (dBµV/m)	Radiated (µV/m)	
	0.009-0.49	3	20log(2400/F(KHz))+40log(300/3)	2400/F(KHz)	
	0.49-1.705	3	20log(24000/F(KHz))+ 40log(30/3)	24000/F(KHz)	TE
	1.705-30	3	20log(30)+ 40log(30/3)	30	, r
	30-88	3	40.0	100	
TE	88-216	3	43.5	150	
CTAIL	216-960	3	46.0	200	
1	Above 960	3	54.0	500	

In addition to the provisions of 15.231(b), the field strength of emissions from intentional radiators operated under this section shall not exceed the following:


Funda- mental fre- quency (MHz)	Field strength of funda- mental (microvolts/ meter)	Field strength of spurious emissions (microvolts/meter)
40.66– 40.70.	2,250	225
70–130	1,250	125
130-174	<sup>1</sup> 1,250 to 3,750	1 125 to 375
174-260	3,750	375
260-470	<sup>1</sup> 3,750 to 12,500	1 375 to 1,250
Above 470	12,500	1,250

<sup>1</sup>Linear interpolations.


[Where F is the frequency in MHz, the formulas for calculating the maximum permitted fundamental field strengths are as follows: for the band 260-470 MHz, 20\*log(41.6667\*433.850-7083.3333)=80.82dBuV/m The maximum permitted unwanted emission level is 20 dB below the maximum permitted fundamental level.]

#### **TEST CONFIGURATION**


(A) Radiated Emission Test Set-Up, Frequency Below 30MHz



(B) Radiated Emission Test Set-Up, Frequency below 1000MHz



#### (C) Radiated Emission Test Set-Up, Frequency above 1000MHz



#### **Test Procedure**

- Below 1GHz measurement the EUT is placed on a turntable which is 0.8m above ground plane, and 1. above 1GHz measurement EUT was placed on a low permittivity and low loss tangent turn table which is 1.5m above ground plane.
- 2. Maximum procedure was performed by raising the receiving antenna from 1m to 4m and rotating the turn table from 0°C to 360°C to acquire the highest emissions from EUT
- And also, each emission was to be maximized by changing the polarization of receiving antenna both 3. CTATESTING horizontal and vertical.
- 4. Repeat above procedures until all frequency measurements have been completed.

#### **TEST RESULTS**

Remark 1: Radiated emission test from 9 KHz to 30MHz was verified, and no emission found except system noise floor in 9 KHz to 30MHz and not recorded in this report.

2:The emissions from 30MHz to 5GHz are measured peak and average level, below 1 GHz measured QP level, detailed test data please see below. Besides, we tested 3 directions and recorded the worst data.


3: other frequency than listed in the table, the emission(except function wave and harmonic wave) is 20dB less than the limit and not recorded in this report.


	15	STIN					1			
	Emission Styles	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Direction (H/V)	
	Fundamental	433.85	93.23	-11.26	81.97	100.82	18.85	PK	Н	
	Spurious	480.12	47.46	-12.49	34.97	46	11.03	PK	Н	
	Harmonics	867.70	70.37	-17.69	52.68	80.82	28.14	PK	Н	-7
	Harmonics	1301.55	45.52	5.29	50.81	74	23.19	PK	H	73
	-NG-									
	Fundamental	433.85	90.71	-11.26	79.45	100.82	21.37	PK	V	
CTATES	Spurious	480.12	47.27	-12.49	34.78	46	11.22	PK	V	
e V	Harmonics	867.70	69.10	-17.69	51.41	80.82	29.41	PK	V	
	Harmonics	1301.55	44.28	5.29	49.57	74	24.43	PK	V	
		and the second sec			CTAT					
				(31					TESI	


Emission Styles	Frequency (MHz)	PK Level (dBuV/m)	AV Factor (dB/m)	AV Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Direction (H/V)	
Fundamental	433.85	81.97	-7.03	74.94	80.82	5.88	Н	
Harmonics	867.70	52.68	-7.03	45.65	60.82	15.17	Н	
Harmonics	1301.55	50.81	-7.03	43.78	54	10.22	н	
-		-CTA			-	(NG		
Fundamental	433.85	79.45	-7.03	72.42	80.82	8.40	V	
Harmonics	867.70	51.41	-7.03	44.38	60.82	16.44	V	
Harmonics	1301.55	49.57	-7.03	42.54	54	11.46	V	CTATE
. Ca <sup></sup>							(-ETA)	


- Note: Level (dBuV/m)= Reading (dBuV)+Factor(dB/m)
  - 2. AV Level (dBuV/m)= PK Level (dBuV/m)+ AV Factor(dB)
  - In a transmit cycle 100ms period found burst 25pcs, the Duty Cycle can calculate as below: 3. Duty Cycle= (1.320\*4+0.480\*14)/26.96=(5.28+6.72)/26.96=0.4451 AV Factor=20\*log(Duty Cycle)=20\*log(0.4451)=-7.03

(The plot of Duty Cycle See the follow page)










#### 4.3 20dB Bandwidth

#### <u>Limit</u>

According to 47 CFR 15.231(c) The bandwidth of the emission shall be no wider than 0.25% of the centre frequency for devices operating above 70MHz and below 900MHz. Bandwidth is determined at the points 20dB down from the modulated carrier.

#### Test Configuration



# CTATESTING Test Procedure

The 20dB bandwidth and 99% bandwidth is measured with a spectrum analyzer connected via a receive antenna placed near the EUT while the EUT is operating in transmission mode.

The 20dB bandwidth is defined as the total spectrum the power of which is higher than peak power minus 20dB.

The occupied bandwidth (OBW), that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission.

#### **Test Results**

		TAL	-	-1G		_
Modulation	Channel Frequency (MHz)	99% OBW (KHz)	20dB bandwidth (KHz)	Limit (MHz)	Result	TE
ASK	433.85	169.50	136.70	0.25%*433.85*=1.085	Pass	TA .

#### Test plot as follows:




#### **Deactivation Time** 4.4

#### Limit

According to FCC §15.231(a)(2), A transmitter activated automatically shall cease transmission within 5 ...s seconds after activation.

#### **Test Configuration**




# CTATESTING **Test Procedure**

- The EUT was placed on a wooded table which is 0.8m height and close to receiver antenna of spectrum 1. analyzer.
- The spectrum analyzer resolution bandwidth was set to 1 MHz and video bandwidth was set to 1 MHz to 2. encompass all significant spectral components during the test. The spectrum analyzer was operated in linear scale and zero span mode after tuning to the transmitter carrier frequency.

## TEST RESULTS

Note: The transmitter was automatically activated, and the carrier frequency 433.8828MHz:

Frequency (MHz)	One transmission time (S)	Limit(S)	Result	
433.85	0.240	5	Pass	
	Keysight Spectrum Analyse - Swept SA KL	AvgiHold: 2/100 AvgiHold: 2/100 AvgiHo		TATE
	-10.0	Center Fi	req	



#### 4.5 Antenna Requirement

#### Standard Applicable

According to FCC Part 15C 15.203

- An intentional radiator shall be de-signed to ensure that no antenna other than that furnished by the a) responsible party shall be used with the device.
- The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use b) of a standard antenna jack or electrical connector is prohibited.

## CTATESTING Refer to statement below for compliance.

The manufacturer may design the unit so that the user can replace a broken antenna, but the use of a standard antenna jack or electrical connector is prohibited. Further, this requirement does not apply to intentional radiators that must be professionally installed.

#### Antenna Connected Construction

CTATESTING The antenna used in this product is an Internal Antenna, The directional gains of antenna used for transmitting is 0 dBi.


Remark: The antenna gain is provided by the customer, if the data provided by the customer is not accurate, Shenzhen CTA Testing Technology Co., Ltd. does not assume any responsibility. CTATE: GA CTATESTING






#### 6

Photos of the EUT CTATES







30 52

18 91

11 33

69 LL

818

24 33

19 55

60 LI

