


1000 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1001 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1002 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1003 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1004 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1005 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1006 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1007 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1008 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1009 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1010 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1011 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1012 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1013 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1014 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





## Antenna 1:




1015 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1016 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1017 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1018 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1019 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1021 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1022 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1023 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1024 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1025 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1026 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1027 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1028 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1029 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1030 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1031 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1032 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels




AA Electro Magnetic Test Laboratory Private Limited



#### Report No.: AAEMT/RF/230704-01-03

# Antenna 2:




1033 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1034 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1035 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1036 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1037 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1039 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1040 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1041 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels










1042 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1043 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1044 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1045 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1046 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1047 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1048 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1049 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1050 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels




AA Electro Magnetic Test Laboratory Private Limited



#### Report No.: AAEMT/RF/230704-01-03

# Antenna 3:




1051 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1052 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1053 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1054 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1055 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1056 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1057 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1058 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1059 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>


Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Certificate#5593.01

# Report No.: AAEMT/RF/230704-01-03




1060 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1061 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1062 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1063 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1064 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1065 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1066 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1067 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1068 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels




AA Electro Magnetic Test Laboratory Private Limited



#### Report No.: AAEMT/RF/230704-01-03

# Antenna 4:




1069 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1070 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1071 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1072 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1073 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1074 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1075 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1076 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1077 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1078 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1079 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1080 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1081 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1082 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1083 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1084 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1085 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1086 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





# Antenna 5:




1087 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1088 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1089 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1090 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1091 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1092 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1093 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1094 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1095 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1096 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1097 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1098 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1099 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1100 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1101 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1102 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1103 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1104 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





# <u>Antenna 6:</u>




1105 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1106 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1107 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1108 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1109 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1110 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1111 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1112 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1113 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1114 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1115 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1116 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1117 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1118 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1119 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1120 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1121 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1122 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels




AA Electro Magnetic Test Laboratory Private Limited



#### Report No.: AAEMT/RF/230704-01-03

# Antenna 7:




1123 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1124 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1125 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1126 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1127 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1128 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1129 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1130 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1131 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1132 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1133 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1134 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1135 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1136 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1137 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1138 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








1139 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







1140 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





# **11. ANTENNA REQUIREMENTS**

# 11.1. Limit

15.203 requirement: For intentional device, according to 15.203: an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

# **11.2. EUT ANTENNA**

The antennas used for this product are Folded Monopole Antenna and that no antenna other than that furnished by the responsible party shall be used with the device, the maximum peak gain of the transmit antenna is 6 dBi. and the antenna connector is designed with permanent attachment and no consideration of replacement. Therefore the EUT is considered sufficient to comply with the provision.



\*\*End of Report\*\*

1141 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels