

THE POWER SPEAKER

USER MANUAL

TABLE OF CONTENTS

INTRODUCTION 1
UNIT AT A GLANCE
FEATURES AT A GLANCE 4
QUICK START GUIDE 5
CHARGING YOUR DEVICE
BLUETOOTH MODE6
USB/MICRO SD MODE6
AUX IN MODE 8
LIGHT SHOW 8
SOUND PROFILES 8
MULTI-LINK MODE9
SAFETY GUIDELINES 10
FAQ & ADDITIONAL RESOURCES11
SUPPORT11
LIMITED WARRANTY 11
SPECIFICATIONS11

INTRODUCTION

Welcome to your new Raycon Power Speaker Ultra!

At Raycon, we develop and design innovative electronics so you can move and conquer your daily fast-paced life.

Before using your product, we strongly encourage you to fully read through this user guide. You can also visit our support center at **www.rayconglobal.com/support**.

This web page has more specific guidelines and helpful videos for you to navigate your product.

For best performance, charge fully before first use.

Pairing ID: The Power Speaker Ultra


We are Raycon. We create carefully crafted wireless audio products for go-getters who need tech that keeps up with them.

We teamed up with expert engineers, leading taste-makers, and platinum artists to design products you'll love to use.

We believe in the early risers and the one-more-milers of the world. Premium audio, inspired by you.

UNIT AT A GLANCE

SPEAKER



CONTROL PANEL TOP VIEW

1. USB Port 10. Next / Multi-link

2. AUX-IN Port 11. Microphone Settings

3. Mic Port 12. Record

4. Guitar Port 13. Light Show

5. Charging Port 14. Repeat

6. Power Switch 15. Play/Pause


7. Micro SD Port 16. Treble/Bass/Sound Profiles

8. Guitar Settings 17. Main Volume

9. Previous 18. Mode

UNIT AT A GLANCE

REMOTE



- 1. Mute
- 2. Mode
- 3. Number Buttons
- 4. Guitar Volume +/-
- 5. Sound Profiles
- 6. Echo +/-
- 7. Previous Song
- 8. Next Song
- 9. Pause/Play
- 10. Treble -
- 11. Treble +
- 12. Microphone Volume +
- 13. Main Volume -
- 14. Main Volume +
- 15. LED Light
- 16. Microphone Volume -
- 17. Bass -
- 18. Bass +
- 19. Microphone Treble -
- 20. Microphone Treble +
- 21. Microphone Bass -
- 22. Microphone Bass +
- 23. Microphone Priority
- 24. Repeat
- 25. Record
- 26. Folder

FEATURES AT A GLANCE



Party Sound with Customizable EQ

Enough boom to fill any space and a fully customizable EQ to make it sound your way.



Four Audio Modes

Listen your way with four audio modes including Bluetooth, AUX, USB, Micro SD. No matter the source. The Power Speaker Ultra has got you covered.



Three 1/4" Inputs (2 Microphone, 1 Guitar)

With the Power Speaker Ultra you're not just listening to mind-blowing sound, you're creating it. Let your voice be heard or play a tune by plugging in a wired mic or guitar.



Multi-link Mode

Multi-link mode gives you the ability to link 2 speakers together via Bluetooth to create soundscapes that fill your space.



Liquid Flame Light Show


The Power Speaker Ultra lets you bring the club wherever you go, with 3 awe-inspiring liquid flame lighting effects.




Three Sound Profiles

The Power Speaker Ultra has three sound profiles that let you control the sound you hear based on the vibe you're trying to create.

QUICK START GUIDE




- 1. Power on speaker and press
- "until speaker enters Bluetooth Pairing Mode.



2. From the source device, go to Bluetooth settings and ensure Bluetooth is on. Search for "The Power Speaker Ultra" and select it to pair. Enjoy your Raycon Power Speaker Ultra!

CHARGING YOUR DEVICE

To charge, connect the supplied power adapter to the unit using the charging port.




Wireless Playtime: about 10 hours Charging Time: about 8 hours

Note: To help ensure the health of the battery, when the battery is low or out of charge, charge the unit as soon as possible. Prolonged periods of low-battery status may affect the life of the battery.

BLUETOOTH MODE

Press " until speaker enters Bluetooth Pairing Mode and successfully pair with the source device using the Quick Start Guide.




Note: The REPEAT button on the remote has no function while the speaker is in Bluetooth mode.

USB/MICRO SD MODE

Insert USB Drive or Micro SD card into the designated port. The speaker will automatically read and play the music in the drive.





Note: Recording will be saved on the the USB/Micro SD drive automatically. Speaker can only support a drive of up to 32GB.

AUX-IN MODE

Press "west" until speaker enters AUX mode, and connect the source device to the speaker using the supplied 3.5mm AUX Cable. While speaker is in AUX Mode, all media functions are controlled from the source device.

LIGHT SHOW

Press " LIGHT SW" button on the speaker or "LIGHT SW" button on the remote to toggle between the 3 liquid flame light show patterns.





SOUND PROFILES


Your sound, your way! As our sound profiles were crafted by artists and producers at the top of the industry, you're in good hands.

Press " **EQ** " button on the remote or hold "**TREBLE/BASS**" button on speaker to toggle between Sound Profiles.


BALANCED SOUND	BASS SOUND
A leveled sound that is	Our bass boosted
great for all around	sound, great for songs
performance and clarity.	with strong beats and a
	go-to for bass lovers.
	A leveled sound that is great for all around

MULTI-LINK MODE


Pair two speakers together with Multi-link Mode.




1. Power on both speakers.



2. Switch speakers into Bluetooth Mode, and ensure they are not connected to any device.



3. Hold " M" for 3 seconds on one speaker to enter Multi-link Mode. A voice prompt will indicate if speakers are connected successfully.



4. From the source device, search for "The Power Speaker Ultra" and select it to pair.



SAFETY GUIDELINES

- Be wary of any edges, uneven surfaces, and metal parts, including on accessories and product packaging, to prevent any possible injury or damage.
- Listen to music at a proper volume to avoid damaging your hearing and speaker.
- Do not store in high temperatures, such as in a hot vehicle or in direct sunlight.
- Store upright in cool and dry area.
- Do not drop or cause undue impact to the speaker.
- Do not modify, repair, or dismantle the product on your own.
- Do not expose speaker and any of its supplied parts to liquid.
- Do not expose the speaker to water while charging, as doing so may result in damage to the speaker or the power source.
- When cleaning this speaker, use a soft dry cloth. For more severe stains, dampen the cloth with water only. Anything else increases the chance of dissolving the paint or damaging the plastic.

FAQ & ADDITIONAL RESOURCES

Visit: www.rayconglobal.com/support

SUPPORT

If your device is not functioning correctly, please visit www.rayconglobal.com/support for customer support, and we will be more than happy to help you.

LIMITED WARRANTY

Visit: www.rayconglobal.com/warranty

SPECIFICATIONS

Model: RBS952, RBS952 Pro

RDID: D952-21E-Q321

Bluetooth Version: 5.0

Speaker Size: 8"x2, 3"Tweeter

Speaker Power: 100W

Play Time: About 10 hours

Pairing ID: The Power Speaker Ultra

Battery Capacity: 5.5A Lead-acid

Frequency Response: 50Hz - 20kHz

Bluetooth Operating Range: ≤ 10m

FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help. The device has been evaluated to meet general RF exposure statement.

The device can be used in portable exposure condition without restriction

FCC ID: 2AZOV-RBS952

IC: 27185-RBS952

IC Caution:

Radio Standards Specification RSS-Gen,

- English:

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

This device may not cause interference.

This device must accept any interference, including interference that may cause undesired operation of the device.

RF exposure statement:

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

- French:


Cet appareil contient des émetteurs / récepteurs exemptés de licence conformes aux RSS (RSS) d'Innovation, Sciences et Développement économique Canada. Le fonctionnement est soumis aux deux conditions suivantes:

Cet appareil ne doit pas causer d'interférences.

Cet appareil doit accepter toutes les interférences, y compris celles susceptibles de provoquer un fonctionnement indésirable de l'appareil.

Déclaration d'exposition RF:

L'appareil a été évalué pour répondre aux exigences générales d'exposition aux RF. L'appareil peut être utilisé dans des conditions d'exposition portable sans restriction.



S52 MANUAL

SIZE: 205mm x 136.67mm x 16Page UPDATE: 2022.01.13

謝明书工艺要求: 材质:使用20%则数纸,印刷内容如设计模所示,封面到底过度校。 装订形式:书本式,销马钉结构(2个)

封面 FRONT COVER 136.67mm 2 THE 205mm ULTRA

TABLE OF CONTENTS kittooou ettovi UNITATA CLANCE..... OHEV STADT CHIEF CHARGING YOUR DEVICE ... BLUETOOTH MODE..... USB/MCRO SD MODE...... AUX N MODE..... LICHT SHOW SOUND PROFILES MULTI-LINK MODE..... SAFETY GUIDELINES FAQ & ADDITIONAL RESOURCES ... I INTER WARRANTY SPECIFICATIONS......

For best performance, charge fully before first use. Pairing ID: The Power Speaker Ultra We are Raycon. We create carefully crafted wireless audio products for go-petters who need tech that keeps up with them. We teamed up with expert engineers, leading taste-makers, and platinum artists to design products you'll love to use.

INTRODUCTION Welcome to your new Raycon Power Speaker Ultra! Before using your product, we strongly encourage you to fully read through this user guide. You can also visit our support center at www.rayconglobal.com/support.



UNIT AT A GLANCE


നമരുമരെ

16 77 18

10. Next / MultiHink

CONTROL PANEL TOP MEW

SPEAKER



FEATURES AT A GLANCE

Party Sound with Customizable EQ
Enough boom to fill any space and a fully customizable EQ

Three W4" Inputs (2 Microphone, 1 Cultur)
With the Power Speaker Ultra you're not just listening to mind-blowing sound, you're creating it. Let you'r voice be heard or play a tune by plugging in a wired mic or gutar.

Liquid Flame Light Show
The Power Speaker Ultra Jets you bring the club wherever
you go, with 3 awe-inspiring liquid flame lighting effects.

Three Sound Profiles
The Power Speaker Litra has three sound profiles that list
you control the sound you hear based on the vibe you're
trying to create.

QUICK START GUIDE



Bluetooth is on. Search for "The Power Speaker Ultra" and select Power Speaker Ultral

BLUETCOTH

COT ON


The hour factor (4)


CHARGING YOUR DEVICE

port.

X
X
X
Adapter PC Power Bank

low or out of charge, charge the unit as soon as possible. Prolonged periods of low-battery status may affect the life of the battery.







Press* ** until speaker enters AUX mode, and connect the source device to the speaker using the supplied 35mm AUX Cable. While speaker is in AUX Mode, all media functions are controlled from the source device.

LIGHT SHOW

Press "" button on the speaker or "LIGHT SW" button on the remote to toggle between the 3 liquid flame light show pattern



SOUND PROFILES Your sound, your way! As our sound profiles were crafted by artists

and producers at the top of the industry, you're in good bands. Press " EQ " button on the remote or hold "TREBLE/BASS" button

on opealed to boggle between source or ...

Pulse SOUND BALANCE SOUND Or Basis Source
Our root orfride.

A feeled sound that is ...
Our basis booked sound, perfect delays ...
part for all ascord source and duty.

Inter easy single rote. performance and duty.

prior for tass lacens.

MULTI-LINK MODE

We believe in the early risers and the one-more-milers of the world.

Premium audio, inspired by you.





SAFETY GUIDELINES

 Be wary of any edges, uneven surfaces, and metal perts, including on accessories and product packaging, to prevent any possible injury or damage.

- Listen to music at a proper volume to avoid damaging your hearing

Do not store in high temperatures, such as in a hot vehicle or in direct sunlight.

Store upright in cool and dry area.

FAQ & ADDITIONAL RESOURCES

Visit: www.rayconglobal.com/support

SUPPORT

Fyour device is not functioning correct by please visit www.rayconglobal.com/support for customer support, and we will be more than happy to help you.

LIMITED WARRANTY

SPECIFICATIONS

Model RB5982 Flay Timer About 10 hours
RDD2 0595-216-Q320 Pairing 10: The Power Speaker Ultra
Butteroch Version 50 Battery Capacity 556 Lauds-act
Speaker Size Power 100W Blustooth Operating Pangers 510cm

FCC WARNING
This device compless with part to of the FCC Rules. Operation is subject to the file flowing two conditions (f) this device may not cause harmful interference, and (f) (this device must accept any partierence received, including reference to tarm any cause underside operation. Any changes or modifications not expressly approved by the party responsible for compliance could visid the user's authority to operate the equipment.

The explanation has been based and board as comply with the limit for dismat digital alone, present to hart 55 of the CC falls of the CC fall of the CC fall of the CC fall of the CC fall of prevents, use and consider and the instruction, and case them in sealed and use and one consider and the instruction, and case the hard fall of the CC fall of the CC fall of the CC fall of the hard fall of the CC fall of the CC fall of the CC fall of the hard fall of the CC fall of the CC fall of the CC fall of the hard fall of the CC fall of the CC fall of the hard fall of the CC fall of the CC fall of the hard fall of the CC fall of the CC fall of the control of the CC fall of the control of the CC fall of the CC fa

ECC ID-2470V-DRS952

IC Caution: Radio Standards Specification RSS-Gen,

Charging Time: about 6 hours

This device must accept any interference, including interference tha

French

To stagend contribut des deministrati, //inspisous seemplik de Torono
conformes au 1655 (1954) demonstratis, Sciences at Dividiagement
conformes au 1655 (1954) demonstratis, Sciences at Dividiagement
condiction substitution au 1655 (1954) demonstratis au demonstration
condiction substitution au 1655 (1954) demonstration au 1655 (1954)
condiction substitution au 1655 (1954) demonstration au 1655 (1954) demonstratis de promoque un functionnement indéreable de
fragement
Condiction fragement au 1655 (1954) demonstration au 1655

