




#### **Test Data**

### **Maximum Conducted Output Power**

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	2.039	0	2.039	30	Pass
NVNT	BLE	2442	Ant1	1.867	0	1.867	30	Pass
NVNT	BLE	2480	Ant1	1.685	0	1.685	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	1.269	0.5	Pass
NVNT	BLE	2442	Ant1	1.3	0.5	Pass
NVNT	BLE	2480	Ant1	1.321	0.5	Pass














# **Occupied Channel Bandwidth**

Condition Mode		Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	2.156556638	
NVNT	BLE	2442	Ant1	2.181929644	
NVNT	BLE	2480	Ant1	2.213273672	















# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-14.641	8	Pass
NVNT	BLE	2442	Ant1	-14.879	8	Pass
NVNT	BLE	2480	Ant1	-15.179	8	Pass













### **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-50.07	-20	Pass
NVNT	BLE	2480	Ant1	-33.49	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-48.03	-20	Pass
NVNT	BLE	2442	Ant1	-48.23	-20	Pass
NVNT	BLE	2480	Ant1	-47.68	-20	Pass



