







EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

<p>EUT View 1</p>	 <p>A photograph of a black rectangular device, likely a mobile phone, lying on a blue textured surface. The device is positioned horizontally. To its left is a black ruler with white markings, showing centimeters and millimeters. The ruler is oriented vertically, with the 0 mark at the top and the 100 mark at the bottom. The device's top edge is aligned with the 100 mm mark on the ruler. The device has six buttons arranged in two rows of three. The top row buttons are marked with an asterisk (*), a plus sign (+), and a vertical bar (). The bottom row buttons are marked with an asterisk (*), a plus sign (+), and a vertical bar (). The device is approximately 100 mm long and 20 mm wide.</p>
<p>EUT View 2</p>	 <p>A photograph of the same black rectangular device, lying on a blue textured surface. The device is positioned horizontally. To its left is a black ruler with white markings, showing centimeters and millimeters. The ruler is oriented vertically, with the 0 mark at the top and the 100 mark at the bottom. The device's top edge is aligned with the 100 mm mark on the ruler. The device is approximately 100 mm long and 20 mm wide. The device has a single large rectangular button on its front face.</p>

<p>EUT View 3</p>	
<p>EUT View 4</p>	

<p>EUT View 5</p>	 A black, vertically oriented remote control is shown against a blue background. The remote has six buttons arranged in a 2x3 grid: two minus signs (-) in the top row, two plus signs (+) in the middle row, and two asterisks (*) in the bottom row. A ruler is placed horizontally below the remote, showing markings from 0 to 100 millimeters. The remote is approximately 100 mm long.
<p>EUT View 6</p>	 A black, horizontally oriented remote control is shown against a blue background. The remote has six buttons arranged in a 2x3 grid: two asterisks (*) in the top row, two plus signs (+) in the middle row, and two minus signs (-) in the bottom row. A ruler is placed horizontally below the remote, showing markings from 0 to 100 millimeters. The remote is approximately 100 mm long.