


HY-L03 Product Manual

1. Product introduction:

- ◇ HUB USB2.0 extension*4
- ◇ Wireless charging
- ◇ Touch button control
- ◇ 10 RGB lighting modes (with memory function):
 1. Rainbow light mode 1 (Red, Green, Blue, Purple, Green, Yellow, White)
 2. Monochromatic breathing light mode (red, green, blue, purple, green, yellow, white)
 3. Rainbow light mode 2 (Red, Green, Blue, Purple, Green, Yellow, White)
 4. Monochrome light mode(4.Red、 5.Green、 6.Blue、 7.Purple、 8.Green、 9.Yellow、 10.White
- ◇ Dimensions (L*W*H): 80*30*4mm
- ◇ USB data cable: 1.8m (recommended to be inserted into the computer USB3.0 [blue] interface)

2.Interface function:



- a. TYPE-C USB 2.0 data transmission
- b. USB 2.0 data transmission
- c. Touch the button
- d. Charging indicator
- e. Wireless charging location

★Note: Not suitable for use with extended mobile hard disks(compatible with USB flash drive, mouse, keyboard and other devices plug and play connection)

3.Button function:

a.Touch the key to switch or turn on the RGB light mode, touch (3 seconds) to turn off the RGB light.

4.Wireless charging:

a.Standby: the blue indicator light is on, charging: the red indicator light is on (compatible with

most wireless charging mobile phones on the market). If the charging indicator light flashes red and blue alternately, it indicates that there is a metal foreign body in the charging position. After the foreign body is removed (3 seconds), the blue light indicates that it can be charged normally.

5.Product technical parameters:

Power supply: DC 5V2A

Output power: 5W

Working temperature: 0° C~45° C

Precautions

- a. This product must be used at rated voltage.
- b. Do not leave this product in a high temperature and humid environment, please place it in a dry place.
- c. During maintenance, please wipe the product with a dry cloth. It cannot be cleaned with water, alcohol, gasoline, or acid-alkaline detergent. If not
If metal objects or liquids are spilled into the product, cut off the power immediately and use it only after inspection by professionals.
- d. This product cannot be disassembled at will. If you need to repair it, please contact our after-sales customer service.
- e. This product is for indoor use only, it is recommended to use it within the ambient temperature range: 0° C~45° C; humidity range: 30~70%RH.

FCC warning:

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the

user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.