



FCC&IC TEST REPORT

FCC ID: 2BA3P-P3

IC: 30492-P3

On Behalf of

GUANGZHOU MERCURY NAVIGATION TECHNOLOGY CO., LTD

P3 Handheld

Model No.: P3, P31, C3, C4, C5, C6, C7, C8, C9

Prepared for : GUANGZHOU MERCURY NAVIGATION TECHNOLOGY CO., LTD
Address : Room C401-403, TOPS Beidou Innovation Base, No.83, Kaiyuan Avenue, Huangpu, Guangzhou, Guangdong, China

Prepared By : Shenzhen Alpha Product Testing Co., Ltd.
Address : Building i, No.2, Lixin Road, Fuyong Street, Bao'an District, 518103, Shenzhen, Guangdong, China

Report Number : A2310171-C01-R22
Date of Receipt : October 27, 2023
Date of Test : October 27, 2023-February 29, 2024
Date of Report : February 29, 2024
Version Number : V0
Test Result : Pass

TABLE OF CONTENTS

Description	Page
1 TEST SUMMARY	5
2 GENERAL INFORMATION	7
2.1 GENERAL DESCRIPTION OF EUT	7
2.2 RELATED SUBMITTAL(S) / GRANT (S)	8
2.3 TEST FACILITY	8
2.4 ACCESSORIES OF DEVICE (EUT)	8
2.5 TESTED SUPPORTING SYSTEM DETAILS	8
2.6 TEST CONDITIONS	8
2.7 MEASUREMENT UNCERTAINTY	9
3 TEST INSTRUMENTS LIST	10
4 SYSTEM TEST CONFIGURATION	11
4.1 TEST MODE	11
4.2 CONFIGURATION OF TESTED SYSTEM	11
4.3 CONDUCTED OUTPUT POWER	12
4.4 PEAK-TO-AVERAGE RATIO	27
4.5 OCCUPY BANDWIDTH	32
4.6 MODULATION CHARACTERISTIC	52
4.7 OUT OF BAND EMISSION AT ANTENNA TERMINALS	52
4.8 ERP, EIRP MEASUREMENT	137
4.9 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	201
4.10 FREQUENCY STABILITY V.S. TEMPERATURE MEASUREMENT	220
4.11 FREQUENCY STABILITY V.S. VOLTAGE MEASUREMENT	224
4.12 TEST SETUP PHOTO	227

TEST REPORT DECLARATION

Applicant : GUANGZHOU MERCURY NAVIGATION TECHNOLOGY CO., LTD
 Address : Room C401-403, TOPS Beidou Innovation Base, No.83, Kaiyuan Avenue, Huangpu, Guangzhou, Guangdong, China
 Manufacturer : GUANGZHOU MERCURY NAVIGATION TECHNOLOGY CO., LTD
 Address : Room C401-403, TOPS Beidou Innovation Base, No.83, Kaiyuan Avenue, Huangpu, Guangzhou, Guangdong, China
 EUT Description : P3 Handheld
 (A) Model No. : P3, P31, C3, C4, C5, C6, C7, C8, C9
 (B) Trademark : N/A

Measurement Standard Used:


FCC CFR Title 47 Part 2	RSS-130 issue 2
FCC CFR Title 47 Part 22 Subpart H	RSS-132 issue 3
FCC CFR Title 47 Part 24 Subpart E	RSS-133 issue 6
FCC CFR Title 47 Part 27	RSS-139 Issue 3
FCC CFR Title 47 Part 90	RSS-199 issue 3
	RSS-Gen Issue 5

The device described above is tested by Shenzhen Alpha Product Testing Co., Ltd. to determine the maximum emission levels emanating from the device. The test results are contained in this test report and Shenzhen Alpha Product Testing Co., Ltd. is assumed of full responsibility for the accuracy and completeness of these tests.

After the test, our opinion is that EUT compliance with the requirement of the above standards.

This report applies to above tested sample only. This report shall not be reproduced in parts without written approval of Shenzhen Alpha Product Testing Co., Ltd.

Tested by (name + signature).....: Yannis Wen 
 Project Engineer

Approved by (name + signature).....: Reak Yang 
 Project Manager

Date of issue.....: February 29, 2024

Revision History

Revision	Issue Date	Revisions	Revised By
V0	February 29, 2024	Initial released Issue	Yannis Wen

1 Test Summary

Test Item	Section in CFR 47	Result
RF Exposure (SAR)	Part 1.1307 Part 2.1093 RSS-102	Pass*(Please refer to SAR Report)
RF Output Power	Part 2.1046 Part 22.913(a) (5) Part 24.232 (c) Part 27.50 (d)(4) Part 27.50 (h) RSS-130 (4.6) RSS-132 (5.4) RSS-133 (6.4) RSS-139(6.5) RSS-199(4.4)	Pass
Peak-To-Average Ratio	Part 2.1046 Part 22.913(d) Part 24.232 (d) Part 27.50(d) RSS-130 (4.6) RSS-132 (5.4) RSS-133 (6.4) RSS-139(6.5) RSS-199(4.4)	Pass
Modulation Characteristics	Part 2.1047 RSS-130 (4.2) RSS-132 (5.2) RSS-133 (6.2) RSS-139(6.2) RSS-199(4.1)	N/A
99% & -26 dB Occupied Bandwidth	Part 2.1049 Part 22.917 Part 24.238 Part 27.53(a) RSS-130 (4.1) RSS-132 (3.1) RSS-133 (3.1) RSS-139(3.1) RSS-199(4.2)	Pass
Spurious Emissions at Antenna Terminal	Part 2.1051 Part 22.917 (a) Part 24.238 (a) Part 27.53 (h)/(m) Part 90.691(a) RSS-130 (4.7) RSS-132 (5.5) RSS-133 (6.5) RSS-139(6.6) RSS-199(4.5)	Pass
Field Strength of Spurious Radiation	Part 2.1053 Part 22.917 (a) Part 24.238 (a) Part 27.53 (h)/(m) Part 90.6919(a) RSS-130 (4.7) RSS-132 (5.5) RSS-133 (6.5) RSS-139(6.6) RSS-199(4.5)	Pass

Out of band emission, Band Edge	Part 22.917 (a) Part 24.238 (a) Part 27.53(h)/(m) Part 90.691(a) RSS-130 (4.7) RSS-132 (5.5) RSS-133 (6.5) RSS-139(6.6) RSS-199(4.5)	Pass
Frequency stability vs. temperature	Part 2.1055(a)(1)(b) Part 90.213 RSS-130 (4.5) RSS-132 (5.3) RSS-133 (6.3) RSS-139(6.4) RSS-199(4.3)	Pass
Frequency stability vs. voltage	Part 2.1055(d)(1)(2) Part 90.213 RSS-130 (4.5) RSS-132 (5.3) RSS-133 (6.3) RSS-139(6.4) RSS-199(4.3)	Pass

Note: 1. Pass: The EUT complies with the essential requirements in the standard.

2. The conclusion of this test report is judged by actual test data without considering measurement uncertainty.

2 General Information

2.1 General Description of EUT

Description of Device (EUT)

Description/PMN	: P3 Handheld
Model Number/HVIN(s)	: P3, P31, C3, C4, C5, C6, C7, C8, C9
Diff	: There is no difference except the name of the model. All tests are made with the P3 model.
Test Voltage	: DC 5V/9V from adapter with AC 120V/60Hz, DC 3.8V from battery

Support Bands	: LTE Band 2/4/5/7/12/13/17/41
Channel Bandwidth	: LTE Band 2: 1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz LTE Band 4: 1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz LTE Band 5: 1.4MHz, 3MHz, 5MHz, 10MHz LTE Band 7: 5MHz, 10MHz, 15MHz, 20MHz LTE Band 12: 1.4MHz, 3MHz, 5MHz, 10MHz LTE Band 13: 5MHz, 10MHz LTE Band 17: 5MHz, 10MHz LTE Band 41: 5MHz, 10MHz, 15MHz, 20MHz
TX Frequency	: LTE Band 2: 1850 ~ 1910 MHz LTE Band 4: 1710 ~ 1755 MHz LTE Band 5: 824 ~ 849 MHz LTE Band 7: 2500 ~ 2570 MHz LTE Band 12: 699MHz ~ 716MHz LTE Band 13: 777MHz ~ 787MHz LTE Band 17: 704 MHz ~ 716 MHz LTE Band 41: 2496MHz ~ 2670MHz
Modulation type	: QPSK, 16QAM
Antenna Type	: FPC antenna, LTE Band 2: Maximum Gain is 1.18dBi. LTE Band 4: Maximum Gain is 1.18dBi. LTE Band 5: Maximum Gain is 1.28dBi. LTE Band 7: Maximum Gain is -0.84dBi. LTE Band 12: Maximum Gain is 1.28dBi. LTE Band 13: Maximum Gain is 1.28dBi. LTE Band 17: Maximum Gain is 1.28dBi. LTE Band 41: Maximum Gain is -0.84dBi. (Antenna information is provided by applicant.) There is WWAN diversity antenna inside the product, which is only for receiving function.
Software version	: P3B_080
Hardware version	: P3 MB V2.0

Remark 1: The worst-case simultaneous transmission configuration was evaluated with no non-compliance found. Results in this report are only for 4G function, and there is no other transmitter involved.
2. The product contains two SIM card slots, both of which have been tested and only reflect the data of SIM card slot 1.

2.2 Related Submittal(s) / Grant (s)

This submittal(s) (test report) is filing to comply with Section Part 22 subpart H and Part 24 subpart E of the FCC CFR 47 Rules, Part 27 of the FCC CFR 47 Rules, Part 90 of the FCC CFR 47 Rules and RSS-130, RSS-132, RSS-133, RSS-139 and RSS-199 Rules.

2.3 Test Facility

Shenzhen Alpha Product Testing Co., Ltd
Building i, No.2, Lixin Road, Fuyong Street, Bao'an District, 518103, Shenzhen, Guangdong, China

June 21, 2018 File on Federal Communication Commission
Registration Number: 293961

July 15, 2019 Certificated by IC
Registration Number: CN0085

2.4 Accessories of Device (EUT)

Accessories : Switching Adapter
Manufacturer : DEE VAN ENTERPRISE CO., LTD.
Model : DSA-45PDH
Ratings : Input: 100~240V 50/60Hz 1.5A
Output: 5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=2.25A

2.5 Tested Supporting System Details

No.	Description	Manufacturer	Model	Serial Number	Certification or SDoC
--	--	--	--	--	--

2.6 Test Conditions

Items	Required	Actual
Temperature range:	15-35°C	24°C
Humidity range:	25-75%	56%
Pressure range:	86-106kPa	98kPa

2.7 Measurement Uncertainty

Item	Uncertainty
Uncertainty for Power point Conducted Emissions Test	1.63dB
Uncertainty for Radiation Emission test in 3m chamber (below 30MHz)	2.13 dB(Polarize: V)
	2.57dB(Polarize: H)
Uncertainty for Radiation Emission test in 3m chamber (30MHz to 1GHz)	3.77dB(Polarize: V)
	3.80dB(Polarize: H)
Uncertainty for Radiation Emission test in 3m chamber (1GHz to 25GHz)	4.16dB(Polarize: H)
	4.13dB(Polarize: V)
Uncertainty for radio frequency	5.4×10-8
Uncertainty for conducted RF Power	0.37dB
Uncertainty for temperature	0.2°C
Uncertainty for humidity	1%
Uncertainty for DC and low frequency voltages	0.06%

3 Test Instruments list

Equipment	Manufacture	Model No.	Firmware version	Serial No.	Last cal.	Cal Interval
9*6*6 anechoic chamber	CHENYU	9*6*6	/	N/A	2022.05.17	3Year
Spectrum analyzer	ROHDE&SCHWARZ	FSV40-N	2.3	102137	2023.08.16	1Year
Spectrum analyzer	Agilent	N9020A	A.14.16	MY499100060	2023.08.16	1Year
Receiver	ROHDE&SCHWARZ	ESR	2.28 SP1	1316.3003K03-102082-Wa	2023.08.16	1Year
Receiver	R&S	ESCI	4.42 SP1	101165	2023.08.16	1Year
Bilog Antenna	Schwarzbeck	VULB 9168	/	VULB 9168#627	2023.08.28	1Year
Horn Antenna	SCHWARZBECK	BBHA 9120 D	/	2106	2023.08.19	1Year
Loop Antenna	SCHWARZBECK	FMZB 1519B	/	00128	2023.08.19	1Year
RF Cable	Resenberger	Cable 1	/	RE1	2023.08.16	1Year
RF Cable	Resenberger	Cable 2	/	RE2	2023.08.16	1Year
RF Cable	Resenberger	Cable 3	/	CE1	2023.08.16	1Year
Pre-amplifier	HP	HP8347A	/	2834A00455	2023.08.16	1Year
Pre-amplifier	Agilent	8449B	/	3008A02664	2023.08.16	1Year
L.I.S.N.#1	Schwarzbeck	NSLK8126	/	8126-466	2023.08.16	1Year
L.I.S.N.#2	ROHDE&SCHWARZ	ENV216	/	101043	2023.08.16	1Year
Horn Antenna	SCHWARZBECK	BBHA 9170	/	00946	2023.08.19	1Year
Preamplifier	SKET	LNPA_1840-50	/	SK2018101801	2023.08.16	1 Year
Power Meter	Agilent	E9300A	/	MY41496628	2023.08.16	1 Year
Power Sensor	DARE	RPR3006W	/	15100041SNO91	2023.08.16	1 Year
Temp. & Humid. Chamber	Teelong	TL-HW408S	/	TL-20191205-01	2023.07.25	1 Year
Switching Mode Power Supply	JUNKE	JK12010S	/	20140927-6	2023.08.16	1 Year
Adjustable attenuator	MWRFTest	N/A	/	N/A	N/A	N/A
10dB Attenuator	Mini-Circuits	DC-6G	/	N/A	N/A	N/A

Software Information			
Test Item	Software Name	Manufacturer	Version
RE	EZ-EMC	EZ	Alpha-3A1
CE	EZ-EMC	EZ	Alpha-3A1
RF-CE	MTS 8310	MW	V2.0.0.0

4 System test configuration

4.1 Test mode


During all testing, EUT is in link mode with base station emulator at maximum power level. The spurious emission measurements were carried out in semi-anechoic chamber with 3-meter test range, and EUT is rotated on three test planes to find out the worst emission.

Test modes		
Band	Radiated	Conducted
LTE Band 2	■ QPSK link, 16QAM link	■ QPSK link, 16QAM link
LTE Band 4	■ QPSK link, 16QAM link	■ QPSK link, 16QAM link
LTE Band 5	■ QPSK link, 16QAM link	■ QPSK link, 16QAM link
LTE Band 7	■ QPSK link, 16QAM link	■ QPSK link, 16QAM link
LTE Band 12	■ QPSK link, 16QAM link	■ QPSK link, 16QAM link
LTE Band 13	■ QPSK link, 16QAM link	■ QPSK link, 16QAM link
LTE Band 17	■ QPSK link, 16QAM link	■ QPSK link, 16QAM link
LTE Band 41	■ QPSK link, 16QAM link	■ QPSK link, 16QAM link


Note: Antenna port conducted and radiated test items were performed according to KDB 971168 D01 Power Meas License Digital Systems v03r1 with maximum output power.

Radiated measurements were performed with rotating EUT in different three orthogonal test planes to find the maximum emission.

4.2 Configuration of Tested System



4.3 Conducted Output Power

Test Requirement:	FCC part22.913(a) (5), FCC part24.232(b) and FCC Part 27.50 (d)(4)/(h) RSS-130 (4.6), RSS-133 (6.4), RSS-139(6.5) and RSS-199(4.4)
Test Method:	ANSI C63.26:2015
Limit:	LTE Band 2: 2W LTE Band 4: 1W LTE Band 5: 7W LTE Band 7: 2W LTE Band 12: 3W LTE Band 13: 3W LTE Band 17: 3W LTE Band 41: 2W
Test setup:	 <p style="text-align: center;"><i>Note: Measurement setup for testing on Antenna connector</i></p>
Test Procedure:	<ol style="list-style-type: none"> 1. The transmitter output port was connected to base station. 2. The RF output of EUT was connected to the power meter by RF cable and attenuator, the path loss was compensated to the results for each measurement. 3. Set EUT at maximum power through base station. 4. Select lowest, middle, and highest channels for each band and different modulation. 5. Measure the maximum burst average power.
Test Instruments:	Refer to section 3 for details
Test mode:	Refer to section 4.1 for details
Test results:	Pass

Measurement Data

LTE Band2

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				18607/1850.7	18900/1880	19193/1909.3
1.4MHz	QPSK	1	0	21.65	22.98	21.70
			2	21.71	23.03	21.64
			5	21.65	23.01	21.71
		3	0	21.87	23.18	21.72
			2	21.75	23.12	21.89
			3	21.89	23.21	21.81
	QAM16	6	0	20.84	22.09	20.76
			1	20.95	22.10	20.79
			2	20.93	22.17	20.84
		3	5	20.94	22.06	20.84
			0	21.98	23.14	21.74
			2	21.75	23.13	21.91
6	3	21.87	23.09	21.93		
	0	20.79	22.08	20.80		

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				18615/1851.5	18900/1880	19185/1908.5
3MHz	QPSK	1	0	21.73	23.06	21.74
			7	21.74	23.07	21.75
			14	21.74	23.03	21.75
		8	0	21.80	23.13	21.80
			4	21.79	23.03	21.76
			7	21.83	22.99	21.78
	QAM16	15	0	20.88	22.14	20.82
			1	21.57	22.75	21.42
			7	21.53	22.74	21.42
		8	14	21.51	22.75	21.43
			0	21.61	22.74	21.45
			4	21.54	22.75	21.44
15	7	21.56	22.74	21.43		
	0	20.07	21.62	20.01		

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				18625/1852.5	18900/1880	19175/1907.5
5MHz	QPSK	1	0	21.82	23.12	21.69
			13	21.87	23.05	21.75
			24	21.90	23.10	21.72
		12	0	20.87	22.11	20.93
			6	20.80	22.14	20.89
			13	20.95	22.19	20.82
	QAM16	25	0	20.97	22.22	20.81
			1	20.85	22.04	20.72
			13	20.86	22.02	20.72
		12	24	20.89	22.06	20.80
			0	20.94	22.14	20.94
			6	20.82	22.10	20.86
25	13	21.10	22.24	20.82		
	0	21.00	22.16	20.85		

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				18650/1855	18900/1880	19150/1905
10MHz	QPSK	1	0	22.07	23.14	21.61
			25	22.17	23.25	21.92
			49	22.18	23.14	21.81
		25	0	21.06	22.18	20.98
			13	21.10	22.22	20.93
			25	21.08	22.20	20.93
	QAM16	1	0	21.18	22.20	20.88
			25	21.77	22.78	21.33
			49	22.03	22.84	21.55
		25	0	21.09	22.20	20.95
			13	21.09	22.22	20.98
			25	21.07	22.26	20.93
		50	0	21.18	22.25	20.82

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				18675/1857.5	18900/1880	19125/1902.5
15MHz	QPSK	1	0	22.15	23.05	21.72
			38	22.13	23.08	21.72
			74	22.28	23.07	21.88
		36	0	21.22	22.28	20.88
			18	21.25	22.25	20.82
			39	21.40	22.32	20.93
	75	0	21.31	22.27	20.83	
	QAM16	1	0	21.90	22.80	21.42
			38	21.93	22.78	21.45
			74	22.08	22.71	21.59
		36	0	21.27	22.21	20.96
			18	21.24	22.30	20.87
			39	21.37	22.31	20.96
		75	0	21.32	22.19	20.88

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				18700/1860	18900/1880	19100/1900
20MHz	QPSK	1	0	22.21	23.11	21.84
			50	22.64	23.32	22.09
			99	22.46	23.05	21.94
		50	0	21.24	22.25	20.68
			25	21.31	22.18	20.68
			50	21.22	22.18	20.72
	100	0	21.43	22.26	20.70	
	QAM16	1	0	21.62	22.44	21.11
			50	21.97	22.55	21.38
			99	21.86	22.32	21.28
		50	0	21.32	22.26	20.71
			25	21.33	22.24	20.76
			50	21.24	22.20	20.75
		100	0	21.45	22.25	20.71

LTE Band4

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				19957/1710.7	20175/1732.5	20393/1754.3
1.4MHz	QPSK	1	0	22.81	22.19	22.10
			2	22.78	22.12	22.13
			5	22.77	22.12	22.08
		3	0	22.92	22.22	22.15
			2	22.94	22.33	22.25
			3	22.96	22.34	22.25
	QAM16	6	0	21.74	21.13	21.11
			1	21.85	21.14	21.22
			2	21.85	21.23	21.16
		3	5	21.92	21.22	21.13
			0	22.92	22.18	22.22
			2	22.93	22.25	22.16
6	3	22.92	22.27	22.21		
	0	21.81	21.08	21.06		

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel			
				19965/1711.5	20175/1732.5	20385/1753.5	
3MHz	QPSK	1	0	22.71	22.06	22.05	
			7	22.72	22.08	22.12	
			14	22.69	22.04	22.12	
		8	0	22.70	21.98	22.10	
			4	22.72	22.03	22.08	
			7	22.72	22.07	22.03	
		15	0	21.83	21.13	21.14	
		QAM16	1	0	22.48	21.78	21.84
				7	22.55	21.77	21.80
	14			22.48	21.74	21.86	
	8		0	22.49	21.78	21.87	
			4	22.42	21.68	21.85	
			7	22.54	21.76	21.87	
	15	0	21.00	20.72	20.53		

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel			
				19975/1712.5	20175/1732.5	20375/1752.5	
5MHz	QPSK	1	0	22.63	21.96	22.11	
			13	22.67	21.91	22.18	
			24	22.75	22.03	22.05	
		12	0	21.81	21.07	21.15	
			6	21.70	21.11	21.15	
			13	21.74	21.07	21.23	
		25	0	21.82	21.12	21.24	
		QAM16	1	0	21.71	21.03	21.18
				13	21.72	20.98	21.12
	24			21.68	21.06	21.12	
	12		0	21.73	21.07	21.15	
			6	21.76	21.11	21.21	
			13	21.83	21.07	21.16	
	25	0	21.81	21.13	21.23		

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				20000/1715	20175/1732.5	20350/1750
10MHz	QPSK	1	0	22.64	21.98	22.23
			25	22.84	22.18	22.26
			49	22.59	22.06	22.00
		25	0	21.72	21.04	21.42
			13	21.74	21.12	21.33
			25	21.78	21.01	21.37
	50	0	21.75	21.09	21.36	
		1	0	22.41	21.71	22.03
			25	22.59	21.80	22.04
	49		22.34	21.72	21.82	
	QAM16	25	0	21.68	21.08	21.41
			13	21.76	21.14	21.38
			25	21.82	21.05	21.43
		50	0	21.72	21.16	21.28

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				20025/1717.5	20175/1732.5	20325/1747.5
15MHz	QPSK	1	0	22.59	22.00	22.31
			38	22.64	21.99	22.29
			74	22.35	22.14	21.96
		36	0	21.70	21.15	21.46
			18	21.67	21.13	21.44
			39	21.65	21.26	21.18
	75	0	21.73	21.16	21.34	
		1	0	22.40	21.68	22.08
			38	22.40	21.78	22.09
	74		22.12	21.80	21.85	
	QAM16	36	0	21.71	21.16	21.43
			18	21.72	21.08	21.50
			39	21.71	21.23	21.27
		75	0	21.68	21.16	21.30

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				20050/1720	20175/1732.5	20300/1745
20MHz	QPSK	1	0	22.56	22.04	22.27
			50	22.73	22.37	22.49
			99	22.41	22.09	22.05
		50	0	21.58	21.13	21.63
			25	21.61	21.01	21.58
			50	21.65	21.13	21.59
	100	0	21.66	21.08	21.52	
		1	0	21.93	21.45	21.57
			50	22.10	21.64	21.98
	99		21.70	21.50	21.37	
	QAM16	50	0	21.49	21.05	21.57
			25	21.62	21.11	21.54
			50	21.59	21.10	21.55
		100	0	21.66	21.10	21.47

LTE Band5

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				20417/825.7	20530/837	20643/848.3
1.4MHz	QPSK	1	0	23.22	23.17	23.19
			2	23.23	23.17	23.18
			5	23.22	23.19	23.26
		3	0	23.23	23.23	23.28
			2	23.22	23.20	23.33
			3	23.21	23.20	23.22
	6	0	22.16	22.27	22.14	
	QAM16	1	0	22.29	22.35	22.33
			2	22.32	22.22	22.32
			5	22.28	22.33	22.35
		3	0	23.19	23.25	23.30
			2	23.18	23.23	23.26
3			23.13	23.14	23.22	
6	0	22.25	22.26	22.25		

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				20425/826.5	20530/837	20635/847.5
3MHz	QPSK	1	0	23.36	23.20	23.27
			7	23.26	23.17	23.32
			14	23.32	23.13	23.24
		8	0	23.30	23.32	23.30
			4	23.29	23.30	23.29
			7	23.33	23.24	23.28
	15	0	22.31	22.18	22.29	
	QAM16	1	0	22.96	22.86	22.94
			7	22.96	22.87	22.94
			14	22.95	22.83	22.92
		8	0	22.94	22.93	22.94
			4	22.98	22.88	22.91
			7	22.91	22.83	22.87
		15	0	21.40	21.25	21.42

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				20435/827.5	20530/837	20625/846.5
5MHz	QPSK	1	0	23.27	23.21	23.30
			13	23.27	23.26	23.30
			24	23.19	23.22	23.30
		12	0	22.39	22.23	22.40
			6	22.36	22.19	22.37
			13	22.26	22.28	22.28
	25	0	22.28	22.26	22.36	
	QAM16	1	0	22.24	22.21	22.22
			13	22.29	22.20	22.28
			24	22.23	22.16	22.26
		12	0	22.32	22.26	22.39
			6	22.33	22.27	22.39
			13	22.34	22.26	22.29
		25	0	22.35	22.21	22.34

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel			
				20460/830	20530/837	20600/844	
10MHz	QPSK	1	0	23.22	23.34	23.35	
			25	23.27	23.36	23.48	
			49	23.15	23.23	23.34	
		25	0	22.43	22.41	22.46	
			13	22.43	22.39	22.41	
			25	22.39	22.40	22.45	
		50	0	22.33	22.40	22.38	
		QAM16	1	0	22.85	22.91	22.95
				25	23.00	23.16	23.12
	49			22.86	22.86	22.91	
	25		0	22.39	22.36	22.41	
			13	22.41	22.36	22.43	
			25	22.39	22.37	22.41	
	50	0	22.33	22.32	22.38		

LTE Band7

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				20775/2502.5	21100/2535	21425/2567.5
5MHz	QPSK	1	0	20.77	20.68	21.24
			13	20.76	20.66	21.32
			24	20.70	20.61	21.41
		12	0	19.81	19.71	20.55
			6	19.87	19.81	20.53
			13	19.99	19.76	20.59
	25	0	19.85	19.76	20.49	
	QAM16	1	0	19.74	19.60	20.27
			13	19.71	19.67	20.25
			24	19.66	19.57	20.42
		12	0	19.87	19.69	20.50
			6	19.83	19.78	20.49
			13	19.93	19.77	20.49
		25	0	19.88	19.76	20.47

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				20800/2505	21100/2535	21400/2565
10MHz	QPSK	1	0	20.94	20.71	21.22
			25	21.13	20.93	21.56
			49	20.81	20.74	21.52
		25	0	19.85	19.83	20.44
			13	19.90	19.86	20.50
			25	19.84	19.86	20.45
	50	0	19.92	19.92	20.46	
	QAM16	1	0	20.45	20.41	20.89
			25	20.48	20.44	21.13
			49	20.46	20.38	21.09
		25	0	19.90	19.82	20.39
			13	19.83	19.82	20.41
			25	19.90	19.80	20.45
		50	0	19.95	19.90	20.46

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				20825/2507.5	21100/2535	21375/2562.5
15MHz	QPSK	1	0	20.95	20.69	21.05
			38	20.94	20.80	21.01
			74	20.65	20.68	21.46
		36	0	19.93	19.84	20.37
			18	19.92	19.91	20.38
			39	19.94	19.91	20.53
	75	0	19.93	19.95	20.42	
	QAM16	1	0	20.47	20.45	20.69
			38	20.43	20.46	20.68
			74	20.33	20.34	21.14
		36	0	19.97	19.84	20.39
			18	19.98	19.84	20.46
			39	19.91	19.91	20.59
		75	0	19.93	19.84	20.47

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel			
				20850/2510	21100/2535	21350/2560	
20MHz	QPSK	1	0	20.88	20.74	20.86	
			50	20.91	20.96	21.50	
			99	20.61	20.79	21.46	
		50	0	19.76	19.79	20.22	
			25	19.77	19.87	20.29	
			50	19.78	19.79	20.29	
		100	0	19.81	19.86	20.36	
		QAM16	1	0	20.14	20.06	20.16
				50	20.26	20.27	20.77
	99			19.99	20.04	20.73	
	50		0	19.81	19.83	20.30	
			25	19.80	19.86	20.29	
			50	19.82	19.83	20.22	
	100		0	19.73	19.87	20.31	

LTE Band12

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				23017/699.7	23095/707.5	23173/715.3
1.4MHz	QPSK	1	0	23.85	23.93	23.62
			2	23.78	23.91	23.64
			5	23.85	23.83	23.59
		3	0	23.85	23.99	23.73
			2	23.86	23.89	23.71
			3	23.85	23.93	23.88
	6	0	22.86	22.92	22.70	
	QAM16	1	0	22.97	22.98	22.85
			2	22.88	22.95	22.79
			5	22.90	23.05	22.77
		3	0	23.86	24.02	23.71
			2	23.89	24.01	23.75
			3	23.79	23.90	23.77
		6	0	22.87	22.89	22.79

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				23025/700.5	23095/707.5	23165/714.5
3MHz	QPSK	1	0	23.72	23.82	23.68
			7	23.68	23.88	23.77
			14	23.75	23.71	23.69
		8	0	23.74	23.83	23.68
			4	23.75	23.82	23.71
			7	23.78	23.83	23.74
	15	0	22.84	22.96	22.70	
	QAM16	1	0	23.43	23.49	23.36
			7	23.37	23.56	23.35
			14	23.35	23.59	23.33
		8	0	23.34	23.51	23.32
			4	23.37	23.54	23.34
			7	23.35	23.48	23.37
		15	0	22.91	22.99	22.80

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				23035/701.5	23095/707.5	23155/713.5
5MHz	QPSK	1	0	23.67	23.83	23.23
			13	23.66	23.76	23.29
			24	23.57	23.76	23.29
		12	0	22.78	22.90	22.48
			6	22.78	22.89	22.50
			13	22.85	22.87	22.46
	25	0	22.80	22.87	22.48	
	QAM16	1	0	22.71	22.82	22.34
			13	22.64	22.73	22.33
			24	22.60	22.75	22.34
		12	0	22.75	22.90	22.51
			6	22.77	22.85	22.53
			13	22.84	22.84	22.54
		25	0	22.85	22.88	22.56

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel			
				23060/704	23095/707.5	23130/711	
10MHz	QPSK	1	0	23.74	23.82	23.41	
			25	23.89	24.13	23.75	
			49	23.70	23.89	23.42	
		25	0	22.77	22.90	22.69	
			13	22.77	22.94	22.72	
			25	22.81	22.95	22.69	
		50	0	22.78	22.93	22.71	
		QAM16	1	0	23.39	23.50	23.18
				25	23.41	23.67	23.29
	49			23.45	23.49	23.07	
	25		0	22.78	22.89	22.79	
			13	22.75	22.92	22.78	
			25	22.78	22.86	22.77	
	50		0	22.73	22.82	22.65	

LTE Band13

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel			
				23205/779.5	23230/782	23255/784.5	
5MHz	QPSK	1	0	22.38	22.31	22.29	
			13	22.29	22.34	22.33	
			24	22.24	22.33	22.44	
		12	0	21.37	21.37	21.39	
			6	21.35	21.42	21.40	
			13	21.34	21.48	21.43	
		25	0	21.36	21.43	21.48	
		QAM16	1	0	21.60	21.31	21.64
				13	21.67	21.36	21.62
	24			21.47	21.33	21.65	
	12		0	21.39	21.40	21.38	
			6	21.34	21.42	21.40	
			13	21.39	21.40	21.49	
	25	0	21.39	21.40	21.44		

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel			
				23230/782	23230/782	23230/782	
10MHz	QPSK	1	0	22.35	22.39	22.40	
			25	22.36	22.56	22.52	
			49	22.35	22.47	22.50	
		25	0	21.33	21.46	21.44	
			13	21.37	21.43	21.53	
			25	21.34	21.49	21.44	
		50	0	21.42	21.50	21.52	
		QAM16	1	0	21.94	22.12	22.12
				25	22.13	22.20	22.25
	49			22.06	22.09	22.14	
	25		0	21.39	21.41	21.50	
			13	21.38	21.45	21.50	
			25	21.38	21.44	21.44	
	50	0	21.38	21.54	21.54		

LTE Band17

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				23755/706.5	23790/710	23825/713.5
5MHz	QPSK	1	0	22.36	22.44	22.51
			13	22.32	22.41	22.52
			24	22.41	22.42	22.54
		12	0	21.43	21.57	21.62
			6	21.44	21.58	21.66
			13	21.42	21.50	21.69
	25	0	21.46	21.51	21.76	
	QAM16	1	0	21.37	21.67	21.89
			13	21.36	21.72	21.89
			24	21.45	21.73	21.82
		12	0	21.42	21.61	21.77
			6	21.42	21.52	21.68
			13	21.43	21.51	21.72
		25	0	21.45	21.52	21.72

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				23780/709	23790/710	23800/711
10MHz	QPSK	1	0	22.28	22.52	22.50
			25	22.50	22.72	22.82
			49	22.50	22.58	22.67
		25	0	21.41	21.59	21.78
			13	21.42	21.62	21.79
			25	21.43	21.62	21.75
	50	0	21.46	21.55	21.67	
	QAM16	1	0	22.02	22.13	22.19
			25	22.29	22.44	22.40
			49	22.10	22.21	22.27
		25	0	21.43	21.56	21.78
			13	21.47	21.61	21.78
			25	21.41	21.63	21.70
		50	0	21.42	21.58	21.76

LTE Band41

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel			
				39675/2498.5	40620/2593	41565/2687.5	
5MHz	QPSK	1	0	21.63	21.46	21.08	
			13	21.50	21.44	21.27	
			24	21.93	21.69	21.17	
		12	0	21.50	21.42	21.51	
			6	21.73	21.85	21.43	
			13	21.75	21.64	21.50	
		25	0	21.74	21.55	21.10	
		QAM16	1	0	21.89	21.63	21.09
				13	21.86	21.68	21.06
	24			21.48	21.68	21.43	
	12		0	21.76	21.57	21.04	
			6	21.52	21.50	21.11	
			13	21.63	21.81	21.09	
	25	0	21.71	21.83	21.50		

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel			
				39700/2501	40620/2593	41540/2685	
10MHz	QPSK	1	0	21.71	21.88	21.95	
			25	21.74	21.02	21.43	
			49	21.88	21.08	21.30	
		25	0	21.87	21.93	21.15	
			13	21.83	21.05	21.94	
			25	21.79	21.50	21.21	
		50	0	21.94	21.72	21.03	
		QAM16	1	0	21.31	22.05	21.26
				25	21.33	21.58	21.11
	49			21.25	21.61	21.16	
	25		0	21.26	21.82	21.17	
			13	21.04	21.52	21.31	
			25	21.91	21.48	21.38	
	50	0	21.96	21.65	21.30		

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				39725/2503.5	40620/2593	41515/2682.5
15MHz	QPSK	1	0	21.09	21.01	21.91
			38	21.86	21.12	21.44
			74	21.97	21.00	21.87
		36	0	21.29	21.71	21.11
			18	21.68	21.03	21.35
			39	21.71	21.31	21.34
	75	0	21.88	21.28	21.89	
	QAM16	1	0	21.44	21.73	21.11
			38	21.50	21.33	21.24
			74	21.37	21.57	21.05
		36	0	21.20	21.97	21.84
			18	21.05	21.29	21.71
			39	21.86	20.88	21.07
		75	0	21.05	21.82	21.76

Bandwidth	Modulation	RB size	RB offset	Output Power (dBm) for low/mid/high channel		
				39750/2506	40620/2593	41490/2680
20MHz	QPSK	1	0	21.00	21.38	21.40
			50	21.86	21.70	21.10
			99	21.42	21.56	21.22
		50	0	21.73	21.68	21.86
			25	21.67	20.54	21.80
			50	21.60	21.24	21.20
	100	0	21.71	21.68	21.33	
	QAM16	1	0	21.62	21.81	21.98
			50	21.51	21.85	21.60
			99	21.12	21.95	21.93
		50	0	21.33	21.71	21.60
			25	21.65	21.78	21.65
			50	21.90	21.56	21.18
		100	0	21.06	21.39	21.07



4.4 Peak-to-Average Ratio

Test Requirement:	Part 22.913(d), FCC part24.232(d) and FCC part27.50(d)(5) RSS-130 (4.6), RSS-133 (6.4), RSS-139(6.5) and RSS-199(4.4)
Test Method:	ANSI C63.26:2015
Test Limit:	Used complementary cumulative distribution function (CCDF) of analyzer to determine that PAPR will not exceed 13 dB for more than 0.1 percent of the time
Test setup:	<pre> graph LR EUT[EUT] --- Splitter[Splitter] Splitter --- CT[Communication Tester] Splitter --- SPA[SPA] </pre> <p><i>Note: Measurement setup for testing on Antenna connector</i></p>
Test Procedure:	<ol style="list-style-type: none"> 1. The testing follows FCC KDB 971168 D01 v03r01 Section 5.7 2. The EUT was connected to spectrum and system simulator via a power divider 3. Using the CCDF measurement of spectrum analyzer; 4. Set $RBW \geq OBW$ or specified reference bandwidth; 5. Set the number of counts to a value that stabilizes the measured CCDF curve; 6. Set the measurement interval as 1ms 7. Record the maximum PAPR level associated with a probability of 0.1%.
Test Instruments:	Refer to section 3 for details
Test mode:	Refer to section 4.1 for details
Test results:	Pass



Test plots are listed as below:

Test mode	Peak to Average Ratio (dB)	Limit (dB)	Result
LTE Band 2 Middle channel/20MHz/QPSK	6.39	13	Pass
LTE Band 2 Middle channel/20MHz/16-QAM	6.39	13	Pass
LTE Band 4 Middle channel/20MHz/QPSK	6.61	13	Pass
LTE Band 4 Middle channel/20MHz/16-QAM	6.61	13	Pass
LTE Band 5 Middle channel/10MHz/QPSK	5.67	13	Pass
LTE Band 5 Middle channel/10MHz/16-QAM	6.20	13	Pass
LTE Band 7 Middle channel/20MHz/QPSK	6.32	13	Pass
LTE Band 7 Middle channel/20MHz/16-QAM	6.32	13	Pass
LTE Band 12 Middle channel/10MHz/QPSK	5.59	13	Pass
LTE Band 12 Middle channel/10MHz/16-QAM	6.13	13	Pass
LTE Band 13 Middle channel/10MHz/QPSK	5.79	13	Pass
LTE Band 13 Middle channel/10MHz/16-QAM	6.31	13	Pass
LTE Band 17 Middle channel/10MHz/QPSK	5.51	13	Pass
LTE Band 17 Middle channel/10MHz/16-QAM	6.41	13	Pass
LTE Band 41 Middle channel/20MHz/QPSK	8.96	13	Pass
LTE Band 41 Middle channel/20MHz/16-QAM	8.69	13	Pass



Test Mode: LTE Band 2 Middle channel/20MHz/QPSK **Test Mode: LTE Band 2 Middle channel/20MHz/16-QAM**




Test Mode: LTE Band 4 Middle channel/20MHz/QPSK **Test Mode: LTE Band 4 Middle channel/20MHz/16-QAM**




Test Mode: LTE Band 5 Middle channel/10MHz/QPSK **Test Mode: LTE Band 5 Middle channel/10MHz/16-QAM**




Test Mode: LTE Band 7
Middle channel/20MHz/QPSK




Test Mode: LTE Band 7
Middle channel/20MHz/16-QAM




Test Mode: LTE Band 12
Middle channel/10MHz/QPSK




Test Mode: LTE Band 12
Middle channel/10MHz/16-QAM





Test Mode: LTE Band 13
Middle channel/10MHz/QPSK





Test Mode: LTE Band 13
Middle channel/10MHz/16-QAM



Test Mode: LTE Band 17 Middle channel/10MHz/QPSK **Test Mode: LTE Band 17 Middle channel/10MHz/16-QAM**



Test Mode: LTE Band 41 Middle channel/20MHz/QPSK **Test Mode: LTE Band 41 Middle channel/20MHz/16-QAM**



Note: All bandwidth and modulation are tested, only the worst results are reported.

4.5 Occupy Bandwidth

Test Requirement:	FCC part22.913(a), FCC part24.232(b) and FCC part27.53(a), FCC part 90.209, RSS-130 (4.1), RSS-132 (3.1), RSS-133 (3.1), RSS-139(3.1) and RSS-199(4.2)
Test Method:	ANSI C63.26:2015
Test setup:	<pre> graph LR EUT[EUT] --- Splitter[Splitter] Splitter --- CT[Communication Tester] Splitter --- SPA[SPA] </pre> <p><i>Note: Measurement setup for testing on Antenna connector</i></p>
Test Procedure:	<ol style="list-style-type: none"> 1. The EUT's output RF connector was connected with a short cable to the spectrum analyzer, set center frequency to channel center frequency. 2. RBW was set to about 1%-5% of emission OBW, VBW\geq 3 X RBW. 3. Set spectrum analyzer detection mode to peak, and the trace mode to max hold. 4. Use the 99% OBW function, The 99% power OBW can be found on the plot, determine the "-26dB amplitude" as equal to reference value -26dB.
Test Instruments:	Refer to section 3 for details
Test mode:	Refer to section 4.1 for details
Test results:	Pass

Measurement Data

Band2						
RB	Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	99% Power Bandwidth(MHz)	-26dBc Bandwidth(MHz)
100%	QPSK	1.4	18900	1880	1.12	1.34
		3	18900	1880	2.72	2.99
		5	18900	1880	4.51	4.95
		10	18900	1880	9.05	10.02
		15	18900	1880	13.48	14.81
		20	18900	1880	17.90	19.15
	QAM16	1.4	18900	1880	1.12	1.34
		3	18900	1880	2.71	3.00
		5	18900	1880	4.49	4.90
		10	18900	1880	9.05	9.98
		15	18900	1880	13.48	14.65
		20	18900	1880	17.89	19.25

Band4						
RB	Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	99% Power Bandwidth(MHz)	-26dBc Bandwidth(MHz)
100%	QPSK	1.4	20175	1732.5	1.12	1.34
		3	20175	1732.5	2.72	2.99
		5	20175	1732.5	4.50	4.95
		10	20175	1732.5	9.03	10.00
		15	20175	1732.5	13.44	14.71
		20	20175	1732.5	17.84	19.04
	QAM16	1.4	20175	1732.5	1.13	1.34
		3	20175	1732.5	2.71	3.03
		5	20175	1732.5	4.48	4.91
		10	20175	1732.5	9.04	9.95
		15	20175	1732.5	13.45	14.62
		20	20175	1732.5	17.86	19.16

Band5						
RB	Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	99% Power Bandwidth(MHz)	-26dBc Bandwidth(MHz)
100%	QPSK	1.4	20530	837	1.12	1.34
		3	20530	837	2.72	3.00
		5	20530	837	4.50	4.94
		10	20530	837	9.05	10.05
	QAM16	1.4	20530	837	1.13	1.34
		3	20530	837	2.71	3.00
		5	20530	837	4.48	4.91
		10	20530	837	9.04	9.97

Band7						
RB	Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	99% Power Bandwidth(MHz)	-26dBc Bandwidth(MHz)
100%	QPSK	5	21100	2535	4.45	4.88
		10	21100	2535	7.76	9.48
		15	21100	2535	9.89	11.94
		20	21100	2535	11.96	14.04
	QAM16	5	21100	2535	4.43	4.85
		10	21100	2535	7.73	9.48
		15	21100	2535	9.87	11.93
		20	21100	2535	11.99	14.13

Band12						
RB	Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	99% Power Bandwidth(MHz)	-26dBc Bandwidth(MHz)
100%	QPSK	1.4	23095	707.5	1.12	1.33
		3	23095	707.5	2.72	3.00
		5	23095	707.5	4.53	5.17
		10	23095	707.5	9.07	10.37
	QAM16	1.4	23095	707.5	1.12	1.34
		3	23095	707.5	2.71	3.00
		5	23095	707.5	4.51	5.14
		10	23095	707.5	9.05	10.58


Band13						
RB	Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	99% Power Bandwidth(MHz)	-26dBc Bandwidth(MHz)
100%	QPSK	5	23230	782	4.53	5.20
		10	23230	782	9.10	10.42
	QAM16	5	23230	782	4.51	5.16
		10	23230	782	9.08	10.29

Band17						
RB	Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	99% Power Bandwidth(MHz)	-26dBc Bandwidth(MHz)
100%	QPSK	5	23790	710	4.53	5.19
		10	23790	710	9.09	10.36
	QAM16	5	23790	710	4.51	5.12
		10	23790	710	9.07	10.28

Band41						
RB	Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	99% Power Bandwidth(MHz)	-26dBc Bandwidth(MHz)
100%	QPSK	5	40620	2593	4.49	4.97
		10	40620	2593	9.06	10.91
		15	40620	2593	13.45	15.22
		20	40620	2593	17.83	19.10
100%	QAM16	5	40620	2593	4.4908	5.128
		10	40620	2593	8.9487	9.417
		15	40620	2593	13.404	14.43
		20	40620	2593	17.843	18.67


Test plot as follows:

Test Mode: LTE Band 2
Channel Bandwidth: 1.4MHz




QPSK


Test Mode: LTE Band 2
Channel Bandwidth: 3MHz



QPSK




16-QAM




16-QAM

Test Mode: LTE Band 2 Channel Bandwidth: 5MHz




QPSK


Test Mode: LTE Band 2 Channel Bandwidth: 10MHz



QPSK




16-QAM




16-QAM


Test Mode: LTE Band 2 Channel Bandwidth: 15MHz	Test Mode: LTE Band 2 Channel Bandwidth: 20MHz
---------------------------------------------------	---------------------------------------------------




QPSK



QPSK




16-QAM




16-QAM

Test Mode: LTE Band 4 Channel Bandwidth: 1.4MHz




QPSK


Test Mode: LTE Band 4 Channel Bandwidth: 3MHz



QPSK




16-QAM




16-QAM

Test Mode: LTE Band 4 Channel Bandwidth: 5MHz




QPSK


Test Mode: LTE Band 4 Channel Bandwidth: 10MHz



QPSK




16-QAM




16-QAM

Test Mode: LTE Band 4 Channel Bandwidth: 15MHz




QPSK


Test Mode: LTE Band 4 Channel Bandwidth: 20MHz



QPSK




16-QAM




16-QAM

Test Mode: LTE Band 5 Channel Bandwidth: 1.4MHz




QPSK


Test Mode: LTE Band 5 Channel Bandwidth: 3MHz



QPSK




16-QAM




16-QAM

Test Mode: LTE Band 5
Channel Bandwidth: 5MHz




QPSK


Test Mode: LTE Band 5
Channel Bandwidth: 10MHz



QPSK




16-QAM




16-QAM

Test Mode: LTE Band 7 Channel Bandwidth: 5MHz


Test Mode: LTE Band 7 Channel Bandwidth: 10MHz




QPSK



QPSK



16-QAM



16-QAM