

Shenzhen Eric Red Technology Co., LTD

SPECIFICATIONS SHEET

CUSTOMER :

DESCRIPTION :

CUSTOMER P/N :

PART NUMBER :

DATE OF APPLICATION :

2023-04-14

CLASSIFICATION OF SPEC . PRESENTATION. (Tick the relevant box "√")

- ☐ New application
- ☒ New part is added to accepted specification
- ☐ Revision of accepted specification

ACCEPTANCE STAMP

APPROVAL BY	CHECK BY	PREPARE BY
chaoziqu		fengxin

ADDRESS :

Second floor, Building B, Kedasi Industrial Park, Guanlan Xinzhang Road, Longhua District, Shenzhen

TELEPHONE :

0755-29577759

E-MAIL :

752290660@qq.com

Shenzhen Eric Red Technology Co., LTD

History For Revised Specification

CUSTOMER P/N :

PART NUMBER :

Item	DESCRIPTION (Content Or Reason For Changed)	Rev.	Cust Rev.	Date	Revisor
1	Initial Release	A0		2023-04-14	fengxin

APPROVED BY

CHECKED BY

PREPARED
BY

DATE

PAGE

chaoziqi

fengxin

2023-04-14

1 of 3


Specification

CUSTOMER P/N :

PART NUMBER :

1. DIMENSIONS : (Unit: mm)

(Unit) : (mm)



A	B	C	D	E	F	G	H
50±1	42.5±1	20.5±0.5	5.3	200±3	3±1	0.8±0.1	2.6MAX

1. High-temperature adhesive tape is 8mm.
2. Back tape is white double-sided tape.
3. Coil fit position is in the center.

APPROVED BY	CHECKED BY	PREPARED BY	DATE	PAGE
chaoziqu		fengxin	2023-04-14	2 of 3

Specification

CUSTOMER P/N :

PART NUMBER :

2. WINDING DETAILS
Coil1

Turns	Wire Dia	Wdg. Type Spred/Close	Wdg.Direction	Intersect Yes/Not
10TS	0.08*105P (Silk-Copper Wire)	(Close)	Inverse around	是 (Yes)

3. (ELECTRICAL CHARACTERISTICS) :
TEMPERATURE:25±10℃, RELATIVE HUMIDITY:65±10%

NO.	ITEM	TERMINAL	SPECIFICATION	TEST FREQUENCY	TEST EQUIPMENTS
Coil 1					
1.	IND	S-F	6.5±5%	100kHz/V	UC2906A
2.	Q	S-F	60Min	100kHz/V	UC2906A
3.	DCR	S-F	55Max	100kHz/V	UC2906A

APPROVED BY

CHECKED BY

PREPARED BY

DATE

PAGE

chaoziqui

fengxin

2023-04-14

3 of 3