



深圳市飞敏科技有限公司

ShenZhen City FeiMin Technology CO., LTD.

产品承认书

SPECIFICATION FOR APPROVED

客户

CUSTOMER: _____

产品名称

PRODUCTS: _____

PCB Antenna

客户料号

PART NO: _____

37100241

产品型号

Spec. : _____

FM-S2500-1801

日期

Data: _____

2024. 1. 2

供应商

SUPPLIER

拟制

PREPARED BY

审核

CHECKED BY

批准

APPROVED BY

客户

CUSTOMER

承认

ACCEPTED BY

审核

CHECKED BY

批准

APPROVED BY

备注：承认盖章后请回复一份承认书（或复印件）给我司，其余由贵公司存档

REMARK: Please send us one (or copy) of this approval with stamp after accepting, other copies filed by the customer.

地址：深圳市宝安区西乡街道固戍社区恒南一路 C 栋厂房 303 室

ADD: Room 303, Building C, Hengnan one Road, Gushu community, Xixiang Street, Bao' an District, Shenzhen City

电话 Tel: 0755-23035723

传真 Fax: 0755-23036702

邮箱 E-mail: ant001@fmant.cn


网址 HTTP: www.fmant.cn

ANTENNA SPECIFICATION

1. 项目信息 Project Information	4
1.1. 外观尺寸 Appearance and Dimensions	4
2. 电气性能 Electrical Characteristics.....	5
2.1. 测试环境条件 Test Environment Conditions.....	5
2.2. 测试方法 Measurement method	5
2.2.1. 天线电压驻波比. 天线回波损耗. 史密斯圆图 Antenna VSWR。 Antenna Return loss。 smith chart.....	5
2.3. 天线无源测试数据 Antenna passive test data.....	6
2.3.1. 测试系统 Test system.....	6
2.3.2 天线效率及增益 Antenna efficiency and gain	6
2.3.3 天线辐射方向图 Antenna Radiation Pattern	7
3.备注 Notes.....	7

1. 项目信息 Project Information

1.1. 外观尺寸 Appearance and Dimensions




ANTENNA SPECIFICATION

2. 电气性能 Electrical Characteristics


2.1. 测试环境条件 Test Environment Conditions

温度 Temperature	Ordinary Temperature (5 to 35°C)
湿度 Humidity	Ordinary Humidity (25 to 85% RH)

2.2. 测试方法 Measurement method




2.2.1. 天线电压驻波比. 天线回波损耗. 史密斯圆图 Antenna VSWR. Antenna Return loss. smith chart



ANTENNA SPECIFICATION

2.3. 天线无源测试数据 Antenna passive test data

2.3.1. 测试系统 Test system



2.3.2 天线效率及增益 Antenna efficiency and gain

Frequency (MHz)	Gain (dBi)	Efficiency (%)
2400 MHz	2.9	49.56
2410 MHz	2.52	49.85
2420 MHz	2.5	52.94
2430 MHz	2.62	46.54
2440 MHz	2.87	49.46
2450 MHz	3.06	50.18
2460 MHz	3.05	49.45
2470 MHz	3.07	47.48
2480 MHz	2.66	51.59
2490 MHz	2.68	46.28
2500 MHz	2.78	47.61

ANTENNA SPECIFICATION

2.3.3 天线辐射方向图 Antenna Radiation Pattern

