

Annex C. LTE Transmitter Spurious Emissions

Reference No.: WTD23D03064187W002

1. LTE_Band12


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.67	-13	Pass	2985
30	690	0.1	RMS	688.8	-57.29	-13	Pass	6600
690	725	0.1	RMS	699.275	21.48	60	Pass	601
725	1000	0.1	RMS	900.464	-56.75	-13	Pass	2750
1000	3000	1	RMS	2666.833	-38.03	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.42	-13	Pass	7000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.57	-13	Pass	2985
30	690	0.1	RMS	687	-57.43	-13	Pass	6600
690	725	0.1	RMS	700.15	21.64	60	Pass	601
725	1000	0.1	RMS	985.795	-56.8	-13	Pass	2750
1000	3000	1	RMS	2667.834	-38.11	-13	Pass	2000
3000	10000	1	RMS	5771.396	-50.42	-13	Pass	7000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.16	-13	Pass	2985
30	690	0.1	RMS	678.098	-57.39	-13	Pass	6600
690	725	0.1	RMS	699.275	20.39	60	Pass	601
725	1000	0.1	RMS	900.764	-56.73	-13	Pass	2750
1000	3000	1	RMS	2666.833	-38.13	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.39	-13	Pass	7000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.75	-13	Pass	2985
30	690	0.1	RMS	677.798	-57.37	-13	Pass	6600
690	725	0.1	RMS	700.15	20.4	60	Pass	601
725	1000	0.1	RMS	905.466	-56.8	-13	Pass	2750
1000	3000	1	RMS	2673.837	-38.12	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.42	-13	Pass	7000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.71	-13	Pass	2985
30	690	0.1	RMS	636.192	-57.31	-13	Pass	6600
690	725	0.1	RMS	707.033	21.26	60	Pass	601
725	1000	0.1	RMS	876.255	-56.79	-13	Pass	2750
1000	3000	1	RMS	2668.834	-38.09	-13	Pass	2000
3000	10000	1	RMS	5769.396	-50.4	-13	Pass	7000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.84	-13	Pass	2985
30	690	0.1	RMS	689.4	-57.19	-13	Pass	6600
690	725	0.1	RMS	707.967	21.32	60	Pass	601
725	1000	0.1	RMS	881.057	-56.72	-13	Pass	2750
1000	3000	1	RMS	2768.884	-38.11	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.44	-13	Pass	7000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.2	-13	Pass	2985
30	690	0.1	RMS	660.596	-57.41	-13	Pass	6600
690	725	0.1	RMS	707.033	20.8	60	Pass	601
725	1000	0.1	RMS	895.862	-56.68	-13	Pass	2750
1000	3000	1	RMS	2671.836	-38.1	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.44	-13	Pass	7000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.07	-13	Pass	2985
30	690	0.1	RMS	665.496	-57.37	-13	Pass	6600
690	725	0.1	RMS	707.967	20.57	60	Pass	601
725	1000	0.1	RMS	982.794	-56.82	-13	Pass	2750
1000	3000	1	RMS	2666.833	-38.06	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.42	-13	Pass	7000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.18	-13	Pass	2985
30	690	0.1	RMS	687.6	-57.44	-13	Pass	6600
690	725	0.1	RMS	714.85	21.43	60	Pass	601
725	1000	0.1	RMS	898.263	-56.93	-13	Pass	2750
1000	3000	1	RMS	2667.834	-38.07	-13	Pass	2000
3000	10000	1	RMS	5769.396	-50.41	-13	Pass	7000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.67	-13	Pass	2985
30	690	0.1	RMS	687.9	-57.32	-13	Pass	6600
690	725	0.1	RMS	715.725	21.23	60	Pass	601
725	1000	0.1	RMS	907.066	-56.77	-13	Pass	2750
1000	3000	1	RMS	2670.835	-38.09	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.4	-13	Pass	7000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.79	-13	Pass	2985
30	690	0.1	RMS	678.598	-57.37	-13	Pass	6600
690	725	0.1	RMS	714.85	20.57	60	Pass	601
725	1000	0.1	RMS	898.763	-56.6	-13	Pass	2750
1000	3000	1	RMS	2669.835	-38.07	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.33	-13	Pass	7000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.74	-13	Pass	2985
30	690	0.1	RMS	688.1	-57.22	-13	Pass	6600
690	725	0.1	RMS	715.725	19.98	60	Pass	601
725	1000	0.1	RMS	967.988	-56.86	-13	Pass	2750
1000	3000	1	RMS	2667.834	-38.1	-13	Pass	2000
3000	10000	1	RMS	5767.395	-50.39	-13	Pass	7000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.6	-13	Pass	601
0.15	30	0.01	RMS	0.16	-44.97	-13	Pass	2985
30	690	0.1	RMS	684.199	-57.29	-13	Pass	6600
690	725	0.1	RMS	699.217	21.24	60	Pass	601
725	1000	0.1	RMS	891.461	-56.86	-13	Pass	2750
1000	3000	1	RMS	2668.834	-38.11	-13	Pass	2000
3000	10000	1	RMS	5771.396	-50.37	-13	Pass	7000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.74	-13	Pass	2985
30	690	0.1	RMS	678.098	-57.36	-13	Pass	6600
690	725	0.1	RMS	701.783	21.2	60	Pass	601
725	1000	0.1	RMS	912.268	-56.79	-13	Pass	2750
1000	3000	1	RMS	2666.833	-38.11	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.37	-13	Pass	7000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.56	-13	Pass	2985
30	690	0.1	RMS	680.499	-57.45	-13	Pass	6600
690	725	0.1	RMS	699.217	20.15	60	Pass	601
725	1000	0.1	RMS	899.463	-56.84	-13	Pass	2750
1000	3000	1	RMS	2667.834	-38.13	-13	Pass	2000
3000	10000	1	RMS	5771.396	-50.44	-13	Pass	7000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.2	-13	Pass	2985
30	690	0.1	RMS	674.298	-57.42	-13	Pass	6600
690	725	0.1	RMS	701.783	20.63	60	Pass	601
725	1000	0.1	RMS	901.964	-56.77	-13	Pass	2750
1000	3000	1	RMS	2670.835	-38.12	-13	Pass	2000
3000	10000	1	RMS	5767.395	-50.42	-13	Pass	7000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.54	-13	Pass	2985
30	690	0.1	RMS	686.9	-57.34	-13	Pass	6600
690	725	0.1	RMS	706.217	21.21	60	Pass	601
725	1000	0.1	RMS	891.461	-56.85	-13	Pass	2750
1000	3000	1	RMS	2670.835	-38.12	-13	Pass	2000
3000	10000	1	RMS	5769.396	-50.37	-13	Pass	7000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.7	-13	Pass	2985
30	690	0.1	RMS	683.799	-57.4	-13	Pass	6600
690	725	0.1	RMS	708.783	21.11	60	Pass	601
725	1000	0.1	RMS	895.862	-56.83	-13	Pass	2750
1000	3000	1	RMS	2667.834	-38.13	-13	Pass	2000
3000	10000	1	RMS	5771.396	-50.47	-13	Pass	7000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.12	-13	Pass	2985
30	690	0.1	RMS	684.199	-57.41	-13	Pass	6600
690	725	0.1	RMS	706.217	20.64	60	Pass	601
725	1000	0.1	RMS	907.967	-56.72	-13	Pass	2750
1000	3000	1	RMS	2668.834	-38.1	-13	Pass	2000
3000	10000	1	RMS	5769.396	-50.37	-13	Pass	7000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.55	-13	Pass	2985
30	690	0.1	RMS	676.398	-57.44	-13	Pass	6600
690	725	0.1	RMS	708.783	20.3	60	Pass	601
725	1000	0.1	RMS	914.269	-56.7	-13	Pass	2750
1000	3000	1	RMS	2669.835	-38.11	-13	Pass	2000
3000	10000	1	RMS	5768.395	-50.46	-13	Pass	7000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.31	-13	Pass	2985
30	690	0.1	RMS	687.9	-57.19	-13	Pass	6600
690	725	0.1	RMS	713.217	21.45	60	Pass	601
725	1000	0.1	RMS	896.362	-56.76	-13	Pass	2750
1000	3000	1	RMS	2669.835	-38.08	-13	Pass	2000
3000	10000	1	RMS	5769.396	-50.44	-13	Pass	7000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.15	-13	Pass	2985
30	690	0.1	RMS	684.799	-57.4	-13	Pass	6600
690	725	0.1	RMS	715.783	21.19	60	Pass	601
725	1000	0.1	RMS	913.669	-56.82	-13	Pass	2750
1000	3000	1	RMS	2664.832	-38.12	-13	Pass	2000
3000	10000	1	RMS	5771.396	-50.45	-13	Pass	7000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.76	-13	Pass	2985
30	690	0.1	RMS	688.1	-57.47	-13	Pass	6600
690	725	0.1	RMS	713.217	20.01	60	Pass	601
725	1000	0.1	RMS	901.864	-56.85	-13	Pass	2750
1000	3000	1	RMS	2669.835	-38.08	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.47	-13	Pass	7000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.29	-13	Pass	2985
30	690	0.1	RMS	676.498	-57.45	-13	Pass	6600
690	725	0.1	RMS	715.783	19.88	60	Pass	601
725	1000	0.1	RMS	902.665	-56.87	-13	Pass	2750
1000	3000	1	RMS	2667.834	-38.1	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.38	-13	Pass	7000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.57	-13	Pass	2985
30	690	0.1	RMS	687.5	-57.25	-13	Pass	6600
690	725	0.1	RMS	699.333	21.03	60	Pass	601
725	1000	0.1	RMS	884.958	-56.76	-13	Pass	2750
1000	3000	1	RMS	2668.834	-38.08	-13	Pass	2000
3000	10000	1	RMS	5771.396	-50.41	-13	Pass	7000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.05	-13	Pass	2985
30	690	0.1	RMS	684.099	-57.35	-13	Pass	6600
690	725	0.1	RMS	703.65	20.95	60	Pass	601
725	1000	0.1	RMS	876.055	-56.78	-13	Pass	2750
1000	3000	1	RMS	2667.834	-38.09	-13	Pass	2000
3000	10000	1	RMS	5771.396	-50.49	-13	Pass	7000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.67	-13	Pass	2985
30	690	0.1	RMS	689.3	-57.36	-13	Pass	6600
690	725	0.1	RMS	699.333	19.82	60	Pass	601
725	1000	0.1	RMS	886.059	-56.81	-13	Pass	2750
1000	3000	1	RMS	2667.834	-38.11	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.44	-13	Pass	7000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.48	-13	Pass	2985
30	690	0.1	RMS	673.498	-57.37	-13	Pass	6600
690	725	0.1	RMS	703.65	19.78	60	Pass	601
725	1000	0.1	RMS	894.061	-56.8	-13	Pass	2750
1000	3000	1	RMS	2669.835	-38.09	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.42	-13	Pass	7000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.48	-13	Pass	2985
30	690	0.1	RMS	687.2	-57.17	-13	Pass	6600
690	725	0.1	RMS	705.342	21.27	60	Pass	601
725	1000	0.1	RMS	896.963	-56.85	-13	Pass	2750
1000	3000	1	RMS	2669.835	-38.1	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.37	-13	Pass	7000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.41	-13	Pass	2985
30	690	0.1	RMS	682.499	-57.39	-13	Pass	6600
690	725	0.1	RMS	709.658	21.12	60	Pass	601
725	1000	0.1	RMS	890.96	-56.84	-13	Pass	2750
1000	3000	1	RMS	2670.835	-38.12	-13	Pass	2000
3000	10000	1	RMS	5768.395	-50.37	-13	Pass	7000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.93	-13	Pass	2985
30	690	0.1	RMS	682.999	-57.32	-13	Pass	6600
690	725	0.1	RMS	705.342	20.64	60	Pass	601
725	1000	0.1	RMS	913.569	-56.8	-13	Pass	2750
1000	3000	1	RMS	2670.835	-38.12	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.38	-13	Pass	7000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.31	-13	Pass	2985
30	690	0.1	RMS	677.598	-57.35	-13	Pass	6600
690	725	0.1	RMS	709.658	20.36	60	Pass	601
725	1000	0.1	RMS	894.562	-56.77	-13	Pass	2750
1000	3000	1	RMS	2669.835	-38.14	-13	Pass	2000
3000	10000	1	RMS	5769.396	-50.34	-13	Pass	7000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.06	-13	Pass	2985
30	690	0.1	RMS	680.199	-57.4	-13	Pass	6600
690	725	0.1	RMS	711.35	21.22	60	Pass	601
725	1000	0.1	RMS	892.261	-56.86	-13	Pass	2750
1000	3000	1	RMS	2669.835	-38.12	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.41	-13	Pass	7000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.86	-13	Pass	2985
30	690	0.1	RMS	674.998	-57.48	-13	Pass	6600
690	725	0.1	RMS	715.667	21.08	60	Pass	601
725	1000	0.1	RMS	974.991	-56.82	-13	Pass	2750
1000	3000	1	RMS	2666.833	-38.1	-13	Pass	2000
3000	10000	1	RMS	5769.396	-50.41	-13	Pass	7000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.47	-13	Pass	2985
30	690	0.1	RMS	688	-57.39	-13	Pass	6600
690	725	0.1	RMS	711.35	20.2	60	Pass	601
725	1000	0.1	RMS	907.366	-56.82	-13	Pass	2750
1000	3000	1	RMS	2668.834	-38.12	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.4	-13	Pass	7000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.22	-13	Pass	2985
30	690	0.1	RMS	680.399	-57.41	-13	Pass	6600
690	725	0.1	RMS	715.667	20.21	60	Pass	601
725	1000	0.1	RMS	907.666	-56.88	-13	Pass	2750
1000	3000	1	RMS	2671.836	-38.14	-13	Pass	2000
3000	10000	1	RMS	5769.396	-50.4	-13	Pass	7000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.01	-13	Pass	2985
30	690	0.1	RMS	689.3	-57.39	-13	Pass	6600
690	725	0.1	RMS	699.567	21.1	60	Pass	601
725	1000	0.1	RMS	921.972	-56.89	-13	Pass	2750
1000	3000	1	RMS	2668.834	-38.11	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.35	-13	Pass	7000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.72	-13	Pass	2985
30	690	0.1	RMS	687.5	-57.31	-13	Pass	6600
690	725	0.1	RMS	708.433	20.93	60	Pass	601
725	1000	0.1	RMS	985.795	-56.79	-13	Pass	2750
1000	3000	1	RMS	2669.835	-38.13	-13	Pass	2000
3000	10000	1	RMS	5771.396	-50.45	-13	Pass	7000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.85	-13	Pass	2985
30	690	0.1	RMS	687.1	-57.38	-13	Pass	6600
690	725	0.1	RMS	699.567	20.04	60	Pass	601
725	1000	0.1	RMS	996.399	-56.88	-13	Pass	2750
1000	3000	1	RMS	2669.835	-38.1	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.36	-13	Pass	7000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.25	-13	Pass	2985
30	690	0.1	RMS	667.297	-57.43	-13	Pass	6600
690	725	0.1	RMS	708.433	20.02	60	Pass	601
725	1000	0.1	RMS	943.179	-56.76	-13	Pass	2750
1000	3000	1	RMS	2666.833	-38.1	-13	Pass	2000
3000	10000	1	RMS	5768.395	-50.38	-13	Pass	7000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.91	-13	Pass	2985
30	690	0.1	RMS	683.799	-57.29	-13	Pass	6600
690	725	0.1	RMS	703.067	21.03	60	Pass	601
725	1000	0.1	RMS	933.476	-56.78	-13	Pass	2750
1000	3000	1	RMS	2670.835	-38.1	-13	Pass	2000
3000	10000	1	RMS	5768.395	-50.44	-13	Pass	7000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.99	-13	Pass	2985
30	690	0.1	RMS	687.7	-57.32	-13	Pass	6600
690	725	0.1	RMS	711.933	21.11	60	Pass	601
725	1000	0.1	RMS	984.594	-56.82	-13	Pass	2750
1000	3000	1	RMS	2669.835	-38.07	-13	Pass	2000
3000	10000	1	RMS	5771.396	-50.38	-13	Pass	7000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.81	-13	Pass	2985
30	690	0.1	RMS	684.599	-57.4	-13	Pass	6600
690	725	0.1	RMS	703.067	20.13	60	Pass	601
725	1000	0.1	RMS	960.886	-56.83	-13	Pass	2750
1000	3000	1	RMS	2669.835	-38.09	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.41	-13	Pass	7000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.65	-13	Pass	2985
30	690	0.1	RMS	686.7	-57.39	-13	Pass	6600
690	725	0.1	RMS	711.933	20.6	60	Pass	601
725	1000	0.1	RMS	896.162	-56.79	-13	Pass	2750
1000	3000	1	RMS	2669.835	-38.08	-13	Pass	2000
3000	10000	1	RMS	5769.396	-50.42	-13	Pass	7000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.18	-13	Pass	601
0.15	30	0.01	RMS	0.16	-45.06	-13	Pass	2985
30	690	0.1	RMS	689.5	-57.39	-13	Pass	6600
690	725	0.1	RMS	706.567	21.2	60	Pass	601
725	1000	0.1	RMS	989.396	-56.91	-13	Pass	2750
1000	3000	1	RMS	2668.834	-38.11	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.38	-13	Pass	7000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.81	-13	Pass	601
0.15	30	0.01	RMS	0.16	-45.84	-13	Pass	2985
30	690	0.1	RMS	687.9	-57.36	-13	Pass	6600
690	725	0.1	RMS	715.433	21.24	60	Pass	601
725	1000	0.1	RMS	994.798	-56.8	-13	Pass	2750
1000	3000	1	RMS	2667.834	-38.1	-13	Pass	2000
3000	10000	1	RMS	5770.396	-50.39	-13	Pass	7000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.07	-13	Pass	2985
30	690	0.1	RMS	684.599	-57.45	-13	Pass	6600
690	725	0.1	RMS	706.567	20.04	60	Pass	601
725	1000	0.1	RMS	891.961	-56.79	-13	Pass	2750
1000	3000	1	RMS	2667.834	-38.09	-13	Pass	2000
3000	10000	1	RMS	5769.396	-50.39	-13	Pass	7000



1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.03	-13	Pass	2985
30	690	0.1	RMS	689.1	-57.42	-13	Pass	6600
690	725	0.1	RMS	715.433	19.95	60	Pass	601
725	1000	0.1	RMS	889.56	-56.89	-13	Pass	2750
1000	3000	1	RMS	2669.835	-38.11	-13	Pass	2000
3000	10000	1	RMS	5768.395	-50.43	-13	Pass	7000



END