

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.2	-13	Pass	2985
30	1000	0.1	RMS	900.29	-55.18	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.42	-13	Pass	830
1830	1920	1	RMS	1850.25	22.16	60	Pass	601
1920	3000	1	RMS	2660.686	-37.92	-13	Pass	1080
3000	12000	1	RMS	11911.99	-48.36	-13	Pass	9000
12000	20000	1	RMS	19997	-35.8	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.31	-13	Pass	2985
30	1000	0.1	RMS	904.59	-54.98	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.49	-13	Pass	830
1830	1920	1	RMS	1851.15	7.45	60	Pass	601
1920	3000	1	RMS	2660.686	-38	-13	Pass	1080
3000	12000	1	RMS	11922.991	-48.38	-13	Pass	9000
12000	20000	1	RMS	19993.999	-35.76	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.36	-13	Pass	2985
30	1000	0.1	RMS	932.893	-55.08	-13	Pass	9700
1000	1830	1	RMS	1825.995	-44.43	-13	Pass	830
1830	1920	1	RMS	1850.25	21.03	60	Pass	601
1920	3000	1	RMS	2661.687	-38.01	-13	Pass	1080
3000	12000	1	RMS	11911.99	-48.28	-13	Pass	9000
12000	20000	1	RMS	19997	-35.82	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.62	-13	Pass	601
0.15	30	0.01	RMS	0.16	-42.76	-13	Pass	2985
30	1000	0.1	RMS	984.598	-54.94	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.44	-13	Pass	830
1830	1920	1	RMS	1851.15	21.23	60	Pass	601
1920	3000	1	RMS	2659.685	-38.01	-13	Pass	1080
3000	12000	1	RMS	11913.99	-48.38	-13	Pass	9000
12000	20000	1	RMS	20000	-35.65	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.57	-13	Pass	2985
30	1000	0.1	RMS	900.99	-55.41	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.45	-13	Pass	830
1830	1920	1	RMS	1879.5	21.65	60	Pass	601
1920	3000	1	RMS	2660.686	-37.99	-13	Pass	1080
3000	12000	1	RMS	11905.99	-48.34	-13	Pass	9000
12000	20000	1	RMS	19984.998	-35.83	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.95	-13	Pass	601
0.15	30	0.01	RMS	0.16	-42.78	-13	Pass	2985
30	1000	0.1	RMS	932.393	-54.96	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.47	-13	Pass	830
1830	1920	1	RMS	1880.4	21.8	60	Pass	601
1920	3000	1	RMS	2461.501	-37.96	-13	Pass	1080
3000	12000	1	RMS	11927.992	-48.42	-13	Pass	9000
12000	20000	1	RMS	20000	-35.75	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.57	-13	Pass	2985
30	1000	0.1	RMS	960.596	-55.17	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.47	-13	Pass	830
1830	1920	1	RMS	1879.5	21.05	60	Pass	601
1920	3000	1	RMS	2658.684	-37.96	-13	Pass	1080
3000	12000	1	RMS	11996	-48.36	-13	Pass	9000
12000	20000	1	RMS	19991.999	-35.79	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.72	-13	Pass	2985
30	1000	0.1	RMS	982.098	-54.98	-13	Pass	9700
1000	1830	1	RMS	1825.995	-44.48	-13	Pass	830
1830	1920	1	RMS	1880.4	21.08	60	Pass	601
1920	3000	1	RMS	2665.69	-38.01	-13	Pass	1080
3000	12000	1	RMS	11908.99	-48.39	-13	Pass	9000
12000	20000	1	RMS	19998	-35.77	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.62	-13	Pass	2985
30	1000	0.1	RMS	916.691	-55.27	-13	Pass	9700
1000	1830	1	RMS	1801.966	-44.43	-13	Pass	830
1830	1920	1	RMS	1908.9	21.8	60	Pass	601
1920	3000	1	RMS	2658.684	-37.98	-13	Pass	1080
3000	12000	1	RMS	11914.991	-48.23	-13	Pass	9000
12000	20000	1	RMS	19991.999	-35.7	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.65	-13	Pass	2985
30	1000	0.1	RMS	974.097	-54.81	-13	Pass	9700
1000	1830	1	RMS	1817.986	-44.44	-13	Pass	830
1830	1920	1	RMS	1909.8	21.8	60	Pass	601
1920	3000	1	RMS	2658.684	-37.95	-13	Pass	1080
3000	12000	1	RMS	11927.992	-48.29	-13	Pass	9000
12000	20000	1	RMS	19990.999	-35.63	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-50.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.98	-13	Pass	2985
30	1000	0.1	RMS	938.694	-54.81	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.49	-13	Pass	830
1830	1920	1	RMS	1908.9	20.55	60	Pass	601
1920	3000	1	RMS	2659.685	-37.94	-13	Pass	1080
3000	12000	1	RMS	11903.989	-48.39	-13	Pass	9000
12000	20000	1	RMS	19992.999	-35.67	-13	Pass	8000



1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.91	-13	Pass	2985
30	1000	0.1	RMS	890.289	-54.89	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.47	-13	Pass	830
1830	1920	1	RMS	1909.8	20.69	60	Pass	601
1920	3000	1	RMS	2657.683	-37.95	-13	Pass	1080
3000	12000	1	RMS	11931.992	-48.23	-13	Pass	9000
12000	20000	1	RMS	19988.999	-35.84	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.82	-13	Pass	2985
30	1000	0.1	RMS	983.198	-55.22	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.45	-13	Pass	830
1830	1920	1	RMS	1850.25	21.79	60	Pass	601
1920	3000	1	RMS	2660.686	-37.99	-13	Pass	1080
3000	12000	1	RMS	11933.993	-48.41	-13	Pass	9000
12000	20000	1	RMS	19998	-35.53	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.38	-13	Pass	601
0.15	30	0.01	RMS	0.16	-42.93	-13	Pass	2985
30	1000	0.1	RMS	919.292	-55.12	-13	Pass	9700
1000	1830	1	RMS	1824.994	-44.45	-13	Pass	830
1830	1920	1	RMS	1852.8	21.67	60	Pass	601
1920	3000	1	RMS	2661.687	-38.05	-13	Pass	1080
3000	12000	1	RMS	11956.995	-48.52	-13	Pass	9000
12000	20000	1	RMS	19990.999	-35.76	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.72	-13	Pass	601
0.15	30	0.01	RMS	0.16	-43.56	-13	Pass	2985
30	1000	0.1	RMS	888.088	-54.97	-13	Pass	9700
1000	1830	1	RMS	1819.988	-44.45	-13	Pass	830
1830	1920	1	RMS	1850.25	20.48	60	Pass	601
1920	3000	1	RMS	2461.501	-37.5	-13	Pass	1080
3000	12000	1	RMS	11926.992	-48.42	-13	Pass	9000
12000	20000	1	RMS	19997	-35.49	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.59	-13	Pass	601
0.15	30	0.01	RMS	0.16	-42.97	-13	Pass	2985
30	1000	0.1	RMS	981.398	-54.88	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.4	-13	Pass	830
1830	1920	1	RMS	1852.8	20.43	60	Pass	601
1920	3000	1	RMS	2660.686	-37.93	-13	Pass	1080
3000	12000	1	RMS	11918.991	-48.33	-13	Pass	9000
12000	20000	1	RMS	19998	-35.72	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.06	-13	Pass	2985
30	1000	0.1	RMS	998.2	-55.19	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.4	-13	Pass	830
1830	1920	1	RMS	1878.75	21.75	60	Pass	601
1920	3000	1	RMS	2660.686	-37.96	-13	Pass	1080
3000	12000	1	RMS	11900.989	-48.24	-13	Pass	9000
12000	20000	1	RMS	19997	-35.66	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.11	-13	Pass	2985
30	1000	0.1	RMS	998.6	-55.08	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.46	-13	Pass	830
1830	1920	1	RMS	1881.3	21.87	60	Pass	601
1920	3000	1	RMS	2659.685	-37.99	-13	Pass	1080
3000	12000	1	RMS	11922.991	-48	-13	Pass	9000
12000	20000	1	RMS	20000	-35.83	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.14	-13	Pass	601
0.15	30	0.01	RMS	0.16	-42.84	-13	Pass	2985
30	1000	0.1	RMS	936.593	-55.02	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.43	-13	Pass	830
1830	1920	1	RMS	1878.75	21.26	60	Pass	601
1920	3000	1	RMS	2661.687	-37.97	-13	Pass	1080
3000	12000	1	RMS	11909.99	-48.4	-13	Pass	9000
12000	20000	1	RMS	19993.999	-35.75	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.35	-13	Pass	2985
30	1000	0.1	RMS	946.895	-55.28	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.47	-13	Pass	830
1830	1920	1	RMS	1881.3	21.37	60	Pass	601
1920	3000	1	RMS	2658.684	-37.84	-13	Pass	1080
3000	12000	1	RMS	11912.99	-48.24	-13	Pass	9000
12000	20000	1	RMS	19998	-35.83	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.25	-13	Pass	2985
30	1000	0.1	RMS	950.795	-54.91	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.46	-13	Pass	830
1830	1920	1	RMS	1907.25	21.76	60	Pass	601
1920	3000	1	RMS	2661.687	-38	-13	Pass	1080
3000	12000	1	RMS	11904.989	-48.26	-13	Pass	9000
12000	20000	1	RMS	19999	-35.76	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.78	-13	Pass	2985
30	1000	0.1	RMS	985.999	-54.9	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.47	-13	Pass	830
1830	1920	1	RMS	1909.8	21.69	60	Pass	601
1920	3000	1	RMS	2660.686	-37.92	-13	Pass	1080
3000	12000	1	RMS	11916.991	-48.44	-13	Pass	9000
12000	20000	1	RMS	19999	-35.79	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.76	-13	Pass	2985
30	1000	0.1	RMS	966.197	-55.15	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.47	-13	Pass	830
1830	1920	1	RMS	1907.25	20.54	60	Pass	601
1920	3000	1	RMS	2662.688	-37.98	-13	Pass	1080
3000	12000	1	RMS	11928.992	-48.36	-13	Pass	9000
12000	20000	1	RMS	19998	-35.46	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.8	-13	Pass	2985
30	1000	0.1	RMS	952.695	-55.17	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.47	-13	Pass	830
1830	1920	1	RMS	1909.8	20.45	60	Pass	601
1920	3000	1	RMS	2657.683	-37.97	-13	Pass	1080
3000	12000	1	RMS	11923.992	-48.48	-13	Pass	9000
12000	20000	1	RMS	19973.997	-35.79	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.41	-13	Pass	2985
30	1000	0.1	RMS	902.09	-55.16	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.44	-13	Pass	830
1830	1920	1	RMS	1850.4	21.77	60	Pass	601
1920	3000	1	RMS	2660.686	-38.01	-13	Pass	1080
3000	12000	1	RMS	11913.99	-48.42	-13	Pass	9000
12000	20000	1	RMS	19993.999	-35.73	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.14	-13	Pass	601
0.15	30	0.01	RMS	0.16	-43.52	-13	Pass	2985
30	1000	0.1	RMS	875.387	-55.11	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.44	-13	Pass	830
1830	1920	1	RMS	1854.6	21.54	60	Pass	601
1920	3000	1	RMS	2659.685	-37.98	-13	Pass	1080
3000	12000	1	RMS	11921.991	-48.46	-13	Pass	9000
12000	20000	1	RMS	19992.999	-35.68	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.73	-13	Pass	2985
30	1000	0.1	RMS	903.29	-55.25	-13	Pass	9700
1000	1830	1	RMS	1795.959	-44.5	-13	Pass	830
1830	1920	1	RMS	1850.4	20.74	60	Pass	601
1920	3000	1	RMS	2661.687	-38	-13	Pass	1080
3000	12000	1	RMS	11928.992	-48.43	-13	Pass	9000
12000	20000	1	RMS	19993.999	-35.67	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.53	-13	Pass	2985
30	1000	0.1	RMS	962.296	-55.11	-13	Pass	9700
1000	1830	1	RMS	1818.987	-44.44	-13	Pass	830
1830	1920	1	RMS	1854.6	20.11	60	Pass	601
1920	3000	1	RMS	2658.684	-37.93	-13	Pass	1080
3000	12000	1	RMS	11904.989	-48.34	-13	Pass	9000
12000	20000	1	RMS	19987.999	-35.8	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.25	-13	Pass	2985
30	1000	0.1	RMS	917.291	-55.19	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.47	-13	Pass	830
1830	1920	1	RMS	1877.85	21.59	60	Pass	601
1920	3000	1	RMS	2659.685	-37.99	-13	Pass	1080
3000	12000	1	RMS	11928.992	-48.36	-13	Pass	9000
12000	20000	1	RMS	20000	-35.68	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.09	-13	Pass	2985
30	1000	0.1	RMS	900.59	-54.94	-13	Pass	9700
1000	1830	1	RMS	1801.966	-44.47	-13	Pass	830
1830	1920	1	RMS	1882.2	21.67	60	Pass	601
1920	3000	1	RMS	2659.685	-37.94	-13	Pass	1080
3000	12000	1	RMS	11914.991	-48.39	-13	Pass	9000
12000	20000	1	RMS	20000	-35.81	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.86	-13	Pass	2985
30	1000	0.1	RMS	908.691	-55.15	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.46	-13	Pass	830
1830	1920	1	RMS	1877.85	20.84	60	Pass	601
1920	3000	1	RMS	2660.686	-37.92	-13	Pass	1080
3000	12000	1	RMS	11896.989	-48.38	-13	Pass	9000
12000	20000	1	RMS	19996	-35.8	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.98	-13	Pass	601
0.15	30	0.01	RMS	0.16	-43.1	-13	Pass	2985
30	1000	0.1	RMS	923.092	-54.96	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.5	-13	Pass	830
1830	1920	1	RMS	1882.2	21.13	60	Pass	601
1920	3000	1	RMS	2659.685	-37.98	-13	Pass	1080
3000	12000	1	RMS	11911.99	-48.29	-13	Pass	9000
12000	20000	1	RMS	20000	-35.8	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.64	-13	Pass	2985
30	1000	0.1	RMS	930.193	-55.09	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.42	-13	Pass	830
1830	1920	1	RMS	1905.3	21.86	60	Pass	601
1920	3000	1	RMS	2659.685	-37.96	-13	Pass	1080
3000	12000	1	RMS	11898.989	-48.3	-13	Pass	9000
12000	20000	1	RMS	20000	-35.83	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.56	-13	Pass	2985
30	1000	0.1	RMS	911.291	-55.1	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.46	-13	Pass	830
1830	1920	1	RMS	1909.65	21.85	60	Pass	601
1920	3000	1	RMS	2659.685	-37.75	-13	Pass	1080
3000	12000	1	RMS	11926.992	-48.4	-13	Pass	9000
12000	20000	1	RMS	19994.999	-35.77	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.92	-13	Pass	2985
30	1000	0.1	RMS	900.19	-54.95	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.41	-13	Pass	830
1830	1920	1	RMS	1905.3	20.61	60	Pass	601
1920	3000	1	RMS	2660.686	-38	-13	Pass	1080
3000	12000	1	RMS	11916.991	-48.41	-13	Pass	9000
12000	20000	1	RMS	19999	-35.72	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.9	-13	Pass	2985
30	1000	0.1	RMS	914.591	-55.27	-13	Pass	9700
1000	1830	1	RMS	1793.957	-44.49	-13	Pass	830
1830	1920	1	RMS	1909.65	20.48	60	Pass	601
1920	3000	1	RMS	2660.686	-38.02	-13	Pass	1080
3000	12000	1	RMS	11908.99	-48.47	-13	Pass	9000
12000	20000	1	RMS	19992.999	-35.89	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.23	-13	Pass	2985
30	1000	0.1	RMS	998.4	-54.93	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.45	-13	Pass	830
1830	1920	1	RMS	1850.55	22.07	60	Pass	601
1920	3000	1	RMS	2662.688	-38.01	-13	Pass	1080
3000	12000	1	RMS	11902.989	-48.47	-13	Pass	9000
12000	20000	1	RMS	20000	-35.73	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.04	-13	Pass	2985
30	1000	0.1	RMS	997.9	-55.1	-13	Pass	9700
1000	1830	1	RMS	1820.989	-44.48	-13	Pass	830
1830	1920	1	RMS	1859.4	21.93	60	Pass	601
1920	3000	1	RMS	2660.686	-37.96	-13	Pass	1080
3000	12000	1	RMS	11970.997	-48.44	-13	Pass	9000
12000	20000	1	RMS	19990.999	-35.71	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.44	-13	Pass	2985
30	1000	0.1	RMS	949.095	-55.31	-13	Pass	9700
1000	1830	1	RMS	1820.989	-44.45	-13	Pass	830
1830	1920	1	RMS	1850.55	20.29	60	Pass	601
1920	3000	1	RMS	2657.683	-37.94	-13	Pass	1080
3000	12000	1	RMS	11905.99	-48.37	-13	Pass	9000
12000	20000	1	RMS	19990.999	-35.87	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.49	-13	Pass	2985
30	1000	0.1	RMS	946.094	-54.98	-13	Pass	9700
1000	1830	1	RMS	1822.992	-44.49	-13	Pass	830
1830	1920	1	RMS	1859.4	20.68	60	Pass	601
1920	3000	1	RMS	2660.686	-37.96	-13	Pass	1080
3000	12000	1	RMS	11918.991	-48.42	-13	Pass	9000
12000	20000	1	RMS	19996	-35.72	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.14	-13	Pass	601
0.15	30	0.01	RMS	0.16	-43.46	-13	Pass	2985
30	1000	0.1	RMS	922.492	-55.02	-13	Pass	9700
1000	1830	1	RMS	1796.96	-44.46	-13	Pass	830
1830	1920	1	RMS	1875.6	21.79	60	Pass	601
1920	3000	1	RMS	2460.5	-37.8	-13	Pass	1080
3000	12000	1	RMS	11912.99	-48.3	-13	Pass	9000
12000	20000	1	RMS	19993.999	-35.86	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.48	-13	Pass	2985
30	1000	0.1	RMS	892.889	-55.18	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.47	-13	Pass	830
1830	1920	1	RMS	1884.45	21.83	60	Pass	601
1920	3000	1	RMS	2457.498	-37.86	-13	Pass	1080
3000	12000	1	RMS	11924.992	-48.45	-13	Pass	9000
12000	20000	1	RMS	19976.997	-35.86	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.4	-13	Pass	2985
30	1000	0.1	RMS	956.496	-55.43	-13	Pass	9700
1000	1830	1	RMS	1822.992	-44.45	-13	Pass	830
1830	1920	1	RMS	1875.6	20.91	60	Pass	601
1920	3000	1	RMS	2660.686	-38.02	-13	Pass	1080
3000	12000	1	RMS	11918.991	-48.38	-13	Pass	9000
12000	20000	1	RMS	19996	-35.79	-13	Pass	8000



1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.82	-13	Pass	2985
30	1000	0.1	RMS	996.7	-54.92	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.41	-13	Pass	830
1830	1920	1	RMS	1884.45	21.05	60	Pass	601
1920	3000	1	RMS	2659.685	-37.96	-13	Pass	1080
3000	12000	1	RMS	11905.99	-48.36	-13	Pass	9000
12000	20000	1	RMS	19993.999	-35.76	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.4	-13	Pass	2985
30	1000	0.1	RMS	932.893	-55.04	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.38	-13	Pass	830
1830	1920	1	RMS	1900.65	22.43	60	Pass	601
1920	3000	1	RMS	2660.686	-37.92	-13	Pass	1080
3000	12000	1	RMS	11904.989	-48.37	-13	Pass	9000
12000	20000	1	RMS	19997	-35.8	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49	-13	Pass	601
0.15	30	0.01	RMS	0.16	-42.92	-13	Pass	2985
30	1000	0.1	RMS	925.792	-55.19	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.45	-13	Pass	830
1830	1920	1	RMS	1909.35	21.9	60	Pass	601
1920	3000	1	RMS	2659.685	-37.94	-13	Pass	1080
3000	12000	1	RMS	11910.99	-48.51	-13	Pass	9000
12000	20000	1	RMS	19993.999	-35.6	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.62	-13	Pass	2985
30	1000	0.1	RMS	995.9	-55.12	-13	Pass	9700
1000	1830	1	RMS	1818.987	-44.45	-13	Pass	830
1830	1920	1	RMS	1900.65	20.48	60	Pass	601
1920	3000	1	RMS	2660.686	-37.97	-13	Pass	1080
3000	12000	1	RMS	11916.991	-48.43	-13	Pass	9000
12000	20000	1	RMS	19997	-35.75	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-44.63	-13	Pass	2985
30	1000	0.1	RMS	895.589	-55.11	-13	Pass	9700
1000	1830	1	RMS	1817.986	-44.49	-13	Pass	830
1830	1920	1	RMS	1909.35	20.61	60	Pass	601
1920	3000	1	RMS	2659.685	-37.97	-13	Pass	1080
3000	12000	1	RMS	11912.99	-48.26	-13	Pass	9000
12000	20000	1	RMS	20000	-35.73	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.39	-13	Pass	2985
30	1000	0.1	RMS	996	-55.27	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.45	-13	Pass	830
1830	1920	1	RMS	1850.85	21.68	60	Pass	601
1920	3000	1	RMS	2659.685	-38.01	-13	Pass	1080
3000	12000	1	RMS	11928.992	-48.44	-13	Pass	9000
12000	20000	1	RMS	19994.999	-35.59	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.35	-13	Pass	601
0.15	30	0.01	RMS	0.16	-43.98	-13	Pass	2985
30	1000	0.1	RMS	987.999	-55.24	-13	Pass	9700
1000	1830	1	RMS	1828.999	-44.47	-13	Pass	830
1830	1920	1	RMS	1864.2	21.45	60	Pass	601
1920	3000	1	RMS	2658.684	-38.02	-13	Pass	1080
3000	12000	1	RMS	11930.992	-48.37	-13	Pass	9000
12000	20000	1	RMS	19991.999	-35.89	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.08	-13	Pass	601
0.15	30	0.01	RMS	0.16	-43.25	-13	Pass	2985
30	1000	0.1	RMS	880.188	-55.14	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.46	-13	Pass	830
1830	1920	1	RMS	1850.85	20.43	60	Pass	601
1920	3000	1	RMS	2660.686	-37.98	-13	Pass	1080
3000	12000	1	RMS	11934.993	-48.31	-13	Pass	9000
12000	20000	1	RMS	19998	-35.73	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.82	-13	Pass	2985
30	1000	0.1	RMS	993.999	-55.25	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.48	-13	Pass	830
1830	1920	1	RMS	1864.2	20.37	60	Pass	601
1920	3000	1	RMS	2662.688	-37.97	-13	Pass	1080
3000	12000	1	RMS	11915.991	-48.41	-13	Pass	9000
12000	20000	1	RMS	19989.999	-35.91	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.03	-13	Pass	2985
30	1000	0.1	RMS	970.297	-54.83	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.44	-13	Pass	830
1830	1920	1	RMS	1873.35	21.64	60	Pass	601
1920	3000	1	RMS	2660.686	-37.97	-13	Pass	1080
3000	12000	1	RMS	11921.991	-48.36	-13	Pass	9000
12000	20000	1	RMS	19998	-35.82	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.76	-13	Pass	2985
30	1000	0.1	RMS	895.789	-55.09	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.43	-13	Pass	830
1830	1920	1	RMS	1886.7	21.8	60	Pass	601
1920	3000	1	RMS	2659.685	-37.93	-13	Pass	1080
3000	12000	1	RMS	11910.99	-48.41	-13	Pass	9000
12000	20000	1	RMS	19994.999	-35.64	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.71	-13	Pass	2985
30	1000	0.1	RMS	918.192	-55.16	-13	Pass	9700
1000	1830	1	RMS	1821.99	-44.46	-13	Pass	830
1830	1920	1	RMS	1873.35	20.22	60	Pass	601
1920	3000	1	RMS	2658.684	-37.9	-13	Pass	1080
3000	12000	1	RMS	11898.989	-48.42	-13	Pass	9000
12000	20000	1	RMS	20000	-35.73	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.4	-13	Pass	2985
30	1000	0.1	RMS	972.797	-55.07	-13	Pass	9700
1000	1830	1	RMS	1821.99	-44.49	-13	Pass	830
1830	1920	1	RMS	1886.7	20.5	60	Pass	601
1920	3000	1	RMS	2660.686	-37.93	-13	Pass	1080
3000	12000	1	RMS	11914.991	-48.46	-13	Pass	9000
12000	20000	1	RMS	20000	-35.72	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.77	-13	Pass	2985
30	1000	0.1	RMS	979.998	-55.17	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.49	-13	Pass	830
1830	1920	1	RMS	1895.85	21.97	60	Pass	601
1920	3000	1	RMS	2661.687	-38.02	-13	Pass	1080
3000	12000	1	RMS	11926.992	-48.34	-13	Pass	9000
12000	20000	1	RMS	19984.998	-35.91	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.09	-13	Pass	601
0.15	30	0.01	RMS	0.16	-44.35	-13	Pass	2985
30	1000	0.1	RMS	996.9	-55.36	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.5	-13	Pass	830
1830	1920	1	RMS	1909.2	21.59	60	Pass	601
1920	3000	1	RMS	2662.688	-38.01	-13	Pass	1080
3000	12000	1	RMS	11921.991	-48.45	-13	Pass	9000
12000	20000	1	RMS	19991.999	-35.66	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-45.01	-13	Pass	2985
30	1000	0.1	RMS	981.798	-55.08	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.48	-13	Pass	830
1830	1920	1	RMS	1895.85	20.46	60	Pass	601
1920	3000	1	RMS	2659.685	-38.01	-13	Pass	1080
3000	12000	1	RMS	11911.99	-48.23	-13	Pass	9000
12000	20000	1	RMS	19991.999	-35.86	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.01	-13	Pass	2985
30	1000	0.1	RMS	968.797	-55.11	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.48	-13	Pass	830
1830	1920	1	RMS	1909.2	20.33	60	Pass	601
1920	3000	1	RMS	2661.687	-37.97	-13	Pass	1080
3000	12000	1	RMS	11928.992	-48.41	-13	Pass	9000
12000	20000	1	RMS	19998	-35.82	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.73	-13	Pass	2985
30	1000	0.1	RMS	933.493	-54.96	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.47	-13	Pass	830
1830	1920	1	RMS	1851.15	21.84	60	Pass	601
1920	3000	1	RMS	2662.688	-38	-13	Pass	1080
3000	12000	1	RMS	11983.998	-48.4	-13	Pass	9000
12000	20000	1	RMS	19997	-35.74	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.66	-13	Pass	601
0.15	30	0.01	RMS	0.16	-43.83	-13	Pass	2985
30	1000	0.1	RMS	861.686	-55.31	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.45	-13	Pass	830
1830	1920	1	RMS	1868.85	21.29	60	Pass	601
1920	3000	1	RMS	2662.688	-38.01	-13	Pass	1080
3000	12000	1	RMS	11935.993	-48.29	-13	Pass	9000
12000	20000	1	RMS	19986.998	-35.83	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.27	-13	Pass	2985
30	1000	0.1	RMS	895.689	-55.18	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.49	-13	Pass	830
1830	1920	1	RMS	1851.15	20.89	60	Pass	601
1920	3000	1	RMS	2658.684	-38.01	-13	Pass	1080
3000	12000	1	RMS	11909.99	-48.39	-13	Pass	9000
12000	20000	1	RMS	19997	-35.84	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.13	-13	Pass	601
0.15	30	0.01	RMS	0.16	-43.6	-13	Pass	2985
30	1000	0.1	RMS	972.497	-55.03	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.47	-13	Pass	830
1830	1920	1	RMS	1869	20.59	60	Pass	601
1920	3000	1	RMS	2660.686	-37.93	-13	Pass	1080
3000	12000	1	RMS	11920.991	-48.29	-13	Pass	9000
12000	20000	1	RMS	19997	-35.67	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.65	-13	Pass	2985
30	1000	0.1	RMS	999.6	-55	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.46	-13	Pass	830
1830	1920	1	RMS	1871.1	21.8	60	Pass	601
1920	3000	1	RMS	2658.684	-37.99	-13	Pass	1080
3000	12000	1	RMS	11927.992	-48.4	-13	Pass	9000
12000	20000	1	RMS	19992.999	-35.81	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.88	-13	Pass	2985
30	1000	0.1	RMS	940.694	-55.11	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.45	-13	Pass	830
1830	1920	1	RMS	1888.95	21.9	60	Pass	601
1920	3000	1	RMS	2658.684	-38.01	-13	Pass	1080
3000	12000	1	RMS	11911.99	-48.39	-13	Pass	9000
12000	20000	1	RMS	19990.999	-35.73	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.72	-13	Pass	2985
30	1000	0.1	RMS	923.492	-55	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.42	-13	Pass	830
1830	1920	1	RMS	1871.1	20.79	60	Pass	601
1920	3000	1	RMS	2660.686	-37.98	-13	Pass	1080
3000	12000	1	RMS	11937.993	-48.35	-13	Pass	9000
12000	20000	1	RMS	19993.999	-35.78	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.2	-13	Pass	2985
30	1000	0.1	RMS	905.19	-55.2	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.45	-13	Pass	830
1830	1920	1	RMS	1888.95	21.09	60	Pass	601
1920	3000	1	RMS	2657.683	-37.93	-13	Pass	1080
3000	12000	1	RMS	11916.991	-48.36	-13	Pass	9000
12000	20000	1	RMS	19992.999	-35.73	-13	Pass	8000



1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.71	-13	Pass	2985
30	1000	0.1	RMS	925.292	-54.97	-13	Pass	9700
1000	1830	1	RMS	1795.959	-44.51	-13	Pass	830
1830	1920	1	RMS	1891.05	21.93	60	Pass	601
1920	3000	1	RMS	2660.686	-37.99	-13	Pass	1080
3000	12000	1	RMS	11918.991	-48.35	-13	Pass	9000
12000	20000	1	RMS	19999	-35.87	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.05	-13	Pass	2985
30	1000	0.1	RMS	880.888	-55.42	-13	Pass	9700
1000	1830	1	RMS	1817.986	-44.47	-13	Pass	830
1830	1920	1	RMS	1908.9	21.56	60	Pass	601
1920	3000	1	RMS	2660.686	-37.99	-13	Pass	1080
3000	12000	1	RMS	11921.991	-48.43	-13	Pass	9000
12000	20000	1	RMS	19998	-35.7	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.7	-13	Pass	2985
30	1000	0.1	RMS	974.597	-55.16	-13	Pass	9700
1000	1830	1	RMS	1802.967	-44.49	-13	Pass	830
1830	1920	1	RMS	1891.05	21.01	60	Pass	601
1920	3000	1	RMS	2661.687	-38.08	-13	Pass	1080
3000	12000	1	RMS	11919.991	-48.48	-13	Pass	9000
12000	20000	1	RMS	20000	-35.76	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-43.46	-13	Pass	2985
30	1000	0.1	RMS	927.793	-54.99	-13	Pass	9700
1000	1830	1	RMS	1818.987	-44.49	-13	Pass	830
1830	1920	1	RMS	1908.9	20.86	60	Pass	601
1920	3000	1	RMS	2659.685	-37.98	-13	Pass	1080
3000	12000	1	RMS	11931.992	-48.37	-13	Pass	9000
12000	20000	1	RMS	19999	-35.84	-13	Pass	8000



END