




Shenzhen Yingjia Chuang electronic technology Co., LTD


<http://www.szsyjc.com>


APPROVAL SHEET

承认书


CUSTOMER NAME 客户名称		
CUSTOMER P/N 客户料号		
PART NAME 品 名	2.4G FPC	
P/ N 料 号	YJC-6N150-G19	
APPROVAL REV. 版 次	A0	
DELIVERY DATE 送样日期	2023 /08 / 22	
PREPARED BY 承 办		
CHECKED BY 审 核		
APPROVED BY 核 准		
Customer Approved 客 户 承 认		
Prepared By 承 办	Checked By 审 核	Approved By 核 准

Add: Building C, Hongyu Guangming Valley, No. 11, Youma Gang
Road, Ma Tian Street, Guangming District, Shenzhen





Antenna position







2D、3D(2.4G):

Frequency (MHz)	Efficiency (%)	Gain. (dBi)
2400MHz	57.5	3.65
2410MHz	60.18	3.93
2420MHz	59.81	4
2430MHz	60.46	4.06
2440MHz	60.69	3.91
2450MHz	61.95	4.2
2460MHz	61.35	4.1
2470MHz	62.39	4.26
2480MHz	62.57	4.14
2490MHz	61.6	4.2
2500MHz	60.27	4.27


Phi 0 2D :






Phi 90 2D



Theta 90 2D




3D 2400:






3D 2450:



3D 2500:



OTA :

Item	Measurement	Band	Channel	Frequency	Total
1	TRP	BLUETOOTH	0	2402	2.24
2	TRP	BLUETOOTH	39	2441	3.19
3	TRP	BLUETOOTH	78	2480	1.56
4	TIS(EIRP)	BLUETOOTH	0	2402	-86.44
5	TIS(EIRP)	BLUETOOTH	39	2441	-86.39
6	TIS(EIRP)	BLUETOOTH	78	2480	-85.77