








Condition	Mode	Frequency (MHz)	99% OBW (MHz)	
			Ant A	Ant B
NVNT	a	5500	16.337	16.354
NVNT	a	5580	16.344	16.339
NVNT	a	5700	16.33	16.344
NVNT	n20	5500	17.503	17.513
NVNT	n20	5580	17.51	17.518
NVNT	n20	5700	17.492	17.512
NVNT	n40	5510	35.97	36.028
NVNT	n40	5550	36.024	36.007
NVNT	n40	5670	35.974	36.025
NVNT	ac20	5500	17.487	17.516
NVNT	ac20	5580	17.519	17.517
NVNT	ac20	5700	17.494	17.523
NVNT	ac40	5510	36.014	36.056
NVNT	ac40	5550	36.023	36.039
NVNT	ac40	5670	36.018	36.037
NVNT	ac80	5530	76.042	76.203
NVNT	ax20	5500	18.876	18.88
NVNT	ax20	5580	18.914	18.863
NVNT	ax20	5700	18.855	18.865
NVNT	ax40	5510	37.633	37.682
NVNT	ax40	5550	37.634	37.662
NVNT	ax40	5670	37.643	37.686
NVNT	ax80	5530	77.141	77.2



Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.





















































































Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)		Limit -6 dB Bandwidth (MHz)	Verdict
			Ant A	Ant B		
NVNT	a	5745	16.309	16.31	0.5	Pass
NVNT	a	5785	16.314	15.937	0.5	Pass
NVNT	a	5825	16.315	16.29	0.5	Pass
NVNT	n20	5745	17.226	17.063	0.5	Pass
NVNT	n20	5785	17.018	16.657	0.5	Pass
NVNT	n20	5825	16.616	16.313	0.5	Pass
NVNT	n40	5755	35.347	35.027	0.5	Pass
NVNT	n40	5795	35.098	35.357	0.5	Pass
NVNT	ac20	5745	17.244	16.936	0.5	Pass
NVNT	ac20	5785	17.286	17.173	0.5	Pass
NVNT	ac20	5825	17.559	16.87	0.5	Pass
NVNT	ac40	5755	35.473	35.714	0.5	Pass
NVNT	ac40	5795	35.056	35.329	0.5	Pass
NVNT	ac80	5775	73.805	75.74	0.5	Pass
NVNT	ax20	5745	18.304	17.919	0.5	Pass
NVNT	ax20	5785	18.326	18.258	0.5	Pass
NVNT	ax20	5825	18.101	17.98	0.5	Pass
NVNT	ax40	5755	37.656	37.713	0.5	Pass
NVNT	ax40	5795	37.12	37.257	0.5	Pass
NVNT	ax80	5775	77.56	77.051	0.5	Pass



Condition	Mode	Frequency (MHz)	99% OBW (MHz)	
			Ant A	Ant B
NVNT	a	5745	16.339	16.334
NVNT	a	5785	16.327	16.335
NVNT	a	5825	16.345	16.344
NVNT	n20	5745	17.51	17.491
NVNT	n20	5785	17.493	17.504
NVNT	n20	5825	17.512	17.502
NVNT	n40	5755	35.952	35.834
NVNT	n40	5795	36.043	36.031
NVNT	ac20	5745	17.505	17.501
NVNT	ac20	5785	17.5	17.503
NVNT	ac20	5825	17.521	17.517
NVNT	ac40	5755	36.017	36.096
NVNT	ac40	5795	36.05	36.044
NVNT	ac80	5775	75.156	76.117
NVNT	ax20	5745	18.887	18.876
NVNT	ax20	5785	18.863	18.867
NVNT	ax20	5825	18.9	18.871
NVNT	ax40	5755	37.578	37.631
NVNT	ax40	5795	37.633	37.621
NVNT	ax80	5775	77.331	77.288

Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.

