









User Manual

Remote-control Unit

Y-124

REMOTE CONTROL

The Remote distance is within 25ft (7.62 m). It is magnetic so that you can stick it on the lamp pipe and other magnetic surfaces.

1	 	ON / OFF Button: Short press this button to turn on the light, press it again to turn off.
2	 	CCT color temperature: After turning on the light, short press this button to select the color temperature; long press the button to select the color temperature between 3000K-6000K.
3	 	Brightness +: Hold the button to increase the brightness.
4	 	Brightness -: Press and hold the button to decrease the brightness.

Guangdong Ansiondarry Technology Co.,Ltd.

Model: Y-124

Input: DC 3V

Made in China

FCC ID:2BAJM-Y-124

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment .

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.